

5. References

- Aldred, F.H. (1985) Health aspects of alumino-silicate fibre products. *Ann. occup. Hyg.*, 29, 441–442
- Alsbirk, K.E., Johansson, M. & Petersen, R. (1983) Ocular symptoms and exposure to mineral fibres in boards for sound-insulation of ceiling (Dan.). *Ugeskr. Laeger*, 145, 43–47
- American Conference of Governmental Industrial Hygienists (1986) *Threshold Limit Values and Biological Exposure Indices for 1986-1987*, Cincinnati, OH, pp. 19, 34
- Andersen, A. & Langmark, F. (1986) Incidence of cancer in the mineral-wool producing industry in Norway. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 72–77
- Anon. (1986) Facts and figures. *Chem. Eng. News*, 64, 32–44
- Anon. (1987a) High-purity alumina fiber transformed into paper. *Jpn. chem. Week*, 28, 1
- Anon. (1987b) High-performance fibers find expanding military, industrial uses. *Chem. Eng. News*, 65, 9–14
- Anon. (1987c) In the Midwest, the magic word is ceramics. *Bus. Week*, 2999, 123
- Arbetskyddsstyrelsen (National Swedish Board of Occupational Safety and Health) (1981) *Measurement and Characterization of MMMF Dust (Partial Reports 3-9)*, Stockholm
- Arbetskyddsstyrelsen (National Swedish Board of Occupational Safety and Health) (1984) *Occupational Exposure Limit Values (AFS 1984: 5)*, Solna, p. 16
- Arledter, H.F. & Knowles, S.E. (1964) *Ceramic fibers*. In: Battista, O.A., ed., *Synthetic Fibers in Papermaking*, New York, Interscience, pp. 185–244
- Azova, S.M., Evlashko, Y.P. & Kovalevskaya, I.A. (1971) Blood and porphyrin metabolism changes following exposure to the effect of the optical glass fibre dust (Russ.). *Gig. Tr. prof. Zabol.*, 15, 38–42
- Balzer, J.L. (1976) *Environmental data: airborne concentrations found in various operations*. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass (DHEW Publ. No. (NIOSH) 76-151; NTIS Publ. No. PB-258869)*, Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 83–89
- Balzer, J.L., Cooper, W.C. & Fowler, D.P. (1971) Fibrous glass-lined air transmission systems: an assessment of their environmental effects. *Am. ind. Hyg. Assoc. J.*, 32, 512–518
- Bayliss, D.L., Dement, J.M., Wagoner, J.K. & Blejer, H.P. (1976a) Mortality patterns among fibrous glass production workers. *Ann. N.Y. Acad. Sci.*, 271, 324–335
- Bayliss, D., Dement, J. & Wagoner, J.K. (1976b) *Mortality patterns among fibrous glass production workers — provisional report*. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass (DHEW Publ. No. (NIOSH) 76-151; NTIS Publ. No. PB-258869)*, Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 349–363

- Beck, E.G. (1976a) Interaction between fibrous dust and cells *in vitro*. *Ann. Anat. pathol.*, 12, 227–236
- Beck, E.G. (1976b) The interaction between cells and fibrous dusts (Ger.). *Zbl. Bakt. Hyg. I. Abt. Orig. B*, 162, 85–92
- Beck, E.G. & Bruch, J. (1974) Effect of fibrous dusts on alveolar macrophages and on other cells cultured *in vitro*. Biochemical and morphological study (Fr.). *Rev. fr. Mal. respir.*, 2, 72–76
- Beck, E.G., Bruch, J., Friedrichs, K.-H., Hilscher, W. & Pott, F. (1971) *Fibrous silicates in animal experiments and cell-culture. Morphological cell and tissue reactions according to different physical chemical influences*. In: Walton, W.H., ed., *Inhaled Particles III*, Vol. II, Old Woking, Surrey, Unwin Bros, pp. 477–487
- Beck, E.G., Holt, P.F. & Manojlović, N. (1972) Comparison of effects on macrophage cultures of glass fibre, glass powder, and chrysotile asbestos. *Br. J. ind. Med.*, 29, 280–286
- Bellmann, B., Muhle, H., Pott, F., König, H., Klöppel, H. & Spurny, K. (1987) Persistence of man-made mineral fibres (MMMF) and asbestos in rat lungs. *Ann. occup. Hyg.*, 31, 693–709
- Bernstein, D.M., Drew, R.T. & Kuschner, M. (1980) Experimental approaches for exposure to sized glass fibers. *Environ. Health Perspect.*, 34, 47–57
- Bernstein, D.M., Drew, R.T., Schidlovsky, G. & Kuschner, M. (1984) *Pathogenicity of MMMF and the contrasts with natural fibres*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 169–195
- Bertazzi, P.A., Zocchetti, C., Pesatori, A., Radice, L. & Riboldi, L. (1984) Cancer mortality in a cohort of glass fibre production workers (Ital.). *Med. Lav.*, 75, 339–358
- Bertazzi, P.A., Zocchetti, C., Riboldi, L., Pesatori, A., Radice, L. & Latocca, R. (1986) Cancer mortality of an Italian cohort of workers in man-made glass fiber production. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 65–71
- Bjore, J., Söderholm, B. & Widimsky, J. (1964) Cardiopulmonary function studies in workers dealing with asbestos and glasswool. *Thorax*, 19, 22–27
- Botham, S.K. & Holt, P.F. (1971) The development of glass-fibre bodies in the lungs of guinea-pigs. *J. Pathol.*, 103, 149–156
- Boyd, D.C. & Thompson, D.A. (1980) *Glass*. In: Grayson, M., Mark, H.F., Othmer, D.F., Overberger, C.G. & Seaborg, G.T., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 11, New York, John Wiley & Sons, pp. 807–880
- Brown, R.C., Chamberlain, M., Davies, R., Gaffen, J. & Skidmore, J.W. (1979a) *In vitro* biological effects of glass fibers. *J. environ. Pathol. Toxicol.*, 2, 1369–1383
- Brown, R.C., Chamberlain, M. & Skidmore, J.W. (1979b) *In vitro* effects of man-made mineral fibres. *Ann. occup. Hyg.*, 22, 175–179
- Bruch, J. (1974) Response of cell cultures to asbestos fibres. *Environ. Health Perspect.*, 9, 253–254

- Bye, E., Eduard, W., Gjønnnes, J. & Sørbrøden, E. (1985) Occurrence of airborne silicon carbide fibers during industrial production of silicon carbide. *Scand. J. Work Environ. Health*, 11, 111–115
- Campbell, W.B. (1970) *Growth of whiskers by vapor-phase reactions*. In: Levitt, A.P., ed., *Whisker Technology*, New York, Wiley-Interscience, pp. 15–46
- Casey, G. (1983) Sister-chromatid exchange and cell kinetics in CHO-K1 cells, human fibroblasts and lymphoblastoid cells exposed *in vitro* to asbestos and glass fibre. *Mutat. Res.*, 116, 369–377
- Chamberlain, M. & Brown, R.C. (1978) The cytotoxic effects of asbestos and other mineral dust in tissue culture cell lines. *Br. J. exp. Pathol.*, 59, 183–189
- Chamberlain, M. & Tarmy, E.M. (1977) Asbestos and glass fibres in bacterial mutation tests. *Mutat. Res.*, 43, 159–164
- Chamberlain, M., Brown, R.C., Davies, R. & Griffiths, D.M. (1979) In vitro prediction of the pathogenicity of mineral dusts. *Br. J. exp. Pathol.*, 60, 320–327
- Champeix, J. (1945) Glass fibre. Pathology and hygiene in workshops (Fr.). *Arch. Mal. prof.*, 6, 91–94
- Cherrie, J. & Dodgson, J. (1986) Past exposures to airborne fibers and other potential risk factors in the European man-made mineral fiber production industry. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 26–33
- Cherrie, J., Dodgson, J., Groat, S. & Maclaren, W. (1986) Environmental surveys in the European man-made mineral fiber production industry. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 18–25
- Cherrie, J., Krantz, S., Schneider, T., Öhberg, I., Kamstrup, O. & Linander, W. (1987) An experimental simulation of an early rockwool/slagwool production process. *Ann. occup. Hyg.*, 31, 583–593
- Chiappino, G., Scotti, P.G. & Anselmino, A. (1981) Occupational bronchopulmonary disease due to glass fibres. Clinical observations (Ital.). *Med. Lav.*, 2, 96–101
- Cholak, J. & Schafer, L.J. (1971) Erosion of fibers from installed fibrous-glass ducts. *Arch. environ. Health*, 22, 220–229
- Cirla, P. (1948) Occupational pathology of glass fibre (Ital.). *Med. Lav.*, 39, 152–157
- Claude, J. & Frentzel-Beyme, R. (1984) A mortality study of workers employed in a German rock wool factory. *Scand. J. Work Environ. Health*, 10, 151–157
- Claude, J. & Frentzel-Beyme, R. (1986) Mortality of workers in a German rock-wool factory — a second look with extended follow-up. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 53–60
- Corn, M. (1979) *An overview of inorganic man-made fibers in man's environment*. In: Lemen, R. & Dement, J.M., eds, *Dusts and Disease*, Park Forest South, IL, Pathotox, pp. 23–36
- Corn, M., Hammad, Y.Y., Whittier, D. & Kotsko, N. (1976) Employee exposure to airborne fiber and total particulate matter in two mineral wool facilities. *Environ. Res.*, 12, 59–74

- Cuypers, J.M.C., Bleumink, E. & Nater, J.P. (1975) Dermatological aspect of glass fibre manufacture (Ger.). *Berufsdermatosen*, 23, 143–154
- Davies, R. (1980) *The effect of mineral fibres on macrophages*. In: Wagner, J.C., ed., *Biological Effects of Mineral Fibres (IARC Scientific Publications No. 30)*, Lyon, International Agency for Research on Cancer, pp. 419–425
- Davis, J.M.G. (1972) The fibrogenic effects of mineral dusts injected into the pleural cavity of mice. *Br. J. exp. Pathol.*, 53, 190–201
- Davis, J.M.G. (1976) *Pathological aspects of the injection of glass fiber into the pleural and peritoneal cavities of rats and mice*. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass (DHEW Publ. No. (NIOSH) 76-151; NTIS Publ. No. PB-258869)*, Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 141–149
- Davis, J.M.G. (1986) A review of experimental evidence for the carcinogenicity of man-made vitreous fibers. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 12–17
- Davis, J.M.G., Gross, P. & de Treville, R.T.P. (1970) 'Ferruginous bodies' in guinea pigs. Fine structure produced experimentally from minerals other than asbestos. *Arch. Pathol.*, 89, 364–373
- Davis, J.M.G., Addison, J., Bolton, R.E., Donaldson, K., Jones, A.D. & Wright, A. (1984) *The pathogenic effects of fibrous ceramic aluminium silicate glass administered to rats by inhalation or peritoneal injection*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 303–322
- Davis, J.M.G., Bolton, R.E., Cowie, H., Donaldson, K., Gormley, I.P., Jones, A.D. & Wright, A. (1985) *Comparisons of the biological effects of mineral fibre samples using in vitro and in vivo assay systems*. In: Beck, E.G. & Bignon, J., eds, *In vitro Effects of Mineral Dusts (NATO ASI Series, Vol. G3)*, Berlin (West), Springer, pp. 405–411
- Dement, J.M. (1973) *Preliminary Results of the NIOSH Industrywide Study of the Fibrous Glass Industry (DHEW (NIOSH) Publ. No. IWS.35.3b; NTIS Publ. No. PB-81-224693)*, Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 1–5
- Dement, J.M. (1975) Environmental aspects of fibrous glass production and utilization. *Environ. Res.*, 9, 295–312
- Deutsche Forschungsgemeinschaft (German Research Society) (1986) *Maximum Concentrations at the Workplace and Biological Tolerance Values for Working Materials 1986 (Ger.) (Report No. XXII)*, Weinheim, Verlag Chemie, pp. 65, 76
- Direktoratet for Arbeidstilsynet (Directorate for Labour Inspection) (1981) *Administrative Norms for Pollution in Work Atmosphere (Norw.) (No. 361)*, Oslo, p. 23
- Engholm, G. & von Schmalensee, G. (1982) Bronchitis and exposure to man-made mineral fibres in non-smoking construction workers. *Eur. J. respir. Dis.*, 63 (Suppl. 118), 73–78

- Engholm, G., Englund, A., Hallin, N. & von Schmalensee, G. (1984) *Incidence of respiratory cancer in Swedish construction workers exposed to MMMF*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 350–366
- Engholm, G., Englund, A., Fletcher, T. & Hallin, N. (1987) Respiratory cancer incidence in Swedish construction workers exposed to man-made mineral fibres and asbestos. *Ann. occup. Hyg.*, 31, 663–675
- Enterline, P.E. & Henderson, V. (1975) The health of retired fibrous glass workers. *Arch. environ. Health*, 30, 113–116
- Enterline, P.E. & Marsh, G.M. (1979) *Environment and mortality of workers from a fibrous glass plant*. In: Lemen, R. & Dement, J.M., eds, *Dusts and Disease*, Park Forest South, IL, Pathotox, pp. 221–231
- Enterline, P.E. & Marsh, G.M. (1980) *Mortality of workers in the man-made mineral fibre industry*. In: Wagner, J.C., ed., *Biological Effects of Mineral Fibres (IARC Scientific Publications No. 30)*, Lyon, International Agency for Research on Cancer, pp. 965–972
- Enterline, P.E. & Marsh, G.M. (1984) *The health of workers in the MMMF industry*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 311–339
- Enterline, P.E., Marsh, G.M. & Esmen, N.A. (1983) Respiratory disease among workers exposed to man-made mineral fibers. *Am. Rev. respir. Dis.*, 128, 1–7
- Enterline, P.E., Marsh, G.M., Henderson, V. & Callahan, C. (1987) Mortality update of a cohort of US man-made mineral fibre workers. *Ann. occup. Hyg.*, 31, 625–656
- Esmen, N.A., Hammad, Y.Y., Corn, M., Whittier, D., Kotsko, N., Haller, M. & Kahn, R.A. (1978) Exposure of employees to man-made mineral fibers: mineral wool production. *Environ. Res.*, 15, 262–277
- Esmen, N.A., Corn, M., Hammad, Y.Y., Whittier, D. & Kotsko, N. (1979a) Summary of measurements of employee exposure to airborne dust and fiber in sixteen facilities producing man-made mineral fibers. *Am. ind. Hyg. Assoc. J.*, 40, 108–117
- Esmen, N.A., Corn, M., Hammad, Y.Y., Whittier, D., Kotsko, N., Haller, M. & Kahn, R.A. (1979b) Exposure of employees to man-made mineral fibers: ceramic fiber production. *Environ. Res.*, 19, 265–278
- Esmen, N.A., Whittier, D., Kahn, R.A., Lee, T.C., Sheehan, M. & Kotsko, N. (1980) Entrainment of fibers from air filters. *Environ. Res.*, 22, 450–465
- Esmen, N.A., Sheehan, M.J., Corn, M., Engel, M. & Kotsko, N. (1982) Exposure of employees to man-made vitreous fibers: installation of insulation materials. *Environ. Res.*, 28, 386–398
- Fairhall, L.T., Webster, S.H. & Bennett, G.A. (1935) Rock wool in relation to health. *J. ind. Hyg.*, 17, 263–275

- Farkas, J. (1983) Fibreglass dermatitis in employees of a project-office in a new building. *Contact Dermatitis*, 9, 79
- Feron, V.J., Scherrenberg, P.M., Immel, H.R. & Spit, B.J. (1985) Pulmonary response of hamsters to fibrous glass: chronic effects of repeated intratracheal instillation with or without benzo[a]pyrene. *Carcinogenesis*, 6, 1495–1499
- Fireline (undated) *Product Data Sheet: Vacuum Formed Ceramic Fiber Whiteline Shapes*, Youngstown, OH
- Fisher, A.A. (1982) Fiberglass vs mineral wool (rockwool) dermatitis. *Curr. Contact News*, 29, 412, 415–416, 422, 427, 513
- Fisher, B.K. & Warkentin, J.D. (1969) Fiber glass dermatitis. *Arch. Dermatol.*, 99, 717–719
- Forget, G., Lacroix, M.J., Brown, R.C., Evans, P.H. & Sirois, P. (1986) Response of perfused alveolar macrophages to glass fibers: effect of exposure duration and fiber length. *Environ. Res.*, 39, 124–135
- Förster, H. (1984) *The behaviour of mineral fibres in physiological solutions*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 27–59
- Fowler, D.P. (1980) *Industrial Hygiene Surveys of Occupational Exposures to Mineral Wool* (DHHS (NIOSH) Publ. No. 80–135; NTIS Publ. No. PB-81-222481), Cincinnati, OH, National Institute for Occupational Safety and Health
- Fowler, D.P., Balzer, J.L. & Cooper, W.C. (1971) Exposure of insulation workers to airborne fibrous glass. *Am. ind. Hyg. Assoc. J.*, 32, 86–91
- Gantner, B.A. (1986) Respiratory hazard from removal of ceramic fiber insulation from high temperature industrial furnaces. *Am. ind. Hyg. Assoc. J.*, 47, 530–534
- Gardner, M.J., Winter, P.D., Pannett, B., Simpson, M.J.C., Hamilton, C. & Acheson, E.D. (1986) Mortality study of workers in the man-made mineral fiber production industry in the United Kingdom. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 85–93
- Goldstein, B., Rendall, R.E.G. & Webster, I. (1983) A comparison of the effects of exposure of baboons to crocidolite and fibrous-glass dusts. *Environ. Res.*, 32, 344–359
- Goldstein, B., Webster, I. & Rendall, R.E.G. (1984) *Changes produced by the inhalation of glass fibre in non-human primates*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 273–285
- Griffiths, J. (1986) Synthetic mineral fibres — from rocks to riches. *Ind. Miner.*, September, 20–43
- Grimm, H.-G. (1983) Occupational exposure to man-made mineral fibres and their effects on health (Ger.). *Zbl. Arbeitsmed.*, 33, 156–162
- Gross, P., Westrick, M.L., Schrenk, H.H. & McNerney, J.M. (1956) The effects of a synthetic ceramic fiber dust upon the lungs of rats. *Arch. ind. Health*, 13, 161–166
- Gross, P., Kaschak, M., Tolker, E.B., Babyak, M.A. & de Treville, R.T.P. (1970a) The pulmonary reaction to high concentrations of fibrous glass dust. A preliminary report. *Arch. environ. Health*, 20, 696–704

- Gross, P., de Treville, R.T.P., Cralley, L.J., Granquist, W.T. & Pundsack, F.L. (1970b) The pulmonary response to fibrous dusts of diverse compositions. *Am. ind. Hyg. Assoc. J.*, 31, 125–132
- Gross, P., Tuma, J. & de Treville, R.T.P. (1971) Lungs of workers exposed to fiber glass. A study of their pathologic changes and their dust content. *Arch. environ. Health*, 23, 67–76
- Hallin, N. (1981) *Mineral Wool Dust in Construction Sites (Report 1981-09-01)*, Stockholm, Bygghälsan [The Construction Industry's Organization for Working Environment, Safety and Health]
- Hammad, Y., Diem, J., Craighead, J. & Weill, H. (1982) Deposition of inhaled man-made mineral fibres in the lungs of rats. *Ann. occup. Hyg.*, 26, 179–187
- Harben, P.W. & Bates, R.L. (1984) *Geology of the Nonmetallics*, New York, Metal Bulletin, pp. 50–51, 90–91, 260–261
- Hardy, C.J. (1979) Pulmonary effects of glass fibres in man and animals. *Arh. Hig. Rada. Toksikol.*, 30 (Suppl.), 861–870
- Head, I.W.H. & Wagg, R.M. (1980) A survey of occupational exposure to man-made mineral fibre dust. *Ann. occup. Hyg.*, 23, 235–258
- Health and Safety Executive (1987) *Occupational Exposure Limits 1987 (Guidance Note EH 40/87)*, London, Her Majesty's Stationery Office, p. 25
- Heisel, E.B. & Hunt, F.E. (1968) Further studies in cutaneous reactions to glass fibers. *Arch. environ. Health*, 17, 705–711
- Herring, C. & Galt, J.K. (1952) Elastic and plastic properties of very small metal specimens. *Phys. Rev.*, 85, 1060–1061
- Hesterberg, T.W. & Barrett, J.C. (1984) Dependence of asbestos- and mineral dust-induced transformation of mammalian cells in culture on fiber dimension. *Cancer Res.*, 44, 2170–2180
- Hill, J.W. (1978) Man-made mineral fibres. *J. Soc. occup. Med.*, 28, 134–141
- Hill, J.W., Whitehead, W.S., Cameron, J.D. & Hedgecock, G.A. (1973) Glass fibres: absence of pulmonary hazard in production workers. *Br. J. ind. Med.*, 30, 174–179
- Hill, J.W., Rossiter, C.E. & Foden, D.W. (1984) *A pilot respiratory morbidity study of workers in a MMMF plant in the United Kingdom*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 413–426
- Höhr, D. (1985) Investigations by transmission electron microscopy of fibrous particles in ambient air (Ger.). *Staub. Reinhalt. Luft*, 45, 171–174
- Holmes, A., Morgan, A. & Davison, W. (1983) Formation of pseudo-asbestos bodies on sized glass fibres in the hamster lung. *Ann. occup. Hyg.*, 27, 301–313
- Howie, R.M., Addison, J., Cherrie, J., Robertson, A. & Dodgson, J. (1986) Fibre release from filtering facepiece respirators. *Ann. occup. Hyg.*, 30, 131–133

- Institut National de Recherche et de Sécurité (1986) *Limit Values for Concentrations of Dangerous Substances in Air of Working Places* (Fr.) (ND 1609-125-86), Paris, p. 582
- International Labour Office (1980) *Occupational Exposure Limits for Airborne Toxic Substances*, 2nd (rev.) ed. (*Occupational Safety and Health Series No. 37*), Geneva, pp. 243–270
- Johnson, D.L., Healey, J.J., Ayer, H.E. & Lynch, J.R. (1969) Exposure to fibers in the manufacture of fibrous glass. *Am. ind. Hyg. Assoc. J.*, 30, 545–550
- Johnson, N.F., Griffiths, D.M. & Hill, R.J. (1984) *Size distribution following long-term inhalation of MMMF*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 102–125
- Kauffer, E. & Vigneron, J.C. (1987) Epidemiological survey in two man-made mineral fibre producing plants. I. Measurement of dust levels (Fr.). *Arch. Mal. prof.*, 48, 1–6
- Klingholz, R. & Steinkopf, B. (1984) *The reactions of MMMF in a physiological model fluid and in water*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 60–86
- Konzen, J.L. (1980) *Man-made vitreous fibers and health*. In: *Proceedings of the National Workshop on Substitutes for Asbestos, Arlington, VA, 1980 (EPA 560/3-80-001)*, Washington DC, US Environmental Protection Agency, pp. 329–342
- Krantz, S. & Tillman, C. (1983) *Measurement and Identification of Mineral-wool Dust (Partial Report 10 and 11), Dust Analyses and Scanning Electron Microscopy* (Swed.) (*Undersökningsrapport 1983:4 and 1983:9*), Solna, Arbetsarskyddsstyrelsen
- Laman, D., Theodore, J. & Robin, E.D. (1981) Regulation of intracytoplasmic pH and 'apparent' intracellular pH in alveolar macrophages. *Exp. Lung Res.*, 2, 141–153
- Le Bouffant, L., Henin, J.P., Martin, J.C., Normand, C., Tichoux, G. & Trolard, F. (1984) *Distribution of inhaled MMMF in the rat lung — long-term effects*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 143–168
- Le Bouffant, L., Daniel, H., Henin, J.P., Martin, J.C., Normand, C., Tichoux, G. & Trolard, F. (1987) Experimental study on long-term effects of inhaled MMMF on the lung of rats. *Ann. occup. Hyg.*, 31, 765–790
- Lechner, W. & Hartmann, A.A. (1979) Foreign-body granuloma induced by glass fibre (Ger.). *Hautarzt*, 30, 100–101
- Lee, J.A. (1983) *GRC — the material*. In: Fordyce, M.W. & Wodehouse, R.G., eds, *GRC and Buildings: A Design Guide for the Architect and Engineer for the Use of Glassfibre Reinforced Cement in Construction*, London, Butterworths, pp. 6–27
- Lee, K.P. & Reinhardt, C.F. (1984) *Biological studies on inorganic potassium titanate fibres*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 323–333

- Lee, K.P., Barras, C.E., Griffith, F.D. & Waritz, R.S. (1979) Pulmonary response to glass fiber by inhalation exposure. *Lab. Invest.*, 40, 123–133
- Lee, K.P., Barras, C.E., Griffith, F.D., Waritz, R.S. & Lapin, C.A. (1981) Comparative pulmonary responses to inhaled inorganic fibers with asbestos and fiberglass. *Environ. Res.*, 24, 167–191
- Leineweber, J.P. (1984) *Solubility of fibres in vitro and in vivo*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 87–101
- Levitt, A.P. (1970) *Introductory review*. In: Levitt, A.P., ed., *Whisker Technology*, New York, Wiley-Interscience, pp. 1–13
- Linnainmaa, K., Gerwin, B., Gabrielson, E., LaVeck, M., Lechner, J.F., Jantunen, K. & Harris, C.C. (1986) *Chromosomal changes in normal human mesothelial cell cultures after treatments with asbestos fibers in vitro* (Abstract). In: *Proceedings of the 5th Meeting of the Nordic Environmental Mutagen Society: New Approaches in Genetic Toxicology, Heinävesi, Finland, 2-5 March 1986*, Helsinki, Institute of Occupational Health, p. 9
- Lippmann, M. & Schlesinger, R.B. (1984) Interspecies comparisons of particle deposition and mucociliary clearance in tracheobronchial airways. *J. Toxicol. environ. Health*, 13, 441–470
- Lippmann, M., Yeates, D.B. & Albert, R.E. (1980) Deposition, retention, and clearance of inhaled particles. *Br. J. ind. Med.*, 37, 337–362
- Loewenstein, K.L. (1983) *The Manufacturing Technology of Continuous Glass Fibres*, 2nd rev. ed., Amsterdam, Elsevier
- Longley, E.O. & Jones, R.C. (1966) Fiberglass conjunctivitis and keratitis. *Arch. environ. Health*, 13, 790–793
- Lucas, J. (1976) *The cutaneous and ocular effects resulting from worker exposure to fibrous glass*. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass (DHEW Publ. No. (NIOSH) 76-151; NTIS Publ. No. PB-258869)*, Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 211–219
- Maggioni, A., Meregalli, G., Sala, C. & Riva, M. (1980) Respiratory and cutaneous pathology in glass fibre production (Ital.). *Med. Lav.*, 3, 216–227
- Malmberg, P., Hedenström, H., Kolmodin-Hedman, B. & Krantz, S. (1984) *Pulmonary function in workers of a mineral rock fibre plant*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 427–435
- Mansmann, M., Klingholz, R., Hackenberg, P., Wiedemann, K., Schmidt, K.A.F., Gölden, D. & Overhoff, D. (1976) *Fibres, synthetic and inorganic* (Ger.). In: *Ullmann's Encyclopaedia of Applied Chemistry* (Ger.), Vol. 11, Weinheim, Verlag Chemie, pp. 359–374
- Manville, CertainTeed and Owens-Corning Fiberglas Companies (1962–1987) *Measurement of Workplace Exposures*, Denver, CO, Valley Forge, PA and Toledo, OH

- Marsh, J.P., Jean, L. & Mossman, B.T. (1985) *Asbestos and fibrous glass induced biosynthesis of polyamines in tracheobronchial epithelial cells in vitro*. In: Beck, E.G. & Bignon, J., eds, *In vitro Effects of Mineral Dusts (NATO ASI Series, Vol. G3)*, Berlin (West), Springer, pp. 305–311
- McConnell, E.E., Wagner, J.C., Skidmore, J.W. & Moore, J.A. (1984) *A comparative study of the fibrogenic and carcinogenic effects of UICC Canadian chrysotile B asbestos and glass microfibre (JM 100)*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 234–252
- McCreight, L.R., Rauch, H.W., Sr & Sutton, W.H. (1965) *Ceramic and Graphite Fibers and Whiskers. A Survey of the Technology*, New York, Academic Press, pp. 48–55
- McCrone, W.C. (1980) *The Asbestos Particle Atlas*, Ann Arbor, MI, Ann Arbor Science, pp. 55, 78–80, 91
- 3M Center (undated) *Product Data Sheet: Nextel(R) Ceramic Fiber Products for High Temperature Applications*, St Paul, MN, Ceramic Materials Department
- McKenna, W.B., Smith, J.F.F. & Maclean, D.A. (1958) Dermatoses in the manufacture of glass fibre. *Br. J. ind. Med.*, 15, 47–51
- Middleton, A.P. (1982) Visibility of fine fibres of asbestos during routine electron microscopical analysis. *Ann. occup. Hyg.*, 25, 53–62
- Mikalsen, S.-O., Rivedal, E. & Sanner, T. (1987) *Comparison of the ability of glass fibers and asbestos to induce morphological transformation of Syrian golden hamster embryo cells* (Abstract No. M77). In: *Proceedings of the IX Meeting of the European Association for Cancer Research, 31 May — 3 June 1987, Helsinki, Finland, Montebello (Norway)*, Institute for Cancer Research, p. 27
- Milby, T.H. & Wolf, C.R. (1969) Respiratory tract irritation from fibrous glass inhalation. *J. occup. Med.*, 11, 409–410
- Miller, E.T. (1975) A practical method for the comparison of mineral wool insulations in the forensic laboratory. *J. Assoc. off. anal. Chem.*, 58, 865–870
- Miller, K. (1980) *The in vivo effects of glass fibres on alveolar macrophage membrane characteristics*. In: Wagner, J.C., ed., *Biological Effects of Mineral Fibres (IARC Scientific Publications No. 30)*, Lyon, International Agency for Research on Cancer, pp. 459–465
- Miller, W.C. (1982) *Refractory fibers*. In: Grayson, M., Mark, H.F., Othmer, D.F., Overberger, C.G. & Seaborg, G.T., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 20, New York, John Wiley & Sons, pp. 65–77
- Mohr, J.G. & Rowe, W.P. (1978) *Fiber Glass*, New York, Van Nostrand Reinhold
- Monchaux, G., Bignon, J., Jaurand, M.C., Lafuma, J., Sebastien, P., Masse, R., Hirsch, A. & Goni, J. (1981) Mesotheliomas in rats following inoculation with acid-leached chrysotile asbestos and other mineral fibres. *Carcinogenesis*, 2, 229–236

- Monchaux, G., Bignon, J., Hirsch, A. & Sebastien, P. (1982) Translocation of mineral fibres through the respiratory system after injection into the pleural cavity of rats. *Ann. occup. Hyg.*, 26, 309–318
- Morgan, A. (1979) *Fiber dimensions: their significance in the deposition and clearance of inhaled fibrous dusts*. In: Lemen, R. & Dement, J.M., eds, *Dusts and Disease*, Park Forest South, IL, Pathotox, pp. 87–96
- Morgan, A. & Holmes, A. (1982) Concentrations and characteristics of amphibole fibres in the lungs of workers exposed to crocidolite in the British gas-mask factories, and elsewhere, during the Second World War. *Br. J. ind. Med.*, 39, 62–69
- Morgan, A. & Holmes, A. (1984a) *The deposition of MMMF in the respiratory tract of the rat, their subsequent clearance, solubility in vivo and protein coating*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 1–17
- Morgan, A. & Holmes, A. (1984b) Solubility of rockwool fibres *in vivo* and the formation of pseudo-asbestos bodies. *Ann. occup. Hyg.*, 28, 307–314
- Morgan, A. & Holmes, A. (1985) The enigmatic asbestos body: its formation and significance in asbestos-related disease. *Environ. Res.*, 38, 283–292
- Morgan, A. & Holmes, A. (1986) Solubility of asbestos and man-made mineral fibers *in vitro* and *in vivo*: its significance in lung disease. *Environ. Res.*, 39, 475–484
- Morgan, A., Evans, J.C., Evans, R.J., Hounam, R.F., Holmes, A. & Doyle, S.G. (1975) Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive trace techniques. II. Deposition of the UICC standard reference samples of asbestos. *Environ. Res.*, 10, 196–207
- Morgan, A., Evans, J.C. & Holmes, A. (1977) *Deposition and clearance of inhaled fibrous minerals in the rat. Studies using radioactive tracer techniques*. In: Walton, W.H., ed., *Inhaled Particles IV*, Part 1, Oxford, Pergamon Press, pp. 259–274
- Morgan, A., Black, A., Evans, N., Holmes, A. & Pritchard, J.N. (1980) Deposition of sized glass fibres in the respiratory tract of the rat. *Ann. occup. Hyg.*, 23, 353–366
- Morgan, A., Holmes, A. & Davison, W. (1982) Clearance of sized glass fibres from the rat lung and their solubility *in vivo*. *Ann. occup. Hyg.*, 25, 317–331
- Morgan, R.W., Kaplan, S.D. & Bratsberg, J.A. (1981) Mortality study of fibrous glass production workers. *Arch. environ. Health*, 36, 179–183
- Morgan, R.W., Kaplan, S.D. & Bratsberg, J.A. (1982) Reply to a letter to the Editor. *Arch. environ. Health*, 37, 123–124
- Morgan, R.W., Kaplan, S.D. & Bratsberg, J.A. (1984) *Mortality in fibrous glass production workers*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 340–346
- Morisset, Y., P'an A. & Jegier, Z. (1979) Effect of styrene and fiber glass on small airways of mice. *J. Toxicol. environ. Health*, 5, 943–956
- Morton, W.E. (1982) Letter to the editor. *Arch. environ. Health*, 37, 122–123

- Moulin, J.J., Mur, J.M., Wild, P., Perreaux, J.P. & Pham, Q.T. (1986) Oral cavity and laryngeal cancers among man-made mineral fiber production workers. *Scand. J. Work Environ. Health*, 12, 27–31
- Muhle, H., Pott, F., Bellmann, B., Takenaka, S. & Ziem, U. (1987) Inhalation and injection experiments in rats to test the carcinogenicity of MMMF. *Ann. occup. Hyg.*, 31, 755–764
- Müller, C., Werner, U. & Wagner, C.-P. (1980) Influence of glass fibres on the upper respiratory tract (Ger.). *Dtsch. Gesundheits. Wes.*, 35, 1777–1780
- Mungo, A. (1960) Pathology of working in processing of stratified compounds reinforced with glass fibres (Ital.). *Folia med.*, 43, 962–970
- Nakatani, Y. (1983) Biological effects of mineral fibers on lymphocytes *in vitro* (Jpn.). *Jpn. J. ind. Health*, 25, 375–386
- Nasr, A.N.M., Ditchek, T. & Scholtens, P.A. (1971) The prevalence of radiographic abnormalities in the chests of fiber glass workers. *J. occup. Med.*, 13, 371–376
- National Institute for Occupational Safety and Health (1977a) *Criteria for a Recommended Standard ... Occupational Exposure to Fibrous Glass (DHEW (NIOSH) Publ. No. 77-152; NTIS Publ. No. PB-274195)*, Cincinnati, OH
- National Institute for Occupational Safety and Health (1977b) *Manual of Analytical Methods*, 2nd ed., Cincinnati, OH
- National Institute for Occupational Safety and Health (1980) *Technical Assistance Report TA 80-80*, Cincinnati, OH
- National Institute for Occupational Safety and Health (1984) *NIOSH Manual of Analytical Methods*, 3rd ed., Cincinnati, OH
- Newball, H.H. & Brahim, S.A. (1976) Respiratory response to domestic fibrous glass exposure. *Environ. Res.*, 12, 201–207
- Olsen, J.H. & Jensen, O.M. (1984) Cancer incidence among employees in one mineral wool production plant in Denmark. *Scand. J. Work Environ. Health*, 10, 17–24
- Olsen, J.H., Jensen, O.M. & Kampstrup, O. (1986) Influence of smoking habits and place of residence on the risk of lung cancer among workers in one rock-wool producing plant in Denmark. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 48–52
- Oshimura, M., Hesterberg, T.W., Tsutsui, T. & Barrett, C.J. (1984) Correlation of asbestos-induced cytogenetic effects with cell transformation of Syrian hamster embryo cells in culture. *Cancer Res.*, 44, 5017–5022
- Ottery, J., Cherrie, J.W., Dodgson, J. & Harrison, G.E. (1984) *A summary report on environmental conditions at 13 European MMMF plants*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 83–117
- Owens-Corning Fiberglas Corp. (1987) *Glass, Mineral and Ceramic Fiber Report*, Toledo, OH
- Parratt, N.J. (1972) *Fibre-reinforced Materials Technology*, London, Van Nostrand Reinhold, pp. 68–99

- Peachey, R.D.G. (1967) Glass-fibre itch: a modern washday hazard. *Br. med. J.*, ii, 221–222
- Pellerat, J. (1947) Dermatosis from glass wool (Fr.). *Ann. Dermatol. Syphil.*, 8, 25–31
- Pellerat, J. & Condert, J. (1946) Dermatosis from glass wool (Fr.). *Arch. Mal. prof.*, 7, 23–27
- Pickrell, J.A., Hill, J.O., Carpenter, R.L., Hahn, F.F. & Rebar, A.H. (1983) In vitro and in vivo response after exposure to man-made mineral and asbestos insulation fibers. *Am. ind. Hyg. Assoc. J.*, 44, 557–561
- Pigott, G.H. & Ishmael, J. (1982) A strategy for the design and evaluation of a 'safe' inorganic fibre. *Ann. occup. Hyg.*, 26, 371–380
- Poeschel, E., König, R. & Heide-Weise, H. (1982) Comparison of investigated diameter distribution in artificial mineral fibres in old and modern insulation materials from identical range of application (Ger.). *Staub Reinhalt. Luft*, 42, 282–287
- Poole, A., Brown, R.C. & Rood, A.P. (1986) The in vitro activities of a highly carcinogenic mineral fibre — potassium octatitanate. *Br. J. exp. Pathol.*, 67, 289–296
- Possick, P.A., Gellin, G.A. & Key, M.M. (1970) Fibrous glass dermatitis. *Am. ind. Hyg. Assoc. J.*, 31, 12–15
- Pott, F., Friedrichs, K.-H. & Huth, F. (1976) Results of animal experiments on the carcinogenic effect of fibrous dusts and their interpretation with regard to carcinogenesis in humans (Ger.). *Zbl. Bakt. Hyg., I. Abt. Orig. B.*, 162, 467–505
- Pott, F., Ziem, U. & Mohr, U. (1984a) *Lung carcinomas and mesotheliomas following intratracheal instillation of glass fibres and asbestos*. In: *Proceedings of the VIth International Pneumoconiosis Conference, Bochum, Federal Republic of Germany, 20–23 September 1983*, Vol. 2, Geneva, International Labour Office, pp. 746–756
- Pott, F., Schlipköter, H.W., Ziem, U., Spurny, K. & Huth, F. (1984b) *New results from implantation experiments with mineral fibres*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 286–302
- Pott, F., Ziem, U., Reiffer, F.-J., Huth, F., Ernst, H. & Mohr, U. (1987) Carcinogenicity studies on fibres, metal compounds, and some other dusts in rats. *Exp. Pathol.*, 32, 129–152
- PPG Industries (1984) *PPG Fiber Glass Yarn Products/Handbook*, Pittsburgh, PA
- Pundsack, F.L. (1976) *Fibrous glass — manufacture, use, and physical properties*. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass (DHEW (NIOSH) Publ. No. 76-151; NTIS Publ. No. PB-258869)*, Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 11–18
- Raabe, O.G., Yeh, H.-C., Newton, G.J., Phalen, R.F. & Velasquez, D.J. (1977) *Deposition of inhaled monodisperse aerosols in small rodents*. In: Walton, W.H., ed., *Inhaled Particles IV*, Part 1, Oxford, Pergamon Press, pp. 3–21
- Rebenfeld, L. (1983) *Textiles*. In: Grayson, M., Mark, H.F., Othmer, D.F., Overberger, C.G. & Seaborg, G.T., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 22, New York, John Wiley & Sons, pp. 762–768

- van Rhijn, A.A. (1984) *The impact of the high temperature ceramics in industrial growth in the community*. In: Kröckel, H., Merz, M. & van der Biest, O., eds, *Ceramics in Advanced Energy Technologies*, Dordrecht, D. Reidel, pp. 4–9
- Richards, R.J. & Morris, T.G. (1973) Collagen and mucopolysaccharide production in growing lung fibroblasts exposed to chrysotile asbestos. *Life Sci.*, 12, 441–451
- Rindel, A., Bach, E., Breum, N.O., Hugod, C. & Schneider, T. (1987) Correlating health effect with indoor air quality in kindergartens. *Int. Arch. occup. environ. Health*, 59, 363–373
- Ririe, D.G., Hesterberg, T.W., Barrett, J.C. & Nettesheim, P. (1985) *Toxicity of asbestos and glass fibers for rat tracheal epithelial cells in culture*. In: Beck, E.G. & Bignon, J., eds, *In vitro Effects of Mineral Dusts (NATO ASI Series, Vol. G3)*, Berlin (West), Springer, pp. 177–184
- Robinson, C.F., Dement, J.M., Ness, G.O. & Waxweiler, R.J. (1982) Mortality patterns of rock and slag mineral wool production workers: an epidemiological and environmental study. *Br. J. ind. Med.*, 39, 45–53
- Roche, L. (1947) Danger to lungs in the glass fibre industry (Fr.). *Arch. Mal. prof.*, 7, 27–28
- Rood, A.P. & Streeter, R.R. (1985) Size distributions of airborne superfine man-made mineral fibers determined by transmission electron microscopy. *Am. ind. Hyg. Assoc. J.*, 46, 257–261
- Rowhani, F. & Hammad, Y.Y. (1984) Lobar deposition of fibers in the rat. *Am. ind. Hyg. Assoc. J.*, 45, 436–439
- Saracci, R. (1985) Man-made mineral fibers and health. Answered and unanswered questions. *Scand. J. Work Environ. Health*, 11, 215–222
- Saracci, R. (1986) Ten years of epidemiological investigations on man-made mineral fibers and health. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 5–11
- Saracci, R., Simonato, L., Acheson, E.D., Andersen, A., Bertazzi, P.A., Claude, J., Charnay, N., Estève, J., Frentzel-Beyme, R.R., Gardner, M.J., Jensen, O.M., Maasing, R., Olsen, J.H., Teppo, L.H.I., Westerholm, P. & Zocchetti, C. (1984a) *The IARC mortality and cancer incidence study of MMMF production workers*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 279–310
- Saracci, R., Simonato, L., Acheson, E.D., Andersen, A., Bertazzi, P.A., Claude, J., Charnay, N., Estève, J., Frentzel-Beyme, R.R., Gardner, M.J., Jensen, O.M., Maasing, R., Olsen, J.H., Teppo, L.H.I., Westerholm, P. & Zocchetti, C. (1984b) Mortality and incidence of cancer of workers in the man made vitreous fibres producing industry: an international investigation at 13 European plants. *Br. J. ind. Med.*, 41, 425–436
- Schepers, G.W.H. (1955) The biological action of glass wool. *Arch. ind. Health*, 12, 280–287
- Schepers, G.W.H. (1959) Pulmonary histologic reactions to inhaled fiber-glass-plastic dust. *Am. J. Pathol.*, 35, 1169–1187

- Schepers, G.W.H. (1961) The pathogenicity of glass-reinforced plastics. Experimental inquiries by injection or external application techniques. *Arch. environ. Health*, 2, 20-34
- Schepers, G.W.H. & Delahant, A.B. (1955) An experimental study of the effects of glass wool on animal lungs. *Arch. ind. Health*, 12, 276-279
- Schepers, G.W.H., Durkan, T.M., Delahant, A.B., Redlin, A.J., Schmidt, J.G., Creedon, F.T., Jacobson, J.W. & Bailey, D.A. (1958) The biological action of fiberglass-plastic dust. An experimental inhalation study of the dust generated in the manufacture of automobile body parts from a commercial product with a calcium carbonate filler. *Arch. ind. Health*, 18, 34-57
- Schneider, C.J., Jr & Pifer, A.J. (1974) *Work Practices and Engineering Controls for Controlling Occupational Fibrous Glass Exposure. Final Report*, Buffalo, NY, Calspan Corporation
- Schneider, T. (1979a) Exposures to man-made mineral fibres in user industries in Scandinavia. *Ann. occup. Hyg.*, 22, 153-162
- Schneider, T. (1979b) The influence of counting rules on the number and on the size distribution of fibres. *Ann. occup. Hyg.*, 21, 341-350
- Schneider, T. (1984) *Review of surveys in industries that use MMMF*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Copenhagen, World Health Organization, pp. 178-190
- Schneider, T. (1986) Man-made mineral fibers and other fibers in the air and in settled dust. *Environ. int.*, 12, 61-65
- Schneider, T. & Holst, E. (1983) Man-made mineral fibre size distribution utilizing unbiased and fibre length biased counting methods and the bivariate log-normal distribution. *J. Aerosol Sci.*, 14, 139-146
- Schneider, T. & Smith, E.D. (1984) *Characteristics of dust clouds generated from old MMMF products. Part II: Experimental approach*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Copenhagen, World Health Organization, pp. 31-43
- Schneider, T. & Stokholm, J. (1981) Accumulation of fibers in the eyes of workers handling man-made mineral fiber products. *Scand. J. Work Environ. Health*, 7, 271-276
- Schneider, T., Holst, E. & Skotte, J. (1983) Size distributions of airborne fibres generated from man-made mineral fibre products. *Ann. occup. Hyg.*, 27, 157-171
- Schneider, T., Skotte, J. & Nissen, P. (1985) Man-made mineral fiber size fractions and their interrelation. *Scand. J. Work Environ. Health*, 11, 117-122
- Scholze, J. & Conradt, R. (1987) An in-vitro study of the chemical durability of siliceous fibres. *Ann. occup. Hyg.*, 31, 683-692
- Schwartz, L. & Botvinick, I. (1943) Skin hazards in the manufacture of glass wool and thread. *Ind. Med.*, 12, 142-144
- Sethi, S., Beck, E.G. & Manojlovic, N. (1975) The induction of polykaryocytes by various fibrous dusts and their inhibition by drugs in rats. *Ann. occup. Hyg.*, 18, 173-177

- Shannon, H.S., Hayes, M., Julian, J.A. & Muir, D.C.F. (1984) Mortality experience of glass fibre workers. *Br. J. ind. Med.*, 41, 35–38
- Shannon, H.S., Jamieson, E., Julian, J.A., Muir, D.C.F. & Walsh, C. (1987) Mortality experience of Ontario glass fibre workers — extended follow up. *Ann. occup. Hyg.*, 31, 657–662
- Simonato, L., Fletcher, A.C., Cherrie, J., Andersen, A., Bertazzi, P.A., Charnay, N., Claude, J., Dodgson, J., Estève, J., Frentzel-Beyme, R., Gardner, M.J., Jensen, O.M., Olsen, J.H., Saracci, R., Teppo, L., Winkelmann, R., Westerholm, P., Winter, P.D. & Zocchetti, C. (1986a) The man-made mineral fiber European historical cohort study: extension of the follow-up. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 34–47 (corrigendum in *Scand. J. Work Environ. Health*, 13, 192)
- Simonato, L., Fletcher, A.C., Cherrie, J., Andersen, A., Bertazzi, P.A., Charnay, N., Claude, J., Dodgson, J., Estève, J., Frentzel-Beyme, R., Gardner, M.J., Jensen, O., Olsen, J., Saracci, R., Teppo, L., Westerholm, P., Winkelmann, R., Winter, P.D. & Zocchetti, C. (1986b) Updating lung cancer mortality among a cohort of man-made mineral fibre production workers in seven European countries. *Cancer Lett.*, 30, 189–200
- Simonato, L., Fletcher, A.C., Cherrie, J., Andersen, A., Bertazzi, P., Charnay, N., Claude, J., Dodgson, J., Estève, J., Frentzel-Beyme, R., Gardner, M.J., Jensen, O., Olsen, J., Teppo, L., Winkelmann, R., Westerholm, P., Winter, P.D., Zocchetti, C. & Saracci, R. (1987) The International Agency for Research on Cancer historical cohort study of MMMF production workers in seven European countries: extension of the follow-up. *Ann. occup. Hyg.*, 31, 603–623
- Sincock, A.M. (1977) *Preliminary studies of the in vitro cellular effects of asbestos and fine glass dusts*. In: Hiatt, H.H., Watson, J.D. & Winsten, J.A., eds, *Origins of Human Cancer (Cold Spring Harbor Conferences on Cell Proliferation Vol. 4)*, Book B, Cold Spring Harbor, NY, CSH Press, pp. 941–954
- Sincock, A. & Seabright, M. (1975) Induction of chromosome changes in Chinese hamster cells by exposure to asbestos fibres. *Nature*, 257, 56–58
- Sincock, A.M., Delhanty, J.D.A. & Casey, G. (1982) A comparison of the cytogenetic response to asbestos and glass fibre in Chinese hamster and human cell lines. Demonstration of growth inhibition in primary human fibroblasts. *Mutat. Res.*, 101, 257–268
- Sixt, R., Bake, B., Abrahamsson, G. & Thiringer, G. (1983) Lung function of sheet metal workers exposed to fiber glass. *Scand. J. Work Environ. Health*, 9, 9–14
- Skurić, Z. & Stahuljak-Beritić, D. (1984) *Occupational exposure and ventilatory function changes in rock wool workers*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 436–437

- Smith, D.M., Ortiz, L.W. & Archuleta, R.F. (1984) *Long-term exposure of Syrian hamsters and Osborne-Mendel rats to aerosolized 0.45 μ m mean diameter fibrous glass*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 2, Copenhagen, World Health Organization, pp. 253–272
- Smith, D.M., Ortiz, L.W., Archuleta, R.F. & Johnson, N.F. (1987) Long-term health effects in hamsters and rats exposed chronically to man-made vitreous fibers. *Ann. occup. Hyg.*, 31, 731–754
- Sohio Carborundum Co. (1986) *Fiberfrax Bulk Fiber Technical Information: Product Specifications (Form Nos C733-A, C733-D, C733-F, C733-I)*, Niagara Falls, NY, Sohio Engineered Materials Co., Fibers Division
- Stanton, M.F., Layard, M., Tegeris, A., Miller, E., May, M. & Kent, E. (1977) Carcinogenicity of fibrous glass: pleural response in the rat in relation to fiber dimension. *J. natl Cancer Inst.*, 58, 587–603
- Stanton, M.F., Layard, M., Tegeris, A., Miller, E., May, M., Morgan, E. & Smith, A. (1981) Relation of particle dimension to carcinogenicity in amphibole asbestoses and other fibrous minerals. *J. natl Cancer Inst.*, 67, 965–975
- Stettler, L.E., Donaldson, H.M. & Grant, G.C. (1982) Chemical composition of coal and other mineral slags. *Am. ind. Hyg. Assoc. J.*, 43, 235–238
- Strübel, G., Fraji, B., Rödelberger, K. & Weitowitz, H.J. (1986) Letter to the Editor. *Am. J. ind. Med.*, 10, 101–102
- Sulzberger, M.B. & Baer, R.L. (1942) The effects of 'Fiberglas' on animal and human skin. Experimental investigation. *Ind. Med.*, 11, 482–484
- Sykes, S.E., Morgan, A., Moores, S.R., Holmes, A. & Davison, W. (1983a) Dose-dependent effects in the subacute response of the rat lung to quartz. I. The cellular response and the activity of lactate dehydrogenase in the airways. *Exp. Lung Res.*, 5, 229–243
- Sykes, S.E., Morgan, A., Moores, S.R., Davison, W., Beck, J. & Holmes, A. (1983b) The advantages and limitations of an in vivo test system for investigating the cytotoxicity and fibrogenicity of fibrous dusts. *Environ. Health Perspect.*, 51, 267–273
- Teppo, L. & Kojonen, E. (1986) Mortality and cancer risk among workers exposed to man-made mineral fibers in Finland. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 61–64
- Tiesler, H. (1983) Emissions from production of man-made mineral fibres (Ger.). *VDI (Verein Deutscher Ingenieure)-Berichte*, 475, 383–394
- Tilkes, F. & Beck, E.G. (1980) *Comparison of length-dependent cytotoxicity of inhalable asbestos and man-made mineral fibres*. In: Wagner, J.C., ed., *Biological Effects of Mineral Fibres (IARC Scientific Publications No. 30)*, Lyon, International Agency for Research on Cancer, pp. 475–483
- Tilkes, F. & Beck, E.G. (1983a) Macrophage functions after exposure to mineral fibers. *Environ. Health Perspect.*, 51, 67–72

- Tilkes, F. & Beck, E.G. (1983b) Influence of well-defined mineral fibers on proliferating cells. *Environ. Health Perspect.*, 51, 275–279
- Timbrell, V. (1965) The inhalation of fibrous dusts. *Ann. N.Y. Acad. Sci.*, 132, 255–273
- Timbrell, V. (1982) Deposition and retention of fibres in the human lung. *Ann. occup. Hyg.*, 26, 347–369
- Tomasini, M., Rivolta, G. & Chiappino, G. (1986) Sclerogenic effect attributable to occupational exposure to glass fibre in a selected group of workers (Ital.). *Med. Lav.*, 77, 256–262
- Työsuojeluhallitus (National Finnish Board of Occupational Safety and Health) (1981) *Airborne Contaminants in the Workplaces* (Finn.) (*Safety Bull.* 3), Tampere, p. 20
- UK Factories Inspectorate (1987) *Survey of Superfine Man-made Mineral Fibre Exposure in the UK*, London, Health and Safety Executive Advisory Committee on Toxic Substances, Occupational Medicine and Hygiene Laboratories
- US Department of Commerce (1985) *1982 Census of Manufactures: Abrasive, Asbestos, and Miscellaneous Nonmetallic Mineral Products* (Publ. No. MC82-1-32E), Washington DC, Bureau of the Census
- US Environmental Protection Agency (1986) *Durable Fiber Industry Profile and Market Outlook*, Washington DC, Office of Pesticides and Toxic Substances
- US Occupational Safety and Health Administration (1986) Labor. *US Code fed. Regul.*, Title 29, Part 1910.1000, p. 659
- Valentin, H., Bost, H.-P. & Essing, H.-G. (1977) Are glass fibre dusts of concern for health (Ger.). *Berufsgenossenschaft*, February, 60–64
- Vincent, J.H. (1985) On the practical significance of electrostatic lung deposition of isometric and fibrous aerosols. *J. Aerosol Sci.*, 16, 511–519
- Vorwald, A.J., Durkan, T.M. & Pratt, P.C. (1951) Experimental studies of asbestosis. *Arch. ind. Hyg. occup. Med.*, 3, 1–43
- Wagner, J.C., Berry, G. & Timbrell, V. (1973) Mesotheliomata in rats after inoculation with asbestos and other materials. *Br. J. Cancer*, 28, 173–185
- Wagner, J.C., Berry, G. & Skidmore, J.W. (1976) *Studies on the carcinogenic effects of fiber glass of different diameters following intrapleural inoculation in experimental animals*. In: LeVee, W.N. & Schulte, P.A., eds, *Occupational Exposure to Fibrous Glass* (DHEW Publ. No. (NIOSH) 76-151; NTIS Publ. No. PB-258869), Cincinnati, OH, National Institute for Occupational Safety and Health, pp. 193–204
- Wagner, J.C., Berry, G.B., Hill, R.J., Munday, D.E. & Skidmore, J.W. (1984) *Animal experiments with MMM(V)F — effects of inhalation and intrapleural inoculation in rats*. In: *Biological Effects of Man-made Mineral Fibres* (Proceedings of a WHO/IARC Conference), Vol. 2, Copenhagen, World Health Organization, pp. 209–233
- Walzer, P. (1984) *Ceramics for future automotive power plants*. In: Kröckel, H., Merz, M. & van der Biest, O., eds, *Ceramics in Advanced Energy Technologies*, Dordrecht, D. Reidel, pp. 10–22

- Watts, A.A., ed. (1980) *Commercial Opportunities for Advanced Composites (ASTM Special Technical Publ. 704)*, Philadelphia, PA, American Society for Testing and Materials, p. 111
- Weill, H., Hughes, J.M., Hammad, Y.Y., Glindmeyer, H.W., III, Sharon, G. & Jones, R.N. (1983) Respiratory health in workers exposed to man-made vitreous fibers. *Am. Rev. respir. Dis.*, 128, 104–112
- Weill, H., Hughes, J.M., Hammad, Y.Y., Glindmeyer, H.W., Sharon, G. & Jones, R.N. (1984) *Respiratory health of workers exposed to MMMF*. In: *Biological Effects of Man-made Mineral Fibres (Proceedings of a WHO/IARC Conference)*, Vol. 1, Copenhagen, World Health Organization, pp. 387–412
- Wenzel, M., Wenzel, J. & Irmscher, G. (1969) Biological effect of glass fibre in animals (Ger.). *Int. Arch. Gewerbepathol. Gewerbehyg.*, 25, 140–164
- Westerholm, P. & Bolander, A.-M. (1986) Mortality and cancer incidence in the man-made mineral fiber industry in Sweden. *Scand. J. Work Environ. Health*, 12 (Suppl. 1), 78–84
- Williams, H.L. (1970) A quarter century of industrial hygiene surveys in the fibrous glass industry. *Am. ind. Hyg. Assoc. J.*, 31, 362–367
- World Health Organization (1983) *Biological Effects of Man-made Mineral Fibres. Report on a WHO/IARC Meeting (EURO Reports and Studies 81)*, Copenhagen
- World Health Organization (1985) *Reference Methods for Measuring Airborne Man-made Mineral Fibres (MMMF) (Environmental Health Series 4)*, Copenhagen
- Wright, A., Cowie, H., Gormley, I.P. & Davis, J.M.G. (1986) The in vitro cytotoxicity of asbestos fibers. I. P388D₁ cells. *Am. J. ind. Med.*, 9, 371–384
- Wright, G.W. (1968) Airborne fibrous glass particles. Chest roentgenograms of persons with prolonged exposure. *Arch. environ. Health*, 16, 175–181
- Wright, G.W. & Kuschner, M. (1977) *The influence of varying lengths of glass and asbestos fibres on tissue response in guinea pigs*. In: Walton, W.H., ed., *Inhaled Particles IV*, Part 1, Oxford, Pergamon Press, pp. 455–472
- Zircar Products (1978a) *Technical Data Sheet: Zirconia Bulk Fibers Type ZYBF2 (Bulletin No. ZPI-210)*, Florida, NY
- Zircar Products (1978b) *Technical Data Sheet: Alumina Bulk Fiber Type ALBF1 (Bulletin No. ZPI-305)*, Florida, NY
- Zircar Products (undated) *Product Data Sheet: Zircar Fibrous Ceramics*, Florida, NY
- Zirps, N., Chang, J., Czertak, D., Edelstein, M., Lanza, R., Nguyen, V. & Wiener, R. (1986) *Durable Fiber Exposure Assessment*, Washington DC, US Environmental Protection Agency, pp. 327–328