

5. References

- Adams, R.M. (1983) *Occupational Skin Disease*, New York, Grune and Stratton, pp. 267-278
- Adelstein, A.M. (1972) Occupational mortality: cancer. *Ann. occup. Hyg.*, 15, 53-57
- Åkesson, B., Florén, I. & Skerfving, S. (1985) Visual disturbances after experimental human exposure to triethylamine. *Br. J. ind. Med.*, 42, 848-850
- Åkesson, B., Bengtsson, M. & Florén, I. (1986) Visual disturbances after industrial triethylamine exposure. *Int. Arch. occup. environ. Health*, 57, 297-302
- Alexandersson, R. & Hedenstierna, G. (1988) Respiratory hazards associated with exposure to formaldehyde and solvents in acid-curing paints. *Arch. environ. Health*, 43, 222-227
- Alexandersson, R., Plato, N., Kolmodin-Hedman, B. & Hedenstierna, G. (1987) Exposure, lung function, and symptoms in car painters exposed to hexamethylenediisocyanate and biuret modified hexamethylenediisocyanate. *Arch. environ. Health*, 42, 367-373
- Allen, R.A. (1972) Epoxy resins in coatings. In: Madson, W.H., ed., *Federation Series on Coatings Technology*, Unit 20, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 7-61
- Allyn, G. (1971) Acrylic resins. In: Madson, W.H., ed., *Federation Series on Coatings Technology*, Unit 17, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 7-34
- Angerer, J. & Wulf, H. (1985) Occupational chronic exposure to organic solvents. XI. Alkylbenzene exposure of varnish workers: effects on hematopoietic system. *Int. Arch. occup. environ. Health*, 56, 307-321
- Anshelm Olson, B. (1982) Effects of organic solvents on behavioral performance of workers in the paint industry. *Neurobehav. Toxicol. Teratol.*, 4, 703-708
- Apostoli, P., Brugnone, F., Perbellini, L., Cocheo, V., Bellomo, M.L. & Silvestri, R. (1982) Biomonitoring of occupational toluene exposure. *Int. Arch. occup. environ. Health*, 50, 153-168
- Askergren, A. (1981) Studies on kidney function in subjects exposed to organic solvents. III. Excretion of cells in the urine. *Acta med. scand.*, 210, 103-106
- Askergren, A., Allgén, L.-H. & Bergström, J. (1981a) Studies on kidney function in subjects exposed to organic solvents. II. The effect of desmopression in a concentration test and the effect of exposure to organic solvents on renal concentrating ability. *Acta med. scand.*, 209, 485-488
- Askergren, A., Allgén, L.-H., Karlsson, C., Lundberg, I. & Nyberg, E. (1981b) Studies on kidney function in subjects exposed to organic solvents. I. Excretion of albumin and beta-2-microglobulin in the urine. *Acta med. scand.*, 209, 479-483
- Askergren, A., Brandt, R., Gullquist, R., Silk, B. & Strandell, T. (1981c) Studies on kidney function in subjects exposed to organic solvents. IV. Effect on 51-Cr-EDTA clearance. *Acta med. scand.*, 210, 373-376
- Askergren, A., Beving, H., Hagman, M., Kristensson, J., Linroth, K., Vesterberg, O. & Wennberg, A. (1988) Biological effects of exposure to water-thinned and solvent-thinned paints in house painters (Swed.). *Arb. Hälsa*, 4, 1-64
- Axelsson, O., Hane, M. & Hogstedt, C. (1976) A case referent study on neuro-psychiatric disorders among workers exposed to solvents. *Scand. J. Work Environ. Health*, 2, 14-20

- Bäck, B. & Saarinen, L. (1986) Measurement of amines used as curing agents of epoxy resins in work-room air and technical products (Finn.). *Työterveyslaitoksen tutkimuksia*, 4, 31-36
- Baker, E.L., Letz, R.E., Eisen, E.A., Pothier, L.J., Plantamura, D.L., Larson, M. & Wolford, R. (1988) Neurobehavioral effects of solvents in construction painters. *J. occup. Med.*, 30, 116-123
- Barry, T.H. (1939) History of varnish manufacture. In: *Proceedings of a Symposium, Varnish Making, Harrogate, May 1939*, London, Oil & Colour Chemist's Association, pp. 1-15
- Beirne, G.J. & Brennan, J.T. (1972) Glomerulonephritis associated with hydrocarbon solvents mediated by antiglomerular basement membrane antibody. *Arch. environ. Health*, 25, 365-369
- Belanger, P.L. & Coye, M.J. (1980) *Sinclair Paint Company, Los Angeles, California (Health Hazard Evaluation Report No. 80-68-871)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Bertazzi, P.A., Zocchetti, C., Terzaghi, G.F., Riboldi, L., Guercilena S. & Beretta, F. (1981) Carcinogenicity study of varnish production. A mortality study (Ital.). *Med. Lav.*, 6, 465-472
- Beving, H., Malmgren, R., Olsson, P., Tornling, G. & Unge, G. (1983) Increased uptake of serotonin in platelets from car painters occupationally exposed to mixtures of solvents and organic isocyanates. *Scand. J. Work Environ. Health*, 9, 253-258
- Beving, H., Malmgren, R., Olsson, P. & Unge, G. (1984a) Differences in the respiratory capacity of workers with long-term exposure to vapors from paints free from or containing organic isocyanates. *Scand. J. Work Environ. Health*, 10, 267-268
- Beving, H., Kristensson, J., Malmgren, R., Olsson, P. & Unge, G. (1984b) Effects on the uptake kinetics of serotonin (5-hydroxytryptamine) in platelets from workers with long-term exposure to organic solvents. A pilot study. *Scand. J. Work Environ. Health*, 10, 229-234
- Beving, H., Malmgren, R. & Olsson, P. (1988) Changed fatty acid composition in platelets from workers with long term exposure to organic solvents. *Br. J. ind. Med.*, 45, 565-567
- Bjerrehuus, T. & Detlefsen, G.U. (1986) Infertility in Danish painters exposed to organic solvents (Dan.). *Ugeskr. Laeger*, 148, 1105-1106
- Bobjer, O. & Knave, B. (1977) Physiological work and exposure to solvents and dust-hazard factors in house painting. In: *Proceedings of an International Symposium on the Control of Air Pollution in the Working Environment, Stockholm, 6-8 September 1977*, Part II, Stockholm, Swedish Work Environment Fund/International Labour Office, pp. 41-61
- Bradley, A. & Bodsworth, P.L. (1983) Environmental control of a large paint booth. *Ann. occup. Hyg.*, 27, 223-224
- Brady, R.E., Jr, Griffith, J.R., Love, K.S. & Field, D.E. (1987) Nontoxic alternatives to antifouling paints. *J. Coatings Technol.*, 59, 113-119
- Breslow, L., Hoaglin, L., Rasmussen, G. & Abrams, H.K. (1954) Occupations and cigarette smoking as factors in lung cancer. *Am. J. publ. Health*, 44, 171-181
- Brewer, G.E.F. (1984) Coatings, electrodeposition. In: Mark, H.F., Bikales, N.M., Overberger, C.G. & Menges, G., eds, *Encyclopedia of Polymer Science and Engineering*, 2nd ed., Vol. 3, New York, John Wiley & Sons, pp. 675-687
- Brewer, R.J. & Bogan, R.T. (1984) Cellulose esters, inorganic. In: Mark, H.F., Bikales, N.M., Overberger, C.G. & Menges, G., eds, *Encyclopedia of Polymer Science and Engineering*, 2nd ed., Vol. 3, New York, John Wiley & Sons, pp. 139-147
- Brown, L.M., Mason, T.J., Pickle, L.W., Stewart, P.A., Buffler, P.A., Burau, K., Ziegler, R.G. & Fraumeni, J.F., Jr (1988) Occupational risk factors for laryngeal cancer on the Texas Gulf coast. *Cancer Res.*, 48, 1960-1964

- Browne, T.D. (1983) Painting and varnishing. In: Parmeggiani, L., ed., *Encyclopedia of Occupational Health and Safety*, 3rd (rev.) ed., Vol. 2, Geneva, International Labour Office, pp. 1583–1587
- Brownson, R.C., Chang, J.C., Davis, J.R. & Bagby, J.R., Jr (1988) Occupational risk of prostate cancer: a cancer registry-based study. *J. occup. Med.*, 30, 523–526
- Brunner, H. (1978) Paint. In: Williams, T.I., ed., *A History of Technology*, Vol. VI, *The Twentieth Century, c. 1900 to c. 1950*, Part I, Oxford, Clarendon Press, pp. 590–606
- Cannell, D. (1967) Industrial maintenance paints. In: Standen, A., ed., *Kirk-Othmer Encyclopedia of Chemical Technology*, 2nd ed., Vol. 14, New York, John Wiley & Sons, pp. 474–485
- Chapman, E.M. (1941) Observations on the effect of paint on the kidneys with particular reference to the role of turpentine. *J. ind. Hyg. Toxicol.*, 23, 277–289
- Cherry, N. & Waldron, H.A. (1984) The prevalence of psychiatric morbidity in solvent workers in Britain. *Int. J. Epidemiol.*, 13, 197–200
- Cherry, N., Hutchins, H., Pace, T. & Waldron, H.A. (1985) Neurobehavioral effects of repeated occupational exposure to toluene and paint solvents. *Br. J. ind. Med.*, 42, 291–300
- Chiazze, L., Jr, Ference, L.D. & Wolf, P.H. (1980) Mortality among automobile assembly workers. I. Spray painters. *J. occup. Med.*, 22, 520–526
- Chrostek, W.J. (1980) *Corporation of Veritas, Philadelphia, Pennsylvania (Health Hazard Evaluation Report No. 80-108-705)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Chrostek, W.J. & Levine, M.S. (1981) *Palmer Industrial Coatings Inc., Williamsport, Pennsylvania (Health Hazard Evaluation Report No. 80-153-881)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Claude, J., Kunze, E., Frentzel-Beyme, R., Paczkowski, K., Schneider, J. & Schubert, H. (1986) Life-style and occupational risk factors in cancer of the lower urinary tract. *Am. J. Epidemiol.*, 124, 578–589
- Claude, J., Frentzel-Beyme, R. & Kunze, E. (1988) Occupation and risk of cancer of the lower urinary tract among men. A case-control study. *Int. J. Cancer*, 41, 371–379
- Coggon, D., Pannett, B., Osmond, C. & Acheson, E.D. (1986a) A survey of cancer and occupation in young and middle aged men. I. Cancers of the respiratory tract. *Br. J. ind. Med.*, 43, 332–338
- Coggon, D., Pannett, B., Osmond, C. & Acheson, E.D. (1986b) A survey of cancer and occupation in young and middle aged men. II. Non-respiratory cancers. *Br. J. ind. Med.*, 43, 381–386
- Cohen, S.R. (1974) Occupational health case report – no. 4. Epoxy-type paint. *J. occup. Med.*, 16, 201–203
- Cole, P., Monson, R.R., Haning, H. & Friedell, G.H. (1971) Smoking and cancer of the lower urinary tract. *New Engl. J. Med.*, 284, 129–134
- Cole, P., Hoover, R. & Friedell, G.H. (1972) Occupation and cancer of the lower urinary tract. *Cancer*, 29, 1250–1260
- Connolly, E.M., Hughes, C.S., Myers, C.P. & Dean, J.C. (1986) *The US Paint Industry: Technology Trends, Markets, Raw Materials*, Menlo Park, CA, SRI International
- Cranmer, J.M. & Golberg, L., eds (1986) Proceedings of the workshop on neurobehavioral effects of solvents. *Neurotoxicology*, 7, 1–95
- Cuzick, J. & De Stavola, B. (1988) Multiple myeloma. A case-control study. *Br. J. Cancer*, 57, 516–520
- Dalager, N.A., Mason, T.J., Fraumeni, J.F., Jr, Hoover, R. & Payne, W.W. (1980) Cancer mortality among workers exposed to zinc chromate paints. *J. occup. Med.*, 22, 25–29
- Daniell, W.E. & Vaughan, T.L. (1988) Paternal employment in solvent related occupations and adverse pregnancy outcomes. *Br. J. ind. Med.*, 45, 193–197

- Decouflé, P., Stanislawczyk, K., Houten, L., Bross, I.D.J. & Viadana, E. (1977) *A Retrospective Survey of Cancer in Relation to Occupation (DHEW (NIOSH) Publ. No. 77-178)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Downing, R.S. (1967) Paint and varnish removal. In: Mark, H.F., McKetta, J.J. & Othmer, D.F., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 2nd ed., Vol. 14, New York, John Wiley & Sons, pp. 485-493
- Drisko, R.W. (1985) Coatings, marine. In: Grayson, M., ed., *Kirk-Othmer Concise Encyclopedia of Chemical Technology*, New York, John Wiley & Sons, p. 295
- Dubrow, R. & Wegman, D.H. (1984) Cancer and occupation in Massachusetts: a death certificate study. *Am. J. ind. Med.*, 6, 207-230
- Dufva, L. (1982) The influence of environmental factors on research and development of paint products. In: Englund, A., Ringen, K. & Mehlman, M.A., eds, *Advances in Modern Environmental Toxicology*, Vol. 2, *Occupational Health Hazards of Solvents*, Princeton, NJ, Princeton Scientific Publishers, pp. 69-74
- Dunn, J.E., Jr & Weir, J.M. (1965) Cancer experience of several occupational groups followed prospectively. *Am. J. publ. Health*, 55, 1367-1375
- Dupont (1988) *Material Safety Data Sheet - IMRON® Polyurethane Enamel*, No. 7RS, Wilmington, DE
- Ehrenreich, T., Yunis, S.L. & Churg, J. (1977) Membranous nephropathy following exposure to volatile hydrocarbons. *Environ. Res.*, 14, 35-45
- Elofsson, S.-A., Gamberale, F., Hindmarsh, T., Iregren, A., Isaksson, A., Johnsson, I., Knave, B., Lydahl, E., Mindus, P., Persson, H.E., Philipson, B., Steby, M., Struwe, G., Söderman, E., Wennberg, A. & Widén, L. (1980) Exposure to organic solvents. A cross-sectional epidemiologic investigation on occupationally-exposed car and industrial spray painters with special reference to the nervous system. *Scand. J. Work Environ. Health*, 6, 239-273
- Engholm, G. & Englund, A. (1982) Cancer incidence and mortality among Swedish painters. In: Englund, A., Ringen, K. & Mehlman, M.A., eds, *Advances in Modern Environmental Toxicology*, Vol. II, *Occupational Health Hazards of Solvents*, Princeton, NJ, Princeton Scientific Publishers, pp. 173-185
- Engholm, G., Englund, A. & Löwing, H. (1987) Cancer incidence and mortality in Swedish painters (Abstract). *Scand. J. Work Environ. Health*, 13, 181
- Englund, A. (1980) Cancer incidence among painters and some allied trades. *J. Toxicol. environ. Health*, 6, 1267-1273
- Fabia, J. & Thuy, T.D. (1974) Occupation of father at time of birth of children dying from malignant diseases. *Br. J. prev. soc. Med.*, 28, 98-100
- Federation of Societies for Paint Technology (1973) Introduction to coatings technology. In: *Federation Series on Coatings Technology*, Unit 1, Philadelphia, PA, pp. 7-32
- Fidler, A.T., Baker, E.L. & Letz, R.E. (1987) Neurobehavioural effects of occupational exposure to organic solvents among construction painters. *Br. J. ind. Med.*, 44, 292-308
- Finn, R., Fennerty, A.G. & Ahmad, R. (1980) Hydrocarbon exposure and glomerulonephritis. *Clin. Nephrol.*, 14, 173-175
- Fisher, E.M. (1987) Paints, varnishes and lacquers. In: Johnston, B., ed., *Colliers Encyclopedia*, Vol. 18, London, P.F. Collier, pp. 330-334
- Flodin, U., Fredriksson, M., Axelson, O., Persson, B. & Hardell, L. (1986) Background radiation, electrical work, and some other exposures associated with acute myeloid leukemia in a case-referent study. *Arch. environ. Health*, 41, 77-84

- Franchini, I., Cavatorta, A., Falzoi, M., Lucertini, S. & Mutti, A. (1983) Early indicators of renal damage in workers exposed to organic solvents. *Int. Arch. occup. environ. Health*, 52, 1-9
- Fregert, S. (1981) *Manual of Contact Dermatitis*, 2nd ed., Chicago, IL, Year Book Medical Publishers
- Friedman, G.D. (1986) Multiple myeloma: relation to propoxyphene and other drugs, radiation and occupation. *Int. J. Epidemiol.*, 15, 424-426
- Fytelson, M. (1982) Pigments (organic). In: Mark, H.F., Othmer, D.R., Overberger, C.G., Seaborg, G.T. & Grayson, M., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 17, New York, John Wiley & Sons, pp. 838-871
- Gold, E.B., Diener, M.D. & Szklo, M. (1982) Parental occupations and cancer in children. A case-control study and review of the methodologic issues. *J. occup. Med.*, 24, 578-584
- Greenburg, L., Mayers, M.R., Heimann, H. & Moskowitz, S. (1942) The effects of exposure to toluene in industry. *J. Am. med. Assoc.*, 118, 573-578
- Guralnick, L. (1963) *Mortality by Occupation Level and Cause of Death Among Men 20 to 64 Years of Age: USA, 1950 (Vital Statistics Special Reports Vol. 43, No. 5)*, Washington DC, US Department of Health, Education, and Welfare
- Haglund, U., Lundberg, I. & Zech, L. (1980) Chromosome aberrations and sister chromatid exchanges in Swedish paint industry workers. *Scand. J. Work Environ. Health*, 6, 291-298
- Hagmar, L., Nielsen, J. & Skerfving, S. (1987) Clinical features and epidemiology of occupational obstructive respiratory disease caused by small molecular weight organic chemicals. *Monogr. Allergy*, 21, 42-58
- Hakulinen, T., Salonen, T. & Teppo, L. (1976) Cancer in the offspring of fathers in hydrocarbon-related occupations. *Br. J. prev. soc. Med.*, 30, 138-140
- Hamilton, E.C. & Early, L.W. (1972) Nitrocellulose and organosoluble cellulose ethers in coatings. In: Madson, W.H., ed., *Federation Series on Coatings Technology*, Unit 21, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 9-41
- Hane, M., Axelson, O., Blume, J., Hogstedt, C., Sundell, L. & Ydreborg, B. (1977) Psychological function changes among house painters. *Scand. J. Work Environ. Health*, 3, 91-99
- Hänninen, H., Eskelinen, L., Husman, K. & Nurminen, M. (1976) Behavioral effects of long-term exposure to a mixture of organic solvents. *Scand. J. Work Environ. Health*, 4, 240-255
- Hansen, C.M. (1982) Solvent technology in product development. In: Englund, A., Ringen, K. & Mehlman, M.A., eds, *Advances in Modern Environmental Toxicology*, Vol. 2, *Occupational Health Hazards of Solvents*, Princeton, NJ, Princeton Scientific Publishers, pp. 43-52
- Hansen, M.K., Larsen, M. & Cohr, K.-H. (1987) Waterborne paints. A review of their chemistry and toxicology and the results of determinations made during their use. *Scand. J. Work Environ. Health*, 13, 473-485
- Heaton, N. (1928) *Outlines of Paint Technology*, London, Charles Griffin & Co.
- Heidam, L.Z. (1984a) Spontaneous abortions among laboratory workers: a follow up study. *J. Epidemiol. Commun. Health*, 38, 36-41
- Heidam, L.Z. (1984b) Spontaneous abortions among dental assistants, factory workers, painters and gardening workers: a follow up study. *J. Epidemiol. Commun. Health*, 38, 149-155
- Hellquist, H., Irander, K., Edling, C. & Ödkvist, L.M. (1983) Nasal symptoms and histopathology in a group of spray-painters. *Acta otolaryngol.*, 96, 495-500
- Hemminki, K., Saloniemi, I., Salonen, T., Partanen, T. & Vainio, H. (1981) Childhood cancer and parental occupation in Finland. *J. Epidemiol. Commun. Health*, 35, 11-15

- Hernberg, S., Westerholm, P., Schultz-Larsen, K., Degerth, R., Kuosma, E., Englund, A., Engzell, U., Sand Hansen, H. & Mutanen, P. (1983) Nasal and sinonasal cancer. Connection with occupational exposures in Denmark, Finland and Sweden. *Scand. J. Work Environ. Health*, 9, 315-326
- Herrick, R.F., Ellenbecker, M.J. & Smith, T.J. (1988) Measurement of the epoxy content of paint spray aerosol: three case studies. *Appl. ind. Hyg.*, 3, 123-128
- Hervin, R.L. & Thoburn, T.W. (1975) *Trans World Airlines Main Overhaul Facility, Kansas City, Missouri (Health Hazard Evaluation Report No. 72-96-237)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Högborg, M. & Wahlberg, J.E. (1980) Health screening for occupational dermatoses in house painters. *Contact Derm.*, 6, 100-106
- Houten, L., Bross, I.D.J., Viadana, E. & Sonnesso, G. (1977) Occupational cancer in men exposed to metals. *Adv. exp. Med. Biol.*, 91, 93-102
- Howe, G.R. & Lindsay, J.P. (1983) A follow-up study of a ten-percent sample of the Canadian labor force. I. Cancer mortality in males, 1965-73. *J. natl Cancer Inst.*, 70, 37-44
- Howe, G.R., Burch, J.D., Miller, A.B., Cook, G.M., Estève, J., Morrison, B., Gordon, P., Chambers, L.W., Fodor, G. & Winsor, G.M. (1980) Tobacco use, occupation, coffee, various nutrients, and bladder cancer. *J. natl Cancer Inst.*, 64, 701-713
- Huré, P. (1986) Application of paints and varnishes inside buildings (Fr.). *Cah. Notes doc.*, 125, 587-590
- Husman, K. (1980) Symptoms of car painters with long-term exposure to a mixture of organic solvents. *Scand. J. Work Environ. Health*, 6, 19-32
- IARC (1972) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 1, *Some Inorganic Substances, Chlorinated Hydrocarbons, Aromatic Amines, N-Nitroso Compounds, and Natural Products*, Lyon, pp. 29-39
- IARC (1974a) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 4, *Some Aromatic Amines, Hydrazine and Related Substances, N-Nitroso Compounds and Miscellaneous Alkylating Agents*, Lyon, pp. 259-269
- IARC (1974b) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 4, *Some Aromatic Amines, Hydrazine and Related Substances, N-Nitroso Compounds and Miscellaneous Alkylating Agents*, Lyon, pp. 57-64
- IARC (1975) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 8, *Some Aromatic Azo Compounds*, Lyon, pp. 83-89
- IARC (1976a) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 11, *Cadmium, Nickel, Some Epoxides, Miscellaneous Industrial Chemicals, and General Considerations on Volatile Anaesthetics*, Lyon
- IARC (1976b) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 11, *Cadmium, Nickel, Some Epoxides, Miscellaneous Industrial Chemicals, and General Considerations on Volatile Anaesthetics*, Lyon, pp. 131-139
- IARC (1976c) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 11, *Cadmium, Nickel, Some Epoxides, Miscellaneous Industrial Chemicals, and General Considerations on Volatile Anaesthetics*, Lyon, pp. 75-112
- IARC (1976d) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 11, *Cadmium, Nickel, Some Epoxides, Miscellaneous Industrial Chemicals, and General Considerations on Volatile Anaesthetics*, Lyon, pp. 39-74

- IARC (1977a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man*, Vol. 15, *Some Fumigants, the Herbicides 2,4-D and 2,4,5-T, Chlorinated Dibenzodioxins and Miscellaneous Industrial Chemicals*, Lyon, pp. 155–175
- IARC (1977b) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 14, *Asbestos*, Lyon
- IARC (1978a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man*, Vol. 16, *Some Aromatic Amines and Related Nitro Compounds – Hair Dyes, Colouring Agents and Miscellaneous Industrial Chemicals*, Lyon, pp. 221–231
- IARC (1978b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man*, Vol. 16, *Some Aromatic Amines and Related Nitro Compounds – Hair Dyes, Colouring Agents and Miscellaneous Industrial Chemicals*, Lyon, pp. 111–124
- IARC (1978c) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 18, *Polychlorinated Biphenyls and Polybrominated Biphenyls*, Lyon, pp. 43–103
- IARC (1979a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 19, *Some Monomers, Plastics and Synthetic Elastomers, and Acrolein*, Lyon, pp. 377–438
- IARC (1979b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 19, *Some Monomers, Plastics and Synthetic Elastomers, and Acrolein*, Lyon, pp. 341–366
- IARC (1979c) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 19, *Some Monomers, Plastics and Synthetic Elastomers, and Acrolein*, Lyon, pp. 47–71
- IARC (1979d) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 19, *Some Monomers, Plastics and Synthetic Elastomers, and Acrolein*, Lyon, pp. 231–274
- IARC (1979e) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 19, *Some Monomers, Plastics and Synthetic Elastomers, and Acrolein*, Lyon, pp. 283–301
- IARC (1979f) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 20, *Some Halogenated Hydrocarbons*, Lyon, pp. 429–448
- IARC (1979g) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 20, *Some Halogenated Hydrocarbons*, Lyon, pp. 515–531
- IARC (1979h) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 20, *Some Halogenated Hydrocarbons*, Lyon, pp. 371–399
- IARC (1979i) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 20, *Some Halogenated Hydrocarbons*, Lyon, pp. 545–572
- IARC (1979j) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 20, *Some Halogenated Hydrocarbons*, Lyon, pp. 303–325, 349–367
- IARC (1979k) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 19, *Some Monomers, Plastics and Synthetic Elastomers, and Acrolein*, Lyon, pp. 320–340
- IARC (1980a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 23, *Some Metals and Metallic Compounds*, Lyon, pp. 325–415
- IARC (1980b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 23, *Some Metals and Metallic Compounds*, Lyon, pp. 205–323
- IARC (1980c) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 23, *Some Metals and Metallic Compounds*, Lyon, pp. 39–141
- IARC (1981) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 25, *Wood, Leather and Some Associated Industries*, Lyon, pp. 49–197
- IARC (1982a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 29, *Some Industrial Chemicals and Dyestuffs*, Lyon, pp. 345–389

- IARC (1982b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 29, *Some Industrial Chemicals and Dyestuffs*, Lyon, pp. 93–148
- IARC (1982c) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 29, *Some Industrial Chemicals and Dyestuffs*, Lyon, pp. 269–294
- IARC (1982d) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 29, *Some Industrial Chemicals and Dyestuffs*, Lyon, pp. 213–238
- IARC (1982e) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 29, *Some Industrial Chemicals and Dyestuffs*, Lyon, pp. 331–343
- IARC (1982f) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 28, *The Rubber Industry*, Lyon
- IARC (1983a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 30, *Miscellaneous Pesticides*, Lyon, pp. 319–328
- IARC (1983b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 32, *Polynuclear Aromatic Compounds, Part 1, Chemical, Environmental and Experimental Data*, Lyon
- IARC (1984) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 33, *Polynuclear Aromatic Compounds, Part 2, Carbon Blacks, Mineral Oils and Some Nitroarenes*, Lyon, pp. 35–85
- IARC (1985a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 36, *Allyl Compounds, Aldehydes, Epoxides and Peroxides*, Lyon, pp. 189–226
- IARC (1985b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 35, *Polynuclear Aromatic Compounds, Part 4, Bitumens, Coal-tars and Derived Products, Shale-oils and Soots*, Lyon, pp. 83–159
- IARC (1985c) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 36, *Allyl Compounds, Aldehydes, Epoxides and Peroxides*, Lyon, pp. 267–283
- IARC (1985d) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 36, *Allyl Compounds, Aldehydes, Epoxides and Peroxides*, Lyon, pp. 245–263
- IARC (1986a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 39, *Some Chemicals Used in Plastics and Elastomers*, Lyon, pp. 113–131
- IARC (1986b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 39, *Some Chemicals Used in Plastics and Elastomers*, Lyon, pp. 287–323
- IARC (1986c) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 41, *Some Halogenated Hydrocarbons and Pesticide Exposures*, Lyon, pp. 43–85
- IARC (1986d) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 39, *Some Chemicals Used in Plastics and Elastomers*, Lyon, pp. 347–365
- IARC (1986e) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 41, *Some Halogenated Hydrocarbons and Pesticide Exposures*, Lyon, pp. 229–235
- IARC (1987a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 42, *Silica and Some Silicates*, Lyon, pp. 39–143
- IARC (1987b) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 341–343
- IARC (1987c) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 42, *Silica and Some Silicates*, Lyon, pp. 185–224

- IARC (1987d) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 349–350
- IARC (1987e) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 216–219
- IARC (1987f) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 211–216
- IARC (1987g) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 205–207
- IARC (1987h) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 79–80
- IARC (1987i) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 202–203
- IARC (1987j) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 175–176
- IARC (1987k) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 120–122
- IARC (1987l) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 42, *Silica and Some Silicates*, Lyon, pp. 159–173
- IARC (1987m) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 117
- IARC (1987n) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 230–232
- IARC (1987o) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 100–106
- IARC (1987p) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 264–269
- IARC (1987q) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 194–195
- IARC (1987r) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 192–193

- IARC (1987s) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, pp. 131-133
- IARC (1989a) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 45, *Occupational Exposures in Petroleum Refining, Crude Oil and Major Petroleum Fuels*, Lyon, pp. 159-201
- IARC (1989b) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 45, *Occupational Exposures in Petroleum Refining, Crude Oil and Major Petroleum Fuels*, Lyon, pp. 203-218
- Ikeda, M., Watanabe, T., Kasahara, M., Kamiyama, S., Suzuki, H., Tsunoda, H. & Nakaya, S. (1985) Organic solvent exposure in small scale industries in north-east Japan. *Ind. Health*, 23, 181-189
- Iscovich, J., Castelletto, R., Estève, J., Muñoz, N., Colanzi, R., Coronel, A., Deamezola, I., Tassi, V. & Arslan, A. (1987) Tobacco smoking, occupational exposure and bladder cancer in Argentina. *Int. J. Cancer*, 40, 734-740
- Jayjock, M.A. & Levin, L. (1984) Health hazards in a small automotive body repair shop. *Ann. occup. Hyg.*, 28, 19-29
- Jensen, O.M., Wahrendorf, J., Knudsen, J.B. & Sørensen, B.L. (1987) The Copenhagen case-referent study on bladder cancer. Risks among drivers, painters and certain other occupations. *Scand. J. Work Environ. Health*, 13, 129-134
- Jensen, O.M., Knudsen, J.B., McLaughlin, J.K. & Sørensen, B.L. (1988) The Copenhagen case-control study of renal pelvis and ureter cancer: role of smoking and occupational exposures. *Int. J. Cancer*, 41, 557-561
- Johnson, C.C., Annegers, J.F., Frankowski, R.F., Spitz, M.R. & Buffler, P.A. (1987) Childhood nervous system tumors - an evaluation of the association with paternal occupational exposure to hydrocarbons. *Am. J. Epidemiol.*, 126, 605-613
- Jones, A. (1938) *Cellulose Lacquers, Finishes and Cements*, Philadelphia, PA, J.B. Lippincott
- Kauppinen, T. (1986) Occupational exposure to chemical agents in the plywood industry. *Ann. occup. Hyg.*, 30, 19-29
- Kelsey, K.T., Wiencke, J.K., Little, F.F., Baker, E.L., Jr & Little, J.B. (1988) Effects of cigarette smoking and solvent exposure on sister chromatid exchange frequency in painters. *Environ. mol. Mutagenesis*, 11, 389-399
- Kikukawa, H. (1986) Paint and coatings. *Jpn. chem. Ann.*, November, p. 86
- Kjuus, H., Skjaerven, R., Langård, S., Lien, J.T. & Aamodt, T. (1986) A case-referent study of lung cancer, occupational exposures and smoking. I. Comparison of title-based and exposure-based occupational information. *Scand. J. Work Environ. Health*, 12, 193-202
- Klavis, G. & Drommer, W. (1970) Goodpasture syndrome and the effect of benzene (Ger.). *Arch. Toxikol.*, 26, 40-55
- Kline, C.H. & Co. (1975) *The Kline Guide to the Paint Industry*, 4th (rev.) ed., Fairfield, NJ
- Kominsky, J.R., Rinsky, R. & Stroman, R. (1978) *Goodyear Aerospace Corporation, Akron, Ohio (Health Hazard Evaluation Report No. 77-127-516)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Krivanek, N. (1982) The toxicity of paint pigments, resins, drying oils, and additives. In: Englund, A., Ringen, K. & Mehlman, M.A., eds, *Advances in Modern Environmental Toxicology*, Vol. II, *Occupational Health Hazards of Solvents*, Princeton, NJ, Princeton Scientific Publishers, pp. 1-42
- Kurppa, K. & Husman, K. (1982) Car painters' exposure to a mixture of organic solvents. Serum activities of liver enzymes. *Scand. J. Work Environ. Health*, 8, 137-140

- Kwa, S.-L. & Fine, L.J. (1980) The association between parental occupation and childhood malignancy. *J. occup. Med.*, 22, 792-794
- van der Laan, G. (1980) Chronic glomerulonephritis and organic solvents. A case-control study. *Int. Arch. occup. environ. Health*, 47, 1-8
- Laguerre, G., Kamalodine, T., Hirbec, G., Bernaudin, J.-F., Guerrero, J. & Zhepova, F. (1977) The role of inhalation of toxic substances in the development of glomerulonephritis (Fr.). *Nouv. Presse méd.*, 6, 3609-3613
- Lam, H.R., Tarding, F., Stokholm, J. & Gyntelberg, F. (1985) Human platelet 5-hydroxytryptamine concentration as a tool in prediction of solvent induced neurotoxic effects. *Acta pharmacol. toxicol.*, 56, 233-238
- Landrigan, P.J., Baker, E.L., Jr, Himmelstein, J.S., Stein, G.F., Weddig, J.P. & Straub, W.E. (1982) Exposure to lead from the Mystic River Bridge: the dilemma of deleading. *New Engl. J. Med.*, 306, 673-676
- Lanson, H.J. (1978) Alkyd resins. In: Grayson, M., ed., *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 2, New York, John Wiley & Sons, pp. 18-50
- Larson, B.A. (1978) Occupational exposure to coal tar pitch volatiles at pipeline protective coating operations. *Am. ind. Hyg. Assoc. J.*, 39, 250-255
- Lauwerys, R., Bernard, A., Viau, C. & Buchet, J.-P. (1985) Kidney disorders and hematotoxicity of organic solvent exposure. *Scand. J. Work Environ. Health*, 11 (Suppl. 1), 83-90
- Layman, P.L. (1985) Paints and coatings: the global challenge. *Chem. Eng. News*, September 30, 27-68
- Lerchen, M.L., Wiggins, C.L. & Samet, J.M. (1987) Lung cancer and occupation in New Mexico. *J. natl Cancer Inst.*, 79, 639-645
- Levin, L.I., Zheng, W., Blot, W.J., Gao, Y.-T. & Fraumeni, J.F., Jr (1988) Occupation and lung cancer in Shanghai: a case-control study. *Br. J. ind. Med.*, 45, 450-458
- Lind, G. (1939) Significance of haematological changes in lacquer sprayers (Ger.). *Arch. Gewerbepathol. Gewerbehyg.*, 9, 141-166
- Lindquist, R., Nilsson, B., Eklund, G. & Gahrton, G. (1987) Increased risk of developing acute leukemia after employment as a painter. *Cancer*, 60, 1378-1384
- Lindström, K. & Wickström, G. (1983) Psychological function changes among maintenance house painters exposed to low levels of organic solvent mixtures. *Acta psychiatr. scand.*, 67 (Suppl. 303), 81-91
- Lindström, K., Riihimäki, H. & Hänninen, K. (1984) Occupational solvent exposure and neuropsychiatric disorders. *Scand. J. Work Environ. Health*, 10, 321-323
- Linnet, M.S., Malker, H.S.R., McLaughlin, J.K., Weiner, J.A., Stone, B.J., Blot, W.J., Ericsson, J.L.E. & Fraumeni, J.F., Jr (1988) Leukemias and occupation in Sweden: a registry-based analysis. *Am. J. ind. Med.*, 14, 319-330
- Littorin, M., Fehling, C., Attewell, R. & Skerving, C. (1988) Focal epilepsy and exposure to organic solvents: a case-referent study. *J. occup. Med.*, 30, 805-808
- Lowell, H.J. (1984) Coating. In: Mark, H.F., Bikales, N.M., Overberger, C.B. & Menges, G., eds, *Encyclopedia of Polymer Science and Engineering*, 2nd ed., Vol. 3, New York, John Wiley & Sons, pp. 615-667
- Lowengart, R.A., Peters, J.M., Cicioni, C., Buckley, J., Bernstein, L., Preston-Martin, S. & Rappaport, E. (1987) Childhood leukemia and parents' occupational and home exposures. *J. natl Cancer Inst.*, 79, 39-46

- Lundberg, I. (1986) Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. *Scand. J. Work Environ. Health*, 12, 108-113
- Lundberg, I. & Håkansson, M. (1985) Normal serum activities of liver enzymes in Swedish paint industry workers with heavy exposure to organic solvents. *Br. J. ind. med.*, 42, 596-600
- Magnani, C., Coggon, D., Osmond, C. & Acheson, E.D. (1987) Occupation and five cancers: a case-control study using death certificates. *Br. J. ind. Med.*, 44, 769-776
- Maintz, G. & Werner, L. (1988) Do paints and varnishes damage the respiratory system? (Ger.) *Z. Gesamte Hyg.*, 34, 274-278
- Maizlish, N.A., Langolf, G.D., Whitehead, L.W., Fine, L.J., Albers, J.W., Goldberg, J. & Smith, P. (1985) Behavioural evaluation of workers exposed to mixtures of organic solvents. *Br. J. ind. Med.*, 42, 579-590
- Malker, H.S.R., McLaughlin, J.K., Malker, B.K., Stone, B.J., Weiner, J.A., Erickson J.L.E. & Blot, W.J. (1985) Occupational risks for pleural mesothelioma in Sweden, 1961-79. *J. natl Cancer Inst.*, 74, 61-66
- Malker, H.S.R., McLaughlin, J.K., Malker, B.K., Stone, B.J., Weiner, J.A., Ericsson, J.L.E. & Blot, W.J. (1986) Biliary tract cancer and occupation in Sweden. *Br. J. ind. Med.*, 43, 257-262
- Mallov, J.S. (1976) MBK neuropathy among spray painters. *J. Am. med. Assoc.*, 235, 1455-1457
- Martens, C.R. (1964) *Emulsion and Water-soluble Paints and Coatings*, New York, Reinhold
- Matanoski, G.M., Stockwell, H.G., Diamond, E.L., Haring-Sweeney, M., Joffe, R.D., Mele, J.M. & Johnson, M.L. (1986) A cohort mortality study of painters and allied tradesmen. *Scand. J. Work Environ. Health*, 12, 16-21
- Matsunaga, J., Une, H., Nakayoshi, N., Momose, Y., Maeda, M., Watanabe, D., Magori, Y., Esaki, H., Kamo, H. & Kuroki, K. (1983) Occupational exposure to organic solvents in the painters of car repair workshops (Jpn.). *Med. Bull. Fukuoka Univ.*, 10, 173-178
- Matthäus, W. (1964) A contribution to corneal lesions in workers varnishing surfaces in the furniture industry (Ger.). *Klin. Monatsbl. Augenheilkunde*, 144, 713-717
- McDowall, M.E. (1985) *Occupational Reproductive Epidemiology: The Use of Routinely Collected Statistics in England and Wales, 1980-82 (Studies on Medical and Population Subjects No. 50)*, London, Her Majesty's Stationery Office, Office of Population Censuses and Surveys
- Menck, H.R. & Henderson, B.E. (1976) Occupational differences in rates of lung cancer. *J. occup. Med.*, 18, 797-801
- Mikkelsen, S. (1980) A cohort study of disability pension and death among painters with special regard to disabling presenile dementia as an occupational disease. *Scand. J. soc. Med.*, Suppl. 16, 34-43
- Mikkelsen, S., Jørgensen, M., Browne, E. & Gyldensted, C. (1988) Mixed solvent exposure and organic brain damage. A study of painters. *Acta neurol. scand.*, 78 (Suppl. No. 118)
- Mikulski, P.I., Wiglusz, R., Bublewska, A. & Uselis, J. (1972) Investigation of exposure of ships' painters to organic solvents. *Br. J. ind. Med.*, 29, 450-453
- Milham, S., Jr (1983) *Occupational Mortality in Washington State 1950-1979 (DHHS (NIOSH) Publication No. 83-116)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Milling Pedersen, L. & Cohr, K.-H. (1984) Biochemical pattern in experimental exposure of humans to white spirit. I. The effects of a 6 hours single dose. *Acta pharmacol. toxicol.*, 55, 317-324
- Milling Pedersen, L. & Melchior Rasmussen, J. (1982) The haematological and biochemical pattern in occupational organic solvent poisoning and exposure. *Int. Arch. occup. environ. Health*, 51, 113-126

- Milling Pedersen, L., Nygaard, E., Nielsen, O.S. & Saltin, B. (1980) Solvent-induced occupational myopathy. *J. occup. Med.*, 22, 603-606
- Milne, K.L., Sandler, D.P., Everson, R.B. & Brown, S.M. (1983) Lung cancer and occupation in Alameda County: a death certificate case-control study. *Am. J. ind. Med.*, 4, 565-575
- Møhlhave, L. & Lajer, M. (1976) Organic solvents in the air inspired by house painters (Dan.). *Ugeskr. Laeg.*, 138, 1230-1237
- Morgan, R.W., Kaplan, S.D. & Gaffey, W.R. (1981) A general mortality study of production workers in the paint and coatings manufacturing industry. A preliminary report. *J. occup. Med.*, 23, 13-21
- Morgan, R.W., Claxton, K.W., Kaplan, S.D., Parsons, J.M. & Wong, O. (1985) Mortality of paint and coatings industry workers. A follow-up study. *J. occup. Med.*, 27, 377-378
- Morris, P.D., Koepsell, T.D., Daling, J.R., Taylor, J.W., Lyon, J.L., Swanson, G.M., Child, M. & Weiss, N.S. (1986) Toxic substance exposure and multiple myeloma: a case-control study. *J. natl Cancer Inst.*, 76, 987-994
- Morrison, A.S., Ahlbom, A., Verhoek, W.G., Aoki, K., Leck, I., Ohno, Y. & Obata, K. (1985) Occupation and bladder cancer in Boston, USA, Manchester, UK, and Nagoya, Japan. *J. Epidemiol. Commun. Health*, 39, 294-300
- National Institute for Occupational Safety and Health (1970) *US Census Report*, Cincinnati, OH
- National Institute for Occupational Safety and Health (1984) *Recommendations for Control of Occupational Safety and Health Hazards. Manufacture of Paint and Allied Coating Products (DHSS (NIOSH) Publ. No. 84-115)*, Cincinnati, OH
- National Institute for Occupational Safety and Health (1987) *Organic Solvent Neurotoxicity (Current Intelligence Bulletin No. 48)*, Cincinnati, OH
- Nielsen, J., Sangö, C., Winroth, G., Hallberg, T. & Skerfving, S. (1985) Systemic reactions associated with polyisocyanate exposure. *Scand. J. Work Environ. Health*, 11, 51-54
- Nielsen, J., Welinder, H., Schütz, A. & Skerfving, S. (1988) Specific serum antibodies against phthalic anhydride in occupationally exposed subjects. *J. Allerg. clin. Immunol.*, 82, 126-133
- Norell, S., Ahlbom, A., Olin, R., Erwald, R., Jacobson, G., Lindberg-Navier, I. & Wiechel, K.-L. (1986) Occupational factors and pancreatic cancer. *Br. J. ind. Med.*, 43, 775-778
- O'Brien, D.M. & Hurley, D.E. (1981) *An Evaluation of Engineering Control Technology for Spray Painting (DHHS (NIOSH) Publ. No. 81-121)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Office of Population Censuses and Surveys (1958) *The Registrar General's Decennial Supplement England and Wales 1951, Occupational Mortality, Part II, Vol. 2, Tables*, London, Her Majesty's Stationery Office
- Office of Population Censuses and Surveys (1970) *Classification of Occupations*, London, Her Majesty's Stationery Office
- Office of Population Censuses and Surveys (1972) *The Registrar General's Decennial Supplement, England and Wales 1961, Occupational Mortality Tables*, London, Her Majesty's Stationery Office
- Office of Population Censuses and Surveys (1979) *Occupational Mortality 1970-1972, England and Wales, Decennial Supplement*, London, Her Majesty's Stationery Office
- Office of Population Censuses and Surveys (1986) *Occupational Mortality 1979-80, 1982-83, Great Britain, Decennial Supplement*, London, Her Majesty's Stationery Office
- O'Flynn, R.R., Monkman, S.M. & Waldron, H.A. (1987) Organic solvents and presenile dementia: a case referent study using death certificates. *Br. J. ind. Med.*, 44, 259-262

- Ogata, M., Takatsuka, Y. & Tomokuni, K. (1971) Excretion of hippuric acid and *m*- or *p*- methylhippuric acid in the urine of persons exposed to vapours of toluene and *m*- or *p*-xylene in an exposure chamber and in workshops, with specific reference to repeated exposures. *Br. J. ind. Med.*, 28, 382-385
- Okawa, M.T. & Keith, W. (1977) *United Airlines Maintenance Base, San Francisco International Airport, Burlingame, California (Health Hazard Evaluation Report No. 75-195-396)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Olsen, J.H. (1983) Risk of exposure to teratogens among laboratory staff and painters. *Dan. med. Bull.*, 30, 24-28
- Olsen, J.H. (1988) Occupational risks of sinonasal cancer in Denmark. *Br. J. ind. Med.*, 45, 329-335
- Olsen, J.H. & Jensen, O.M. (1987) Occupation and risk of cancer in Denmark. An analysis of 93,810 cancer cases, 1970-1979. *Scand. J. Work Environ. Health*, 13 (Suppl. 1), 1-91
- Olsen, J.H. & Rachootin, P. (1983) Organic solvents as possible risk factors of low birthweight (Letter to the Editor). *J. occup. Med.*, 25, 854-855
- Olsen, J. & Sabroe, S. (1980) A case-reference study of neuropsychiatric disorders among workers exposed to solvents in the Danish wood and furniture industry. *Scand. J. Work Environ. Health*, 16, 44-49
- Olsson, H. & Brandt, L. (1980) Occupational exposure to organic solvents and Hodgkin's disease in men. A case-referent study. *Scand. J. Work Environ. Health*, 6, 302-305
- Olsson, H. & Brandt, L. (1988) Risk of non-Hodgkin's lymphoma among men occupationally exposed to organic solvents. *Scand. J. Work Environ. Health*, 14, 246-251
- O'Neill, L.A. (1981) *Health and Safety, Environmental Pollution and the Paint Industry*, Teddington, UK, Paint Research Association
- Ørbaek, P., Risberg, J., Rosén, I., Haeger-Aronsen, B., Hagstadius, S., Hjortsberg, U., Regnell, G., Rehnström, S., Svensson, K. & Welinder, H. (1985) Effect of long-term exposure to solvents in the paint industry. A cross-sectional epidemiologic study with clinical and laboratory methods. *Scand. J. Work Environ. Health*, 11 (Suppl. 2), 1-28
- Pearce, N.E. & Howard, J.K. (1986) Occupation, social class and male cancer mortality in New Zealand, 1974-78. *Int. J. Epidemiol.*, 15, 456-462
- Peltonen, K. (1986) Thermal degradation of epoxy powder paint. In: *Proceedings of an International Congress on Industrial Hygiene, Rome, Italy, October 5-9*, Rome, Pontifica Università Urbaniana, pp. 118-119
- Peltonen, K., Pfäffli, P., Itkonen, A. & Kalliokoski, P. (1986) Determination of the presence of bisphenol-A and the absence of diglycidyl ether of bisphenol-A in the thermal degradation products of epoxy powder paint. *Am. ind. Hyg. Assoc. J.*, 47, 399-403
- Peters, J.M., Preston-Martin, S. & Yu, M.C. (1981) Brain tumors in children and occupational exposure of parents. *Science*, 213, 235-237
- Petersen, G.R. & Milham, S., Jr (1980) *Occupational Mortality in the State of California 1959-61 (DHEW (NIOSH) Publication No. 80-104)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Peterson, J.E. (1984) Painting and coating. In: Cralley, L.J. & Cralley, L.V., eds, *Industrial Hygiene Aspects of Plant Operations*, Vol. 2, *Unit Operations and Product Fabrication*, New York, MacMillan, pp. 222-247
- Pham, Q.-T., Mur, J.-M., Teculescu, D., Merou-Poncelet, B., Gaertner, M., Meyer-Bisch, C., Moulin, J.-M. & Massin, N. (1985) Respiratory symptoms and pulmonary function in painters at an indus-

- trial vehicle manufacturing plant. Results of a cross-sectional epidemiological study (Fr.). *Arch. Mal. prof.*, 46, 31-36
- Phillips, L.W. (1976) *Literature Search on Toxic and Carcinogenic Components of Paint (NIOSH Report 210-76-0108; PB 83-117655)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Piper, R. (1965) The hazards of painting and varnishing. *Br. J. ind. Med.*, 22, 247-260
- Pirilä, V. (1947) On occupational diseases of the skin among paint factory workers, painters, polishers and varnishers in Finland. A clinical and experimental study. *Acta dermatovenerol.*, 27 (Suppl. 16), 1-163
- Powell, G.M. (1972) Vinyl resins. In: Madson, W.H., ed., *Federation Series on Coatings Technology*, Unit 19, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 7-55
- Priha, E., Riipinen, H. & Korhonen, K. (1986) Exposure to formaldehyde and solvents in Finnish furniture factories in 1975-1984. *Ann. occup. Hyg.*, 30, 289-294
- Rachootin, P. & Olsen, J. (1983) The risk of infertility and delayed conception associated with exposures in the Danish workforce. *J. occup. Med.*, 25, 394-402
- Raitta, C., Husman, K. & Tossavainen, A. (1976) Lens changes in car painters exposed to a mixture of organic solvents. *Graefes Arch. klin. exp. Ophthalm.*, 200, 149-156
- Rasmussen, H., Olsen, J. & Lawitsen, J. (1985) Risk of encephalopathia among retired solvent-exposed workers. A case-control study among males applying for nursing home accommodation or other types of social support facilities. *J. occup. Med.*, 27, 561-566
- Ravnskov, U., Forsberg, B. & Skerfving, S. (1979) Glomerulonephritis and exposure to organic solvents. A case-control study. *Acta med. scand.*, 205, 575-579
- Reisch, M.S. (1987) Paint sales may top 1986 high. *Chem. Eng. News*, September 21, pp. 51-68
- Reyes de la Rocha, S.R., Brown, M.A. & Fortenberry, J.D. (1987) Pulmonary function abnormalities in intentional spray paint inhalation. *Chest*, 92, 100-104
- Riala, R. (1982) Chemical hazards in painting in the construction industry. In: Englund, A., Ringen, K. & Mehlman, M.A., eds, *Advances in Modern Environmental Toxicology*, Vol. 2, *Occupational Health Hazards of Solvents*, Princeton, NJ, Princeton Scientific Publishers, pp. 93-95
- Riala, R., Kalliokoski, P., Pyy, L. & Wickström, G. (1984) Solvent exposure in construction and maintenance painting. *Scand. J. Work Environ. Health*, 10, 263-266
- Ringen, K. (1982) Health hazards among painters. In: Englund, A., Ringen, K. & Mehlman, M.A., eds, *Advances in Modern Environmental Toxicology*, Vol. 2, *Occupational Health Hazards of Solvents*, Princeton, NJ, Princeton Scientific Publishers, pp. 111-138
- Risch, H.A., Burch, J.D., Miller, A.B., Hill, G.B., Steele, R. & Howe, G.R. (1988) Occupational factors and the incidence of cancer of the bladder in Canada. *Br. J. ind. Med.*, 45, 361-367
- Ronco, G., Ciccone, G., Mirabelli, D., Troia, B. & Vineis, P. (1988) Occupation and lung cancer in two industrialized areas of northern Italy. *Int. J. Cancer*, 41, 354-358
- Rosen, G. (1953) Occupational health problems of English painters and varnishers in 1825. *Br. J. ind. Med.*, 10, 195-199
- Rosenberg, C. & Tuomi, T. (1984) Airborne isocyanates in polyurethane spray painting: determination and respirator efficiency. *Am. ind. Hyg. Assoc. J.*, 45, 117-121
- Rosensteel, R.E. (1974) *Harris Structural Steel Company, Piscataway, New Jersey (Health Hazard Evaluation Report No. 73-99-108)*, Cincinnati, OH, National Institute for Occupational Safety and Health

- Sabroe, S. & Olsen, J. (1979) Health complaints and work conditions among lacquerers in the Danish furniture industry. *Scand. J. soc. Med.*, 7, 97-104
- Sanders, B.M., White, G.C. & Draper, G.J. (1981) Occupations of fathers of children dying from neoplasms. *J. Epidemiol. Commun. Health*, 35, 245-250
- Scheffers, T.M.L., Jongeneelen, F.J. & Bragt, P.C. (1985) Development of effect-specific limit values (ESLVs) for solvent mixtures in painting. *Ann. occup. Hyg.*, 29, 191-199
- Schiek, R.C. (1982) Pigments (inorganic). In: Mark, H.F., Othmer, D.F., Overberger, C.G., Seaborg, G.T. & Grayson, M., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 17, New York, John Wiley & Sons, p. 788
- Schiffers, E., Jamart, J. & Renard, V. (1987) Tobacco and occupation as risk factors in bladder cancer: a case-control study in southern Belgium. *Int. J. Cancer*, 39, 287-292
- Schoenberg, J.B., Stemhagen, A., Mogielnicki, A.P., Altman, R., Abe, T. & Mason, T.J. (1984) Case-control study of bladder cancer in New Jersey. I. Occupational exposures in white males. *J. natl Cancer Inst.*, 72, 973-981
- Schurr, G.G. (1974) Exterior house paints. In: Madison, W.H., ed., *Federation Series on Coatings Technology*, Unit 24, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 5-67
- Schurr, G.G. (1981) Paint. In: Mark, H.F., Othmer, D.F., Overberger, C.G., Seaborg, G.T. & Grayson, M., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 16, New York, John Wiley & Sons, pp. 742-761
- Schwartz, D.A. & Baker, E.L. (1988) Respiratory illness in the construction industry. Airflow obstruction among painters. *Chest*, 93, 134-137
- Sears, K. (1974) Plasticizers. In: Madison, W.H., ed., *Federation Series on Coatings Technology*, Unit 22, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 5-103
- Selikoff, I.J. (1983) *Investigations of Health Hazards in the Painting Trades*, New York, Mount Sinai School of Medicine of the City University of New York
- Seppäläinen, A.M. & Lindström, K. (1982) Neurophysiological findings among house painters exposed to solvents. *Scand. J. Work Environ. Health*, 8, 131-135
- Seppäläinen, A.M., Husman, K. & Mårtenson, C. (1978) Neurophysiological effects of long-term exposure to a mixture of organic solvents. *Scand. J. Work Environ. Health*, 4, 304-314
- Siegel, G.S. (1963) Lead exposure among decorative and house painters. *Arch. environ. Health*, 6, 34-37
- Siemiatycki, J., Dewar, R., Nadon, L., Gérin, M., Richardson, L. & Wacholder, S. (1987a) Associations between several sites of cancer and twelve petroleum-derived liquids. Results from a case-referent study in Montreal. *Scand. J. Work Environ. Health*, 13, 493-504
- Siemiatycki, J., Wacholder, S., Richardson, L., Dewar, R. & Gérin, M. (1987b) Discovering carcinogens in the occupational environment. Methods of data collection and analysis of a large case-referent monitoring system. *Scand. J. Work Environ. Health*, 13, 486-492
- Silverman, D.T., Hoover, R.N., Albert, S. & Graff, K.M. (1983) Occupation and cancer of the lower urinary tract in Detroit. *J. natl Cancer Inst.*, 70, 237-245
- Simonato, L., Vineis, P. & Fletcher, A.C. (1988) Estimates of the proportion of lung cancer attributable to occupational exposure. *Carcinogenesis*, 9, 1159-1165
- Singer, E. (1957) *Fundamentals of Paint, Varnish and Lacquer Technology*, St Louis, MO, The American Paint Journal Co.
- Skerfving, S. (1987) Biological monitoring of exposure to inorganic lead. In: Clarkson, T.W., Friberg, L., Nordberg, G.F. & Sager, P.R., eds, *Biological Monitoring of Toxic Metals*, New York, Plenum, pp. 169-197

- Spee, T. & Zwennis, W.C.M. (1987) Lead exposure during demolition of a steel structure coated with lead-based paints. I. Environmental and biological monitoring. *Scand. J. Work Environ. Health*, 13, 52-55
- Sterner, J.H. (1941) Study of hazards in spray painting with gasoline as a diluent. *J. ind. Hyg. Toxicol.*, 23, 437-448
- Stewart, R.D. & Hake, C.L. (1976) Paint remover hazard. *J. Am. med. Assoc.*, 235, 398-401
- Stockwell, H.G. & Matanoski, G.M. (1985) A case-control study of lung cancer in painters. *J. occup. Med.*, 27, 125-126
- Struwe, G., Mindus, P. & Jönsson, B. (1980) Psychiatric ratings in occupational health research: a study of mental symptoms in lacquerers. *Am. J. ind. Med.*, 1, 23-30
- Swedish Work Environment Fund (1987) *Paints, Varnishes, Adhesives*, Stockholm
- Swerdlow, A.J. & Skeet, R.G. (1988) Occupational associations of testicular cancer in south east England. *Br. J. ind. Med.*, 45, 225-230
- Takeuchi, Y., Ono, Y., Hisanaga, N., Iwata, M., Okutani, H., Matsamoto, T., Gotoh, M., Fukaya, Y., Ueno, K., Seki, T. & Mizuno, S. (1982) Environmental and health surveys on car repair workers exposed to organic solvents (Jpn.). *Jpn. J. ind. Health*, 24, 305-313
- Timonen, T.T.T. & Ilvonen, M. (1978) Contact with hospital, drugs, and chemicals as aetiological factors in leukaemia. *Lancet*, i, 350-352
- Tola, S. & Karskela, V. (1976) Occupational lead exposure in Finland. V. Shipyards and shipbreaking. *Scand. J. Work Environ. Health*, 2, 31-36
- Tola, S., Hernberg, S. & Vesanto, R. (1976) Occupational lead exposure in Finland. VI. Final report. *Scand. J. Work Environ. Health*, 2, 115-127
- Triebig, D., Claus, D., Csuzda, I., Druschky, K.-F., Holler, P., Kinzel, W., Lehl, S., Reichwein, P., Weidenhammer, W., Weitbrecht, W.-U., Weltle, D., Schaller, K.H. & Valentin, H. (1988) Cross-sectional epidemiological study on neurotoxicity of solvents in paints and lacquers. *Int. Arch. occup. environ. Health*, 60, 233-241
- Ulfvarson, U. (1977) Chemical hazards in the paint industry. In: *Proceedings of an International Symposium on the Control of Air Pollution in the Working Environment, Stockholm, 6-8 September 1977*, Part II, Stockholm, Swedish Work Environment Fund/International Labour Office, pp. 63-75
- US Environmental Protection Agency (1979) *Development Document for Effluent Limitations, Guidelines and Standards for the Paint Formulating: Point Source Category (EPA Report 440/1-79/049-b)*, Washington DC
- Valciukas, J.A., Lilis, R., Singer, R.M., Glickman, L. & Nicholson, W.J. (1985) Neurobehavioral changes among shipyard painters exposed to solvents. *Arch. environ. Health*, 40, 47-52
- Vandervort, R. & Cromer, J. (1975) *Health Hazard Evaluation/Toxicity Determination Report Peabody Galion Corp. (NIOSH-TR 73-47-172; PB 246446)*, Cincinnati, OH, National Institute for Occupational Safety and Health.
- Van Steensel-Moll, H.A., Valkenburg, H.A. & Zanen, G.E. (1985) Childhood leukaemia and parental occupation. A register-based case-control study. *Am. J. Epidemiol.*, 121, 216-224
- Viadana, E. & Bross, I.D.J. (1972) Leukemia and occupations. *Prev. Med.*, 1, 513-521
- Viadana, E., Bross, I.D.J. & Houten, L. (1976) Cancer experience of men exposed to inhalation of chemicals or to combustion products. *J. occup. Med.*, 18, 787-792
- Vianna, N.J. & Polan, A. (1979) Lymphomas and occupational benzene exposure. *Lancet*, i, 1394-1395
- Vineis, P. & Magnani, C. (1985) Occupation and bladder cancer in males: a case-control study. *Int. J. Cancer*, 35, 599-606

- van Vliet, C., Swaen, G.M.F., Slangern, J.J.M., Border, T.D. & Stirman, F. (1987) The organic solvent syndrome. *Int. Arch. occup. environ. Health*, 59, 493-501
- Volk, O. & Abriss, M. (1976) Interior finishes. In: Madison, W.H., ed., *Federation Series on Coatings Technology*, Unit 23, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 5-21
- Welinder, H., Nielsen, J., Bensryd, I. & Skerfving, S. (1988) IgG antibodies against polyisocyanates in car painters. *Clin. Allerg.*, 18, 85-93
- Wernfors, M., Nielsen, J., Schütz, A. & Skerfving, S. (1986) Phthalic anhydride-induced occupational asthma. *Int. Arch. Allerg. appl. Immunol.*, 79, 77-82
- White, M.C. & Baker, E.L. (1988) Measurements of respiratory illness among construction painters. *Br. J. ind. Med.*, 45, 523-531
- Whorton, M.D., Schulman, J., Larson, S.R., Stubbs, H.A. & Austin, D. (1983) Feasibility of identifying high-risk occupations through tumor registries. *J. occup. Med.*, 25, 657-660
- Wicks, Z.W. (1984) Drying oils. In: Mark, H.F., Bikales, N.M., Overberger, C.G. & Menges, G., eds, *Encyclopedia of Polymer Science and Engineering*, 2nd ed., Vol. 5, New York, John Wiley & Sons, pp. 203-214
- Wilkins, J.R., III & Sinks, T.H., Jr (1984) Paternal occupation and Wilms' tumour in offspring. *J. Epidemiol. Commun. Health*, 38, 7-11
- Williams, R.A. (1977) Automotive finishes. In: Madson, W.H., ed., *Federation Series on Coatings Technology*, Unit 25, Philadelphia, PA, Federation of Societies for Paint Technology, pp. 7-36
- Williams, R.R., Stegens, N.L. & Goldsmith, J.R. (1977) Associations of cancer site and type with occupation and industry from the Third National Cancer Survey interview. *J. natl Cancer Inst.*, 59, 1147-1185
- Winchester, R.V. & Madjar, V.M. (1986) Solvent effects on workers in the paint, adhesive and printing industries. *Ann. occup. Hyg.*, 30, 307-317
- World Health Organization (1985) *Chronic Effects of Organic Solvents on the Central Nervous System and Diagnostic Criteria*, Copenhagen
- Wynder, E.L. & Graham, E.A. (1951) Etiologic factors in bronchiogenic carcinoma with special reference to industrial exposures. Report of eight hundred fifty-seven proved cases. *Arch. ind. Hyg. occup. Med.*, 4, 221-235
- Wynder, E.L., Onderdonk, J. & Mantel, N. (1963) An epidemiological investigation of cancer of the bladder. *Cancer*, 16, 1388-1407
- Zack, M., Cannon, S., Loyd, D., Heath, C.W., Jr, Falletta, J.M., Jones, B., Housworth, J. & Crowley, S. (1980) Cancer in children of parents exposed to hydrocarbon-related industries and occupations. *Am. J. Epidemiol.*, 111, 329-336
- Zey, J.N. & Aw, T.-C. (1984) *American Transportation Corporation, Conway, Arkansas (Health Hazard Evaluation Report No. 82-025-1413)*, Cincinnati, OH, National Institute for Occupational Safety and Health
- Zimmerman, S.W., Groehler, K. & Beirne, G.J. (1975) Hydrocarbon exposure and chronic glomerulonephritis. *Lancet*, ii, 199-201