

5. References

- Alejandro-Durán, E., Alonso-Moraga, A. & Pueyo, C. (1987) Implication of active oxygen species in the direct-acting mutagenicity of tea. *Mutat. Res.*, 188, 251-257
- Ali, M., Hayat, L.H.J., Al Saleh, J. & Gubler, C.J. (1989) Effect of consumption of green and black tea on the level of various enzymes in rats. *Experientia*, 45, 112-114
- Anon. (1974) 'Tea-gruel' as a possible factor of the esophagus. *Indian J. Cancer*, 11, 232-233
- Arab, L., Kohlmeier, M., Schlierf, G. & Schettler, G. (1983) Coffee and cholesterol (Letter to the Editor). *New Engl. J. Med.*, 309, 1250
- Ariza, R.R., Dorado, G., Barbancho, M. & Pueyo, C. (1988) Studies of the causes of direct-acting mutagenicity in coffee and tea using the Ara test in *Salmonella typhimurium*. *Mutat. Res.*, 201, 89-96
- Armstrong, B. & Doll, R. (1975) Environmental factors and cancer incidence and mortality in different countries, with special reference to dietary practices. *Int. J. Cancer*, 15, 617-631
- Armstrong, B., Garrod, A. & Doll, R. (1976) A retrospective study of renal cancer with special reference to coffee and animal protein consumption. *Br. J. Cancer*, 33, 127-136
- Barone, J.J. & Roberts, H.R. (1984) Human consumption of caffeine. In: Dews, P.B., ed., *Caffeine. Perspectives from Recent Research*, Berlin, Springer, pp. 59-73
- Bashirov, M.S., Nugmanov, S.N., Kolycheva, N.I. (1968) Epidemiological study of oesophageal cancer in the Akhtubinsk region of the Kazakh Socialist Republic (Russ.). *Vopr. Onkol.*, 14, 3-7
- Belitz, H.D. & Grosch, W. (1986) *Food Chemistry*, Berlin, Springer, pp. 693-701
- Berkowitz, G.S., Holford, T.R. & Berkowitz, R.L. (1982) Effects of cigarette smoking, alcohol, coffee and tea consumption on preterm delivery. *Early human Dev.*, 7, 239-250
- Bogovski, P., Day, N., Chvedoff, M. & Lafaverges, F. (1977) Accelerating action of tea on mouse skin carcinogenesis. *Cancer Lett.*, 3, 9-13

¹For definition of the italicized terms, see Preamble, pp. 27-31.

- Bokuchava, M.A. & Skobeleva, N.I. (1986) Tea aroma. In: Morton, I.D. & MacLeod, A.J., eds, *Food Flavours*, Part B, *The Flavour of Beverages*, Amsterdam, Elsevier, pp. 49-84
- Boston Collaborative Drug Surveillance Program (1972) Coffee drinking and acute myocardial infarction. *Lancet*, ii, 1278-1281
- Brooke, O.G., Anderson, H.R., Bland, J.M., Peacock, J.L. & Stewart, C.M. (1989) Effects on birth weight of smoking, alcohol, caffeine, socioeconomic factors and psychosocial stress. *Br. med. J.*, 298, 795-801
- Bunker, M.L. & McWilliams, M. (1979) Caffeine content of common beverages. *J. Am. diet. Assoc.*, 74, 28-32
- Bunin, G.R., Kramer, S., Marrero, O. & Meadows, A.T. (1987) Gestational risk factors for Wilms' tumor: results of a case-control study. *Cancer Res.*, 47, 2972-2977
- Byers, T., Marshall, J., Graham, S., Mettlin, C. & Swanson, M. (1983) A case-control study of dietary and nondietary factors in ovarian cancer. *J. natl Cancer Inst.*, 71, 681-686
- Caan, B.J. & Goldhaber, M.K. (1989) Caffeinated beverages and low birthweight: a case-control study. *Am. J. public Health*, 79, 1299-1300
- Claude, J., Kunze, E., Frentzel-Beyme, R., Paczkowski, K., Schneider, J. & Schubert, H. (1986) Life-style and occupational risk factors in cancer of the lower urinary tract. *Am. J. Epidemiol.*, 124, 578-589
- Cloughley, J.B. (1983) Factors influencing the caffeine content of black tea. Part 2. The effect of production variables. *Food Chem.*, 10, 25-34
- Cook-Mozaffari, P.J., Azordegan, F., Day, N.E., Ressicaud, A., Sabai, C. & Aramesh, B. (1979) Oesophageal cancer studies in the Caspian littoral of Iran: results of a case-control study. *Br. J. Cancer*, 39, 293-309
- Curb, J.D., Reed, D.M., Kautz, J.A. & Yano, K. (1986) Coffee, caffeine, and serum cholesterol in Japanese men in Hawaii. *Am. J. Epidemiol.*, 123, 648-655
- Cuzick, J. & Babiker, A.G. (1989) Pancreatic cancer, alcohol, diabetes mellitus and gall-bladder disease. *Int. J. Cancer*, 43, 415-421
- Eden, T. (1976) *Tea*, 3rd ed., London, Longman
- Forrest, D. (1985) *The World Tea Trade: A Survey of the Production, Distribution and Consumption of Tea*, Cambridge, Woodhead-Faulkner Ltd
- Franco, E.L., Kowalski, L.P., Oliveira, B.V., Curado, M.P., Pereira, R.N., Silva, M.E., Fava, A.S. & Torloni, H. (1989) Risk factors for oral cancer in Brazil: a case-control study. *Int. J. Cancer*, 43, 992-1000
- Fujita, Y., Yamane, T., Tanaka, M., Kuwata, K., Okuzumi, J., Takahashi, T., Fujiki, H. & Okuda, T. (1989) Inhibitory effect of (-)-epigallocatechin gallate on carcinogenesis with *N*-ethyl-*N*'-nitro-*N*-nitrosoguanidine in mouse duodenum. *Jpn. J. Cancer Res.*, 80, 503-505
- Furuhashi, N., Sato, S., Suzuki, M., Hiruta, M., Tanaka, M. & Takahashi, T. (1985) Effects of caffeine ingestion during pregnancy. *Gynecol. obstet. Invest.*, 19, 187-191
- Ghadirian, P. (1987) Thermal irritation and esophageal cancer in northern Iran. *Cancer*, 60, 1909-1914
- Goodman, M.T., Morgenstern, H. & Wynder, E.L. (1986) A case-control study of factors affecting the development of renal cell cancer. *Am. J. Epidemiol.*, 124, 926-941

- Graham, H.N. (1983) Tea. In: Mark, H.F., Othmer, D.R., Overberger, C.G., Seaborg, G.T. & Grayson, M., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 3rd ed., Vol. 22, New York, John Wiley & Sons, pp. 628-644
- Graham, H.N. (1984) Tea; the plant and its manufacture; chemistry and consumption of the beverage. In: Spiller, G.A., ed., *The Methylxanthine Beverages and Foods: Chemistry, Consumption and Health Effects*, New York, Alan R. Liss, pp. 29-74
- Graham, S., Lilienfeld, A.M. & Tidings, J.E. (1967) Dietary and purgation factors in the epidemiology of gastric cancer. *Cancer*, 20, 2224-2234
- Green, M. & Jucha, E. (1986) Association of serum lipids with coffee, tea, and egg consumption in free-living subjects. *J. Epidemiol. Community Health*, 40, 324-329
- Haffner, S.M., Knapp, J.A., Stern, M.P., Hazuda, H.P., Rosenthal, M. & Franco, L.J. (1985) Coffee consumption, diet, and lipids. *Am. J. Epidemiol.*, 122, 1-12
- Hartge, P., Hoover, R., West, D.W. & Lyon, J.L. (1983) Coffee drinking and risk of bladder cancer. *J. natl Cancer Inst.*, 70, 1021-1026
- Hashimoto, F., Nonaka, G.-I. & Nishioka, I. (1989) Tannins and related compounds. LXXVII. Novel chalcan-flavan dimers, assamicains A, B and C, and a new flavan-3-ol and proanthocyanidins from the fresh leaves of *Camellia sinensis* L. var. *assamica* Kitamura. *Chem. pharm. Bull.*, 37, 77-85
- Hayashi, T. & Shibamoto, T. (1985) Analysis of methyl glyoxal in foods and beverages. *J. agric. Food Chem.*, 33, 1090-1093
- Heilbrun, L.K., Nomura, A. & Stemmermann, G.N. (1986) Black tea consumption and cancer risk: a prospective study. *Br. J. Cancer*, 54, 677-683
- Henderson, B.E., Louie, E., Jing, J.S.-H., Buell, P. & Gardner, M.B. (1976) Risk factors associated with nasopharyngeal carcinoma. *New Engl. J. Med.*, 295, 1101-1106
- Hiatt, R.A., Klatsky, A.L. & Armstrong, M.A. (1988) Pancreatic cancer, blood glucose and beverage consumption. *Int. J. Cancer*, 41, 794-797
- Higginson, J. (1966) Etiological factors in gastrointestinal cancer in man. *J. natl Cancer Inst.*, 37, 527-545
- Hormozdiari, H., Day, N.E., Aramesh, B. & Mahboubi, E. (1975) Dietary factors and esophageal cancer in the Caspian littoral of Iran. *Cancer Res.*, 35, 3493-3498
- Howe, G.R., Burch, J.D., Miller, A.B., Cook, G.M., Estève, J., Morrison, B., Gordon, P., Chambers, L.W., Fodor, G. & Winsor, G.M. (1980) Tobacco use, occupation, coffee, various nutrients and bladder cancer. *J. natl Cancer Inst.*, 64, 701-713
- IARC (1983a) *LARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 31, *Some Food Additives, Feed Additives and Naturally Occurring Substances*, Lyon, pp. 171-178
- IARC (1983b) *LARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 31, *Some Food Additives, Feed Additives and Naturally Occurring Substances*, Lyon, pp. 213-229
- International Organization for Standardization (1981) *Black Tea — Specification* (International Standard (ISO 3720)), London
- International Tea Committee (1989) *Annual Bulletin of Statistics*, London

- Iscovich, J., Castelletto, R., Estève, J., Muñoz, N., Colanzi, R., Coronel, A., Deamezola, I., Tassi, V. & Arslan, A. (1987) Tobacco smoking, occupational exposure and bladder cancer in Argentina. *Int. J. Cancer*, 40, 734-740
- Ishii, K., Nakamura, K., Takeuchi, T. & Hirayama, T. (1973) Chronic calcifying pancreatitis and pancreatic carcinoma in Japan. *Digestion*, 9, 429-437
- Ito, Y., Ohnishi, S. & Fujie, K. (1989) Chromosome aberrations induced by aflatoxin B₁ in rat bone marrow cells *in vivo* and their suppression by green tea. *Mutat. Res.*, 222, 253-261
- Jain, A.K., Shimoi, K., Nakamura, Y., Kada, T., Hara, Y. & Tomita, I. (1989a) Crude tea extracts decrease the mutagenic activity of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine *in vitro* and in intragastric tract of rats. *Mutat. Res.*, 210, 1-8
- Jain, A.K., Shimoi, K., Nakamura, Y., Sano, M. & Tomita, I. (1989b) Effect of tea on 12-O-tetradecanoyl-phorbol-13 acetate (TPA) induced promotion of transformation in JB6 mouse epidermal cells. *Indian J. Cancer*, 26, 92-98
- Jensen, O.M., Wahrenorf, J., Knudsen, J.B. & Sørensen, B.L. (1986) The Copenhagen case-control study of bladder cancer. II. Effect of coffee and other beverages. *Int. J. Cancer*, 37, 651-657
- Jick, H., Miettinen, O.S., Neff, R.K., Shapiro, S., Heinonen, O.P. & Slone, D. (1973) Coffee and myocardial infarction. *New Engl. J. Med.*, 289, 63-67
- Joint Iran-International Agency for Research on Cancer Study Group (1977) Esophageal cancer studies in the Caspian littoral of Iran: results of population studies — a prodrome. *J. natl Cancer Inst.*, 59, 1127-1138
- Joner, P.E. & Dommarsnes, K. (1983) Effects of herbal and ordinary teas on the mutagenicity of benzo[a]pyrene in the Ames test. *Acta agric. scand.*, 33, 53-56
- de Jong, U.W., Breslow, N., Hong, J.G.E., Sridharan, M. & Shanmugaratnam, K. (1974) Aetiological factors in oesophageal cancer in Singapore Chinese. *Int. J. Cancer*, 13, 291-303
- Kada, T., Kaneko, K., Matsuzaki, S., Matsuzaki, T. & Hara, Y. (1985) Detection and chemical identification of natural bio-antimutagens. *Mutat. Res.*, 150, 127-132
- Kaiser, H.E. (1967) Cancer-promoting effects of phenols in tea. *Cancer*, 20, 614-616
- Kapadia, G.J., Paul, B.D., Chung, E.B., Ghosh, B. & Pradhan, S.N. (1976) Carcinogenicity of *Camellia sinensis* (tea) and some tannin-containing folk medicinal herbs administered subcutaneously in rats. *J. natl Cancer Inst.*, 57, 207-209
- Kaufman, B.D., Liberman, I.S. & Tyshetsky, V.I. (1965) Some data concerning the incidence of oesophageal cancer in the Gurjev region of the Kazakh SSR (Russ.). *Vopr. Onkol.*, 11, 78-85
- Kazi, T. (1985) Determination of caffeine and other pure alkaloids in coffee and tea products by high performance liquid chromatography. In: *11e Colloque Scientifique International sur le Café, Lomé, 1985*, Paris, Association Scientifique Internationale du Café, pp. 227-244
- Khan, W.A., Wang, Z.Y., Athar, M., Bickers, D.R. & Mukhtar, H. (1988) Inhibition of the skin tumorigenicity of (\pm)-7 β ,8 α -dihydroxy-9 α ,10 α -epoxy-7,8,9,10-tetrahydrobenzo[a]pyrene by tannic acid, green tea polyphenols and quercetin in Sencar mice. *Cancer Lett.*, 42, 7-12

- Kinlen, L.J. & McPherson, K. (1984) Pancreas cancer and coffee and tea consumption: a case-control study. *Br. J. Cancer*, 49, 93-96
- Kinlen, L.J., Willows, A.N., Goldblatt, P. & Yudkin, J. (1988) Tea consumption and cancer. *Br. J. Cancer*, 58, 397-401
- Klatsky, A.L., Petitti, D.B., Armstrong, M.A. & Friedman, G.D. (1985) Coffee, tea and cholesterol. *Am. J. Cardiol.*, 55, 577-578
- Kojima, H., Miwa, N., Mori, M., Osaki, M. & Konishi, H. (1989) Desmutagenic effect of Oolong tea. *J. Food Hyg. Soc. Jpn*, 30, 233-239
- Kono, S., Ikeda, M., Tokudome, S. & Kuratsune, M. (1988) A case-control study of gastric cancer and diet in northern Kyushu, Japan. *Jpn. J. Cancer Res. (Gann)*, 79, 1067-1074
- Kosuge, M., Aisaka, H. & Yamanishi, T. (1981) Flavor constituents of chinese and Japanese pan-fired green teas (Jpn.). *Eiyot Shokuryo*, 34, 545-549
- La Vecchia, C., Talamini, R., Decarli, A., Franceschi, S., Parazzini, F. & Tognoni, G. (1986) Coffee consumption and the risk of breast cancer. *Surgery*, 100, 477-481
- La Vecchia, C., Lati, P., Decarli, A., Negri, E. & Franceschi, S. (1987) Coffee consumption and risk of pancreatic cancer. *Int. J. Cancer*, 40, 309-313
- La Vecchia, C., Negri, E., Decarli, A., D'Avanzo, B., Gallotti, L., Gentile, A. & Franceschi, S. (1988) A case-control study of diet and colo-rectal cancer in northern Italy. *Int. J. Cancer*, 41, 492-498
- La Vecchia, C., Negri, E., Decarli, A., D'Avanzo, B., Liberati, C. & Franceschi, S. (1989) Dietary factors in the risk of bladder cancer. *Nutr. Cancer*, 12, 93-101
- Lawson, D.H., Jick, H. & Rothman, K.J. (1981) Coffee and tea consumption and breast disease. *Surgery*, 90, 801-803
- Lewis, J. & Morgan, W.K.C. (1989) Tea asthma: response to specific and non-specific challenges. *Br. J. Ind. Med.*, 46, 350-351
- Lin, T.M., Chen, K.P., Lin, C.C., Hsu, M.M., Tu, S.M., Chiang, T.C., Jung, P.F. & Hirayama, T. (1973) Retrospective study of nasopharyngeal carcinomas. *J. natl Cancer Inst.*, 51, 1403-1408
- Little, J.A., Snanoff, H.M., Csima, A. & Yano, R. (1986) Coffee and serum-lipids in coronary heart-disease. *Lancet*, i, 732-734
- Lubin, F., Ron, E., Wax, Y., Funaro, M., Shitrit, A., Black, M. & Modan, B. (1984) Coffee and methylxanthine in benign and malignant breast diseases. In: MacMahon, B. & Sugimura, T., eds, *Coffee and Health* (Banbury Report 17), Cold Spring Harbor, NY, CSH Press, pp. 177-187
- Lubin, F., Ron, E., Wax, Y. & Modan, B. (1985) Coffee and methylxanthines and breast cancer: a case-control study. *J. natl Cancer Inst.*, 74, 569-573
- Maarse, H. & Visscher, C.A. (1986) *Volatile Compounds in Food. Qualitative Data* (Supplement 3), Zeist, Central Institute for Nutrition and Food Research, TNO
- Mabuchi, K., Bross, D.S. & Kessler, I.I. (1985a) Risk factors for male breast cancer. *J. natl Cancer Inst.*, 74, 371-375
- Mabuchi, K., Bross, D.S. & Kessler, I.I. (1985b) Epidemiology of cancer of the vulva. A case-control study. *Cancer*, 55, 1843-1848

- Mack, T.M., Yu, M.C., Hanisch, R. & Henderson, B.E. (1986) Pancreas cancer and smoking, beverage consumption, and past medical history. *J. natl Cancer Inst.*, 76, 49-60
- MacMahon, B., Yen, S., Trichopoulos, D., Warren, K. & Nardi, G. (1981) Coffee and cancer of the pancreas. *New Engl. J. Med.*, 304, 630-633
- Mahboubi, E.O. & Aramesh, B. (1980) Epidemiology of esophageal cancer in Iran, with special reference to nutritional and cultural aspects. *Prev. Med.*, 9, 613-621
- Martin, T.R. & Bracken, M.B. (1987) The association between low birth weight and caffeine consumption during pregnancy. *Am. J. Epidemiol.*, 126, 813-821
- McCredie, M., Ford, J.M. & Stewart, J.H. (1988) Risk factors for cancer of the renal parenchyma. *Int. J. Cancer*, 42, 13-16
- McLaughlin, J.K., Blot, W.J., Mandel, J.S., Schuman, L.M., Mehl, E.S. & Fraumeni, J.F., Jr (1983) Etiology of cancer of the renal pelvis. *J. natl Cancer Inst.*, 71, 287-291
- McLaughlin, J.K., Mandel, J.S., Blot, W.J., Schuman, L.M., Mehl, E.S. & Fraumeni, J.F. (1984) A population-based case-control study of renal cell carcinoma. *J. natl Cancer Inst.*, 72, 275-284
- Miller, C.T., Neutel, C.I., Nair, R.C., Marrett, L.D., Last, J.M. & Collins, W.E. (1978) Relative importance of risk factors in bladder carcinogenesis. *J. chron. Dis.*, 31, 51-56
- Miller, D.R., Rosenberg, L., Helmrich, S.P., Kaufman, D.W. & Shapiro, S. (1984) Ovarian cancer and coffee drinking. In: MacMahon, B. & Sugimura, T., eds, *Coffee and Health* (Banbury Report 17), Cold Spring Harbor, NY, CSH Press, pp. 157-165
- Miller, D.R., Rosenberg, L., Kaufman, D.W., Helmrich, S.P., Schottenfeld, D., Lewis, J., Stolley, P.D., Rosenshein, N. & Shapiro, S. (1987) Epithelial ovarian cancer and coffee drinking. *Int. J. Epidemiol.*, 16, 13-17
- Millin, D.J. (1987) Factors affecting the quality of tea. In: Herschdoerfer, S.M., ed., *Quality Control in the Food Industry*, 2nd ed, Vol. 4, London, Academic Press, pp. 127-160
- Morgan, R.W. & Jain, M.G. (1974) Bladder cancer: smoking, beverages and artificial sweeteners. *Can. med. Assoc. J.*, 111, 1067-1070
- Morrison, A.S., Buring, J.E., Verhoek, W.G., Aoki, K., Leck, I., Ohno, Y. & Obata, K. (1982) Coffee drinking and cancer of the lower urinary tract. *J. natl Cancer Inst.*, 68, 91-94
- Nagao, M., Takahashi, Y., Yamanaka, H. & Sugimura, T. (1979) Mutagens in tea and coffee. *Mutat. Res.*, 68, 101-106
- Nagao, M., Fujita, Y., Wakabayashi, K., Nukaya, H., Kosuge, T. & Sugimura, T. (1986) Mutagens in coffee and other beverages. *Environ. Health Perspect.*, 67, 89-91
- Ohno, Y., Aoki, K., Obata, K. & Morrison, A.S. (1985) Case-control study of urinary bladder cancer in metropolitan Nagoya. *Natl Cancer Inst. Monogr.*, 69, 229-234
- Phelps, H.M. & Phelps, C.E. (1988) Caffeine ingestion and breast cancer. A negative correlation. *Cancer*, 61, 1051-1054
- Raymond, L., Infante, F., Tuyns, A.J., Voirol, M. & Lowenfels, A.B. (1987) Diet and cancer of the pancreas (Fr.). *Gastroenterol. clin. Biol.*, 11, 488-492
- Risch, H.A., Burch, J.D., Miller, A.B., Hill, G.B., Steele, R. & Howe, G.R. (1988) Dietary factors and the incidence of cancer of the urinary bladder. *Am. J. Epidemiol.*, 127, 1179-1191

- Rosenberg, L., Slone, D., Shapiro, S., Kaufman, D.W., Stolley, P.D. & Miettinen, O.S. (1980) Coffee drinking and myocardial infarction in young women. *Am. J. Epidemiol.*, **111**, 675-681
- Rosenberg, L., Mitchell, A.A., Shapiro, S. & Slone, D. (1982) Selected birth defects in relation to caffeine-containing beverages. *J. Am. med. Assoc.*, **247**, 1429-1432
- Rosenberg, L., Miller, D.R., Helmrich, S.P., Kaufman, D.W. & Shapiro, S. (1984) Breast cancer and coffee drinking. In: MacMahon, B. & Sugimura, T., eds, *Coffee and Health* (Banbury Report 17), Cold Spring Harbor, NY, CSH Press, pp. 189-195
- Rosenberg, L., Miller, D.R., Helmrich, S.P., Kaufman, D.W., Schottenfeld, D., Stolley, P.D. & Shapiro, S. (1985) Breast cancer and the consumption of coffee. *Am. J. Epidemiol.*, **122**, 391-399
- Rossignol, A.M. (1985) Caffeine-containing beverages and premenstrual syndrome in young women. *Am. J. public Health*, **75**, 1335-1337
- Rossignol, A.M., Zhang, J., Chen, Y. & Xiang, Z. (1989) Tea and premenstrual syndrome in the People's Republic of China. *Am. J. public Health*, **79**, 67-69
- Ruch, R.J., Cheng, S.-J. & Klaunig, J.E. (1989) Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea. *Carcinogenesis*, **10**, 1003-1008
- Ruschenburg, U. (1985) Benzo[a]pyrene content of coffee and some other foodstuffs (Ger.). In: *11e Colloque Scientifique International sur le Café, Lomé, 1985*, Paris, Association Scientifique Internationale du Café, pp. 205-212
- Saijo, R. & Kuwabara, Y. (1967) Volatile flavor of black tea. Part I. Formation of volatile components during black tea manufacture. *Agric. biol. Chem.*, **31**, 389-396
- Sanderson, G.W. (1972) The chemistry of tea and tea manufacturing. In: Runeckles, V.C. & Tso, T.C., eds, *Recent Advances in Phytochemistry*, Vol. 5, *Structural and Functional Aspects of Phytochemistry*, New York, Academic Press, pp. 247-316
- Schairer, C., Brinton, L.A. & Hoover, R.N. (1987) Methylxanthines and breast cancer. *Int. J. Cancer*, **40**, 469-473
- Schapira, J., Schapira, D. & Schapira, K. (1975) *The Book of Coffee and Tea*, New York, St Martin's Press
- Schreier, P. & Mick, W. (1984) Analytical differentiation of two qualities of black tea by capillary gas chromatography-mass spectrometry (Ger.). *Chem. Mikrobiol. Technol. Lebensmittel.*, **8**, 97-104
- Segi, M. (1975) Tea-gruel as a possible factor for cancer of the esophagus. *Gann*, **66**, 199-202
- Shanmugaratnam, K., Tye, C.Y., Goh, E.H. & Chia, K.B. (1978) Etiological factors in nasopharyngeal carcinoma: a hospital-based, retrospective, case-control, questionnaire study. In: de-Thé, G. & Ito, Y., eds, *Nasopharyngeal Carcinoma. Etiology and Control* (IARC Scientific Publications No. 20), Lyon, IARC, pp. 199-212
- Simon, D., Yen, S. & Cole, P. (1975) Coffee drinking and cancer of the lower urinary tract. *J. natl Cancer Inst.*, **54**, 587-591
- Skobeleva, N.I., Bezzubov, A.A., Petrova, T.A. & Bokuchava, M.A. (1979) Aroma-forming substances in black tea. *Appl. Biochem. Microbiol.*, **15**, 682-687

- Slattery, M.L., West, D.W. & Robison, L.M. (1988) Fluid intake and bladder cancer in Utah. *Int. J. Cancer*, 42, 17-22
- Spiller, G.A., ed. (1984) *The Methylxanthine Beverages and Foods: Chemistry, Consumption, and Health Effects*, New York, Alan R. Liss
- Srisuphan, W. & Bracken, M.B. (1986) Caffeine consumption during pregnancy and association with late spontaneous abortion. *Am. J. Obstet. Gynecol.*, 154, 14-20
- Stavric, B., Klassen, R., Watkinson, B., Karpinski, K., Stapley, R. & Fried, P. (1988) Variability in caffeine consumption from coffee and tea: possible significance for epidemiological studies. *Food chem. Toxicol.*, 26, 111-118
- Stich, H.F., Chan, P.K.L. & Rosen, M.P. (1982a) Inhibitory effects of phenolics, teas and saliva on the formation of mutagenic nitrosation products of salted fish. *Int. J. Cancer*, 30, 719-724
- Stich, H.F., Rosin, M.P. & Bryson, L. (1982b) Inhibition of mutagenicity of a model nitrosation reaction by naturally occurring phenolics, coffee and tea. *Mutat. Res.*, 95, 119-128
- Stocks, P. (1970) Cancer mortality in relation to national consumption of cigarettes, solid fuel, tea and coffee. *Br. J. Cancer*, 24, 215-225
- van Straten, S., Maarse, H., de Beauvaser, J.C. & Visscher, C.A., eds (1983) *Volatile Compounds in Food — Quantitative Data*, Vol. 2 (Sections 73.1-73.10), Zeist, Central Institute for Nutrition and Food Research, TNO
- Sugimura, T. (1982) Mutagens in cooked food. In: Fleck, R.A. & Hollaender, A., eds, *Genetic Toxicology*, New York, Plenum Press, pp. 243-269
- Sugimura, T. & Sato, S. (1983) Mutagens-carcinogens in foods. *Cancer Res.*, 43 (Suppl.), 2415s-2421s
- Tajima, K. & Tominaga, S. (1985) Dietary habits and gastro-intestinal cancers: a comparative case-control study of stomach and large intestinal cancers in Nagoya, Japan. *Jpn. J. Cancer Res. (Gann)*, 76, 705-716
- Trichopoulos, D., Ouranos, G., Day, N.E., Tzonou, A., Manousos, O., Papadimitriou, C. & Trichopoulou, A. (1985) Diet and cancer of the stomach: a case-control study in Greece. *Int. J. Cancer*, 36, 291-297
- Tuomilehto, J., Tanskanen, A., Pietinen, P., Aro, A., Salonen, J.T., Happonen, P., Nissinen, A. & Puska, P. (1987) Coffee consumption is correlated with serum cholesterol in middle-aged Finnish men and women. *J. Epidemiol. Community Health*, 41, 237-242
- Ullah, M.R., Gogoi, N. & Baruah, D. (1984) The effect of withering on fermentation of tea leaf and development of liquor characters of black teas. *J. Sci. Food Agric.*, 35, 1142-1147
- US Department of Agriculture (1989) *World Tea Situation* (FTEA 3-89), Washington DC
- US Food and Drug Administration (1984) The latest caffeine scorecard. *FDA Consumer*, March, 14
- Uyeta, M., Taue, S. & Mazaki, M. (1981) Mutagenicity of hydrolysates of tea infusions. *Mutat. Res.*, 88, 233-240
- Victora, C.G., Muñoz, N., Day, N.E., Barcelos, L.B., Peccin, D.A. & Braga, N.M. (1987) Hot beverages and oesophageal cancer in southern Brazil: a case-control study. *Int. J. Cancer*, 39, 710-716

- Wang, Z.Y., Khan, W.A., Bickers, D.R. & Mukhtar, H. (1989a) Protection against polycyclic aromatic hydrocarbon-induced skin tumor initiation in mice by green tea polyphenols. *Carcinogenesis*, 10, 411-415
- Wang, Z.Y., Cheng, S.J., Zhou, Z.C., Athar, M., Khan, W.A., Bickers, D.R. & Mukhtar, H. (1989b) Antimutagenic activity of green tea polyphenols. *Mutat. Res.*, 223, 273-285
- Watanabe, Y., Tada, M., Kawamoto, K., Uozumi, G., Kajiwara, Y., Hayashi, K., Yamaguchi, K., Murakami, K., Misaki, T., Akasaka, Y. & Kawai, K. (1984) A case-control study of cancer of the rectum and the colon (Jpn.). *Nippon Shokakibyo Gakkai Zasshi*, 81, 185-193
- Watkinson, B. & Fried, P.A. (1985) Maternal caffeine use before, during and after pregnancy and effects upon offspring. *Neurobehav. Toxicol. Teratol.*, 7, 9-17
- Whittemore, A.S., Paffenbarger, R.S., Jr, Anderson, K. & Halpern, J. (1983) Early precursors of pancreatic cancer in college men. *J. chron. Dis.*, 36, 251-256
- Wickremasinghe, R.L. (1978) Tea. In: Chichester, C.O., Mark, E.M. & Stewart, G.E., eds, *Advances in Food Research*, Vol. 24, New York, Academic Press, pp. 229-286
- Wickremasinghe, R. & Swain, T. (1965) Studies on the quality and flavour of Ceylon tea. *J. Sci. Food Agric.*, 16, 57-64
- Woodward, N.H. (1980) *Teas of the World*, New York, Collier, p. 184
- Yamanishi, T. (1986) Chemical changes during storage of tea. In: Charalambous, G., ed., *Handbook of Food and Beverage Stability*, London, Academic Press, pp. 665-683
- Yang, J.A., Huber, S.A. & Lucas, Z.J. (1979) Inhibition of DNA synthesis in cultured lymphocytes and tumor cells by extracts of betel nut, tobacco, and miang leaf, plant substances associated with cancer of the ororespiratory epithelium. *Cancer Res.*, 39, 4802-4809
- Yen, S., Hsieh, C.-C. & MacMahon, B. (1987) Extrahepatic bile duct cancer and smoking, beverage consumption, past medical history, and oral-contraceptive use. *Cancer*, 59, 2112-2116
- Yu, M.C., Mack, T.M., Hanisch, R., Cicioni, C. & Henderson, B.E. (1986) Cigarette smoking, obesity, diuretic use, and coffee consumption as risk factors for renal cell carcinoma. *J. natl Cancer Inst.*, 77, 351-356