

6. References

- Abramson, J.H., Pridan, H., Sacks, M.I., Avitzour, M. & Peritz, E. (1978) A case-control study of Hodgkin's disease in Israel. *J. natl Cancer Inst.*, **61**, 307-314
- Acheson, E.D. (1967) Hodgkin's disease in woodworkers (Letter to the Editor). *Lancet*, **ii**, 988-989
- Acheson, E.D. (1976) Nasal cancer in the furniture and boot and shoe manufacturing industries. *Prev. Med.*, **5**, 295-315
- Acheson, E.D., Cowdell, R.H., Hadfield, E. & Macbeth, R.G. (1968) Nasal cancer in woodworkers in the furniture industry. *Br. med. J.*, **ii**, 587-596
- Acheson, E.D., Cowdell, R.H. & Rang, E. (1972) Adenocarcinoma of the nasal cavity and sinuses in England and Wales. *Br. J. ind. Med.*, **29**, 21-30
- Acheson, E.D., Pippard, E.C. & Winter, P.D. (1984) Mortality of English furniture makers. *Scand. J. Work Environ. Health*, **10**, 211-217

¹ For definitions of the italicized terms, see Preamble, pp. 23-27.

² This evaluation is based on the observation of a marked increase in the occurrence of cancers of the nasal cavities and paranasal sinuses among workers exposed predominantly to hardwood dusts.

- Albracht, G., Bolm-Audorff, U., Grosse-Jäger, A., Manthey, U., Straub, U., Walter, A. & Weisskopf, V. (1989) Results of the governmental wood dust programme in the Federal State of Hessen. *Staub Reinhalt. Luft*, **49**, 381–384 (in German)
- Al Zuhair, Y.S., Whitaker, C.J. & Cinkoati, F.F. (1981) Ventilatory function in workers exposed to tea and wood dust. *Br. J. ind. Med.*, **38**, 339–345
- American Conference of Governmental Industrial Hygienists (1992) *Industrial Ventilation, A Manual of Recommended Practice*, 21st Ed., Cincinnati, OH
- American Conference of Governmental Industrial Hygienists (1993) *1993–1994 Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices*, Cincinnati, OH, p. 35
- American Society for Testing and Materials (1965) *1965 Book of ASTM Standards with Related Material*, Part 16, *Structural Sandwich Constructions; Wood; Adhesives*, Baltimore
- Andersen, H.C. (1975) Exogenous causes of cancer of the nasal cavities. *Ugeskr. Laeg.*, **137**, 2567–2571 (in Danish)
- Andersen, H.C., Solgaard, J. & Andersen, I. (1976) Nasal cancer and nasal mucus-transport rates in woodworkers. *Acta otolaryngol.*, **82**, 263–265
- Andersen, H.C., Andersen, I. & Solgaard, J. (1977) Nasal cancers, symptoms and upper airway function in woodworkers. *Br. J. ind. Med.*, **34**, 201–207
- Anttila, A., Jaakkola, J., Tossavainen, A. & Vainio, H. (1992) *Occupational Exposure to Chemical Agents in Finland* (Exposure at Work No. 34); Helsinki, Finnish Institute of Occupational Health and Finnish Work Environment Fund (in Finnish)
- Arbman, G., Axelson, O., Fredriksson, M., Nilsson, E. & Sjödahl, R. (1993) Do occupational factors influence the risk of colon and rectal cancer in different ways? *Cancer*, **72**, 2543–2549
- Armstrong, R.W., Armstrong, M.J., Yu, M.C. & Henderson, B.E. (1983) Salted fish and inhalants as risk factors for nasopharyngeal carcinoma in Malaysian Chinese. *Cancer Res.*, **43**, 2967–2970
- Ávila, R. (1972) Some aspects of suberosis: respiratory disease in cork workers. *Bronches*, **22**, 121–128
- Ayars, G.H., Altman, L.C., Frazier, C.E. & Chi, E.Y. ((1989) The toxicity of constituents of cedar and pine woods to pulmonary epithelium. *J. Allergy clin. Immunol.*, **83**, 610–618
- Barefoot, A.C. & Hankins, F.W. (1982) *Identification of Modern and Tertiary Woods*, Oxford, Clarendon Press
- Barthel, E. & Dietrich, M. (1989) Retrospective cohort study of cancer morbidity in furniture makers exposed to wood dust. *Z. ges. Hyg.*, **35**, 279–281
- Battista, G., Cavallucci, F., Comba, P., Quercia, A., Vindigni, C. & Sartorelli, E. (1983) A case-referent study on nasal cancer and exposure to wood dust in the province of Siena, Italy. *Scand. J. Work Environ. Health*, **9**, 25–29
- Bauch, J. (1975) *Dendrologie der Nadelbaume und ubrigen Gymnospermen* [Dendrology of conifers and other gymnosperms], Berlin, Walter de Gruyter
- Beaulieu, H.J., Fidino, A.V., Arlington, K.L.B. & Buchan, R.M. (1980) A comparison of aerosol sampling techniques: ‘open’ versus ‘closed-face’ filter cassettes. *Am. ind. Hyg. Assoc. J.*, **41**, 758–765
- Beck, M.H., Hausen, B.M. & Dave, V.K. (1984) Allergic contact dermatitis from *Machaerium scleroxylum* Tul. (Pao ferro) in a joinery shop. *Clin. exp. Dermatol.*, **9**, 159–166

- Becker, N., Kuhn, G., Marschall, B., Angerer, R., Frentzel-Beyme, R. & Wahrendorf, J. (1992) Follow-up study among model and pattern makers in an automobile company in the Federal Republic of Germany. *J. occup. Med.*, **34**, 552–558
- Beecher, C.W.W., Farnsworth, N.R. & Gyllenhaal, C. (1989) Pharmacologically active secondary metabolites from wood. In: Rowe J.W., ed., *Natural Products of Woody Plants II, Chemicals Extraneous to the Lignocellular Cell Wall*, Berlin, Springer Verlag, pp. 1059–1164
- Belin, L. (1987) Sawmill alveolitis in Sweden. *Int. Arch. Allergy appl. Immunol.*, **82**, 440–443
- Bernard, S.M., Cartwright, R.A., Darwin, C.M., Richards, I.D.G., Roberts, B., O'Brien, C. & Bird, C.C. (1987) Hodgkin's disease: case control epidemiological study in Yorkshire. *Br. J. Cancer*, **55**, 85–90
- Bhattacharjee, J.W., Dogra, R.K.S., Lal, M.M. & Zaidi, S.H. (1979) Wood dust toxicity: in vivo and in vitro studies. *Environ. Res.*, **20**, 455–464
- Bimbi, G., Battista, G., Belli, S., Berrino, F. & Comba, P. (1988) A case-control study of nasal tumors and occupational exposure. *Med. Lav.*, **79**, 280–287 (in Italian)
- Bjeldanes, L.F. & Chang, G.W. (1977) Mutagenic activity of quercetin and related compounds. *Science*, **197**, 577–578
- Björkman, A. (1956) Studies on finely divided wood. Part I. Extraction of lignin with neutral solvents. *Svensk Papperstid.*, **59**, 477–485
- Black, A., Evans, J.C., Hadfield, E.H., MacBeth, R.G., Morgan, A. & Walsh, M. (1974) Impairment of nasal mucociliary clearance in woodworkers in the furniture industry. *Br. J. ind. Med.*, **31**, 10–17
- Blair, A., Linos, A., Stewart, P.A., Burmeister, L.F., Gibson, R., Everett, G., Schuman, L. & Cantor, K.P. (1993) Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am. J. ind. Med.*, **23**, 301–312
- Blot, W.J., Davies, J.E., Morris Brown, L., Nordwall, C.W., Buiatti, E., Ng, A. & Fraumeni, J.F., Jr (1982) Occupation and the high risk of lung cancer in northeast Florida. *Cancer*, **50**, 364–371
- Boffetta, P., Stellman, S.D. & Garfinkel, L. (1989) A case-control study of multiple myeloma nested in the American Cancer Society prospective study. *Int. J. Cancer*, **43**, 554–559
- Bolm-Audorff, U., Vogel, C. & Woitowitz, H.-J. (1989) Occupation and environmental risk factors of nasal and nasopharyngeal cancer. *Staub-Reinhalt. Luft*, **49**, 389–393 (in German)
- Bolm-Audorff, U., Vogel, C. & Woitowitz, H.-J. (1990) Occupational and smoking as risk factors in nasal and nasopharyngeal cancer. In: Sakurai, H., Okazaki, I. & Omar, K., eds, *Occupational Epidemiology*, Amsterdam, Elsevier Science Publications, pp. 71–74
- Bond, G.C., Flores, G.H., Shellenberger, R.J., Cartmill, J.B., Fishbeck, W.A. & Cook, R.R. (1986) Nested case-control study of lung cancer among chemical workers. *Am. J. Epidemiol.*, **124**, 53–66
- Boysen, M. & Solberg, L. (1982) Changes in the nasal mucosa of furniture workers. A pilot study. *Scand. J. Work Environ. Health*, **8**, 273–282
- Boysen, M., Voss, R. & Solberg, L.A. (1986) The nasal mucosa in softwood exposed furniture workers. *Acta otolaryngol.*, **101**, 501–508
- Brain, J.D. & Valberg, P.A. (1979) Deposition of aerosol in the respiratory tract. *Am. Rev. respir. Dis.*, **120**, 1325–1373
- Bravo, M.P., Espinosa, J. & del Rey Calero, J. (1990) Occupational risk factors for cancer of the larynx in Spain. *Neoplasma*, **37**, 477–481

- Brinton, L.A., Blot, W.J., Stone, B.J. & Fraumeni, J.F., Jr (1977) A death certificate analysis of nasal cancer among furniture workers in North Carolina. *Cancer Res.*, **37**, 3473–3474
- Brinton, L.A., Blot, W.J., Becker, J.A., Winn, D.M., Browder, J.P., Farmer, J.C., Jr & Fraumeni, J.F., Jr (1984) A case-control study of cancers of the nasal cavity and paranasal sinuses. *Am. J. Epidemiol.*, **119**, 896–906
- Brockmeier, U. & Norpoth, K. (1981) Ames test studies to find respirable mutagens in different work places. In: Schaecke, G. & Stollenz, E., eds, *Epidemiologie Ansätze in Bereich der Arbeitsmedizin* [Epidemiology onset in the domain of occupational medicine], Stuttgart, Gentner, pp. 283–287 (in German)
- Brooks, S.M., Edwards, J.J. & Henderson Edwards, F. (1981) An epidemiologic study of workers exposed to western red cedar and other wood dusts. *Chest*, **80** (Suppl. 1), 30S–32S
- Bross, I.D.J., Viadana, E. & Houten, L. (1978) Occupational cancer in men exposed to dust and other environmental hazards. *Arch. environ. Health*, **33**, 300–307
- Brownson, R.C. & Reif, J.S. (1988) A cancer registry-based study of occupational risk for lymphoma, multiple myeloma and leukemia. *Int. J. Epidemiol.*, **17**, 27–32
- Brownson, R.C., Hoar Zahm, S., Chang, J.C. & Blair, A. (1989) Occupational risk of colon cancer, an analysis by anatomic subsite. *Am. J. Epidemiol.*, **130**, 675–687
- Buiatti, E., Kriebel, D., Geddes, M., Santucci, M. & Pucci, N. (1985) A case control study of lung cancer in Florence, Italy. I. Occupational risk factors. *J. Epidemiol. Community Health*, **39**, 244–250
- Burkart, J.A. (1982) Leukemia in hospital patients with occupational exposure to the sawmill industry (Letter to the Editor). *West. J. Med.*, **137**, 440–441
- Burns, P.B. & Swanson, G.M. (1991) The Occupational Cancer Incidence Surveillance Study (OCISS): risk of lung cancer by usual occupation and industry in the Detroit metropolitan area. *Am. J. ind. Med.*, **19**, 655–671
- Carlin, L.M., Colovos, G., Garland, D., Jamin, M.E., Klenck, M., Long, T.J. & Nealy, C.L. (1981) *Analytical Methods Evaluation and Validation. Arsenic, Nickel, Tungsten, Vanadium, Talc, Wood Dust* (Contract Report No. 210-79-0060/US NTIS PB83-155325), Cincinnati, OH, National Institute for Occupational Safety and Health
- Cartier, A., Chan, H., Malo, J.-L., Pineau, L., Tse, K.S. & Chan-Yeung, M. (1986) Occupational asthma caused by eastern white cedar (*Thuja occidentalis*) with demonstration that plicatic acid is present in the wood dust and is the causal agent. *J. Allergy clin. Immunol.*, **77**, 639–645
- Cartwright, R.A., McKinney, P.A., O'Brien, C., Richards, I.D.G., Roberts, B., Lauder, I., Darwin, C.M., Bernard, S.M. & Bird, C.C. (1988) Non-Hodgkin's lymphoma: case control epidemiological study in Yorkshire. *Leukemia Res.*, **12**, 81–88
- Cecchi, F., Buiatti, E., Kriebel, D., Nastasi, L. & Santucci, M. (1980) Adenocarcinoma of the nose and paranasal sinuses in shoemakers and woodworkers in the province of Florence, Italy (1963–1977). *Br. J. ind. Med.*, **37**, 222–225
- Chan-Yeung, M. (1982) Immunologic and nonimmunologic mechanisms in asthma due to western red cedar (*Thuja plicata*). *J. Allergy clin. Immunol.*, **70**, 32–37
- Chan-Yeung, M. (1994) Mechanism of occupational asthma due to western red cedar (*Thuja plicata*). *Am. J. ind. Med.*, **25**, 13–18

- Chan-Yeung, M., Vedral, S., Kus, J., MacLean, L., Enarson, D. & Tse, K.S. (1984) Symptoms, pulmonary function, and bronchial hyperreactivity in western red cedar workers compared with those in office workers. *Am. Rev. respir. Dis.*, **130**, 1038–1041
- Charrier, B., Marques, M. & Haluk, J.P. (1992) HPLC analysis of gallic and ellagic acids in European oakwood (*Quercus robur* L.) and eucalyptus (*Eucalyptus globulus*). *Holzforschung*, **46**, 87–89
- Chovil, A.C. (1982) Other possible explanations for cancer experience among woodworkers in the auto industry (Letter to the Editor). *J. occup. Med.*, **24**, 870
- Christensen, L.P., Lam, J. & Sigsgaard, T. (1988) A novel stilbene from the wood of *Chlorophora excelsa*. *Phytochemistry*, **27**, 3014–3016
- Clayton Environmental Consultants Ltd. (1988) *Final Report on an Industry-wide Study of Wood Dust Exposures for the Inter-industry Wood Dust Coordinating Committee*, Novi, MI
- Coggon, D., Pannett, B., Osmond, C. & Acheson, E.D. (1986) A survey of cancer and occupation in young and middle aged men. I. Cancers of the respiratory tract. *Br. J. ind. Med.*, **43**, 332–338
- Cohn, K.K., Marcero, D.H. & Wojinski, S.F. (1984) The use of GC/MS analysis and fungal culturing in a pulp mill industrial hygiene program. *Am. Ind. Hyg. Assoc. J.*, **45**, 594–597
- Comba, P., Battista, G., Belli, S., de Capua, B., Merler, E., Orsi, D., Rodella, S., Vindigni, C. & Axelson, O. (1992a) A case-control study of cancer of the nose and paranasal sinuses and occupational exposures. *Am. J. ind. Med.*, **22**, 511–520
- Comba, P., Barbieri, P.G., Battista, G., Belli, S., Ponterio, F., Zanetti, D. & Axelson, O. (1992b) Cancer of the nose and paranasal sinuses in the metal industry: a case-control study. *Br. J. ind. Med.*, **49**, 193–196
- Correa, P., Williams Pickle, L., Fontham, E., Dalager, N., Lin, Y., Haenszel, W. & Johnson, W.D. (1984) The causes of lung cancer in Louisiana. In: Mizell, M. & Correa, P., eds, *Lung Cancer: Causes and Prevention. Biomedical Advances in Carcinogenesis*, New York, Verlag Chemie International, pp. 73–82
- Cuzik, J. & De Stavola, B. (1988) Multiple myeloma—a case-control study. *Br. J. Cancer*, **57**, 516–520
- Damber, L.A. & Larsson, L.G. (1987) Occupation and male lung cancer: a case-control study in northern Sweden. *Br. J. ind. Med.*, **44**, 446–453
- Darcy, F.J. (1982) *Physical Characteristics of Wood Dust*, PhD Thesis, University of Minnesota, MN
- Darcy, F.J. (1984) Woodworking operations—furniture manufacturing. In: Cralley, L.J. & Cralley, L.V., eds, *Industrial Hygiene Aspects of Plant Operations*, Vol. 2, *Operations and Product Fabrication*, Toronto, Macmillan Press, pp. 349–362
- Davies, J.M. (1983) Cancer morbidity among auto industry woodworkers (Letter to the Editor). *J. occup. Med.*, **25**, 355
- Debois, J.M. (1969) Tumours of the nasal cavities among woodworkers. *Tijdschr. Geneesk.*, **2**, 92–93 (in Flemish)
- Delemarre, J.F.M. & Themans, H.H. (1971) Adenocarcinoma of the nasal cavities. *Ned. T. Geneesk.*, **115**, 688–690 (in Dutch)
- Demers, P.A., Kogevinas, M., Boffetta, P., Leclerc, A., Luce, D., Gerin, M., Battista, G., Belli, S., Bolm-Audorf, U., Brinton, L.A., Colin, D., Comba, P., Hardell, L., Hayes, R.B., Magnani, C., Merler, E., Morcet, J.F., Preston-Martin, S., Matos, E., Rodella, S., Vaughan, T.L., Zheng, W. & Vainio, H. (1995) Wood dust and sino-nasal cancer: a pooled re-analysis of twelve case-control studies. *Am. J. ind. Med.* (in press)

- Demirbas, A. (1991) Fatty and resin acids recovered from spruce wood by supercritical acetone extraction. *Holzforschung*, **45**, 337–339
- Deutsche Forschungsgemeinschaft (1993) *MAK- und BAT-Werte-Liste 1993* [MAK- and BAT-Values 1993] (Report No. 29), Weinheim, VCH Verlagsgesellschaft, pp. 83, 87, 103
- Dockerty, J.D., Marshall, S., Fraser, J. & Pearce, N. (1991) Stomach cancer in New Zealand: time trends, ethnic group differences and a cancer registry-based case-control study. *Int. J. Epidemiol.*, **20**, 45–53
- Dykewicz, M.S., Laufer, P., Patterson, R., Roberts, M. & Sommers, H.M. (1988) Woodman's disease: hypersensitivity pneumonitis from cutting live trees. *J. Allergy clin. Immunol.*, **81**, 455–460
- Edwards, J.J., Jr, Brooks, S.M., Henderson, F.I. & Apol, A.G. (1978) *Health Hazard Evaluation Report: Weyerhäuser Company, Longview, Washington* (NIOSH Report No. HHE 76-79,80-543; US NTIS PB81-144081), Cincinnati, OH, National Institute for Occupational Safety and Health
- Eller, P.M., ed. (1984a) *NIOSH Manual of Analytical Methods*, 3rd Ed., Vol. 2 (DHHS (NIOSH) Publ. No. 84-100), Washington DC, US Government Printing Office, pp. 0500-1–0500-3
- Eller, P.M., ed. (1984b) *NIOSH Manual of Analytical Methods*, 3rd Ed., Vol. 2 (DHHS (NIOSH) Publ. No. 84-100), Washington DC, US Government Printing Office, pp. 0600-1–0600-6
- Elwood, J.M. (1981) Wood exposure and smoking: association with cancer of the nasal cavity and paranasal sinuses in British Columbia. *Can. med. Assoc. J.*, **124**, 1573–1577
- Elwood, J.M., Pearson, J.C.G., Skippen, D.H. & Jackson, S.M. (1984) Alcohol, smoking, social and occupational factors in the aetiology of cancer of the oral cavity, pharynx and larynx. *Int. J. Cancer*, **34**, 603–612
- Emanuel, D.A., Lawton, B.R. & Wenzel, F.J. (1962) Maple-bark disease. Pneumonitis due to *Coniosporium corticale*. *New Engl. J. Med.*, **266**, 333–337
- Engzell, U., Englund, A. & Westerholm, P. (1978) Nasal cancer associated with occupational exposure to organic dust. *Acta otolaryngol.*, **86**, 437–442
- Esping, B. & Axelson, O. (1980) A pilot study on respiratory and digestive tract cancer among woodworkers. *Scand. J. Work Environ. Health*, **6**, 201–205
- FAO (1981) *Small and Medium Sawmills in Developing Countries, A Guide to their Planning and Establishment* (FAO Forestry Paper 28), Rome
- FAO (1992) *FAO Yearbook: Forest Products 1979–1990* (FAO Forestry Series No. 25), Rome
- FAO (1993) *FAO Yearbook: Forest Products 1980–1991* (FAO Forestry Series No. 26), Rome
- Fengel, D. (1989) Chemistry and morphology of Quebracho colorado wood. In: *Proceedings of the 5th International Symposium on Wood and Pulping Chemistry, 22–25 May 1989, Raleigh, NC, USA*, pp. P267–P269
- Fengel, D. & Wegener, G. (1989) *Wood—Chemistry, Ultrastructure, Reactions*, 2nd Ed., Berlin, Walter de Gruyter
- Fincham, S., MacMillan, A., Turner, D. & Berkel, J. (1993) Occupational risks for cancer in Alberta. *Health Rep.*, **5**, 67–72
- Finkelstein, M.M. (1989) Nasal cancer among North American woodworkers: another look. *J. occup. Med.*, **31**, 899–901
- Flanders, W.D. & Rothman, K.J. (1982) Occupational risk for laryngeal cancer. *Am. J. public Health*, **72**, 369–372

- Flodin, U., Fredriksson, M., Axelson, O., Persson, B. & Hardell, L. (1986) Background radiation, electrical work, and some other exposures associated with acute myeloid leukemia in a case-referent study. *Arch. environ. Health*, **41**, 77–84
- Flodin, U., Fredriksson, M. & Persson, B. (1987) Multiple myeloma and engine exhausts, fresh wood, and creosote: a case-referent study. *Am. J. ind. Med.* **12**, 519–529
- Flodin, U., Fredriksson, M., Persson, B. & Axelson, O. (1988) Chronic lymphatic leukaemia and engine exhausts, fresh wood, and DDT: a case-referent study. *Br. J. ind. Med.* **45**, 33–38
- Fonte, R., Grigis, L., Grigis, P. & Franco, G. (1982) Chemicals and Hodgkin's disease (Letter to the Editor). *Lancet*, **ii**, 50
- Franceschi, S., Serraino, D., Bidoli, E., Talamini, R., Tirelli, U., Carbone, A. & La Vecchia, C. (1989) The epidemiology of non-Hodgkin's lymphoma in the north-east of Italy: a hospital-based case-control study. *Leukemia Res.* **13**, 465–472
- Fredriksson, M., Bengtsson, N.-O., Hardell, L. & Axelson, O. (1989) Colon cancer, physical activity, and occupational exposures. A case-control study. *Cancer*, **63**, 1838–1842
- Fukuda, K. & Shibata, A. (1988) A case-control study of past history of nasal diseases and maxillary sinus cancer in Hokkaido, Japan. *Cancer Res.* **48**, 1651–1652
- Fukuda, K. & Shibata, A. (1990) Exposure-response relationships between woodworking, smoking or passive smoking, and squamous cell neoplasms of the maxillary sinus. *Cancer Causes Control*, **1**, 165–168
- Fukuda, K., Shibata, A. & Harada, K. (1987) Squamous cell cancer of the maxillary sinus in Hokkaido, Japan: a case-control study. *Br. J. ind. Med.* **44**, 263–266
- Gallagher, R.P., Threlfall, W.J., Band, P.R. & Spinelli, J.J. (1985) Cancer mortality experience of woodworkers, loggers, fishermen, farmers and miners in British Columbia. *Natl Cancer Inst. Monogr.* **69**, 163–167
- Gallagher, R.P., Threlfall, W.J., Band, P.R. & Spinelli, J.J. (1989) *Occupational Mortality in British Columbia 1950–1984*, Vancouver, Cancer Control Agency of British Columbia
- Gerhardsson, M.R., Norell, S.E., Kiviranta, H.J. & Ahlbom, A. (1985) Respiratory cancers in furniture workers. *Br. J. ind. Med.* **42**, 403–405
- Ghezzi, I., Peasso, R., Cortona, G., Berrino, F., Crosignani, P. & Baldasseroni, A. (1983) Incidence of malignant tumours of the nasal cavity in 91 communes in Brianza. *Med. Lav.* **74**, 88–96 (in Italian)
- Goldsmith, D.F. & Shy, C.M. (1988) An epidemiologic study of respiratory health effects in a group of North Carolina furniture workers. *J. occup. Med.* **30**, 959–965
- González, C.A., Sanz, M., Marcos, G., Pita, S., Brullet, E., Vida, F., Agudo, A. & Hsieh, C.-C. (1991) Occupation and gastric cancer in Spain. *Scand. J. Work Environ. Health*, **17**, 240–247
- Greene, M.H., Brinton, L.A., Fraumeni, J.F. & D'Amico, R. (1978) Familial and sporadic Hodgkin's disease associated with occupational wood exposure (Letter to the Editor). *Lancet*, **ii**, 626–627
- Grosser, D. (1977) *Die Hölzer Mitteleuropas. Ein Mikrophotographischer Lehratlas [Woods of Mediterranean Europe. A microphotographic text atlas]*, Berlin, Springer Verlag
- Grufferman, S., Duong, T. & Cole, P. (1976) Occupation and Hodgkin's disease. *J. natl Cancer Inst.* **57**, 1193–1195
- Gülzow, J. (1975) Adenocarcinoma of the paranasal sinuses in woodworkers, an occupational disease? *Laryngol. Rhinol.* **54**, 304–310 (in German)

- Haden-Guest, S., Wright, J.K. & Teclaff, E.M., eds (1956) *A World Geography of Forest Resources* (American Geographic Society Special Publication No. 33), New York, Ronald Press Co.
- Haguenoer, J.M., Cordier, S., Morel, C., Lefebvre, J.L. & Hemon, D. (1990) Occupational risk factors for upper respiratory tract and upper digestive tract cancers. *Br. J. Ind. Med.*, **47**, 380–383
- Hamill, A., Ingle, J., Searle, S. & Williams, K. (1991) Levels of exposure to wood dust. *Ann. occup. Hyg.*, **35**, 397–403
- Hampl, V. & Johnston, O.E. (1985) Control of wood dust from horizontal belt sanding. *Am. Ind. Hyg. Assoc. J.*, **46**, 567–577
- Hardell, L., Johansson, B. & Axelson, O. (1982) Epidemiological study of nasal and nasopharyngeal cancer and their relation to phenoxy acid or chlorophenol exposure. *Am. J. Ind. Med.*, **3**, 247–257
- Harrington, J.M., Blot, W.J., Hoover, R.N., Housworth, W.J., Heath, C.W., Jr & Fraumeni, J.F., Jr (1978) Lung cancer in coastal Georgia: a death certificate analysis of occupation: brief communication. *J. natl Cancer Inst.*, **60**, 295–298
- Hausen, B.M. (1981) *Woods Injuries to Human Health. A Manual*, Berlin, Walter de Gruyter
- Hausen, B.M. (1986) Contact allergy to woods. *Clin. Dermatol.*, **4**, 65–76
- Hayes, R.B., Gérin, M., Raatgever, J.W. & de Bruyn, A (1986a) Wood-related occupations, wood dust exposure, and sinonasal cancer. *Am. J. Epidemiol.*, **124**, 569–577
- Hayes, R.B., Raatgever, J.W., de Bruyn, A. & Gérin, M. (1986b) Cancer of the nasal cavity and para-nasal sinuses, and formaldehyde exposure. *Int. J. Cancer*, **37**, 487–492
- Hayes, R.B., Kardaun, J.W.P.F. & de Bruyn, A. (1987) Tobacco use and sino-nasal cancer. *Br. J. Cancer*, **56**, 843–846
- Hearn, S., Bond, G.G., Cook, R.R., Schneider, E.J. & Kolesar, R.C. (1983) Pattern makers mortality study. *J. occup. Med.*, **35**, 719–722
- Hedenstierna, G., Alexandersson, R., Wimander, K. & Rosén, G. (1983) Exposure to terpenes: effects on pulmonary function. *Int. Arch. occup. environ. Health*, **51**, 191–198
- Heineman, E.F., Olsen, J.H., Pottern, L.M., Gomez, M., Raffn, E. & Blair, A. (1992) Occupational risk factors for multiple myeloma among Danish men. *Cancer Causes Control*, **3**, 555–568
- Hemingway, R.W. & Karchesy, J.J., eds (1989) *Chemistry and Significance of Condensed Tannins*, New York, Plenum Press
- Henschler, D., ed. (1983) Wood dust. In: *Gesundheitsschädliche Arbeitsstoffe. Toxikologisch-arbeitsmedizinische Begründungen von MAK-Werten* [Noxious substances. Toxicological and occupational MAK values], Vol. 9, Weinheim, Verlag Chemie, pp. 1–8
- Hernberg, S., Westerholm, P., Schultz-Larsen, K., Degerth, R., Kuosma, E., Englund, A., Engzell, U., Hansen, H.S. & Mutanen, P. (1983) Nasal and sinonasal cancer. Connection with occupational exposures in Denmark, Finland and Sweden. *Scand. J. Work Environ. Health*, **9**, 315–326
- Herold, D.A., Wahl, R., Maasch, H.J., Hausen, B.M. & Kunkel, G. (1991) Occupational wood-dust sensitivity from *Euonymus europaeus* (spindle tree) and investigation of cross reactivity between E.e. wood and *Artemisia vulgaris* pollen (mugwort). *Allergy*, **46**, 186–190
- Heston, W.E. (1975) Testing for possible effects of cedar wood shavings and diet on occurrence of mammary gland tumors and hepatomas in C3H-A^{VY} and C3H-A^{VY}fB mice (Brief communication). *J. natl Cancer Inst.*, **54**, 1011–1014

- Hildesheim, A., West, S., De Veyra, E., De Guzman, M.F., Jurado, A., Jones, C., Imai, J. & Hinuma, Y. (1992) Herbal medicine use, Epstein-Barr virus and risk of nasopharyngeal carcinoma. *Cancer Res.*, **52**, 3048–3051
- Hillis, W.E. (1987) *Heartwood and Tree Exudates*, Berlin, Springer Verlag
- Hinds, W.C. (1988) Basis for particle size-selective sampling for wood dust. *Appl. Ind. Hyg.*, **3**, 67–72
- Hoadley, R.B. (1990) *Identifying Wood. Accurate Results with Simple Tools*, Newtown, CT, Taunton Press
- Hoar Zahm, S., Brownson R.C., Chang, J.C. & Davis, J.R. (1989) Study of lung cancer histologic types, occupation, and smoking in Missouri. *Am. J. Ind. Med.*, **15**, 565–578
- Holliday, M.G., Dranitsaris, P., Strahlendorf, P.W., Contala, A. & Engelhardt, J.J. (1986) *Wood Dust Exposure in Ontario Industry: The Occupational Health Aspects*, Ottawa, Michael Holliday & Assoc.
- Holmström, M. & Wilhelmsson, B. (1988) Respiratory symptoms and pathophysiological effects of occupational exposure to formaldehyde and wood dust. *Scand. J. Work Environ. Health*, **14**, 306–311
- Holmström, M., Wilhelmsson, B. & Hellquist, H. (1989a) Histological changes in the nasal mucosa in rats after long-term exposure to formaldehyde and wood dust. *Acta Otolaryngol.*, **108**, 274–283
- Holmström, M., Wilhelmsson, B., Hellquist, H. & Rosén, G. (1989b) Histological changes in the nasal mucosa in persons occupationally exposed to formaldehyde alone and in combination with wood dust. *Acta Otolaryngol.*, **107**, 120–129
- Holness, D.L., Sass-Kortsak, A.M., Pilger, C.W. & Nethercott, J.R. (1985) Respiratory function and exposure–effect relationships in wood dust-exposed and control workers. *J. Occup. Med.*, **27**, 501–506
- Hounam, R.F. & Williams, J. (1974) Levels of airborne dust in furniture making factories in the High Wycombe area. *Br. J. Ind. Med.*, **31**, 1–9
- Huebner, W.W., Schoenberg, J.B., Kelsey, J.L., Wilcox, H.B., McLaughlin, J.K., Greenberg, R.S., Preston-Martin, S., Austin, D.F., Stemhagen, A., Blot, W.J., Winn, D.M. & Fraumeni, J.F., Jr (1992) Oral and pharyngeal cancer and occupation: a case–control study. *Epidemiology*, **3**, 300–309
- IARC (1974) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 25, *Some Organochlorine Pesticides*, Lyon, pp. 25–38
- IARC (1981) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 25, *Wood, Leather and Some Associated Industries*, Lyon
- IARC (1983a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 31, *Some Food Additives, Feed Additives and Naturally Occurring Substances*, Lyon, pp. 171–178
- IARC (1983b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 31, *Some Food Additives, Feed Additives and Naturally Occurring Substances*, Lyon, pp. 213–229
- IARC (1985a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 36, *Allyl Compounds, Aldehydes, Epoxides and Peroxides*, Lyon, pp. 75–97
- IARC (1985b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 35, *Polynuclear Aromatic Compounds, Part 4: Bitumens, Coal-tars and Derived Products, Shale-oils and Soots*, Lyon, p. 85

- IARC (1986) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 41, *Some Halogenated Hydrocarbons and Pesticide Exposures*, Lyon, pp. 319–356
- IARC (1987a) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1–42*, Lyon, pp. 100–106
- IARC (1987b) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1–42*, Lyon, pp. 154–156
- IARC (1987c) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1–42*, Lyon, pp. 350–354
- IARC (1987d) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1–42*, Lyon, pp. 220–222
- IARC (1987e) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1–42*, Lyon, pp. 120–122
- IARC (1988) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 43, *Man-made Mineral Fibres and Radon*, Lyon, pp. 39–172
- IARC (1989a) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 45, *Occupational Exposures in Petroleum Refining; Crude Oil and Major Petroleum Fuels*, Lyon, pp. 39–117
- IARC (1989b) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 47, *Some Organic Solvents, Resin Monomers and Related Compounds, Pigments and Occupational Exposures in Paint Manufacture and Painting*, Lyon, pp. 263–287
- IARC (1989c) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 47, *Some Organic Solvents, Resin Monomers and Related Compounds, Pigments and Occupational Exposures in Paint Manufacture and Painting*, Lyon, pp. 79–123
- IARC (1989d) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 47, *Some Organic Solvents, Resin Monomers and Related Compounds, Pigments and Occupational Exposures in Paint Manufacture and Painting*, Lyon, pp. 124–156
- IARC (1989e) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 46, *Diesel and Gasoline Engine Exhausts and Some Nitroarenes*, Lyon, pp. 41–185
- IARC (1989f) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 45, *Occupational Exposures in Petroleum Refining; Crude Oil and Major Petroleum Fuels*, Lyon, pp. 159–201
- IARC (1990) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 49, *Chromium, Nickel and Welding*, Lyon, pp. 49–256
- IARC (1991) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 53, *Occupational Exposures in Insecticide Application, and Some Pesticides*, Lyon, pp. 115–175
- IARC (1993) *IARC Monographs on the Evaluation of Carcinogenic Risk to Humans*, Vol. 56, *Some Naturally Occurring Substances: Food Items and Constituents, Heterocyclic Aromatic Amines and Mycotoxins*, Lyon, pp. 135–162

- IARC (1994a) *IARC Monographs on the Evaluation of Carcinogenic Risk to Humans*, Vol. 60, *Some Industrial Chemicals*, Lyon, pp. 233–320
- IARC (1994b) *Directory of Agents Being Tested for Carcinogenicity*, No. 16, Lyon
- Industrial Accident Prevention Association (1985) *Furniture Manufacturing Safety and Health Guide*, Toronto
- Ironside, P. & Matthews, J. (1975) Adenocarcinoma of the nose and paranasal sinuses in woodworkers in the state of Victoria, Australia. *Cancer*, **36**, 1115–1121
- Jacobs, B.B. & Dieter, D.K. (1978) Spontaneous hepatomas in mice inbred from Ha:ICR Swiss stock: effects of sex, cedar shavings in bedding, and immunization with fetal liver or hepatoma cells. *J. natl Cancer Inst.*, **61**, 1531–1534
- Jagels, R. (1985) Health hazards of natural and introduced chemical components of boatbuilding woods. *Am. J. ind. Med.*, **8**, 241–251
- Jane, F.W. (1970) *The Structure of Wood*, 2nd Ed., London, Adam & Charles Black
- Jäppinen, P., Pukkala, E. & Tola, S. (1989) Cancer incidence of workers in a Finnish sawmill. *Scand. J. Work Environ. Health*, **15**, 18–23
- Jöckel, K.-H., Ahrens, W., Wichmann, H.-E., Becher, H., Bolm-Audorff, U., Jahn, I., Molik, B., Greiser, E. & Timm, J. (1992) Occupational and environmental hazards associated with lung cancer. *Int. J. Epidemiol.*, **21**, 202–213
- Jones, P.A. & Smith, L.C. (1986) Personal exposures to wood dust of woodworkers in the furniture industry in the High Wycombe area: a statistical comparison of 1983 and 1976/77 survey results. *Ann. occup. Hyg.*, **30**, 171–184
- Kadlec, K. & Hanslian, L. (1983) Wood. In: Parmeggiani, L., ed., *Encyclopaedia of Occupational Health and Safety*, Vol. 2, 3rd rev. Ed., Geneva, International Labour Office, pp. 2308–2316
- Kauppinen, T. (1986) Occupational exposure to chemical agents in the plywood industry. *Ann. occup. Hyg.*, **30**, 19–29
- Kauppinen, T. & Lindroos, L. (1985) Chlorophenol exposure in sawmills. *Am. ind. Hyg. Assoc. J.*, **46**, 34–38
- Kauppinen, T. & Niemelä, R. (1985) Occupational exposure to chemical agents in the particleboard industry. *Scand. J. Work Environ. Health*, **11**, 357–363
- Kauppinen, T., Lindroos, L. & Mäkinen, R. (1984) Wood dust in the air of sawmills and plywood factories. *Staub Reinhalt. Luft*, **44**, 322–324 (in German)
- Kauppinen, T.P., Partanen, T.J., Nurminen, M.M., Nickels, J.I., Hernberg, S.G., Hakulinen, T.R., Pukkala, E.I. & Savonen, E.T. (1986) Respiratory cancers and chemical exposures in the wood industry: a nested case-control study. *Br. J. ind. Med.*, **43**, 84–90
- Kauppinen, T.P., Partanen, T.J., Hernberg, S.G., Nickels, J.I., Luukkonen, R.A., Hakulinen, T.R. & Pukkala, E.I. (1993) Chemical exposures and respiratory cancer among Finnish woodworkers. *Br. J. ind. Med.*, **50**, 143–148
- Kawachi, I., Pearce, N. & Fraser, J. (1989) A New Zealand Cancer Registry-based study of cancer in wood workers. *Cancer*, **64**, 2609–2613
- Kjuus, H., Skjaerven, R., Langård, S., Lien, J.T. & Aamodt, T. (1986) A case-referent study of lung cancer, occupational exposures and smoking. I. Comparison of title-based and exposure-based occupational information. *Scand. J. Work Environ. Health*, **12**, 193–202

- Kleinsasser, O. & Schroeder, H.G. (1989) What's new in tumors of the nasal cavity? Adenocarcinomas arising after exposure to wood dust. *Pathol. Res. Pract.*, **184**, 554–558
- Klintenberg, C., Olofsson, J., Hellquist, H. & Söker, H. (1984) Adenocarcinoma of the ethmoid sinuses. A review of 28 cases with special reference to wood dust exposure. *Cancer*, **54**, 482–488
- Koch, P. (1964) *Wood Machining Processes*, New York, The Ronald Press Co.
- Kominsky, J.R. & Anstadt, G.P. (1976) *Health Hazard Evaluation Determination Report: Masonite Corporation, Evendale, Ohio* (NIOSH Report No. HHE 75-19-276), Cincinnati, OH, National Institute for Occupational Safety and Health
- Kotimaa, M. (1990) *Bioaerosols* (Exposure at Work No. 8), Helsinki, Finnish Institute of Occupational Health and Finnish Work Environment Fund (in Finnish)
- Kubel, H., Weissmann, G. & Lange, W. (1988) Investigations on the carcinogenicity of wood dust. The extractives of beech and spruce. *Holz Roh-Werkstoff*, **46**, 215–220 (in German)
- Kubiš, T. (1963) Dust ratios in association with cabinet-makers' band lathes. *Prac. Lék.*, **15**, 435–437 (in Czech)
- Kurt, T.L. (1986) Colon cancer in the automobile industry (Letter to the Editor). *J. occup. Med.*, **28**, 264
- Kurttio, P., Kalliokoski, P., Lampelo, S. & Jantunen, M.J. (1990) Mutagenic compounds in wood-chip drying fumes. *Mutat. Res.*, **242**, 9–15
- Kurttio, P., Norppa, H., Järventaus, H., Sorsa, M. & Kalliokoski, P. (1993) Chromosome aberrations in peripheral lymphocytes of workers employed in the plywood industry. *Scand. J. Work Environ. Health*, **19**, 132–134
- Leclerc, A., Martinez Cortes, M., Gérin, M., Luce, D. & Brugère, J. (1994) Sinonasal cancer and wood dust exposure: results from a case-control study. *Am. J. Epidemiol.*, **140**, 340–349
- Lehmann, E. & Fröhlich, N. (1987) Dust exposure in wood industries. *Zbl. Arbeitsmed.*, **37**, 315–323 (in German)
- Lehmann, E. & Fröhlich, N. (1988) Particle size distribution of wood dust at the workplace. *J. Aerosol Sci.*, **19**, 1433–1436
- Lerchen, M.L., Wiggins, C.L. & Samet, J.M. (1987) Lung cancer and occupation in New Mexico. *J. natl Cancer Inst.*, **79**, 639–645
- Leroux-Robert, J. (1974) Cancers of the ethmoid sinus in woodworkers. *Cah. ORL*, **9**, 585–594 (in French)
- Levin, L.I., Zheng, W., Blot, W.J., Gao, Y.-T. & Fraumeni, J.F., Jr (1988) Occupation and lung cancer in Shanghai: a case-control study. *Br. J. ind. Med.*, **45**, 450–458
- Lindroos, L. (1983) Wood dust at a woodworking plant. *Työterveyslaitoksen Tutkimuksia*, **1**, 105–114 (in Finnish)
- Linet, M.S., Harlow, S.D. & McLaughlin, J.K. (1987) A case-control study of multiple myeloma in whites: chronic antigenic stimulation, occupation, and drug use. *Cancer Res.*, **47**, 2978–2981
- Linet, M.S., Malker, H.S.R., McLaughlin, J.K., Weiner, J.A., Stone, B.J., Blot, W.J., Ericsson, J.L.E. & Fraumeni, J.F., Jr (1988) Leukemias and occupation in Sweden: a registry based analysis. *Am. J. ind. Med.*, **14**, 319–330
- Linet, M.S., Malker, H.S.R., McLaughlin, J.K., Weiner, J.A., Blot, W.J., Ericsson, J.L.E. & Fraumeni, J.F., Jr (1993) Non-Hodgkin's lymphoma and occupation in Sweden: a registry based analysis. *Br. J. ind. Med.*, **50**, 79–84

- Liu, W.K., Wong, M.H., Tam, N.F.Y. & Choy, A.C.K. (1985) Properties and toxicity of airborne wood dust in woodworking establishments. *Toxicol. Lett.*, **26**, 43–52
- Löbe, L.-P. & Ehrhardt, H.-P. (1983) Occupational adenocarcinoma of the nose and the paranasal sinuses in woodworkers. *HNO-Praxis*, **8**, 185–188 (in German)
- Loi, A.M., Amram, D.L., Bramanti, L., Roselli, M.G., Giacomini, G., Simi, U., Belli, S. & Comba, P. (1989) Nasal cancer and exposure to wood and leather dust. A case-control study in Pisa area. *J. exp. clin. Cancer Res.*, **8**, 13–19
- Loomis, D.P. & Savitz, D.A. (1991) Occupation and leukemia mortality among men in 16 states: 1985–1987. *Am. J. ind. Med.*, **19**, 509–521
- López, J.I., Nevado, M., Eizaguirre, B. & Pérez, A. (1990) Intestinal-type adenocarcinoma of the nasal cavity and paranasal sinuses. A clinicopathologic study of 6 cases. *Tumori*, **76**, 250–254
- Luboinski, B. & Marandas, P. (1975) Cancer of the ethmoid sinus: occupational etiology. *Arch. Mal. prof.*, **36**, 477–487 (in French)
- Lucas, A.D. & Salisbury, S.A. (1992) Industrial hygiene survey in a university art department. *J. environ. Pathol. Toxicol. Oncol.*, **11**, 21–27
- Luce, D., Leclerc, A., Marne, M.J., Gérin, M., Casal, A. & Brugère, J. (1991) Sinonasal cancer and occupation: a case-control study. *Rev. Epidémiol. Santé publique*, **39**, 7–16 (in French)
- Luce, D., Leclerc, A., Morcet, J.-F., Casal-Lareo, A., Gérin, M., Brugère, J., Haguenoer, J.-M. & Goldberg, M. (1992) Occupational risk factors for sinonasal cancer: a case-control study in France. *Am. J. ind. Med.*, **21**, 163–175
- Luce, D., Gérin, M., Leclerc, A., Morcet, J.-F., Brugère, J. & Goldberg, M. (1993) Sinonasal cancer and occupational exposure to formaldehyde and other substances. *Int. J. Cancer*, **53**, 224–231
- Macbeth, R. (1965) Malignant disease of the paranasal sinuses. *J. Laryngol.*, **79**, 592–612
- Magnani, C., Ciambellotti, E., Salvi, U., Zanetti, R. & Comba, P. (1989) Incidence of cancers of the nasal fossae and paranasal sinuses in Biella: 1970–1986. *Acta otorhinol. ital.*, **9**, 511–519 (in Italian)
- Magnani, C., Comba, P., Ferraris, F., Ivaldi, C., Meneghin, M. & Terracini, B. (1993) A case-control study of carcinomas of the nose and paranasal sinuses in the woolen textile manufacturing industry. *Arch. environ. Health*, **48**, 94–97
- Maier, H., Dietz, A., Gewelke, U. & Heller, W.-D. (1991) Occupation and risk for oral, pharyngeal and laryngeal cancer. A case-control study. *Laryngo-Rhino-Otolaryngol.*, **70**, 93–98 (in German)
- Maier, H., Gewelke, U., Dietz, A. & Heller, W.-D. (1992) Risk factors of cancer of the larynx: results of the Heidelberg case-control study. *Otolaryngol. Head Neck Surg.*, **107**, 577–582
- Malker, H.S.R., McLaughlin, J.K., Blot, W.J., Weiner, J.A., Malker, B.K., Ericsson, J.L.E. & Stone, B.J. (1986) Nasal cancer and occupation in Sweden, 1961–1979. *Am. J. ind. Med.*, **9**, 477–485
- Maloney, T.M. (1977) *Modern Particleboard and Dry-process Fiberboard Manufacturing*, San Francisco, Miller Freeman
- Mark, D. & Vincent, J.H. (1986) A new personal sampler for airborne total dust in workplaces. *Ann. occup. Hyg.*, **30**, 89–102
- Mayer, W., Seitz, H. & Jochims, J.C. (1969) Tanning compounds from the wood of chestnut and oak. IV. The structure of castalagine. *Liebigs Ann. Chem.*, **721**, 186–193 (in German)

- Mayer, W., Seitz, H., Jochims, J.C., Schauerte, K. & Schilling, G. (1971) Tanning compounds from the wood of chestnut and oak. VI. The structure of vescalagine. *Liebigs Ann. Chem.*, **751**, 60–68 (in German)
- McCammon, C.S., Jr, Robinson, C., Waxweiler, R.J. & Roscoe, R. (1985) Industrial hygiene characterization of automotive wood model shops. *Am. ind. Hyg. Assoc. J.*, **46**, 343–349
- McGregor, D.B. (1982) Mutagenicity of wood dust. In: *The Carcinogenicity of Wood Dust* (Scientific Report No. 1), Southampton, MRC Environmental Unit, pp. 26–29
- Menck, H.R. & Henderson, B.E. (1976) Occupational differences in rates of lung cancer. *J. occup. Med.*, **18**, 797–801
- Merler, E., Baldasseroni, A., Laria, R., Faravelli, P., Agostini, R., Pisa, R. & Berrino, F. (1986) On the causal association between exposure to leather dust and nasal cancer: further evidence from a case-control study. *Br. J. ind. Med.*, **43**, 91–95
- Merletti, F., Boffetta, P., Ferro, G., Pisani, P. & Terracini, B. (1991) Occupation and cancer of the oral cavity or oropharynx in Turin, Italy. *Scand. J. Work Environ. Health*, **17**, 248–254
- Milham, S., Jr (1976) Neoplasia in the wood and pulp industry. *Ann. N.Y. Acad. Sci.*, **271**, 294–300
- Milham, S., Jr (1978) *Mortality Experience of the AFL-CIO United Brotherhood of Carpenters and Joiners of America 1969–1970 and 1972–1973* (DHEW (NIOSH) Publication No. 78–152), Washington DC, US Government Printing Office
- Milham, S., Jr & Hesser, J.E. (1967) Hodgkin's disease in woodworkers. *Lancet*, **ii**, 136–137
- Miller, B.A., Blair, A.E., Raynor, H.L., Stewart, P.A., Zahm, S.H. & Fraumeni, J.F., Jr (1989) Cancer and other mortality patterns among United States furniture workers. *Br. J. ind. Med.*, **46**, 508–515
- Miller, B.A., Blair, A. & Reed, E.J. (1994) Extended mortality follow-up among men and women in a US furniture workers union. *Am. J. ind. Med.*, **25**, 537–549
- Milne, K.L., Sandler, D.P., Everson, R.B. & Brown, S.M. (1983) Lung cancer and occupation in Alameda County: a death certificate case-control study. *Am. J. ind. Med.*, **4**, 565–575
- Minder, C.E. & Vader, J.P. (1987) Sinonasal cancer and furniture workers: update and methodological points. *Méd. soc. prév.*, **32**, 228–229
- Mohtashamipur, E. & Norpeth, K. (1984) Non-mutagenicity of some wood-related compounds in the bacterial/microsome plate incorporation and microsuspension assays. *Int. Arch. occup. environ. Health*, **54**, 83–90
- Mohtashamipur, E. & Norpeth, K. (1989) Nuclear aberrations in the small intestine of mice and bacterial mutagenicity caused by a fraction isolated from beech wood dusts (Abstract No. 548). *Proc. Am. Assoc. Cancer Res.*, **30**, 139
- Mohtashamipur, E. & Norpeth, K. (1990) Release of mutagens after chemical or microbial degradation of beech wood lignin. *Toxicol. Lett.*, **51**, 277–285
- Mohtashamipur, E., Brochmeier, U. & Norpeth, K. (1984) Studies on the isolation and identification of a genotoxic principle in wood dusts. In: *Verhandlungen der Deutschen Gesellschaft für Arbeitsmedizin* [Deliberations of the German Society of Occupational Medicine], Vol. 24, Stuttgart, Gentner, pp. 395–399 (in German)
- Mohtashamipur, E., Norpeth, K. & Hallerberg, B. (1986) A fraction of beech wood mutagenic in the *Salmonella*/mammalian microsome assay. *Int. Arch. occup. environ. Health*, **58**, 277–284
- Mohtashamipur, E., Norpeth, K. & Lühmann, F. (1989a) Cancer epidemiology of woodworking. *J. Cancer Res. clin. Oncol.*, **115**, 503–515

- Mohtashamipur, E., Norpeth, K., Ernst, H. & Mohr, U. (1989b) The mouse-skin carcinogenicity of a mutagenic fraction from beech wood dusts. *Carcinogenesis*, **10**, 483–487
- Moore, L.L., Dube, D.J. & Burk, T. (1990) Improved sampling and recovery of wood dust using MSA respirable dust cassettes. *Am. Ind. Hyg. Assoc. J.*, **51**, A-475–A-476
- Morabia, A., Markowitz, S., Garibaldi, K. & Wynder, E.L. (1992) Lung cancer and occupation: results of a multicentre case-control study. *Br. J. Ind. Med.*, **49**, 721–727
- Morris Brown, L., Mason, T.J., Williams Pickle, L., Stewart, P.A., Buffler, P.A., Burau, K., Ziegler, R.G. & Fraumeni, J.F., Jr (1988) Occupational risk factors for laryngeal cancer on the Texas Gulf Coast. *Cancer Res.*, **48**, 1960–1964
- Muscat, J.E. & Wynder, E.L. (1992) Tobacco, alcohol, asbestos, and occupational risk factors for laryngeal cancer. *Cancer*, **69**, 2244–2251
- Nabeta, K., Yonekubo, J. & Miyake, M. (1987) Phenolic compounds from the heartwood of European oak (*Quercus robur* L.) and brandy. *Mokuzai Gakkaishi*, **33**, 408–415
- Nandakumar, A., Dougan, L.E., English, D.R. & Armstrong, B.K. (1988) Incidence and outcome of multiple myeloma in western Australia, 1960 to 1984. *Aust. N.Z. J. Med.*, **18**, 774–779
- Nelson, E., Zhou, Z., Carmichael, P.L., Norpeth, K. & Fu, J. (1993) Genotoxic effects of subacute treatments with wood dust extracts on the nasal epithelium of rats: assessment by the micronucleus and ³²P-postlabelling. *Arch. Toxicol.*, **67**, 586–589
- Ng, T.P. (1986) A case-referent study of cancer of the nasal cavity and sinuses in Hong Kong. *Int. J. Epidemiol.*, **15**, 171–175
- Norrish, A.E., Beasley, R., Hodgkinson, E.J. & Pearce, N. (1992) A study of New Zealand wood workers: exposure to wood dust, respiratory symptoms, and suspected cases of occupational asthma. *N.Z. med. J.*, **105**, 185–187
- Notani, P.N., Shah, P., Jayant, K. & Balakrishnan, V. (1993) Occupation and cancers of the lung and bladder: a case-control study in Bombay. *Int. J. Epidemiol.*, **22**, 185–191
- Nygren, O., Nilsson, C.-A. & Lindahl, R. (1992) Occupational exposure to chromium, copper and arsenic during work with impregnated wood in joinery shops. *Ann. occup. Hyg.*, **36**, 509–517
- Oehling, A. (1963) Occupational allergy in the wood industry. *Allerg. Asthma*, **9**, 312–322 (in German)
- Oleske, D., Golomb, H.M., Farber, M.D. & Levy, P.S. (1985) A case-control inquiry into the etiology of hairy cell leukemia. *Am. J. Epidemiol.*, **121**, 675–683
- Olsen, J.H. (1988) Occupational risks of sinonasal cancer in Denmark. *Br. J. Ind. Med.*, **45**, 329–335
- Olsen, J.H. & Asnaes, S. (1986) Formaldehyde and the risk of squamous cell carcinoma of the sinonasal cavities. *Br. J. Ind. Med.*, **43**, 769–774
- Olsen, J.H. & Møller Jensen, O. (1987) Occupation and risk of cancer in Denmark. An analysis of 93 810 cancer cases 1970–1979. *Scand. J. Work Environ. Health.*, **13** (Suppl. 1), 1–91
- Olsen, J. & Sabroe, S. (1979) A follow-up study of non-retired and retired members of the Danish carpenter/cabinet makers' trade union. *Int. J. Epidemiol.*, **8**, 375–382
- Olsen, J.H., Plough Jensen, S., Hink, M., Faarbo, K., Breum, N.O. & Møller Jensen, O. (1984) Occupational formaldehyde exposure and increased nasal cancer risk in man. *Int. J. Cancer*, **34**, 639–644
- Olsen, J.H., Møller, H. & Møller Jensen, O. (1988) Risks for respiratory and gastric cancer in wood-working occupations in Denmark. *J. Cancer Res. clin. Oncol.*, **114**, 420–424

- Panshin, A.J. & de Zeeuw, C. (1970) *Textbook of Wood Technology*, Vol. I, *Structure, Identification, Uses and Properties of the Commercial Woods of the United States and Canada*, 3rd Ed., New York, McGraw-Hill
- Partanen, T., Kauppinen, T., Luukkonen, R., Hakulinen, T. & Pukkala, E. (1993) Malignant lymphomas and leukemias, and exposures in the wood industry: an industry-based case-referent study. *Int. Arch. occup. environ. Health*, **64**, 593–596
- Pearce, N.E. & Howard, J.K. (1986) Occupation, social class and male cancer mortality in New Zealand, 1974–78. *Int. J. Epidemiol.*, **15**, 456–462
- Pearce, N.E., Sheppard, R.A., Howard, J.K., Fraser, J. & Lilley, B.M. (1986) Leukemia among new Zealand agricultural workers. A cancer registry-based study. *Am. J. Epidemiol.*, **124**, 402–409
- Persson, B., Dahlander, A.-M., Fredriksson, M., Noorlind Brage, H., Ohlson, C.-G. & Axelson, O. (1989) Malignant lymphomas and occupational exposures. *Br. J. ind. Med.*, **46**, 516–520
- Persson, B., Fredriksson, M., Olsen, K., Boeryd, B. & Axelson, O. (1993) Some occupational exposures as risk factors for malignant lymphomas. *Cancer*, **72**, 1773–1778
- Peters, R.K., Garabrant, D.H., Yu, M.C. & Mack, T.M. (1989) A case-control study of occupational and dietary factors in colorectal cancer in young men by subsite. *Cancer Res.*, **49**, 5459–5468
- Petersen, G.R. & Milham, S., Jr (1974) Hodgkin's disease mortality and occupational exposure to wood (Brief communication). *J. natl Cancer Inst.*, **53**, 957–958
- Petersen, G.R. & Milham, S., Jr (1980) *Occupational Mortality in the State of California 1959–1961* (DHEW (NIOSH) publication no. 80-104), Cincinnati, OH, National Institute for Occupational Safety and Health
- Petronio, L., Negro, C., Bovenzi, M. & Stanta, G. (1983) Cancer of the nasal cavities and paranasal sinuses in Trieste during 1968 to 1980. *Med. Lav.*, **74**, 97–105 (in Italian)
- Phalen, R.F., Hinds, W.C., John, W., Lloy, P.J., Lippmann, M., McCawley, M.A., Raabe, O.G., Soderholm, S.C. & Stuart, B.O. (1986) Rationale and recommendations for particle size-selective sampling in the workplace. *Appl. ind. Hyg.*, **1**, 3–14
- Pisaniello, D.L., Connell, K.E. & Muriale, L. (1991) Wood dust exposure during furniture manufacture—Results from an Australian survey and considerations for threshold limit value development. *Am. ind. Hyg. Assoc. J.*, **52**, 485–492
- Pisaniello, D.L., Tkaczuk, M.N. & Owen, N. (1992) Occupational wood dust exposures, lifestyle variables, and respiratory symptoms. *J. occup. Med.*, **34**, 788–792
- Pott, F., Roller, M., Ziem, U., Reiffer, F.-J., Bellmann, B., Rosenbruch, M. & Huth, F. (1989) Carcinogenicity studies on natural and man-made fibres with the intraperitoneal test in rats. In: Bignon, J., Peto, J. & Saracci, R., eds, *Non-occupational Exposure to Mineral Fibres* (IARC Scientific Publications No. 90), Lyon, IARC, pp. 173–179
- Pottern, L.M., Heineman, E.F., Olsen, J.H., Raffn, E. & Blair, A. (1992) Multiple myeloma among Danish women: employment history and workplace exposures. *Cancer Causes Control*, **3**, 427–432
- Priha, E., Riipinen, H. & Korhonen, K. (1986) Exposure to formaldehyde and solvents in Finnish furniture factories in 1975–1984. *Ann. occup. Hyg.*, **30**, 289–294
- Proctor, D.F. (1982) The mucociliary system. In: Proctor, D.F. & Andersen, I., eds, *The Nose: Upper Airway Physiology and the Atmospheric Environment*, Amsterdam, Elsevier Biomedical Press, pp. 244–278
- Pukkala, E., Teppo, L., Hakulinen, T. & Rimpelä, M. (1983) Occupation and smoking as risk determinants of lung cancer. *Int. J. Epidemiol.*, **12**, 290–296

- Rang, E.H. & Acheson E.D. (1981) Cancer in furniture workers. *Int. J. Epidemiol.*, **10**, 253–261
- Reif, J., Pearce, N., Kawachi, I. & Fraser, J. (1989) Soft-tissue sarcoma, non-Hodgkin's lymphoma and other cancers in New Zealand forestry workers. *Int. J. Cancer*, **43**, 49–54
- Robinson, C.F., Fowler, D., Brown, D.P. & Lemen, R.A. (1990) *Plywood Mills Workers Mortality Patterns 1945–1977* (Publ. No. PB90-147056), Springfield, VA, National Technical Information Service
- Ronco, G., Ciccone, G., Mirabelli, D., Troia, B. & Vineis, P. (1988) Occupation and lung cancer in two industrialized areas of northern Italy. *Int. J. Cancer*, **41**, 354–358
- Roscoe, R.J., Steenland, K., McCammon, C.S., Jr, Schober, S.E., Robinson, C.F., Halperin, W.E. & Fingerhut, M.A. (1992) Colon and stomach cancer mortality among automotive wood model makers. *J. occup. Med.*, **34**, 759–768
- Rosenberg, M.J., Landrigan, P.J. & Crowley, S. (1980) Low-level arsenic exposure in wood processing plants. *Am. J. ind. Med.*, **1**, 99–107
- Roush, G.C., Meigs, J.W., Kelly, J., Flannery, J.T. & Burdo, H. (1980) Sinonasal cancer and occupation: a case-control study. *Am. J. Epidemiol.*, **111**, 183–193
- Ruppe, K. (1973) Diseases and functional disturbance in the respiratory tract of workers in the wood processing industry. *Z. ges. Hyg.*, **19**, 261–264 (in German)
- Rüttner, J.R. & Makek, M. (1985) Adenocarcinoma of nose and nasal sinuses, an occupational disease? *Schweiz. med. Wschr.*, **115**, 1838–1842 (in German)
- Sabine, J.R. (1975) Exposure to an environment containing the aromatic red cedar, *Juniperus virginiana*: procarcinogenic, enzyme-inducing and insecticidal effects. *Toxicology*, **5**, 221–235
- Sabine, J.R., Horton, B.J. & Wicks, M.B. (1973) Spontaneous tumors in C3H-A^{VY} and C3H-A^{VY}fB mice: high incidence in the United States and low incidence in Australia. *J. natl Cancer Inst.*, **50**, 1237–1242
- Saka, S. & Goring, D.A.I. (1983) The distribution of inorganic constituents in black spruce wood as determined by TEM-EDXA. *Mokuzai Gakkaishi*, **29**, 648–656
- Sass-Kortsak, A.M., Holness, D.L., Pilger, C.W. & Nethercott, J.R. (1986) Wood dust and formaldehyde exposures in the cabinet-making industry. *Am. ind. Hyg. Assoc. J.*, **47**, 747–753
- Sass-Kortsak, A.M., Tracy, C. & Purdham, J. (1989) Filter preparation techniques for dust exposure determination by gravimetric analysis. *Appl. ind. Hyg.*, **4**, 222–226
- Sass-Kortsak, A.M., O'Brien, C.R., Bozek, P.R. & Purdham, J.T. (1993) Comparison of the 10-mm nylon cyclone, horizontal elutriator, and aluminum cyclone for silica and wood dust measurements. *Appl. occup. Environ. Hyg.*, **8**, 31–37
- Scheidt, R., Ehrhardt, H.-P., Bartsch, R. & Schwarz, H. (1989) Wood dust concentration in the furniture industry. *Z. ges. Hyg.*, **35**, 219–222 (in German)
- Scherr, P.A., Hutchison, G.B. & Neiman, R.S. (1992) Non-Hodgkin's lymphoma and occupational exposure. *Cancer Res.*, **52**, 5503s–5509s
- Schmezer, P., Kuchenmeister, F., Klein, R.G., Pool-Zobel, B.L., Fengel, D., Stehlin, J. & Wolf, J. (1994) Study of the genotoxic potential of different wood extracts and of selected additives in the wood industry. *Arbeitsmed. Sozialmed. Umweltmed.*, **21**, 13–17 (in German)
- Schoenberg, J.B., Stemhagen, A., Mason, T.J., Patterson, J., Bill, J. & Altman, R. (1987) Occupation and lung cancer risk among New Jersey white males. *J. natl Cancer Inst.*, **79**, 13–21

- Schraub, S., Belon-Leneubre, M., Mercier, M. & Bourgeois, P. (1989) Adenocarcinoma and wood. *Am. J. Epidemiol.*, **130**, 1164–1166
- Schroeder, H.-G. (1989) *Adenokarzinome der inneren Nase und Holzstaubexposition. Klinische, morphologische und epidemiologische Aspekte* [Adenocarcinoma of the nasal cavity and exposure to wood. Clinical, morphological and epidemiological aspects], Essen, A. Sutter Druckerei, GmbH
- Schulz, H. (1993) The history of wood use in the nineteenth, twentieth and twenty-first centuries. *Holz. Roh. Werkst.*, **51**, 75–82 (in German)
- Schumacher, M.C. & Delzell, E. (1988) A death-certificate case-control study of non-Hodgkin's lymphoma and occupation in men in North Carolina. *Am. J. ind. Med.*, **13**, 317–330
- Shamssain, M.H. (1992) Pulmonary function and symptoms in workers exposed to wood dust. *Thorax*, **47**, 84–87
- Shimizu, H., Hozawa, J., Saito, H., Murai, K., Hirata, H., Takasaka, T., Togawa, K., Konno, A., Kimura, Y., Kikuchi, A., Ohkouchi, Y., Ohtani, I. & Hisamichi, S. (1989) Chronic sinusitis and woodworking as risk factors for cancer of the maxillary sinus in northeast Japan. *Laryngoscope*, **99**, 58–61
- Siemiatycki, J. (1991) *Risk Factors for Cancer in the Workplace*, Boca Raton, CRC Press
- Siemiatycki, J., Richardson, L., Gérin, M., Goldberg, M., Dewar, R., Désy, M., Campbell, S. & Wacholder, S. (1986) Associations between several sites of cancer and nine organic dusts: results from an hypothesis-generating case-control study in Montreal, 1979–1983. *Am. J. Epidemiol.*, **123**, 235–249
- Smetana, R. & Horak, F. (1983) Rhinogenic adenocarcinoma in woodworkers. *Laryngol. Rhinol. Otolaryngol.*, **62**, 74–76 (in German)
- Solgaard, J. & Andersen, I. (1975) Airway function and symptoms in woodworkers. *Ugeskr. Laeg.*, **44**, 2593–2599 (in Danish)
- Spiegelman, D. & Wegman, D.H. (1985) Occupation-related risks for colorectal cancer. *J. natl Cancer Inst.*, **75**, 813–821
- Sriamporn, S., Vatanasapt, V., Pisani, P., Yongchaiyudha, S. & Rungpitarrangsri, V. (1992) Environmental risk factors for nasopharyngeal carcinoma: a case-control study in northeastern Thailand. *Cancer Epidemiol. Biomarkers Prev.*, **1**, 345–348
- Stellman, S.D. & Garfinkel, L. (1984) Cancer mortality among woodworkers. *Am. J. ind. Med.*, **5**, 343–357
- Streit, W. & Fengel, D. (1994) On the changes of the extractive composition during heartwood formation in *Quebracho colorado* (*Schinopsis balansae* Engl.). *Holzforschung*, **48** (Suppl.), 15–20
- Stumpf, J.M., Blehm, K.D., Buchan, R.M. & Gunter, B.J. (1986) Characterization of particle board aerosol-size distribution and formaldehyde content. *Am. ind. Hyg. Assoc. J.*, **47**, 725–730
- Suchsland, O. & Woodson, G.E. (1986) *Fiberboard Manufacturing Practices in the United States* (Agricultural Handbook No. 640), Washington DC, United States Forest Service, United States Department of Agriculture
- Suckling, I.D., Gallagher, S.S. & Ede, R.M. (1990) A new method for softwood extractives analysis using high performance liquid chromatography. *Holzforschung*, **44**, 339–345
- Swan, E.P. (1989) Health hazards associated with extractives. In: Rowe, J.W., ed., *Natural Products of Woody Plants, II, Chemicals Extraneous to the Lignocellulosic Cell Wall*, Berlin, Springer Verlag, pp. 931–952

- Swanson, G.M. & Belle, S.H. (1982) Cancer morbidity among woodworkers in the US automotive industry. *J. occup. Med.*, **24**, 315–319
- Swanson, G.M., Belle, S.H. & Burrows, R.W., Jr (1985) Colon cancer incidence among modelmakers and patternmakers in the automobile manufacturing industry. A continuing dilemma. *J. occup. Med.*, **27**, 567–569
- Takasaka, T., Kawamoto, K. & Nakamura, K. (1987) A case-control study of nasal cancers. An occupational survey. *Acta otolaryngol.*, **435** (Suppl.), 136–142
- Tanaka, I., Haratake, J., Horie, A. & Yoshimura, T. (1991) Cumulative toxicity potential of hardwood dust and sidestream tobacco smoke in rats by repeated inhalation. *Inhal. Toxicol.*, **3**, 101–112
- Technical Association of the Pulp and Paper Industry (1985a) *Sampling and Preparing Wood for Analysis* (T257cm-85), Atlanta, GA
- Technical Association of the Pulp and Paper Industry (1985b) *Ash in Wood and Pulp* (T211om-85), Atlanta, GA
- Technical Committee of the Inhalation Specialty Section, Society of Toxicology (1987) Commentary. Recommendations for the conduct of acute inhalation limit tests. *Fundam. appl. Toxicol.*, **18**, 321–327
- Teschke, K., Hertzman, C. & Morrison, B. (1994) Level and distribution of employee exposures to total and respirable wood dust in two Canadian sawmills. *Am. ind. Hyg. Assoc. J.*, **55**, 245–250
- Teschke, K., Hertzman, C., Fenske, R.A., Jin, A., Ostry, A., van Netten, C. & Leiss, W. (1995) A history of process and chemical changes for fungicide application in the western Canadian lumber industry: What can we learn? *Appl. occup. Environ. Hyg.* (in press)
- Tilley, B.C., Johnson, C.C., Schultz, L.R., Buffler, P.A. & Joseph, C.L.M. (1990) Risk of colorectal cancer among automotive pattern and model makers. *J. occup. Med.*, **32**, 541–546
- Tola, S., Hernberg, S., Collan, Y., Linderborg, H. & Korkala, M.-L. (1980) A case control study of the etiology of nasal cancer in Finland. *Int. Arch. occup. environ. Health*, **46**, 79–85
- Tollerud, D.J., Brinton, L.A., Stone, B.J., Tobacman, J.K. & Blattner, W.A. (1985) Mortality from multiple myeloma among North Carolina furniture workers. *J. natl Cancer Inst.*, **74**, 799–801
- Torén, K., Hörite, L.-G. & Järvholt, B. (1991) Occupation and smoking adjusted mortality due to asthma among Swedish men. *Br. J. ind. Med.*, **48**, 323–326
- Törrönen, R., Pelkonen, K. & Kärenlampi, S. (1989) Enzyme-inducing and cytotoxic effects of wood-based materials used as bedding for laboratory animals. Comparison by a cell culture study. *Life Sci.*, **45**, 559–565
- Torul, O. & Olcay, A. (1984) Terpene hydrocarbons of soxhlet and supercritical-gas extracts of oriental spruce and oriental beech. *Holzforschung*, **38**, 221–224
- Trotel, E. (1976) *Adenocarcinome de l'Ethmoïde et Travail du Bois* [Adenocarcinoma of the ethmoid sinus and woodworking], MD Thesis No. 117, University of Rennes (in French)
- Työministeriö [Ministry of Labour] (1993) *Limit Values 1993*, Helsinki, p. 16 (in Finnish)
- United Kingdom Health and Safety Executive (1989) *MDHS 14 General Methods for the Gravimetric Determination of Respirable and Total Inhalable Dust*, Bootle, Lancs
- United Kingdom Health and Safety Executive (1992) *EH40/92 Occupational Exposure Limits 1992*, London, Her Majesty's Stationery Office, pp. 12, 29
- United States National Institute for Occupational Safety and Health (1987) *Health Effects of Exposure to Wood Dust: A Summary of the Literature* (US NTIS PB87-218251), Cincinnati, OH

- United States National Institute for Occupational Safety and Health (1990) *National Occupational Exposure Survey 1981–83*, Cincinnati, OH
- United States National Institute for Occupational Safety and Health (1992) *NIOSH Recommendations for Occupational Safety and Health. Compendium of Policy Documents and Statements* (DHHS (NIOSH) Publ. No. 92-100), Cincinnati, OH, Division of Standards Development and Technology Transfer, pp. 43, 133
- United States Occupational Safety and Health Administration (1993) Air contaminants. *US Code Fed. Regul., Title 29*, Part 1910.1000, pp. 6–19
- Vaucher, H., compiler (1986) *Elsevier's Dictionary of Trees and Shrubs*, Amsterdam, Elsevier
- Vaughan, T.L. (1989) Occupation and squamous cell cancers of the pharynx and sinonasal cavity. *Am. J. ind. Med.*, **16**, 493–510
- Vaughan, T.L. & Davis, S. (1991) Wood dust exposure and squamous cell cancers of the upper respiratory tract. *Am. J. Epidemiol.*, **133**, 560–564
- Vaughan, N.P., Chalmers, C.P. & Botham, R.A. (1990) Field comparison of personal samplers for inhalable dust. *Ann. occup. Hyg.*, **34**, 553–573
- Vedal, S., Chan-Yeung, M., Enarson, D., Fera, T., Maclean, L., Tse, K.S. & Langille, R. (1986) Symptoms and pulmonary function in western red cedar workers related to duration of employment and dust exposure. *Arch. environ. Health*, **41**, 179–183
- Vetrugno, T. & Comba, P. (1987) Collaborative study on nasal cancer and occupation in Italy, 1983–1985. *Acta otorhinol. ital.*, **7**, 485–494 (in Italian)
- Vincent, J.H. & Mark, D. (1990) Entry characteristics of practical workplace aerosol samplers in relation to the ISO recommendations. *Ann. occup. Hyg.*, **34**, 249–262
- Vinzents, P. & Laursen, B. (1993) A national cross-sectional study of the working environment in the Danish wood and furniture industry—air pollution and noise. *Ann. occup. Hyg.*, **37**, 25–34
- Viren, J.R. & Imbus, H.R. (1989) Case-control study of nasal cancer in workers employed in wood-related industries. *J. occup. Med.*, **31**, 35–40
- Vlahakis, G. (1977) Possible carcinogenic effects of cedar shavings in bedding of C3H-A^{vy}fB mice (Brief communication). *J. natl Cancer Inst.*, **58**, 149–150
- Voss, R., Stenersen, T., Roald Oppedal, B. & Boysen, M. (1985) Sinonasal cancer and exposure to softwood. *Acta otolaryngol.*, **99**, 172–178
- Wagenführ, R. & Scheiber, C. (1974) *Holzatlas* [Wood atlas], Leipzig, VEB Fachbuchverlag (in German)
- Warheit, D.B. (1989) Interspecies comparisons of lung responses to inhaled particles and gases. *Crit. Rev. Toxicol.*, **20**, 1–29
- Wegener, G. & Fengel, D. (1978) Rapid extraction of lignin from ball-milled spruce wood by the use of ultrasonics (Letter to the Editor). *Ultrasonics*, **16**, 186
- Weissmann, G., Kubel, H. & Lange, W. (1989) Studies on the carcinogenicity of wood dust. Extractives of oak wood (*Quercus robur* L.). *Holzforschung*, **43**, 75–82 (in German)
- Weissmann, G., Lange, W., Kubel, H. & Wenzel-Hartung, R. (1992) Investigations on the carcinogenicity of wood dust. *Holz Roh.-Werkstoff.*, **50**, 421–428 (in German)
- Welling, I. & Kallas, T. (1991) *Wood Dust* (Exposure at Work No. 7), Helsinki, Finnish Institute of Occupational Health and Finnish Work Environment Fund (in Finnish)

- West, S., Hildesheim, A. & Dosemeci, M. (1993) Non-viral risk factors for nasopharyngeal carcinoma in the Philippines: results from a case-control study. *Int. J. Cancer*, **55**, 722-727
- Whitehead, L.W., Freund, T. & Hahn, L.L. (1981a) Suspended dust concentrations and size distributions and quantitative analysis of inorganic particles from woodworking operations. *Am. Ind. Hyg. Assoc. J.*, **42**, 461-467
- Whitehead, L.W., Ashikaga, T. & Vacek, P. (1981b) Pulmonary function status of workers exposed to hardwood or pine dust. *Am. Ind. Hyg. Assoc.*, **42**, 178-186
- Whittemore, A.S., Holly, E.A., Lee, I.-M., Abel, E.A., Adams, R.M., Nickoloff, B.J., Bley, L., Peters, J.M. & Gibney, C. (1989) Mycosis fungoides in relation to environmental exposures and immune response: a case-control study. *J. natl Cancer Inst.*, **81**, 1560-1567
- Wilhelmsson, B. & Drettner, B. (1984) Nasal problems in wood furniture workers. A study of symptoms and physiological variables. *Acta otolaryngol.*, **98**, 548-555
- Wilhelmsson, B. & Lundh, B. (1984) Nasal epithelium in woodworkers in the furniture industry. *Acta otolaryngol.*, **98**, 321-324
- Wilhelmsson, B., Lundh, B., Drettner, B. & Stenkvist, B. (1985a) Effects of wood dust exposure and diethylnitrosamine. A pilot study in Syrian golden hamsters. *Acta otolaryngol.*, **99**, 160-171
- Wilhelmsson, B., Lundh, B. & Drettner, B. (1985b) Effects of wood dust exposure and diethylnitrosamine in an animal experimental system. *Rhinology*, **23**, 114-117
- Wilhelmsson, B., Hellqvist, H., Olofsson, J. & Klingenberg, C. (1985c) Nasal cuboidal metaplasia with dysplasia. *Acta otolaryngol.*, **99**, 641-648
- Williston, E.M. (1988) *Lumber Manufacturing. The Design and Operation of Sawmills and Planer Mills*, San Francisco, Miller Freeman Publications
- Wolf, J., Hartung, M., Schaller, K.H., Kochem, W. & Valentin, H. (1986) The occurrence of adenocarcinomas of the nasal and paranasal sinuses in woodworkers. II. Further investigations. *Arbeitsmed. Sozialmed. Präventivmed.*, **7**, 3-22 (in German)
- Wolf, J., Schmelzer, P., Kuchenmeister, F., Klein, R.G., Schroeder, H.G., Pool-Zobel, B., Ziegler, H., Detering, B., Fengel, D., Stehlin, J. & Kleinsasser, O. (1994) Etiology of malignant nasal tumours in people working in the furniture industry. *Arbeitsmed. Sozialmed. Präventivmed.*, **21**, 3-17 (in German)
- Woods, B. & Calnan, C.D. (1976) Toxic woods. *Br. J. Dermatol.*, **94** (Suppl. 13), 1-97
- Wortley, P., Vaughan, T.L., Davis, S., Morgan, M.S. & Thomas, D.B. (1992) A case-control study of occupational risk factors for laryngeal cancer. *Br. J. Ind. Med.*, **49**, 837-844
- Wu-Williams, A.H., Xu, Z.Y., Blot, W.J., Dai, X.D., Louie, R., Xiao, H.P., Stone, B.J., Sun, X.W., Yu, S.F., Feng, Y.P., Fraumeni, J.F., Jr & Henderson, B.E. (1993) Occupation and lung cancer risk among women in northern China. *Am. J. Ind. Med.*, **24**: 67-79
- Wynder, E.L., Covey, L.S., Mabuchi, K. & Mushinski, M. (1976) Environmental factors in cancer of the larynx. A second look. *Cancer*, **38**, 1591-1601
- Zagraniski, R.T., Kelsey, J.L. & Walter, S.D. (1986) Occupational risk factors for laryngeal carcinoma: Connecticut, 1975-1980. *Am. J. Epidemiol.*, **124**, 67-76
- Zheng, W., Blot, W.J., Shu, X.-O., Diamond, E.L., Gao, Y.-T., Ji, B.-T. & Fraumeni, J.F., Jr (1992a) A population-based case-control study of cancers of the nasal cavity and paranasal sinuses in Shanghai. *Int. J. Cancer*, **52**, 557-561
- Zheng, W., Blot, W.J., Shu, X.-O., Gao, Y.-T., Ji, B.-T., Ziegler, R.G. & Fraumeni, J.F., Jr (1992b) Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am. J. Epidemiol.*, **136**, 178-191

Zheng, W., McLaughlin, J.K., Chow, W.-H., Co Chien, H.T. & Blot, W.J. (1993) Risk factors for cancers of the nasal cavity and paranasal sinuses among white men in the United States. *Am. J. Epidemiol.*, **138**, 965-972

Zinkel, D.F. (1983) Quantitative separation of ether-soluble acidic and neutral materials. *J. Wood Chem. Technol.*, **3**, 131-143