

6. References

- Ablashi, D.V., Armstrong, G.R., Heine, U. & Manaker, R.A. (1971a) Propagation of *Herpesvirus saimiri* in human cells. *J. natl Cancer Inst.*, **47**, 241-244
- Ablashi, D.V., Loeb, W.F., Valerio, M.G., Adamson, R.H., Armstrong, G.R., Bennett, D.G. & Heine, U. (1971b) Malignant lymphoma with lymphocytic leukemia induced in owl monkeys by Herpesvirus saimiri. *J. natl Cancer Inst.*, **47**, 837-855
- Ablashi, D.V., Armstrong, G.R. & Blackham, E.A. (1972) Certain characteristics of Herpesvirus saimiri cultured in sub-human culture cells. *Am. J. vet. Res.*, **33**, 1689-1693
- Ablashi, D.V., Loeb, W.F., Pearson, G., Valerio, M.G., Armstrong, G.R., Rabin, H., Kingsbury, E.W. & Heine, U. (1973) Induction of lymphoma in owl monkeys with heated non-cytopathogenic Herpesvirus saimiri. *Nature new Biol.*, **242**, 28-30
- Ablashi, D.V., Easton, J.M. & Guegan, J.H. (1976) Herpesviruses and cancer in man and sub-human primates. *Biomedicine*, **24**, 286-305
- Ablashi, D.V., Pearson, G., Rabin, H., Armstrong, G., Easton, J., Valerio, M. & Cicmanec, J. (1978) Experimental infection of *Callithrix jacchus* marmosets with *Herpesvirus saimiri*, *Herpesvirus ateles* and Epstein-Barr virus. *Biomedicine*, **29**, 7-10
- Ablashi, D.V., Sundar, S.K., Armstrong, G., Golway, P., Valerio, M., Bengali, Z., Lemp, J. & Fox, R.R. (1980) Herpesvirus saimiri-induced malignant lymphoma in inbred strain III/J rabbits (*Oryctolagus cuniculus*). *J. Cancer Res. clin. Oncol.*, **98**, 165-172
- Ablashi, D.V., Shirm, S., Fleckenstein, B., Faggioni, A., Dahlberg, J., Rabin, H., Loeb, W., Armstrong, G., Whang-Peng, J., Aulakh, G. & Torrisi, M.R. (1985) Herpesvirus saimiri-induced lymphoblastoid rabbit cell line: Growth characteristics, virus persistence and oncogenic properties. *J. Virol.*, **55**, 623-633

- Ablashi, D.V., Dahlberg, J.E., Cannon, G.B., Fischetti, G., Loeb, W., Hinds, W., Schatte, C. & Levine, P.H. (1988) Detection of antibodies to Herpesvirus saimiri late antigens in human sera. *Intervirology*, **29**, 217–226
- Ablashi, D.V., Chatlynne, L.G., Lapps, W., Hoekzema, D.T., Masood, R., Kramarsky, B., Kaplan, M., Gill, P., Friedman-Kien, A.E., Said, J., Koeffler, P. & Whitman, J.E. (1997) Human herpesvirus-8 (HHV-8): Epidemiology and characterization of virus from KS-1 cell line (Abstract No. 29). In: *First National AIDS Malignancy Conference, 28–30 April 1997*, Bethesda, National Cancer Institute
- Adams, V., Kempf, W., Schmid, M., Müller, B., Briner, J. & Burg, G. (1995) Absence of herpesvirus-like DNA sequences in skin cancers of non-immunosuppressed patients. *Lancet*, **346**, 1715–1716
- Albini, A., Mitchell, C.D., Thompson, E.W., Seeman, R., Martin, G.R., Wittek, A.E. & Quinnan, G.V. (1988) Invasive activity and chemotactic response to growth factors by Kaposi's sarcoma cells. *J. cell. Biochem.*, **36**, 369–376
- Albini, A., Fontanini, G., Masiello, L., Tacchetti, C., Bigini, D., Luzzi, P., Noonan, D.M. & Stetler-Stevenson, W.G. (1994) Angiogenic potential in vivo by Kaposi's sarcoma cell-free supernatants and HIV-1 tat product: Inhibition of KS-like lesions by tissue inhibitor of metalloproteinase-2. *AIDS*, **8**, 1237–1244
- Albini, A., Aluigi, M.G., Benelli, R., Berti, E., Biberfeld, P., Blasig, C., Calabro, M.L., Calvo, F., Chieco-Bianchi, L., Corbellino, M., Del Mistro, A., Ekman, M., Favero, A., Hofschneider, P.H., Kaaya, E., Lebbé, C., Morel, P., Neipel, F., Noonan, D.M., Parravicini, C., Repetto, L., Schalling, M., Stürzl, M. & Tschachler, E. (1996a) Oncogenesis in HIV-infection: KSHV and Kaposi's sarcoma. *Int. J. Oncol.*, **9**, 5–8
- Albini, A., Benelli, R., Presta, M., Rusnati, M., Ziche, M., Rubartelli, A., Paglialunga, G., Bussolino, F. & Noonan, D. (1996b) HIV-tat protein is a heparin-binding angiogenic growth factor. *Oncogene*, **12**, 289–297
- Albini, A., Soldi, R., Giunciuglio, D., Giraudo, E., Benelli, R., Primo, L., Noonan, D., Salio, M., Camussi, G., Rockl, W. & Bussolino, F. (1996c) The angiogenesis induced by HIV-1 Tat protein is mediated by the Flk-1/KDR receptor on vascular endothelial cells. *Nature Med.*, **2**, 1371–1375.
- Albrecht, J.-C., Nicholas, J., Biller, D., Cameron, K.R., Biesinger, B., Newman, C., Wittmann, S., Craxton, M.A., Coleman, H., Fleckenstein, B. & Honess, R.W. (1992) Primary structure of the Herpesvirus saimiri genome. *J. Virol.*, **66**, 5047–5058
- Alexander, R.A., Plowright, W. & Haig, D.A. (1957) Cytopathic agents associated with lumpy-skin disease of cattle. *Bull. epizoot. Dis. Afr.*, **5**, 489–492
- Aluigi, M.G., Albini, A., Carbone, S., Repetto, L., de Marchi, R., Icardi, A., Moro, M., Noonan, D. & Benelli, R. (1996) KSHV sequences in biopsies and cultured spindle cells of epidemic, iatrogenic and Mediterranean forms of Kaposi's sarcoma. *Res. Virol.*, **147**, 267–275
- Ambroziak, J.A., Blackbourn, D.J., Herndier, B.G., Glogau, R.G., Gullett, J.H., McDonald, A.R., Lennette, E.T. & Levy, J.A. (1995) Herpes-like sequences in HIV-infected and uninfected Kaposi's sarcoma patients. *Science*, **268**, 582–583
- André, S., Schatz, O., Bogner, J.R., Zeichhardt, H., Stöffler-Meilicke, M., Jahn, H.-U., Ullrich, R., Sonntag, A.-K., Kehm, R. & Haas, J. (1997) Detection of antibodies against viral capsid proteins of human herpesvirus 8 in AIDS-associated Kaposi's sarcoma. *J. mol. Med.*, **75**, 145–152

- Ansari, M.Q., Dawson, D.B., Nador, R., Rutherford, C., Schneider, N.R., Latimer, M.J., Picker, L., Knowles, D.M. & McKenna, R.W. (1996) Primary body cavity-based AIDS-related lymphomas. *Am. J. clin. Pathol.*, **105**, 221–229
- Anson, M.A., Benfield, D.A. & McAdaragh, J.P. (1982) Bovine herpesvirus-5 (DN 599) antigens in cells derived from bovine ocular squamous cell carcinomas. *Can. J. comp. Med.*, **46**, 334–337
- Archibald, C.P., Schechter, M.T., Craib, K.J.P., Le, T.N., Douglas, B., Willoughby, B. & O'Shaughnessy, M. (1990) Risk factors for Kaposi's sarcoma in the Vancouver lymphadenopathy–AIDS study. *J. AIDS*, **3** (Suppl. 1), S18–S23
- Armenian, H.K., Hoover, D.R., Rubb, S., Metz, S., Kaslow, R., Visscher, B., Chmiel, J., Kingsley, L. & Saah, A. (1993) Composite risk score for Kaposi's sarcoma based on a case-control and longitudinal study in the Multicenter AIDS Cohort Study (MACS) population. *Am. J. Epidemiol.*, **138**, 256–265
- Arvanitakis, L., Mesri, E.A., Nador, R.G., Said, J.W., Asch, A.S., Knowles, D.M. & Ceserman, E. (1996) Establishment and characterization of a primary effusion (body cavity-based) lymphoma cell line (BC-3) harboring Kaposi's sarcoma-associated herpesvirus (KSHV/HHV-8) in the absence of Epstein-Barr Virus. *Blood*, **88**, 2648–2654
- Arvanitakis, L., Geras, R.E., Varma, A., Gershengorn, M.C. & Ceserman, E. (1997) Human herpesvirus KSHV encodes a constitutively active G-protein-coupled receptor linked to cell proliferation. *Nature*, **385**, 347–350
- Baer, R., Bankier, A.T., Biggin, M.D., Deiniger, P.L., Farrell, P.J., Gibson, T.J., Hatfull, G., Hudson, G.S., Satchwell, S.C., Séguin, C., Tuffnell, P.S. & Barrell, B.G. (1984) DNA sequence and expression of the B95-8 Epstein-Barr virus genome. *Nature*, **310**, 207–211
- Bankier, A.T., Dietrich, W., Baer, R., Barrell, B.G., Cobere-Garanpin, F., Fleckenstein, B. & Bodemer, W. (1985) Terminal repetitive sequences in Herpesvirus saimiri virion DNA. *J. Virol.*, **55**, 133–139
- Barahona, H., Meléndez, L.V., Hunt, R.D., Forbes, M., Fraser, C.E.O. & Daniel, M.D. (1975) Experimental horizontal transmission of Herpesvirus saimiri from squirrel monkeys to an owl monkey. *J. infect. Dis.*, **132**, 694–697
- Barillari, G., Buonaguro, L., Fiorelli, V., Hoffman, J., Michaels, F., Gallo, R.C. & Ensoli, B. (1992) Effects of cytokines from activated immune cells on vascular cell growth and HIV-1 gene expression. *J. Immunol.*, **149**, 3727–3734
- Barillari, G., Gendelman, R., Gallo, R.C. & Ensoli, B. (1993) The Tat protein of human immunodeficiency virus type 1, a growth factor for AIDS Kaposi sarcoma and cytokine-activated vascular cells, induces adhesion of the same cell types by using integrin receptors recognizing the RGD amino acid sequence. *Proc. natl Acad. Sci. USA*, **90**, 7941–7945
- Barnett, S.W., Murthy, K.K., Herndier, B.G. & Levy, J.A. (1994) An AIDS-like condition induced in baboons by HIV-2. *Science*, **266**, 642–646
- Barozzi, P., Luppi, M., Masini, L., Marasca, R., Savarino, M., Morselli, M., Ferrari, M.G., Bevini, M., Bonacorsi, G. & Torelli, G. (1996) Lymphotropic herpesvirus (EBV, HHV-6, HHV-8) DNA sequences in HIV negative Castleman's disease. *J. clin. Pathol. mol. Pathol.*, **49**, M232–M235
- Bartha, A., Juhász, M. & Liebermann, H. (1966) Isolation of a bovine herpesvirus from calves with respiratory disease and keratoconjunctivitis. *Acta vet. hung.*, **16**, 357–358

- Bassett, M.T., Chokunonga, E., Mauchaza, B., Levy, L., Ferlay, J. & Parkin, D.M. (1995) Cancer in the African population of Harare, Zimbabwe, 1990–1992. *Int. J. Cancer*, **63**, 29–36
- Bayley, A.C. (1984) Aggressive Kaposi's sarcoma in Zambia. *Lancet*, **i**, 1318–1320
- Belák, S. & Pálfi, V. (1974) Characterization of a herpesvirus isolated from spontaneously degenerated bovine kidney cell culture. *Acta vet. hung.*, **24**, 249–253
- Beral, V. (1991) Epidemiology of Kaposi's sarcoma. *Cancer Surv.*, **10**, 5–22
- Beral, V., Peterman, T.A., Berkelman, R.L. & Jaffe, H.W. (1990) Kaposi's sarcoma among persons with AIDS: A sexually transmitted infection? *Lancet*, **335**, 123–128
- Beral, V., Bull, D., Jaffe, H., Evans, B., Gill, N., Tillett, H. & Swerdlow, A.J. (1991) Is risk of Kaposi's sarcoma in AIDS patients in Britain increased if sexual partners come from United States or Africa? *Br. med. J.*, **302**, 624–625
- Beral, V., Bull, D., Darby, S., Weller, I., Carne, C., Beecham, M. & Jaffe, H. (1992) Risk of Kaposi's sarcoma and sexual practices associated with faecal contact in homosexual or bisexual men with AIDS. *Lancet*, **339**, 632–635
- Bermudez-Cruz, R., Zhang, L. & van Santen, V.L. (1997) Characterization of an abundant, unique 1.7-kilobase bovine herpesvirus 4 (BHV-4) late RNA and mapping of a BHV-4 IE2 transactivator-binding site in its promoter-regulatory region. *J. Virol.*, **71**, 527–538
- Bertin, J., Armstrong, R.C., Ottolie, S., Martins, D.A., Wang, Y., Banks, S., Wang, G.-H., Senkevich, T.G., Alnemri, E.S., Moss, B., Lenardo, M.J., Tomaselli, K.J. & Cohen, J.I. (1997) Death effector domain-containing herpesvirus and poxvirus proteins inhibit both Fas- and TNFR1-induced apoptosis. *Proc. natl Acad. Sci. USA*, **94**, 1172–1176
- Biesinger, B., Müller-Fleckenstein, I., Simmer, B., Lang, G., Wittmann, S., Platzer, E., Desrosiers, R.C. & Fleckenstein, B. (1992) Stable growth transformation of human T lymphocytes by Herpesvirus saimiri. *Proc. natl Acad. Sci. USA*, **89**, 3116–3119
- Biesinger, B., Tsygankov, A.Y., Fickenscher, H., Emmrich, F., Fleckenstein, B., Bolen, J.B. & Bröker, B.M. (1995) The product of the *Herpesvirus saimiri* open reading frame 1 (TIP) interacts with T cell-specific kinase p56^{lck} in transformed cells. *J. biol. Chem.*, **270**, 4729–4734
- Biggar, R.J. & Melbye, M. (1996) Marital status in relation to Kaposi's sarcoma, non-Hodgkin's lymphoma, and anal cancer in the pre-AIDS era. *J. AIDS hum. Retrovirol.*, **11**, 178–182
- Biggar, R.J., Horm, J., Fraumeni, J.F., Jr, Greene, M.H. & Goedert, J.J. (1984) Incidence of Kaposi's sarcoma and mycosis fungoides in the United States including Puerto Rico, 1973–81. *J. natl Cancer Inst.*, **73**, 89–94
- Biggar, R.J., Curtis, R.E., Coté, T.R., Rabkin, C.S. & Melbye, M. (1994) Risk of other cancers following Kaposi's sarcoma: Relation to acquired immunodeficiency syndrome. *Am. J. Epidemiol.*, **139**, 362–368
- Bigoni, B., Dolcetti, R., de Lellis, L., Carbone, A., Boiocchi, M., Cassai, E. & Di Luca, D. (1996) Human herpesvirus 8 is present in the lymphoid system of healthy persons and can reactivate in the course of AIDS. *J. infect. Dis.*, **173**, 542–549
- Birkeland, S.A., Storm, H.H., Lamm, L.U., Barlow, L., Blohmé, I., Forsberg, B., Eklund, B., Fjeldborg, O., Friedberg, M., Frödin, L., Glattre, E., Halvorsen, S., Holm, N.V., Jakobsen, A., Jørgensen, H.E., Ladefoged, J., Lindholm, T., Lundgren, G. & Pukkala, E. (1995) Cancer risk after renal transplantation in the Nordic countries, 1964–1986. *Int. J. Cancer*, **60**, 183–189

- Birkenbach, M., Josefson, K., Yalamanchili, R., Lenoir, G. & Kieff, E. (1993) Epstein-Barr virus-induced genes: First lymphocyte-specific G protein-coupled peptide receptors. *J. Virol.*, **67**, 2209–2220
- Birx, D.L., Redfield, R.R., Tencer, K., Fowler, A., Burke, D.S. & Tosato, G. (1990) Induction of interleukin-6 during human immunodeficiency virus infection. *Blood*, **76**, 2303–2310
- Blackbourn, D.J. & Levy, J.A. (1997) Human herpesvirus 8 in semen and prostate. *AIDS*, **11**, 249–250
- Blackbourn, D.J., Ambroziak, J., Lennette, E., Adams, M., Ramachandran, B. & Levy, J.A. (1997) Infectious human herpesvirus 8 in a healthy North American blood donor. *Lancet*, **349**, 609–611
- Blaauvelt, A., Herndier, B.G. & Orenstein, J.M. (1997) Propagation of a human herpesvirus from AIDS-associated Kaposi's sarcoma. *New Engl. J. Med.*, **336**, 1837–1838
- Boldogh, I., Szaniszlo, P., Bresnahan, W.A., Flaitz, C.M., Nichols, M.C. & Albrecht, T. (1996) Kaposi's sarcoma herpesvirus-like DNA sequences in the saliva of individuals infected with human immunodeficiency virus. *Clin. Infect. Dis.*, **23**, 406–407
- Boshoff, C., Whitby, D., Hatzioannou, T., Fisher, C., van der Walt, J., Hatzakis, A., Weiss, R.A. & Schulz, T. (1995a) Kaposi's sarcoma-associated herpesvirus in HIV-negative Kaposi sarcoma. *Lancet*, **345**, 1043–1044
- Boshoff, C., Schulz, T.F., Kennedy, M.M., Graham, A.K., Fisher, C., Thomas, A., McGee, J.O., Weiss, R.A. & O'Leary, J.J. (1995b) Kaposi's sarcoma associated herpesvirus infects endothelial and spindle cells. *Nature Med.*, **1**, 1274–1278
- Boshoff, C., Talbot, S., Kennedy, M., O'Leary, J., Schulz, T. & Chang, Y. (1996) HHV8 and skin cancers in immunosuppressed patients (Letter to the Editor). *Lancet*, **347**, 338–339
- Boyd, J.E. & James, K. (1992) B Cell responses to HIV and the development of human monoclonal antibodies. *Clin. exp. Immunol.*, **88**, 189–202
- Brambilla, L., Boneschi, V., Berti, E., Corbellino, M. & Parravicini, C. (1996) HHV8 cell-associated viraemia and clinical presentation of Mediterranean Kaposi's sarcoma. *Lancet*, **347**, 1338
- Brandt, S.J., Bodine, D.M., Dunbar, C.D. & Nienhuis, A.W. (1990a) Dysregulated interleukin 6 expression produces a syndrome resembling Castleman's disease in mice. *J. clin. Invest.*, **86**, 592–599
- Brandt, S. J., Bodine, D.M., Dunbar, C.E. & Nienhuis, A.W. (1990b) Retroviral-mediated transfer of interleukin-6 into hematopoietic cells of mice results in a syndrome resembling Castleman's disease. *Curr. Top. Microbiol. Immunol.*, **166**, 37–41
- Breimer, L. (1994) Original description of Kaposi's sarcoma (Letter to the Editor). *Br. med. J.*, **308**, 1303–1304
- Browning, P.J., Sechler, J.M.G., Kaplan, M., Washington, R.H., Gendelman, R., Yarchoan, R., Ensoli, B. & Gallo, R.C. (1994) Identification and culture of Kaposi's sarcoma-like spindle cells from the peripheral blood of human immunodeficiency virus-1-infected individuals and normal controls. *Blood*, **84**, 2711–2720
- Bryant, M.L., Marx, P.A., Shiigi, S.M., Wilson, B.J., McNulty, W.P. & Gardner, M.B. (1986) Distribution of type D retrovirus sequences in tissues of macaques with simian acquired immune deficiency and retroperitoneal fibromatosis. *Virology*, **150**, 149–160

- Bublot, M., Van Bressem, M.-F., Thiry, E., Dubuisson, J. & Pastoret, P.P. (1990) Bovine herpesvirus 4 genome: Cloning, mapping and strain variation analysis. *J. gen. Virol.*, **71**, 133–142
- Bublot, M., Wellemans, G., Van Bressem, M.-F., Dubuisson, J., Pastoret, P.P. & Thiry, E. (1991a) Genomic diversity among bovine herpesvirus 4 field isolates. *Arch. Virol.*, **116**, 1–18
- Bublot, M., Dubuisson, J., Van Bressem, M.-F., Danyi, S., Pastoret, P.-P. & Thiry, E. (1991b) Antigenic and genomic identity between simian Herpesvirus aotus type 2 and bovine herpesvirus type 4. *J. gen. Virol.*, **72**, 715–719
- Bublot, M., Lomonte, P., Lequarre, A.-S., Albrecht, J.-C., Nicholas, J., Fleckenstein, B., Pastoret, P.-P. & Thiry, E. (1992) Genetic relationships between bovine herpesvirus 4 and the gammaherpesviruses Epstein-Barr virus and Herpesvirus saimiri. *Virology*, **190**, 654–665
- Buonaguro, F.M., Tornesello, M.L., Beth-Giraldo, E., Hatzakis, A., Mueller, N., Downing, R., Biryamwaho, B., Sempala, S.D. & Giraldo, G. (1996) Herpesvirus-like DNA sequences detected in endemic, classic, iatrogenic and epidemic Kaposi's sarcoma (KS) biopsies. *Int. J. Cancer*, **65**, 25–28
- Burger, R., Wendler, J., Antoni, K., Helm, G., Kalden, J.R. & Gramatzki, M. (1994) Interleukin-6 production in B-cell neoplasias and Castleman's disease: Evidence for an additional paracrine loop. *Ann. Hematol.*, **69**, 25–31
- Cameron, K.R., Stamminger, T., Craxton, M., Bodemer, W., Honess, R.W. & Fleckenstein, B. (1989) The 160,000-M_r-virion protein encoded at the right end of the Herpesvirus saimiri genome is homologous to the 140,000-M_r membrane antigen encoded at the left end of the Epstein-Barr virus genome. *J. Virol.*, **61**, 2063–2070
- Campioni, D., Corallini, A., Zauli, G., Possati, L., Altavilla, G. & Barbanti-Brodano, G. (1995) HIV type 1 extracellular Tat protein stimulates growth and protects cells of BK virus/tat transgenic mice from apoptosis. *AIDS Res. hum. Retroviruses*, **11**, 1039–1048
- Carbone, A., Gloghini, A., Vaccher, E., Zagonel, V., Pastore, C., dalla Palma, P., Branz, F., Saglio, G., Volpe, R., Tirelli, U. & Gaidano, G. (1996a) Kaposi's sarcoma-associated herpesvirus DNA sequences in AIDS-related and AIDS-unrelated lymphomatous effusions. *Br. J. Haematol.*, **94**, 533–543
- Carbone, A., Tirelli, U., Gloghini, A., Pastore, C., Vaccher, E. & Gaidano, G. (1996b) Herpesvirus-like DNA sequences selectively cluster with body-cavity-based lymphomas throughout the spectrum of AIDS-related lymphomatous effusions. *Eur. J. Cancer*, **32A**, 555–556
- Casabona, J., Melbye, M. & Biggar, R.J. (1991) Kaposi's sarcoma and non-Hodgkin's lymphoma in European AIDS cases. No excess risk of Kaposi's sarcoma in Mediterranean countries. *Int. J. Cancer*, **47**, 49–53
- Castleman, B., Iverson, L. & Menendez, V.P. (1956) Localized mediastinal lymph-node hyperplasia resembling thymoma. *Cancer*, **9**, 822–830
- Castrucci, G., Frigeri, F., Cilli, V., Donelli, G., Ferrari, M., Chicchini, U. & Bordoni, E. (1986) A study of herpesvirus isolated from dairy cattle with a history of reproductive disorders. *Comp. Immun. Microbiol. infect. Dis.*, **9**, 13–21
- Castrucci, G., Frigeri, F., Ferrari, M., Ranucci, S., Aldrovandi, V., Cilli, V., Rampichini, L. & Gatti, R. (1987) Experimental infection of calves with strains of bovid herpesvirus 4. *Comp. Immun. Microbiol. infect. Dis.*, **10**, 41–49

- Cathomas, G., McGandy, C.E., Terracciano, L.M., Itin, P.H., De Rosa, G. & Gudat, F. (1996) Detection of herpesvirus-like DNA by nested PCR on archival skin biopsy specimens of various forms of Kaposi sarcoma. *J. clin. Pathol.*, **49**, 631–633
- Cesarman, E., Chang, Y., Moore, P.S., Said, J.W. & Knowles, D.M. (1995a) Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS-related body-cavity-based lymphomas. *New Engl. J. Med.*, **332**, 1186–1191
- Cesarman, E., Moore, P.S., Rao, P.H., Inghirami, G., Knowles, D.M. & Chang, Y. (1995b) In vitro establishment and characterization of two acquired immunodeficiency syndrome-related lymphoma cell lines (BC-1 and BC-2) containing Kaposi's sarcoma-associated herpesvirus-like (KSHV) DNA sequences. *Blood*, **86**, 2708–2714
- Cesarman, E., Nador, R.G., Bai, F., Bohenzky, R.A., Russo, J.J., Moore, P.S., Chang, Y. & Knowles, D.M. (1996a) Kaposi's sarcoma-associated herpesvirus contains G protein-coupled receptor and cyclin D homologs which are expressed in Kaposi's sarcoma and malignant lymphoma. *J. Virol.*, **70**, 8218–8223
- Cesarman, E., Nador, R.G., Aozasa, K., Delsol, G., Said, J.W. & Knowles, D.M. (1996b) Kaposi's sarcoma-associated herpesvirus in non-AIDS-related lymphomas occurring in body cavities. *Am. J. Pathol.*, **149**, 53–57
- Chadburn, A., Cesarman, E., Jagidar, J., Subar, M., Mir, R.N. & Knowles, D.M. (1993) CD30 (Ki-1) positive anaplastic large cell lymphomas in individuals infected with the human immunodeficiency virus. *Cancer*, **72**, 3078–3090
- Chang, L.-Y. & van Santen, V.L. (1992) Immediate-early, early, and late RNAs in bovine herpesvirus-4-infected cells. *Virology*, **191**, 909–920
- Chang, Y., Cesarman, E., Pessin, M.S., Lee, F., Culpepper, J., Knowles, D.M. & Moore, P.S. (1994) Identification of herpesvirus-like DNA sequences in AIDS-associated Kaposi's sarcoma. *Science*, **266**, 1865–1869
- Chang, Y., Moore, P.S., Talbot, S.J., Boshoff, C.H., Zarkowska, T., Godden-Kent, D., Paterson, H., Weiss, R.A. & Mittnacht, S. (1996a) Cyclin encoded by KS herpesvirus. *Nature*, **382**, 410
- Chang, Y., Ziegler, J., Wabinga, H., Katangole-Mbidde, E., Boshoff, C., Schulz, T., Whitby, D., Maddalena, D., Jaffe, H.W., Weiss, R.A. & Moore, P.S. (1996b) Kaposi's sarcoma-associated herpesvirus and Kaposi's sarcoma in Africa. *Arch. intern. Med.*, **156**, 202–204
- Chee, M.S., Bankier, A.T., Beck, S., Bohni, R., Brown, C.M., Cerny, R., Horsnell, T., Hutchison, C.A., Kouzarides, T., Martignetti, J.A., Preddie, E., Satchwell, S.C., Tomlinson, P., Weston, K.M. & Barrell, B.G. (1990) Analysis of the protein-coding content of the sequence of cytomegalovirus strain AD169. *Curr. Top. Microbiol. Immunol.*, **154**, 125–169
- Cheng, E.H.-Y., Nicholas, J., Bellows, D.S., Hayward, G.S., Guo, H.-G., Reitz, M.S. & Hardwick, J.M. (1997) A Bcl-2 homolog encoded by Kaposi sarcoma-associated virus, human herpesvirus 8, inhibits apoptosis but does not heterodimerize with Bax or Bak. *Proc. natl Acad. Sci. USA*, **94**, 690–694
- Chuck, S., Grant, R.M., Katongole-Mbidde, E., Conant, M. & Ganem, D. (1996) Frequent presence of a novel herpesvirus genome in lesions of human immunodeficiency virus-negative Kaposi's sarcoma. *J. infect. Dis.*, **173**, 248–251
- Cockerell, C.J. (1991) Histopathological features of Kaposi's sarcoma in HIV infected individuals. *Cancer Surv.*, **10**, 73–89

- Collandre, H., Ferris, S., Grau, O., Montagnier, L. & Blanchard, A. (1995) Kaposi's sarcoma and new herpesvirus (Letter to the Editor). *Lancet*, **345**, 1043
- Coralini, A., Altavilla, G., Pozzi, L., Bignozzi, F., Negrini, M., Rimessi, P., Gualandi, F. & Barbanti-Brodano, G. (1993) Systemic expression of HIV-1 tat gene in transgenic mice induces endothelial proliferation and tumors of different histotypes. *Cancer Res.*, **53**, 5569–5575
- Corbeil, J., Evans, L.A., Vasak, E., Cooper, D.A. & Penny, R. (1991) Culture and properties of cells derived from Kaposi sarcoma. *J. Immunol.*, **146**, 2972–2976
- Corbellino, M., Parravicini, C., Aubin, J.T. & Berti, E. (1996a) Kaposi's sarcoma and herpesvirus-like DNA sequences in sensory ganglia. *New Engl. J. Med.*, **334**, 1341–1342
- Corbellino, M., Poirel, L., Bestetti, G., Pizzuto, M., Aubin, J.T., Capra, M., Bifulco, C., Berti, E., Agut, H., Rizzardini, G., Galli, M. & Parravicini, C. (1996b) Restricted tissue distribution of extralesional Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS patients with Kaposi's sarcoma. *AIDS Res. hum. Retroviruses*, **12**, 651–657
- Corbellino, M., Bestetti, G., Galli, M. & Parravicini, C. (1996c) Absence of HHV-8 in prostate and semen. *New Engl. J. Med.*, **335**, 1237
- Corbellino, M., Poirel, L., Aubin, J.T., Paulli, M., Magrini, U., Bestetti, G., Galli, M. & Parravicini, C. (1996d) The role of human herpesvirus 8 and Epstein-Barr virus in the pathogenesis of giant lymph node hyperplasia (Castleman's disease). *Clin. Infect. Dis.*, **22**, 1120–1121
- Cottoni, F., de Marco, R. & Montesu, M.A. (1996) Classical Kaposi's sarcoma in north-east Sardinia: An overview from 1977 to 1991. *Br. J. Cancer*, **72**, 1132–1133
- Dahlberg, J.E., Zintz, E. & Ablashi, D.V. (1985) Analysis of Herpesvirus saimiri structural proteins with monoclonal antibodies. *J. Virol.*, **53**, 279–286
- Dahlberg, J.E., Ablashi, D.V., Rhim, J.S., Fladger, A. & Salahuddin, S.Z. (1988) Replication of Herpesvirus saimiri is semipermissive in human cells; because of a block in the synthesis of certain late proteins. *Intervirology*, **29**, 227–234
- Dal Maso, L., Franceschi, S., Negri, E., Serraino, D., La Vecchia, C. & Ancelle-Park, R.A. (1995) Trends of AIDS incidence in Europe and the United States. *Soz. Präventivmed.*, **40**, 239–265
- Daniel, M.D., Meléndez, L.V., Hunt, R.D., King, N.W., Anver, M., Fraser, C.E.O., Barahona, H. & Baggs, R.B. (1974) *Herpesvirus saimiri*: VII. Induction of malignant lymphoma in New Zealand white rabbits. *J. natl Cancer Inst.*, **53**, 1803–1807
- Darrow, W.W., Peterman, T.A., Jaffe, H.W., Rogers, M.F., Curran, J.W. & Beral, V. (1992) Kaposi's sarcoma and exposure to faeces (Letter to the Editor). *Lancet*, **339**, 685
- Davis, D.A., Humphrey, R.W., Newcomb, F.M., O'Brien, T.R., Goedert, J.J., Straus, S.E. & Yarchoan, R. (1997) Detection of serum antibodies to a Kaposi's sarcoma-associated herpesvirus-specific peptide. *J. Infect. Dis.*, **175**, 1071–1079
- Decker, L.L., Shankar, P., Khan, G., Freeman, R.B., Dezube, B.J., Lieberman, J. & Thorley-Lawson, D.A. (1996) The Kaposi's sarcoma-associated herpesvirus (KSHV) is present as an intact latent genome in KS tissue but replicates in the peripheral blood mononuclear cells of KS patients. *J. exp. Med.*, **184**, 283–288
- Deinhardt, F.W., Falk, L.A. & Wolfe, L.G. (1974) Simian herpesviruses and neoplasia. *Adv. Cancer Res.*, **19**, 167–205

- Delli Bovi, P., Donti, E., Knowles, D.M., II, Friedman-Kien, A., Luciw, P.A., Dina, D., Dalla-Favera, R. & Basilico, C. (1986) Presence of chromosomal abnormalities and lack of AIDS retrovirus DNA sequences in AIDS-associated Kaposi's sarcoma. *Cancer Res.*, **46**, 6333–6338
- Desrosiers, R.C., Silva, D.P., Waldron, L.M. & Letvin, N.L. (1986) Nononcogenic deletion mutants of Herpesvirus saimiri are defective for *in vitro* immortalization. *J. Virol.*, **57**, 701–705
- Dictor, M. & Attewell, R. (1988) Epidemiology of Kaposi's sarcoma in Sweden prior to the acquired immunodeficiency syndrome. *Int. J. Cancer*, **42**, 346–351
- Dictor, M., Rambech, E., Way, D., Witte, M. & Bendsøe, N. (1996) Human herpesvirus 8 (Kaposi's sarcoma-associated herpesvirus) DNA in Kaposi's sarcoma lesions, AIDS Kaposi's sarcoma cell lines, endothelial Kaposi's sarcoma simulators, and the skin of immunosuppressed patients. *Am. J. Pathol.*, **148**, 2009–2016
- DiGiovanna, J.J. & Safai, B. (1981) Kaposi's sarcoma. Retrospective study of 90 cases with particular emphasis on the familial occurrence, ethnic background and prevalence of other diseases. *Am. med. J.*, **71**, 779–783
- Dörffel, J. (1932) Histogenesis of multiple idiopathic hemorrhagic sarcoma of Kaposi. *Arch. Dermatol. Syph.*, **26**, 608–634
- Dubuisson, J., Thiry, E., Thomas, I., Coignoul, F., Bublot, M., Van Heule, G., Dekegel, D. & Pastoret, P.P. (1987) Experimental infection of bulls by intratesticular injection of a bovid herpesvirus 4 strain isolated from a case of orchitis. *Ann. Méd. vét.*, **131**, 37–48 (in French)
- Dubuisson, J., Boulanger, D., Bublot, M., Thiry, E. & Pastoret, P.-P. (1989a) Proteins specified by bovine herpesvirus type 4: Structural proteins of the virion and identification of two major glycoproteins by using monoclonal antibodies. *J. gen. Virol.*, **70**, 1743–1753
- Dubuisson, J., Thiry, E., Bublot, M., Thomas, I., Van Bressem, M.-F., Coignoul F. & Pastoret P.-P. (1989b) Experimental infection of bulls with a genital isolate of bovine herpesvirus-4 and reactivation of latent virus with dexamethasone. *Vet. Microbiol.*, **21**, 97–114
- Dubuisson, J., Danyi, S., Bublot, M., Pastoret, P.-P. & Thiry, E. (1991a) Comparison of proteins of simian Herpesvirus aotus type 2 and bovine herpesvirus type 4. *J. gen. Virol.*, **72**, 1145–1150
- Dubuisson, J., Bublot, M., Wellemans, G., Pastoret, P.-P. & Thiry, E. (1991b) Bovine herpesvirus 4 isolates: A comparison of three major glycoproteins. *Vet. Microbiol.*, **29**, 251–259
- Dubuisson, J., Pastoret, P.-P. & Thiry, E. (1991c) Temporal control of bovine herpesvirus type 4 glycoprotein synthesis. *J. gen. Virol.*, **72**, 1429–1434
- Dubuisson, J., Koromyslov, I., Pastoret, P.-P. & Thiry, E. (1992a) Proteins of bovine herpesvirus type 4 released into the culture medium of productively infected cells: Identification of a 135 K glycoprotein involved in viral attachment. *J. gen. Virol.*, **73**, 189–194
- Dubuisson, J., Pastoret, P.-P. & Thiry, E. (1992b) Identification and characterization of the glycoprotein gp1 of bovine herpesvirus type 4. *J. gen. Virol.*, **73**, 1293–1296
- Dupin, N., Grandadam, M., Calvez, V., Gorin, I., Aubin, J.T., Havard, S., Lamy, F., Leibowitch, M., Huraux, J.M., Escande, J.P. & Agut, H. (1995a) Herpesvirus-like DNA sequences in patients with Mediterranean Kaposi's sarcoma. *Lancet*, **345**, 761–762
- Dupin, N., Gorin, I., Deleuze, J., Agut, H., Huraux, J.-M. & Escande, J.-P. (1995b) Herpes-like DNA sequences, AIDS-related tumors, and Castleman's disease. *New Engl. J. Med.*, **333**, 798

- Egyed, L., Ballagi-Pordány, A., Bartha, A. & Belák, S. (1996) Studies of in vivo distribution of bovine herpesvirus type 4 in the natural host. *J. clin. Microbiol.*, **34**, 1091–1095
- Ehlers, B., Buhk, H.-J. & Ludwig, H. (1985) Analysis of bovine cytomegalovirus genome structure: Cloning and mapping of the monomeric polyrepetitive DNA unit, and comparison of European and American strains. *J. gen. Virol.*, **66**, 55–68
- Elford, J., Tindall, B. & Sharkey, T. (1992) Kaposi's sarcoma and insertive rimming (Letter to the Editor). *Lancet*, **339**, 938
- Ensoli, B., Nakamura, S., Salahuddin, S.Z., Biberfeld, P., Larsson, L., Beaver, B., Wong-Staal, F. & Gallo, R.C. (1989) AIDS-Kaposi's sarcoma-derived cells express cytokines with autocrine and paracrine growth effects. *Science*, **243**, 223–226
- Ensoli, B., Barillari, G., Salahuddin, S.Z., Gallo, R.C. & Wong-Staal, F. (1990) Tat protein of HIV-1 stimulates growth of cells derived from Kaposi's sarcoma lesions of AIDS patients. *Nature*, **345**, 84–86
- Ensoli, B., Markham, P., Kao, V., Barillari, G., Fiorelli, V., Gendelman, R., Raffeld, M., Zon, G. & Gallo, R.C. (1994a) Block of AIDS-Kaposi's sarcoma (KS) cell growth, angiogenesis, and lesion formation in nude mice by antisense oligonucleotide targeting basic fibroblast growth factor. *J. clin. Invest.*, **94**, 1736–1746
- Ensoli, B., Gendelman, R., Markham, P., Fiorelli, V., Colombini, S., Raffeld, M., Cafaro, A., Chang, H.K., Brady, J.N. & Gallo, R.C. (1994b) Synergy between basic fibroblast growth factor and HIV-1 Tat protein in induction of Kaposi's sarcoma. *Nature*, **371**, 674–680
- Eugster, A.K. (1978/1979) Isolation of bovine herpesvirus III from diarrheic feces. *Vet. Microbiol.*, **3**, 199–204
- Evermann, J.F. & Henry, B.E. (1989) Herpetic infections of cattle: A comparison of bovine cytomegalovirus and infectious bovine rhinotracheitis. *Compendium*, **11**, 205–215
- Evermann, J.F., Mueller, G.M. & Dilbeck, P.M. (1985) Clinical and diagnostic implications of bovid herpesvirus type 4 (bovine cytomegalovirus) infections. *Am. Assoc. vet. Lab. Diag. Proc.*, **27**, 125–136
- Fabricant, C.G., Gillespie, J.H. & Krook, L. (1971) Intracellular and extracellular mineral crystal formation induced by viral infection of cell cultures. *Infect. Immun.*, **3**, 416–419
- Falk, L.A., Nigida, S.M., Deinhardt, F., Wolfe, L.G., Cooper, R.W. & Hernandez-Camacho, J.I. (1974) Herpesvirus ateles; properties of an oncogenic herpesvirus from circulating lymphocytes of spider monkey (*Ateles* sp.). *Int. J. Cancer*, **14**, 473–482
- Flamand, L., Zeman, R.A., Bryant, J.L., Lunardi-Iskandar, Y. & Gallo, R.C. (1996) Absence of human herpesvirus 8 DNA sequences in neoplastic Kaposi's sarcoma cell lines. *J. AIDS hum. Retrovirol.*, **13**, 194–197
- Fleckenstein, B. & Desrosiers, R.C. (1982) Herpesvirus saimiri and Herpesvirus ateles. In: Roizman, B., ed., *The Herpesvirus*, Vol. 1, New York, Plenum Press, pp. 253–332
- Fleckenstein, B., Daniel, M.D., Hunt, R.D., Werner, J., Falk, L.A. & Mulder, C. (1978a) Tumour induction with DNA of oncogenic primate herpesviruses. *Nature*, **274**, 57–59
- Fleckenstein, B., Bornkamm, G.W., Mulder, C., Werner, F.-J., Daniel, M.D., Falk, L.A. & Delius, H. (1978b) *Herpesvirus ateles* DNA and its homology with *Herpesvirus saimiri* nucleic acid. *J. Virol.*, **25**, 361–373
- Foreman, K.E., Friberg, J., Kong, W.-P., Woffendin, C., Polverini, P.J., Nickoloff, B.J. & Nabel, G.J. (1997) Propagation of a human herpesvirus from AIDS-associated Kaposi's sarcoma. *New Engl. J. Med.*, **336**, 163–171

- Franceschi, S. & Geddes, M. (1995) Epidemiology of classic Kaposi's sarcoma, with special reference to Mediterranean population. *Tumori*, **81**, 308–314
- Franceschi, S., Arniani, S., Balzi, D. & Geddes, M. (1996) Survival of classic Kaposi's sarcoma and risk of second cancer. *Br. J. Cancer*, **74**, 1812–1814
- Friedman-Birnbaum, R., Weltfriend, S. & Katz, I. (1990) Kaposi's sarcoma: Retrospective study of 67 cases with the classical form. *Dermatologica*, **180**, 13–17
- Friedman-Kien, A.E., Saltzman, B.R., Cao, Y., Nestor, M.S., Mirabile, M., Li, J.J. & Peterman, T.A. (1990) Kaposi's sarcoma in HIV-negative homosexual men. *Lancet*, **335**, 168–169
- Gaidano, G., Cechova, K., Chang, Y., Moore, P.S., Knowles, D.M. & Dalla-Favera, R. (1996a) Establishment of AIDS-related lymphoma cell lines from lymphomatous effusions. *Leukemia*, **10**, 1237–1240
- Gaidano, G., Pastore, C., Gloghini, A., Cusini, M., Nomdedéu J., Volpe, G., Capello, D., Vaccher, E., Bordes, R., Tirelli, U., Sagli, G. & Carbone, A. (1996b) Distribution of human herpesvirus-8 sequences throughout the spectrum of AIDS-related neoplasia. *AIDS*, **10**, 941–949
- Gaidano, G., Pastore, C., Gloghini, A., Volpe, G., Capello, D., Polito, P., Vaccher, E., Tirelli, U., Saglio, G. & Carbone, A. (1997) Human herpesvirus type-8 (HHV-8) in haematopoietic neoplasia. *Leukemia Lymphoma*, **24**, 257–266
- Gao, S.-J., Kingsley, L., Li, M., Zheng, W., Parravicini, C., Ziegler, J., Newton, R., Rinaldo, C.R., Saah, A., Phair, J., Detels, R., Chang, Y. & Moore, P.S. (1996a) KSHV antibodies among Americans, Italians, and Ugandans with and without Kaposi's sarcoma. *Nature Med.*, **2**, 925–928
- Gao, S.-J., Kingsley, L., Hoover, D.R., Spira, T.J., Rinaldo, C.R., Saah, A., Phair, J., Detels, R., Preston, P., Chang, Y. & Moore, P.S. (1996b) Seroconversion to antibodies against Kaposi's sarcoma-associated herpesvirus-related latent nuclear antigens before the development of Kaposi's sarcoma. *New Engl. J. Med.*, **335**, 233–241
- Geddes, M., Francheschi, S., Barchielli, A., Falcini, F., Carli, S., Cocconi, G., Conti, E., Crosignani, P., Gafà, L., Giarelli, L., Vercelli, M. & Zanetti, R. (1994) Kaposi's sarcoma in Italy before and after the AIDS epidemic. *Br. J. Cancer*, **69**, 333–336
- Gessain, A., Sudaka, A., Briere, J., Fouchard, N., Nicola, M.A., Rio, B., Arborio, M., Troussard, X., Audouin, J., Diebold, J. & de Thé, G. (1996) Kaposi sarcoma-associated herpes-like virus (human herpesvirus type 8) DNA sequences in multicentric Castleman's disease: Is there any relevant association in non-human immunodeficiency virus-infected patients? *Blood*, **87**, 414–416
- Gessain, A., Brière, J., Angelin-Duclos, C., Valensi, F., Béral, H.M., Davi, F., Nicola, M.-A., Sudaka, A., Fouchard, N., Gabarre, J., Troussard, X., Dulmet, E., Audouin, J., Diebold, J. & de Thé, G. (1997) Human herpes virus 8 (Kaposi's sarcoma herpes virus) and malignant lymphoproliferations in France: A molecular study of 250 cases including two AIDS-associated body cavity based lymphomas. *Leukemia*, **11**, 266–272
- Gillitzer, R. & Berger, R. (1991) High levels of macrophage chemotactic protein 1 and IL-6 in lesions of Kaposi's sarcoma in situ. *J. cell. Biochem., Suppl.*, **15F**, 249
- Giraldo, G., Beth, E. & Haguenauf, F. (1972) Herpes-type particles in tissue culture of Kaposi's sarcoma from different geographic regions. *J. natl Cancer Inst.*, **49**, 1509–1526

- Giraldo, G., Beth, E. & Huang, E.-S. (1980) Kaposi's sarcoma and its relationship to cytomegalovirus (CMV). III. CMV DNA and CMV early antigens in Kaposi's sarcoma. *Int. J. Cancer*, **26**, 23–29
- Glesby, M.J., Hoover, D.R., Weng, S., Graham, N.M., Phair, J.P., Detels, R., Ho, M. & Saah, A.J. (1996) Use of antiherpes drugs and the risk of Kaposi's sarcoma: Data from the Multi-center AIDS Cohort Study. *J. inf. Dis.*, **173**, 1477–1480
- Godden-Kent, D., Talbot, S.J., Boshoff, C., Chang, Y., Moore, P., Weiss, R.A. & Mittnacht, S. (1997) The cyclin encoded by Kaposi's sarcoma-associated herpesvirus stimulates cdk6 to phosphorylate the retinoblastoma protein and histone H1. *J. Virol.*, **71**, 4193–4198
- Goedert, J.J., Biggar, R.J., Melbye, M., Mann, D.L., Wilson, S., Gail, M.H., Grossman, R.J., DiGioia, R.A., Sanchez, W.C., Weiss, S.H. & Blattner, W.A. (1987) Effect of T4 count and cofactors on the incidence of AIDS in homosexual men infected with human immunodeficiency virus. *J. Am. med. Assoc.*, **257**, 331–334
- Grulich, A., Beral, V. & Swerdlow, A.J. (1992) Kaposi's sarcoma in England and Wales before the AIDS epidemic. *Br. J. Cancer*, **66**, 1135–1137
- Gupta, P., Singh, M.K., Rinaldo, C., Ding, M., Farzadegan, H., Saah, A., Hoover, D., Moore, P. & Kingsley, L. (1996) Detection of Kaposi's sarcoma herpesvirus DNA in semen of homosexual men with Kaposi's sarcoma. *AIDS*, **10**, 1596–1598
- Gyulai, R., Kemény, L., Adam, E., Nagy, F. & Dobozy, A. (1996a) HHV8 DNA in angio-lymphoid hyperplasia of the skin (Letter to the Editor). *Lancet*, **347**, 1837
- Gyulai, R., Kemény, L., Kiss, M., Adam, E., Nagy, F. & Dobozy, A. (1996b) Herpesvirus-like DNA sequence in angiosarcoma in a patient without HIV infection. *New Engl. J. Med.*, **334**, 540–541
- Harada, H., Kitagawa, M., Tanaka, N., Yamamoto, H., Harada, K., Ishihara, M. & Taniguchi, T. (1993) Anti-oncogenic and oncogenic potentials of interferon regulatory factors-1 and -2. *Science*, **259**, 971–974
- Harwood, A.R., Osoba, D., Hofstader, S.L., Goldstein, M.B., Cardella, C.J., Holecek, M.J., Kunynetz, R. & Giamarco, R.A. (1979) Kaposi's sarcoma in recipients of renal transplants. *Am. J. Med.*, **67**, 759–765
- Haverkos, H.W., Pinsky, P.F., Drotman, D.P. & Bregman, D.J. (1985) Disease manifestation among homosexual men with acquired immunodeficiency syndrome: A possible role of nitrites in Kaposi's sarcoma. *Sex. transm. Dis.*, **12**, 203–208
- Heredia, A., Vallejo, A., Hewlett, I.K., Soriano, V., Bravo, R., Mas, A., Castro, A., Pedreira, J. & Sanchez-Viera, M. (1996) Detection of herpesvirus type 8 (HHV-8) sequences in patients with Kaposi's sarcoma in Spain. *J. AIDS*, **11**, 310–311
- Herndier, B.G., Werner, A., Arnstein, P., Abbey, N.W., Demartis, F., Cohen, R.L., Shuman, M.A. & Levy, J.A. (1994) Characterization of a human Kaposi's sarcoma cell line that induces angiogenic tumours in animals. *AIDS*, **8**, 575–581
- Herrada, J. & Cabanillas, F.F. (1995) Multicentric Castleman's disease. *Am. J. clin. Oncol.*, **18**, 180–183
- Hjalgrim, H., Melbye, M., Pukkala, E., Langmark, F., Frisch, M., Dictor, M. & Ekbom, A. (1996a) Epidemiology of Kaposi's sarcoma in the Nordic countries before the AIDS epidemic. *Br. J. Cancer*, **74**, 1499–1502
- Hjalgrim, H., Melbye, M., Lecker, S., Frisch, M., Thomsen, H.K. & Larsen, S.O. (1996b) Epidemiology of classic Kaposi's sarcoma in Denmark 1970 and 1992. *Cancer*, **77**, 1373–1378

- Hjalgrim, H., Tulinius, H., Dalberg, J., Hardarson, S., Frisch, M. & Melbye, M. (1998) High incidence of Kaposi's sarcoma in Iceland and the Faroe islands. *J. natl Cancer Inst.* (in press)
- Homan, E.J. & Easterday, B.C. (1981) Further studies of naturally occurring latent bovine herpesvirus infection. *Am. J. vet. Res.*, **42**, 1811–1813
- House, J.A., Wilson, T.M., El Nakashly, S., Karim, I.A., Ismail, I., El Danaf, N., Moussa, A.M. & Ayoub, N.N. (1990) The isolation of lumpy skin disease virus and bovine herpesvirus-4 from cattle in Egypt. *J. vet. Diagn. Invest.*, **2**, 111–115
- Howard, M., Brink, N., Miller, R. & Tedder, R. (1995) Association of human herpes virus with pulmonary Kaposi's sarcoma (Letter to the Editor). *Lancet*, **346**, 712
- Howard, M.R., Whitby, D., Bahadur, G., Suggett, F., Boshoff, C., Tenant, F.M., Schulz, T.F., Kirk, S., Matthews, S., Weller, I., Tedder, R.S. & Weiss, R.A. (1997) Detection of human herpesvirus 8 DNA in semen from HIV-infected individuals but not healthy semen donors. *AIDS*, **11**, F15–F19
- Huang, Y.Q., Li, J.J., Kaplan, M.H., Poiesz, B., Katabira, E., Zhang, W.C., Feinder, D. & Friedman-Kien, A.E. (1995) Human herpesvirus-like nucleic acid in various forms of Kaposi's sarcoma. *Lancet*, **345**, 759–761
- Huang, Y.Q., Li, J.J., Poiesz, B.J., Kaplan, M.H. & Friedman-Kien, A.E. (1997) Detection of the herpesvirus-like DNA sequences in matched specimens of semen and blood from patients with AIDS-related Kaposi's sarcoma by polymerase chain reaction in situ hybridization. *Am. J. Pathol.*, **150**, 147–153
- Humphrey, R.W., O'Brien, T.R., Newcomb, F.M., Nishihara, H., Wyvill, K.M., Ramos, G.A., Saville, M.W., Goedert, J.J., Straus, S.E. & Yarchoan, R. (1996) Kaposi's sarcoma (KS)-associated herpesvirus-like DNA sequences in peripheral blood mononuclear cells: Association with KS and persistence in patients receiving anti-herpesvirus drugs. *Blood*, **88**, 297–301
- Hunt, R.D., Meléndez, L.V., Garcia, F.G. & Trum, B.F. (1972) Pathologic features of *Herpesvirus ateles* lymphoma in cotton-topped marmosets. *J. natl Cancer Inst.*, **49**, 1631–1639
- Hutt, M.S.R. (1984) Classical and endemic form of Kaposi's sarcoma. A review. *Antibiot. Chemother.*, **32**, 12–17
- Hutt, M.S.R. & Burkitt, D. (1965) Geographical distribution of cancer in East Africa: A new clinicopathological approach. *Br. med. J.*, **ii**, 719–722
- Hymes, K.B., Cheung, T., Greene, J.B., Prose, N.S., Marcus, A., Ballard, H., William, D.C. & Laubenstein, L.J. (1981) Kaposi's sarcoma in homosexual men — A report of eight cases. *Lancet*, **ii**, 598–600
- IARC (1996) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 67, *Human Immunodeficiency Viruses and Human T-cell Lymphotropic Viruses*, Lyon, IARC, pp. 31–259
- Ioachim, H.L. (1995) Kaposi's sarcoma and KSHV (Letter to the Editor). *Lancet*, **346**, 1360
- Ishiyama, T., Koike, M., Fukuchi, K., Tomoyasu, S., Yoshida, M., Wakabayashi, Y. & Tsuruoka, N. (1996) Apoptosis of T cells in multicentric Castleman's disease. *Clin. Immunol. Immunopathol.*, **79**, 27–277
- Iuchi, K., Ichimiya, A., Akashi, A., Mizuta, T., Lee, Y.E., Tada, H., Mori, T., Sawamura, K., Lee, Y.S., Furuse, K., Yamamoto, S. & Aozasa, K. (1987) Non-Hodgkin's lymphoma of the pleural cavity developing from long-standing pyothorax. *Cancer*, **60**, 1771–1775

- Iuchi, K., Aozasa, K., Yamamoto, S., Mori, T., Tajima, K., Minato, K., Mukai, K., Komatsu, H., Tagaki, T., Kobashi, Y., Yamabe, H. & Shimoyama, M. (1989) Non-Hodgkin's lymphoma of the pleural cavity developing from long-standing pyothorax. Summary of clinical and pathological findings in thirty-seven cases. *Jpn. J. clin. Oncol.*, **19**, 249–257
- Jacobson, L.P., Kirby, A.J., Polk, S., Phair, J.P., Besley, D.R., Saah, A.J., Kingsley, L.A. & Schrager, L.K. (1993) Changes in survival after acquired immunodeficiency syndrome (AIDS): 1984–1991. *Am. J. Epidemiol.*, **138**, 952–964
- Jaffe, E.S. (1996) Primary body cavity-based AIDS-related lymphomas. Evolution of a new disease entity. *Am. J. clin. Pathol.*, **105**, 141–143
- Jaffe, H.W., Choi, K., Thomas, P.A., Haverkos, H.W., Auerbach, D.M., Guinan, M.E., Rogers, M.F., Spira, T.J., Darrow, W.W., Kramer, M.A., Friedman, S.M., Monroe, J.M., Friedman-Kien, A.E., Laubenstein, L.J., Marmor, M., Safai, B., Dritz, S.K., Crispi, S.J., Fannini, S.L., Orkwis, J.P., Kelter, A., Rushing, W.R., Thacker, S.B. & Curran, J.W. (1983) National case-control study of Kaposi's sarcoma and Pneumocystis carinii pneumonia in homosexual men: Part 1. Epidemiologic results. *Ann. intern. Med.*, **99**, 145–151
- Jin, Y.-T., Tsai, S.-T., Yan, J.-J., Hsiao, J.-H., Lee, Y.-Y. & Su, I.-J. (1996a) Detection of Kaposi's sarcoma-associated herpesvirus-like DNA sequence in vascular lesions. *Am. J. clin. Pathol.*, **105**, 360–363
- Jin, Y.-T., Tsai, S.-T., Yan, J.-J., Chen, F.-F., Lee, W.-Y., Li, W.-Y., Chiang, H. & Su, I.-J. (1996b) Presence of human herpesvirus-like DNA sequences in oral Kaposi's sarcoma. *Oral Surg. oral Med. oral Pathol.*, **81**, 442–444
- Jones, J.L., Hanson, D.L., Chu, S.Y., Ward, J.W. & Jaffe, H.W. (1995) AIDS-associated Kaposi's sarcoma. *Science*, **267**, 1078–1079
- Jung, J.U. & Desrosiers, R.C. (1991) Identification and characterization of the Herpesvirus saimiri oncoprotein STP-C488. *J. Virol.*, **65**, 6953–6960
- Jung, J.U. & Desrosiers, R.C. (1994) Herpesvirus saimiri and atelos. In: Webster, R.G. & Granoff, A., eds, *Encyclopedia of Virology*, New York, Academic Press, pp. 614–621
- Jung, J.U., Trimble, J.J., King, N.W., Biesinger, B., Fleckenstein, B.W. & Desrosiers, R.C. (1991) Identification of transforming genes of subgroup A and C strains of Herpesvirus saimiri. *Proc. natl Acad. Sci. USA*, **88**, 7051–7055
- Kaaya, E.E., Parravicini, C., Ordonez, C., Gendelman, R., Berti, E., Gallo, R.C. & Biberfeld, P. (1995) Heterogeneity of spindle cells in Kaposi's sarcoma: Comparison of cells in lesions and in culture. *J. AIDS hum. Retrovirol.*, **10**, 295–305
- Kaldor, J.M., Tindall, B., Williamson, P., Elford, J. & Cooper, D.A. (1993) Factors associated with Kaposi's sarcoma in a cohort of homosexual and bisexual men. *J. AIDS*, **6**, 1145–1149
- Kaldor, J.M., Coates, M., Vettom, L. & Taylor, R. (1994) Epidemiological characteristics of Kaposi's sarcoma prior to the AIDS epidemic. *Br. J. Cancer*, **70**, 674–676
- Kaminjolo, J.S., Mugera, G.M. & Rosted, A.F. (1972) Isolation of a herpes-type virus from some tumours of bovine origin. *Zbl. vet. Med. B.*, **19**, 626–632
- Kaposi, M. (1872) Idiopathic, multiple, pigmented sarcoma of the skin. *Arch. Dermatol. Syph.*, **2**, 265–273 (in German)
- Karcher, D.S. & Alkan, S. (1995) Herpes-like DNA sequences, AIDS-related tumors, and Castleman's disease. *New Engl. J. Med.*, **333**, 797–798

- Karcher, D.S., Dawkins, F. & Garrett, C.T. (1992) Body cavity-based non-Hodgkin's lymphoma (NHL) in HIV-infected patients: B-cell lymphoma with unusual clinical, immunophenotypic, and genotypic features (Abstract No. 469). *Lab. Invest.*, **66**, 80A
- Kawano, M., Hirano, T., Matsuda, T., Taga, T., Horii, Y., Iwato, K., Asaoku, H., Tang, B., Tanabe, O., Tanaka, H., Kuramoto, A. & Kishimoto, T. (1988) Autocrine generation and requirement of BSF-2/IL-6 for human multiple myelomas. *Nature*, **332**, 83–84
- Kedes, D.H. & Ganem, D. (1997) Sensitivity of Kaposi's sarcoma-associated herpesvirus replication to antiviral drugs. Implications for potential therapy. *J. clin. Invest.*, **99**, 2082–2086
- Kedes, D.H., Operksalski, E., Busch, M., Kohn, R., Flood, J. & Ganem, D. (1996) The sero-epidemiology of human herpesvirus 8 (Kaposi's sarcoma-associated herpesvirus): Distribution of infection in KS risk groups and evidence for sexual transmission. *Nature Med.*, **2**, 918–924
- Kedes, D.H., Ganem, D., Ameli, N., Bachetti, P. & Greenblatt, R. (1997) The prevalence of serum antibody to human herpesvirus 8 (Kaposi sarcoma-associated herpesvirus) among HIV-seropositive and high-risk HIV-seronegative women. *J. Am. med. Assoc.*, **277**, 478–481
- Kendrick, J.W., Osburn, B.I. & Kronlund, N. (1976) Pathogenicity studies on a bovine herpesvirus. *Theriogenology*, **6**, 447–462
- Kikutani, H., Taga, T., Akira, S., Kishi, H., Miki, Y., Saiki, O., Yamamura, Y. & Kishimoto, T. (1985) Effect of B cell differentiation factor (BCDF) on biosynthesis and secretion of immunoglobulin molecules in human B cell lines. *J. Immunol.*, **134**, 990–995
- Kishimoto, T. (1989) The biology of interleukin-6. *Blood*, **74**, 1–10
- Kit, S., Kit, M., Ichimura, H., Crandell, R. & McConnell, S. (1986) Induction of thymidine kinase activity by viruses with group B DNA genomes: Bovine cytomegalovirus (bovine herpesvirus 4). *Virus Res.*, **4**, 197–212
- Klein, G., Pearson, G., Rabson, A., Ablashi, D.V., Falk, L., Wolfe, L., Deinhardt, F. & Rabin, H. (1973) Antibody reactions to Herpesvirus saimiri (HVS)-induced early and late antigens (EA and LA) in HVS-infected squirrel, marmoset and owl monkeys. *Int. J. Cancer*, **12**, 270–289
- Knowles, D.M., Chamulak, G.A., Subar, M., Burke, J.S., Dugan, M., Wernz, J., Slywotzky, C., Pelicci, G., Dalla-Favera, R. & Raphael, B. (1988) Lymphoid neoplasia associated with the acquired immunodeficiency syndrome (AIDS). The New York University Medical Center experience with 105 patients (1981–1986). *Ann. intern. Med.*, **108**, 744–753
- Knowles, D.M., Inghirami, G., Ubriaco, A. & Dalla-Favera, R. (1989) Molecular genetic analysis of three AIDS-associated neoplasms of uncertain lineage demonstrates their B-cell derivation and the possible pathogenetic role of the Epstein-Barr virus. *Blood*, **73**, 792–799
- Koelle, D.M., Huang, M.L., Chandran, B., Vieira, J., Piepkorn, M. & Corey, L. (1997) Frequent detection of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) DNA in saliva of human immunodeficiency virus-infected men: Clinical and immunologic correlates. *J. infect. Dis.*, **176**, 94–102
- Komanduri, K.V., Luce, J.A., McGrath, M.S., Herndier, B.G. & Ng, V.L. (1996) The natural history and molecular heterogeneity of HIV-associated primary malignant lymphomatous effusions. *J. AIDS hum. Retrovirol.*, **13**, 215–226
- Kretschmer, C., Murphy, C., Biesinger, B., Beckers, J., Fickenscher, H., Kirchner, T., Fleckenstein, B. & Rüther, U. (1996) A Herpes saimiri oncogene causing peripheral T-cell lymphoma in transgenic mice. *Oncogene*, **12**, 1609–1616

- Krogman, L.A. & McAdaragh, J.P. (1982) Recrudescence of bovine herpesvirus-5 in experimentally infected calves. *Am. J. vet. Res.*, **43**, 336–338
- Kruger, J.M., Osborne, C.A., Goyal, S.M., Pomeroy, K.A. & O'Brien, T.D. (1990) Clinico-pathologic and pathologic findings of herpesvirus-induced urinary tract infection in conventionally reared cats. *Am. J. vet. Res.*, **51**, 1649–1655
- Kung, S.-H. & Medveczky, P.G. (1996) Identification of Herpesvirus saimiri *cis*-acting DNA fragment that permits stable replication of episomes in transformed T cells. *J. Virol.*, **70**, 1738–1744
- Lagunoff, M. & Ganem, D. (1997) The structure and coding organization of the genomic termini of Kaposi's sarcoma-associated herpesvirus. *Virology*, **236**, 147–154
- Landman, P., Karsenty, E., Katz, L. & Saimot, A.G. (1984) Kaposi's sarcoma in Israel: Epidemiological data 1960–1980. *Bull. Soc. Pathol. exp.*, **77**, 572–576 (in French)
- Lane, H.C., Depper, J.M., Greene, W.C., Whalen, G., Waldmann, T.A. & Fauci, A.S. (1985) Quantitative analysis of immune function in patients with the acquired immunodeficiency syndrome: Evidence for a selective defect in soluble antigen recognition. *New Engl. J. Med.*, **313**, 79–84
- Laor, Y. & Schwartz, R.A. (1979) Epidemiologic aspects of American Kaposi's sarcoma. *J. surg. Oncol.*, **12**, 299–303
- Laufs, R. & Meléndez, L.V. (1973) Oncogenicity of *Herpesvirus atelis* in monkeys. *J. natl Cancer Inst.*, **51**, 599–608
- Lebbé, C., de Crémoux, P., Rybojad, M., Costa da Cunha, C., Morel, P. & Calvo, F. (1995) Kaposi's sarcoma and new herpesvirus (Letter to the Editor). *Lancet*, **345**, 1180
- Lebbé, C., Agbalika, F., de Crémoux, P., Deplanche, M., Rybojad, M., Masgrau, E., Morel, P. & Calvo, F. (1997a) Detection of human herpesvirus 8 and human T-cell lymphotropic virus type 1 sequences in Kaposi's sarcoma. *Arch. Dermatol.*, **133**, 25–30
- Lebbé, C., Pellet, C., Tatoud, R., Agbalika, F., Dosquet, P., Desgrez, J.P., Morel, P. & Calvo, F. (1997b) Absence of human herpesvirus 8 sequences in prostate specimens. *AIDS*, **11**, 270
- Lefrère, J.J., Meyohas, M.C., Mariotti, M., Meynard, J.L., Thauvin, M. & Frottier, J. (1996) Detection of human herpesvirus 8 DNA sequences before the appearance of Kaposi's sarcoma in human immunodeficiency virus (HIV)-positive subjects with a known date of HIV seroconversion. *J. infect. Dis.*, **174**, 283–287
- Lennette, E.T., Blackbourn, D.J. & Levy, J.A. (1996) Antibodies to human herpesvirus type 8 in the general population and in Kaposi's sarcoma patients. *Lancet*, **348**, 858–861
- Leonard, J.M., Abramczuk, J.W., Pezen, D.S., Rutledge, R., Belcher, J.H., Hakim, F., Shearer, G., Lamperth, L., Travis, W., Fredrickson, T., Notkins, A.L. & Martin, M.A. (1988) Development of disease and virus recovery in transgenic mice containing HIV proviral DNA. *Science*, **242**, 1665–1670
- Levine, A.M. (1993) AIDS-related malignancies: The emerging epidemic. *J. natl Cancer Inst.*, **85**, 1382–1397
- Li, J.J., Huang, Y.Q., Moscatelli, D., Nicolaides, A., Zhang, W.C. & Friedman-Kien, A.E. (1993) Expression of fibroblast growth factors and their receptors in acquired immunodeficiency syndrome-associated Kaposi sarcoma tissue and derived cells. *Cancer*, **72**, 2253–2259

- Li, J.J., Huang, Y.Q., Cockerell, C.J. & Friedman-Kien, A.E. (1996) Localization of human herpes-like virus type 8 in vascular endothelial cells and perivascular spindle-shaped cells of Kaposi's sarcoma lesions by *in situ* hybridization. *Am. J. Pathol.*, **148**, 1741–1748
- Li, M., Lee, H., Yoon, D.-W., Albrecht, J.-C., Fleckenstein, B., Neipel, F. & Jung, J.U. (1997) Kaposi's sarcoma-associated herpesvirus encodes a functional cyclin. *J. Virol.*, **71**, 1984–1991
- Lifson, A.R., Darrow, W.W., Hessol, N.A., O'Malley, P.M., Barnhart, J.L., Jaffe, H.W. & Rutherford, G.W. (1990a) Kaposi's sarcoma in a cohort of homosexual and bisexual men. Epidemiology and analysis for cofactors. *Am. J. Epidemiol.*, **131**, 221–31
- Lifson, A.R., Darrow, W.W., Hessol, N.A., O'Malley, P.M., Barnhart, L., Jaffe, H.W. & Rutherford, G.W. (1990b) Kaposi's sarcoma among homosexual and bisexual men enrolled in the San Francisco City Clinic Cohort Study. *J. AIDS*, **3** (Suppl. 1), S32–S37
- Lin, J.-C., Lin, S.-C., Mar, E.-C., Pellett, P.E., Stamey, F. R., Stewart, J.A. & Spira, T.J. (1995) Is Kaposi's sarcoma associated herpesvirus detectable in semen of HIV-infected homosexual men? *Lancet*, **346**, 1601–1602
- Lin, S.-F., Sun, R., Heston, L., Gradoville, L., Shedd, D., Haglund, K., Rigsby, M. & Miller, G. (1997) Identification, expression, and immunogenicity of Kaposi's sarcoma-associated herpesvirus-encoded small viral capsid antigen. *J. Virol.*, **71**, 3069–3076
- Little, D., Said, J.W., Siegel, R.J., Fealy, M. & Fishbein, M.C. (1986) Endothelial cell markers in vascular neoplasms: An immunohistochemical study comparing factor VIII-related antigen, blood group specific antigens, 6-keto-PGF₁- α , and Ulex europaeus 1 lectin. *J. Pathol.*, **149**, 89–95
- Lomonte, P., Bublot, M., van Santen, V., Keil, G., Pastoret, P.-P. & Thiry, E. (1996) Bovine herpesvirus 4: Genomic organization and relationship with two other gammaherpesviruses, Epstein-Barr virus and Herpesvirus saimiri. *Vet. Microbiol.*, **53**, 79–89
- Lomonte, P., Filée, P., Lyaku, J.R., Bublot, M., Pastoret, P.-P. & Thiry, E. (1997) Glycoprotein B of bovine herpesvirus 4 is a major component of the virion, unlike that of two other gammaherpesviruses, Epstein-Barr virus and murine gammaherpesvirus 68. *J. Virol.*, **71**, 3332–3335
- Lopez, O. J., Galeota, J. A. & Osorio, F. A. (1996) Bovine herpesvirus type-4 (BHV-4) persistently infects cells of the marginal zone of spleen in cattle. *Microb. Pathogenesis*, **21**, 47–58
- Luetzeler, J., Heine, U.I., Wendel, E., Prasad, U. & Ablashi, D.V. (1979) Ultrastructural studies in the replication of Herpes virus atel-73 in owl monkey kidney cells. *Arch. Virol.*, **60**, 59–73
- Luini, M., Fabbi, M. & Cervio, G. (1985) Isolation of a herpesvirus from an erosive tongue lesion in cattle. *Estratto Selezione vet.*, **26**, 1131–1133 (in Italian)
- Lunardi-Iskandar, Y., Bryant, J.L., Zeman, R.A., Lam, V.H., Samaniego, F., Besnier, J.M., Hermans, P., Thierry, A.R., Gill, P. & Gallo, R.C. (1995) Tumorigenesis and metastasis of neoplastic Kaposi's sarcoma cell line in immunodeficient mice blocked by a human pregnancy hormone. *Nature*, **375**, 64–68
- Lundgren, J.D., Pedersen, C., Clumeck, N., Gatell, J.M., Johnson, A.M., Ledegerber, B., Vella, S., Phillips, A., Nielsen, J.O. & the AIDS in Europe Study Group (1994) Survival differences in European patients with AIDS, 1979–1989. *Br. med. J.*, **308**, 1068–1073

- Lundgren, J.D., Melbye, M., Pedersen, C., Rosenberg, P.S. & Gerstoft, J. for the Danish Study Group for HIV infection (DASHI) (1995) Changing patterns of Kaposi's sarcoma in Danish acquired immunodeficiency syndrome patients with complete follow-up. *Am. J. Epidemiol.*, **141**, 652–658
- Luo, K., Law, M., Kaldor, J.M., McDonald, A.M. & Cooper, D.A. (1995) The role of initial AIDS-defining illness in survival following AIDS. *AIDS*, **9**, 57–63
- Luppi, M., Barozzi, P., Maiorana, A., Collina, G., Ferrari, G., Marasca, R., Morselli, M., Rossi, E., Ceccherini-Nelli, L. & Torelli, G. (1996a) Frequency and distribution of herpesvirus-like DNA sequences (KSHV) in different stages of classic Kaposi's sarcoma and in normal tissues from an Italian population. *Int. J. Cancer*, **66**, 427–431
- Luppi, M., Barozzi, P., Maiorana, A., Artusi, T., Trovato, R., Marasca, R., Savarino, M., Ceccherini-Nelli, L. & Torelli, G. (1996b) Human herpesvirus-8 DNA sequences in human immunodeficiency virus-negative angioimmunoblastic lymphadenopathy and benign lymphadenopathy with giant germinal center hyperplasia and increased vascularity. *Blood*, **87**, 3903–3909
- Luther, P.D., Bradley, P.G. & Haig, D.A. (1971) The isolation and characterization of a herpesvirus from calf kidney cell culture. *Res. vet. Sci.*, **12**, 496–498
- Mackett, M., Stewart, J.P., Pepper, S. deV., Chee, M., Efstathiou, S., Nash, A.A. & Arrand, J.R. (1997) Genetic content and preliminary transcriptional analysis of a representative region of murine gammaherpesvirus 68. *J. gen. Virol.*, **78**, 1425–1433
- MacLean, C.M. (1963) Kaposi's sarcoma in Nigeria. *Br. J. Cancer*, **17**, 195–205
- Marchioli, C.C., Love, J.L., Abbott, L.Z., Huang, Y.Q., Remick, S.C., Surtento-Reodica, N., Hutchison, R.E., Mildvan, D., Friedman-Kien, A.E. & Poiesz, B.J. (1996) Prevalence of human herpesvirus 8 DNA sequences in several patient populations. *J. clin. Microbiol.*, **34**, 2635–2638
- Maré, J. & van Resenborg, S.J. (1961) The isolation of viruses associated with infertility in cattle: A preliminary report. *J. S. Afr. vet. Med. Assoc.*, **32**, 201–210
- Marmor, M., Friedman-Kien, A.E., Laubenstein, L., Byrum, R.D., William, D.C., D'Onofrio, S. & Dubin, N. (1982) Risk factors for Kaposi's sarcoma in homosexual men. *Lancet*, **i**, 1083–1087
- Martin, A., Capron, F., Liguory-Brunaud, M.-D., De Frejacques, C., Pluot, M. & Diebold, J. (1994) Epstein-Barr virus-associated primary malignant lymphomas of the pleural cavity occurring in longstanding pleural chronic inflammation. *Hum. Pathol.*, **25**, 1314–1318
- McDonagh, D.P., Liu, J., Gaffey, M.J., Layfield, L.J., Azumi, N. & Traweek, T.S. (1996) Detection of Kaposi's sarcoma-associated herpesvirus-like DNA sequences in angiosarcoma. *Am. J. Pathol.*, **149**, 1363–1368
- Medveczky, M.M., Szomolanyi, E., Hesselton, R., DeGrand, D., Geck, P. & Medveczky, P.G. (1989) Herpesvirus saimiri strains from three DNA subgroups have different oncogenic potentials in New Zealand white rabbits. *J. Virol.*, **63**, 3601–3611
- Medveczky, M.M., Geck, P., Vassallo, R. & Medveczky, P.G. (1993) Expression of the collagen-like putative oncoprotein of *Herpesvirus saimiri* in transformed T cells. *Virus Genes*, **7**, 349–365
- Melbye, M., Kestens, L., Biggar, R.J., Schreuder, G.M.T. & Gigase, P.L. (1987) HLA studies of endemic African Kaposi's sarcoma patients and matched controls: No association with HLA-DRS. *Int. J. Cancer*, **39**, 182–184

- Melbye, M., Cook, P.M., Hjalgrim, H., Begtrup, K., Simpson, G.R., Biggar, R.J., Ebbesen, P. & Schulz, T.F. (1998) Transmission of human herpesvirus 8 (HHV 8) among homosexual men follows the pattern of a Kaposi's sarcoma agent. *J. Am. med. Assoc.* (in press)
- Meléndez, L.V., Daniel, M.D., Hunt, R.D. & Garcia, F.G. (1968) An apparently new herpesvirus from primary kidney culture of the squirrel monkey (*Saimiri sciureus*) *Lab. Anim. Care*, **18**, 374–381
- Meléndez, L.V., Hunt, R.D., Daniel, M.D., Garcia, F.G. & Fraser, C.E. (1969) Herpesvirus saimiri II: Experimentally induced malignant lymphoma in primates. *Lab. Anim. Care*, **19**, 378–386
- Meléndez, L.V., Hunt, R.D., Daniel, M.D., Blake, B.J. & Garcia, F.G. (1971) Acute lymphocytic leukemia in owl monkeys inoculated with Herpesvirus saimiri. *Science*, **171**, 1161–1163
- Meléndez, L.V., Hunt, R.D., Daniel, M.D., Fraser, C.E., Barahona, H.H., King, N.W. & Garcia, F.G. (1972a) Herpesvirus saimiri and Herpesvirus ateles — Their roles in malignant lymphoma of monkeys. *Fed. Proc. Am. Soc. exp. Biol.*, **31**, 1643–1650
- Meléndez, L.V., Hunt, R.D., King, N.W., Barahona, H.H., Daniel, M.D., Frasier, C.E.O. & Garcia, F.G. (1972b) Herpesvirus ateles, a new lymphoma virus of monkeys. *Nature new Biol.*, **235**, 182–184
- Mesri, E.A., Cesarman, E., Arvanitakis, L., Rafii, S., Moore, M.A.S., Posnett, D.N., Knowles, D.M. & Asch, A.S. (1996) Human herpesvirus-8/Kaposi's sarcoma-associated herpesvirus is a new transmissible virus that infects B cells. *J. exp. Med.*, **183**, 2385–2390
- Middleton, T., Gahn, T., Martin, J.M. & Sugden, B. (1991) Immortalizing genes of Epstein-Barr virus. *Adv. viral Res.*, **40**, 19–55
- Miles, S.A., Rezai, A.R., Salazar-González, J.F., Van der Meyden, M., Stevens, R.H., Logan, D.M., Mistuyasu, R.T., Taga, T., Hirano, T., Kishimoto, T. & Martínez-Maza, O. (1990) AIDS Kaposi sarcoma-derived cells produce and respond to interleukin 6. *Proc. natl Acad. Sci. USA*, **87**, 4068–4072
- Miller, G., Rigsby, M.O., Heston, L., Grogan, E., Sun, R., Metroka, C., Levy, J.A., Gao, S.-J., Chang, Y. & Moore, P. (1996) Antibodies to butyrate-inducible antigens of Kaposi's sarcoma-associated herpesvirus in patients with HIV-1 infection. *New Engl. J. Med.*, **334**, 1292–1297
- Miller, G., Heston, L., Grogan, E., Gradoville, L., Rigsby, M., Sun, R., Shedd, D., Kushnaryov, V.M., Grossberg, S. & Chang, Y. (1997) Selective switch between latency and lytic replication of Kaposi's sarcoma herpesvirus and Epstein-Barr virus in dually infected body cavity lymphoma cells. *J. Virol.*, **71**, 314–324
- Mocroft, A., Youle, M., Gazzard, B., Morcinek, J., Halai, R., Phillips, A.N. for the Royal Free-/Chelsea and Westminster Hospitals Collaborative Group (1996) Anti-herpesvirus treatment and risk of Kaposi's sarcoma in HIV infection. *AIDS*, **10**, 1101–1105
- Modlin, R.L., Hofman, F.M., Kempf, R.A., Taylor, C.R., Conant, M.A. & Rea, T.H. (1983) Kaposi's sarcoma in homosexual men: An immunohistochemical study. *J. Am. Acad. Dermatol.*, **8**, 620–627
- Mohanty, S.B., Hammond, R.C. & Lillie, M.G. (1971) A new bovine herpesvirus and its effect on experimentally infected calves. *Arch. ges. Virusforsch.*, **34**, 394–395

- Molden, J., Chang, Y., You, Y., Moore, P.S. & Goldsmith, M.A. (1997) A Kaposi's sarcoma-associated herpesvirus-encoded cytokine homolog (v-IL-6) activates signaling through the shared gp130 receptor subunit. *J. biol. Chem.*, **272**, 19625–19631
- Monini, P., de Lellis, L., Fabris, M., Rigolin, F. & Cassai, E. (1996a) Kaposi's sarcoma-associated herpesvirus DNA sequences in prostate tissue and human semen. *New Engl. J. Med.*, **334**, 1168–1172
- Monini, P., de Lellis, L. & Cassai, E. (1996b) Absence of HHV-8 sequences in prostate and semen. *New Engl. J. Med.*, **335**, 1238–1239
- Montesano, R., Pepper, M.S., Möhle-Steinlein, U., Risau, W., Wagner, E.F. & Orci, L. (1990) Increased proteolytic activity is responsible for the aberrant morphogenetic behavior of endothelial cells expressing the middle T oncogene. *Cell*, **62**, 435–445
- Moore, P.S. & Chang, Y. (1995) Detection of herpesvirus-like DNA sequences in Kaposi's sarcoma in patients with and without HIV infection. *New Engl. J. Med.*, **332**, 1181–1185
- Moore, P.S., Gao, S.-J., Dominguez, G., Cesarman, E., Lungu, O., Knowles, D.M., Garber, R., Pellett, P.E., McGeoch, D.J. & Chang, Y. (1996a) Primary characterization of a herpesvirus agent associated with Kaposi's sarcoma. *J. Virol.*, **70**, 549–558
- Moore, P.S., Boshoff, C., Weiss, R.A. & Chang, Y. (1996b) Molecular mimicry of human cytokine and cytokine response pathway genes by KSHV. *Science*, **274**, 1739–1744.
- Moore, P.S., Kingsley, L.A., Holmberg, S.D., Spira, T., Gupta, P., Hoover, D.R., Parry, J.P., Conley, L.J., Jaffe, H.W. & Chang, Y. (1996c) Kaposi's sarcoma-associated herpesvirus infection prior to onset of Kaposi's sarcoma. *AIDS*, **10**, 175–180
- Moreno-Lopez, J., Goltz, M., Rehbinder, C., Valsala, K.V. & Ludwig, H. (1989) A bovine herpesvirus (BHV-4) as passenger virus in ethmoidal tumours in Indian cattle. *J. vet. Med. B*, **36**, 481–486
- Morfeldt, L. & Torssander, J. (1994) Long-term remission of Kaposi's sarcoma following Foscarnet treatment in HIV-infected persons. *Scand. J. infect. Dis.*, **26**, 749–752
- Munz, E., Goedel, E. & Rweyemamu, M.M. (1974) Electron microscopical studies on 'non-syncytia forming' bovine herpesvirus isolated in Tanzania. *J. comp. Pathol.*, **84**, 485–494
- Murthy, S., Kamine, J. & Desrosiers, R.C. (1986) Viral encoded small RNAs in Herpes virus saimiri induced tumors. *EMBO J.*, **5**, 1625–1632
- Nadji, M., Morales, A.R., Ziegles-Weissman, J. & Penneys, N.S. (1981) Kaposi's sarcoma: Immunohistologic evidence for an endothelial origin. *Arch. Pathol. lab. Med.*, **105**, 274–275
- Nador, R.G., Cesarman, E., Knowles, D.M. & Said, J.W. (1995) Herpes-like DNA sequences in a body cavity-based lymphoma in an HIV-negative patient. *New Engl. J. Med.*, **333**, 943
- Nador, R.G., Cesarman, E., Chadburn, A., Dawson, B.D., Ansari, M.Q., Said, J. & Knowles, D.M. (1996) Primary effusion lymphoma: A distinct clinicopathologic entity associated with the Kaposi's sarcoma-associated herpes virus. *Blood*, **88**, 645–656
- Naidu, Y.M., Rosen, E.M., Zitnick, R., Goldberg, I., Park, M., Naujokas, M., Polverini, P.J. & Nickoloff, B.J. (1994) Role of scatter factor in the pathogenesis of AIDS-related Kaposi sarcoma. *Proc. natl Acad. Sci. USA*, **91**, 5281–5285
- Nakamura, S., Salahuddin, S.Z., Biberfeld, P., Ensoli, B., Markham, P.D., Wong-Staal, F. & Gallo, R.C. (1988) Kaposi's sarcoma cells: Long-term culture with growth factor from retrovirus-infected CD4⁺ T cells. *Science*, **242**, 426–430

- Neipel, F., Albrecht, J.C. & Fleckenstein, B. (1997a) Cell-homologous genes in the Kaposi's sarcoma-associated rhadinovirus human herpesvirus 8: Determinants of its pathogenicity? *J. Virol.*, **71**, 4187–4192
- Neipel, F., Albrecht, J.-C., Ensser, A., Huang, Y.-Q., Li, J.J., Friedman-Kien, A.E. & Fleckenstein, B. (1997b) Human herpesvirus 8 encodes a homolog of interleukin 6. *J. Virol.*, **71**, 839–842
- Newton, R., Ngilimana, P.-J., Grulich, A., Beral, V., Sindikubwabo, B., Nganyira, A. & Parkin, D.M. (1996) Cancer in Rwanda. *Int. J. Cancer*, **66**, 75–81
- Ngendahayo, P., Mets, T., Busingo, G. & Parkin, D.M. (1989) Kaposi's sarcoma in Rwanda: Clinicopathological and epidemiological features. *Bull. Cancer*, **76**, 383–394 (in French)
- Nicholas, J., Ruvolo, V., Zong, J., Ciufi, D., Guo, H.-G., Reitz, M.S. & Hayward, G.S. (1997a) A single 13-kilobase divergent locus in the Kaposi sarcoma-associated herpesvirus (human herpesvirus 8) genome contains nine open reading frames that are homologous to or related to cellular proteins. *J. Virol.*, **71**, 1963–1974
- Nicholas, J., Ruvolo, V.R., Burns, W.H., Sandford, G., Wan, X.X., Ciufi, D., Hendrickson, S.B., Guo, H.-G., Hayward, G.S. & Reitz, M.S. (1997b) Kaposi's sarcoma-associated human herpesvirus-8 encodes homologues of macrophage inflammatory protein-1 and interleukin-6. *Nature Med.*, **3**, 287–292
- Nickoloff, B.J. & Griffiths, C.E.M. (1989) Factor XIIIa-expressing dermal dendrocytes in AIDS-associated cutaneous Kaposi's sarcoma. *Science*, **243**, 1736–1737
- Noel, J.C. (1995) Kaposi's sarcoma and KSHV (Letter to the Editor). *Lancet*, **346**, 1359
- Noel, J.C., Hermans, P., Andre, J., Fayt, I., Simonart, T., Verhest, A., Haot, J. & Burny, A. (1996) Herpesvirus-like DNA sequences and Kaposi's sarcoma. Relationship with epidemiology, clinical spectrum, and histological features. *Cancer*, **77**, 2132–2136
- Oettlé, A.G. (1962) Geographical and racial differences in the frequency of Kaposi's sarcoma as evidence of environmental or genetic causes. *Acta unio int. contra cancrum*, **18**, 330–363
- Oie, H.K., Ablashi, D.V., Armstrong, G.R., Pearson, G.R., Orr, T. & Heine, U. (1973) A continuous in-vitro source of Herpesvirus saimiri. *J. natl Cancer Inst.*, **51**, 1077–1079
- Olsen, S. J. & Moore, P.S. (1997) Kaposi's sarcoma-associated herpesvirus (KSHV/HHV8) and the etiology of KS. In: Friedman, H., Medveczky, P. & Bendinelli, M., eds, *Molecular Immunology of Herpesviruses*, New York, Plenum Publishing (in press)
- O'Neill, E., Henson, T.H., Ghorbani, A.J., Land, M.A., Webber, B.L. & Garcia, J.V. (1996) Herpes virus-like sequences are specifically found in Kaposi sarcoma lesions. *J. clin. Pathol.*, **49**, 306–308
- Orenstein, J.M., Alkan, S., Blauvelt, A., Jeang, K.-T., Weinstein, M.D., Ganem, D. & Herndier, B. (1997) Visualization of human herpesvirus type 8 in Kaposi's sarcoma by light and transmission electron microscopy. *AIDS*, **11**, 735–745
- Osorio, F.A. & Reed, D.E. (1983) Experimental inoculation of cattle with bovine herpesvirus-4: Evidence for a lymphoid-associated persistent infection. *Am. J. vet. Res.*, **44**, 975–980
- Osorio, F.A., Reed, D.E. & Rock, D.L. (1982) Experimental infection of rabbits with bovine herpesvirus-4: Acute and persistent infection. *Vet. Microbiol.*, **7**, 503–513
- Osorio, F.A., Rock, D.L. & Reed, D.E. (1985) Studies on the pathogenesis of a bovine cytomegalovirus in an experimental host. *J. gen. Virol.*, **66**, 1941–1951

- Otsuki, T., Kumar, S., Ensoli, B., Kingma, D.W., Yano, T., Stetler Stevenson, M., Jaffe, E.S. & Raffeld, M. (1996) Detection of HHV-8/KSHV DNA sequences in AIDS-associated extra-nodal lymphoid malignancies. *Leukemia*, **10**, 1358–1362
- Otu, A.A. (1986) Kaposi's sarcoma and HTLV-III: A study in Nigerian adult males. *J. R. Soc. Med.*, **79**, 510–514
- Pacheco-Castro, A., Marquez, C., Toribi, M.L., Ramiro, A.R., Triqueros, C. & Requeiro, J.R. (1996) Herpesvirus saimiri immortalization of $\alpha\beta$ and $\gamma\delta$ human T-lineage cells derived from CD34 $^{+}$ intrathymic precursors in vitro. *Int. Immunol.*, **11**, 1797–1805
- Page-Bodkin, K., Tappero, J., Samuel, M. & Winkelstein, W. (1992) Kaposi's sarcoma and faecal–oral exposure (Letter to the Editor). *Lancet*, **339**, 1490
- Parks, J.B. & Kendrick, J.W. (1973) The isolation and partial characterization of a herpesvirus from a case of bovine metritis. *Arch. ges. Virusforsch.*, **41**, 211–215
- Parravicini, C., Olsen, S.J., Capra, M., Poli, F., Sirchia, G., Gao, S.-J., Berti, E., Nocera, A., Rossi, E., Bestetti, G., Pizzuto, M., Galli, M., Moroni, M., Moore, P.S. & Corbellino, M. (1997) Risk of Kaposi's sarcoma-associated herpes virus transmission from donor allografts among Italian posttransplant Kaposi's sarcoma patients. *Blood*, **90**, 2826–2829
- Parry, J.P. & Moore, P.S. (1997) Corrected prevalence of Kaposi's sarcoma (KS)-associated herpesvirus infection prior to onset of KS. *AIDS*, **11**, 127–128
- Pastore, C., Gloghini, A., Volpe, G., Nomdedeu, J., Leonardo, E., Mazza, U., Saglio, G., Carbone, A. & Gaidano, G. (1995) Distribution of Kaposi's sarcoma herpesvirus sequences among lymphoid malignancies in Italy and Spain. *Br. J. Haematol.*, **91**, 918–920
- Patil, P.S., Elem, B., Gwavava, N.J. & Urban, M.I. (1992) The pattern of paediatric malignancy in Zambia (1980–1989): A hospital-based histopathological study [published erratum appears in *J. trop. Med. Hyg.*, **95**, 434]. *J. trop. Med. Hyg.*, **95**, 124–127
- Patil, P., Elem, B. & Zumla, A. (1995) Pattern of adult malignancies in Zambia (1980–1989) in light of the human immunodeficiency virus type 1 epidemic. *J. trop. Med. Hyg.*, **98**, 281–284
- Penn, I. (1979) Kaposi's sarcoma in organ transplant recipients: Report of 20 cases. *Transplantation*, **27**, 8–11
- Penn, I. (1983) Kaposi's sarcoma in immunosuppressed patients. *J. clin. Lab. Immunol.*, **12**, 1–10
- Penn, I. (1988a) Secondary neoplasms as a consequence of transplantation and cancer therapy. *Cancer Detect. Prev.*, **12**, 39–57
- Penn, I. (1988b) Tumors of the immunocompromised patient. *Ann. Rev. Med.*, **39**, 63–73
- Peterman, T.A., Jaffe, H.W., Friedman-Kien, A.E. & Weiss, R.A. (1991) The aetiology of Kaposi's sarcoma. In: Beral, V., Jaffe, H.W. & Weiss, R.A., eds, *Cancer, HIV and AIDS*, Plainview, NY, Cold Spring Harbor Laboratory Press, pp. 23–37
- Peterman, T.A., Jaffe, H.W. & Beral, V. (1993) Epidemiological clues to the etiology of Kaposi's sarcoma. *AIDS*, **7**, 605–611
- Peterson, B.A. & Frizzera, G. (1993) Multicentric Castleman's disease. *Semin. Oncol.*, **20**, 636–647
- Peterson, R.B. & Goyal, S.M. (1988) Propagation and quantitation of animal herpesviruses in eight cell culture systems. *Comp. Immunol. Microbiol. Infect. Dis.*, **11**, 93–98

- Popescu, N.C., Zimonjic, D.B., Leventon-Kriss, S., Bryant, J.L., Lunardi-Iskandar, Y. & Gallo, R.C. (1996) Deletion and translocation involving chromosome 3(p14) in two tumorigenic Kaposi's sarcoma cell lines. *J. natl Cancer Inst.*, **88**, 450–455
- Potgieter, L.N.D. & Maré, C.J. (1974) Assay and antigenic interrelationships of the recently isolated herpesviruses. DN 599, FTC and V11. *Arch. ges. Virusforsch.*, **46**, 238–247
- Prevost, J.M., Pearson, G.R., Wallen, W.C., Rabin, H. & Qualtiere, L.F. (1976) Antibody responses to membrane antigens in monkeys infected with Herpesvirus saimiri. *Int. J. Cancer*, **18**, 679–686
- Qunibi, W., Akhtar, M., Sheth, K., Ginn, H.E., Al-Furayh, O., DeVol, E.B. & Taher, S. (1988) Kaposi's sarcoma: The most common tumor after renal transplantation in Saudi Arabia. *Am. J. Med.*, **84**, 225–232
- Raab-Traub, N. & Flynn, K. (1986) The structure of the termini of the Epstein-Barr virus as a marker of clonal cellular proliferation. *Cell*, **47**, 883–889
- Rabkin, C.S., Bedi, G., Musaba, E., Sunkutu, R., Mwansa, N., Sidransky, D. & Biggar, R.J. (1995) AIDS-related Kaposi's sarcoma is a clonal neoplasm. *Clin. Cancer Res.*, **1**, 257–260
- Rabkin, C.S., Janz, S., Lash, A., Coleman, A.E., Musaba, E., Liotta, L., Biggar, R.J. & Zhuang, Z. (1997) Monoclonal origin of multicentric Kaposi's sarcoma lesions. *New Engl. J. Med.*, **336**, 988–993
- Rady, P.L., Yen, A., Rollefson, J.L., Orengo, I., Bruce, S., Hughes, T.K. & Tyring, S.K. (1995) Herpesvirus-like DNA sequences in non-Kaposi's sarcoma skin lesions of transplant patients. *Lancet*, **345**, 1339–1340
- Rainbow, L., Platt, G.M., Simpson, G.R., Sarid, R., Gao, S.-J., Stoiber, H., Herrington, C.S., Moore, P.S. & Schulz, T.F. (1997) The 222- to 234-kilodalton latent nuclear protein (LNA) of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) is encoded by orf73 and is a component of the latency-associated nuclear antigen. *J. Virol.*, **71**, 5915–5921
- Rappersberger, K., Tschachler, E., Zonzits, E., Gillitzer, R., Hatzakis, A., Kaloterakis, A., Mann, D.L., Popow-Kraupp, T., Biggar, R.J., Berger, R., Stratigos, J., Wolff, K. & Stingl, G. (1990) Endemic Kaposi's sarcoma in human immunodeficiency virus type 1-seronegative persons: Demonstration of retrovirus-like particles in cutaneous lesions. *J. invest. Dermatol.*, **95**, 371–381
- Reed, D.E., Langpap, T.J. & Anson, M.A. (1977) Characterization of herpesviruses isolated from lactating dairy cows with mammary pustular dermatitis. *Am. J. vet. Res.*, **38**, 1631–1634
- Reed, D.E., Langpap, T.J. & Bergeland, M.E. (1979) Bovine abortion associated with mixed Movar 33/63 type herpesvirus and bovine viral diarrhea virus infection. *Cornell Vet.*, **69**, 54–66
- Regezi, J.A., McPhail, L.A., Daniels, T.E., Greenspan, J.S., Greenspan, D., Dodd, C.L., Lozada-Nur, F., Heinic, G.S., Chinn, H., Silverman, S., Jr & Hansen, L.S. (1993) Oral Kaposi's sarcoma: A 10-year retrospective histopathologic study. *J. oral Pathol. Med.*, **22**, 292–297
- Renne, R., Zhong, W., Herndier, B., McGrath, M., Abbey, N., Kedes, D. & Ganem, D. (1996a) Lytic growth of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) in culture. *Nature Med.*, **2**, 342–346
- Renne, R., Lagunoff, M., Zhong, W. & Ganem, D. (1996b) The size and conformation of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) DNA in infected cells and virions. *J. Virol.*, **70**, 8151–8154

- Rettig, M.B., Ma, H.J., Vescio, R.A., Pöld, M., Schiller, G., Belson, D., Savage, A., Nishikubo, C., Wu, C., Fraser, J., Said, J.W. & Berenson, J.R. (1997) Kaposi's sarcoma-associated herpesvirus infection of bone marrow dendritic cells from multiple myeloma patients. *Science*, **276**, 1851–1854
- Rickinson, A.B. (1996) Changing seroepidemiology of HHV-8. *Lancet*, **348**, 1110–1111
- Roizman, B. (1982) The family Herpesviridae: General description, taxonomy, and classification. In: Roizman, B., ed., *The Herpesviruses*, Vol. 1, New York, Plenum Press, pp. 1–23
- Roizman, B. (1993) The family Herpesviridae. In: Roizman, B., Whitley, R.J. & Lopez, C., eds, *The Human Herpesviruses*, New York, Raven Press, pp. 1–9
- Rose, T.M., Strand, K.B., Schultz, E.R., Schaefer, G., Rankin, G.W., Jr, Thouless, M.E., Tsai, C.-C. & Bosch, M.L. (1997) Identification of two homologs of the Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) in retroperitoneal fibromatosis of different macaque species. *J. Virol.*, **71**, 4138–4144
- Rossiter, P.B., Gumm, I.D., Stagg, D.A., Conrad, P.A., Mukolwe, S., Davies, F.G. & White, H. (1989) Isolation of bovine herpesvirus-3 from African buffaloes (*Synacerus caffer*). *Res. vet. Sci.*, **46**, 337–343
- Roth, W.K., Werner, S., Risau, W., Remberger, K. & Hofsneider, P.H. (1988) Cultured, AIDS-related Kaposi's sarcoma cells express endothelial cell markers and are weakly malignant in vitro. *Int. J. Cancer*, **42**, 767–773
- Roth, W.K., Werner, S., Schirren, C.G. & Hofsneider, P.H. (1989) Depletion of PDGF from serum inhibits growth of AIDS-related and sporadic Kaposi's sarcoma cells in culture. *Oncogene*, **4**, 483–487
- Roth, W.K., Brandstetter, H. & Stürzl, M. (1992) Cellular and molecular features of HIV-associated Kaposi's sarcoma. *AIDS*, **6**, 895–913
- Rubin, M.A., Parry, J.P. & Singh, B. (1998) Kaposi's sarcoma associated herpesvirus deoxyribonucleic acid sequences: Lack of expression in prostatic tissue of human immunodeficiency virus-negative immunocompetent adults. *J. Urol.*, **159**, 146–148
- Russell Jones, R., Orchard, G., Zelger, B. & Wilson Jones E. (1995) Immunostaining for CD31 and CD34 in Kaposi sarcoma. *J. clin. Pathol.*, **48**, 1011–1016
- Russo, J.J., Bohenzky, R.A., Chien, M.-C., Chien, J., Yan, M., Maddalena, D., Parry, J.P., Peruzzi, D., Edelman, I.S., Chang, Y. & Moore, P.S. (1996) Nucleotide sequence of the Kaposi's sarcoma-associated herpesvirus (HHV 8). *Proc. natl Acad. Sci. USA*, **93**, 14862–14867
- Rwewyemamu, M.M. & Loretu, K. (1973). Isolation of 'non-syncytia forming' herpes viruses from cattle in Tanzania. *J. comp. Pathol.*, **83**, 377–386
- Safai, B., Mike, V., Giraldo, G., Beth, E. & Good, R. (1980) Association of Kaposi's sarcoma with second primary malignancies: Possible etiopathogenic implications. *Cancer*, **45**, 1472–1479
- Said, J.W., Chien, K., Takeuchi, S., Tasaka, T., Asou, H., Cho, S.K., de Vos, S., Cesarman, E., Knowles, D.M. & Koeffler, P. (1996a) Kaposi's sarcoma-associated herpesvirus (KSHV or HHV8) in primary effusion lymphoma: Ultrastructural demonstration of herpesvirus in lymphoma cells. *Blood*, **87**, 4937–4943

- Said, J.W., Tasaka, T., Takeuchi, S., Asou, H., de Vos, S., Cesarman, E., Knowles, D.M. & Koeffler, H.P. (1996b) Primary effusion lymphoma in women: Report of two cases of Kaposi's sarcoma herpes virus-associated effusion-based lymphoma in human immunodeficiency virus-negative women. *Blood*, **88**, 3124–3128
- Salahuddin, S.Z., Nakamura, S., Biberfeld, P., Kaplan, M.H., Markham, P.D., Larsson, L. & Gallo, R.C. (1988) Angiogenic properties of Kaposi's sarcoma-derived cells after long-term culture in vitro. *Science*, **242**, 430–433
- Sandstrom, E.G., Kaplan, J.C., Byington, R.E. & Hirsch, M.S. (1985) Inhibition of human T-cell lymphotropic virus type III *in vitro* by phosphonoformate. *Lancet*, **i**, 1480–1482
- van Santen, V. L. (1991) Characterization of the bovine herpesvirus 4 major immediate–early transcript. *J. Virol.*, **65**, 5211–5224
- van Santen, V.L. (1993) Characterization of a bovine herpesvirus 4 immediate–early RNA encoding a homolog of the Epstein-Barr virus R transactivator. *J. Virol.*, **67**, 773–784
- Sarawar, S.R., Cardin, R.D., Brooks, J.W., Mehrpooya, M., Hamilton-Easton, A.M., Mo, X.Y. & Doherty, P.C. (1997) Gamma interferon is not essential for recovery from acute infection with murine gammaherpesvirus 68. *J. Virol.*, **71**, 3916–3921
- Sarid, R., Sato, T., Bohenzky, R.A., Russo, J.J. & Chang, Y. (1997) Kaposi's sarcoma-associated herpesvirus encodes a functional Bcl-2 homologue. *Nature Med.*, **3**, 293–298
- Sass, B., Mohanty, S.B. & Hetrick, F.M. (1974) Fluorescent antibody study of a new bovine herpesvirus (strain DN-599). *Am. J. vet. Res.*, **35**, 1343–1346
- Schalling, M., Ekman, M., Kaaya, E.E., Linde, A. & Biberfeld, P. (1995) A role for a new herpes virus (KSHV) in different forms of Kaposi's sarcoma. *Nature Med.*, **1**, 707–708
- Schechter, M.T., Marion, S.A., Elmslie, K.D., Ricketts, M.N., Nault, P. & Archibald, C.P. (1991) Geographic and birth cohort associations of Kaposi's sarcoma among homosexual men in Canada. *Am. J. Epidemiol.*, **134**, 485–488
- Serraino, D., Franceschi, S., Dal Maso, L. & La Vecchia, C. (1995) HIV transmission and Kaposi's sarcoma among European women. *AIDS*, **9**, 971–973
- Shahidi, H., Myers, J.L. & Kvale, P.A. (1995) Castleman's disease. *Mayo Clin. Proc.*, **70**, 969–977
- Sherr, C.J. (1995) D-Type cyclins. *Trends biochem. Sci.*, **20**, 187–190
- Sherr, C.J. (1996) Cancer cell cycles. *Science*, **274**, 1672–1677
- Siegal, B., Levinton-Kriss, S., Schiffer, A., Sayar, J., Engelberg, I., Vonsover, A., Ramon, Y. & Rubinstein, E. (1990) Kaposi's sarcoma in immunosuppression possibly the result of a dual infection. *Cancer*, **65**, 492–498
- Simmer, B., Alt, M., Buckreus, I., Berthold, S., Fleckenstein, B., Platzer, E. & Grassmann, R. (1991) Persistence of detectable herpesvirus saimiri in various human haematopoietic and epithelial cell lines. *J. gen. Virol.*, **72**, 1953–1958
- Simpson, G.R., Schulz, T.F., Whitby, D., Cook, P.M., Boshoff, C., Rainbow, L., Howard, M.R., Gao, S.-J., Bohenzky, R.A., Simmonds, P., Lee, C., de Ruiter, A., Hatzakis, A., Tedder, R.S., Weller, I.V.D., Weiss, R.A. & Moore, P.S. (1996) Prevalence of Kaposi's sarcoma associated herpesvirus infection measured by antibodies to recombinant capsid protein and latent immunofluorescence antigen. *Lancet*, **348**, 1133–1138

- Sirianni, M.C., Uccini, S., Angelon, A., Faggioni, A., Cottoni, F. & Ensoli, B. (1997) Circulating spindle cells: Correlation with human herpesvirus (HHV-8) infection and Kaposi's sarcoma (Letter to the Editor). *Lancet*, **349**, 255
- Sitas, F., Terblanche, M. & Madhoo, J. (1996) *National Cancer Registry of South Africa. Incidence and Geographical Distribution of Histologically Diagnosed Cancer in South Africa, 1990 & 1991*, Johannesburg, South African Institute for Medical Research
- Smith, N. & Spittle, M. (1987) ABC of AIDS. Tumours. *Br. med. J.*, **294**, 1274–1277
- Smith, P.C., Cutlip, R.C., Ritchie, A.E. & Young, J.K. (1972) A bovine herpesvirus associated with a disease of the upper respiratory tract of feedlot cattle. *J. Am. vet. med. Assoc.*, **161**, 1134–1141
- Smith, M.S., Bloomer, C., Horvat, R., Goldstein, E., Casparyan, M. & Chandran, B. (1997) Detection of human herpesvirus 8 DNA in Kaposi's sarcoma lesions and peripheral blood of human immunodeficiency virus-positive patients and correlation with serologic measurements. *J. infect. Dis.*, **176**, 84–93
- Soulier, J., Grollet, L., Oksenhendler, E., Cacoub, P., Cazals-Hatem, D., Babinet, D., d'Agay, M.F., Clauvel, J.P., Raphael, M., Degos, L. & Sigaux, F. (1995) Kaposi's sarcoma-associated herpesvirus-like DNA sequences in multicentric Castleman's disease. *Blood*, **86**, 1276–1280
- Staczek, J. (1990) Animal cytomegaloviruses. *Microbiol. Rev.*, **54**, 247–265
- Staskus, K.A., Zhong, W., Gebhard, K., Herndier, B., Wang, H., Renne, R., Beneke, J., Pudney, J., Anderson, D.J., Ganem, D. & Haase, A.T. (1997) Kaposi's sarcoma-associated herpesvirus gene expression in endothelial (spindle) tumor cells. *J. Virol.*, **71**, 715–719
- Storz, J. (1968) Comments on malignant catarrhal fever. *J. Am. vet. med. Assoc.*, **152**, 804–806
- Storz, J., Ehlers, B., Todd, W.J. & Ludwig, H. (1984) Bovine cytomegaloviruses : Identification and differential properties. *J. gen. Virol.*, **65**, 697–706
- Strauchen, J.A., Hauser, A.D., Burstein, D., Jimenez, R., Moore, P.S. & Chang, Y. (1996) Body cavity-based malignant lymphoma containing Kaposi sarcoma-associated herpesvirus in an HIV-negative man with previous Kaposi sarcoma. *Ann. intern. Med.*, **125**, 822–825
- Stromberg, K., Benveniste, R.E., Arthur, L.O., Rabin, H., Giddens, W.E., Jr, Ochs, H.D., Morton, W.R. & Tsai, C.-C. (1984) Characterization of exogenous type D retrovirus from a fibroma of a macaque with simian AIDS and fibromatosis. *Science*, **224**, 289–291
- Stürzl, M., Brandstetter, H. & Roth, W.K. (1992a) Kaposi's sarcoma: A review of gene expression and ultrastructure of KS spindle cells in vivo. *AIDS Res. hum. Retroviruses*, **8**, 1765–1775
- Stürzl, M., Roth, W.K., Brockmeyer, N.H., Zietz, C., Speiser, B. & Hofschneider, P.H. (1992b) Expression of platelet-derived growth factor and its receptors in AIDS-related Kaposi sarcoma *in vitro* suggests paracrine and autocrine mechanisms of tumor maintenance. *Proc. natl Acad. Sci. USA*, **89**, 7046–7050
- Stürzl, M., Blasig, C., Schreier, A., Neipel, F., Hoenndl, C., Cornali, E., Ascherl, G., Esser, S., Brockmeyer, N.H., Ekman, M., Kaaya, E.E., Tschachler, E. & Biberfeld, P. (1997) Expression of HHV-8 latency-associated T0.7 RNA in spindle cells and endothelial cells of AIDS-associated, classical and African Kaposi's sarcoma. *Int. J. Cancer*, **72**, 68–71
- Su, I.-J., Hsu, Y.-S., Chang, Y.-C. & Wang, I.-W. (1995) Herpesvirus-like DNA sequence in Kaposi's sarcoma from AIDS and non-AIDS patients in Taiwan (Letter to the Editor). *Lancet*, **345**, 722–723

- Sun, R., Lin, S.-F., Gradoville, L. & Miller, G. (1996) Polyadenylated nuclear RNA encoded by Kaposi sarcoma-associated herpesvirus. *Proc. natl Acad. Sci. USA*, **93**, 11883–11888
- Sunil-Chandra, N.P., Efstathiou, S., Arno, J. & Nash, A.A. (1992a) Virological and pathological features of mice infected with murine gamma herpesvirus 68. *J. gen. Virol.*, **73**, 2347–2356
- Sunil-Chandra, N.P., Efstathiou, S. & Nash, A.A. (1992b) Murine gammaherpesvirus-68 establishes a latent infection in mouse B lymphocytes *in vivo*. *J. gen. Virol.*, **73**, 3275–3279
- Sunil-Chandra, N.P., Arno, J., Fazakerley, J. & Nash, A.A. (1994) Lymphoproliferative disease in mice infected with murine gamma herpesvirus 68. *Am. J. Pathol.*, **145**, 818–826
- Szomolanyi, E., Medveczky, P. & Mulder, C. (1987) In vitro immortalization of marmoset cells with three subgroups of Herpesvirus saimiri. *J. Virol.*, **61**, 3485–3490
- Taniguchi, T., Harada, H. & Lamphrier, M. (1995a) Regulation of the interferon system and cell growth by the IRF transcription factors (review). *J. Cancer Res. clin. Oncol.*, **121**, 516–520
- Taniguchi, T., Ota, K., Qu, Z. & Morisawa, K. (1995b) Effect of poly(ADP-ribose) synthetase on the expression of major histocompatibility complex (MHC) class II genes. *Biochimie*, **77**, 472–479
- Tappero, J.W., Conant, M. A., Wolfe, S.F. & Berger, T.G. (1993) Kaposi's sarcoma. Epidemiology, pathogenesis, histology, clinical spectrum, staging criteria and therapy. *J. Am. Acad. Dermatol.*, **28**, 371–395
- Tasaka, T., Said, J.W. & Koeffler, H.P. (1996) Absence of HHV-8 in prostate and semen (Letter). *New Engl. J. Med.*, **335**, 1237–1238
- Tasaka, T., Said, J.W., Morosetti, R., Park, D., Verbeek, W., Nagai, M., Takahara, J. & Koeffler, H.P. (1997) Is Kaposi's sarcoma-associated herpesvirus ubiquitous in urogenital and prostate tissues? *Blood*, **89**, 1686–1689
- Templeton, A.C. (1981) Kaposi's sarcoma. In: Sommers, S.C. & Rosen P.P., eds, *Pathology Annual*, New York, Appleton-Century Crofts, pp. 315–336
- Theodoridis, A. (1978) Preliminary characterization of viruses isolated from cases of epididymitis and vaginitis in cattle. *Onderstepoort J. vet. Res.*, **45**, 187–195
- Theodoridis, A. (1985) Studies on bovine herpesvirus. Part 1. Isolation and characterization of viruses isolated from the genital tract of cattle. *Onderstepoort J. vet. Res.*, **52**, 239–254
- Thiry, E., Pastoret, P.-P., Dessy-Doizé, C., Hanzen, C., Calberg-Bacq, C.M., Dagenais, L., Vindevogel, H. & Ectors F. (1981) Reactivation of a herpesvirus in cultured testicular cells from a bull with orchitis and azoospermia. *Ann. Méd. vét.*, **125**, 207–214 (in French)
- Thiry, E., Vercouter, M., Dubuisson, J., Barrat, J., Sepulchre, C., Gerardy, C., Meersschaert, C., Collin, B., Blancou, J. & Pastoret, P.-P. (1988) Serological survey of herpesvirus infections in wild ruminants of France and Belgium. *J. Wildl. Dis.*, **24**, 268–273
- Thiry, E., Bublot, M., Dubuisson, J. & Pastoret, P.-P. (1989) Bovine herpesvirus 4 (BHV-4) infections of cattle. In: Wittmann, G., ed., *Herpesvirus Diseases of Cattle, Horses, and Pigs. Developments in Veterinary Virology*, Boston, MA, Kluwer Academic Publishers, pp. 96–115
- Thiry, E., Dubuisson, J., Bublot, M., Van Bressem, M.-F. & Pastoret, P.-P. (1990) The biology of bovine herpesvirus-4 infection of cattle. *Dtsch. tierärztl. Wschr.*, **97**, 72–77
- Thiry, E., Chappuis, G., Bublot, M., Van Bressem, M.F., Dubuisson, J. & Pastoret, P.-P. (1991) Failure to infect cats with bovine herpesvirus type-4 strain Movar 33/63. *Vet. Rec.*, **128**, 614–615

- Thiry, E., Bublot, M., Dubuisson, J., Lequarre, A.-S., Lomonte, P., Van Bressem, M.-F., Vanderplasschen, A. & Pastoret P.-P. (1992a) The biology of bovine herpesvirus 4. *Ann. Méd. vét.*, **136**, 617–624 (in French)
- Thiry, E., Bublot, M., Dubuisson, J., Van Bressem, M.-F., Lequarre, A.S., Lomonte, P., Vanderplasschen, A. & Pastoret P.-P. (1992b) Molecular biology of bovine herpesvirus type 4. *Vet. Microbiol.*, **33**, 79–92
- Thome, M., Schneider, P., Hoffmann, K., Fickenscher, H., Meinl, E., Neipl, F., Mattmann, C., Burns, K., Bodmer, J.-L., Schröter, M., Scaffidi, C., Krammer, P.H., Peter, M.E. & Tschoop, J. (1997) Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors. *Nature*, **386**, 517–521
- Tirelli, U., Gaidano, G., Errante, D. & Carbone, A. (1996) Potential heterosexual Kaposi's sarcoma-associated herpesvirus transmission in a couple with HIV-induced immunodepression and with Kaposi's sarcoma and multicentric Castleman's disease. *AIDS*, **10**, 1291–1304
- Todd, W. J. & Storz, J. (1983) Morphogenesis of a cytomegalovirus from American bison affected with malignant catarrhal fever. *J. gen. Virol.*, **64**, 1025–1030
- Toho, T., Kanaya, K. & Oki, Y. (1985) Experimental transmission to calf and goat of the virus associated with the cultured T-cell lymphoma cell line from calf type of bovine leukosis. I. Detection of antibodies to BTLA by immunofluorescence assay. *Bull. Nipp. vet. zootech. Coll.*, **34**, 23–26 (in Japanese)
- Tsai, C.C., Tsai, C.-C., Roodman, S.T. & Woon, M.-D. (1990) Mesenchymoproliferative disorders (MPD) in simian AIDS associated with SRV-2 infection. *J. med. Primatol.*, **19**, 189–202
- Tsai, C.-C., Wu, H. & Meng, F. (1995) Immunocytochemistry of Kaposi's sarcoma-like tumor cells from pigtailed macaques with simian AIDS. *J. med. Primatol.*, **24**, 43–48
- Uthman, A., Brna, C., Weninger, W. & Tschachler, E. (1996) No HHV8 in non-Kaposi's sarcoma mucocutaneous lesions from immunodeficient HIV-positive patients. *Lancet*, **347**, 1700–1701
- Vanderplasschen, A., Bublot, M., Dubuisson, J., Pastoret, P.-P. & Thiry, E. (1993) Attachment of the gammaherpesvirus bovine herpesvirus 4 is mediated by the interaction of gp8 glycoprotein with heparinlike moieties on the cell surface. *Virology*, **196**, 232–240
- Vanderplasschen, A., Goltz, M., Lyaku, J., Benarafa, C., Buhk, H.-J., Thiry, E. & Pastoret, P.-P. (1995) The replication *in vitro* of the gammaherpesvirus bovine herpesvirus 4 is restricted by its DNA synthesis dependence on the S phase of the cell cycle. *Virology*, **213**, 328–340
- Van Opdenbosch, E., Wellemans, G. & Oudewater, J. (1986) Casual isolation of a bovine herpesvirus 4 from the lung of a sheep. *Vlaams Diergeneesk. Tijdschr.*, **55**, 432–433 (in Dutch)
- Viviano, E., Vitale, F., Ajello, F., Perna, A.M., Villafrate, M.R., Bonura, F., Aricò, M., Mazzola, G. & Romano, N. (1997) Human herpesvirus type 8 DNA sequences in biological samples of HIV-positive and negative individuals in Sicily. *AIDS*, **11**, 607–612
- Vogel, J., Hinrichs, S.H., Reynolds, R.K., Luciw, P.A., & Jay, G. (1988) The HIV tat gene induces dermal lesions resembling Kaposi's sarcoma in transgenic mice. *Nature*, **335**, 601–611

- Vuillier, F., Bianco, N.E., Montagnier, L. & Dighiero, G. (1988) Selective depletion of low-intensity CD8⁺, CD16⁺ lymphocytes during HIV infection. *AIDS Res. hum. Retroviruses*, **4**, 121–129
- Wabinga, H.R., Parkin, D.M., Wabwire-Mangen, F. & Mugerwa, J.W. (1993) Cancer in Kampala, Uganda, in 1989–91: Changes in incidence in the era of AIDS. *Int. J. Cancer*, **54**, 26–36
- Wahman, A., Melnick, S.L., Rhame, F.S. & Potter, J.D. (1991) The epidemiology of classic, African and immunosuppressed Kaposi's sarcoma. *Epidemiol. Rev.*, **13**, 178–199
- Walter, P.R., Philippe, E., Nguemby-Mbina, C. & Chamlian, A. (1984) Kaposi's sarcoma: Presence of herpes-type virus particles in a tumor specimen. *Hum. Pathol.*, **15**, 1145–1146
- Walts, A.E., Shintaku, P. & Said, J.W. (1990) Diagnosis of malignant lymphoma in effusions from patients with AIDS by gene rearrangement. *Am. J. clin. Pathol.*, **94**, 170–175
- Weich, H.A., Salahuddin, S.Z., Gill, P., Nakamura, S., Gallo, R.C. & Folkmann, J. (1991) AIDS-associated Kaposi's sarcoma-derived cells in long-term culture express and synthesize smooth muscle alpha-actin. *Am. J. Pathol.*, **139**, 1251–1258
- Wellemans, G. & Van Opdenbosch, E. (1989) Bovine herpesvirus 4 infection and abortion in cattle. *Ann. Méd. vét.*, **133**, 347–350 (in French)
- Wellemans, G., Antoine, H., Broes, A., Charlier, G. & van Opdenbosch, E. (1984) Chronic metritis, attended with various symptoms: A herpesvirus as etiological agent. *Ann. Méd. vét.*, **128**, 65–74 (in French)
- Werner, S., Hofschneider, P.H., Sturzl, M., Dick, I. & Roth, W.K. (1989) Cytochemical and molecular properties of simian virus 40 transformed Kaposi's sarcoma-derived cells: Evidence for the secretion of a member of the fibroblast growth factor family. *J. cell. Physiol.*, **141**, 490–502
- Werner, S., Hofschneider, P.H., Heldin, C.-H., Östman, A. & Roth, W.K. (1990) Cultured Kaposi's sarcoma-derived cells express functional PDGF A-type and B-type receptors. *Exp. Cell Res.*, **187**, 98–103
- Whitby, D., Howard, M.R., Tenant-Flowers, M., Brink, N.S., Copas, A., Boshoff, C., Hatzioannou, T., Suggett, F.E.A., Aldam, D.M., Denton, A.S., Miller, R.F., Weller, I.V.D., Weiss, R.A., Tedder, R.S. & Schulz, T.F. (1995) Detection of Kaposi sarcoma-associated herpesvirus in peripheral blood of HIV-infected individuals and progression to Kaposi's sarcoma. *Lancet*, **346**, 799–800
- Williams, A.O. (1975) Tumors of childhood in Ibadan, Nigeria. *Cancer*, **36**, 370–378
- Williams, A.O. (1992) HIV and malignant disease in Africa. In: Williams, A.O., ed., *AIDS: An African Perspective*, Boca Raton, FL, CRC Press, pp. 253–308
- Williams, A.O., Ward, J.M., Li, J.F., Jackson, M.A. & Flanders, K.C. (1995) Immunohistochemical localization of transforming growth factor-β1 in Kaposi's sarcoma. *Hum. Pathol.*, **26**, 469–473
- Wittek, A.E., Mitchell, C.D., Armstrong, G.R., Albini, A., Martin, G.R., Seeman, R., Levenbook, I.S., Wierenga, D.E., Ridge, J., Dunlap, R.C., Lundquist, M.L., Steis, R.G., Longo, D.L., Muller, J. & Quinnan, G.V., Jr (1991) Propagation and properties of Kaposi's sarcoma-derived cell lines obtained from patients with AIDS: Similarity of cultured cells to smooth muscle cells. *AIDS*, **5**, 1485–1493
- Xerri, L., Hassoun, J., Planche, J., Guigou, V., Grob, J.-J., Parc, P., Birnbaum, D. & de Lapeyrière, O. (1991) Fibroblast growth factor gene expression in AIDS-Kaposi's sarcoma detected by *in situ* hybridization. *Am. J. Pathol.*, **138**, 9–15

- Yao, Z., Fanslow, W.C., Seldin, M.F., Rousseau, A.-M., Painter, S.L., Comeau, M.R., Cohen, J.I. & Spriggs, M.K. (1995) Herpesvirus saimiri encodes a new cytokine, IL-17, which binds to a novel cytokine receptor. *Immunity*, **3**, 811–821
- Yoshizaki, K., Matsuda, T., Nishimoto, N., Kuritani, T., Taeho, L., Aozasa, K., Nakahata, T., Kawai, H., Tagoh, H., Komori, T., Kishimoto, S., Hirano, T. & Kishimoto, T. (1989) Pathogenic significance of interleukin-6 (IL-6/BSF-2) in Castleman's disease. *Blood*, **74**, 1360–1367
- Zhang, L. & van Santen, V.L. (1995) Interaction of bovine herpesvirus 4 (BHV-4) immediate early 2 gene product with BHV-4 thymidine kinase promoter-regulatory region. *J. gen. Virol.*, **76**, 2433–2445
- Zhang, Y.-M., Bachmann, S., Hemmer, C., van Lunzen, J., von Stemm, A., Kem, P., Dietrich, M., Ziegler, R., Waldherr, R. & Nawroth, P.P. (1994) Vascular origin of Kaposi's sarcoma: Expression of leukocyte adhesion molecule-1, thrombomodulin, and tissue factor. *Am. J. Pathol.*, **144**, 51–59
- Zhong, W., Wang, H., Herndier, B. & Ganem, D. (1996) Restricted expression of Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) genes in Kaposi sarcoma. *Proc. natl Acad. Sci. USA*, **93**, 6641–6646
- Ziegler, J.L. & Katongole-Mbidde, E. (1996) Kaposi's sarcoma in childhood: An analysis of 100 cases from Uganda and relationship to HIV infection. *Int. J. Cancer*, **65**, 200–203
- Ziegler, J.L., Newton, R., Katongole-Mbidde, E., Mbulataiye, S., DeCock, K., Wabinga, H., Mugerwa, J., Katabira, E., Jaffee, H., Parkin, D.M., Reeves, G., Weiss, R. & Beral, V. (1997) Risk factors for Kaposi's sarcoma in HIV positive subjects in Uganda. *AIDS*, **11**, 1619–1626
- Zong, J.-C., Metroka, C., Reitz, M.S., Nicholas, J. & Hayward, G.S. (1997) Strain variability among Kaposi sarcoma-associated herpesvirus (human herpesvirus 8) genomes: Evidence that a large cohort of United States AIDS patients may have been infected by a single common isolate. *J. Virol.*, **71**, 2505–2511