

6. References

- Adhikary, P., Banerji, J., Chowdhury, D., Das, A.K., Deb, C.C., Mukherjee, S.R. & Chatterjee, A. (1989) Antifertility effect of *Piper betle* Linn. extract on ovary and testis of albino rats. *Indian J. exp. Biol.*, **27**, 868–870
- Adhikary, P., Banerji, J., Choudhuri, D., Das, A.K., Deb, C.C., Mukherjee, S.R. & Chatterjee, A. (1990a) Effect of oral administration of stalk of leaves of *Piper betle* Linn on oestrous cycle and its antifertility activity in rats. *Indian J. phys. all. Sci.*, **44**, 116–123
- Adhikary, P., Banerji, J., Choudhuri, D., Das, A.K., Deb, C.C., Mukherjee, S.R. & Chatterjee, A. (1990b) Effect of *Piper betle* Linn (stalk) extract on male rat fertility. *Indian J. Pharmacol.*, **22**, 145–149
- Adhvaryu, S.G., Bhatt, R.G., Dayal, P.K., Trivedi, A.H., Dave, B.J., Vyas, R.C. & Jani, K.H. (1986) SCE frequencies in lymphocytes of tobacco/betel nut chewers and patients with oral submucous fibrosis. *Br. J. Cancer*, **53**, 141–143
- Adhvaryu, S.G., Dave, B.J. & Trivedi, A.H. (1991) Cytogenetic surveillance of tobacco-areca nut (mava) chewers, including patients with oral cancers and premalignant conditions. *Mutat. Res.*, **261**, 41–49
- Agarwal, V. & Arora, M.M. (1964) Oropharyngeal cancer in Bhopal. *J. Indian med. Assoc.*, **42**, 519–521
- Agarwal, S., Mathur, M., Srivastava, A. & Ralhan, R. (1999) MDM2/p53 co-expression in oral premalignant and malignant lesions: Potential prognostic implications. *Oral Oncol.*, **35**, 209–216
- Ahluwalia, H.S. & Duguid, J.B. (1966) Malignant tumours in Malaya. *Br. J. Cancer*, **20**, 12–15
- Ahmed, W., Qureshi, H., Alam, S.E. & Zuberi, S.J. (1993) Association of upper gastrointestinal lesions with addictions. *J. Pak. med. Assoc.*, **43**, 176–177

- Alfthan, G., Aro, A. & Gey, K.F. (1997) Plasma homocysteine and cardiovascular disease mortality. *Lancet*, **349**, 397
- Amarasena, N., Ekanayake, A.N.I., Herath, L. & Miyazaki, H. (2003) Association between smoking, betel chewing and gingival bleeding in rural Sri Lanka. *J. clin. Periodontol.*, **30**, 403–408
- Amonkar, A.J., Nagabhushan, M., D’Souza, A.V. & Bhide, S.V. (1986) Hydroxychavicol: A new phenolic antimutagen from betel leaf. *Food chem. Toxicol.*, **24**, 1321–1324
- Amonkar, A.J., Padma, P.R. & Bhide, S.V. (1989) Protective effect of hydroxychavicol, a phenolic component of betel leaf, against the tobacco-specific carcinogens. *Mutat. Res.*, **210**, 249–253
- Anantha, N., Nandakumar, A., Vishwanath, N., Venkatesh, T., Pallad, Y.G., Manjunath, P., Kumar, D.R., Murthy, S.G.S., Shivashankariah & Dayananda C.S. (1995) Efficacy of an anti-tobacco community education program in India. *Cancer Causes Control*, **6**, 119–129
- Ånerud, Å., Löe, H. & Boysen, H. (1991) The natural history and clinical course of calculus formation in man. *J. clin. Periodontol.*, **18**, 160–170
- Anisimov, V.N. (1978) Pharmacological study of cholinergic mechanisms of compensatory ovarian hypertrophy in rats. *Endokrinologie*, **71**, 149–153
- Anon. (2003) Betelnut: Mama’on [<http://ns.gov.gu/pugua.html>]
- Arbeille, P., Bosc, M., Vaillant, M.C. & Tranquart, F. (1992) Nicotine-induced changes in the cerebral circulation in ovine fetuses. *Am. J. Perinatol.*, **9**, 270–274
- Arjungi, K.N. (1976) Areca nut: A review. *Arzneim.-Forsch. (Drug Res.)*, **26**, 951–957
- Asma, S. (1997) Smokeless tobacco: Betel quid chewing among adult women in Lao People’s Democratic Republic. *Tobacco Control*, **6**, 157–158
- Asthana, S., Greig, N.H., Holloway, H.W., Raffaele, K.C., Berardi, A., Schapiro, M.B., Rapoport, S.I. & Soncrant, T.T. (1996) Clinical pharmacokinetics of arecoline in subjects with Alzheimer’s disease. *Clin. Pharmacol. Ther.*, **60**, 276–282
- Atkinson, L., Chester, I.C., Smyth, F.G. & ten Seldam R.E.J. (1964) Oral cancer in New Guinea: A study in demography and etiology. *Cancer*, **17**, 1289–1298
- Atkinson, L., Purohit, R., Reay-Young, P. & Scott, G.C. (1982) Cancer reporting in Papua New Guinea: 1958–70 & 1971–78. *Natl Cancer Inst. Monogr.*, **62**, 65–71
- Atwal, G.S., Warnakulasuriya, K.A.A.S. & Gelbier, S. (1996) Betel-quid chewing habits among a sample of South Asians. *J. dent. Res.*, **75**, 1151
- Awang, M.N. (1986) Estimation of arecoline contents in commercial areca (betel) nuts and its relation to oral precancerous lesions. *Singapore med. J.*, **27**, 317–320
- Awang, M.N. (1987) Quantitative analysis of areca catechu (betel) nut flavanols (tannins) in relation to oral submucous fibrosis. *Dent. J. Malaysia*, **9**, 29–32
- Awang, M.N. (1988) Fate of betel nut chemical constituents following nut treatment prior to chewing and its relation to oral precancerous and cancerous lesion. *Dent. J. Malaysia*, **10**, 33–37
- Axell, T., Zain, R.B., Siwamoghstam, P., Tantinran, D. & Thampipit, J. (1990) Prevalence of oral soft tissue lesions in out-patients at two Malaysian and Thai dental schools. *Community dent. oral Epidemiol.*, **18**, 95–99
- Azuine, M.A. & Bhide, S.V. (1992) Protective single/combined treatment with betel leaf and turmeric against methyl (acetoxyethyl) nitrosamine-induced hamster oral carcinogenesis. *Int. J. Cancer*, **51**, 412–415

- Azuine, M.A., Amonkar, A.J. & Bhide, S.V. (1991) Chemopreventive efficacy of betel leaf extract and its constituents on 7,12-dimethylbenz(a)anthracene induced carcinogenesis and their effect on drug detoxification system in mouse skin. *Indian J. exp. Biol.*, **29**, 346–351
- Babu, S., Bhat, R.V., Kumar, P.U., Sesikaran, B., Rao, K.V., Aruna, P. & Reddy, P.R.R. (1996) A comparative clinico-pathological study of oral submucous fibrosis in habitual chewers of pan masala and betel quid. *J. Toxicol. clin. Toxicol.*, **34**, 317–322
- Bagchi, M., Balmoori, J., Bagchi, D., Stohs, S.J., Chakrabarti, J. & Das, D.K. (2002) Role of reactive oxygen species in the development of cytotoxicity with various forms of chewing tobacco and pan masala. *Toxicology*, **179**, 247–255
- Bagwe, A.N., Ganu, U.K., Gokhale, S.V. & Bhisey, R.A. (1990) Evaluation of the mutagenicity of 'pan masala', a chewing substitute widely used in India. *Mutat. Res.*, **241**, 349–354
- Balaram, P., Pillai, M.R. & Abraham, T. (1987) Immunology of premalignant and malignant conditions of the oral cavity. II. Circulating immune complexes. *J. oral Pathol.*, **16**, 389–391
- Balaram, P., Nalinakumari, K.R., Abraham, E., Balan, A., Hareendran, N.K., Bernard, H.U. & Chan, S.-Y. (1995) Human papillomaviruses in 91 oral cancers from Indian betel quid chewers — High prevalence and multiplicity of infections. *Int. J. Cancer*, **61**, 450–454
- Balaram, P., Sridhar, H., Rajkumar, T., Vaccarella, S., Herrero, R., Nandakumar, A., Ravichandran, K., Ramadas, K., Sankaranarayanan, R., Gajalakshmi, V., Munoz, N. & Franceschi, S. (2002) Oral cancer in southern India: The influence of smoking, drinking, paan chewing and oral hygiene. *Int. J. Cancer*, **98**, 440–445
- Balendra, W. (1949) Symposium on oral diseases in tropical countries. I. The effect of betel chewing on the dental and oral tissues and its possible relationship to buccal carcinoma. *Br. dent. J.*, **87**, 83–87
- Balendra, W. (1965) The incidence of oral carcinoma in Ceylon. *Br. J. oral Surg.*, **3**, 101–105
- Baral, R.N., Patnaik, S. & Das, B.R. (1998) Co-overexpression of p53 and c-myc proteins linked with advanced stages of betel- and tobacco-related oral squamous cell carcinomas from eastern India. *Eur. J. oral Sci.*, **106**, 907–913
- Bedi, R. (1996) Betel-quid and tobacco chewing among the United Kingdom's Bangladeshi community. *Br. J. Cancer*, **74** (Suppl. 29), S73–S77
- Bedi, R. & Gilthorpe, M.S. (1995) Betel-quid and tobacco chewing among the Bangladeshi community in areas of multiple deprivation. In: Bedi, R. & Jones, P., eds, *Betel-quid and Tobacco Chewing among the Bangladeshi Community in the United Kingdom, Usage and Health Issues*, London, Centre for Transcultural Oral Health, pp. 37–52
- Behari, M., Sharma, A.K., Changkakoti, S., Sharma, N. & Pandey, R.M. (2000) Case-control study of Meige's syndrome. Result of a pilot study. *Neuroepidemiology*, **19**, 275–280
- Benjamin, A.L. (2001) Community screening for diabetes in the National Capital District, Papua New Guinea: Is betelnut chewing a risk factor for diabetes? *Papua New Guinea med. J.*, **44**, 101–107
- Bentall, W.C. (1908) Cancer in Travancore, South India. A summary of 1700 cases. *Br. med. J.*, **ii**, 1428–1431
- Bhargava, K., Smith, L.W., Mani, N.J., Silverman, S., Jr, Malaowalla, A.M. & Bilimoria, K.F. (1975) A follow-up study of oral cancer and precancerous lesions in 57 518 industrial workers of Gujarat, India. *Indian J. Cancer*, **12**, 124–129

- Bhide, S.V., Shivapurkar, N.M., Gothoskar, S.V. & Ranadive, K.J. (1979) Carcinogenicity of betel quid ingredients: Feeding mice with aqueous extract and the polyphenol fraction of betel nut. *Br. J. Cancer*, **40**, 922–926
- Bhide, S.V., Gothoskar, S.V. & Shivapurkar, N.M. (1984) Arecoline tumorigenicity in Swiss strain mice on normal and vitamin B deficient diet. *J. Cancer Res. clin. Oncol.*, **107**, 169–171
- Bhide, S.V., Nair, U.J., Nair, J., Spiegelhalder, B. & Preussmann, R. (1986) *N*-Nitrosamines in the saliva of tobacco chewers or masher users. *Food chem. Toxicol.*, **24**, 293–297
- Bhide, S.V., Zariwala, M.B., Amonkar, A.J. & Azuine, M.A. (1991) Chemopreventive efficacy of a betel leaf extract against benzo[a]pyrene-induced forestomach tumors in mice. *J. Ethno-pharmacol.*, **34**, 207–213
- Bhisey, R.A., Ramchandani, A.G., D’Souza, A.V., Borges, A.M. & Notani, P.N. (1999) Long-term carcinogenicity of pan masala in Swiss mice. *Int. J. Cancer*, **83**, 679–684
- Bhurgri Y. (2001) History of cancer registration in Pakistan. *Asian Pacific J. Cancer Prev.*, **2** (IACR Suppl.), 51–54
- Bolton, J.L., Valerio, L.G., Jr & Thompson, J.A. (1992) The enzymatic formation and chemical reactivity of quinone methides correlate with alkylphenol-induced toxicity in rat hepatocytes. *Chem. Res. Toxicol.*, **5**, 816–822
- Boonyaphiphat, P., Thongsuksai, P., Sriplung, H. & Puttawibul, P. (2002) Lifestyle habits and genetic susceptibility and the risk of esophageal cancer in the Thai population. *Cancer Lett.*, **186**, 193–199
- Borle, R.M. & Gupta, D.S. (1987) Fungal contamination of arecanut. *Indian J. Pathol. Microbiol.*, **30**, 357–360
- Boucher, B.J. & Mannan, N. (2002) Metabolic effects of the consumption of Areca catechu. *Addict. Biol.*, **7**, 103–110
- Boucher, B.J., Ewen, S.W.B. & Stowers, J.M. (1994) Betel nut (*Areca catechu*) consumption and the induction of glucose intolerance in adult CD1 mice and in their F1 and F2 offspring. *Diabetologia*, **37**, 49–55
- Boucher, B.J., Mannan, N., Noonan, K., Hales, C.N. & Evans, S.J.W. (1995) Glucose intolerance and impairment of insulin secretion in relation to vitamin D deficiency in East London Asians. *Diabetologia*, **38**, 1239–1245
- Boyland, E. & Nery, R. (1969) Mercapturic acid formation during the metabolism of arecoline and arecaidine in the rat. *Biochem. J.*, **113**, 123–130
- Bravo, L. (1998) Polyphenols: Chemistry, dietary sources, metabolism, and nutritional significance. *Nutr. Rev.*, **56**, 317–333
- Buch, S.C., Notani, P.N. & Bhisey, R.A. (2002) Polymorphism at *GSTM1*, *GSTM3* and *GSTT1* gene loci and susceptibility to oral cancer in an Indian population. *Carcinogenesis*, **23**, 803–807
- Budhy, T.I., Soenarto, S.D., Yaacob, H.B. & Ngeow, W.C. (2001) Changing incidence of oral and maxillofacial tumours in East Java, Indonesia, 1987–1992. Part 2: Malignant tumours. *Br. J. oral maxillofac. Surg.*, **39**, 460–464
- Burt, A.D. (1993) C.L. Oakley Lecture 1993. Cellular and molecular aspects of hepatic fibrosis. *J. Pathol.*, **170**, 105–114
- Burton-Bradley, B.G. (1977) Papua and New Guinea transcultural psychiatry: Some implications of betel chewing. In: Burton-Bradley, B.G., ed., *Some Aspects of South Pacific Ethno-psychiatry*, New Caledonia, South Pacific Commission, pp. 29–36

- Burton-Bradley, B.G. (1978) Betel chewing in retrospect. *Papua New Guinea med. J.*, **21**, 236–241
- Byun, S.-J., Kim, H.-S., Jeon, S.-M., Park, Y.B. & Choi, M.S. (2001) Supplementation of *Areca catechu* L. extracts alters triglyceride absorption and cholesterol metabolism in rats. *Ann. Nutr. Metab.*, **45**, 279–284
- Caggiula, A.R., McAllister, C.G., Epstein, L.H., Antelman, S.M., Knopf, S., Saylor, S. & Perkins, K.A. (1992) Nicotine suppresses the proliferative response of peripheral blood lymphocytes in rats. *Drug Dev. Res.*, **26**, 473–479
- Calmels, S., Ohshima, H. & Bartsch, H. (1988) Nitrosamine formation by denitrifying and non-denitrifying bacteria: Implication of nitrite reductase and nitrate reductase in nitrosation catalysis. *J. gen. Microbiol.*, **134**, 221–226
- Canniff, J.P. & Harvey, W. (1981) The aetiology of oral submucous fibrosis: The stimulation of collagen synthesis by extracts of areca nut. *Int. J. oral Surg.*, **10** (Suppl. 1), 163–167
- Canniff, J.P., Harvey, W. & Harris, M. (1986) Oral submucous fibrosis: Its pathogenesis and management. *Br. dent. J.*, **160**, 429–434
- Carley, K.W., Puttaiah, R., Alvarez, J.O., Heimburger, D.C. & Anantha, N. (1994) Diet and oral premalignancy in female south Indian tobacco and betel chewers: A case-control study. *Nutr. Cancer*, **22**, 73–84
- Carossa, S., Pera, P., Doglio, P., Lombardo, S., Colagrande, P., Brussino, L., Rolla, G. & Bucca, C. (2001) Oral nitric oxide during plaque deposition. *Eur. J. clin. Invest.*, **31**, 876–879
- Cawte, J. (1985) Psychoactive substances in the South seas: Betel, kava, and pituri. *Aust. N.Z. J. Psychiat.*, **19**, 83–87
- Chakrabarti, R.N., Dutta, K., Ghosh, K. & Sikdar, S. (1990) Uterine cervical dysplasia with reference to the betel quid chewing habit. *Eur. J. Gynaecol. Oncol.*, **11**, 57–59
- Chakradeo, P.P., Nair, J. & Bhide, S.V. (1994) Endogenous formation of N-nitrosoproline and other N-nitrosamino acids in tobacco users. *Cancer Lett.*, **86**, 187–194
- Chakravarti, N., Mathur, M., Bahadur, S., Shukla, N.K., Rochette-Egly, C. & Ralhan, R. (2001) Expression of RAR α and RAR β in human oral potentially malignant and neoplastic lesions. *Int. J. Cancer*, **91**, 27–31
- Chakravarti, N., Mathur, M., Bahadur, S., Kumar Shukla, N. & Ralhan, R. (2003) Retinoic acid receptor-alpha as a prognostic indicator in oral squamous cell carcinoma. *Int. J. Cancer*, **103**, 544–549
- Chan, J.M., Rimm, E.B., Colditz, G.A., Stampfer, M.J. & Willett, W.C. (1994) Obesity, fat distribution, and weight gain as risk factors for clinical diabetes in men. *Diabetes Care*, **17**, 961–969
- Chandra, A. (1962) Different habits and their relation with cancer cheek. *Chittaranjan Cancer Hosp. Calcutta natl. Cancer Res. Centre Bull.*, 33–36
- Chang, K.-M. (1964) Betel nut chewing and mouth cancer in Taiwan. First report: Survey of disposition of mouth cancer in Taiwan. *J. Formosan med. Assoc.*, **63**, 437–448
- Chang, K.-W., Chang, C.-S., Lai, K.-S., Chou, M.-J. & Choo, K.-B. (1989) High prevalence of human papilloma virus infection and possible association with betel quid chewing and smoking in oral epidermoid carcinomas in Taiwan. *J. med. Virol.*, **28**, 57–61
- Chang, Y.-S., Lin, T.-J., Tsai, C.-N., Shu, C.-H., Tsai, M.-S., Choo, K.-B. & Liu, S.-T. (1992) Detection of mutations in the p53 gene in human head and neck carcinomas by single strand conformation polymorphism analysis. *Cancer Lett.*, **67**, 167–174

- Chang, M.-C., Kuo, M.Y.-P., Hahn, L.-J., Hsieh, C.-C., Lin, S.-K. & Jeng, J.-H. (1998) Areca nut extract inhibits the growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. *J. Periodontol.*, **69**, 1092–1097
- Chang, Y.C., Tai, K.W., Cheng, M.H., Chou, L.S.S. & Chou, M.Y. (1998) Cytotoxic and non-genotoxic effects of arecoline on human buccal fibroblasts *in vitro*. *J. oral Pathol. Med.*, **27**, 68–71
- Chang, M.C., Ho, Y.S., Lee, P.H., Chan, C.P., Lee, J.J., Hahn, L.J., Wang, Y.J. & Jeng, J.H. (2001) Areca nut extract and arecoline induced the cell cycle arrest but not apoptosis of cultured oral KB epithelial cells: Association of glutathione, reactive oxygen species and mitochondrial membrane potential. *Carcinogenesis*, **22**, 1527–1535
- Chang, Y.-C., Hu, C.-C., Tseng, T.-H., Tai, K.-W., Lii, C.-K. & Chou, M.-Y. (2001a) Synergistic effects of nicotine on arecoline-induced cytotoxicity in human buccal mucosal fibroblasts. *J. oral Pathol. Med.*, **30**, 458–464
- Chang, Y.-C., Lii, C.-K., Tai, K.-W. & Chou, M.-Y. (2001b) Adverse effects of arecoline and nicotine on human periodontal ligament fibroblasts *in vitro*. *J. clin. Periodontol.*, **28**, 277–282
- Chang, K.-C., Su, I.-J., Tsai, S.-T., Shieh, D.-B. & Jin, T.-T. (2002) Pathological features of betel quid-related oral epithelial lesions in Taiwan with special emphasis on the tumor progression and human papillomavirus association. *Oncology*, **63**, 362–369
- Chang, K.-W., Kao, S.-Y., Tzeng, R.-J., Liu, C.-J., Cheng, A.-J., Yang, S.-C., Wong, Y.-K. & Lin, S.-C. (2002) Multiple molecular alterations of *FHIT* in betel-associated oral carcinoma. *J. Pathol.*, **196**, 300–306
- Chang, M.C., Uang, B.J., Wu, H.L., Lee, J.J., Hahn, L.J. & Jeng, J.H. (2002a) Inducing the cell cycle arrest and apoptosis of oral KB carcinoma cells by hydroxychavicol: Roles of glutathione and reactive oxygen species. *Br. J. Pharmacol.*, **135**, 619–630
- Chang, M.C., Ho, Y.S., Lee, J.J., Kok, S.H., Hahn, L.J. & Jeng, J.H. (2002b) Prevention of the areca nut extract-induced unscheduled DNA synthesis of gingival keratinocytes by vitamin C and thiol compounds. *Oral Oncol.*, **38**, 258–265
- Chang, M.J.W., Ko, C.Y., Lin, R.F. & Hsieh, L.L. (2002) Biological monitoring of environment exposure to safrole and the Taiwanese betel quid chewing. *Arch. environ. Contam. Toxicol.*, **43**, 432–437
- Chang, Y.-C., Yang, S.-F., Tai, K.-W., Chou, M.-Y. & Hsieh, Y.-S. (2002a) Increased tissue inhibitor of metalloproteinase-1 expression and inhibition of gelatinase A activity in buccal mucosal fibroblasts by arecoline as possible mechanisms for oral submucous fibrosis. *Oral Oncol.*, **38**, 195–200
- Chang, Y.-C., Tsai, C.-H., Tai, K.-W., Yang, S.-H., Chou, M.-Y. & Lii, C.-K. (2002b) Elevated vimentin expression in buccal mucosal fibroblasts by arecoline *in vitro* as a possible pathogenesis for oral submucous fibrosis. *Oral Oncol.*, **38**, 425–430
- Chatterjee, A. & Deb, S. (1999) Genotoxic effect of arecoline given either by peritoneal or oral route in murine bone marrow cells and the influence of *N*-acetylcysteine. *Cancer Lett.*, **139**, 23–31
- Chauhan, R. (2000) *The Sale of Pan and Smokeless Tobacco Products (Betel Quid, Gutka) within Greater London and Pattern of Consumption amongst a Minority Asian Community Residing in London*, MSc Thesis, London, University of London
- Chempanan, B. (1993) Hypoglycaemic activity of arecoline in betel nut *Areca catechu* L. *Indian J. exp. Biol.*, **31**, 474–475

- Chen, J.W. & Shaw, J.H. (1996) A study on betel quid chewing behavior among Kaohsiung residents aged 15 years and above. *J. oral Pathol. Med.*, **25**, 140–143
- Cheng, Y.-A. & Tsai, C.-C. (1999) Nicotine- and arecoline-induced interleukin-1 secretion and intercellular adhesion molecular-1 expression in human oral epidermoid carcinoma cells *in vitro*. *Arch. oral Biol.*, **44**, 843–851
- Chen, H.-C., Chang, Y.-S. & Lee, T.-C. (1984) The mutagenicity of nitrite-treated aqueous extract of *Piper betle* L. *Proc. natl Sci. Councl. Repub. China B*, **8**, 4–10
- Chen, S.J., Wu, B.N., Yeh, J.L., Lo, Y.C., Chen, I.S. & Chen, I.J. (1995) C-fiber evoked autonomic cardiovascular effects after injection of *Piper betle* inflorescence extracts. *J. Ethnopharmacol.*, **45**, 183–188
- Chen, C.-L., Chi, C.-W., Chang, K.-W. & Liu, T.-Y. (1999) Safrole-like DNA adducts in oral tissue from oral cancer patients with a betel quid chewing history. *Carcinogenesis*, **20**, 2331–2334
- Chen, C.-L., Chi, C.-W. & Liu, T.-Y. (2000) Enhanced hydroxychavicol-induced cytotoxic effects in glutathione-depleted HepG2 cells. *Cancer Lett.*, **155**, 29–35
- Chen, K.T., Chen, C.J., Fagot-Campagna, A. & Narayan, K.M. (2001) Tobacco, betel quid, alcohol, and illicit drug use among 13- to 35-year-olds in I-Lan, rural Taiwan: Prevalence and risk factors. *Am. J. Public Health*, **91**, 1130–1134
- Chen, C.-L., Chi, C.-W. & Liu, T.-Y. (2002) Hydroxyl radical formation and oxidative DNA damage induced by areca quid *in vivo*. *J. Toxicol. environ. Health*, **A65**, 327–336
- Chen, P.C., Kuo, C., Pan, C.C. & Chou, M.Y. (2002) Risk of oral cancer associated with human papillomavirus infection, betel quid chewing, and cigarette smoking in Taiwan — An integrated molecular and epidemiological study of 58 cases. *J. Oral Pathol. Med.*, **31**, 317–322
- Cheng, Y.-A., Shiue, L.-F., Yu, H.-S., Hsieh, T.-Y. & Tsai, C.-C. (2000) Interleukin-8 secretion by cultured oral epidermoid carcinoma cells induced with nicotine and/or arecoline treatments. *Kaohsiung J. med. Sci.*, **16**, 126–133
- Cheong, Y.H. (1984) The fading links between tradition and oral health in Singapore. *Int. dent. J.*, **34**, 253–256
- Chiang, C.-P., Huang, J.-S., Wang, J.-T., Liu, B.-Y., Kuo, Y.-S., Hahn, L.-J. & Kuo, M.Y.-P. (1999) Expression of p53 protein correlates with decreased survival in patients with areca quid chewing and smoking-associated oral squamous cell carcinomas in Taiwan. *J. oral Pathol. Med.*, **28**, 72–76
- Chiang, C.-P., Lang, M.-J., Liu, B.-Y., Wang, J.-T., Leu, J.-S., Hahn, L.-J. & Kuo, M.Y.-P. (2000a) Expression of p53 protein in oral submucous fibrosis, oral epithelial hyperkeratosis, and oral epithelial dysplasia. *J. Formos. med. Assoc.*, **99**, 229–234
- Chiang, C.P., Lang, M.J., Liu, B.Y., Wang, J.T., Leu, J.S., Hahn, L.J. & Kuo, M.Y.P. (2000b) Expression of proliferating cell nuclear antigen (PCNA) in oral submucous fibrosis, oral epithelial hyperkeratosis and oral epithelial dysplasia in Taiwan. *Oral Oncol.*, **36**, 353–359
- Chiang, C.P., Hsieh, R.P., Chen, T.H.H., Chang, Y.F., Liu, B.Y., Wang, J.T., Sun, A. & Kuo, M.Y.P. (2002a) High incidence of autoantibodies in Taiwanese patients with oral submucous fibrosis. *J. oral Pathol. Med.*, **31**, 402–409
- Chiang, C.P., Wu, H.Y., Liu, B.Y., Wang, J.T. & Kuo, M.Y.P. (2002b) Quantitative analysis of immunocompetent cells in oral submucous fibrosis in Taiwan. *Oral Oncol.*, **38**, 56–63
- Chiba, I., Muthumala, M., Yamazaki, Y., Uz Zaman, A., Iizuka, T., Amemiya, A., Shibata, T., Kashiwazaki, H., Sugiura, C. & Fukuda, H. (1998) Characteristics of mutations in the *p53*

- gene of oral squamous-cell carcinomas associated with betel-quid chewing in Sri Lanka. *Int. J. Cancer*, **77**, 839–842
- Chin, C.T. & Lee, K.W. (1970) The effects of betel-nut chewing on the buccal mucosa of 296 Indians and Malays in West Malaysia. A clinical study. *Br. J. Cancer*, **24**, 427–432
- Chiu, C.-J., Chang, M.-L., Chiang, C.-P., Hahn, L.-J., Hsieh, L.-L. & Chen, C.-J. (2002) Interaction of collagen-related genes and susceptibility to betel quid-induced oral submucous fibrosis. *Cancer Epidemiol. Biomarkers Prev.*, **11**, 646–653
- Chong, M.-Y., Chan, K.-W. & Cheng, A.T.A. (1999) Substance use disorders among adolescents in Taiwan: Prevalence, sociodemographic correlates and psychiatric co-morbidity. *Psych. Med.*, **29**, 1387–1396
- Choonoo, A.G. (1967) *Indentured Indian Immigration into Natal 1860–1911 with Particular Reference to its Role in the Development of the Natal Sugar Industry*, MA Thesis, Durban, University of Natal, p. 27
- Choudhary, D. & Kale, R.K. (2002) Antioxidant and non-toxic properties of *Piper betle* leaf extract: *In vitro* and *in vivo* studies. *Phytother. Res.*, **16**, 461–466
- Chu, N.-S. (1993) Cardiovascular responses to betel chewing. *J. Formos. med. Assoc.*, **92**, 835–837
- Chu, N.-S. (1994) Effects of betel chewing on electroencephalographic activity: Spectral analysis and topographic mapping. *J. Formos. med. Assoc.*, **93**, 167–169
- Chu, N.S. (1995a) Sympathetic response to betel chewing. *J. psychoact. Drugs*, **27**, 183–186
- Chu, N.S. (1995b) Effect of betel chewing on RR interval variation. *J. Formos. med. Assoc.*, **94**, 106–110
- Chu, N.-S. (2001) Effects of betel chewing on the central and autonomic nervous systems. *J. biomed. Sci.*, **8**, 229–236
- Chu, N.-S. (2002) Neurological aspects of areca and betel chewing. *Addict. Biol.*, **7**, 111–114
- Cooke, R.A. (1969) Verrucous carcinoma of the oral mucosa in Papua-New Guinea. *Cancer*, **24**, 397–402
- Council of Agriculture, ROC (2003) Available at [http://stat.cora.gov.tw/dba_as/english/as_root.htm] under 4. *Agricultural Production, Quantity of Major Agricultural Production, Crops, d. Fruits*
- Council of the European Communities (2001) Directive 2001/37/EC of the European Parliament and of the Council of 5 June 2001 on the approximation of the laws, regulations and administrative provisions of the Member States concerning the manufacture, presentation and sale of tobacco products. *Off. J. Eur. Communities*, **L194**, 26–34
- Council of the Pharmaceutical Society of Great Britain (1911) *The British Pharmaceutical Codex, 1911*, London, The Pharmaceutical Press; available at [<http://www.ibiblio.org/herbmed/electric/bpc/1911/main.html>]
- Cox, S.C. & Walker, D.M. (1996) Epithelial growth fraction and expression of p53 tumour suppressor gene in oral submucous fibrosis. *Aust. dent. J.*, **41**, 91–96
- Croucher, R. & Islam, S. (2002) Socio-economic aspects of areca nut use. *Addict. Biol.*, **7**, 139–146
- Daftary, D.K., Bhonsle, R.B., Murti, R.B., Pindborg, J.J. & Mehta, F.S. (1980) An oral lichen planus-like lesion in Indian betel-tobacco chewers. *Scand. J. dent. Res.*, **88**, 244–249
- Dar, A. & Khatoon, S. (2000) Behavioral and biochemical studies of dichloromethane fraction from the *Areca catechu* nut. *Pharmacol. Biochem. Behav.*, **65**, 1–6
- Dave, B.J., Trivedi, A.H. & Adhvaryu, S.G. (1991) Cytogenetic studies reveal increased genomic damage among ‘pan masala’ consumers. *Mutagenesis*, **6**, 159–163

- Dave, B.J., Trivedi, A.H. & Adhvaryu, S.G. (1992a) Role of areca nut consumption in the cause of oral cancers: A cytogenetic assessment. *Cancer*, **70**, 1017–1023
- Dave, B.J., Trivedi, A.H. & Adhvaryu, S.G. (1992b) In vitro genotoxic effects of areca nut extract and arecoline. *Cancer Res. clin. Oncol.*, **118**, 283–288
- Davis, G.G. (1915) Buyo cheek cancer with special reference to etiology. *J. Am. med. Assoc.*, **64**, 711–718
- Dayal, P.K., Mani, N.J. & Bhargava, K. (1978) Prevalence of oral cancer and precancerous lesions in 'pan'/'supari' chewers. *Indian J. publ. Health*, **22**, 234–245
- De Costa, C. & Griew, A.R. (1982) Effects of betel chewing on pregnancy outcome. *Aust. N.Z. J. Obstet. Gynaecol.*, **22**, 22–24
- Deahl, M. (1989) Betel nut-induced extrapyramidal syndrome: An unusual drug interaction. *Mov. Disord.*, **4**, 330–333
- Deb, S. & Chatterjee, A. (1998) Influence of buthionine sulfoximine and reduced glutathione on arecoline-induced chromosomal damage and sister chromatid exchange in mouse bone marrow cells *in vivo*. *Mutagenesis*, **13**, 243–248
- Deng, J.-F., Ger, J., Tsai, W.-J., Kao, W.-F. & Yang, C.-C. (2001) Acute toxicities of betel nut: Rare but probably overlooked events. *J. Toxicol. clin. Toxicol.*, **39**, 355–360
- Desai, S.S., Ghaisas, S.D., Jakhi, S.D. & Bhide, S.V. (1996) Cytogenetic damage in exfoliated oral mucosal cells and circulating lymphocytes of patients suffering from precancerous oral lesions. *Cancer Lett.*, **109**, 9–14
- Dikshit, R.P. & Kanhere, S. (2000) Tobacco habits and risk of lung, oropharyngeal and oral cavity cancer: A population-based case-control study in Bhopal, India. *Int. J. Epidemiol.*, **29**, 609–614
- Dockrat, I. & Shear, M. (1969) Oral submucous fibrosis in Natal. In: Cahn, L., ed., *Fourth Proceedings of the International Academy of Oral Pathology*, New York, Gordon & Breach, pp. 57–63
- Donaldson, L.J. & Clayton, D.G. (1984) Occurrence of cancer in Asians and non-Asians. *J. Epidemiol. Community Health*, **38**, 203–207
- Dunham, L.J. & Herrold, K.M. (1962) Failure to produce tumors in the hamster cheek-pouch by exposure to ingredients of betel quid; Histopathologic changes in the pouch and other organs by exposure to known carcinogens. *J. natl Cancer Inst.*, **29**, 1047–1067
- Dunham, L.J., Muir, C.S. & Hamner, J.E., III (1966) Epithelial atypia in hamster cheek-pouches treated repeatedly with calcium hydroxide. *Br. J. Cancer*, **20**, 588–593
- Dunham, L.J., Sheets, R.H. & Morton, J.F. (1974) Proliferative lesions in cheek-pouch and esophagus of hamsters treated with plants from Curaçao, Netherland Antilles. *J. natl Cancer Inst.*, **53**, 1259–1269
- Dunham, L.J., Snell, K.C. & Stewart, H.L. (1975) Argyrophilic carcinoids in two Syrian hamsters (*Mesocricetus auratus*). *J. natl Cancer Inst.*, **54**, 507–513
- Dunn, B.P. & Stich, H.F. (1986) ³²P-Postlabelling analysis of aromatic DNA adducts in human oral mucosal cells. *Carcinogenesis*, **7**, 1115–1120
- Eisen, M. J. (1946) Betel chewing among natives of the Southwest Pacific Islands: Lack of carcinogenic action. *Cancer Res.*, **6**, 139–141
- Ernst, H., Ohshima H., Bartsch, H., Mohr, U. & Reichart, P. (1987) Tumorigenicity study in Syrian hamsters fed areca nut together with nitrite. *Carcinogenesis*, **8**, 1843–1845

- Fabunmi, R.P., Sukhova, G.K., Sugiyama, S. & Libby, P. (1998) Expression of tissue inhibitor of metalloproteinases-3 in human atheroma and regulation in lesion-associated cells: A potential protective mechanism in plaque stability. *Circ. Res.*, **83**, 270–278
- FAO (2003) FAO Statistical Databases: Agriculture, available at [<http://apps.fao.org/page/collections?subset=agriculture>], under Crops Primary
- Farago, C. (1963a) Review of 110 cases of cancer of oral cavity in Papua and New Guinea. *Br. med. J.*, **i**, 1264–1266
- Farago, C. (1963b) Report of 1160 registered tumor cases in Papua and New Guinea. *Cancer*, **16**, 670–680
- Farrand, P., Rowe, R.M., Johnston, A. & Murdoch, H. (2001) Prevalence, age of onset and demographic relationships of different areca nut habits amongst children in Tower Hamlets, London. *Br. dent. J.*, **190**, 150–154
- Fells, A. (1908) Cancer of the mouth in southern India, with an analysis of 209 operations. *Br. med. J.*, **ii**, 1357–1358
- Ferlay, J., Bray, F., Pisani, P. & Parkin, D.M. (2001) *Globocan 2000: Cancer Incidence, Mortality and Prevalence Worldwide, Version 1.0. IARC CancerBase No. 5*, Lyon, IARCPress
- Forlen, H.P., Hornstein, O. & Stüttgen, G. (1965) Betel quid and leukoplakia. *Arch. klin. exp. Dermatol.*, **221**, 463–480 (in German)
- Frewer, L.J. (1990) The effect of betel nut on human performance. *Papua New Guinea med. J.*, **33**, 143–145
- Furatado, C.X. (1933) The limits of the genus *Areca Linn* and its section. *Fedde's Repertor. Spec. Navar. Regn. Veget.*, **33**, 217–239
- Gajalakshmi, C.K. & Shanta, V. (1996) Lifestyle and risk of stomach cancer: A hospital-based case-control study. *Int. J. Epidemiol.*, **25**, 1146–1153
- Gajalakshmi, V., Hung, R.J., Mathew, A., Varghese, C., Brennan, P. & Boffetta, P. (2003) Tobacco smoking and chewing, alcohol drinking and lung cancer risk among men in southern India. *Int. J. Cancer*, **107**, 441–447
- Galis, Z.S., Sukhova, G.K., Lark, M.W. & Libby, P. (1994) Increased expression of matrix metalloproteinases and matrix degrading activity in vulnerable regions of atherosclerotic plaques. *J. clin. Invest.*, **94**, 2493–2503
- Gan, C. (1998) Tobacco usage among rural Bajaus in Sabah, Malaysia. *Southeast Asian J. trop. Med. Public Health*, **29**, 643–648
- Gandagule, V.N. & Agarwal, S. (1969) Oral and pharyngeal cancer in Madhya Pradesh. *J. Indian med. Assoc.*, **53**, 582–585
- Gao, Y.J., Yin, X.M. & Wu, H.J. (2001) [Relationship between vertical root fracture and the habits of chewing betel nut.] *Hunan Yi Ke Da Xue Xue Bao*, **26**, 161–162 (in Chinese)
- Geng, Y., Savage, S.M., Johnson, L.J., Seagrave, J. & Sopori, M.L. (1995) Effects of nicotine on immune response: I. Chronic exposure to nicotine impairs antigen receptor-mediated signal transduction in lymphocytes. *Toxicol. appl. Pharmacol.*, **135**, 268–278
- Geng, Y., Savage, S.M., Razani-Boroujerdi, S. & Sopori, M.L. (1996) Effects of nicotine on the immune response: II. Chronic nicotine treatment induces T cell anergy. *J. Immunol.*, **156**, 2384–2390
- George, A., Varghese, C., Sankaranarayanan, R. & Nair, M.K. (1994) Use of tobacco and alcoholic beverages by children and teenagers in a low-income coastal community in South India. *J. Cancer Educ.*, **9**, 111–113

- Gerry, R.G., Smith, S.T. & Calton, M.L. (1952) The oral characteristics of Guamanians including the effects of betel chewing on the oral tissues. Part I. Part II. Diseases of the oral mucous membranes and dental supporting tissues in Guamanians. Part III. *Oral Surg.*, **5**, 762–781, 884–894, 1004–1011
- Ghaisas, S.D. & Bhide, S.V. (1994) In vitro studies on chemoprotective effect of Purnark against benzo(a)pyrene-induced chromosomal damage in human lymphocytes. *Cell Biol. int.*, **18**, 21–27
- Gilani, A.H., Aziz, N., Khurran, I.M., Rao, Z.A. & Ali, N.K. (2000) The presence of cholinomimetic and calcium channel antagonist constituents in *Piper betle* Linn. *Phytother. Res.*, **14**, 436–442
- Giri, A.K., Banerjee, T.S., Talukder, G. & Sharma, A. (1987) Induction of sister chromatid exchange and dominant lethal mutation by 'Katha' (catechu) in male mice. *Cancer Lett.*, **36**, 189–196
- Gopalan, C., Rama Sastri, B.V., Balasubramanian, S.C., Narasinga Rao, B.S., Deosthale, Y.G. & Pant, K.C. (1989) *Nutritive Value of Indian Foods*, Hyderabad, Indian Council of Medical Research, National Institute of Nutrition
- Gothoskar, S.V. & Pai, S.R. (1986) A study on parotid gland tumor induced in Swiss mice by tanin containing fraction of betelnut. *Indian J. exp. Biol.*, **24**, 229–231
- Goto, H., Tanaka, N., Tanigawa, K., Shimada, Y., Itoh, T. & Terasawa, K. (1997) Endothelium dependent vasodilator effect of extract prepared from seeds of Areca catechu on isolated rat aorta. *Phytother. Res.*, **11**, 457–459
- Govekar, R.B. & Bhisey, R.A. (1993) Mutagenic activity in urine samples from female tobacco habitues. *Cancer Lett.*, **69**, 75–80
- Gupta, D.S., Gupta, M. & Oswal, R.H. (1985) Estimation of major immunoglobulin profile in oral submucous fibrosis by radial immunodiffusion. *Int. J. oral Surg.*, **14**, 533–537
- Gupta, P.C. (1984) A study of dose-response relationship between tobacco habits and oral leukoplakia. *Br. J. Cancer*, **50**, 527–531
- Gupta, P.C. (1996) Survey of sociodemographic characteristics of tobacco use among 99 598 individuals in Bombay, India using handheld computers. *Tob. Control*, **5**, 114–120
- Gupta, P.C. (1999) Mouth cancer in India: A new epidemic? *J. Indian med. Assoc.*, **97**, 370–373
- Gupta, P.C. & Ray, C.S. (2002) Tobacco and youth in the South East Asian region. *Indian J. Cancer*, **39**, 5–34
- Gupta, P.C. & Warnakulasuriya, S. (2002) Global epidemiology of areca nut usage. *Addict. Biol.*, **7**, 77–83
- Gupta, P.C., Mehta, F.S., Daftary, D.K., Pindborg, J.J., Bhonsle, R.B., Jalnawalla, P.N., Sinor, P.N., Pitkar, V.K., Murti, P.R., Irani, R.R., Shah, H.T., Kadam, P.M., Iyer, K.S.S., Iyer, H.M., Hegde, A.K., Chandrashekhar, G.K., Shroff, B.C., Sahiar, B.E. & Mehta, M.N. (1980) Incidence rates of oral cancer and natural history of oral precancerous lesions in a 10-year follow-up study of Indian villagers. *Community Dent. Oral Epidemiol.*, **8**, 283–333
- Gupta, P.C., Aghi, M.B., Bhonsle, R.B., Murti, P.R., Mehta, F.S., Mehta, C.R. & Pindborg, J.J. (1986) An intervention study of tobacco chewing and smoking habits for primary prevention of oral cancer among 12 212 Indian villagers. In: Zaridze, D.G. & Peto, R., eds, *Tobacco: A Major International Health Hazard* (IARC Scientific Publications No. 74), Lyon, IARCPress, pp. 307–318

- Gupta, P.C., Bhonsle, R.B., Murti, P.R., Daftary, D.K., Mehta, F.S. & Pindborg, J.J. (1989) An epidemiologic assessment of cancer risk in oral precancerous lesions in India with special reference to nodular leukoplakia. *Cancer*, **63**, 2247–2252
- Gupta, P.C., Murti, P.R., Bhonsle, R.B., Mehta, F.S. & Pindborg, J.J. (1995) Effect of cessation of tobacco use on the incidence of oral mucosal lesions in a 10-year follow-up study of 12,212 users. *Oral Dis.*, **1**, 54–58
- Gupta, P.C., Bhonsle, R.B. & Murti, P.R. (1997) Oral mucosal lesions related to betel-quid chewing — An epidemiologic assessment from a 10-year follow-up study of 12,212 individuals in Ernakulam district, Kerala, India. *Dent. J. Malaysia*, **18**, 38–42
- Gupta, P.C., Sinor, P.N., Bhonsle, R.B., Pawar, V.S. & Mehta, H.C. (1998) Oral submucous fibrosis in India: A new epidemic? *Natl med. J. India*, **11**, 113–116
- Hada, S., Kakiuchi, N., Hattori, M. & Namba, T. (1989) Identification of antibacterial principles against *Streptococcus mutans* and inhibitory principles against glucosyltransferase from the seed of *Areca catechu* L. *Phytother. Res.*, **3**, 140–144
- Hafström, O., Milerad, J. & Sundell, H.W. (2002) Prenatal nicotine exposure blunts the cardiorespiratory response to hypoxia in lambs. *Am. J. respir. crit. Care Med.*, **166**, 1544–1549
- Hamner, J.E., III (1972) Betel quid induction of epithelial atypia in the buccal mucosa of baboons. *Cancer*, **30**, 1001–1005
- Haque, M.F., Harris, M., Meghji, S. & Speight, P.M. (1997) An immunohistochemical study of oral submucous fibrosis. *J. oral Pathol. Med.*, **26**, 75–82
- Harvey, W., Scutt, A., Meghji, S. & Canniff, J.P. (1986) Stimulation of human buccal mucosa fibroblasts in vitro by betel-nut alkaloids. *Arch. oral Biol.*, **31**, 45–49
- Hashibe, M., Sankaranarayanan, R., Thomas, G., Kuruvilla, B., Mathew, B., Somanathan, T., Parkin, D.M. & Zhang, Z.F. (2000a) Alcohol drinking, body mass index and the risk of oral leukoplakia in an Indian population. *Int. J. Cancer*, **88**, 129–134
- Hashibe, M., Mathew, B., Kuruvilla, B., Thomas, G., Sankaranarayanan, R., Parkin, D.M. & Zhang, Z.F. (2000b) Chewing tobacco, alcohol and the risk of erythroplakia. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 639–645
- Hashibe, M., Sankaranarayanan, R., Thomas, G., Kuruvilla, B., Mathew, B., Somanathan, T., Parkin, D.M. & Zhang, Z.F. (2002) Body mass index, tobacco chewing, alcohol drinking, and the risk of oral submucous fibrosis in Kerala, India. *Cancer Causes Control*, **13**, 55–64
- Hashibe, M., Jacob, B.J., Thomas, G., Ramadas, K., Mathew, B., Sankaranarayanan, R. & Zhang, Z.F. (2003) Socioeconomic status, lifestyle factors and oral premalignant lesions. *Oral Oncol.*, **39**, 664–671
- Hayes, P.A. (1985) Oral submucous fibrosis in a 4-year-old girl. *Oral Surg. oral Med. oral Pathol.*, **59**, 475–478
- Hayes, M.J., Khemani, L., Bax, M. & Alkalay, D. (1989) Quantitative determination of arecoline in plasma by gas chromatography chemical ionization mass spectrometry. *Biomed. environ. mass Spectrom.*, **18**, 1005–1009
- Hazare, V.K., Goel, R.R. & Gupta, P.C. (1998) Oral submucous fibrosis, areca nut and pan masala use: A case-control study. *Natl med. J. India*, **11**, 299
- Health Canada (1995) *Herbs Used as Non-medicinal Ingredients in Nonprescription Drugs for Human Use*; available at [www.hc-sc.gc.ca/hpfb-dgpsa/tpd-dpt/herbnmi_c/html]
- Heinzel, P.A., Balaran, P. & Bernard, H.U. (1996) Mutations and polymorphisms in the *p53*, *p21* and *p16* genes in oral carcinomas of Indian betel quid chewers. *Int. J. Cancer*, **68**, 420–423

- Henderson, B.E. & Aiken, G.H. (1979) Cancer in Papua-New Guinea. *Natl. Cancer Inst. Monogr.* **53**, 67–72
- Higdon, J.V. & Frei, B. (2003) Tea catechins and polyphenols: Health effects, metabolism, and antioxidant functions. *Crit. Rev. Food Sci. Nutr.*, **43**, 89–143
- Hirayama, T. (1966) An epidemiological study of oral and pharyngeal cancer in central and South-East Asia. *Bull. World Health Organization*, **34**, 41–69
- Ho, C.S., Gee, M.J., Tsai, C.C., Lo, C.I. & Hwang, M.N. (2000a) Factors related to betel chewing among junior high school students in Taiwan. *Community Dent. oral Epidemiol.*, **28**, 150–154
- Ho, C.S., Gee, M.J., Tsai, C.C., Lo, C.I. & Hwang, M.N. (2000b) The prevalence of betel chewing among the students of the different senior high schools in southern Taiwan. *Kaohsiung. J. Med. Sci.*, **16**, 32–38
- Ho, T.-J., Chiang, C.-P., Hong, C.-Y., Kok, S.-H., Kuo, Y.-S. & Kuo, M.Y.-P. (2000) Induction of the c-jun protooncogene expression by areca nut extract and arecoline on oral mucosal fibroblasts. *Oral Oncol.*, **36**, 432–436
- Ho, P.S., Ko, Y.C., Yang, Y.C., Shieh, T.Y. & Tsai, C.C. (2002) The incidence of oropharyngeal cancer in Taiwan: An endemic betel quid chewing area. *J. oral Pathol. Med.*, **31**, 213–219
- Hogan, J. (2000) Tobacco products require redefining. *Br. dent. J.*, **188**, 61
- Holdsworth, D.K., Jones, R.A. & Self, R. (1998) Volatile alkaloids from *Areca catechu*. *Phytochemistry*, **48**, 581–582
- Howden, G.F. (1984) The cariostatic effect of betel nut chewing. *Papua New Guinea med. J.*, **27**, 123–131
- Hsieh, L.-L., Wang, P.-F., Chen, I.-H., Liao, C.-T., Wang, H.-M., Chen, M.-C., Chang, J.T.-C. & Cheng, A.-J. (2001) Characteristics of mutations in the p53 gene in oral squamous cell carcinoma associated with betel quid chewing and cigarette smoking in Taiwanese. *Carcinogenesis*, **22**, 1497–1503
- Hsieh, L.-L., Chien, H.-T., Chen, I.-H., Liao, C.-T., Wang, H.-M., Jung, S.-M., Wang, P.-F., Chang, J.T.-C., Chen, M.-C. & Cheng, A.-J. (2003) The XRCC1 339Gln polymorphism and the frequency of p53 mutations in Taiwanese oral squamous cell carcinomas. *Cancer Epidemiol. Biomarkers Prev.*, **12**, 439–443
- Hsu, H.-J., Chang, K.-L., Uang, Y.-H. & Shieh, T.-Y. (2001) The effects of arecoline on the release of cytokines using cultured peripheral blood mononuclear cells from patients with oral mucous diseases. *Kaohsiung J. med. Sci.*, **17**, 175–182
- Huang, J.L. & McLeish, M.J. (1989) High-performance liquid chromatographic determination of the alkaloids in betel nut. *J. Chromatogr.*, **475**, 447–450
- Huang, J.-S., Ho, T.-J., Chiang, C.-P., Kok, S.-H., Kuo, Y.-S. & Kuo, M.Y.-P. (2001) MDM2 expression in areca quid chewing-associated oral squamous cell carcinomas in Taiwan. *J. oral Pathol. Med.*, **30**, 53–58
- Hung, C.-R. & Cheng, J.-T. (1994) Betel quid chewing damaged gastric mucosa: Protective effects of cimetidine and sodium bicarbonate. *Chin. J. Physiol.*, **37**, 213–218
- Hung, D.-Z. & Deng, J.-F. (1998) Acute myocardial infarction temporally related to betel nut chewing. *Vet. hum. Toxicol.*, **40**, 25–28
- Hung, H.-C., Chuang, J., Chien, Y.-C., Chern, H.-D., Chiang, C.-P., Kuo, Y.-S., Hildesheim, A. & Chen, C.-J. (1997) Genetic polymorphisms of CYP2E1, GSTM1, and GSTT1; environmental factors and risk of oral cancer. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 901–905

- Hung, S.-L., Chen, Y.-L., Wan, H.-C., Liu, T.-Y., Chen, Y.-T. & Ling, L.-J. (2000) Effects of areca nut extracts on the function of human neutrophils *in vitro*. *J. periodont. Res.*, **35**, 186–193
- Huq, S.F. (1965) Some aspect of site distribution of cancer in East Pakistan. *J. Pak. med. Assoc.*, **15**, 237–245
- Hwang, L.S., Wang, C.K., Sheu, M.J. & Kao, L.S. (1992) Phenolic compounds of *Piper betle* flower as flavoring and neuronal activity modulating agents. In: Ho, C.T., Lee, C.Y. & Huang, M.T., eds, *Phenolic Compounds in Food and their Effects on Health*, Vol. 1, *Analysis, Occurrence and Chemistry*, Washington DC, American Chemical Society, pp. 200–213
- IARC (1976) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 10, *Some Naturally Occurring Substances*, Lyon, IARCPress
- IARC (1985a) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 37, *Tobacco Habits Other than Smoking; Betel-Quid and Areca-nut Chewing; and Some Related Nitrosamines*, Lyon, IARCPress
- IARC (1985b) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 36, *Allyl Compounds, Aldehydes, Epoxides and Peroxides*, Lyon, IARCPress, pp. 75–97
- IARC (1986) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol. 40, *Some Naturally Occurring and Synthetic Food Components, Furocoumarins and Ultraviolet Radiation*, Lyon, IARCPress, pp. 123–159, 161–206
- IARC (1987) *IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon, IARCPress, p. 63
- IARC (2002) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 82, *Some Traditional Herbal Medicines, Some Mycotoxins, Naphthalene and Styrene*, Lyon, IARCPress, pp. 171–274
- IARC (2004) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 83, *Tobacco Smoke and Involuntary Smoking*, Lyon, IARCPress
- ICMR (Indian Council of Medical Research) (2001) *Consolidated Report of the Population Based Cancer Registries: Incidence and Distribution of Cancer: 1990–96*, National Cancer Registry Programme, New Delhi, pp 34–37
- Ikeda, N., Handa, Y., Khim, S.P. Durward, C., Axéll, T., Mizuno, T., Fukano, H. & Kawai, T. (1995) Prevalence study of oral mucosal lesions in a selected Cambodian population. *Community dent. oral Epidemiol.*, **23**, 49–54
- Inokuchi, J.-I., Okabe, H., Yamauchi, T., Nagamatsu, A., Nonaka, G.-I. & Nishioka, I. (1986) Anti-hypertensive substance in seeds of *Areca catechu* L. *Life Sci.*, **38**, 1375–1382
- Iverson, S.L., Hu, L.Q., Vukomanovic, V. & Bolton, J.L. (1995) The influence of the *p*-alkyl substituent on the isomerization of *o*-quinones to *p*-quinone methides: Potential bioactivation mechanism for catechols. *Chem. Res. Toxicol.*, **8**, 537–544
- Jafarey, N.A., Mahmood, Z. & Zaidi, S.H.M. (1977) Habits and dietary pattern of cases of carcinoma of the oral cavity and oropharynx. *J. Pak. med. Assoc.*, **27**, 340–343
- Jaiswal, N., Jaiswal, R.K. & Malik, K.U. (1991) Muscarinic receptor-mediated prostacyclin and cGMP synthesis in cultured vascular cells. *Mol. Pharmacol.*, **40**, 101–106
- Jaju, R.J., Patel, R.K., Bakshi, S.R., Trivedi, A.H., Dave, B.J. & Adhvaryu, S.G. (1992) Chromosome damaging effects of pan masala. *Cancer Lett.*, **65**, 221–226

- Jamrozik, K. (1985) Regional variation of oral cancer in Papua New Guinea. *Papua New Guinea med. J.*, **28**, 9–13
- Jayalakshmi, A. & Mathew, A.G. (1982) Chemical composition and processing. In: Bavappa, K.V.A., Nair, M.K. & Kumar, T.P., eds, *The Areca-nut Palm*, Kerala, Central Plantation Crops Research Institute, pp. 225–244
- Jayant, K., Balakrishnan, V., Sanghvi, L.D. & Jussawalla, D.J. (1977) Quantification of the role of smoking and chewing tobacco in oral, pharyngeal, and oesophageal cancers. *Br. J. Cancer*, **35**, 232–235
- Jeng, J.H., Kuo, M.L., Hahn, L.J. & Kuo, M.Y.P. (1994a) Genotoxic and non-genotoxic effects of betel quid ingredients on oral mucosal fibroblasts *in vitro*. *J. dent. Res.*, **73**, 1043–1049
- Jeng, J.H., Hahn, L.J., Lu, F.J., Wang, Y.J. & Kuo, M.Y.P. (1994b) Eugenol triggers different pathobiological effects on human oral mucosal fibroblasts. *J. dent. Res.*, **73**, 1050–1055
- Jeng, J.H., Lan, W.H., Hahn, L.J., Hsieh, C.C. & Kuo, M.Y.P. (1996) Inhibition of the migration, attachment, spreading, growth and collagen synthesis of human gingival fibroblasts by arecoline, a major areca alkaloid, *in vitro*. *J. oral Pathol. Med.*, **25**, 371–375
- Jeng, J.H., Tsai, C.L., Hahn, L.J., Yang, P.J., Kuo, S. & Kuo, M.Y.P. (1999a) Arecoline cytotoxicity on human oral mucosal fibroblasts related to cellular thiol and esterase activities. *Food. chem. Toxicol.*, **37**, 751–756
- Jeng, J.-H., Hahn, L.-J., Lin, B.-R., Hsieh, C.-C., Chan, C.-P. & Chang, M.-C. (1999b) Effects of areca nut, inflorescence *Piper betle* extracts and arecoline on cytotoxicity, total and unscheduled DNA synthesis in cultured gingival keratinocytes. *J. oral Pathol. Med.*, **28**, 64–71
- Jeng, J.H., Ho, Y.S., Chan, C.P., Wang, Y.J., Hahn, L.J., Lei, D., Hsu, C.C. & Chang, M.C. (2000) Areca nut extract up-regulates prostaglandin production, cyclooxygenase-2 mRNA and protein expression of human oral keratinocytes. *Carcinogenesis*, **21**, 1365–1370
- Jeng, J.-H., Chen, S.-Y., Liao, C.-H., Tung, Y.-Y., Lin, B.-R., Hahn, L.-J. & Chang, M.-C. (2002) Modulation of platelet aggregation by areca nut and betel leaf ingredients: Role of reactive oxygen species and cyclooxygenase. *Free Rad. Biol. Med.*, **32**, 860–871
- Jeng, J.-H., Wang, Y.-J., Chiang, B.-L., Lee, P.-H., Chan, C.-P., Ho, Y.-S., Wang, T.-M., Lee, J.-J., Hahn, L.-J. & Chang, M.-C. (2003) Roles of keratinocyte inflammation in oral cancer: Regulating the prostaglandin E₂, interleukin-6 and TNF- α production of oral epithelial cells by areca nut extract and arecoline. *Carcinogenesis*, **24**, 1301–1315
- Jensen, G.D. & Polloi, A.H. (1988) The very old of Palau: Health and mental state. *Age Ageing*, **17**, 220–226
- Jeon, S.-M., Kim, H.-S., Lee, T.-G., Ryu, S.-H., Suh, P.-G., Byun, S.-J., Park, Y.B. & Choi, M.-S. (2000) Lower absorption of cholesteryl oleate in rats supplemented with *Areca catechu* L. extract. *Ann. Nutr. Metab.*, **44**, 170–176
- Jin, Y.T., Tsai, S.T., Wong, T.Y., Chen, F.F. & Chen, R.M. (1996) Studies on promoting activity of Taiwan betel quid ingredients in hamster buccal pouch carcinogenesis. *Eur. J. Cancer*, **32B**, 343–346
- Johnson, J.D., Houchens, D.P., Kluwe, W.M., Craig, D.K. & Fisher, G.L. (1990) Effects of mainstream and environmental tobacco smoke on the immune system in animals and humans, a review. *Crit. Rev. Toxicol.*, **20**, 369–395
- Johnston, G.A.R., Krosgaard-Larsen, P. & Stephanson, A. (1975) Betel nut constituents as inhibitors of γ -aminobutyric acid uptake. *Nature*, **258**, 627–628

- Joseph, K.C. & Sitaram, N. (1990) Topographical sleep EEG response to arecoline. *Psychiatry Res.*, **35**, 91–94
- Jussawalla, D.J. & Deshpande, V.A. (1971) Evaluation of cancer risk in tobacco chewers and smokers: An epidemiologic assessment. *Cancer*, **28**, 244–252
- Kai, H., Ikeda, H., Yasukawa, H., Kai, M., Seki, Y., Kuwahara, F., Ueno, T., Sugi, K. & Imaizumi, T. (1998) Peripheral blood levels of matrix metalloproteases-2 and -9 are elevated in patients with acute coronary syndromes. *J. Am. Coll. Cardiol.*, **32**, 368–372
- Kalra, R., Singh, S.P., Savage, S.M., Finch, G.L. & Sopori, M.L. (2000) Effects of cigarette smoke on immune response: Chronic exposure to cigarette smoke impairs antigen-mediated signaling in T cells and depletes IP₃-sensitive Ca²⁺ stores. *J. Pharmacol. exp. Ther.*, **293**, 166–171
- Kandarkar, S.V. & Sirsat, S.M. (1977) Changes in vitamin A conditioned hamster cheek pouch epithelium on exposure to commercial shell lime (calcium hydroxide) and tobacco. I. Optical histopathology. *J. oral Pathol.*, **6**, 191–202
- Kao, S.-Y., Tu, H.-F., Chang, K.-W., Chang, C.-S., Yang, C.-C. & Lin, S.-C. (2002a) The retinoic acid receptor-β (RAR-β) mRNA expression in the oral squamous cell carcinoma associated with betel quid use. *J. oral Pathol. Med.*, **31**, 220–226
- Kao, S.-Y., Wu, C.-H., Lin, S.-C., Yap, S.-K., Chang, C.-S., Wong, Y.-K., Chi, L.-Y. & Liu, T.-Y. (2002b) Genetic polymorphism of cytochrome P4501A1 and susceptibility to oral squamous cell carcinoma and oral precancer lesions associated with smoking/betel use. *J. oral Pathol. Med.*, **31**, 505–511
- Kapadia, G.J., Chung, E.B., Ghosh, B., Shukla, Y.N., Basak, S.P., Morton, J.F. & Pradhan, S.N. (1978) Carcinogenicity of some folk medicinal herbs in rats. *J. natl Cancer Inst.*, **60**, 683–686
- Kaur, J. & Ralhan, R. (1995) Differential expression of 70-kDa heat shock-protein in human oral tumorigenesis. *Int. J. Cancer*, **63**, 774–779
- Kaur, J., Srivastava, A. & Ralhan, R. (1994) Overexpression of p53 protein in betel- and tobacco-related human oral dysplasia and squamous-cell carcinoma in India. *Int. J. Cancer*, **58**, 340–345
- Kaur, J., Srivastava, A. & Ralhan, R. (1998a) Prognostic significance of p53 protein overexpression in betel- and tobacco-related oral oncogenesis. *Int. J. Cancer*, **79**, 370–375
- Kaur, J., Srivastava, A. & Ralhan, R. (1998b) Expression of 70-kDa heat shock protein in oral lesions: Marker of biological stress or pathogenicity. *Oral Oncol.*, **34**, 496–501
- Kayal, J.J., Trivedi, A.H., Dave, B.J., Nair, J., Nair, U.J., Bhide, S.V., Goswami, U.C. & Adhvaryu, S.G. (1993) Incidence of micronuclei in oral mucosa of users of tobacco products singly or in various combinations. *Mutagenesis*, **8**, 31–33
- Kerdpon, D. & Sriplung, H. (2001) Factors related to advanced stage oral squamous cell carcinoma in southern Thailand. *Oral Oncol.*, **37**, 216–221
- Kerdpon, D., Sriplung, H. & Kietthubthew, S. (2001) Expression of p53 in oral squamous cell carcinoma and its association with risk habits in southern Thailand. *Oral Oncol.*, **37**, 553–557
- Kevekordes, S., Mersch-Sundermann, V., Burghaus, C.M., Spielberger, J., Schmeiser, H.H., Arlt, V.M. & Dunkelberg, H. (1999) SOS induction of selected naturally occurring substances in *Escherichia coli* (SOS chromotest). *Mutat. Res.*, **445**, 81–91
- Kevekordes, S., Spielberger, J., Burghaus, C.M., Birkenkamp, P., Zietz, B., Paufler, P., Diez, M., Bolten, C. & Dunkelberg, H. (2001) Micronucleus formation in human lymphocytes and in the metabolically competent human hepatoma cell line Hep-G2: Results with 15 naturally occurring substances. *Anticancer Res.*, **21**, 461–470

- Khan, F.A., Robinson, P.G., Warnakulasuriya, K.A.A.S., Newton, J.T., Gelbier, S. & Gibbons, D.E. (2000) Predictors of tobacco and alcohol consumption and their prevalence to oral cancer control amongst people from minority ethnic communities in the South Thames health region, England. *J. oral Pathol. Med.*, **29**, 214–219
- Khanna, N.N., Pant, G.C., Tripathi, F.M., Sanyal, B. & Gupta, S. (1975) Some observations on the etiology of oral cancer. *Indian J. Cancer*, **12**, 77–83
- Khanolkar, V.R. (1944) Oral cancer in Bombay, India. A review of 1,000 consecutive cases. *Cancer Res.*, **4**, 313–319
- Khanolkar, V.R. (1959) Oral cancer in India. *Acta Unio int. contra Cancrum*, **15**, 67–77
- Khrime, R.D., Mehra, Y.N., Mann, S.B.S., Mehta, S.K. & Chakraborti, R.N. (1991) Effect of instant preparation of betel nut (*pan masala*) on the oral mucosa of albino rats. *Indian J. med. Res.*, **94**, 119–124
- Kietthubthew, S., Sriplung, H. & Au, W.W. (2001) Genetic and environmental interactions on oral cancer in southern Thailand. *Environ. mol. Mutag.*, **37**, 111–116
- Kiyingi, K.S. (1991) Betel-nut chewing may aggravate asthma. *Papua New Guinea med. J.*, **34**, 117–121
- Kiyingi, K.S. & Saweri, A. (1994) Betelnut chewing causes bronchoconstriction in some asthma patients. *Papua New Guinea med. J.*, **37**, 90–99
- Knudsen, B., Knudsen, B. & Saleem, M. (1985) [Dental diseases and betel chewing among Maldivian school children.] *Dan. Dent. J. (Tandlægebladet)*, **89**, 264–267 (in Danish)
- Ko, Y.C., Chiang, T.A., Chang, S.J. & Hsieh, S.F. (1992) Prevalence of betel quid chewing habit in Taiwan and related sociodemographic factors. *J. oral Pathol. Med.*, **21**, 261–264
- Ko, Y.C., Huang, Y.L., Lee, C.H., Chen, M.J., Lin, L.M. & Tsai, C.C. (1995) Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. *J. oral Pathol. Med.*, **24**, 450–453
- Kok, S.-H., Lee, J.-J., Hsu, H.-C., Chiang, C.-P., Kuo, Y.-S. & Kuo, M.Y.-P. (2002) Mutations of the *adenomatous polyposis coli* gene in areca quid and tobacco-associated oral squamous cell carcinomas in Taiwan. *J. oral Pathol. Med.*, **31**, 395–401
- Krol, E.S. & Bolton, J.L. (1997) Oxidation of 4-alkylphenols and catechols by tyrosinase: *ortho*-Substituents alter the mechanism of quinoid formation. *Chem.-biol. Interactions*, **104**, 11–27
- Kuek, L.B.K., Chin, T.W. & Fong, K.W. (1990) Lip and intraoral tumours: A local perspective. *Ann. Acad. Med. Singapore*, **19**, 178–181
- Kumar, M., Kannan, A. & Upadhyay, R.K. (2000) Effect of betel/areca nut (*Areca catechu*) extracts on intestinal epithelial cell lining. *Vet. hum. Toxicol.*, **42**, 257–260
- Kuo, M.Y.P., Jeng, J.H., Chiang, C.P. & Hahn, L.J. (1994) Mutations of Ki-ras oncogene codon 12 in betel quid chewing-related human oral squamous cell carcinoma in Taiwan. *J. oral Pathol. Med.*, **23**, 70–74
- Kuo, M.Y.P., Chen, H.M., Hahn, L.J., Hsieh, C.C. & Chiang, C.P. (1995a) Collagen biosynthesis in human oral submucous fibrosis fibroblast cultures. *J. dent. Res.*, **74**, 1783–1788
- Kuo, M.Y.P., Chang, H.H., Hahn, L.J., Wang, J.T. & Chiang, C.P. (1995b) Elevated ras p21 expression in oral premalignant lesions and squamous cell carcinoma in Taiwan. *J. oral Pathol. Med.*, **24**, 255–260
- Kuo, M.Y.-P., Huang, J.-S., Hsu, H.-C., Chiang, C.-P., Kok, S.-H., Kyo, Y.-S. & Hong, C.-Y. (1999a) Infrequent p53 mutations in patients with areca quid chewing-associated oral squamous cell carcinomas in Taiwan. *J. oral Pathol. Med.*, **28**, 221–225

- Kuo, M.Y.-P., Lin, C.-Y., Hahn, L.-J., Cheng, S.-J. & Chiang, C.-P. (1999b) Expression of cyclin D1 is correlated with poor prognosis in patients with areca quid chewing-associated oral squamous cell carcinomas in Taiwan. *J. oral Pathol. Med.*, **28**, 165–169
- Kuo, M.Y.-P., Huang, J.-S., Kok, S.-H., Kuo, Y.-S. & Chiang, C.-P. (2002a) Prognostic role of p21^{WAF1} expression in areca quid chewing and smoking-associated oral squamous cell carcinoma in Taiwan. *J. oral Pathol. Med.*, **31**, 16–22
- Kuo, M.Y.-P., Hsu, H.-Y., Kok, S.-H., Kuo, R.-C., Yang, H., Hahn, L.-J. & Chiang, C.-P. (2002b) Prognostic role of p27^{Kip1} expression in oral squamous cell carcinoma in Taiwan. *Oral Oncol.*, **38**, 172–178
- Kuo, P.-H., Yang, H.-J., Soong, W.-T. & Chen, W.J. (2002) Substance use among adolescents in Taiwan: Associated personality traits, incompetence, and behavioral/emotional problems. *Drug. Alcohol Depend.*, **67**, 27–39
- Kuruppuarachchi, K.A.L.A. & Williams, S.S. (2003) Betel use and schizophrenia. *Br. J. Psychiatry*, **182**, 455
- Kuttan, N.A.A., Rosin, M.P., Ambika, K., Priddy, R.W., Bhakthan, N.M.G. & Zhang, L. (1995) High prevalence of expression of p53 oncoprotein in oral carcinomas from India associated with betel and tobacco chewing. *Eur. J. Cancer*, **31B**, 169–173
- Kwan, H.-W. (1976) A statistical study on oral carcinomas in Taiwan with emphasis on the relationship with betel nut chewing: A preliminary report. *J. Formosa med. Assoc.*, **75**, 497–505
- Lahiri, M. & Bhide, S.V. (1993) Effect of four plant phenols, β-carotene and α-tocopherol on 3(H)-benzopyrene-DNA interaction in vitro in the presence of rat and mouse liver postmitochondrial fraction. *Cancer Lett.*, **73**, 35–39
- Lay, K.M., Sein, K., Myint, A., Ko Ko, S. & Pindborg, J.J. (1982) Epidemiologic study of 6000 villagers of oral precancerous lesions in Bilugyun: Preliminary report. *Community dent. oral Epidemiol.*, **10**, 152–155
- Lee, C.H., Lin, R.H., Liu, S.H. & Lin-Shiau, S.Y. (1996) Mutual interactions among ingredients of betel quid in inducing genotoxicity on Chinese hamster ovary cells. *Mutat. Res.*, **367**, 99–104
- Lee, H.-C., Yin, P.-H., Yu, T.-N., Chang, Y.-D., Hsu, W.-C., Kao, S.-Y., Chi, C.-W., Liu, T.-Y. & Wei, Y.-H. (2001) Accumulation of mitochondrial DNA deletions in human oral tissues—Effects of betel quid chewing and oral cancer. *Mutat. Res.*, **493**, 67–74
- Lee, J.-M., Lee, Y.-C., Yang, S.-Y., Yang, P.-W., Luh, S.-P., Lee, C.-J., Chen, C.-J. & Wu, M.-T. (2001) Genetic polymorphisms of *XRCC1* and risk of the esophageal cancer. *Int. J. Cancer*, **95**, 240–246
- Lee, M.-J., Hsu, J.-D., Lin, C.-L., Lin, M.-H., Yuan, S.-C. & Wang, C.-J. (2002) Induction of epidermal proliferation and expression of PKC and NF-κB by betel quid extracts in mouse: The role of lime-piper additives in betel quid. *Chem.-biol. Interactions*, **140**, 35–48
- Lee, C.H., Ko, Y.C., Huang, H.L., Chao, Y.Y., Tsai, C.C., Shieh, T.Y. & Lin, L.M. (2003) The precancer risk of betel quid chewing, tobacco use and alcohol consumption in oral leukoplakia and oral submucous fibrosis in southern Taiwan. *Br. J. Cancer*, **88**, 366–372
- Lee-Chen, S.-F., Chen, C.-L., Ho, L.-Y., Hsu, P.-C., Chang, J.-T., Sun, C.-M., Chi, C.-W. & Liu, T.-Y. (1996) Role of oxidative DNA damage in hydroxychavicol-induced genotoxicity. *Mutation*, **11**, 519–523

- Lei, D., Chan, C.-P., Wang, Y.-J., Wang, T.-M., Lin, B.-R., Huang, C.-H., Lee, J.-J., Chen, H.-M., Jeng, J.-H. & Chang, M.-C. (2003) Antioxidative and antiplatelet effects of aqueous inflorescence *piper betle* extract. *J. agric. Food Chem.*, **51**, 2083–2088
- Len Meng, M. (1969) [Betel chewing]. *Rev. Stomatol.*, **70**, 417–430 (in French)
- Liao, P.-H., Lee, T.-L., Yang, L.-C., Yang, S.-H., Chen, S.-L. & Chou, M.-Y. (2001) Adenomatous polyposis coli gene mutation and decreased wild-type p53 protein expression in oral submucous fibrosis: A preliminary investigation. *Oral Surg. oral Med. oral Pathol. oral Radiol. Endod.*, **92**, 202–207
- Lichtensteiger, W. & Schlumpf, M. (1985) Prenatal nicotine affects fetal testosterone and sexual dimorphism of saccharin preference. *Pharmacol. Biochem. Behav.*, **23**, 439–444
- Lin, L.M., Chen, Y.K., Lai, D.R. & Huang, Y.L. (1996) Minimal arecaidine concentrations showing a promotion effect during DMBA-induced hamster cheek pouch carcinogenesis. *J. oral Pathol. Med.*, **25**, 65–68
- Lin, L.M., Chen, Y.K., Lai, D.R., Huang, Y.L. & Chen, H.R. (1997) Cancer-promoting effect of Taiwan betel quid in hamster buccal pouch carcinogenesis. *Oral Dis.*, **3**, 232–235
- Lin, S.-C., Chang, K.-W., Chang, C.-S., Liu, T.-Y., Tzeng, Y.-S., Yang, F.-S. & Wong, Y.-K. (2000a) Alterations of *p16/MTS1* gene in oral squamous cell carcinomas from Taiwanese. *J. oral Pathol. Med.*, **29**, 159–166
- Lin, S.-C., Chang, K.-W., Chang, C.-S., Yu, S.-Y., Chao, S.-Y. & Wong, Y.-K. (2000b) Establishment and characterization of a cell line (HCDB-1) derived from a hamster buccal pouch carcinoma induced by DMBA and Taiwanese betel quid extract. *Proc. natl Sci. Coun. Repub. China*, **B24**, 129–135
- Lin, S.-C., Chen, Y.-J., Kao, S.-Y., Hsu, M.-T., Lin, C.-H., Yang, S.-C., Liu, T.-Y. & Chang, K.-W. (2002) Chromosomal changes in betel-associated oral squamous cell carcinomas and their relationship to clinical parameters. *Oral Oncol.*, **38**, 266–273
- Lin, S.-H., Lin, Y.-F., Cheema-Dhadli, S., Davids, M.R. & Halperin, M.L. (2002) Hypercalcaemia and metabolic alkalosis with betel nut chewing: Emphasis on its integrative pathophysiology. *Nephrol. Dial. Transplant.*, **17**, 708–714
- Lin, S.-K., Chang, Y.-J., Ryu, S.-J. & Chu, N.-S. (2002) Cerebral hemodynamic responses to betel chewing: A Doppler study. *Clin. Neuropharmacol.*, **25**, 244–250
- Ling, L.-J., Hung, S.-L., Tseng, S.-C., Chen, Y.-T., Chi, L.-Y., Wu, K.-M. & Lai, Y.-L. (2001) Association between betel quid chewing, periodontal status and periodontal pathogens. *Oral Microbiol. Immunol.*, **16**, 364–369
- Liu, C.J., Chen, C.L., Chang, K.W., Chu, C.H. & Liu, T.Y. (2000) Safrole in betel quid may be a risk factor for hepatocellular carcinoma: Case report. *CMAJ*, **162**, 359–360
- Liu, T.-Y., Chen, C.-L. & Chi, C.-W. (1996) Oxidative damage to DNA induced by areca nut extract. *Mutat. Res.*, **367**, 25–31
- Liu, Y., Egyhazi, S., Hansson, J., Bhide, S.V., Kulkarni, P.S. & Grafström, R.C. (1997) O⁶-Methylguanine–DNA methyltransferase activity in human buccal mucosal tissue and cell cultures. Complex mixtures related to habitual use of tobacco and betel quid inhibit the activity in vitro. *Carcinogenesis*, **18**, 1889–1895
- Lodge, D., Johnston, G.A.R., Curtis, D.R. & Brand, S.J. (1977) Effects of Areca nut constituents arecaidine and guvacine on the action of GABA in the cat central nervous system. *Brain Res.*, **136**, 513–522

- Lord, G.A., Lim, C.K., Warnakulasuriya, S. & Peters, T.J. (2002) Chemical and analytical aspects of areca nut. *Addict. Biol.*, **7**, 99–102
- Lu, C.T., Lan, S.J., Hsieh, C.C., Yang, M.J., Ko, Y.C., Tsai, C.C. & Yen, Y.Y. (1993) Prevalence and characteristics of areca nut chewers among junior high school students in Changhua county, Taiwan. *Community Dent. oral Epidemiol.*, **21**, 370–373
- Lu, C.T., Yen, Y.Y., Ho, C.S., Ko, Y.C., Tsai, C.C., Hsieh, C.C. & Lan, S.J. (1996) A case-control study of oral cancer in Changhua County, Taiwan. *J. oral Pathol. Med.*, **25**, 245–248
- Ma, R.H., Tsai, C.C. & Shieh, T.Y. (1995) Increased lysyl oxidase activity in fibroblasts cultured from oral submucous fibrosis associated with betel nut chewing in Taiwan. *J. oral Pathol. Med.*, **24**, 407–412
- MacDonald, D.G. (1986) Effects of arecaidine application to hamster cheek pouch. *J. oral Med.*, **41**, 269–270
- MacDonald, D.G. (1987) Effects of arecaidine application to hamster cheek pouch. *J. oral Med.*, **42**, 61–62
- MacLennan, R., Paissat, D., Ring, A. & Thomas, S. (1985) Possible aetiology of oral cancer in Papua New Guinea. *Papua New Guinea med. J.*, **28**, 3–8
- Mahale, A. & Saranath, D. (2000) Microsatellite alterations on chromosome 9 in chewing tobacco-induced oral squamous cell carcinomas from India. *Oral Oncol.*, **36**, 199–206
- Maher, R., Lee, A.J., Warnakulasuriya, K.A.A.S., Lewis, J.A. & Johnson, N.W. (1994) Role of areca nut in the causation of oral submucous fibrosis: A case-control study in Pakistan. *J. oral Pathol. Med.*, **23**, 65–69
- Mahmood, Z., Jafarey, N.A., Samiuddin, M., Rais, A.K., Malik, S. & Qureshi, S.A. (1974) Dietary and other habits of the people of Karachi. *J. Pak. med. Assoc.*, **24**, 222–229
- Mannan, N., Boucher, B.J. & Evans, S.J.W. (2000) Increased waist size and weight in relation to consumption of *Areca catechu* (betel-nut); a risk factor for increased glycaemia in Asians in East London. *Br. J. Nutr.*, **83**, 267–275
- Marmot, M.G., Adelstein, A.M. & Bulusu, L. (1984) *Immigrant Mortality in England and Wales 1970-78* (Office of Population Censuses and Surveys. Studies on Medical and Population Subjects No. 47), London, Her Majesty's Stationery Office
- Marsden, A.T.H. (1960) Betel cancer in Malaya. *Med. J. Malaya*, **14**, 162–165
- Martin, W.M.C., Sengupta, S.K., Murthy, D.P. & Barua, D.L. (1992) The spectrum of cancer in Papua New Guinea. *Cancer*, **70**, 2942–2950
- Martino, G.V., Tappaz, M.L., Braghi, S., Dozio, N., Canal, N., Pozza, G., Bottazzo, G.F., Grimaldi, M.E. & Bosi, E. (1991) Autoantibodies to glutamic acid decarboxylase (GAD) detected by an immuno-trapping enzyme activity assay: Relation to insulin-dependent diabetes mellitus and islet cell antibodies. *J. Autoimmun.*, **4**, 915–923
- McAllister-Sistilli, C.G., Caggiula, A.R., Knopf, S., Rose, C.A., Miller, A.L. & Donny, E.C. (1998) The effects of nicotine on the immune system. *Psychoneuroendocrinology*, **23**, 175–187
- McGurk, M. & Craig, G.T. (1984) Oral submucous fibrosis; two cases of malignant transformation in Asian immigrants to the United Kingdom. *Br. J. oral max. facial Surg.*, **22**, 56–64
- Meghji, S., Scutt, A., Harvey, W. & Canniff, J.P. (1987) An in-vitro comparison of human fibroblasts from normal and oral submucous fibrosis tissue. *Arch. oral Biol.*, **32**, 213–215
- Mehta, F.S., Sanjana, M.K., Shroff, B.C. & Doctor, R.H. (1961) Incidence of leukoplakia among 'pan' (betel leaf) chewers and 'bidi' smokers: A study of a sample survey. *Indian J. med. Res.*, **49**, 393–399

- Mehta, F.S., Daftary, D.K., Shroff, B.C. & Sanghvi, L.D. (1969) Clinical and histologic study of oral leukoplakia in relation to habits. *Oral Pathol.*, **28**, 372–388
- Mehta, F.S., Pindborg, J.J., Hamner, J.E., Gupta, P.C., Daftary, D.K., Sahiar, B.E., Shroff, B.C., Sanghvi, L.D., Bhonsle, R.B., Choksi, S.K., Dandekar, V.V., Mehta, Y.N., Pitkar, V.K., Sinor, P.N., Shah, N.C., Turner, P.S. & Upadhyay, S.A. (1971) *Report on Investigations of Oral Cancer and Precancerous Conditions in Indian Rural populations. 1966–1969*, Copenhagen, Munksgaard, pp. 48, 68, 89, 107, 120
- Mehta, F.S., Shroff, B.C., Gupta, P.C. & Daftary, D.K. (1972a) Oral leukoplakia in relation to tobacco habits. A ten-year follow-up study of Bombay policemen. *Oral Surg. oral Med. oral Pathol.*, **34**, 426–433
- Mehta, F.S., Gupta, P.C., Daftary, D.K., Pindborg, J.J. & Choksi, S.K. (1972b) An epidemiologic study of oral cancer and precancerous conditions among 101 761 villagers in Maharashtra, India. *Int. J. Cancer*, **10**, 134–141
- Mendelson, R.W. & Ellis, A.G. (1924) Cancer as a public health problem in Siam. *J. trop. Med. Hyg.*, **27**, 274–278
- Merchant, A., Husain, S.S.M., Hosain, M., Fikree, F.F., Pitiphat, W., Siddiqui, A.R., Hayder, S.J., Haider, S.M., Ikram, M., Chuang, S.K. & Saeed, S.A. (2000) Paan without tobacco: An independent risk factor for oral cancer. *Int. J. Cancer*, **86**, 128–131
- Ministry of Health (1998) *National Oral Health Survey, Sri Lanka, 1994/1995*, Colombo, Ministry of Health
- de Miranda, C.M., van Wyk, C.W., van der Bijl, P. & Basson, N.J. (1996) The effect of areca nut on salivary and selected oral microorganisms. *Int. dent. J.*, **46**, 350–356
- Miyazawa, T. (2000) Absorption, metabolism and antioxidative effects of tea catechin in humans. *Biofactors*, **13**, 55–59
- Molinengo, L., Cassone, M.C. & Orsetti, M. (1986) Action of arecoline on the levels of acetylcholine, norepinephrine and dopamine in the mouse central nervous system. *Pharmacol. Biochem. Behav.*, **24**, 1801–1803
- Möller, I.J., Pindborg, J.J. & Effendi, I. (1977) The relation between betel chewing and dental caries. *Scand. J. dent. Res.*, **85**, 64–70
- Monheit, A.G., Van Vunakis, H., Key, T.C. & Resnik, R. (1983) Maternal and fetal cardiovascular effects of nicotine infusion in pregnant sheep. *Am. J. Obstet. Gynecol.*, **145**, 290–296
- Mori, H., Matsubara, N., Ushimaru, Y. & Hirono, I. (1979) Carcinogenicity examination of betel nuts and piper betel leaves. *Experientia*, **35**, 384–385
- Mougne, C., MacLennan, R. & Atsana, S. (1982) Smoking, chewing and drinking in Ban Pong, Northern Thailand. *Soc. Sci. Med.*, **16**, 99–106
- Muir, C.S. & Kirk, R. (1960) Betel, tobacco, and cancer of the mouth. *Br. J. Cancer*, **14**, 597–608
- Muir, C.S. (1962) Cancer of the buccal cavity and nasopharynx in Singapore. *Br. J. Cancer*, **14**, 597–608
- Mujumdar, A.M., Kapadi, A.H. & Pendse, G.S. (1979) Chemistry and pharmacology of betel nut *Areca catechu* Linn. *J. plant. Crops*, **7**, 69–92
- Mujumdar, A.M., Kapadi, A.H. & Pendse, G.S. (1982) Pharmacological properties. In: Bavappa, K.V.A., ed., *The Areca Nut Palm, Central Plant Crop Research Institute Publication*, pp. 245–261
- Mukherjee, A. & Giri, A.K. (1991) Sister chromatid exchange induced by ‘pan masala’ (a betel quid ingredient) in male mice *in vivo*. *Food chem. Toxicol.*, **29**, 401–403

- Mukherjee, A., Chakrabarti, J., Chakrabarti, A., Banerjee, T. & Sarma, A. (1991) Effect of 'Pan masala' on the germ cells of male mice. *Cancer Lett.*, **58**, 161–165
- Munirajan, A.K., Tutsumi-Ishii, Y., Mohanprasad, B.K.C., Hirano, Y., Munakata, N., Shanmugam, G. & Tsuchida, N. (1996) *p53* Gene mutations in oral carcinomas from India. *Int. J. Cancer*, **66**, 297–300
- Munirajan, A.K., Mohanprasad, B.K., Shanmugam, G. & Tsuchida, N. (1998) Detection of a rare point mutation at codon 59 and relatively high incidence of *H-ras* mutation in Indian oral cancer. *Int. J. Oncol.*, **13**, 971–974
- Murti, P.R., Bhonsle, R.B., Pindborg, J.J., Daftary, D.K., Gupta, P.C. & Mehta, F.S. (1985) Malignant transformation rate in oral submucous fibrosis over a 17-year period. *Community dent. oral Epidemiol.*, **13**, 340–341
- Murti, P.R., Gupta, P.C., Bhonsle, R.B., Daftary, D.K., Mehta, F.S. & Pindborg, J.J. (1990) Effect on the incidence of oral submucous fibrosis of intervention in the areca nut chewing habit. *J. oral Pathol. Med.*, **19**, 99–100
- Murti, P.R., Bhonsle, R.B., Gupta, P.C., Daftary, D.K., Pindborg, J.J. & Mehta, F.S. (1995) Etiology of oral submucous fibrosis with special reference to the role of areca nut chewing. *J. oral Pathol. Med.*, **24**, 145–152
- Murti, P.R., Warnakulasuriya, K.A.A.S., Johnson, N.W., Bhonsle, R.B., Gupta, P.C., Daftary, D.K. & Mehta, F.S. (1998) *p53* Expression in oral precancer as a marker for malignant potential. *J. oral Pathol. Med.*, **27**, 191–196
- Nagabhushan, M. & Bhide, S.V. (1988) Anti-mutagenicity of catechin against environmental mutagens. *Mutagenesis*, **3**, 293–296
- Nagabhushan, M., Amonkar, A.J., D'Souza, A.V. & Bhide, S.V. (1987) Nonmutagenicity of betel leaf and its antimutagenic action against environmental mutagens. *Neoplasma*, **34**, 159–167
- Nagabhushan, M., Amonkar, A.J., Nair, U.J., Santhanam, U., Ammigan, N., D'Souza, A.V. & Bhide, S.V. (1988) Catechin as an antimutagen: Its mode of action. *J. Cancer Res. clin. Oncol.*, **114**, 177–182
- Nagabhushan, M., Amonkar, A.J., Nair, U.J., D'Souza, A.V. & Bhide, S.V. (1989) Hydroxy-chavicol: A new anti-nitrosating phenolic compound from betel leaf. *Mutagenesis*, **4**, 200–204
- Nagpal, J.K., Patnaik, S. & Das, B.R. (2002a) Prevalence of high-risk human papilloma virus types and its association with *p53* codon 72 polymorphism in tobacco addicted oral squamous cell carcinoma (OSCC) patients of eastern India. *Int. J. Cancer*, **97**, 649–653
- Nagpal, J.K., Mishra, R. & Das, B.R. (2002b) Activation of Stat-3 as one of the early events in tobacco chewing-mediated oral carcinogenesis. *Cancer*, **94**, 2393–2400
- Naik, G.H., Priyadarsini, K.I., Satav, J.G., Banavalikar, M.M., Sohoni, D.P., Biyani, M.K. & Mohan, H. (2003) Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine. *Phytochemistry*, **63**, 97–104
- Nair, U. & Bartsch, H. (2001) Metabolic polymorphisms as susceptibility markers for lung and oral cavity cancer. In: Miller, A.B., Bartsch, H., Boffetta, P., Dragsted, L. & Vainio, H., eds, *Biomarkers in Cancer Chemoprevention* (IARC Scientific Publications 154), Lyon, IARCPress, pp. 271–290
- Nair, J., Ohshima, H., Friesen, M., Croisy, A., Bhide, S.V. & Bartsch, H. (1985) Tobacco-specific and betel nut-specific *N*-nitroso compounds: Occurrence in saliva and urine of betel quid chewers and formation *in vitro* by nitrosation of betel quid. *Carcinogenesis*, **6**, 295–303

- Nair, J., Ohshima, H., Pignatelli, B., Friesen, M., Malaveille, C., Calmels, S. & Bartsch, H. (1986) Modifiers of endogenous carcinogen formation: Studies on in vivo nitrosation in tobacco users. In: Hoffman, D. & Harris, C.C., eds, *Mechanisms in Tobacco Carcinogenesis* (Banbury Report 23), Cold Spring Harbor, NY, CSH Press, pp. 45–61
- Nair, J., Nair, U.J., Ohshima, H., Bhide, S.V., & Bartsch, H. (1987) Endogenous nitrosation in the oral cavity of chewers while chewing betel quid with or without tobacco. In: Bartsch, H., O'Neill, I.K. & Schulte-Hermann, R., eds, *The Relevance of N-Nitroso Compounds in Human Cancer: Exposure and Mechanisms* (IARC Scientific Publications 84), Lyon, IARCPRESS, pp. 465–469
- Nair, U.J., Floyd, R.A., Nair, J., Bussachini, V., Friesen, M. & Bartsch, H. (1987) Formation of reactive oxygen species and of 8-hydroxydeoxyguanosine in DNA in vitro with betel quid ingredients. *Chem.-biol. Interactions*, **63**, 157–169
- Nair, U.J., Friesen, M., Richard, I., MacLennan, R., Thomas, S. & Bartsch, H. (1990) Effect of lime composition on the formation of reactive oxygen species from areca nut extract *in vitro*. *Carcinogenesis*, **11**, 2145–2148
- Nair, U., Obe, G., Nair, J., Maru, G.B., Bhide, S.V., Pieper, R. & Bartsch, H. (1991) Evaluation of frequency of micronucleated oral mucosal cells as a marker for genotoxic damage in chewers of betel quid with or without tobacco. *Mutat. Res.*, **261**, 163–168
- Nair, U.J., Obe, G., Friesen, M., Goldberg, M.T. & Bartsch, H. (1992) Role of lime in the generation of reactive oxygen species from betel-quid ingredients. *Environ. Health Perspect.*, **98**, 203–205
- Nair, U.J., Nair, J., Friesen, M.D., Bartsch, H. & Ohshima, H. (1995) *ortho*- and *meta*-Tyrosine formation from phenylalanine in human saliva as a marker of hydroxyl radical generation during betel quid chewing. *Carcinogenesis*, **16**, 1195–1198
- Nair, J., Ohshima, H., Nair, U.J. & Bartsch, H. (1996) Endogenous formation of nitrosamines and oxidative DNA-damaging agents in tobacco users. *Crit. Rev. Toxicol.*, **26**, 149–161
- Nair, U.J., Nair, J., Mathew, B. & Bartsch, H. (1999) Glutathione S-transferase M1 and T1 null genotypes as risk factors for oral leukoplakia in ethnic Indian betel quid/tobacco chewers. *Carcinogenesis*, **20**, 743–748
- Nandakumar, A., Thimmasetty, K.T., Sreeramareddy, N.M., Venugopal, T.C., Rajanna, Vinutha, A.T., Srinivas & Bhargava, M.K. (1990) A population-based case-control investigation on cancers of the oral cavity in Bangalore, India. *Br. J. Cancer*, **62**, 847–851
- National Centre for Transcultural Oral Health (2001) *Educational Programme for Trading Standards and Customs and Excise Officers*, London, Resolutions, p. 17
- Nery, R. (1971) The metabolic interconversion of arecoline and arecoline 1-oxide in the rat. *Biochem. J.*, **122**, 503–508
- Ng, K.H., Siar, C.H., Ramanathan, K. & Murugasu, P. (1986) A study on the prevalence of oral habits in 100 cases of squamous cell carcinoma in Malaysia. *Ann. Dent.*, **45**, 7–10
- Nieschulz, O. & Schmersahl, P. (1968) [On the pharmacology of active materials from betel. 2. Transformation of arecoline to arecaidine.] *Arzneim.-Forsch.*, **18**, 222–225 (in German)
- Nigam, P. & Srivastava, A.B. (1990) Betel chewing and dental decay. *Fed. Oper. Dent.*, **1**, 36–38
- Nikolic, D., Fan, P.W., Bolton, J.L. & van Breemen, R.B. (1999) Screening for xenobiotic electrophilic metabolites using pulsed ultrafiltration-mass spectrometry. *Comb. Chem. high Throughput Screen.*, **2**, 165–175
- Norton, S.A. (1998) Betel: Consumption and consequences. *J. Am. Acad. Dermatol.*, **38**, 81–88

- Notani, P.N. & Sanghvi, L.D. (1976) Role of diet in the cancers of the oral cavity. *Indian J. Cancer*, **13**, 156–160
- Obeid, O.A., Mannan, N., Perry, G., Iles, R.A. & Boucher, B.J. (1998) Homocysteine and folate in healthy East London Bangladeshis. *Lancet*, **352**, 1829–1830
- Ohshima, H. & Bartsch, H. (1981) Quantitative estimation of endogenous nitrosation in humans by monitoring *N*-nitrosoproline excreted in the urine. *Cancer Res.*, **41**, 3658–3662
- Ohshima, H., Friesen, M. & Bartsch, H. (1989) Identification in rats of *N*-nitrosonipecotic acid as a major urinary metabolite of the areca-nut alkaloid-derived nitrosamines, *N*-nitrosoguvacoline and *N*-nitrosoguvaccine. *Cancer Lett.*, **44**, 211–216
- Oliver, A.J. & Radden, B.G. (1992) Oral submucous fibrosis. Case report and review of the literature. *Austr. Dent. J.*, **37**, 31–34
- Orr, I.M. (1933) Oral cancers in betel nut chewers in Travancore: Its aetiology, pathology, and treatment. *Lancet*, **ii**, 575–580
- Osman, S., Warnakulasuriya, S., Cooper, D. & Gelbier, S. (1997) Betel quid chewing and tobacco habits among Asian schoolchildren in Bedfordshire. *J. dent. Res.*, **76**, 1054
- Padma, P.R., Lalitha, V.S., Amonkar, A.J. & Bhide, S.V. (1989a) Anticarcinogenic effect of betel leaf extract against tobacco carcinogens. *Cancer Lett.*, **45**, 195–202
- Padma, P.R., Amonkar, A.J. & Bhide, S.V. (1989b) Antimutagenic effects of betel leaf extract against the mutagenicity of two tobacco-specific *N*-nitrosamines. *Mutagenesis*, **4**, 154–156
- Padmavathy, G. & Reddy, D.J. (1960) Aetiological factors of carcinoma of the mouth and pharynx in Guntur. *J. Indian med. Assoc.*, **34**, 84–88
- Pai, S.R., Shirke, A.J. & Gothoskar, S.V. (1981) Long-term feeding study in C17 mice administered saccharin coated betel nut and 1,4-dinitrosopiperazine in combination. *Carcinogenesis*, **2**, 175–177
- Pai, C.-Y., Hsieh, L.-L., Tsai, C.-W., Chiou, F.-S., Yang, C.-H. & Hsu, B.-D. (2002) Allelic alterations at the STR markers in the buccal tissue cells of oral cancer patients and the oral epithelial cells of healthy betel quid-chewers: An evaluation of forensic applicability. *Forensic Sci. int.*, **129**, 158–167
- Panda, S. & Kar, A. (1998) Dual role of betel leaf extract on thyroid function in male mice. *Pharmacol. Res.*, **38**, 493–496
- Pande, P., Mathur, M., Shukla, N.K. & Ralhan, R. (1998) pRb and p16 Protein alterations in human oral tumorigenesis. *Oral Oncol.*, **34**, 396–403
- Pande, P., Soni, S., Chakravarti, N., Mathur, M., Shukla, N.K., Ralhan R. (2001) Prognostic impact of Ets-1 overexpression in betel and tobacco related oral cancer. *Cancer Detect. Prev.*, **25**, 496–501
- Pande, P., Soni, S., Kaur, J., Agarwal, S., Mathur, M., Shukla, N.K., Ralhan, R. (2002) Prognostic factors in betel and tobacco related oral cancer. *Oral Oncol.*, **38**, 491–499
- Pandey, G.K., Raut, D.K., Hazra, S., Vajpayee, A., Pandey, A. & Chatterjee, P. (2001) Patterns of tobacco use amongst school teachers. *Indian J. public Health*, **45**, 82–87
- Panigrahi, G.B. & Rao, A.R. (1984) Induction of in vivo sister chromatid exchanges by arecaidine, a betel nut alkaloid, in mouse bone-marrow cells. *Cancer Lett.*, **23**, 189–192
- Panigrahi, G.B. & Rao, A.R. (1986) Study of the genotoxicity of the total aqueous extract of betel nut and its tannin. *Carcinogenesis*, **7**, 37–39

- Park, Y.B., Jeon, S.-M., Byun, S.-J., Kim, H.-S. & Choi, M.-S. (2002) Absorption of intestinal free cholesterol is lowered by supplementation of *Areca catechu* L. extracts in rats. *Life Sci.*, **70**, 1849–1859
- Parkin, D.M., Srivatanakul, P., Khlat, M., Chenvidhya, D., Chotiwat, P., Insiripong, S., L'Abbe, K.A. & Wild, C.P. (1991) Liver cancer in Thailand. I. A case-control study of cholangiocarcinoma. *Int. J. Cancer*, **48**, 323–328
- Parkin, D.M., Whelan, S.L., Ferlay, J., Teppo, L. & Thomas, D.B. (2003) *Cancer Incidence in Five Continents, Vol. VIII* (IARC Scientific Publication No. 155), Lyon, IARCP
- Patel, R.S. & Rajorhia, G.S. (1979) Antioxidative role of curry (*Murraya Koenigi*) and betel (*Piper betel*) leaves in ghee. *J. Food Sci. Technol.*, **16**, 158–160
- Patel, R.K., Jaju, R.J., Bakshi, S.R., Trivedi, A.H., Dave, B.J. & Adhvaryu, S.G. (1994a) Pan masala — A genotoxic menace. *Mutat. Res.*, **320**, 245–249
- Patel, R.K., Trivedi, A.H., Jaju, R.J., Adhvaryu, S.G. & Balar, D.B. (1994b) Ethanol potentiates the clastogenicity of pan masala — An *in vitro* experience. *Carcinogenesis*, **15**, 2017–2021
- Patnaik, S., Nayak, B.K. & Das, B.R., (1999) Genetic alterations of P53 in oral tumors. In: Varma, A.K., ed., *Oral Oncology*, Vol. VI, *Proceedings of the 6th International Congress on Oral Cancer*, New Delhi, Macmillan, pp. 87–92
- Patterson, T.A. & Kosh, J.W. (1993) Elucidation of the rapid *in vivo* metabolism of arecoline. *Gen. Pharmacol.*, **24**, 641–647
- Paul, K., Moitra, P.K., Maity, C.R. & Ghosal, S.K. (1996) Teratogenicity of crude areca nut extract in chick embryos. *Indian J. phys. all. Sci.*, **50**, 182–187
- Paul, K., Moitra, P.K. & Ghosal, S.K. (1997) Developmental toxicity of crude *areca* nut extract in chick embryos. *Trans. zool. Soc. India*, **1**, 14–17
- Paul, K., Moitra, P.K., Mukherjee, I., Maity, C. & Ghosal, S.K. (1999) Teratogenicity of arecoline hydrobromide on developing chick embryos: A preliminary report. *Bull. environ. Contam. Toxicol.*, **62**, 356–362
- Paymaster, J.C. (1956) Cancer of the buccal mucosa. A clinical study of 650 cases in Indian patients. *Cancer*, **9**, 431–435
- Paymaster, J.C. (1962) Some observations on oral and pharyngeal carcinomas in the State of Bombay. *Cancer*, **15**, 578–583
- Paymaster, J.C. & Gangadharan, P. (1970) Cancer in the Parsi community of Bombay. *Int. J. Cancer*, **5**, 426–431
- Pearson, N.K. (1994) *Oral Health Status and Dental Treatment Needs of an Adult Bangladeshi Population Resident in Tower Hamlets*, MSc Thesis, London, University of London
- Pearson, N., Croucher, R., Marques, W. & O'Farrell, M. (1999) Dental service use and the implications for oral cancer screening in a sample of Bangladeshi adult medical care users living in Tower Hamlets, UK. *Br. Dent. J.*, **186**, 517–521
- Pearson, N., Croucher, R., Marques, W. & O'Farrell, M. (2001) Prevalence of oral lesions among a sample of Bangladeshi medical users aged 40 years and over living in Tower Hamlets, UK. *Int. dent. J.*, **51**, 30–34
- Petro, T.M., Peterson, D.S & Fung, Y.K. (1992) Nicotine enhances interleukin production of rat splenic T lymphocytes. *Immunopharmacol. Immunotoxicol.*, **14**, 463–475
- Phukan, R.K., Ali, M.S., Chetia, C.K. & Mahanta, J. (2001) Betel nut and tobacco chewing: Potential risk factors of cancer of oesophagus in Assam, India. *Br. J. Cancer*, **85**, 661–667

- Pickwell, S.M., Schimelpfening, S. & Palinkas, L.A. (1994) 'Betelmania'. Betel quid chewing by Cambodian women in the United States and its potential health effects. *West. J. Med.*, **160**, 326–330
- Pignatelli, B., Bereziat, J.-C., Descotes, G. & Bartsch, H. (1982) Catalysis of nitrosation *in vitro* and *in vivo* in rats by catechin and resorcinol and inhibition by chlorogenic acid. *Carcinogenesis*, **3**, 1045–1049
- Pillai, M.R., Balaram, P., Abraham, T. & Nair, M.K. (1987) Lymphocyte populations in premalignant lesions and cancer of the oral cavity. *Neoplasma*, **34**, 469–479
- Pillai, M.R., Balaram, P., Kannan, S., Sudha, L., Nalinakumari, K.R., Hareendran, N.K. & Nair, M.K. (1990) Interferon activation of latent natural killer cells and alterations in kinetics of target cell lysis: Clinical implications for oral precancerous lesions. *Oral Surg. oral Med. oral Pathol.*, **70**, 458–461
- Pindborg, J.J. (1965) Oral precancerous conditions in South East Asia. *Int. dent. J.*, **15**, 190–199
- Pindborg, J.J., Chawla, T.N., Misra, R.K., Nagpaul, R.K. & Gupta, V.K. (1965) Frequency of oral carcinoma, leukoplakia, leukokeratosis, leukoedema, submucous fibrosis, and lichen planus in 10 000 Indians in Lucknow, Uttar Pradesh, India. *J. dent. Res.*, **44**, 615
- Pindborg, J.J., Kiaer, J., Gupta, P.C. & Chawla, T.N. (1967) Studies in oral leukoplakias. Prevalence of leukoplakia among 10 000 persons in Lucknow, India, with special reference to use of tobacco and betel nut. *Bull. World Health Organ.*, **37**, 109–116
- Pindborg, J.J., Barnes, D. & Roed-Petersen, B. (1968) Epidemiology and histology of oral leukoplakia and leukoedema among Papuans and New Guineans. *Cancer*, **22**, 379–384
- Pindborg, J.J., Mehta, F.S., Daftary, D.K., Gupta, P.C. & Bhonsle, R.B. (1972) Prevalence of oral lichen planus among 7639 Indian villagers in Kerala, South India. *Acta Derm. Venereol.*, **52**, 216–220
- Pindborg, J.J., Zheng, K.-H., Kong, C.-R. & Lin, F.-X. (1984a) Pilot survey of oral mucosa in areca (betel) nut chewers on Hainan Island of the People's Republic of China. *Commun. Dent. oral Epidemiol.*, **12**, 195–196
- Pindborg, J.J., Murti, P.R., Bhonsle, R.B., Gupta, P.C., Daftary, D.K. & Mehta, F.S. (1984b) Oral submucous fibrosis as a precancerous condition. *Scand. J. dent. Res.*, **92**, 224–229
- Pindborg, J.J., Reichart, P.A., Smith, C.J. & van der Waal, I. (1996) In: Sabin, L.H., *Histological Typing of Cancer and Precancer of the Oral Mucosa, Second Edition, International Histological Classification of Tumours*, World Health Organization
- Piyaratn, P. (1959) Relative incidence of malignant neoplasms in Thailand. *Cancer*, **12**, 693–696
- Polasa, K., Babu, S., Shenolikar, I.S. (1993) Dose-dependent genotoxic effect of Pan masala and areca nut in the *Salmonella typhimurium* assay. *Food chem. Toxicol.*, **31**, 439–442
- Prabhu, M.S., Patel, K., Saraswathi, G. & Srinivasan, K. (1995) Effect of orally administered betel leaf (*Piper betle* Linn.) on digestive enzymes of pancreas and intestinal mucosa and on bile production in rats. *Indian J. exp. Biol.*, **33**, 752–756
- Prabhu, N.T., Warnakulasuriya, K.A.A.S., Gelbier, S. & Robinson, P.G. (2001) Betel quid chewing among Bangladeshi adolescents living in East London. *Int. J. paediatr. Dent.*, **11**, 18–24
- Prokopczyk, B., Rivenson, A., Bertinato, P., Brunnemann, K.D. & Hoffmann, D. (1987) 3-(Methyl-nitrosamino)propionitrile: Occurrence in saliva of betel quid chewers, carcinogenicity, and DNA methylation in F344 rats. *Cancer Res.*, **47**, 467–471
- Prokopczyk, B., Bertinato, P. & Hoffmann, D. (1988) Cyanoethylation of DNA *in vivo* by 3-(methyl-nitrosamino)propionitrile, an Areca-derived carcinogen. *Cancer Res.*, **48**, 6780–6784

- Raghavan, V. & Baruah, H.K. (1958) Arecanut: India's popular masticatory — History, chemistry and utilization. *Econom. Bot.*, **12**, 315–325
- Rahman, Z.A.A., Zain, R.B., Abang, Z., Ikeda, N., Razak, I.A., Aung, S. & Abdullah, F. (1997) A pilot study of oral mucosal lesions among Sarawak indigenous people. *Dent. J. Malaysia*, **18**, 26–29
- Raisuddin, S. & Misra, J.K. (1991) Aflatoxin in betel nut and its control by use of food preservatives. *Food Addit. Contam.*, **8**, 707–712
- Rajendran, R., Sugathan, C.K., Remani, P., Ankathil, R. & Vijayakumar, T. (1986) Cell mediated and humoral immune responses in oral submucous fibrosis. *Cancer*, **58**, 2628–2631
- Rajkumar, T., Franceschi, S., Vaccarella, S., Gajalakshmi, V., Sharmila, A., Snijders, P.J.F., Munoz, N., Meijer, C.J.L.M. & Herrero, R. (2003) Role of paan chewing and dietary habits in cervical carcinoma in Chennai, India. *Br. J. Cancer*, **88**, 1388–1393
- Ralhan, R., Agarwal, S., Nath, N., Mathur, M., Waslylk, B. & Srivastava, A. (2001) Correlation between *p53* gene mutations and circulating antibodies in betel- and tobacco-consuming North Indian population. *Oral Oncol.*, **37**, 243–250
- Ramanathan, K. & Lakshimi, S. (1976) Oral carcinoma in Peninsular Malaysia: Racial variations in the Indians, Malays, Chinese, and Caucasians. *Gann Monogr. Cancer Res.*, **18**, 27–36
- Ramchandani, A.G., D'Souza, A.V., Borges, A.M. & Bhisey, R.A. (1998) Evaluation of carcinogenic/co-carcinogenic activity of a common chewing product, pan masala, in mouse skin, stomach and esophagus. *Int. J. Cancer*, **75**, 225–232
- Ranadive, K.J., Gothskar, S.V., Rao, A.R., Tezabwalla, B.U. & Ambaye, R.Y. (1976) Experimental studies on betel nut and tobacco carcinogenicity. *Int. J. Cancer*, **17**, 469–476
- Ranadive, K.J., Ranadive, S.N., Shivapurkar, N.M. & Gothskar, S.V. (1979) Betel quid chewing and oral cancer: Experimental studies on hamsters. *Int. J. Cancer*, **24**, 835–843
- Ranasinghe, A., MacGeoch, C., Dyer, S., Spurr, N. & Johnson, N.W. (1993a) Some oral carcinomas from Sri Lankan betel/tobacco chewers overexpress *p53* oncoprotein but lack mutations in exons 5–9. *Anticancer Res.*, **13**, 2065–2068
- Ranasinghe, A.W., Warnakulasuriya, K.A.A.S. & Johnson, N.W. (1993b) Low prevalence of expression of *p53* oncoprotein in oral carcinomas from Sri Lanka associated with betel and tobacco chewing. *Eur. J. Cancer*, **29B**, 147–150
- Rao, A.R. (1984) Modifying influences of betel quid ingredients on B(a)P-induced carcinogenesis in the buccal pouch of hamster. *Int. J. Cancer*, **33**, 581–586
- Rao, A.R. & Das, P. (1989) Evaluation of the carcinogenicity of different preparations of areca nut in mice. *Int. J. Cancer*, **43**, 728–732
- Rao, D.N. & Desai, P.B. (1998) Risk assessment of tobacco, alcohol and diet in cancers of base tongue and oral tongue — A case-control study. *Indian J. Cancer*, **35**, 65–72
- Rao, A.R., Sinha, A. & Selvan, R.S. (1985) Inhibitory action of *Piper betle* on the initiation of 7,12-dimethylbenz[a]anthracene-induced mammary carcinogenesis in rats. *Cancer Lett.*, **26**, 207–214
- Ravi, D., Nalinakumari, K.R., Rajaram, R.S., Nair, M.K. & Pillai, M.R. (1996) Expression of programmed cell death, regulatory *p53* and *bcl-2* proteins in oral lesions. *Cancer Lett.*, **105**, 139–146
- Ravi, D., Ramadas, K., Mathew, B.S., Nalinakumari, K.R., Nair, M.K. & Pillai, M.R. (1999) *De novo* programmed cell death in oral cancer. *Histopathology*, **34**, 241–249

- Reddy, D.G. & Anguli, V.C. (1967) Experimental production of cancer with betel nut, tobacco and slaked lime mixture. *J. Indian med. Assoc.*, **49**, 315–318
- Reddy, M.S., Naik, S.R., Bagga, O.P. & Chuttani, H.K. (1980) Effect of chronic tobacco-betel-lime ‘quid’ chewing on human salivary secretions. *Am. J. clin. Nutr.*, **33**, 77–80
- Reichart, P.A. (1995) Oral cancer and precancer related to betel and *miang* chewing in Thailand: A review. *J. oral Pathol. Med.*, **24**, 241–243
- Reichart, P. & Gehring, F. (1984) *Streptococcus mutans* and caries prevalence in Lisu and Karen of Northern Thailand. *J. dent. Res.*, **63**, 56–58
- Reichart, P., Böning, W., Srisuwan, S., Theetranont, C. & Mohr, U. (1984) Ultrastructural findings in the oral mucosa of betel chewers. *J. oral Pathol.*, **13**, 166–177
- Reichart, P.A., Mohr, U., Srisuwan, S., Geerlings, H., Theetranont, C. & Kangwanpong T. (1987) Precancerous and other oral mucosal lesions related to chewing, smoking and drinking habits in Thailand. *Community dent. oral Epidemiol.*, **15**, 152–160
- Reichart, P.A., Schmidtberg, W. & Scheifele, C. (1996) Betel chewer’s mucosa in elderly Cambodian women. *J. oral Pathol. Med.*, **25**, 367–370
- Reichart, P.A., Schmidtberg, W. & Scheifele, C. (1997) Khmer dental and medical students’ knowledge about the betel quid chewing habit in Cambodia. *Eur. J. dent. Educ.*, **1**, 129–132
- Reichart, P.A., Khongkhunthian, P., Scheifele, C. & Lohsuwan, P. (1999) Thai dental students’ knowledge of the betel quid chewing habit in Thailand. *Eur. J. dent. Educ.*, **3**, 126–132
- Reichart, P.A., Schmidtberg, W., Samaranayake, L.P. & Scheifele, C. (2002) Betel quid-associated oral lesions and oral *Candida* species in a female Cambodian cohort. *J. oral Pathol. Med.*, **31**, 468–472
- Remani, P., Ankathil, R., Vijayan, K.K., Haseena Beevi, V.M., Rajendran, R. & Vijayakumar, T. (1988) Circulating immune complexes as an immunological marker in premalignant and malignant lesions of the oral cavity. *Cancer Lett.*, **40**, 185–191
- Ridge, C., Akanle, O. & Spyrou, N.M. (2001) Elemental composition of betel nut and associated chewing materials. *J. radioanal. nucl. Chem.*, **249**, 67–70
- Ridge, C., Okanle, O. & Spyrou, N.M. (2001) Elemental composition of betel nut and associated chewing materials. *J. radioanal. nucl. Chem.*, **249**, 67–70
- Rosazza, J.P.N., Huang, Z., Dostal, L., Volm, T. & Rousseau, B. (1995) Review: Biocatalytic transformations of ferulic acid: An abundant aromatic natural product. *J. ind. Microbiol.*, **15**, 457–471
- Rosin, M.P. (1984) The influence of pH on the convertogenic activity of plant phenolics. *Mutat. Res.*, **135**, 109–113
- Rudat, K. (1994) *Black and Minority Ethnic Groups in England: Health and Lifestyles*, London, Health Education Authority, pp. 82–83
- Rupa, D.S. & Eastmond, D.A. (1997) Chromosomal alterations affecting the 1cen-1q12 region in buccal mucosal cells of betel quid chewers detected using multicolor fluorescence *in situ* hybridization. *Carcinogenesis*, **18**, 2347–2351
- Saikia, M. & Vaidehi, M.P. (1983) Studies on the pathological effects of feeding betel-nut meal in albino rats. *Br. J. exp. Med.*, **64**, 515–517
- Salley, J.J. (1954) Experimental carcinogenesis in the cheek pouch of the Syrian hamster. *J. dent. Res.*, **33**, 253–262
- Samuel, K.C., Navani, H. & Logani, K.B. (1969) Epidemiology of oral carcinoma in eastern districts of Uttar Pradesh. *J. Indian med. Assoc.*, **53**, 179–186

- Sanghvi, L.D., Rao, K.C.M. & Khanolkar, V.R. (1955) Smoking and chewing of tobacco in relation to cancer of the upper alimentary tract. *Br. med. J.*, **i**, 1111–1114
- Sankaranarayanan, R., Duffy, S.W., Day, N.E., Nair, M.K. & Padmakumary, G. (1989a) A case-control investigation of cancer of the oral tongue and the floor of the mouth in Southern India. *Int. J. Cancer*, **44**, 617–621
- Sankaranarayanan, R., Duffy, S.W., Padmakumary, G., Day, N.E. & Padmanabhan, T.K. (1989b) Tobacco chewing, alcohol and nasal snuff in cancer of the gingiva in Kerala, India. *Br. J. Cancer*, **60**, 638–643
- Sankaranarayanan, R., Duffy, S.W., Padmakumary, G., Day, N.E. & Nair, M.K. (1990a) Risk factors for cancer of the buccal and labial mucosa in Kerala, southern India. *J. Epidemiol. Community Health*, **44**, 286–292
- Sankaranarayanan, R., Duffy, S.W., Nair, M.K., Padmakumary, G. & Day, N.E. (1990b) Tobacco and alcohol as risk factors in cancer of the larynx in Kerala, India. *Int. J. Cancer*, **45**, 879–882
- Sankaranarayanan, R., Duffy, S.W., Padmakumary, G., Muralidharan Nair, S., Day, N.E. & Padmanabhan, T.K. (1991) Risk factors for cancer of the oesophagus in Kerala, India. *Int. J. Cancer*, **49**, 485–489
- Sankaranarayanan, R., Mathew, B., Jacob, B.J., Thomas, G., Somanathan, T., Pisani, P., Pandey, M., Ramadas, K., Najeeb, K. & Abraham, E. for the Trivandrum Oral Cancer Screening Study Group (2000) Early findings from a community-based, cluster-randomized, controlled oral cancer screening trial in Kerala, India. *Cancer*, **188**, 664–673
- Saranath, D., Mukhopadhyaya, R., Rao, R.S., Fakih, A.R., Naik, S.L. & Gangal, S.G. (1985) Cell-mediated immune status in patients with squamous cell carcinoma of the oral cavity. *Cancer*, **56**, 1062–1070
- Saranath, D., Bhoite, L.T., Mehta, A.R., Sanghavi, V. & Deo, M.G. (1991a) Loss of allelic heterozygosity at the harvey ras locus in human oral carcinomas. *Cancer Res. clin. Oncol.*, **117**, 484–488
- Saranath, D., Chang, S.E., Bhoite, L.T., Panchal, R.B., Kerr, I.B., Mehta, A.R., Johnson, N.W. & Deo, M.G. (1991b) High frequency mutation in codons 12 and 61 of H-ras oncogene in chewing tobacco-related human oral carcinoma in India. *Br. J. Cancer*, **63**, 573–578
- Saranath, D., Tandle, A.T., Teni, T.R., Dedhia, P.M., Borges, A.M., Parikh, D., Sanghavi, V. & Mehta, A.R. (1999) p53 Inactivation in chewing tobacco-induced oral cancers and leukoplakias from India. *Oral Oncol.*, **35**, 242–250
- Sarkar, M., Gangopadhyay, P., Basak, B., Chakrabarty, K., Banerji, J., Adhikary, P. & Chatterjee, A. (2000) The reversible antifertility effect of *Piper betle* Linn. on Swiss albino male mice. *Contraception*, **62**, 271–274
- Sarma, S.N. (1958) A study into the incidence and etiology of cancer of the larynx and adjacent parts in Assam. *Indian J. med. Res.*, **46**, 525–533
- Sarma, A.B., Chakrabarti, J., Chakrabarti, A., Banerjee, T.S., Roy, D., Mukherjee, D. & Mukherjee, A. (1992) Evaluation of pan masala for toxic effects on liver and other organs. *Food chem. Toxicol.*, **30**, 161–163
- Saunders, J., Showell, G.A., Snow, R.J., Baker, R., Harley, E.A. & Freedman, S.B. (1988) 2-Methyl-1,3-dioxaazaspiro[4,5]decanes as novel muscarinic cholinergic agonists. *J. med. Chem.*, **31**, 486–491
- Scalbert, A., Morand, C., Manach, C. & Rémy, C. (2002) Absorption and metabolism of polyphenols in the gut and impact on health. *Biomed. Pharmacother.*, **56**, 276–282

- Schamschula, R.G., Adkins, B.L., Barnes, D.E. & Charlton, G. (1977) Betel chewing and caries experience in New Guinea. *Community dent. oral Epidemiol.*, **5**, 284–286
- Schneider, E. (1986) [Betel – A popular pleasure – giving substance in South Asia.] *Pharm. Uns. Zeit*, **15**, 161–166 (in German)
- Schonland, M.N. & Bradshaw, E. (1969) Upper alimentary tract cancer in Natal Indians with special reference to the betel-chewing habit. *Br. J. Cancer*, **23**, 670–682
- Scrimgeour, E.M. & Jolley, D. (1983) Trends in tobacco consumption and incidences of associated neoplasms in Papua New Guinea. *Br. med. J.*, **286**, 1414–1416
- Scutt, A., Meghji, S., Canniff, J.P. & Harvey, W. (1987) Stabilisation of collagen by betel nut polyphenols as a mechanism in oral submucous fibrosis. *Experientia*, **43**, 391–393
- Seedat, H.A. (1985) *Oral Submucous Fibrosis in Durban, Natal: A Study of its Epidemiology, Aetiology and Morphological Features* (PhD Thesis), Stellenbosch, University of Stellenbosch, South Africa
- Seedat, H.A. & Van Wyk, C.W. (1988) Betel-nut chewing and submucous fibrosis in Durban. *S. Afr. Med. J.*, **74**, 568–571
- Sein, K., Maung, K.K. & Aung, T.H. (1992) An epidemiologic study of 70 oral cancer cases at the Institute of Dental Medicine, Yangon, Myanmar, 1985–1988. *Odontostomatol. Trop.*, **15**, 5–8
- Self, R., Jones, A. & Holdsworth, D.K. (1999) Gas chromatography/mass spectrometry analysis of alkaloids in betel nut (*Areca catechu*). *Eur. mass Spectrom.*, **5**, 213–219
- Selvan, R.S. & Rao, A.R. (1993) Influence of arecoline on immune system: III. Suppression of B cell-mediated immune response in mice after short-term exposure. *Immunopharmacol. Immunotoxicol.*, **15**, 291–305
- Selvan, R.S., Venkateswaran, K.S. & Rao, A.R. (1989) Influence of arecoline on immune system: I. Short term effects on general parameters and on the adrenal and lymphoid organs. *Immunopharmacol. Immunotoxicol.*, **11**, 347–377
- Selvan, R.S., Selvakumaran, M. & Rao, A.R. (1991) Influence of arecoline on immune system: II. Suppression of thymus-dependent immune responses and parameter of non-specific resistance after short-term exposure. *Immunopharmacol. Immunotoxicol.*, **13**, 281–309
- Senewiratne, B. & Uragoda, C.G. (1973) Betel chewing in Ceylon. *Am. J. trop. Med. Hyg.*, **22**, 418–422
- Shah, N. & Sharma, P.P. (1998) Role of chewing and smoking habits in the etiology of oral submucous fibrosis (OSF): A case-control study. *J. oral Pathol. Med.*, **27**, 475–479
- Shah, N., Kumar, R. & Shah, M.K. (1994) Immunological studies in oral submucous fibrosis. *Indian J. dent. Res.*, **5**, 81–87
- Shah, B., Lewis, M.A.O. & Bedi, R. (2001) Oral submucous fibrosis in a 11-year-old Bangladeshi girl living in the United Kingdom. *Br. dent. J.*, **191**, 130–132
- Shah, S.M.A., Merchant, A.T., Luby, S.P. & Chotani, R.A. (2002) Addicted schoolchildren: Prevalence and characteristics of areca nut chewers among primary school children in Karachi, Pakistan. *J. Paediatr. Child Health*, **38**, 507–510
- Shahabuddin, S., Rao, A.R. & Mustafa, A.S. (1980) Effect of arecoline on the humoral and cell-mediated immune responses in mice. *Indian J. exp. Biol.*, **18**, 1493–1494
- Shannon, H.E., Bymaster, F.P., Calligaro, D.O., Greenwood, B., Mitch, C.H., Sawyer, B.D., Ward, J.S., Wong, D.T., Olesen, P.H., Sheardown, M.J., Swedberg, M.D.B., Suzdak, P.D. & Sauerberg, P. (1994) Xanomeline: A novel muscarinic receptor agonist with functional selectivity for M₁ receptors. *J. Pharmacol. exp. Ther.*, **269**, 271–281

- Shanta, V. & Krishnamurthi, S. (1959) A study of aetiological factors in oral squamous cell carcinoma. *Br. J. Cancer*, **13**, 381–388
- Shanta, V. & Krishnamurthi, S. (1963) Further study in aetiology of carcinomas of the upper alimentary tract. *Br. J. Cancer*, **17**, 8–23
- Sharan, R.N. & Wary, K.K. (1992) Study of unscheduled DNA synthesis following exposure of human cells to arecoline and extracts of betel nut in vitro. *Mutat. Res.*, **278**, 271–276
- Sharma, B.B. (2002) *Prevention of Food Adulteration Act, 1954* (Notification No. PFA/574-2002/7, dated 23 July), Mumbai, Commissioner for Food and Drug Administration and Food (Health) Authority, Maharashtra State
- Shear, M., Lemmer, J. & Dockrat, I. (1967) Oral submucous fibrosis in South African Indians: An epidemiological study. *S. Afr. J. med. Sci.*, **32**, 41–46
- Shetty, K.V. & Johnson, N.W. (1999) Knowledge, attitudes and beliefs of adult South Asians living in London regarding risk factors and signs for oral cancer. *Community Dent. Health*, **16**, 227–231
- Shirname, L.P., Menon, M.M., Nair, J. & Bhide, S.V. (1983) Correlation of mutagenicity and tumorigenicity of betel quid and its ingredients. *Nutr. Cancer*, **5**, 87–91
- Shirname, L.P., Menon, M.M. & Bhide, S.V. (1984) Mutagenicity of betel quid and its ingredients using mammalian test systems. *Carcinogenesis*, **5**, 501–503
- Shiu, M.N., Chen, T.H.H., Chang, S.H. & Hahn, L.J. (2000) Risk factors for leukoplakia and malignant transformation to oral carcinoma: A leukoplakia cohort in Taiwan. *Br. J. Cancer*, **82**, 1871–1874
- Shivapurkar, N.M. & Bhide, S.V. (1979) Effect of betel-nut constituents on nucleic acid metabolism. *Indian J. exp. Biol.*, **17**, 1141–1144
- Shivapurkar, N.M., Bhide, S.V. & Ranadive, K.J. (1978) Biochemical studies of betel nut constituents. *Indian J. Pharmacol.*, **10**, 191–200
- Shivapurkar, N.M., Ranadive, S.N., Gothoskar, S.V., Bhide, S.V. & Ranadive, K.J. (1980) Tumorigenic effect of aqueous and polyphenolic fractions of betel nut in Swiss strain mice. *Indian J. exp. Biol.*, **18**, 1159–1161
- Shivashankar, S., Dhanaraj, S., Mathew, A.G., Srinivasa Murthy, S., Vydasamurthy, M.N. & Govindarajan, V.S. (1969) Physical and chemical characteristics of processed areca nuts. *J. Food Sci. Technol.*, **41**, 113–116
- Shwe, M., Chiguchi, G., Yamada, S., Nakajima, T., Maung, K.K., Takagi, M., Amagasa, T. & Tsuchida, N. (2001) p53 and MDM2 co-expression in tobacco and betel chewing-associated oral squamous cell carcinomas. *J. med. dent. Sci.*, **48**, 113–119
- Sidiq, Y., Rajagopalan, K.R., & Krishnamurthy M.S. (1964) Aetiology and epidemiology of oral cavity cancers. *J. Indian med. Assoc.*, **43**, 526–529
- Silverman, S., Jr, Bhargava, K., Mani, N.J., Smith, L.W. & Malaowalla, A.M. (1976) Malignant transformation and natural history of oral leukoplakia in 57 518 industrial workers of Gujarat, India. *Cancer*, **38**, 1790–1795
- Simarak, S., de Jong, U.W., Breslow, N., Dahl, C.J., Ruckphaopunt, K., Scheelings, P. & MacLennan, R. (1977) Cancer of the oral cavity, pharynx/larynx and lung in North Thailand: Case-control study and analysis of cigar smoke. *Br. J. Cancer*, **36**, 130–140
- Singh, A.D. & von Essen, C.F. (1966) Buccal mucosa cancer in South India. Etiologic and clinical aspects. *Am. J. Roentgenol. Radium Ther. Nucl. Med.*, **96**, 6–14

- Singh, A. & Rao, A.R. (1993a) Modulatory effect of areca nut on the action of MACE (*Myristica fragrans*, Houtt) on hepatic detoxification system in mice. *Food chem. Toxicol.*, **31**, 517–521
- Singh, A. & Rao, A.R. (1993b) Effect of arecanut on the black mustard (*Brassica niger*, L.)-mediated detoxication enzymes and sulphydryl content in the liver of mice. *Cancer Lett.*, **72**, 45–51
- Singh, A. & Rao, A.R. (1993c) Effect of arecoline on Phase I and Phase II drug metabolizing system of enzymes, sulphhydryl content and lipid peroxidation in mouse liver. *Biochem. mol. Biol. int.*, **30**, 763–772
- Singh, A. & Rao, A.R. (1995a) Modulatory influence of arecanut on the mouse hepatic xenobiotic detoxication system and skin papillomagenesis. *Teratog. Carcinog. Mutag.*, **15**, 135–146
- Singh, A. & Rao, A.R. (1995b) Evaluation of the modifying influence of arecanut on the garlic-modulated hepatic detoxication system enzymes, sulphydryl content and lipid peroxidation. *Teratog. Carcinog. Mutag.*, **15**, 127–134
- Singh, A. & Rao, A.R. (1995c) Modulatory influence of arecanut on antioxidant 2(3)-*tert*-butyl-4-hydroxy anisole-induced hepatic detoxification system and antioxidant defence mechanism in mice. *Cancer Lett.*, **91**, 107–114
- Singh, A., Singh, S.P. & Bamezai, R. (1996) Postnatal effect of arecoline on chlorophyllin-modulated hepatic biotransformation system enzymes in suckling neonate and lactating mice. *Teratog. Carcinog. Mutag.*, **16**, 89–96
- Singh, A., Singh, S.P. & Bamezai, R. (1997) Modulatory influence of arecoline on the phytic acid-altered hepatic biotransformation system enzymes, sulphhydryl content and lipid peroxidation in a murine system. *Cancer Lett.*, **117**, 1–6
- Singh, A., Singh, S.P. & Bamezai, R. (2000) Direct and translactational effect of arecoline alkaloid on the cloicum oil-modulated hepatic drug metabolizing enzymes in mice. *Food. chem. Toxicol.*, **38**, 627–635
- Sinha, A. & Rao, A.R. (1985a) Embryotoxicity of betel nuts in mice. *Toxicology*, **37**, 315–326
- Sinha, A. & Rao, A.R. (1985b) Induction of shape abnormality and unscheduled DNA synthesis by arecoline in the germ cells of mice. *Mutat. Res.*, **158**, 189–192
- Sinha, A. & Rao, A.R. (1985c) Transplacental micronucleus inducing ability of arecoline, a betel nut alkaloid, in mice. *Mutat. Res.*, **158**, 193–194
- Sinha, D.N. & Gupta, P.C. (2001) Tobacco and areca nut use in male medical students of Patna. *Natl med. J. India*, **14**, 176–178
- Sinor, P.N., Gupta, P.C., Murti, P.R., Bhonsle, R.B., Daftary, D.K., Mehta, F.S. & Pindborg, J.J. (1990) A case-control study of oral submucous fibrosis with special reference to the etiologic role of areca nut. *J. oral Pathol. Med.*, **19**, 94–98
- Sirsat, S.M. & Khanolkar, V.R. (1962) The effect of arecoline on the palatal and buccal mucosa of the Wistar rat. An optical and electron microscope study. *Indian J. med. Sci.*, **16**, 198–202
- Slotkin, T.A. (1992) Prenatal exposure to nicotine: What can we learn from animal models? In: Zagon, I.S. & Slotkin, T.A., eds, *Maternal Substance Abuse and the Developing Nervous System*, San Diego, Academic Press, pp. 97–124
- Slotkin, T.A., Greer, N., Faust, J., Cho, H. & Seidler, F.J. (1986) Effects of maternal nicotine injections on brain development in the rat: Ornithine decarboxylase activity, nucleic acids and proteins in discrete brain regions. *Brain Res. Bull.*, **17**, 41–50

- Slotkin, T.A., Lappi, S.E. & Seidler, F.J. (1993) Impact of fetal nicotine exposure on development of rat brain regions: Critical sensitive periods or effects of withdrawal? *Brain Res. Bull.*, **31**, 319–328
- Smismans, A., Schuit, F. & Pipeleers, D. (1997) Nutrient regulation of gamma-butyric acid release from islet beta cells. *Diabetologia*, **40**, 1411–1415
- Smith, L.W., Bhargava, K., Mani, N.J., Malaowalla, A.M. & Silverman, S., Jr (1975) Oral cancer and precancerous lesions in 57,518 industrial workers of Gujarat, India. *Indian J. Cancer*, **12**, 118–123
- Sopori, M.L. & Kozak, W. (1998) Immunomodulatory effects of cigarette smoke. *J. Neuroimmunol.*, **83**, 148–156
- Sorenson, R.L., Garry, D.G. & Brelje, T.C. (1991) Structural and functional considerations of GABA in islets of Langerhans, β -cells and nerves. *Diabetes*, **40**, 1365–1374
- Srinivasan, M. & Jewell, S.D. (2001a) Quantitative estimation of PCNA, *c-myc*, EGFR and TGF- α in oral submucous fibrosis — An immunohistochemical study. *Oral Oncol.*, **37**, 461–467
- Srinivasan, M. & Jewell, S.D. (2001b) Evaluation of TGF- α and EGFR expression in oral leukoplakia and oral submucous fibrosis by quantitative immunohistochemistry. *Oncology*, **61**, 284–292
- Srivastava, S.P. & Sharma, S.C. (1968) Gingival cancer. *Indian J. Cancer*, **5**, 89–97
- Srivatanakul, P., Parkin, D.M., Khlat, M., Chenvidhya, D., Chotiwat, P., Insiripong, S., L'Abbe, K.A. & Wild C.P. (1991) Liver cancer in Thailand. II. A case-control study of hepatocellular carcinoma. *Int. J. Cancer*, **48**, 329–332
- Stanley, K. & Stjernsward, J. (1986) A survey on the control of oral cancer in India. *Indian J. Cancer*, **23**, 105–111
- Stephen, S.J. & Uragoda, C.G. (1970) Some observations on oesophageal carcinoma in Ceylon including its relationship to betel chewing. *Br. J. Cancer*, **24**, 11–15
- Stich, H.F. & Dunn, B.P. (1986) Relationship between cellular levels of beta-carotene and sensitivity to genotoxic agents. *Int. J. Cancer*, **38**, 713–717
- Stich, H.F. & Tsang, S.S. (1989) Promoting activity of betel quid ingredients and their inhibition by retinol. *Cancer Lett.*, **45**, 71–77
- Stich, H.F., Stich, W. & Parida, B.B. (1982) Elevated frequency of micronucleated cells in the buccal mucosa of individuals at high risk for oral cancer: Betel quid chewers. *Cancer Lett.*, **17**, 125–134
- Stich, H.F., Ohshima, H., Pignatelli, B., Michelon, J. & Bartsch, H. (1983) Inhibitory effect of betel nut extracts on endogenous nitrosation in humans. *J. natl Cancer Inst.*, **70**, 1047–1050
- Stich, H.F., Dunn, B.P., Pignatelli, B., Ohshima, H. & Bartsch, H. (1984a) Dietary phenolics and betel nut extracts as modifiers of *N*-nitrosation in rat and man. In: O'Neill, I.K., von Borstel, R.C., Miller, C.T., Long, J. & Bartsch, H., eds, *N-Nitroso Compounds: Occurrence, Biological Effects and Relevance to Human Cancer* (IARC Scientific Publications No. 57), Lyon, IARCPress, pp. 213–222
- Stich, H.F., Rosin, M.P. & Vallejera, M.O. (1984b) Reduction with vitamin A and beta-carotene administration of proportion of micronucleated buccal mucosal cells in Asian betel nut and tobacco chewers. *Lancet*, **i**, 1204–1206
- Stich, H.F., Stich, W., Rosin, M.P. & Vallejera, M.O. (1984c) Use of the micronucleus test to monitor the effect of vitamin A, beta-carotene and canthaxanthin on the buccal mucosa of betel nut/tobacco chewers. *Int. J. Cancer*, **34**, 745–750

- Stich, H.F., Rosin, M.P. & Brunnemann, K.D. (1986) Oral lesions, genotoxicity and nitrosamines in betel quid chewers with no obvious increase in oral cancer risk. *Cancer Lett.*, **31**, 15–25
- Stich, H.F., Rosin, M.P., Hornby, A.P., Mathew, B., Sankaranarayanan, R. & Nair, M.K. (1988) Remission of oral leukoplakias and micronuclei in tobacco/betel quid chewers treated with beta-carotene and with beta-carotene plus vitamin A. *Int. J. Cancer*, **42**, 195–199
- Stich, H.F., Brunnemann, K.D., Mathew, B., Sankaranarayanan, R. & Nair, M.K. (1989) Chemopreventive trials with vitamin A and β-carotene: Some unresolved issues. *Prev. Med.*, **18**, 732–739
- Stich, H.F., Mathew, B., Sankaranarayanan, R. & Nair, M.K. (1991) Remission of precancerous lesions in the oral cavity of tobacco chewers and maintenance of the protective effect of β-carotene or vitamin A. *Am. J. clin. Nutr.*, **53**, 298S–304S
- Strickland, S.S. & Duffield, A.E. (1997) Anthropometric status and resting metabolic rate in users of the areca nut and smokers of tobacco in rural Sarawak. *Ann. hum. Biol.*, **25**, 453–474
- Strickland, S.S., Veena, G.V., Houghton, P.J., Stanford S.C. & Kurpad, A.V. (2003) Areca nut, energy metabolism and hunger in Asian men. *Ann. hum. Biol.*, **30**, 26–52
- Sullivan, R.J. & Hagen, E.H. (2002) Psychotropic substance-seeking: Evolutionary pathology or adaptation? *Addiction*, **97**, 389–400
- Summers, R.M., Williams, S.A. & Curzon, M.E.J. (1994) The use of tobacco and betel quid ('pan') among Bangladeshi women in West Yorkshire. *Community Dent. Health*, **11**, 12–16
- Sun, C.A., Wu, D.M., Lin, C.C., Lu, S.N., You, S.L., Wang, L.Y., Wu, M.H. & Chen, C.J. (2003) Incidence and cofactors of hepatitis C virus-related hepatocellular carcinoma: A prospective study of 12 008 men in Taiwan. *Am. J. Epidemiol.*, **157**, 674–682
- Sundqvist, K. & Grafström, R.C. (1992) Effects of areca nut on growth, differentiation and formation of DNA damage in cultured human buccal epithelial cells. *Int. J. Cancer*, **52**, 305–310
- Sundqvist, K., Liu, Y., Nair, J., Bartsch, H., Arvidson, K. & Grafström, R.C. (1989) Cytotoxic and genotoxic effects of areca nut-related compounds in cultured human buccal epithelial cells. *Cancer Res.*, **49**, 5294–5298
- Suri, K., Goldman, H.M. & Wells, H. (1971) Carcinogenic effect of a dimethyl sulphoxide extract of betel nut on the mucosa of the hamster buccal pouch. *Nature*, **230**, 383–384
- Swerdlow, A.J., Marmot, M.G., Grulich, A.E. & Head, J. (1995) Cancer mortality in Indian and British ethnic immigrants from the Indian subcontinent to England and Wales. *Br. J. Cancer*, **72**, 1312–1319
- Syiem, D., Syngai, G., Khup, P.Z., Khongwir, B.S., Kharbuli, B. & Kayang, H. (2002) Hypoglycemic effects of *Potentilla fulgens* L. in normal and alloxan-induced diabetic mice. *J. Ethnopharmacol.*, **83**, 55–61
- Talonu, N.T. (1989) Observation on betel-nut use, habituation, addiction and carcinogenesis in Papua New Guineans. *Papua New Guinea med. J.*, **32**, 195–197
- Tan, B.S., Rosman, A., Ng, K.H. & Ahmad, N. (2000) Profile of the betel/tobacco quid chewers in six Malaysian estates. *Annal. Dent. Univ. Malaya*, **7**, 1–5
- Tanaka, T., Mori, H., Fujii, M., Takahashi, M. & Hirono, I. (1983) Carcinogenicity examination of betel quid. II. Effect of vitamin A deficiency on rats fed semipurified diet containing betel nut and calcium hydroxide. *Nutr. Cancer*, **4**, 260–266
- Tanaka, T., Kuniyasu, T., Shima, H., Sugie, S., Mori, H., Takahashi, M. & Hirono, I. (1986) Carcinogenicity of betel quid. III. Enhancement of 4-nitroquinoline-1-oxide- and N-2-fluo-

- renylacetamide-induced carcinogenesis in rats by subsequent administration of betel nut. *J. natl Cancer Inst.*, **77**, 777–781
- Tandle, A.T., Sanghvi, V. & Saranath, D. (2001) Determination of *p53* genotypes in oral cancer patients from India. *Br. J. Cancer*, **84**, 739–742
- Tang, J.G., Jian, X.F., Gao, M.L., Ling, T.Y. & Zhang, K.H. (1997) Epidemiological survey of oral submucous fibrosis in Xiangtan City, Hunan Province, China. *Community Dent. Oral Epidemiol.*, **25**, 177–180
- Tang, J.G., Jian, X.F., Gao, M.L., Ling, T.Y. & Zhang, K.H. (1997) Epidemiological survey of oral submucous fibrosis in Xiangtan City, Hunan Province, China. *Community dent. oral Epidemiol.*, **25**, 177–178
- Taylor, F., Al-Jarad, N., John, L.M.E., Conroy, D.M. & Barnes, N.C. (1992) Betel-nut chewing and asthma. *Lancet*, **339**, 1134–1136
- Thomas, S.J. & MacLennan, R. (1992) Slaked lime and betel nut cancer in Papua New Guinea. *Lancet*, **340**, 577–578
- Thomas, S., Brennan, J., Martel, G., Frazer, I., Montesano, R., Sidransky, D. & Hollstein, M. (1994) Mutations in the conserved regions of *p53* are infrequent in betel-associated oral cancers from Papua-New Guinea. *Cancer Res.*, **54**, 3588–3593
- Thomas, G., Hashibe, M., Jacob, B.J., Ramadas, K., Mathew, B., Sankaranarayanan, R. & Zhang, Z.F. (2003) Risk factors for multiple oral premalignant lesions. *Int. J. Cancer*, **107**, 285–291
- Thompson, D.C., Thompson, J.A., Sugumaran, M. & Moldéus, P. (1993) Biological and toxicological consequences of quinone methide formation. *Chem.-biol. Interactions*, **86**, 129–162
- Thongsuksai, P. & Boonyaphiphat, P. (2001) Lack of association between *p53* expression and betel nut chewing in oral cancers from Thailand. *Oral Oncol.*, **37**, 276–281
- Timms, P.M., Srikanthan, V.A., Lindsay, M., Maxwell, P., Wright, A. & Dunn, F.G. (1998) Plasma tissue inhibitor of metalloproteinase-1 is elevated in hypertension (Abstract). *Am. J. Hypertens.*, **11**, 1A
- Timms, P.M., Mannan, N., Hitman, G.A., Noonan, K., Mills, P.G., Syndercombe-Court, Y.D., Aganna, E., Price, C.P. & Boucher, B.J. (2002a) Circulating MMP9, vitamin D and variation in the TIMP-1 response with VDR genotype: Mechanisms for inflammatory damage in chronic disorders? *Q. J. Med.*, **95**, 787–796
- Timms, P.M., Wright, A., Maxwell, P., Campbell, S., Dawnay, A.B. & Srikanthan, V. (2002b) Plasma tissue inhibitor of metalloproteinase-1 levels are elevated in essential hypertension and related to left ventricular hypertrophy. *Am. J. Hypertens.*, **15**, 269–272
- Tolentino, A.D., Jr, Erese, B.C. & Soriano, O.L. (1963) Malignant and pre-malignant lesions of the oral cavity. *Philippine J. Cancer*, **5**, 406–416
- Topcu, Z., Chiba, I., Fujieda, M., Shibata, T., Ariyoshi, N., Yamazaki, H., Sevgican, F., Muthumala, M., Kobayashi, H. & Kamataki, T. (2002) *CYP2A6* gene deletion reduces oral cancer risk in betel quid chewers in Sri Lanka. *Carcinogenesis*, **23**, 595–598
- Trendelenburg, P. (1912) Physiologische und pharmakologische Untersuchungen an der isolierten Bronchialmuskulatur. *Arch. exp. Pathol. Pharm.*, **69**, 79
- Trivedy, C.R. (2001) The legislative issues related to the sale and consumption of areca (betel) nut products in the UK: Current status and objectives for the future. *J. Indian Med. Assoc.*, **1**, 10–16
- Trivedi, A.H., Dave, B.J. & Adhvaryu, S.C. (1993) Genotoxic effects of nicotine in combination with arecoline on CHO cells. *Cancer Lett.*, **74**, 105–110

- Trivedi, A.H., Roy, S.K., Patel, R.K., Adhvaryu, S.G. & Balar, D.B. (1995) Urine of tobacco/areca nut chewers causes genomic damage in Chinese hamster ovary cells. *Carcinogenesis*, **16**, 205–208
- Trivedy, C., Baldwin, D., Warnakulasuriya, S., Johnson, N. & Peters, T. (1997) Copper content in *Areca catechu* (betel nut) products and oral submucous fibrosis. *Lancet*, **349**, 1447
- Trivedy, C., Warnakulasuriya, K.A.A.S., Tavassoli, M., Steingrimsdottir, H., Penhallow, J., Maher, R. & Johnson, N.W. (1998) p53 Aberrations in oral submucous fibrosis and oral squamous cell carcinoma detected by immunocytochemistry and PCR-SSCP. *J. oral Pathol. Med.*, **27**, 72–77
- Trivedy, C., Warnakulasuriya, S. & Peters, T.J. (1999a) Areca nuts can have deleterious effects. *Br. med. J.*, **318**, 1287
- Trivedy, C., Warnakulasuriya, S., Hazarey, V.K. & Johnson, N.W. (1999b) The role of copper in the aetiopathogenesis of oral submucous fibrosis. In: Varma, A.K., ed., *Oral Oncology*, Vol. VI, *Proceedings of the 6th International Congress on Oral Cancer*, New Delhi, Macmillan Press, pp. 7–10
- Trivedy, C., Warnakulasuriya, K.A.A.S., Hazarey, V.K., Tavassoli, M., Sommer, P. & Johnson, N.W. (1999c) The upregulation of lysyl oxidase in oral submucous fibrosis and squamous cell carcinoma. *J. oral Pathol. Med.*, **28**, 246–251
- Trivedy, C.R., Warnakulasuriya, K.A.A.S., Peters, T.J., Senkus, R., Hazarey, V.K. & Johnson, N.W. (2000) Raised tissue copper levels in oral submucous fibrosis. *J. oral Pathol. Med.*, **29**, 241–248
- Trivedy, C., Meghji, S., Warnakulasuriya, K.A.A.S., Johnson, N.W. & Harris, M. (2001) Copper stimulates human oral fibroblasts *in vitro*: A role in the pathogenesis of oral submucous fibrosis. *J. oral Pathol. Med.*, **30**, 465–470
- Tsai, C.C., Ma, R.H. & Shieh, T.Y. (1999) Deficiency in collagen and fibronectin phagocytosis by human buccal mucosa fibroblasts *in vitro* as a possible mechanism for oral submucous fibrosis. *J. oral Pathol. Med.*, **28**, 59–63
- Tsai, J.F., Chuang, L.Y., Jeng, J.E., Ho, M.S., Hsieh, M.Y., Lin, Z.Y. & Wang, L.Y. (2001) Betel quid chewing as a risk factor for hepatocellular carcinoma: A case-control study. *Br. J. Cancer*, **84**, 709–713
- Tsai, C.-H., Chou, M.-Y. & Chang, Y.-C. (2003) The upregulation of cyclooxygenase-2 expression in human buccal mucosal fibroblasts by arecoline: A possible role in the pathogenesis of oral submucous fibrosis. *J. oral Pathol. Med.*, **32**, 146–153
- Van der Bijl, P. & Van Wyk C.W. (1995) Estimation of areca nut consumption among South African Indians. *J. int. dent. Assoc.*, **66**, 52–54
- Van der Bijl, P., Stockenström, S., Vismer, H.F. & van Wyk, C.W. (1996) Incidence of fungi and aflatoxins in imported areca nut samples. *S. Afr. J. Sci.*, **92**, 154–156
- Verma, R.C., Chansoriya, M. & Kaul, K.K. (1983) Effect of tobacco chewing by mothers on fetal outcome. *Indian Pediatr.*, **20**, 105–111
- Vineis, P., d'Errico, A., Malats, N. & Boffetta, P. (1999) Overall evaluation and research perspectives. In: Vineis, P., Malats, N., Lang, M., d'Errico, A., Caporaso, J., Cuzick, J. & Boffetta, P., eds, *Metabolic Polymorphisms and Susceptibility to Cancer* (IARC Scientific Publications No. 148), Lyon, IARCPress, pp. 403–408
- Vora, A.R., Yeoman, C.M. & Hayter, J.P. (2000) Alcohol, tobacco and paan use and understanding of oral cancer risk among Asian males in Leicester. *Br. dent. J.*, **188**, 444–451
- Wahi, P.N. (1968) The epidemiology of oral and oropharyngeal cancer. A report of the study in Mainpuri district, Uttar Pradesh, India. *Bull. World Health Organ.*, **38**, 495–521

- Wahi, P.N., Kehar, U. & Lahiri, B. (1965) Factors influencing oral and oropharyngeal cancers in India. *Br. J. Cancer*, **19**, 642–660
- Wahi, P.N., Lahiri, B. & Kehar, U. (1966) Epidemiology of oral and oropharyngeal cancer. A study of regional factors in Uttar Pradesh. *J. Indian med. Assoc.*, **46**, 175–181
- Walker, E.A., Pignatelli, B. & Friesen, M. (1982) The role of phenols in catalysis of nitrosamine formation. *J. Sci. Food Agric.*, **33**, 81–88
- Wang, C.K. & Hwang, L.S. (1993) [Analysis of the phenolic compounds in betel quid.] *J. Chin. agric. chem. Soc.*, **31**, 623–632 (in Chinese)
- Wang, C.-K. & Peng, C.-H. (1996) The mutagenicities of alkaloids and N-nitrosoguvacoline from betel quid. *Mutat. Res.*, **360**, 165–171
- Wang, C.-K. & Wu, M.-J. (1996) [The separation of phenolics from *Piper betle* leaf and the effect on the mutagenicity of arecoline.] *J. Chin. agric. chem. Soc.*, **34**, 638–647 (in Chinese)
- Wang, C.-K. & Hwang, L.-S. (1997) Effect of betel quid on catecholamine secretion from adrenal chromaffin cells. *Proc. natl Sci. Coun. Repub. China B*, **21**, 129–136
- Wang, C.-K., Su, H.-Y. & Lii, C.-K. (1999) Chemical composition and toxicity of Taiwanese betel quid extract. *Food. chem. Toxicol.*, **37**, 135–144
- Wang, C.-K., Chen, S.-L. & Wu, M.-G. (2001) Inhibitory effect of betel quid on the volatility of methyl mercaptan. *J. agric. Food Chem.*, **49**, 1979–1983
- Wani, M.K., Yarber, R.H., Ahmed, A., Hengesteg, A. & Robbins, K.T. (2001) Cancer induction in the DMBA hamster cheek-pouch: A modified technique using a promoter. *Laryngoscope*, **111**, 204–206
- Warnakulasuriya, K.A.A.S. (1990) Smoking and chewing habits in Sri Lanka: Implications for oral cancer and precancer. In: Gupta, P.C., Hammer J.E. & Murti P.R., *Control of Tobacco Related Cancer and Other Diseases*, Oxford University Press, Bombay, 1992, pp 113–118
- Warnakulasuriya, K.A.A.S. (1992) Smoking and chewing habits in Sri Lanka: Implications for oral cancer and precancer. In: Gupta, P.C., Hammer, J.E., III & Murti, P.R., eds, *Control of Tobacco-related Cancers and Other Diseases*, Mumbai, Oxford University Press, pp. 113–118
- Warnakulasuriya, K.A.A.S. (1996) Ethnicity, race and oral cancer. In: Bedi, R., Bhal, V. & Raja, R.R., eds, *Dentists, Patients and Ethnic Minorities*, London, Faculty of General Dental Practitioners (UK), Department of Health, pp. 57–65
- Warnakulasuriya, S. (2002) Areca nut use following migration and its consequences. *Addict. Biol.*, **7**, 127–132
- Warnakulasuriya, K.A.A.S. & Johnson, N.W. (1996) Epidemiology and risk factors for oral cancer: Rising trends in Europe and possible effects of migration. *Int. dent. J.*, **46**, 245–250
- Warnakulasuriya, K.A.A.S., Ekanayake, A.N.I., Sivayoham, S., Stjernsward, J., Pindborg, J.J., Sabin, L.H. & Perera, K.S.G.P. (1984) Utilization of primary health care workers for early detection of oral cancer and precancer cases in Sri Lanka. *Bull. World Health Org.*, **62**, 243–250
- Warnakulasuriya, K.A.A.S., Johnson, N.W., Linklater, K.M. & Bell, J. (1999) Cancer of mouth, pharynx and nasopharynx in Asian and Chinese immigrants resident in Thames regions. *Oral Oncol.*, **35**, 471–475
- Warnakulasuriya, S., Trivedy, C. & Peters, T.J. (2002) Areca nut use: An independent risk factor for oral cancer. *Br. med. J.*, **324**, 799–800

- Wary, K.K. & Sharan, R.N. (1988) Aqueous extract of betel-nut of North-East India induces DNA-strand breaks and enhances rate of cell proliferation in vitro. Effect of betel-nut extract in vitro. *Cancer Res. clin. Oncol.*, **114**, 579–582
- Wary, K.K. & Sharan, R.N. (1991) Cytotoxic and cytostatic effects of arecoline and sodium nitrite on human cells *in vitro*. *Int. J. Cancer*, **47**, 396–400
- Wasnik, K.S., Ughade, S.N., Zodpey, S.P. & Ingole, D.L. (1998) Tobacco consumption practices and risk of oropharyngeal cancer: A case-control study in central India. *Southeast Asian J. trop. Med. public Health*, **29**, 827–834
- Weerapradist, W. & Boonpuknavig, V. (1983) Effect of betel nut on the buccal mucosa of the hamster cheek pouch: Comparative histological study of Thai and Indian betel nut and dimethyl benzanthracene (DMBA). *J. dent. Assoc. Thailand*, **33**, 53–66
- Wei, Y.Y. & Chung, C. (1997) Elemental analysis of Taiwanese areca nut and limes with INAA. *J. Radioanal. nucl. Chem.*, **217**, 45–51
- Wenke, G. & Hoffmann, D. (1983) A study of betel quid carcinogenesis. 1. On the *in vitro* N-nitrosation of arecoline. *Carcinogenesis*, **4**, 169–172
- Wenke, G., Brunnemann, K.D., Hoffmann, D. & Bhide, S.V. (1984) A study of betel quid carcinogenesis. IV. Analysis of the saliva of betel chewers: A preliminary report. *J. Cancer Res. clin. Oncol.*, **108**, 110–113
- Williams, R.L. & Carter, M.K. (1965) The saluretic effects of arecoline hydrochloride. *Arch. int. Pharmacodyn.*, **157**, 90–98
- Williams, S.A., Summers, R.M., Ahmed, I.A. & Prendergast, M.J. (1996) Caries experience, tooth loss and oral health-related behaviours among Bangladeshi women resident in West Yorkshire, UK. *Community dent. Health*, **13**, 150–156
- Williams, W.M., Hayakawa, T., Grange, E. & Rapoport, S.I. (1998) Arecoline stimulation of radio-labeled arachidonate incorporation from plasma into brain microvessels of awake rat. *Neurochem. Res.*, **23**, 551–555
- Williams, S., Malik, A., Chowdhury, S. & Chauhan, S. (2002) Sociocultural aspects of areca nut use. *Addict. Biol.*, **7**, 147–154
- Winstock, A.R., Trivedy, C.R., Warnakulasuriya, K.A.A.S. & Peters, T.J. (2000) A dependency syndrome related to areca nut use: Some medical and psychological aspects among areca nut users in the Gujarat community in the UK. *Addict. Biol.*, **5**, 173–179
- Wong, T.Y., Jin, Y.T., Chen, H.O. & Lin, L.M. (1992) Studies on Taiwan betel quid carcinogenicity in hamster cheek-pouch. *Chinese dent. J.*, **11**, 155–162
- Wong, Y.K., Liu, T.Y., Chang, K.W., Lin, S.C., Chao, T.W., Li, P.L. & Chang, C.S. (1998) p53 Alterations in betel quid- and tobacco-associated oral squamous cell carcinomas from Taiwan. *J. oral Pathol. Med.*, **27**, 243–248
- Wu, K.-D., Chuang, R.-B., Wu, F.-L.L., Hsu, W.-A., Jan, I.-S. & Tsai, K.-S. (1996) The milk-alkali syndrome caused by betelnuts in oyster shell paste. *Clin. Toxicol.*, **34**, 741–745
- Wu, M.-T., Lee, Y.-C., Chen, C.-J., Yang, P.-W., Lee, C.-J., Wu, D.-C., Hsu, H.-K., Ho, C.K., Kao, E.L. & Lee, J.M. (2001) Risk of betel chewing for oesophageal cancer in Taiwan. *Br. J. Cancer*, **85**, 658–660
- Wu, M.-T., Lee, J.-M., Wu, D.-C., Ho, C.-K., Wang, Y.-T., Lee, Y.-C., Hsu, H.-K. & Kao, E.-L. (2002) Genetic polymorphisms of cytochrome P4501A1 and oesophageal squamous-cell carcinoma in Taiwan. *Br. J. Cancer*, **87**, 529–532

- Wu, M.-T., Wang, Y.-T., Ho, C.-K., Wu, D.-C., Lee, Y.-C., Hsu, H.-K., Kao, E.-L. & Lee, J.-M. (2003) *SULT1A1* polymorphism and esophageal cancer in males. *Int. J. Cancer*, **103**, 101–104
- van Wyk, C.W., Stander, I., Padayachee, A. & Grobler-Rabie, A.F. (1993) The areca nut chewing habit and oral squamous cell carcinoma in South African Indians. A retrospective study. *S. Afr. med. J.*, **83**, 425–429
- van Wyk, C.W., Olivier, A., de Miranda, C.M., van der Bijl, P. & Grobler-Rabie, A.F. (1994) Observations on the effect of areca nut extracts on oral fibroblast proliferation. *J. oral Pathol. Med.*, **23**, 145–148
- van Wyk, C.W., Olivier, A., Hoal-van Helden, E.G. & Grobler-Rabie, A.F. (1995) Growth of oral and skin fibroblasts from patients with oral submucous fibrosis. *J. oral Pathol. Med.*, **24**, 349–353
- van Wyk, C.W., de Miranda, C.M., Olivier, A. & van der Bijl, P. (1996) The effect of baked areca nut extract on the growth of buccal mucosa fibroblasts from healthy non-areca nut chewers. *J. dent. Assoc. S. Afr.*, **51**, 29–31
- Xie, D.-P., Li, W., Qu, S.-Y., Zheng, T.-Z., Yang, Y.-L., Ding, Y.-H., Wei, Y.-L. & Chen, L.-B. (2002) Effects of areca on contraction of colonic muscle strips in rats. *World J. Gastroenterol.*, **8**, 350–352
- Yan, J.J., Tzeng, C.C. & Jin, Y.T. (1996) Overexpression of p53 protein in squamous cell carcinomas of buccal mucosa and tongue in Taiwan: An immunohistochemical and clinicopathological study. *Oral Pathol. Med.*, **25**, 55–59
- Yang, J.A., Huber, S.A. & Lucas, Z.J. (1979) Inhibition of DNA synthesis in cultured lymphocytes and tumor cells by extracts of betel nut, tobacco and miang leaf, plant substances associated with cancer of the ororespiratory epithelium. *Cancer Res.*, **39**, 4802–4809
- Yang, M.S., Su, I.H., Wen, J.K. & Ko, Y.C. (1996) Prevalence and related risk factors of betel quid chewing by adolescent students in southern Taiwan. *J. oral Pathol. Med.*, **25**, 69–71
- Yang, M.-S., Chang, F.-T., Chen S.-S., Lee, C.-H & Ko, Y.-C. (1999) Betel quid chewing and risk of adverse pregnancy outcomes among aborigines in southern Taiwan. *Public Health*, **113**, 189–192
- Yang, M.-S., Chung, T.-C., Yang, M.-J., Hsu T.-Y. & Ko, Y.-C. (2001) Betel quid chewing and risk of adverse birth outcomes among aborigines in eastern Taiwan. *J. Toxicol. environ. Health*, **A64**, 465–472
- Yang, Y.-H., Lee, H.-Y., Tung, S. & Shieh, T.-Y. (2001) Epidemiological survey of oral submucous fibrosis and leukoplakia in aborigines of Taiwan. *J. oral Pathol. Med.*, **30**, 213–219
- Yang, C.Y., Meng, C.L., van der Bijl, P. & Lee, H.K. (2002) The effect of betel nut extract on cell growth and prostaglandin endoperoxide synthase in human epidermoid carcinoma cells. *Prostaglandins other Lipid Mediat.*, **67**, 181–195
- Yeh, C.-J. (1997) Fatigue root fracture: A spontaneous root fracture in non-endodontically treated teeth. *Br. dent. J.*, **182**, 261–266
- Yeole, B.B., Kurkure, A.P., Advani, S.H. & Lizzy, S. (2001) An assessment of cancer incidence patterns in Parsi and non-Parsi populations, Greater Mumbai. *Asian Pacific J. Cancer Prev.*, **2**, 293–298
- Yi, M., Rosin, M.P. & Anderson, C.K. (1990) Response of fibroblast cultures from ataxiatelangiectasia patients to oxidative stress. *Cancer Lett.*, **54**, 43–50
- Yoshinaga, K., Rice, C., Krenn, J. & Pilot, R.L. (1979) Effects of nicotine on early pregnancy in the rat. *Biol. Reprod.*, **20**, 294–303

- Ysaol, J., Chilton, J.I. & Callaghan, P. (1996) A survey of betel nut chewing in Palau. *Isla J. Micrones. Stud.*, **4**, 244–255
- Zafarulla, M.Y.M. (1985) Oral submucous fibrosis. *Dent. Update*, September, 527–529
- Zaidi, S.H.M., Jafarey, N.A. & Ajaz Ali, S. (1974) Cancer trends in Karachi. *J. Pakistan. med. Assoc.*, **24**, 87–93
- Zaidi, J.H., Arif, M., Fatima, I. & Qureshi, I.H. (2002) Radiochemical neutron activation analysis for trace elements of basic ingredients of pan. *J. radioanal. nucl. Chem.*, **253**, 459–464
- Zain, R., Ikeda, N. & Yaacob M.B.H. (1995) *Oral Mucosal Lesions Survey of Adults in Malaysia*, Kuala Lumpur, Ministry of Health
- Zain, R.B., Ikeda, N., Razak, I.A., Axéll, T., Majid, Z.A., Gupta, P.C. & Yaacob, M. (1997) A national epidemiological survey of oral mucosal lesions in Malaysia. *Community dent. oral Epidemiol.*, **25**, 377–383
- Zain, R.B., Ikeda, N., Gupta, P.C., Warnakulasuriya, K.A.A.S., van Wyk, C.W., Shrestha, P. & Axéll, T. (1999) Oral mucosal lesions associated with betel quid, areca nut and tobacco chewing habits: Consensus from a workshop held in Kuala Lumpur, Malaysia, November 25–27, 1996. *J. oral Pathol. Med.*, **28**, 1–4
- Znaor, A., Brennan, P., Gajalakshmi, V., Mathew, A., Shanta, V., Varghese, C. & Boffetta, P. (2003) Independent and combined effects of tobacco smoking, chewing and alcohol drinking on the risk of oral, pharyngeal and esophageal cancers in Indian men. *Int. J. Cancer*, **105**, 681–686