

## 6. References

- ACGIH Worldwide® (2003) *Documentation of the TLVs® and BEIs® with Other Worldwide Occupational Exposure Values — CD-ROM — 2003*, Cincinnati, OH
- Adamson, R.H., Canellos, G.P. & Sieber, S.M. (1975) Studies on the antitumor activity of gallium nitrate (NSC-15200) and other group IIIa metal salts. *Cancer Chemother. Rep.*, **59**, 599–610
- Afonso, A.M., Santana, J.J. & García Montelongo, F.J. (1985) Pyrocatechol-1-aldehyde 2-benzothiazolylhydrazone as reagent for the spectrofluorimetric determination of nanogram amounts of gallium in urine and blood serum. *Anal. Lett.*, **A18**, 1003–1012
- Aizawa, Y., Takata, T., Karube, H., Tatsumi, H., Inokuchi, N., Kotani, M. & Chiyotani, K. (1993) Magnetometric evaluation of the effects of gallium arsenide on the clearance and relaxation of iron particles. *Ind. Health*, **31**, 143–153
- Anthemidis, A.N., Zachariadis, G.A. & Stratis, J.A. (2003) Gallium trace on-line preconcentration/separation and determination using a polyurethane foam mini-column and flame atomic absorption spectrometry. Application in aluminum alloys, natural waters and urine. *Talanta*, **60**, 929–936
- Aposhian, H.V. (1997) Enzymatic methylation of arsenic species and other new approaches to arsenic toxicity. *Annu. Rev. Pharmacol. Toxicol.*, **37**, 397–419
- Apostoli, P., Bartoli, D., Alessio, L. & Buchet, J.P. (1999) Biological monitoring of occupational exposure to inorganic arsenic. *Occup. environ. Med.*, **56**, 825–832
- Bakewell, W.E., Goering, P.L., Moorman, M.P. & Fowler, B.A. (1988) Arsine ( $\text{AsH}_3$ ) and gallium arsenide (GAAS)-induced alterations in heme metabolism (Abstract). *Toxicologist*, **8**, 20
- Battelle Pacific Northwest Laboratories (1990a) *Thirteen-week Subchronic Inhalation Toxicity Study Report of Gallium Oxide in Rats*, Final report (NIH No. N01-ES-85211)
- Battelle Pacific Northwest Laboratories (1990b) *Thirteen-week Subchronic Inhalation Toxicity Study Report of Gallium Oxide in Mice*, Final report (NIH No. N01-ES-85211)
- Battelle Pacific Northwest Laboratories (1990c) *Inhalation Developmental Toxicology Studies: Gallium Arsenide in Mice and Rats*, Final report (NIH No. N01-ES-70153)
- Beliles, R.P. (1994) The metals. In: Clayton, G.D. & Clayton, F.E., eds, *Patty's Industrial Hygiene and Toxicology*, 4th Ed., Vol. 2C, John Wiley & Sons, New York, pp. 1879–2013
- Beltrán Lucena, R., Morales, E. & Gomez-Ariza, J.L. (1994) Spectrophotometric determination of gallium in biological materials at nanogram levels with thiocarbohydrazone derivatives. *Farmaco*, **49**, 291–295
- Brucer, M., Andrews, G.A. & Bruner, H.D. (1953) A study of gallium. *Radiology*, **61**, 534–613
- Buchet, J.P., Lauwers, R. & Roels, H. (1981) Comparison of the urinary excretion of arsenic metabolites after a single oral dose of sodium arsenite, monomethylarsonate, or dimethylarsinate in man. *Int. arch. occup. environ. Health*, **48**, 71–79
- Burguera, M. & Burguera, J.L. (1997) Analytical methodology for speciation of arsenic in environmental and biological samples. *Talanta*, **44**, 1581–1604
- Burns, L.A. & Munson, A.E. (1993) Gallium arsenide selectively inhibits T cell proliferation and alters expression of CD25 (IL-2R/p55). *J. Pharmacol. exp. Ther.*, **265**, 178–186

- Burns, L.A., Sikorski, E.E., Saady, J.J. & Munson, A.E. (1991) Evidence for arsenic as the immunosuppressive component of gallium arsenide. *Toxicol. appl. Pharmacol.*, **110**, 157–169
- Cano Pavón, J.M., Ureña Pozo, E. & García de Torres, A. (1988) Spectrofluorimetric determination of gallium with salicylaldehyde carbohydrazone and its application to the analysis of biological samples and alloys. *Analyst*, **113**, 443–445
- Cano Pavón, J.M., García de Torres, A. & Ureña Pozo, M.E. (1990) Simultaneous determination of gallium and aluminium in biological samples by conventional luminescence and derivative synchronous fluorescence spectrometry. *Talanta*, **37**, 385–391
- Carter, D.E., Peraza, M.A., Ayala-Fierro, F., Casarez, E., Barber, D.S. & Winski, S.L. (1999) Arsenic metabolism after pulmonary exposure. In: Chappell, W.R., Abernathy, C.O. & Calderon, R.L., eds, *Arsenic Exposure and Health Effects*, Amsterdam, Elsevier, pp. 299–309
- Carter, D.E., Aposhian, H.V. & Gandolfi, A.J. (2003) The metabolism of inorganic arsenic oxides, gallium arsenide and arsine: a toxicological review. *Toxicol. appl. Pharmacol.*, **193**, 309–334
- Chakrabarti, N.B. (1992) GaAs integrated circuits. *J. Inst. Electron. Telecommun. Eng.*, **38**, 163–178
- Chemical Information Services (2003) *Directory of World Chemical Producers (Version 2003)*, Dallas, TX (<http://www.chemicalinfo.com>, accessed 18.09.2003)
- Chitambar, C.R. & Seligman, P.A. (1986) Effects of different transferrin forms on transferrin receptor expression, iron uptake, and cellular proliferation of human leukemic HL60 cells. Mechanisms responsible for the specific cytotoxicity of transferrin-gallium. *J. clin. Invest.*, **78**, 1538–1546
- Chitambar, C.R. & Zivkovic, Z. (1987) Uptake of gallium-67 by human leukemic cells: Demonstration of transferrin receptor-dependent and transferrin-independent mechanisms. *Cancer Res.*, **47**, 3939–3944
- Chitambar, C.R., Matthaeus, W.G., Antholine, W.E., Graff, K. & O'Brien, W.J. (1988) Inhibition of leukemic HL60 cell growth by transferrin-gallium: Effects on ribonucleotide reductase and demonstration of drug synergy with hydroxyurea. *Blood*, **72**, 1930–1936
- Chitambar, C.R., Zivkovic-Gilgenbach, Z., Narasimhan, J. & Antholine, W.E. (1990) Development of drug resistance to gallium nitrate through modulation of cellular iron uptake. *Cancer Res.*, **50**, 4468–4472
- Chitambar, C.R., Narasimhan, J., Guy, J., Sem, D.S. & O'Brien, W.J. (1991) Inhibition of ribonucleotide reductase by gallium in murine leukemic L1210 cells. *Cancer Res.*, **51**, 6199–6201
- Drobyski, W.R., Ul-Haq, R., Majewski, D. & Chitambar, C.R. (1996) Modulation of in-vitro and in-vivo T-cell responses by transferrin-gallium and gallium nitrate. *Blood*, **88**, 3056–3064
- Dudley, H.C. & Levine, M.D. (1949) Studies of the toxic action of gallium. *J. Pharmacol. exp. Ther.*, **95**, 487–493
- Edwards, C.L. & Hayes, R.L. (1969) Tumor scanning with <sup>67</sup>Ga-citrate. *J. nucl. Med.*, **10**, 103–105
- Edwards, C.L. & Hayes, R.L. (1970) Scanning malignant neoplasms with gallium 67. *J. am. med. Assoc.*, **212**, 1182–1190
- Edwards, C.L., Nelson, B. & Hayes, R.L. (1970) Localization of gallium in human tumors. *Clin. Res.*, **18**, 89
- Flora, S.J.S., Dube, S.N., Vijayaraghavan, R. & Pant, S.C. (1997) Changes in certain hematological and physiological variables following single gallium arsenide exposure in rats. *Biol. Trace Elem. Res.*, **58**, 197–208

- Flora, S.J.S., Kumar, P., Kannan, G.M. & Rai, G.P. (1998) Acute oral gallium arsenide exposure and changes in certain hematological, hepatic, renal and immunological indices at different time intervals in male Wistar rats. *Toxicol. Lett.*, **94**, 103–113
- Fowler, B.A. & Sexton, M.J. (2002) Chapter 18. *Semiconductors*. In: Bibudhendra Sarkar, ed., *Heavy Metals in the Environment*, New York, Marcel Dekker, Inc., pp. 631–645
- Gibson, D.P., Braunerger, R., Shaffi, H.S., Kerckaert, G.A., Leboeuf, R.A., Isfort, R.J. & Aardema, M.J. (1997) Induction of micronuclei in Syrian hamster embryo cells: Comparison to results in the SHE cell transformation assay for National Toxicology Program test chemicals. *Mutat. Res.*, **392**, 61–70
- Goering, P.L. & Rehm, S. (1990) Inhibition of liver, kidney, and erythrocyte  $\delta$ -aminolevulinic acid dehydratase (porphobilinogen synthase) by gallium in the rat. *Environ. Res.*, **53**, 135–151
- Goering, P.L., Maronpot, R.R. & Fowler, B.A. (1988) Effect of intratracheal gallium arsenide administration on  $\delta$ -aminolevulinic acid dehydratase in rats: relationship to urinary excretion of aminolevulinic acid. *Toxicol. appl. Pharmacol.*, **92**, 179–193
- Greber, J.F. (2003) Gallium and gallium compounds. In: *Ullmann's Encyclopedia of Industrial Chemistry*, 6th rev. Ed., Vol. 15, Weinheim, Wiley-VCH Verlag GmbH & Co., pp. 235–240
- Greenspan, B.J., Dill, J.A., Mast, T.J., Chou, B.J., Stoney, K.H., Morrissey, R. & Roycroft, J. (1991) Lung clearance of inhaled gallium arsenide. *Toxicologist*, **11**, 234
- Gregus, Z., Gyurasic, A. & Csanaky, I. (2000) Biliary and urinary excretion of inorganic arsenic: Monomethylarsonous acid as a major biliary metabolite in rats. *Toxicol. Sci.*, **56**, 18–25
- Greschonig, H., Schmid, M.G. & Gübitz, G. (1998) Capillary electrophoretic separation of inorganic and organic arsenic compounds. *Fresenius J. anal. Chem.*, **362**, 218–223
- Ha, C.S., Choe, J.-G., Kong, J.S., Allen, P.K., Oh, Y.K., Cox, J.D. & Edmund, E.K. (2000) Agreement rates among single photon emission computed tomography using gallium-67, computed axial tomography and lymphangiography for Hodgkin disease and correlation of image findings with clinical outcome. *Cancer*, **89**, 1371–1379
- Hakala, E. & Pyy, L. (1995) Assessment of exposure to inorganic arsenic by determining the arsenic species excreted in urine. *Toxicol. Lett.*, **77**, 249–258
- Harrison, R.J. (1986) Gallium arsenide. In: LaDou, J., ed., *Occupational Medicine: The Microelectronics Industry*, Vol. 1, Philadelphia, PA, Hanley & Belfus, pp. 49–58
- Hart, M.M., Smith, C.F., Yancey, S.T. & Adamson, R.H. (1971) Toxicity and antitumor activity of gallium nitrate and periodically related metal salts. *J. natl Cancer Inst.*, **47**, 1121–1127
- Hartmann, C.B. & McCoy, K.L. (1996) Gallium arsenide augments antigen processing by peritoneal macrophages for CD4 $^{+}$  helper T cell stimulation. *Toxicol. appl. Pharmacol.*, **141**, 365–372
- Healy, S.M., Zakharyan, R.A. & Aposhian, H.V. (1997) Enzymatic methylation of arsenic compounds: IV. In vitro and in vivo deficiency of the methylation of arsenite and monomethylarsonic acid in the guinea pig. *Mutat. Res.*, **386**, 229–239
- Healy, S.M., Casarez, E.A., Ayala-Fierro, F. & Aposhian, H.V. (1998) Enzymatic methylation of arsenic compounds. *Toxicol. appl. Pharmacol.*, **148**, 65–70
- Heydorn, K. (1984) *Neutron Activation Analysis for Clinical Trace Element Research*, Vol. II, Boca Raton, FL, CRC Press, p. 72
- Huang, R.-N. & Lee, T.-C. (1996) Cellular uptake of trivalent arsenite and pentavalent arsenate in KB cells cultured in phosphate-free medium. *Toxicol. appl. Pharmacol.*, **136**, 243–249
- IARC (2004) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 84, *Some Drinking-Water Disinfectants and Contaminants, including Arsenic*, Lyon, IARCPress

- Ito, M. & Shooter, D. (2002) Detection and determination of volatile metal compounds in the atmosphere by a Mist-UV sampling system. *Atmos. Environ.*, **36**, 1499–1508
- Iyengar, V. & Woittiez, J. (1988) Trace elements in human clinical specimens: Evaluation of literature data to identify reference values. *Clin. Chem.*, **34**, 474–481
- Iyengar, G.V., Kollmer, W.E. & Bowen, H.J.M. (1978) *The Elemental Composition of Human Tissues and Body fluids, A Compilation of Values for Adults*, Weinheim, Verlag Chemie
- Jakubowski, M., Trzcinka-Ochocka, M., Razniewska, G. & Matczak, W. (1998) Biological monitoring of occupational exposure to arsenic by determining urinary content of inorganic arsenic and its methylated metabolites. *Int. Arch. occup. environ. Health*, **71**, S29–S32
- Jiang, X.P., Wang, F., Yang, D.C., Elliott, R.L. & Head, J.F. (2002) Induction of apoptosis by iron depletion in the human breast cancer MCF-7 cell line and the 13762NF rat mammary adenocarcinoma *in vivo*. *Anticancer Res.*, **22**, 2685–2692
- Kerckaert, G.A., Brauninger, R., LeBoeuf, R.A. & Isfort, R.J. (1996) Use of the Syrian hamster embryo cell transformation assay for carcinogenicity prediction of chemicals currently being tested by the National Toxicology Program in rodent bioassays. *Environ. Health Perspect.*, **104** (Suppl. 5), 1075–1084
- Kitsunai, M. & Yuki, T. (1994) Review: How gallium arsenide wafers are made. *Appl. organometal. Chem.*, **8**, 167–174
- Krakoff, I.H., Newman, R.A. & Goldberg, R.S. (1979) Clinical toxicologic and pharmacologic studies of gallium nitrate. *Cancer*, **44**, 1722–1727
- Kramer, D.A. (1988) *Gallium and Gallium Arsenide: Supply, Technology, and Uses*. Information Circular 9208, Washington DC, US Department of the Interior, Bureau of Mines
- Kramer, D.A. (1996–2004) *Mineral Commodity Summary: Gallium*, Reston, VA, US Geological Survey (<http://minerals.usgs.gov/minerals/pubs/commodity/gallium/index.html>; accessed 20.09.2003)
- Kramer, D.A. (2002) *Minerals Yearbook: Gallium*, Reston, VA, US Geological Survey (<http://minerals.usgs.gov/minerals/pubs/commodity/gallium/index.html>; accessed 20.09.2003)
- Kramer, D.A. (2003) *Mineral Commodity Summary: Gallium*, Reston, VA, US Geological Survey (<http://minerals.usgs.gov/minerals/pubs/commodity/gallium/index.html>; accessed 20.09.2003)
- Kucera, J., Havránek, V., Smolík, J., Schwarz, J., Vesely, V., Kugler, J., Sykorová, I. & Šantroch, J. (1999) INAA and PIXE of atmospheric and combustion aerosols. *Biol. trace Elem. Res.*, **71–72**, 233–245
- Lide, D.R., ed. (2003) *CRC Handbook of Chemistry and Physics*, 84th Ed., Boca Raton, FL, CRC Press LLC, p. 4-58
- Ma, D., Okamoto, Y., Kumamaru, T. & Iwamoto, E. (1999) Determination of gallium by graphite furnace atomic absorption spectrometry with combined use of a tungsten-coated L'vov platform tube and a chemical modification technique. *Anal. Chim. Acta*, **390**, 201–206
- Mast, T.J., Dill, J.A., Greenspan, B.J., Evanoff, J.J., Morrissey, R.E. & Schwetz, B.A. (1991) The development toxicity of inhaled gallium arsenide in rodents (Abstract). *Teratology*, **43**, 455–456
- Nakamura, K., Fujimori, M., Tsuchiya, H. & Orii, H. (1982) Determination of gallium in biological materials by electrothermal atomic absorption spectrometry. *Anal. Chim. Acta*, **138**, 129–136

- Narasimhan, J., Antholine, W.E. & Chitambar, C.R. (1992) Effect of gallium on the tyrosyl radical of the iron-dependent M2 subunit of ribonucleotide reductase. *Biochem. Pharmacol.*, **44**, 2403–2408
- National Academy of Sciences (1977) *Medical and Biological Effects of Environmental Pollutants, Arsenic*, Washington, DC, National Research Council
- National Institute for Occupational Safety and Health (1985) *Technical Report: Hazard Assessment of the Electronic Component Manufacturing Industry*, US Department of Health and Human Services, Cincinnati, OH
- National Toxicology Program (2000) *Toxicology and Carcinogenesis Studies of Gallium Arsenide (CAS No. 1303-00-0) in F344/N Rats and B6C3F<sub>1</sub> Mice (Inhalation Studies)* (NTP Technical Report 492), Research Triangle Park, NC
- Nishiyama, Y., Yamamoto, Y., Fukunaga, K., Satoh, K. & Ohkawa, M. (2002) Ga-67 scintigraphy in patients with breast lymphoma. *Clin. nucl. Med.*, **27**, 101–104
- Ohyama, S., Ishinishi, S., Hisanaga, A. & Yamamoto, A. (1988) Comparative chronic toxicity, including tumorigenicity, of gallium arsenide and arsenic trioxide intratracheally instilled into hamsters. *Appl. organometall. Chem.*, **2**, 333–337
- Omura, M., Hirata, M., Tanaka, A., Zhao, M., Makita, Y., Inoue, N., Gotoh, K. & Ishinishi, N. (1996a) Testicular toxicity evaluation of arsenic-containing binary compound semiconductors, gallium arsenide and indium arsenide, in hamsters. *Toxicol. Lett.*, **89**, 123–129
- Omura, M., Tanaka, A., Hirata, M., Zhao, M., Makita, Y., Inoue, N., Gotoh, K. & Ishinishi, N. (1996b) Testicular toxicity of gallium arsenide, indium arsenide and arsenic oxide in rats by repetitive intratracheal instillation. *Fundam. appl. Toxicol.*, **32**, 72–78
- Petrick, J.S., Ayala-Fierro, F., Cullen, W.R., Carter, D.E. & Aposhian, H.V. (2000) Monomethylarsonous acid (MMA<sup>III</sup>) is more toxic than arsenite in Chang human hepatocytes. *Toxicol. appl. Pharmacol.*, **163**, 203–207
- Petrick, J.S., Jagadish, B., Mash, E.A. & Aposhian, H.V. (2001) Monomethylarsonous acid (MMA<sup>III</sup>) and arsenite: LD<sub>50</sub> in hamsters and in vitro inhibition of pyruvate dehydrogenase. *Chem. Res. Toxicol.*, **14**, 651–656
- de Peyster, A. & Silvers, J.A. (1995) Arsenic levels in hair of workers in a semiconductor fabrication facility. *Am. ind. Hyg. Assoc. J.*, **56**, 377–383
- Pierson, B., Van Wageningen, S., Nebesny, K.W., Fernando, Q., Scott, N. & Carter, D.E. (1989) Dissolution of crystalline gallium arsenide in aqueous solutions containing complexing agents. *Am. ind. Hyg. Assoc. J.*, **50**, 455–459
- Radabaugh, T.R., Sampayo-Reyes, A., Zakharyan, R.A. & Aposhian, H.V. (2002) Arsenate reductase II. Purine nucleoside phosphorylase in the presence of dihydrolipoic acid is a route of reduction of arsenate to arsenite in mammalian systems. *Chem. Res. Toxicol.*, **15**, 692–698
- Recapture Metals (2003) *High Purity Gallium: Product Specifications*, Blanding, UT (<http://www.recapturemetals.com>; accessed 19.09.2003)
- Requena, E., Laserna, J.J., Navas, A. & Sánchez, F.G. (1983) Pyridine-2-aldehyde 2-furoylhydrazone as a fluorogenic reagent for the determination of nanogram amounts of gallium. *Analyst*, **108**, 933–938
- Rosner, M.H. & Carter, D.E. (1987) Metabolism and excretion of gallium arsenide and arsenic oxides by hamsters following intratracheal instillation. *Fundam. appl. Toxicol.*, **9**, 730–737

- Sabot, J.L. & Lauvray, H. (1994) Gallium and gallium compounds. In: Kroschwitz, J.I. & Howe-Grant, M., eds, *Kirk-Othmer Encyclopedia of Chemical Technology*, 4th Ed., Vol. 12, New York, John Wiley & Sons, pp. 299–317
- Salgado, M., Bosch Ojeda, C., García de Torres, A. & Cano Pavón, J.M. (1988) Di-2-pyridyl ketone 2-furoylhydrazone as a reagent for the fluorimetric determination of low concentrations of gallium and its application to biological samples. *Analyst*, **113**, 1283–1285
- Sampayo-Reyes, A., Zakharyan, R.A., Healy, S.M. & Aposhian, H.V. (2000) Monomethylarsonic acid reductase and monomethylarsonous acid in hamster tissue. *Chem. Res. Toxicol.*, **13**, 1181–1186
- Sanchez Rojas, F. & Cano Pavón, J.M. (1995) Spectrofluorimetric determination of gallium with N-(3-hydroxy-2-pyridyl)salicylaldimine and its application to the analysis of biological samples. *Anales de Química*, **91**, 537–539
- Sasaki, T., Kojima, S. & Kubodera, A. (1982) Changes of  $^{67}\text{Ga}$ -citrate accumulation in the rat liver during feeding with chemical carcinogen 3'-methyl-4-dimethylaminoazobenzene. *Kaku Igaku*, **19**, 201–208 (in Japanese)
- Scansetti, G. (1992) Exposure to metals that have recently come into use. *Sci. total Environ.*, **120**, 85–91
- Sheehy, J.W. & Jones, J.H. (1993) Assessment of arsenic exposures and controls in gallium arsenide production. *Am. ind. Hyg. Assoc. J.*, **54**, 61–69
- Shiobara, Y., Ogra, Y. & Suzuki, K.T. (2001) Animal species difference in the uptake of dimethylarsinous acid ( $\text{DMA}^{\text{III}}$ ) by red blood cells. *Chem. Res. Toxicol.*, **14**, 1446–1452
- Sikorski, E.E., McCay, J.A., White, K.L., Jr, Bradley, S.G. & Munson, A.E. (1989) Immunotoxicity of the semiconductor gallium arsenide in female B6C3F1 mice. *Fundam. appl. Toxicol.*, **13**, 843–858
- Styblo, M., Del Razo, L.M., LeCluyse, E.L., Hamilton, G.A., Wang, C., Cullen, W.R. & Thomas, D.J. (1999) Metabolism of arsenic in primary cultures of human and rat hepatocytes. *Chem. Res. Toxicol.*, **12**, 560–565
- Styblo, M., Del Razo, L.M., Vega, L., Germolec, D.R., LeCluyse, E.L., Hamilton, G.A., Reed, W., Wang, C., Cullen, W.R. & Thomas, D.J. (2000) Comparative toxicity of trivalent and pentavalent inorganic and methylated arsenicals in rat and human cells. *Arch. Toxicol.*, **74**, 289–299
- Ureña, E., Garcia de Torres, A., Cano Pavón, J.M. & Gómez Ariza, J.L. (1985) Determination of traces of gallium in biological materials by fluorometry. *Anal. Chem.*, **57**, 2309–2311
- Ureña Pozo, M.E., Garcia de Torres, A. & Cano Pavón, J.M. (1987) Simultaneous determination of gallium and zinc in biological samples, wine, drinking water, and wastewater by derivative synchronous fluorescence spectrometry. *Anal. Chem.*, **59**, 1129–1133
- Vahter, M. (1999) Methylation of inorganic arsenic in different mammalian species and population groups. *Science Progress*, **82**, 69–88
- Vahter, M. (2002) Mechanisms of arsenic biotransformation. *Toxicology*, **181–182**, 211–217
- Versieck, J. & Cornelis, R. (1980) Normal levels of trace elements in human blood plasma or serum. *Anal. chim. Acta*, **116**, 217–254
- Wafer Technology Ltd (1997) *MSDS for Gallium Arsenide*, Milton Keynes [[http://www.wafertech.co.uk/msds/msds\\_gaas.html](http://www.wafertech.co.uk/msds/msds_gaas.html)]
- Webb, D.R., Sipes, I.G. & Carter, D.E. (1984) *In vitro* solubility and *in vivo* toxicity of gallium arsenide. *Toxicol. appl. Pharmacol.*, **76**, 96–104

- Webb, D.R., Wilson, S.E. & Carter, D.E. (1986) Comparative pulmonary toxicity of gallium arsenide, gallium(III) oxide, or arsenic(III) oxide intratracheally instilled into rats. *Toxicol. appl. Pharmacol.*, **82**, 405–416
- Webb, D.R., Wilson, S.E. & Carter, D.E. (1987) Pulmonary clearance and toxicity of respirable gallium arsenide particulates intratracheally instilled into rats. *Am. ind. Hyg. Assoc. J.*, **48**, 660–667
- Welch, B.M., Eden, R.C. & Lee, F.S. (1985) GaAs digital integrated circuit technology. In: Howes, M.J. & Morgan, D.V., eds, *Gallium Arsenide*, New York, John Wiley & Sons, pp. 517–573
- Wildfang, E., Zakharyan, R.A. & Aposhian, H.V. (1998) Enzymatic methylation of arsenic compounds. V. Characterization of hamster liver arsenite and methylarsonic acid methyltransferase activities *in vitro*. *Toxicol. appl. Pharmacol.*, **152**, 366–375
- Wildfang, E., Radabaugh, T.R. & Aposhian, H.V. (2001) Enzymatic methylation of arsenic compounds. IX. Liver arsenite methyltransferase and arsenate reductase activities in primates. *Toxicology*, **168**, 213–221
- Winchell, H.S., Sanchez, P.D., Watanabe, C.K., Hollander, L., Anger, H.O. & McRae, J. (1970) Visualization of tumors in humans using  $^{67}\text{Ga}$ -citrate and the Anger whole-body scanner, scintillation camera and tomographic scanner. *J. nucl. Med.*, **11**, 459–466
- Wolff, R.K., Kanapilly, G.M., Gray, R.H. & McClellan, R.O. (1984) Deposition and retention of inhaled aggregate  $^{67}\text{Ga}_2\text{O}_3$  particles in beagle dogs, Fischer-344 rats, and CD-1 mice. *Am. ind. Hyg. Assoc. J.*, **45**, 377–381
- Wolff, R.K., Griffith, W.C., Jr, Cuddihy, R.G., Snipes, M.B., Henderson, R.F., Mauderly, J.L. & McClellan, R.O. (1989) Modeling accumulations of particles in lung during chronic inhalation exposures that lead to impaired clearance. *Health Phys.*, **57**, 61–68
- Woods, J.S. & Fowler, B.A. (1978) Altered regulation of mammalian hepatic heme biosynthesis and urinary porphyrin excretion during prolonged exposure to sodium arsenite. *Toxicol. appl. Pharmacol.*, **43**, 361–371
- Yalcin, S. & Le, X.C. (2001) Speciation of arsenic using solid phase extraction cartridges. *J. environ. Monitoring*, **3**, 81–85
- Yamauchi, H., Takahashi, K. & Yamamura, Y. (1986) Metabolism and excretion of orally and intra-peritoneally administered gallium arsenide in the hamster. *Toxicology*, **40**, 237–246
- Yamauchi, H., Takahashi, K., Mashiko, M. & Yamamura, Y. (1989) Biological monitoring of arsenic exposure of gallium arsenide- and inorganic arsenic-exposed workers by determination of inorganic arsenic and its metabolites in urine and hair. *Am. ind. Hyg. Assoc. J.*, **50**, 606–612
- Yu, C., Cai, Q., Guo, Z.-X., Yang, Z. & Khoo, S.B. (2003) Inductively coupled plasma mass spectrometry study of the retention behavior of arsenic species on various solid phase extraction cartridges and its application in arsenic speciation. *Spectrochimica Acta, Part B*, **58**, 1335–1349
- Zakharyan, R., Wu, Y., Bogdan, G.M. & Aposhian, H.V. (1995) Enzymatic methylation of arsenic compounds: Assay, partial purification, and properties of arsenite methyltransferase and monomethylarsonic acid methyltransferase of rabbit liver. *Chem. Res. Toxicol.*, **8**, 1029–1038
- Zeiger, E., Anderson, B., Haworth, S., Lawlor, T. & Mortelmans, K. (1992) *Salmonella* mutagenicity tests: V. Results from the testing of 311 chemicals. *Environ. mol. Mutagen.*, **19** (Suppl. 21), 2–141