

6. References

- Abdel-Moati, A.R. & Atta, M.M. (1991) *Patella vulgata*, *Mytilus minimus* and *Hyale prevosti* as bioindicators for Pb and Se enrichment in Alexandria coastal waters. *Marine Pollut. Bull.*, **22**, 148–150
- Abu Melha, A., Ahmed, N.A.M. & El Hassan, A.Y. (1987) Traditional remedies and lead intoxication. *Trop. geogr. Med.*, **39**, 100–103
- ACGIH (2001) *Lead, Elemental and Inorganic (BEI)*, Cincinnati, OH
- ACGIH® Worldwide (2003) *Documentation of the TLVs® and BEIs® with Other Worldwide Occupational Exposure Values — 2003 CD-ROM*, Cincinnati, OH
- Adams, R.D. & Victor, M. (1993) *Principles of Neurology*, 5th Ed., New York, McGraw-Hill
- Adeniyi, F.A.A. & Anetor, J.I. (1999) Lead-poisoning in two distant states of Nigeria: An indication of the real size of the problem. *Afr. J. Med. med. Sci.*, **28**, 107–112
- Ades, A.E. & Kazantzis, G. (1988) Lung cancer in a non-ferrous smelter: The role of cadmium. *Br. J. ind. Med.*, **45**, 435–442
- Agarwal, V., Nath, S.P. & Bhavyesh, G. (2002) Chronic low level lead exposure vis-a-vis some biochemical variants. *Indian J. occup. environ. Med.*, **6**, 183–185
- Ahlgren, L., Lidén, K., Mattsson, L.S. & Tejning, S. (1976) X-ray fluorescence analysis of lead in human skeleton in vivo. *Scand. J. Work Environ. Health*, **2**, 82–86
- Ahmed, N.S., El-Gendy, K.S., El-Refaie, A.K., Marzouk, S.A., Bakry, N.S., El-Sebae, A.H. & Solimar, S.A. (1987) Assessment of lead toxicity in traffic controllers of Alexandria, Egypt, road intersections. *Arch. environ. Health*, **42**, 92–95
- Ahner, B.A., Price, N.M. & Morel, F.M.M. (1994) Phytochelatin production by marine phytoplankton at low free metal ion concentrations: Laboratory studies and field data from Massachusetts Bay. *Proc. natl Acad. Sci. USA*, **91**, 8433–8436

- Aitchinson, L. (1960) *A History of Metals*, London, MacDonald and Evans
- Ajaiy, A. & Kamson, O.F. (1983) Determination of lead in roadside dust in Lagos City by atomic absorption spectrophotometry. *Environ. Intern.*, **9**, 397–400
- Albalak, R., Noonan, G., Buchanan, S., Flanders, W.D., Gotway-Crawford, C., Kim, D., Jones, R.L., Sulaiman, R., Blumenthal, W., Tan, R., Curtis, G. & McGeehin, M.A. (2003) Blood lead levels and risk factors for lead poisoning among children in Jakarta, Indonesia. *Sci. total Environ.*, **301**, 75–85
- Albert, L.A. & Badillo, F. (1991) Environmental lead in Mexico. *Rev. environ. Contam. Toxicol.*, **117**, 1–49
- Alessio, L., Bertazzi, P.A., Monelli, O. & Foa, V. (1976) Free erythrocyte protoporphyrin as an indicator of the biological effect of lead in adult males. II. Comparison between erythrocyte protoporphyrin and other indicators of effect. *Int. Arch. occup. environ. Health*, **37**, 89–105
- Alexander, F.W., Clayton, B.E. & Delves, H.T. (1974) Mineral and trace-metal balances in children receiving normal and synthetic diets. *Q. J. Med.*, **43**, 89–111
- Alexander, B.H., Checkoway, H., van Netten, C., Muller, C.H., Ewers, T.G., Kaufman, J.D., Mueller, B.A., Vaughan, T.L. & Faustman, E.M. (1996) Semen quality of men employed at a lead smelter. *Occup. environ. Med.*, **53**, 411–416
- Alexander, B.H., Checkoway, H., Costa-Mallen, P., Faustman, E.M., Woods, J.S., Kelsey, K.T., van Netten, C. & Costa, L.G. (1998) Interaction of blood lead and δ-aminolevulinic acid dehydratase genotype on markers of heme synthesis and sperm production in lead smelter workers. *Environ. Health Perspect.*, **106**, 213–216
- Al-Hakkak, Z.S., Hamamy, H.A., Murad, A.M.B. & Hussain, A.F. (1986) Chromosome aberrations in workers at a storage battery plant in Iraq. *Mutat. Res.*, **171**, 53–60
- Ali, A.R., Smales, O.R.C. & Aslam, M. (1978) Surma and lead poisoning. *Br. med. J.*, **2**, 915–916
- Ali, E.A., Nasralla, M.M. & Shakour, A.A. (1986) Spatial and seasonal variation of lead in Cairo atmosphere. *Environ. Pollut. (Series B)*, **11**, 205–210
- Ali, M.B., Tripathi, R.D., Rai, U.N. & Singh, S.P. (1999) Physico-chemical characteristics and pollution level in lake Nainital (V.P., India): Role of macrophytes and phytoplankton in bio-monitoring phytoremediation of toxic metal ions. *Chemosphere*, **39**, 2171–2182
- Al Khayat, A., Habibullah, J., Koutoubi, A., Ridha, A. & Almchdi, A.M. (1997a) Correlation between maternal and cord blood lead levels. *Int. J. environ. Health Res.*, **7**, 323–328
- Al Khayat, A., Menon, N.S. & Alidina, M.R. (1997b) Acute lead encephalopathy in early infancy — Clinical presentation and outcome. *Ann. trop. Paediatr.*, **17**, 39–44
- Allen, J.R., McWey, P.J. & Suomi, S.J. (1974) Pathobiological and behavioral effects of lead intoxication in the infant rhesus monkey. *Environ. Health Perspect.*, **7**, 239–246
- van Alphen, M. (1999) Lead in paints and water in India. In: *Lead Poisoning Prevention and Treatment: Implementing a National Programme in Developing Countries, February 8–10, Bangalore, India*, pp. 265–272 [<http://www.leadpoison.net/environment/paints.htm>; accessed 09/02/2004]
- Al-Saleh, I. (1998) Sources of lead in Saudi Arabia: A review. *J. environ. Pathol. Toxicol. Oncol.*, **17**, 17–35
- Al-Saleh, I. & Shinwari, N. (2001a) Report on the levels of cadmium, lead, and mercury in imported rice grain samples. *Biol. trace Elem. Res.*, **83**, 91–96
- Al-Saleh, I. & Shinwari, N. (2001b) Levels of cadmium, lead, and mercury in human brain tumors. *Biol. trace Elem. Res.*, **79**, 197–203

- Al-Saleh, I., Khalil, M.A. & Taylor, A. (1995) Lead, erythrocyte protoporphyrin, and hematological parameters in normal maternal and umbilical cord blood from subjects of the Riyadh region, Saudi Arabia. *Arch. environ. Health*, **50**, 66–73
- Al-Saleh, I., Nester, M., DeVol, E., Shinwari, N., Munchari, L. & Al-Shahria, S. (2001) Relationships between blood lead concentrations, intelligence, and academic achievement of Saudi Arabian schoolgirls. *Int. J. Hyg. environ. Health*, **204**, 165–174
- Altmann, L., Lohmann, H. & Wiegand, H. (1988) Acute lead exposure transiently inhibits hippocampal neuronal activities in vitro. *Brain Res.*, **455**, 254–261
- Altmann, L., Weinsberg, F., Sveinsson, K., Lilenthal, H., Wiegand, H. & Winneke, G. (1993) Impairment of long-term potentiation and learning following chronic lead exposure. *Toxicol. Lett.*, **66**, 105–112
- Altmann, L., Sveinsson, K., Krämer, U., Weishoff-Houben, M., Turfeld, M., Winneke, G. & Wiegand, H. (1998) Visual functions in 6-year-old children in relation to lead and mercury levels. *Neurotoxicol. Teratol.*, **20**, 9–17
- Alvares, A.P., Kapelner, S., Sassa, S. & Kappas, A. (1975) Drug metabolism in normal children, lead-poisoned children, and normal adults. *Clin. Pharmacol. Ther.*, **17**, 179–183
- American Academy of Pediatrics (1998) Screening for elevated blood lead levels. Policy statement. Committee on Environmental Health. *Pediatrics*, **101**, 1072–1078
- Amici, A., Emanuelli, M., Raffaelli, N., Ruggieri, S., Saccucci, F. & Magni, G. (2000) Human erythrocyte pyrimidine 5'-nucleotidase, PN-I, is identical to p36, a protein associated to lupus inclusion formation in response to alpha-interferon. *Blood*, **96**, 1596–1598
- Angle, C.R. & McIntire, M.S. (1978) Low level lead inhibition of erythrocyte pyrimidine nucleotidase. *Environ. Res.*, **17**, 296–302
- Ankrah, N.A., Kamiya, Y., Appiah-Opong, R., Akyeampon, Y.A. & Addae, M.M. (1996) Lead levels and related biochemical findings occurring in Ghanaian subjects occupationally exposed to lead. *East Afr. med. J.*, **73**, 375–379
- Annest, J.L., Pirkle, J.L., Makuc, D., Neese, J.W., Bayse, D.D. & Kovar, M.G. (1983) Chronological trend in blood lead levels between 1976 and 1980. *New Engl. J. Med.*, **308**, 1373–1377
- Antonio, M.T. & Leret, M.L. (2000) Study of the neurochemical alterations produced in discrete brain areas by perinatal low-level lead exposure. *Life Sci.*, **67**, 635–642
- Anttila, A. (1994) Occupational exposure to lead and risk of cancer. *Acta Universitatis Tampereensis* (Tampere, Finland, University of Tampere), **A417**, 1–86
- Anttila, A., Heikkilä, P., Pukkala, E., Nykyri, E., Kauppinen, T., Hernberg, S. & Hemminki, K. (1995) Excess lung cancer among workers exposed to lead. *Scand. J. Work Environ. Health*, **21**, 460–469
- Anttila, A., Heikkilä, P., Nykyri, E., Kauppinen, T., Pukkala, E., Hernberg, S. & Hemminki, K. (1996) Risk of nervous system cancer among workers exposed to lead. *J. occup. environ. Med.*, **38**, 131–136
- APEC (1997) *Urbanization and Environment in Malaysia: Managing the Impact*, Institute of Developing Economics, APEC Study Center, Report of Commissioned Studies No. 1, pp. 74–90
- Apol, A.G. (1981) Health Hazard Evaluation Report, HETA 81-0036-1023, Alaska Smelting & Refining Co., Wisilla, AK, USA, NIOSH
- Apostoli, P. & Maranelli, G. (1986) The erythrocyte zinc protoporphyrin test in biological monitoring of workers exposed to lead. *Med. Lav.*, **77**, 529–537 (in Italian)

- Apostoli, P., Kiss, P., Porru, S., Bonde, J.P., Vanhoorne, M. & the ASCLEPIOS Study Group (1998) Male reproductive toxicity of lead in animals and humans. *Occup. environ. Med.*, **55**, 364–374
- Apostoli, P., Porru, S. & Bisanti, L. (1999) Critical aspects of male fertility in the assessment of exposure to lead. *Scand. J. Work Environ. Health*, **25** (Suppl. 1), 40–43
- Apostoli, P., Bellini, A., Porru, S. & Bisanti, L. (2000) The effect of lead on male fertility: A time to pregnancy (TTP) study. *Am. J. ind. Med.*, **38**, 310–315
- Arai, F. & Yamamura, Y. (1990) Excretion of tetramethyllead, trimethyllead, dimethyllead and inorganic lead after injection of tetramethyllead to rabbits. *Ind. Health*, **28**, 63–76
- Arai, F., Yamamura, Y., Yoshida, M. & Kishimoto, T. (1994) Blood and urinary levels of metals (Pb, Cr, Cd, Mn, Sb, Co and Cu) in cloisonne workers. *Ind. Health*, **32**, 67–78
- Arai, F., Yamauchi, H., Chiba, K. & Yoshida, K. (1998) Excretion of triethyllead, diethyllead and inorganic lead in rabbits after injection of triethyl neopentoxy lead. *Ind. Health*, **36**, 331–336
- Araki, S., Murata, K. & Aono, H. (1987) Central and peripheral nervous system dysfunction in workers exposed to lead, zinc and copper: A follow-up study of visual and somatosensory evoked potentials. *Int. Arch. occup. environ. Health*, **59**, 177–187
- Aravindan, G.R., Bjordahl, J., Jost, L.K. & Evenson, D.P. (1997) Susceptibility of human sperm to *in situ* DNA denaturation is strongly correlated with DNA strand breaks identified by single-cell electrophoresis. *Exper. Cell Res.*, **236**, 231–237
- Aribarg, A. & Sukcharoen, N. (1996) Effects of occupational lead exposure on spermatogenesis. *J. med. Assoc. Thai.*, **79**, 91–97
- Ariza, M.E. & Williams, M.V. (1996) Mutagenesis of AS52 cells by low concentrations of lead(II) and mercury(II). *Environ. mol. Mutag.*, **27**, 30–33
- Ariza, M.E. & Williams, M.V. (1999) Lead and mercury mutagenesis: Type of mutation dependent upon metal concentration. *J. Biochem. mol. Toxicol.*, **13**, 107–112
- Ariza, M.E., Bijur, G.N. & Williams, M.V. (1998) Lead and mercury mutagenesis: Role of H₂O₂, superoxide dismutase, and xanthine oxidase. *Environ. mol. Mutag.*, **31**, 352–361
- Artaxo, P., Maenhaut, W., Storms, H. & Van Grieken, R. (1990) Aerosol characteristics and sources for the Amazon basin during the wet season. *J. geophys. Res.*, **95**, 16971–16985
- Aschengrau, A., Beiser, A., Bellinger, D., Copenhafer, D. & Weitzman, M. (1994) The impact of soil lead abatement on urban children's blood lead levels: Phase II results from the Boston lead-in-soil demonstration project. *Environ. Res.*, **67**, 125–148
- Asmuss, M., Mullenders, L.H.F., Eker, A. & Hartwig, A. (2000) Differential effects of toxic metal compounds on the activities of Fpg and XPA, two zinc finger proteins involved in DNA repair. *Carcinogenesis*, **21**, 2097–2104
- Assennato, G., Paci, C., Baser, M.E., Molinini, R., Candela, R.G., Altamura, B.M. & Giorgino, R. (1987) Sperm count suppression without endocrine dysfunction in lead-exposed men. *Arch. environ. Health*, **42**, 124–127
- Association of Official Analytical Chemists (1994) AOAC official method 994.02, lead in edible oils and fats — Direct graphite furnace — Atomic absorption spectrophotometric method. *J. AOAC Int.*
- Association of Official Analytical Chemists (2000a) AOAC official method 999.10, lead, cadmium, zinc, copper, and iron in foods. Atomic absorption spectrophotometry after microwave digestion. *J. AOAC Int.*

- Association of Official Analytical Chemists (2000b) AOAC official method 972.25, lead in foods. Atomic absorption spectrophotometric method. *J. AOAC Int.*
- Association of Official Analytical Chemists (2000c) AOAC official method 979.17, lead in evaporated milk and fruit juice. Anodic stripping voltammetric method. *J. AOAC Int.*
- Association of Official Analytical Chemists (2000d) AOAC official method 997.15, lead in sugars and syrups. Graphite furnace atomic absorption method. *J. AOAC Int.*
- ASTM (1999) *Standard Test Method for Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques, Designation: E1613-99*, West Conshohocken, PA, USA, ASTM International
- ASTM (2002) *Standard Test Method for Elements in Water by Inductively-Coupled Argon Plasma Atomic Emission Spectroscopy, Designation: D1976-02*, West Conshohocken, PA, USA, ASTM International
- ASTM (2003a) *Standard Test Method for Elements in Water by Inductively-Coupled Plasma — Mass Spectrometry, Designation: D5673-03*, West Conshohocken, PA, USA, ASTM International
- ASTM (2003b) *Standard Test Method for On-Line Measurement of Low Level Particulate and Dissolved Metals in Water by X-Ray Fluorescence (XRF), Designation D6502-99 (Reapproved 2003)*, West Conshohocken, PA, USA, ASTM International
- ATSDR (1999) *Toxicological Profile for Lead*, Washington DC, US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry
- Aufderheide, A.C. & Wittmers, L.E., Jr (1992) Selected aspects of the spatial distribution of lead in bone. *Neurotoxicology*, **13**, 809–819
- Aungst, B.J. & Fung, H.-L. (1981) Intestinal lead absorption in rats: Effects of circadian rhythm, food, undernourishment, and drugs which alter gastric emptying and GI motility. *Res. Commun. chem. Pathol. Pharmacol.*, **34**, 515–530
- Aungst, B.J. & Fung, H.-L. (1985) The effects of dietary calcium on lead absorption, distribution, and elimination kinetics in rats. *J. Toxicol. environ. Health*, **16**, 147–159
- Aungst, B.J., Dolce, J.A. & Fung, H.-L. (1981) The effect of dose on the disposition of lead in rats after intravenous and oral administration. *Toxicol. appl. Pharmacol.*, **61**, 48–57
- Awad el Karim, M.A., Hamed, A.S., Elhaimi, Y.A. & Osman, Y. (1986) Effects of exposure to lead among lead-acid battery factory workers in Sudan. *Arch. environ. Health*, **41**, 261–265
- Awasthi, S., Awasthi, R., Pande, V.K., Srivastav, R.C. & Frumkin, H. (1996) Blood lead in pregnant women in the urban slums of Lucknow, India. *Occup. environ. Med.*, **53**, 836–840
- Awasthi, S., Awasthi, R. & Srivastav, R.C. (2002) Maternal blood lead level and outcomes of pregnancy in Lucknow, North India. *Indian Pediatr.*, **39**, 855–860
- Azar, A., Trochimowicz, H.J. & Maxfield, M.E. (1973) Review of lead studies in animals carried out at Haskell Laboratory: Two-year feeding study and response to hemorrhage study. In: Environmental health aspects of lead. In: *Proceedings of an International Symposium, October 2–6 1972 Amsterdam*, pp. 199–210
- Baer, R.D., Garcia de Alba, J., Cueto, L.M., Ackerman, A. & Davison, S. (1989) Lead based remedies for empacho: Patterns and consequences. *Soc. Sci. Med.*, **29**, 1373–1379
- Baker, E.L., Folland, D., Taylor, T.A., Frank, M., Peterson, W., Lovejoy, G., Cox, D., Housworth, J. & Landrigan, P.J. (1977) Lead poisoning in children of lead workers. Home contamination with industrial dust. *New Engl. J. Med.*, **296**, 260–261

- Baker, E.L., Jr Landigan, P.J., Barbour, A.G., Cox, D.H., Folland, D.S., Ligo, R.N. & Throckmorton, J. (1979) Occupational lead poisoning in the United States: Clinical and biochemical findings related to blood lead levels. *Br. J. ind. Med.*, **36**, 314–322
- Balachandran, S., Meena, B.R. & Khillare, P.S. (2000) Particle size distribution and its elemental composition in the ambient air of Delhi. *Environ. int.*, **26**, 49–54
- Baldwin, R.W., Cunningham, G.J. & Pratt, D. (1964) Carcinogenic action of motor engine oil additives. *Br. J. Cancer*, **18**, 503–507
- Baló, J., Bajtai, A. & Szende, B. (1965) [Experimental afenoms of the kidney produced by chronic administration of lead phosphate.] *Skagyár Onkol.*, **9**, 144–151 (in Hungarian)
- Baloh, R., Sturm, R., Green, B. & Gleser, G. (1975) Neuropsychological effects of chronic asymptomatic increased lead absorption. A controlled study. *Arch. Neurol.*, **32**, 326–330
- Bannon, D.I., Portnoy, M.E., Olivi, L., Lees, P.S.J., Culotta, V.C. & Bressler, J.P. (2002) Uptake of lead and iron by divalent metal transporter 1 in yeast and mammalian cells. *Biochem. biophys. Res. Commun.*, **295**, 978–984
- Barltrop, D. (1969) Transfer of lead to the human foetus. In: Barltrop, D. & Burland, W.L., eds, *Mineral Metabolism in Pediatrics*, Blackwell Scientific Publications, Oxford, pp. 135–151
- Barltrop, D. & Khoo, H.E. (1976) The influence of dietary minerals and fat on the absorption of lead. *Sci. total Environ.*, **6**, 265–273
- Barltrop, D. & Meek, F. (1975) Absorption of different lead compounds. *Postgrad. med. J.*, **51**, 805–809
- Barltrop, D. & Meek, F. (1979) Effect of particle size on lead absorption from the gut. *Arch. environ. Health*, **34**, 280–285
- Barltrop, D. & Strehlow, C.D. (1978) The absorption of lead by children. In: Kirchgessner, M., ed., *Trace Element Metabolism in Man and Animals III*, Technische Universität München, Germany, Freising-Weihenstephan, pp. 332–334
- Barratt, C.L.R., Davies, A.G., Bansal, M.R. & Williams, M.E. (1989) The effects of lead on the male rat reproductive system. *Andrologia*, **21**, 161–166
- Barregård, L., Svalander, C., Schütz, A., Westberg, G., Sallsten, G., Blohmé, I., Mölne, J., Attman, P.-O. & Haglind, P. (1999) Cadmium, mercury, and lead in kidney cortex of the general Swedish population: A study of biopsies from living kidney donors. *Environ. Health Perspect.*, **107**, 867–871
- Barry, P.S.I. (1975) A comparison of concentrations of lead in human tissues. *Br. J. ind. Med.*, **32**, 119–139
- Barsan, M.E. & Miller, A. (1996) Health Hazard Evaluation Report, HETA 91-0346-2572, FBI Academy, Quantico, VA, USA, NIOSH
- Barton, J.C. & Conrad, M.E. (1981) Effect of phosphate on the absorption and retention of lead in the rat. *Am. J. clin. Nutr.*, **34**, 2192–2198
- Barton, J.C., Conrad, M.E., Harrison, L. & Nuby, S. (1978a) Effects of calcium on the absorption and retention of lead. *J. Lab. clin. Med.*, **91**, 366–376
- Barton, J.C., Conrad, M.E., Nuby, S. & Harrison, L. (1978b) Effects of iron on the absorption and retention of lead. *J. Lab. clin. Med.*, **92**, 536–547
- Barton, J.C., Conrad, M.E., Harrison, L. & Nuby, S. (1980) Effects of vitamin D on the absorption and retention of lead. *Am. J. Physiol.*, **238**, G124–130

- Barton, J.C., Patton, M.A., Edwards, C.Q., Griffen, L.M., Kushner, J.P., Meeks, R.G. & Leggett, R.W. (1994) Blood lead concentrations in hereditary hemochromatosis. *J. lab. clin. Med.*, **124**, 193–198
- Battistuzzi, G., Petrucci, R., Silvagni, L., Urbani, F.R. & Caiola, S. (1981) δ-Aminolevulinate dehydrase: A new genetic polymorphism in man. *Ann. hum. Genet.*, **45**, 223–229
- Batuman, V., Maesaka, J.K., Haddad, B., Tepper, E., Landy, E. & Wedeen, R.P. (1981) The role of lead in gout nephropathy. *New Engl. J. Med.*, **304**, 520–523
- Batuman, V., Landy, E., Maesaka, J.K. & Wedeen, R.P. (1983) Contribution of lead to hypertension with renal impairment. *New Engl. J. Med.*, **309**, 17–21
- Bauchinger, M. & Schmid, E. (1972) [Chromosome analysis of cultures of Chinese hamster cells after treatment with lead acetate.] *Mutat. Res.*, **14**, 95–100 (in German)
- Bauchinger, M., Dresp, J., Schmid, E., Englert, N. & Krause, C. (1977) Chromosome analyses of children after ecological lead exposure. *Mutat. Res.*, **56**, 75–80
- Baum, C.R. & Shannon, M.W. (1997) The lead concentration of reconstituted infant formula. *Clin. Toxicol.*, **35**, 371–375
- Bearer, C.F., O'Riordan, M.A. & Powers, R. (2000) Lead exposure from blood transfusion to premature infants. *J. Pediatr.*, **137**, 549–554
- Bearer, C.F., Linsalata, N., Yomtovian, R., Walsh, M. & Singer, L. (2003) Blood transfusions: A hidden source of lead exposure. *Lancet*, **362**, 332
- Beckett, P.H., Davis, R.D. & Brindley, P. (1979) The disposal of sewage sludge onto farmland: The scope of the problem of toxic elements. *Water Pollut. Control*, **78**, 419–436
- Beek, B. & Obe, G. (1974) Effect of lead acetate on human leukocyte chromosomes *in vitro*. *Experientia*, **30**, 1006–1007
- Beek, B. & Obe, G. (1975) The human leukocyte test system. VI. The use of sister chromatid exchanges as possible indicators for mutagenic activities. *Humangenetik*, **29**, 127–134
- Behari, J.R., Singh, S. & Tandon, S.K. (1983) Lead poisoning among Indian silver jewellery makers. *Ann. occup. Hyg.*, **27**, 107–109
- Bell, C.E., Baldwin, L.A., Kostecki, P.T. & Calabrese, E.J. (1993) Comparative response of rainbow trout and rat to the liver mitogen, lead. *Ecotoxicol. environ. Saf.*, **26**, 280–284
- Bellinger, D.C., Needleman, H.L., Leviton, A., Waternaux, C., Rabinowitz, M.R. & Nichols, M.L. (1984) Early sensory-motor development and prenatal exposure to lead. *Neurobehav. Toxicol. Teratol.*, **6**, 387–402
- Bellinger, D., Leviton, A., Rabinowitz, M., Allred, E., Needleman, H. & Schoenbaum, S. (1991) Weight gain and maturity in fetuses exposed to low levels of lead. *Environ. Res.*, **54**, 151–158
- Bellinger, D.C., Stiles, K.M. & Needleman, H.L. (1992) Low-level lead exposure, intelligence and academic achievement: A long-term follow-up study. *Pediatrics*, **90**, 855–861
- Bener, A., Almehdi, A.M., Alwash, R. & Al-Neamy, F.R.M. (2001) A pilot survey of blood lead levels in various types of workers in the United Arab Emirates. *Environ. int.*, **27**, 311–314
- Benkmann, H.-G., Bogdanski, P. & Goedde, H.W. (1983) Polymorphism of delta-aminolevulinic acid dehydratase in various populations. *Hum. Hered.*, **33**, 62–64
- Benoff, S., Cooper, G.W., Centola, G.M., Jacob, A., Herslag, A. & Hurley, I.R. (2000) Metal ions and human sperm mannose receptors. *Andrologia*, **32**, 317–319
- Benoff, S., Centola, G.M., Millan, C., Napolitano, B., Marmar, J.L. & Hurley, I.R. (2003) Increased seminal plasma lead levels adversely affect the fertility potential of sperm in IVF. *Hum. Reprod.*, **18**, 374–383

- Benson, G.I., George, W.H.S., Litchfield, M.H. & Seaborn, D.J. (1976) Biochemical changes during the initial stages of industrial lead exposure. *Br. J. ind. Med.*, **33**, 29–35
- Berg, J.W. & Burbank, F. (1972) Correlations between carcinogenic trace metals in water supplies and cancer mortality. *Ann. N. Y. Acad. Sci.*, **199**, 249–264
- Bergdahl, I.A. & Skerfving, S. (1997) Partition of circulating lead between plasma and red cells does not seem to be different for internal and external sources of lead. *Am. J. ind. Med.*, **32**, 317–318
- Bergdahl, I.A., Schütz, A., Gerhardsson, L., Jensen, A. & Skerfving, S. (1997a) Lead concentrations in human plasma, urine and whole blood. *Scand. J. Work Environ. Health*, **23**, 359–363
- Bergdahl, I.A., Grubb, A., Schütz, A., Desnick, R.J., Wetmur, J.G., Sassa, S. & Skerfving, S. (1997b) Lead binding to δ -aminolevulinic acid dehydratase (ALAD) in human erythrocytes. *Pharmacol. Toxicol.*, **81**, 153–158
- Bergdahl, I.A., Gerhardsson, L., Schütz, A., Desnick, R.J., Wetmur, J.G. & Skerfving, S. (1997c) delta-Aminolevulinic acid dehydratase polymorphism: Influence on lead levels and kidney function in humans. *Arch. environ. Health*, **52**, 91–96
- Bergdahl, I.A., Sheveleva, M., Schütz, A., Artamonova, V.G. & Skerfving, S. (1998a) Plasma and blood lead in humans: Capacity-limited binding to δ -aminolevulinic acid dehydratase and other lead-binding components. *Toxicol. Sci.*, **46**, 247–253
- Bergdahl, I.A., Strömberg, U., Gerhardsson, L., Schütz, A., Chettle, D.R. & Skerfving, S. (1998b) Lead concentrations in tibial and calcaneal bone in relation to the history of occupational lead exposure. *Scand. J. Work environ. Health*, **24**, 38–45
- Bergdahl, I.A., Vahter, M., Counter, S.A., Schutz, A., Buchanan, L.H., Ortega, F., Laurell, G. & Skerfving, S. (1999) Lead in plasma and whole blood from lead-exposed children. *Environ. Res.*, **80**, 25–33
- Berglund, M., Åkesson, A., Bjellerup, P. & Vahter, M. (2000) Metal-bone interactions. *Toxicol. Lett.*, **112–113**, 219–225
- Berlin, A. & Schaller, K.H. (1974) European standardized method for the determination of δ -aminolevulinic acid dehydratase activity in blood. *Z. klin. Chem. klin. Biochem.*, **12**, 389–390
- Bernard, S.M. (2003) Should the Centers for Disease Control and Prevention's childhood lead poisoning intervention level be lowered? *Am. J. publ. Health*, **93**, 1253–1260
- Bertazzi, P.A. & Zocchetti, C. (1980) A mortality study of newspaper printing workers. *Am. J. ind. Med.*, **1**, 85–97
- Bhattacharya, A., Shukla, R., Bornshein, R., Dietrich, K. & Kopke, J.E. (1988) Postural disequilibrium quantification in children with chronic lead exposure: A pilot study. *NeuroToxicology*, **9**, 327–340
- Bhattacharya, A., Shukla, R. & Bornshein, R.L., Dietrich, K.N. & Keith, R. (1990) Lead effects on postural balance of children. *Environ. Health. Perspect.*, **89**, 35–42
- Bhattacharya, A., Shukla, R., Kietrich, K.N., Miller, J., Bagchee, A., Bornschein, R.L., Cox, C. & Mitchell, T. (1993) Functional implications of postural disequilibrium due to lead exposure. *Neurotoxicology*, **14**, 179–189
- Biagini, G., Misciattelli, M.E., Contri Baccarani, M., Vangelista, A., Raffi, G.B. & Caudarella, R. (1977) [Electron microscopy features of renal changes in chronic lead poisoning.] *Lav. Um.*, **29**, 179–187 (in Italian)
- Bicknell, R.J. (1982) Health Hazard Evaluation Report, HETA 82-0255-1193, Firing Range — Police Dept., Cape Girardeau, MO, USA, NIOSH

- Bijlsma, J.B. & de France, H.F. (1976) Cytogenetic investigations in volunteers ingesting inorganic lead. *Int. Arch. occup. environ. Health*, **38**, 145–148
- Birch, J., Harrison, R.M. & Laxen, D.P.H. (1980) A specific method for 24–48 hour analysis of tetraalkyl lead in air. *Sci. tot. Environ.*, **14**, 31–42
- Blade, L.M. & Bresler, F.T. (1994) Health Hazard Evaluation Report, HETA 91-0292-2467, Magnetics Division of Spang & Co., Butler, PA, USA, NIOSH
- Blake, K.C.H. (1976) Absorption of ^{203}Pb from gastrointestinal tract of man. *Environ. Res.*, **11**, 1–4
- Blake, K.C. & Mann, M. (1983) Effect of calcium and phosphorus on the gastrointestinal absorption of ^{203}Pb in man. *Environ. Res.*, **30**, 188–194
- Blakley, B.R. (1987) The effect of lead on chemical- and viral-induced tumor production in mice. *J. appl. Toxicol.*, **7**, 167–172
- Blank, E. & Howieson, J. (1983) Lead poisoning from a curtain weight. *J. Am. med. Assoc.*, **249**, 2176–2177
- Blaylock, M.J., Salt, D.E., Dushenkov, S., Zakharova, O., Gussman, C., Kapulnik, Y., Ensley, B.D. & Raskin, I. (1997) Enhanced accumulation of Pb in Indian mustard by soil-applied chelating agents. *Environ. Sci. Technol.*, **31**, 860–865
- Bloom, N.S. & Crecelius, E.A. (1987) Distribution of silver, mercury, lead, copper and cadmium in Central Puget Sound sediments. *Marine Chem.*, **21**, 377–390
- Bloomer, J.R., Reuter, R.J., Morton, K.O. & Wehner, J.M. (1983) Enzymatic formation of zinc-protoporphyrin by rat liver and its potential effect on hepatic heme metabolism. *Gastroenterology*, **85**, 663–668
- Boerngen, J.G. & Shacklette, H.T. (1981) *Chemical Analyses of Soils and Other Surficial Materials of the Conterminous United States*, US Geological Survey, Open-File Report 81-197, Denver, CO, US Geological Survey
- Bogden, J.D., Gertner, S.B., Kemp, F.W., McLeod, R., Bruening, K.S. & Chung, H.R. (1991) Dietary lead and calcium: Effects on blood pressure and renal neoplasia in Wistar rats. *J. Nutr.*, **121**, 718–728
- Bolanowska, W. (1968) Distribution and excretion of triethyllead in rats. *Br. J. ind. Med.*, **25**, 203–208
- Bolanowska, W., Piotrowski, J. & Garczynski, H. (1967) Triethyllead in the biological material in cases of acute tetraethyllead poisoning. *Arch. Toxikol.*, **22**, 278–282
- Bolger, P.M., Carrington, C.D., Capar, S.G. & Adams, M.A. (1991) Reductions in dietary lead exposure in the United States. *Chem. Spec. Bioavail.*, **3**, 31–36
- Bonanno, J., Robson, M.G., Buckley, B. & Modica, M. (2002) Lead exposure at a covered outdoor firing range. *Bull. Environ. Contam. Toxicol.*, **68**, 315–323
- Bonde, J.P., Giwercman, A. & Ernst, E. (1996) Identifying environmental risk to male reproductive function by occupational sperm studies: Logistics and design options. *Occup. environ. Med.*, **53**, 511–519
- Bonde, J.P., Joffe, M., Apostoli, P., Dale, A., Kiss, P., Spano, M., Caruso, F., Giwercman, A., Bisanti, L., Porru, S., Vanhoorne, M., Camhaire, F. & Zschiesche, W. (2002) Sperm count and chromatin structure in men exposed to inorganic lead: Lowest adverse effect levels. *Occup. environ. Med.*, **59**, 234–242
- Bono, R., Pignata, C., Scursatone, E., Rovere, R., Natale, P. & Gilli, G. (1995) Updating about reductions of air and blood lead concentrations in Turin, Italy, following reductions in the lead content of gasoline. *Environ. Res.*, **70**, 30–34

- Booze, R.M., Mactutus, C.F., Annau, Z. & Tilson, H.A. (1983) Neonatal triethyl lead neurotoxicity in rat pups: Initial behavioral observations and quantification. *Neurobehav. Toxicol. Teratol.*, **5**, 367–375
- Börjesson, J., Mattsson, S., Strömberg, U., Gerhardsson, L., Schütz, A. & Skerfving, S. (1997) Lead in fingerbone: A tool for retrospective exposure assessment. *Arch. environ. Health*, **52**, 104–112
- Boscolo, P. & Carmignani, M. (1988) Neurohumoral blood pressure regulation in lead exposure. *Environ. Health Perspect.*, **78**, 101–106
- Boscolo, P., Carmignani, M., Sacchettoni-Logroscino, G., Rannelletti, F.O., Artese, L. & Preziosi P. (1988) Ultrastructure of the testis in rats with blood hypertension induced by long-term lead exposure. *Toxicol. Lett.*, **41**, 129–137
- Boudene, C., Malet, D. & Masse, R. (1977) Fate of ^{210}Pb inhaled by rats. *Toxicol. appl. Pharmacol.*, **41**, 271–276
- Bouldin, T.W. & Krigman, M.R. (1975) Acute lead encephalopathy in the guinea pig. *Acta neuropathol.*, **33**, 185–190
- Boulos, B.M. & von Smolinski, A. (1988) Alert to users of calcium supplements as antihypertensive agents due to trace metal contaminants. *Am. J. Hypertension*, **1**, 137S–142S
- Bourgoign, B.P., Evans, D.R., Cornett, J.R., Lingard, S.M. & Quattrone, A.J. (1993) Lead content in 70 brands of dietary calcium supplements. *Am. J. public Health*, **83**, 1155–1160
- Bouton, C.M., Hossain, M.A., Frelin, L.P., Laterra, J. & Pevsner, J. (2001) Microarray analysis of differential gene expression in lead-exposed astrocytes. *Toxicol. appl. Pharmacol.*, **176**, 34–53
- Boyland, E., Dukes, C.E., Grover, P.L. & Mitchley, B.C.V. (1962). The induction of renal tumours by feeding lead acetate to rats. *Br. J. Cancer*, **16**, 283–288
- Bradbury, M.W.B. & Deane, R. (1993) Permeability of the blood-brain barrier to lead. *Neurotoxicology*, **14**, 131–136
- Bress, W.C. & Bidanset, J.H. (1991) Percutaneous in vivo and in vitro absorption of lead. *Vet. hum. Toxicol.*, **33**, 212–214
- Bressler, J., Kim, K., Chakraborti, T. & Goldstein, G. (1999) Molecular mechanisms of lead neurotoxicity. *Neurochem. Res.*, **24**, 595–600
- Brito, J.A.A., McNeill, F.E., Stronach, I., Webber, C.E., Wells, S., Richard, N. & Chettle, D.R. (2001) Longitudinal changes in bone lead concentration: Implications for modelling of human bone lead metabolism. *J. environ. Monit.*, **3**, 343–351
- Brody, D.J., Pirkle, J.L., Kramer, R.A., Flegal, K.M., Matte, T.D., Gunter, E.W. & Pashal, D.C. (1994) Blood lead levels in the US population. Phase 1 of the Third National Health and Nutrition Examination Survey (NHANES III, 1988 to 1991). *J. Am. med. Assoc.*, **272**, 277–283
- Brown, J.R. (1983) A survey of the effects of lead on gunners. *J. R. Army med. Corps*, **129**, 75–81
- Brown, A. & Tompsett, S.L. (1945) Poisoning due to mobilization of lead from the skeleton by leukaemic hyperplasia of bone marrow. *Br. med. J.*, **11**, 764–765
- Brown, M.J., Hu, H., Gonzales-Cossio, T., Peterson, K.E., Sanin, L.-H., de Luz Kageyama, M., Palazuelos, E., Aro, A., Schnaas, L. & Hernandez-Avila, M. (2000) Determinants of bone and blood lead concentrations in the early postpartum period. *Occup. environ. Med.*, **57**, 535–541
- Browne, D.R., Husni, A. & Risk, M.J. (1999) Airborne lead and particulate levels in Semarang, Indonesia and potential health impacts. *Sci. total Environ.*, **227**, 145–154
- Bruaux, P. & Svartengren, M., eds (1985) *Assessment of Human Exposure to Lead: Comparison between Belgium, Malta, Mexico and Sweden*, National Swedish Institute of Environmental

- Medicine, Department of Environmental Hygiene, Karolinska Institute, Stockholm and Institute of Hygiene and Epidemiology, Ministry of Health, Brussels
- Bruce, W.R. & Heddle, J.A. (1979) The mutagenic activity of 61 agents as determined by the micronucleus, *Salmonella*, and sperm abnormality assays. *Can. J. Genet. Cytol.*, **21**, 319–334
- Bruyneel, M., De Caluwe, J.P., des Grottes, J.M. & Collart, F. (2002) [Use of kohl and severe lead poisoning in Brussels.] *Rev. méd. Brux.*, **23**, 519–522 (in French)
- Buchet, J.P., Lauwerys, R., Roels, H. & Hubermont, G. (1977) Mobilization of lead during pregnancy in rats. *Int. Arch. occup. environ. Health*, **40**, 33–36
- Buchet, J.P., Roels, H., Bernard, A. & Lauwerys, R. (1980) Assessment of renal function of workers exposed to inorganic lead, calcium or mercury vapor. *J. occup. Med.*, **22**, 741–750
- Buchet, J.P., Lauwerys, R., Vandevoorde, A. & Pycke, J.M. (1983) Oral daily intake of cadmium, lead, manganese, copper, chromium, mercury, calcium, zinc and arsenic in Belgium: A duplicate meal study. *Food chem. Toxicol.*, **21**, 19–24
- Buckley, J.D., Robison, L.L., Swotinsky, R., Garabrant, D.H., LeBeau, M., Manchester, P., Nesbit, M.E., Odom, L., Peters, J.M., Woods, W.G. & Hammond, G.D. (1989) Occupational exposures of parents of children with acute nonlymphocytic leukemia: A report from the Childrens Cancer Study Group. *Cancer Res.*, **49**, 4030–4037
- Bull, R.J., McCauley, P.T., Taylor, D.H. & Crofton, K.M. (1983) The effects of lead on the developing central nervous system of the rat. *NeuroToxicology*, **4**, 1–18
- Bull, R.J., Robinson, M. & Laurie, R.D. (1986) Association of carcinoma yield with early papilloma development in SENCAR mice. *Environ. Health Perspect.*, **68**, 11–17
- Bunn, T.L., Parsons, P.J., Kao, E. & Dietert, R.R. (2001) Exposure to lead during critical windows of embryonic development: Differential immunotoxic outcome based on stage of exposure and gender. *Toxicol. Sci.*, **64**, 57–66
- Bu-Olayan, A.H. & Al-Yakoob, S. (1998) Lead, nickel and vanadium in seafood: An exposure assessment for Kuwaiti consumers. *Sci. total Environ.*, **223**, 81–86
- Burger, J., Kennamer, R.A., Brisbin, I.L., Jr & Gochfeld, M. (1997) Metal levels in mourning doves from South Carolina: Potential hazards to doves and hunters. *Environ. Res.*, **75**, 173–186
- Burger, J., Kennamer, R.A., Brisbin, I.L., Jr & Gochfeld, M. (1998) A risk assessment for consumers of mourning doves. *Risk Anal.*, **18**, 563–573
- Burmaa, B., Dorogova, V.B., Enhtsetseg, S., Erdenechetsmeg, E. & Enkhzhargal, A. (2002) [Impact of lead-induced environmental pollution on children's health in Mongolia.] *Gig. Sanit.*, **3**, 21–23 (in Russian)
- Burns, C.B. & Currie, B. (1995) The efficacy of chelation therapy and factors influencing mortality in lead intoxicated petrol sniffers. *Aust. N.Z. J. Med.*, **25**, 197–203
- Buscema, I., Prieto, A., Araujo, L. & Gonzalez, G. (1997) Determination of lead and cadmium content in the rice consumed in Maracaibo, Venezuela. *Bull. environ. Contam. Toxicol.*, **59**, 94–98
- Bush, V.J., Moyer, T.P., Batts, K.P. & Parisi, J.E. (1995) Essential and toxic element concentrations in fresh and formalin-fixed human autopsy tissues. *Clin. Chem.*, **41**, 284–294
- Bushnell, P.J. & DeLuca, H.F. (1983) The effects of lactose on the absorption and retention of dietary lead. *J. Nutr.*, **113**, 365–378
- Büsselberg, D. (1995) Calcium channels as target sites of heavy metals. *Toxicol. Lett.*, **82–83**, 255–261
- Byers, R.K. & Lord, E.E. (1943) Late effects of lead poisoning on mental development. *Am. J. Dis. Child.*, **66**, 471–494

- Cai, M.-Y. & Arenaz, P. (1998) Antimutagenic effect of crown ethers on heavy metal-induced sister chromatid exchanges. *Mutagenesis*, **13**, 27–32
- Cake, K.M., Bowins, R.J., Vaillancourt, C., Gordon, C.L., McNutt, R.H., Laporte, R., Webber, C.E. & Chettle, D.R. (1996) Partition of circulating lead between serum and red cells is different for internal and external sources of lead. *Am. J. ind. Med.*, **29**, 440–445
- Calabrese, E.J. & Baldwin, L.A. (1992) Lead-induced cell proliferation and organ-specific tumorigenicity. *Drug Metab. Rev.*, **24**, 409–416
- Calabrese, E.J., Baldwin, L.A., Leonard, D.A. & Zhao, X.Q. (1995) Decrease in hepatotoxicity by lead exposure is not explained by its mitogenic response. *J. appl. Toxicol.*, **15**, 129–132
- Calder, I.C., Roder, D.M., Esterman, A.J., Lewis, M.J., Harrison, M.C. & Oldfield, R.K. (1986) Blood lead levels in children in the north-west of Adelaide. *Med. J. Aust.*, **144**, 509–512
- Campbell, B.C., Beattie, A.D., Moore, M.R., Goldberg, A. & Reid, A.G. (1977) Renal insufficiency associated with excessive lead exposure. *Br. med. J.*, **1**, 482–485
- Campbell, B.C., Meredith, P.A., Moore, M.R. & Watson, W.S. (1984) Kinetics of lead following intravenous administration in man. *Toxicol. Lett.*, **21**, 231–235
- Canfield, R.L., Henderson, C.R., Jr, Cory-Slechta, D.A., Cox, C., Jusko, T.A. & Lanphear, B.P. (2003) Intellectual impairment in children with blood lead concentrations below 10 micrograms per deciliter. *New Engl. J. Med.*, **348**, 1517–1526
- Capar, S.G. & Gould, J.H. (1979) Lead, fluoride, and other elements in bonemeal supplements. *J. Assoc. off. anal. Chem.*, **62**, 1054–1061
- Capar, S.G. & Rigsby, E.J. (1989) Survey of lead in canned evaporated milk. *J. Assoc. off. anal. Chem.*, **72**, 416–417
- Cárdenas, A., Roels, H., Bernard, A.M., Barbon, R., Buchet, J.P., Lauwerys, R.R., Roselló, J., Ramis, I., Mutti, A., Franchini, I., Fels, L.M., Stolte, H., de Broe, M.E., Nuyts, G.D., Taylor, S.A. & Price, R.G. (1993) Markers of early renal changes induced by industrial pollutants. II. Application to workers exposed to lead. *Br. J. ind. Med.*, **50**, 28–36
- Carney, J.K. & Garbarino, K.M. (1997) Childhood lead poisoning from apple cider. *Pediatrics*, **100**, 1048–1049
- Caroli, S., Alimonti, A., Coni, E., Petrucci, F., Senofonte, O. & Violante, N. (1994). The assessment of reference values for elements in human biological tissues and fluids: A systematic review. *Crit. Rev. anal. Chem.*, **24**, 363–398
- Carta, P., Cocco, P. & Picchiri, G. (1994) Lung cancer mortality and airways obstruction among metal miners exposed to silica and low levels of radon daughters. *Am. J. ind. Med.*, **25**, 489–506
- Carvalho, F.M., Barreto, M.L., Silvany-Neto, A.M., Waldron, H.A. & Tavares, T.M. (1984) Multiple causes of anaemia amongst children living near a lead smelter in Brazil. *Sci. total Environ.*, **35**, 71–84
- Carvalho, F.M., Silvany-Neto, A.M., Tavares, T.M., Lima, M.E.C. & Waldron, H.A. (1985a) Lead poisoning among children from Santo Amaro, Brazil. *Bull. PAHO*, **19**, 165–175
- Carvalho, F.M., Silvany-Neto, A.M., Lima, M.E.C., Tavares, T.M. & Alt, F. (1985b) [Lead and cadmium poisoning among workers in small establishments for repairing batteries in Salvador, Brazil.] *Rev. Saúde pública*, **19**, 411–420 (in Portuguese)
- Carvalho, F.M., Silvany-Neto, A.M., Chaves, M.E.C., de Melo, A.M.C., Galvão, A.L. & Tavares, T.M. (1989) [Lead and cadmium contents in hair of children from Santo Amaro da Purificação, Bahia.] *Ciê. Cultura*, **41**, 646–651 (in Portuguese)

- Carvalho, F.M., Silvany-Neto, A.M., Peres, M.F.T., Gonçalves, H.R., Guimarães, G.C., de Amorin, C.J.B., Silva, J.A.S., Jr & Tavares, T.M. (1996) [Lead poisoning: Zinc protoporphyrin in blood of children from Santo Amaro da Purificação and Salvador, Bahia, Brazil.] *J. Pediatr.*, **72**, 295–298 (in Portuguese)
- Carvalho, F.M., Neto, A.M.S., Peres, M.F.T., Gonçalves, H.R., Guimarães, G.C., de Amorin, C.J.B., Silva, J.A.S., Jr & Tavares, T.M. (1997) Lead poisoning: Zinc protoporphyrin in blood of children from Santo Amaro da Purificação and Salvador, Bahia, Brazil. *J. pediatr.*, **73** (Suppl. 1), 11–14
- Carvalho, F.M., Silvany Neto, A.M., Tavares, T.M., Costa, A.C.A., Chaves, C.R., Nascimento, L.D. & Reis, M.A. (2003) [Blood lead levels in children and environmental legacy of a lead foundry in Brazil.] *Rev. panam. Salud publica*, **13**, 19–23 (in Portuguese)
- Case, J.M., Reif, C.B. & Timko, A. (1989) Lead in the bottom sediments of Lake Nuangola and fourteen other bodies of water in Luzerne County, Pennsylvania. *J. Pennsylvania Acad. Sci.*, **63**, 67–72
- Casteel, S.W., Cowart, R.P., Weis, C.P., Henningsen, G.M., Hoffman, E., Brattin, W.J., Guzman, R.E., Starost, M.F., Payne, J.T., Stockham, S.L., Becker, S.V., Drexler, J.W. & Turk, J.R. (1997) Bioavailability of lead to juvenile swine dosed with soil from the Smuggler Mountain NPL Site of Aspen, Colorado. *Fundam. appl. Toxicol.*, **36**, 177–187
- Castellino, N., Lamanna, P. & Grieco, B. (1966) Biliary excretion of lead in the rat. *Br. J. ind. Med.*, **23**, 237–239
- Cavalleri, A. & Minoia, C. (1987) Lead level of whole blood and plasma in workers exposed to lead stearate. *Scand. J. Work Environ. Health*, **13**, 218–220
- CDC (1975) *Increased Lead Absorption and Lead Poisoning in Young Children. A Statement by the Center for Disease Control*, Atlanta, GA, Centers for Disease Control, US Department of Health, Education and Welfare
- CDC (1981) Use of lead tetroxide as a folk remedy for gastrointestinal illness. *Mortal. Morbid. Wkly Rep.*, **30**, 546–547
- CDC (1983) Folk remedy-associated lead poisoning in Hmong children — Minnesota. *Mortal. Morbid. Wkly Rep.*, **32**, 555–556
- CDC (1985) *Preventing Lead Poisoning in Young Children* (Publication No. 99-2230), Atlanta, GA, Centers for Disease Control
- CDC (1991) *Preventing Lead Poisoning in Young Children*, Atlanta, GA, Centers for Disease Control
- CDC (1993) Lead poisoning associated with use of traditional ethnic remedies — California, 1991–1992. *Mortal. Morbid. Wkly Rep.*, **42**, 521–524
- CDC (1997a) Children with elevated blood lead levels attributed to home renovation and remodeling activities — New York, 1993–1994. *Mortal. Morbid. Wkly Rep.*, **45**, 1120–1123
- CDC (1997b) Update: Blood lead levels — United States, 1991–1994. *Morb. Mortal. Wkly Rep.*, **46**, 141–146
- CDC (1998) Lead poisoning associated with imported candy and powdered food coloring — California and Michigan. *Mortal. Morbid. Wkly Rep.*, **47**, 1041–1043
- CDC (1999) Adult lead poisoning from an Asian remedy for menstrual cramps — Connecticut, 1997. *Mortal. Morbid. Wkly Rep.*, **48**, 27–29
- CDC (2001) Public health dispatch: Potential risk for lead exposure in dental offices. *Mortal. Morbid. Wkly Rep.*, **50**, 873–874

- CDC (2002) Childhood lead poisoning associated with tamarind candy and folk remedies — California, 1999–2000. *Mortal. Morbid. Wkly Rep.*, **51**, 684–686
- CDC (2003a) *Second National Report on Human Exposure to Environmental Chemicals*, NCEH Pub. No. 02-0716, Atlanta, GA, National Center for Environmental Health, pp. 9–12
- CDC (2003b) Surveillance for elevated blood lead levels among children — United States, 1997–2001. *Mortal. Morbid. Wkly Rep.*, **52**, SS-10
- Cedeño, A.L., Arrocha, A. & Lombardi, C. (1990) *Comparative Study of the Levels of Lead in the Air and Blood Part II* (Technical Report), Los Teques, Intevep SA
- Central Pollution Control Board (1998–99) *Annual Report 1998–1999*, New Delhi, Central Pollution Control Board
- Central Pollution Control Board (2001–02) *Annual Report (2001–2002)*, New Delhi, Central Pollution Control Board [<http://www.cpcb.delhi.nic.in/ar2002/ar1-2content.htm>; accessed 31/12/2003]
- Chai, S. & Webb, R.C. (1988) Effects of lead on vascular reactivity. *Environ. Health Perspect.*, **78**, 85–89
- Chakraborti, D., De Jonghe, W.R.A., Van Mol, W.E., Van Cleuvenbergen, R.J.A. & Adams, F.C. (1984) Determination of ionic alkyllead compounds in water by gas chromatography/atomic absorption spectrometry. *Anal. Chem.*, **56**, 2692–2697
- Chamberlain, A.C., Heard, M.J., Little, P., Newton, D., Wells, A.C. & Wiffen, R.D. (1978) *Investigations into Lead from Motor Vehicles* (Rep. AERE-R9198), Harwell, United Kingdom Atomic Energy Authority
- Chandra, P., Tripathi, R.D., Rai, U.N., Sinha, S. & Garg, P. (1993) Biomonitoring and amelioration of nonpoint source pollution in some aquatic bodies. *Water Sci. Technol.*, **28**, 323–326
- Chaney, R.L., Malik, M., Li, Y.M., Brown, S.L., Brewer, E.P., Angle, J.S. & Baker, A.J.M. (1997) Phytoremediation of soil metals. *Curr. Opin. Biotechnol.*, **8**, 279–284
- Chartsias, B., Colombo, A., Hatzichristidis, D. & Leyendecker, W. (1986) The impact of gasoline lead on man blood lead: First results of the Athens lead experiment. *Sci. total Environ.*, **55**, 275–283
- Chatterjee, A. & Banerjee, R.N. (1999) Determination of lead and other metals in a residential area of greater Calcutta. *Sci. total Environ.*, **227**, 175–185
- Chau, T.T., Chen, W.Y., Hsiao, T.M. & Liu, H.W. (1995) Chronic lead intoxication at an indoor firing range in Taiwan. *Clin. Toxicol.*, **33**, 371–372
- Chemical Information Services (2003) *Directory of World Chemical Producers (Online Version)*, Dallas, TX [www.chemicalinfo.com; accessed 12/12/2003]
- Chen, Z.-Q., Chan, Q.-I., Par, C.-C. & Qu, J.-Y. (1985) Peripheral nerve conduction velocity in workers occupationally exposed to lead. *Scand. J. Work Environ. Health.*, **11** (Suppl. 4), 26–28
- Cheng, Y., Willett, W.C., Schwartz, J., Sparrow, D., Weiss, S. & Hu, H. (1998) Relation of nutrition to bone lead and blood lead levels in middle-aged to elderly men. The Normative Aging Study. *Am. J. Epidemiol.*, **147**, 1162–1174
- Cheng, Y., Schwartz, J., Sparrow, D., Aro, A., Weiss, S.T. & Hu, H. (2001) Bone lead and blood lead levels in relation to baseline blood pressure and the prospective development of hypertension: The Normative Aging Study. *Am. J. Epidemiol.*, **153**, 164–171
- Chettle, D.R., Fleming, D.E., McNeill, F.E. & Webber, C.E. (1997) Serum (plasma) lead, blood lead, and bone lead. *Am. J. ind. Med.*, **32**, 319–320

- Chia, S.E., Chia, K.S. & Ong, C.N. (1991) Ethnic differences in blood lead concentration among workers in a battery manufacturing factory. *Ann. Acad. Med. Singapore*, **20**, 758–761
- Chia, S.E., Phoon, W.H., Lee, H.S., Tan, K.T. & Jeyaratnam, J. (1993) Exposure to neurotoxic metals among workers in Singapore: An overview. *Occup. Med.*, **43**, 18–22
- Chia, S.E., Chua, L.H., Ng, T.P., Foo, S.C. & Jeyaratnam, J. (1994) Postural stability of workers exposed to lead. *Occup. environ. Med.*, **51**, 768–771
- Chia, K.S., Jeyaratnam, J., Lee, J., Tan, C., Ong, H.Y., Ong, C.N. & Lee, E. (1995) Lead-induced nephropathy: Relationship between various biological exposure indices and early markers of nephrotoxicity. *Am. J. ind. Med.*, **27**, 883–895
- Chia, S.E., Chia, H.P., Ong, C.N. & Jeyaratnam, J. (1996a) Cumulative blood lead levels and nerve conduction parameters. *Occup. Med.*, **46**, 59–64
- Chia, S.E., Chia, H.P., Ong, C.N. & Jeyaratnam, J. (1996b) Cumulative concentrations of blood lead and postural stability. *Occup. environ. Med.*, **53**, 264–268
- Chiaradia, M., Gulson, B.L. & MacDonald, K. (1997) Contamination of houses by workers occupationally exposed in a lead-zinc-copper mine and impact on blood lead concentrations in the families. *Occup. environ. Med.*, **54**, 117–124
- Chiba, M. (1976) Activity of erythrocyte δ-aminolevulinic acid dehydrase and its change by heat treatment as indices of lead exposure. *Br. J. ind. Med.*, **33**, 36–42
- Chisholm, J.J., Jr (1962) Aminoaciduria as a manifestation of renal tubular injury in lead intoxication and a comparison with patterns of aminoaciduria seen in other diseases. *J. Pediatr.*, **60**, 1–17
- Chisolm, J.J., Jr (1964) Disturbances in the biosynthesis of heme in lead intoxication. *J. Pediatr.*, **64**, 174–187
- Chisolm, J.J., Jr (1986) Removal of lead paint from old housing: The need for a new approach. *Am. J. public Health*, **76**, 236–237
- Cho, H.Y., Moon, D.H., Jun, J.H., Lee, C.U. & Kim, S.C. (1992) The level of ambient heavy metal pollution in Pusan area. *Inje Med. J.*, **13**, 177–190
- Choie, D.D. & Richter, G.W. (1972a) Cell proliferation in rat kidneys after prolonged treatment with lead. *Am. J. Pathol.*, **68**, 359–370
- Choie, D.D. & Richter, G.W. (1972b) Lead poisoning: Rapid formation of intranuclear inclusions. *Science*, **177**, 1194–1195
- Choie, D.D. & Richter, G.W. (1972c) Cell proliferation in rat kidney induced by lead acetate and effects of uninephrectomy on the proliferation. *Am. J. Pathol.*, **66**, 265–275
- Choie, D.D. & Richter, G.W. (1974a) Cell proliferation in mouse kidney induced by lead. I. Synthesis of deoxyribonucleic acid. *Lab. Invest.*, **30**, 647–651
- Choie, D.D. & Richter, G.W. (1974b) Cell proliferation in mouse kidney induced by lead. II. Synthesis of ribonucleic acid and protein. *Lab. Invest.*, **30**, 652–656
- Choie, D.D. & Richter, G.W. (1978) G2 sub-population in mouse liver induced into mitosis by lead acetate. *Cell Tissue Kinet.*, **11**, 235–239
- Chowdhury, A.R., Dewan, A. & Gandhi, D.N. (1984) Toxic effect of lead on the testes of rat. *Biomed. biochim. Acta*, **43**, 95–100
- Christoffersson, J.O., Ahlgren, L., Schütz, A., Skerfving, S. & Mattsson, S. (1986) Decrease of skeletal lead levels in man after end of occupational exposure. *Arch. environ. Health*, **41**, 312–318
- Chu, N.F., Liou, S.H., Wu, T.N., Ko, K.N. & Chang, P.Y. (1998) Risk factors for high blood lead levels among the general population in Taiwan. *Eur. J. Epidemiol.*, **14**, 775–781

- Chuang, H.-Y., Lee, M.-L.T., Chao, K.-Y., Wang, J.-D., Hu, H. (1999) Relationship of blood lead levels to personal hygiene habits in lead battery workers: Taiwan, 1991–1997. *Am. J. ind. Med.*, **35**, 595–603
- Cikrt, M. (1972) Biliary excretion of ^{203}Hg , ^{64}Cu , ^{52}Mn , and ^{210}Pb in the rat. *Brit. J. ind. Med.*, **29**, 74–80
- Cikrt, M. & Tichy, M. (1975) Role of bile in intestinal absorption of ^{203}Pb in rats. *Experientia*, **31**, 1320–1321
- Cikrt, M., Lepši, P. & Tichy, M. (1983) Biliary excretion of lead in rats drinking lead-containing water. *Toxicol. Lett.*, **16**, 139–143
- Cilliers, L. & Retief, F.P. (2000) Poisons, poisoning and the drug trade in ancient Rome. *Akroterion*, **45**, 88–100
- Clark, A.R.L. (1977) Placental transfer of lead and its effects on the newborn. *Postgrad. med. J.*, **53**, 674–678
- Clark, M., Royal, J. & Seeler, R. (1988) Interaction of iron deficiency and lead and hematologic findings in children with severe lead poisoning. *Paediatrics*, **81**, 247–254
- Clark, N.J., Montopoli, M., Burr, G.A. & Rubin, C. (1991) Health Hazard Evaluation Report, HETA 91-0077-2160, Pilot Industrial Batteries, Kankakee, IL, USA, NIOSH
- Clark, N.J., O'Brien, D.M., Edmonds, M.A. & Gressel, M.G. (1992) Health Hazard Evaluation Report, HETA 91-0092-2190, William Powell, Co., Cincinnati, OH, USA, NIOSH
- Clasen, R.A., Hartmann, J.F., Coogan, P.S., Pandolfi, S., Laing, I. & Becker, R.A. (1974) Experimental acute lead encephalopathy in the juvenile rhesus monkey. *Environ. Health Perspect.*, **7**, 175–185
- Clausen, J. & Rastogi, S.C. (1977) Heavy metal pollution among autoworkers. I. Lead. *Br. J. ind. Med.*, **34**, 208–215
- Cocco, P.L., Carta, P., Belli, S., Picchiri, G.F. & Flore, M.V. (1994a) Mortality of Sardinian lead and zinc miners: 1960–88. *Occup. environ. Med.*, **51**, 674–682
- Cocco, P.L., Carta, P., Flore, V., Picchiri, G.F. & Zucca, C. (1994b) Lung cancer mortality among female mine workers exposed to silica. *J. occup. Med.*, **36**, 894–898
- Cocco, P., Carta, P., Flore, C., Congia, P., Manca, M.B., Saba, G. & Salis, S. (1996) Mortality of lead smelter workers with the glucose-6-phosphate dehydrogenase-deficient phenotype. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 223–225
- Cocco, P., Hua, F., Boffetta, P., Carta, P., Flore, C., Flore, V., Onnis, A., Picchiri, G.F. & Colin, D. (1997) Mortality of Italian lead smelter workers. *Scand. J. Work Environ. Health*, **23**, 15–23
- Cocco, P., Dosemeci, M. & Heineman, E.F. (1998a) Brain cancer and occupational exposure to lead. *J. occup. environ. Med.*, **40**, 937–942
- Cocco, P., Ward, M.H. & Dosemeci, M. (1998b) Occupational risk factors for cancer of the gastric cardia. Analysis of death certificates from 24 US states. *J. occup. environ. Med.*, **40**, 855–861
- Cocco, P., Heineman, E.F. & Dosemeci, M. (1999a) Occupational risk factors for cancer of the central nervous system (CNS) among US women. *Am. J. ind. Med.*, **36**, 70–74
- Cocco, P., Ward, M.H. & Dosemeci, M. (1999b) Risk of stomach cancer associated with 12 workplace hazards: Analysis of death certificates from 24 states of the United States with the aid of job exposure matrices. *Occup. environ. Med.*, **56**, 781–787
- Cohen, S.M. & Ellwein, L.B. (1990) Cell proliferation in carcinogenesis. *Science*, **249**, 972–975
- Cohen, A.J. & Roe, F.J.C. (1991) Review of lead toxicology relevant to the safety assessment of lead acetate as a hair colouring. *Food chem. Toxicol.*, **29**, 485–507

- Columbano, A., Ledda, G.M., Sirigu, P., Perra, T. & Pani, P. (1983) Liver cell proliferation induced by a single dose of lead nitrate. *Am. J. Pathol.*, **110**, 83–88
- Columbano, A., Ledda-Columbano, G.M., Coni, P.P., Vargiu, M., Faa, G. & Pani, P. (1984) Liver hyperplasia and regression after lead nitrate administration. *Toxicol. Pathol.*, **12**, 89–95
- Columbano, A., Ledda-Columbano, G.M., Coni, P.P., Faa, G., Liguori, C., Santa Cruz, G. & Pani, P. (1985) Occurrence of cell death (apoptosis) during the involution of liver hyperplasia. *Lab. Invest.*, **52**, 670–675
- Columbano, A., Ledda-Columbano, G.M., Ennas, M.G., Curto, M., Chelo, A. & Pani, P. (1990) Cell proliferation and promotion of rat liver carcinogenesis: Different effect of hepatic regeneration and mitogen induced hyperplasia on the development of enzyme-altered foci. *Carcinogenesis*, **11**, 771–776
- Coni, P., Pichiri-Coni, G., Curto, M., Simbula, G., Giacomini, L., Sarma, D.S.R., Ledda-Columbano, G.M. & Columbano, A. (1993a) Different effects of regenerative and direct mitogenic stimuli on the growth of initiated cells in the resistant hepatocyte model. *Jpn J. Cancer Res.*, **84**, 501–507
- Coni, P., Simbula, G., Carceriri de Prati, A., Menegazzi, M., Suzuki, H., Sarma, D.S.R., Ledda-Columbano, G.M. & Columbano, A. (1993b) Differences in the steady-state levels of c-fos, c-jun and c-myc messenger RNA during mitogen-induced liver growth and compensatory regeneration. *Hepatology*, **17**, 1109–1116
- Conrad, M.E. & Barton, J.C. (1978) Factors affecting the absorption and excretion of lead in the rat. *Gastroenterology*, **74**, 731–740
- Conradi, N.G., Sjostrom, A., Gustafsson, B. & Wigstrom, H. (1990) Decreased nerve conduction velocity in optic nerve following early post-natal low-dose lead exposure. *Acta physiol. scand.*, **140**, 515–519
- Consumer Product Safety Commission (1977) *CPSC Announces Final Ban on Lead-containing Paint*, Washington DC, US Consumer Product Safety Commission
- Consumer Product Safety Commission (1996) *CPSC Finds Lead Poisoning Hazard for Young Children in Imported Vinyl Miniblinds*, Washington DC, US Consumer Product Safety Commission [<http://www.cpsc.gov/cpscpub/prerel/prhtml/96150.html>; accessed 10/02/2004]
- Cook, L., Schafer-Mitchell, M., Angle, C. & Stohs, S. (1985) Assay of human erythrocyte pyrimidine and deoxypyrimidine 5'-nucleotidase by isocratic reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, **339**, 293–301
- Cook, L.R., Angle, C.R. & Stohs, S.J. (1986) Erythrocyte arginase, pyrimidine 5'-nucleotidase (P5N), and deoxypyrimidine 5'-nucleotidase (dP5N) as indices of lead exposure. *Br. J. ind. Med.*, **43**, 387–390
- Cook, C.K., Tubbs, R.L. & Klein, M.K. (1993) Health Hazard Evaluation Report, HETA 92-0034-2356, Saint Bernard Police Dept., Saint Bernard, OH, USA, NIOSH
- Cooper, W.C. (1976) Cancer mortality patterns in the lead industry. *Ann. N.Y. Acad. Sci.*, **271**, 250–259
- Cooper, W.C. (1981) Mortality in employees of lead production facilities and lead battery plants, 1971–1975. In: *Environmental Lead: Proceedings of the Second International Symposium on Environmental Lead Research, Cincinnati, Ohio, December 1978*, Academic Press, New York, London, San Francisco, pp. 111–143
- Cooper, W.C. (1988) Deaths from chronic renal disease in US battery and lead production workers. *Environ. Health Perspect.*, **78**, 61–63

- Cooper, W.C. & Gaffey, W.R. (1975) Mortality of lead workers. *J. occup. Med.*, **17**, 100–107
- Cooper, W.C., Wong, O. & Kheifets, L. (1985) Mortality among employees of lead battery plants and lead-producing plants, 1947–1980. *Scand. J. Work Environ. Health*, **11**, 331–345
- Cordioli, G., Cuoghi, L., Solari, P.L., Berrino, F., Crosignani, P. & Riboli, E. (1987) [Mortality from tumors in a cohort of workers in the glass industry.] *Epidemiol. Prev.*, **30**, 16–18 (in Italian)
- Cory-Slechta, D.A. (1990) Lead exposure during advanced age: Alterations in kinetics and biochemical effects. *Toxicol. appl. Pharmacol.*, **104**, 67–78
- Cory-Slechta, D.A. (2003) Lead-induced impairments in complex cognitive function: Offerings from experimental studies. *Neuropsychol. Dev. Cogn. Sect. C Child Neuropsychol.*, **9**, 54–75
- Cory-Slechta, D.A., Weiss, B. & Cox, C. (1989) Tissue distribution of Pb in adult vs. old rats: A pilot study. *Toxicology*, **59**, 139–150
- Coscia, J.M., Ris, M.D., Succop, P.A. & Dietrich, K.N. (2003) Cognitive development of lead exposed children from ages 6 to 15 years: An application of growth curve analysis. *Neuropsychol. Dev. Cogn. Sect. C Child Neuropsychol.*, **9**, 10–21
- Costa, L.G. (2003) Correspondence re: Navas-Acien *et al.*, Interactive effect of chemical substances and occupational electromagnetic field exposure on the risk of gliomas and meningiomas in Swedish men. *Cancer Epidemiol. Biomarkers Prev.*, **12**, 950
- Coste, J., Mandereau, L., Pessione, F., Bregu, M., Faye, C., Hemon, D. & Spira, A (1991) Lead-exposed workmen and fertility: A cohort study on 354 subjects. *Eur. J. Epidemiol.*, **7**, 154–158
- Counter, S.A., Vahter, M., Laurell, G., Buchanan, L.H., Ortega, F. & Skerfving, S. (1997a) High lead exposure and auditory sensory-neural function in Andean children. *Environ. Health Perspect.*, **105**, 522–526
- Counter, S.A., Buchanan, L.H., Ortega, F. & Laurell, G. (1997b) Normal auditory brainstem and cochlear function in extreme pediatric plumbism. *J. Neurol. Sci.*, **152**, 85–92
- Counter, S.A., Buchanan, L.H., Ortega, F., Amarasiriwardena, C. & Hu, H. (2000) Environmental lead contamination and pediatric lead intoxication in an Andean Ecuadorian village. *Int. J. occup. environ. Health*, **75**, 169–176
- Cragg, B. & Rees, S. (1984) Increased body:brain weight ratio in developing rats after low exposure to organic lead. *Exp. Neurol.*, **86**, 113–121
- Cramér, K., Goyer, R.A., Jagenburg, R. & Wilson, M.H. (1974) Renal ultrastructure, renal function, and parameters of lead toxicity in workers with different periods of lead exposure. *Br. J. ind. Med.*, **31**, 113–127
- Cremin, J.D., Jr & Smith, D.R. (2002) In vitro vs in vivo Pb effects on brain protein kinase C activity. *Environ. Res.*, **90**, 191–199
- Cremin, J.D., Jr, Luck, M.L., Laughlin, N.K. & Smith, D.R. (2001) Oral succimer decreases the gastrointestinal absorption of lead in juvenile monkeys. *Environ. Health Perspect.*, **109**, 613–619
- Crowe, A. & Morgan, E.H. (1996) Interactions between tissue uptake of lead and iron in normal and iron-deficient rats during development. *Biol. trace Elem. Res.*, **52**, 249–261
- Crowne, H., Lim, C.K. & Samson, D. (1981) Determination of 5-aminolaevulinic acid dehydrase activity in erythrocytes by high-performance liquid chromatography. *J. Chromatogr.*, **223**, 421–425
- Cueto, L.M., Baer, R.D. & Montano Gonzalez, E. (1989) Three cases of unusual lead poisoning. *Am. J. Gastroenterol.*, **84**, 1460

- Cunningham, S.D. & Ow, D.W. (1996) Promises and prospects for phytoremediation. *Plant Physiol.*, **110**, 715–719
- Dabeka, R.W. & McKenzie, A.D. (1987) Lead, cadmium, and fluoride levels in market milk and infant formulas in Canada. *J. Assoc. off. anal. Chem.*, **70**, 754–757
- Dabeka, R.W. & McKenzie, A.D. (1988) Lead and cadmium levels in commercial infant foods and dietary intake by infants 0–1 year old. *Food Addit. Contam.*, **5**, 333–342
- Dabeka, R.W., McKenzie, A.D. & Lacroix, G.M.A. (1987) Dietary intakes of lead, cadmium, arsenic and fluoride by Canadian adults: A 24-hour duplicate diet study. *Food Addit. Contam.*, **4**, 89–102
- Dabeka, R.W., Karpinski, K.F., McKenzie, A.D. & Badjik, C.D. (1988) Survey of lead and cadmium in human milk and correlation of levels with environmental and food factors. *Sci. total Environ.*, **71**, 65–66
- Dalpra, L., Tibiletti, M.G., Nocera, G., Giulotto, P., Auriti, L., Carnelli, V. & Simoni, G. (1983) SCE analysis in children exposed to lead emission from a smelting plant. *Mutat. Res.*, **120**, 249–256
- Dalton, C.B., McCammon, J.B., Hoffman, R.E. & Baron, R.C. (1997) Blood lead levels in radiator repair workers in Colorado. *J. occup. environ. Med.*, **39**, 58–62
- Dams, R., Vandecasteele, C., Desmet, B., Helsen, M., Nagels, M., Vermeir, G. & Yu, Z.Q. (1988) Element concentrations in the air of an indoor shooting range. *Sci. total Environ.*, **77**, 1–13
- Danadevi, K., Rozati, R., Saleha Banu, B., Hanumanth Rao, P. & Grover, P. (2003) DNA damage in workers exposed to lead using comet assay. *Toxicology*, **187**, 183–193
- Daniels, W.J. (1988) Health Hazard Evaluation Report, HETA 88-0031-1894, Camp Bird Ventures, Ouray, CO, USA, NIOSH
- Daniels, W.J. & Hales, T.R. (1989) Health Hazard Evaluation Report, HETA 89-0136-1991, Blue Range Mining Co., Lewistown, MT, USA, NIOSH
- Daniels, W.J., Hales, T.R. & Gunter, B.J. (1989) Health Hazard Evaluation Report, HETA 89-0213-1992, Blue Range Engineering Co., Butte, MT, USA, NIOSH
- David, O.J. (1974) Association between lower level lead concentrations and hyperactivity in children. *Environ. Health Perspect.*, **7**, 17–25
- Davies, B.E. (1983) A graphical estimation of the normal lead content of some British soils. *Geoderma*, **29**, 67–75
- Davies, J.M. (1984a) Lung cancer mortality among workers making lead chromate and zinc chromate pigments at three English factories. *Br. J. ind. Med.*, **41**, 158–169
- Davies, J.M. (1984b) Long term mortality study of chromate pigment workers who suffered lead poisoning. *Br. J. ind. Med.*, **41**, 170–178
- Davies, B.E., Elwood, P.C., Gallacher, J. & Ginnever, R.C. (1985) The relationships between heavy metals in garden soils and house dusts in an old lead mining area of North Wales, Great Britain. *Environ. Pollut.*, **B9**, 255–266
- Davies, D.J.A., Watt, J.M. & Thornton, I. (1987) Air lead concentration in Birmingham, England — A comparison between levels inside and outside inner-city homes. *Environ. Geochem. Health*, **9**, 3–7
- Davis, A., Ruby, M.V. & Bergstrom, P.D. (1992) Bioavailability of arsenic and lead in soils from the Butte, Montana, mining district. *Environ. Sci. Technol.*, **26**, 461–468
- Davis, A., Ruby, M.V. & Bergstrom, P.D. (1994) Factors controlling lead bioavailability in the Butte mining district, Montana, USA. *Environ. Geochem. Health*, **16**, 147–157

- Decker, J. & Galson, S. (1991) Health Hazard Evaluation Report, HETA 91-0073-2165, Carbonnaire Co. Palmerton, PA, USA, NIOSH
- De Jonghe, W.R.A., Chakraborti, D. & Adams, F.C. (1981) Identification and determination of individual tetraalkyllead species in air. *Env. Sci. Technol.*, **15**, 1217–1222
- Deknudt, G. & Deminatti, M. (1978) Chromosome studies in human lymphocytes after in vitro exposure to metal salts. *Toxicology*, **10**, 67–75
- Deknudt, G. & Gerber, G.B. (1979) Chromosomal aberrations in bone-marrow cells of mice given a normal or a calcium-deficient diet supplemented with various heavy metals. *Mutat. Res.*, **68**, 163–168
- Deknudt, G., Colle, A. & Gerber, G.B. (1977) Chromosomal abnormalities in lymphocytes from monkeys poisoned with lead. *Mutat. Res.*, **45**, 77–83
- De la Burdé, B. & Choate, M.S. (1975) Early asymptomatic lead exposure and development at school age. *J. Pediatr.*, **87**, 638–642
- De la Fuente, H., Portales-Pérez, D., Baranda, L., Díaz-Barriga, F., Saavedra-Alanís, V., Layseca, E. & González-Amaro, R. (2002) Effect of arsenic, cadmium and lead on the induction of apoptosis of normal human mononuclear cells. *Clin. exp. Immunol.*, **129**, 69–77
- De Leacy, E. (1991) Lead crystal. *Lancet*, **337**, 858–859
- Delves, H.T., Diaper, S.J., Oppert, S., Prescott-Clarke, P., Periam, J., Dong, W., Colhoun, H. & Gompertz, D. (1996) Blood lead concentrations in United Kingdom have fallen substantially since 1984. *Br. med. J.*, **313**, 883–884
- Denno, D.W. (1990) *Biology and Violence*, New York, Cambridge University Press
- Der, R., Fahim, Z., Yousef, M. & Fahim, M. (1976) Environmental interaction of lead and cadmium on reproduction and metabolism of male rats. *Res. Comm. chem. Pathol. Pharmacol.*, **14**, 689–713
- De Restrepo, H.G., Sicard, D. & Torres, M.M. (2000) DNA damage and repair in cells of lead exposed people. *Am. J. ind. Med.*, **38**, 330–334
- DeSilva, P.E. (1981) Determination of lead in plasma and studies on its relationship to lead in erythrocytes. *Br. J. ind. Med.*, **38**, 209–217
- Dhir, H., Roy, A.K. & Sharma, A. (1993) Relative efficiency of *Phyllanthus emblica* fruit extract and ascorbic acid in modifying lead and aluminium-induced sister-chromatid exchanges in mouse bone marrow. *Environ. mol. Mutag.*, **21**, 229–236
- Díaz, C., Galindo, L., Montelongo, F.G., Lerrechi, M.S. & Rius, F.X. (1990) Metals in coastal waters of Santa Cruz de Tenerife, Canary Islands. *Marine Pollut. Bull.*, **21**, 91–95
- Dickinson, L., Reichert, E.L., Ho, R.C.S., Rivers, J.B. & Kominami, N. (1972) Lead poisoning in a family due to cocktail glasses. *Am. J. Med.*, **52**, 391–394
- Diemel, J.A.L., Brunekreef, B., Boleij, J.S.M., Biersteker, K. & Veenstra, S.J. (1981) The Arnhem lead study. II. Indoor pollution, and indoor/outdoor relationships. *Environ. Res.*, **25**, 449–456
- Dieter, M.P., Matthews, H.B., Jeffcoat, R.A. & Moseman, R.F. (1993) Comparison of lead bioavailability in F344 rats fed lead acetate, lead oxide, lead sulfide, or lead ore concentrate from Skagway, Alaska. *J. Toxicol. environ. Health*, **39**, 79–93
- Dietrich, K., Krafft, K., Bier, M., Succop, P., Berger, O. & Bornschein, R. (1986) Early effects of fetal lead exposure: Neurobehavioural findings at six months. *Int. J. Biosoc. Res.*, **8**, 151–168
- Dietrich, K.N., Ris, M.D., Succop, P.A., Berger, O.G. & Bornschein, R.L. (2001) Early exposure to lead and juvenile delinquency. *Neurotoxicol. Teratol.*, **23**, 511–518

- Dillman, R.O., Crumb, C.K. & Lidsky, M.J. (1979) Lead poisoning from a gunshot wound: Report of a case and review of the literature. *Am. J. Med.*, **66**, 509–514
- Dingwall-Fordyce, I. & Lane, R.E. (1963) A follow-up study of lead workers. *Br. J. ind. Med.*, **20**, 313–315
- Djuric, D., Kerin, Z., Graovac-Leposavic, L., Novak, L. & Kop, M. (1971) Environmental contamination by lead from a mine and smelter — A preliminary report. *Arch. environ. Health*, **23**, 275–279
- Donald, J.M., Cutler, M.G. & Moore, M.R. (1986) Effects of lead in the laboratory mouse.
1. Influence of pregnancy upon absorption, retention, and tissue distribution of radio-labeled lead. *Environ. Res.*, **41**, 420–431
- Donmez, H., Dursun, N., Ozkul, Y. & Demirtas, H. (1998) Increased sister chromatid exchanges in workers exposed to occupational lead and zinc. *Biol. trace Elem. Res.*, **61**, 105–109
- Donovan, B.A. (1994) Health Hazard Evaluation Report, HETA 92-0029-2392, Kessler Studios, Loveland, OH, USA, NIOSH
- Drasch, G.A. (1982) Lead burden in prehistorical, historical and modern human bone. *Sci. total Environ.*, **24**, 199–231
- Drasch, G.A., Böhm, J. & Baur, C. (1987) Lead in human bones. Investigations on an occupationally non-exposed population in southern Bavaria (F.R.G.). I. Adults. *Sci. total Environ.*, **64**, 303–315
- Drasch, G.A., Wanghofer, E. & Roider, G. (1997) Are blood, urine, hair, and muscle valid biomonitoring for the internal burden of men with the heavy metals mercury, lead and cadmium? *Trace Elem. Electrolytes*, **14**, 116–123
- Driscoll, R.J. & Elliott, L.J. (1990) Health Hazard Evaluation Report, HETA 87-0126-2019, Chrysler Chemical Division, Trenton, MI, USA, NIOSH
- Driscoll, W., Mushak, P., Garfias, J. & Rothenberg, S.J. (1992) Reducing lead in gasoline — Mexico's experience. *Environ. Sci. Technol.*, **26**, 1702–1705
- Dubas, T.C., Stevenson, A., Singhal, R.L. & Hrdina, P.D. (1978) Regional alterations in brain biogenic amines in young rats following chronic lead exposure. *Toxicology*, **9**, 185–190
- Ducoffre, G., Claeys, F. & Bruaux, P. (1990) Lowering time trend of blood lead levels in Belgium since 1978. *Environ. Res.*, **51**, 25–34
- Dunbabin, D.W., Tallis, G.A., Popplewell, P.Y. & Lee, R.A. (1992) Lead poisoning from Indian herbal medicine (Ayurveda). *Med. J. Austr.*, **157**, 835–836
- Dunkel, V.C., Zeiger, E., Brusick, D., McCoy, E., McGregor, D., Mortelmans, K., Rosenkranz, H.S. & Simon, V.F. (1984) Reproducibility of microbial mutagenicity assays: I. Tests with *Salmonella typhimurium* and *Escherichia coli* using a standardized protocol. *Environ. Mutag.*, **6**, 1–254
- Duraisamy, V.P., Subramaniam, K.S., Chitdeshwari, T. & Singh, M.V. (2003) Seasonal and temporal changes in heavy metal pollution in sewage and their impacts on soil quality. In: Singh, V.P. & Yadava, R.N., eds, *Environmental Pollution: Proceedings of the International Conference on Water and Environment (WE-2003)*, New Delhi, Allied Publishers Pvt. Ltd., pp. 108–121
- Dussias, V., Stefos, T., Stefanidis, K., Paraskevaidis, E., Karabini, F. & Lolis, D. [originally cited as Vasilios, D., Theodor, S., Konstantinos, S., Evangelos, P., Fotini, K., Dimitrios, L.] (1997) Lead concentrations in maternal and umbilical cord blood in areas with high and low air pollution. *Clin. exp. Obstet. Gynecol.*, **24**, 187–189

- DuVal, G. & Fowler, B.A. (1989) Preliminary purification and characterization studies of a low molecular weight, high affinity cytosolic lead-binding protein in rat brain. *Biochem. biophys. Res. Commun.*, **159**, 177–184
- Duydu, Y. & Süzen, H. S. (2003) Influence of δ -aminolevulinic acid dehydratase (ALAD) polymorphism on the frequency of sister chromatid exchange (SCE) and the number of high-frequency cells (HFCs) in lymphocytes from lead-exposed workers. *Mutat. Res.*, **540**, 79–88
- Dwivedi, S.K. & Dey, S. (2002) Medicinal herbs: A potential source of toxic metal exposure for man and animals in India. *Arch. environ. Health*, **57**, 229–231
- Dwivedi, S.K., Swarup, D., Dey, S. & Patra, R.C. (2001) Lead poisoning in cattle and buffalo near primary lead-zinc smelter in India. *Vet. hum. Toxicol.*, **43**, 93–94
- Dykeman, R., Aguilar-Madrid, G., Smith, T., Juárez-Pérez, C.A., Piacitelli, G.M., Hu, H. & Hernandez-Avila, M. (2002) Lead exposure in Mexican radiator repair workers. *Am. J. ind. Med.*, **41**, 179–187
- Eades, L.J., Farmer, J.G., MacKenzie, A.B., Kirika, A. & Bailey-Watts, A.E. (2002) Stable lead isotopic characterisation of the historical record of environmental lead contamination in dated freshwater lake sediment cores from northern and central Scotland. *Sci. total Environ.*, **292**, 55–67
- Eastwell, H.D., Thomas, B.J. & Thomas, B.W. (1983) Skeletal lead burden in Aborigine petrol sniffers. *Lancet*, **ii**, 524–525
- Eaton, DL., Kalman, D., Garvey, D., Morgan, M. & Omenn, G.S. (1984) Biological availability of lead in a paint aerosol. 2. Absorption, distribution and excretion of intratracheally instilled lead paint particles in the rat. *Toxicol. Lett.*, **22**, 307–313
- Echt, A., Klein, M. & Reh, C.M. (1992) Health Hazard Evaluation Report, HETA 91-0124-2192, U.S. Park Police, Washington, DC, USA, NIOSH
- Eckel, W.P. & Jacob, T.A. (1988) Ambient levels of 24 dissolved metals in U.S. surface and ground waters. In: *Proceedings of the 196th Meeting of the American Chemical Society, Division of Environmental Chemistry*, **28**, 371–372
- Edelstein, S., Fullmer, C.S. & Wasserman, R.H. (1984) Gastrointestinal absorption of lead in chicks: Involvement of the cholecalciferol endocrine system. *J. Nutr.*, **114**, 692–700
- Edminster, S.C. & Bayer, M.J. (1985) Recreational gasoline sniffing: Acute gasoline intoxication and latent organolead poisoning. Case reports and literature review. *J. Emerg. Med.*, **3**, 365–370
- Ehrlich, R., Robins, T., Jordaan, E., Miller, S., Mboli, S., Selby, P., Wynchank, S., Cantrell, A., De Broe, M., D'Haese, P., Todd, A. & Landrigan, P. (1998) Lead absorption and renal dysfunction in a South African battery factory. *Occup. environ. Med.*, **55**, 453–460
- Eldred, R.A. & Cahill, T.A. (1994) Trends in elemental concentrations of fine particles at remote sites in the United States of America. *Atmos. Environ.*, **28**, 1009–1019
- Elias, R.W. (1985) Lead exposures in the human environment. In: Mahaffey, K.R., ed., *Dietary and Environmental Lead: Human Health Effects*, Amsterdam, Elsevier Science Publisher B.V., pp. 79–107
- Elias, Z., Poirot, O., Pezerat, H., Suquet, H., Schneider, O., Danière, M.C., Terzetti, F., Baruthio, F., Fournier, M. & Cavelier, C. (1989) Cytotoxic and neoplastic transforming effects of industrial hexavalent chromium pigments in Syrian hamster embryo cells. *Carcinogenesis*, **10**, 2043–2052

- Elinder, C.-G., Friberg, L., Lind, B., Nilsson, B., Svartengren, M. & Övermark, I. (1986) Decreased blood lead levels in residents of Stockholm for the period 1980–1984. *Scand. J. Work Environ. Health*, **12**, 114–120
- Ellis, G.B. & Desjardins, C. (1982) Male rats secrete luteinizing hormone and testosterone episodically. *Endocrinology*, **110**, 1618–1627
- Elmarsafawy, S.F., Tsaih, S.-W., Korrick, S., Dickey, J.H., Sparrow, D., Aro, A. & Hu, H. (2002) Occupational determinants of bone and blood lead levels in middle aged and elderly men from the general community: The Normative Aging Study. *Am. J. Ind. Med.*, **42**, 38–49
- Englyst, V., Lundstrom, N., Gerhardsson, L., Rylander, L. & Nordberg, G. (1999) Determinants of lung cancer risks among lead exposed smelter workers (Abstract). In: *Proceedings of the International Conference on Lead Exposure, Reproductive Toxicity, and Carcinogenicity, June 7–9, 1999, Gargano, Italy*
- Englyst, V., Lundström, N.-G., Gerhardsson, L., Rylander, L. & Nordberg, G. (2001) Lung cancer risks among lead smelter workers also exposed to arsenic. *Sci. total Environ.*, **273**, 77–82
- Enterline, P.E., Marsh, G.M., Esmen, N.N., Henderson, V.L., Callahan, C.M. & Paik, M. (1987) Some effects of cigarette smoking, arsenic, and SO₂ on mortality among US copper smelter workers. *J. occup. Med.*, **29**, 831–838
- Environment Agency, Japan (1997) [Air Pollution in Japan, 1996], The Government of Japan, Tokyo, Gyosei Publishers (in Japanese)
- Environmental Management Bureau (1996) *Philippine Environmental Quality Report 1990–1995*, Manila, Environmental Management Bureau, Department of Environmental and Natural Resources, the Government of the Philippines, p. 9
- Environment Protection Administration ROC (1991) [Domestic Environmental Information and Statistics of Taiwan Area ROC, 1990], Taipei, Environmental Protection Administration Printing Office, p. 480 (in Chinese)
- Epstein, S.S. & Mantel, N. (1968) Carcinogenicity of tetraethyl lead. *Experientia*, **24**, 580–581
- Epstein, H.T., Newton, J.T. & Fenton, K. (1999) Lead effects on offspring depend on when mouse mothers were exposed to lead. *Biol. Neonate*, **75**, 272–278
- Erfurth, E.M., Gerhardsson, L., Nilsson, A., Rylander, L., Schütz, A., Skerfving, S. & Börjesson, J. (2001) Effects of lead on the endocrine system in lead smelter workers. *Arch. environ. Health*, **56**, 449–455
- Erkkilä, J., Armstrong, R., Riihimaki, V., Chettle, D.R., Paakkari, A., Scott, M., Somervaille, L., Starck, J., Kock, B. & Aitio, A. (1992) In vivo measurements of lead in bone at four anatomical sites: Long term occupational and consequent endogenous exposure. *Br. J. Ind. Med.*, **49**, 631–644
- Ernhart, C., Morrow-Tlucak, M., Wolf, A.W., Super, D. & Drotar, D. (1989) Low level lead exposure in the prenatal and early preschool periods: Intelligence prior to school entry. *Neurotoxicol. Teratol.*, **11**, 161–170
- Esernio-Jenssen, D., Donatelli-Guagenti, A. & Mofenson, H.C. (1996) Severe lead poisoning from an imported clothing accessory: ‘Watch’ out for lead. *Clin. Toxicol.*, **34**, 329–333
- ESPI Corp. (2002) *Technical Data Sheets: Lead*, Ashland, OR, USA, pp. 169–174
- Esswein, E.J., Boeniger, M.F., Hall, R.M. & Mead, K. (1996) Health Hazard Evaluation Report, HETA 94-0268-2618, Standard Industries, San Antonio, TX, USA, NIOSH
- European Commission (1998) Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth indi-

- vidual Directive within the meaning of Article 16(1) of Directive 89/391/EEC), *Official Journal of the European Communities*, **L131**, 11–23
- Everson, J. & Patterson, C.C. (1980) 'Ultra-clean' isotope dilution/mass spectrometric analyses for lead in human blood plasma indicate that most reported values are artificially high. *Clin. Chem.*, **26**, 1603–1607
- Evis, M.J., Kane, K.A., Moore, M.R. & Parratt, J.R. (1985) The effects of chronic low lead treatment and hypertension on the severity of cardiac arrhythmias induced by coronary artery ligation in anaesthetized rats. *Toxicol. appl. Pharmacol.*, **80**, 235–242
- Evis, M.J., Dhaliwal, K., Kane, K.A., Moore, M.R. & Parratt, J.R. (1987) The effects of chronic lead treatment and hypertension on the severity of cardiac arrhythmias induced by coronary artery occlusion or by noradrenaline in anaesthetised rats. *Arch. Toxicol.*, **59**, 336–340
- Ewers, U., Stiller-Winkler, R. & Idel, H. (1982) Serum immunoglobulin, complement C3, and salivary IgA levels in lead workers. *Environ. Res.*, **29**, 351–357
- Ewers, L.M., Piacitelli, G.M. & Whelan, E.A. (1995) Health Hazard Evaluation Report, HETA 93-0502-2503, George Campbell Painting Co., Groton, CT, USA, NIOSH
- Facchetti, S. (1989) Lead in petrol. The isotopic lead experiment. *Acc. Chem. Res.*, **22**, 370–374
- Factor-Litvak, P., Graziano, J.H., Kline, J.K., Popovac, D., Mehmeti, A., Ahmed, G., Shrout, P., Murphy, M.J., Gashi, E., Haxhiu, R., Rajovic, L., Nenezic, D.U. & Stein, Z.A. (1991) A prospective study of birthweight and length of gestation in a population surrounding a lead smelter in Kosovo, Yugoslavia. *Int. J. Epidemiol.*, **20**, 722–728
- Fair, J.M. & Ricklefs, R.E. (2002) Physiological, growth, and immune responses of Japanese quail chicks to the multiple stressors of immunological challenge and lead shot. *Arch. environ. Contam. Toxicol.*, **42**, 77–87
- Fairhall, L.T. & Miller, J.W. (1941) A study of the relative toxicity of the molecular components of lead arsenate. *Publ. Health Rep.*, **56**, 1610–1625
- Falcón, M., Viñas, P. & Luna, A. (2003) Placental lead and outcome of pregnancy. *Toxicology*, **185**, 59–66
- Fanning, D. (1988) A mortality study of lead workers, 1926–1985. *Arch. environ. Health*, **43**, 247–251
- FAO/WHO (1993) *Evaluation of Certain Food Additives and Contaminants*, Forty-first Report of the Joint FAO/WHO Expert Committee on Food Additives (Technical Report Series 837), Geneva, World Health Organization
- Farias, P., Borja-Aburto, V.H., Rios, C., Hertz-Pannier, I., Rojas-Lopez, M. & Chavez-Ayala, R. (1996) Blood lead levels in pregnant women of high and low socioeconomic status in Mexico City. *Environ. Health Perspect.*, **104**, 1070–1074
- Farmer, A.A. & Farmer, A.M. (2000) Concentrations of cadmium, lead and zinc in livestock feed and organs around a metal production centre in eastern Kazakhstan. *Sci. total Environ.*, **257**, 53–60
- Fayerweather, W.E., Karns, M.E., Nuwayhid, I.A. & Nelson, T.J. (1997) Case-control study of cancer risk in tetraethyl lead manufacturing. *Am. J. ind. Med.*, **31**, 28–35
- Fears, T.R., Elashoff, R.M. & Schneiderman, M.A. (1989) The statistical analysis of carcinogen mixture experiment. III Carcinogens with different target systems, aflatoxins B1, N-butyl-N-(4-hydroxybutyl)nitrosamine, lead acetate, and thiouracil. *Toxicol. ind. Health*, **5**, 1–23
- Fergusson, D.M., Horwood, L.J. & Lynskey, M.T. (1997) Early dentine lead levels and educational outcomes at 18 years. *J. Child Psychol. Psychiatr.*, **38**, 471–478

- Fernández, R., Morales, F. & Benzo, Z. (2003) Lead exposure in day care centres in the Caracas Valley — Venezuela. *Int. J. environ. Health Res.*, **13**, 3–9
- Fernandez-Cabezudo, M.J., Hasan, M.Y., Mustafa, N., El-Sharkawy, R.T., Fahim, M.A. & Al-Ramadi, B.K. (2003) Alpha tocopherol protects against immunosuppressive and immunotoxic effects of lead. *Free Radic. Res.*, **37**, 437–445
- Fernando, N.P., Healy, M.A., Aslam, M., Davis, S.S. & Hussein, A. (1981) Lead poisoning and traditional practices: The consequences for world health. A study in Kuwait. *Public Health (London)*, **95**, 250–260
- Fett, M.J., Mira, M., Smith, J., Alperstein, G., Causer, J., Brokenshire, T., Gulson, B. & Cannata, S. (1992) Community prevalence survey of children's blood lead levels and environmental lead contamination in inner Sidney. *Med. J. Aust.*, **157**, 441–445
- Fischbein, A., Rice, C., Sarkozi, L., Kon, S.H., Petrocci, M. & Selikoff, I.J. (1979) Exposure to lead in firing ranges. *JAMA*, **241**, 1141–1144
- Fischbein, A., Wallace, J., Sassa, S., Kappas, A., Butts, G., Rohl, A. & Kaul, B. (1992) Lead poisoning from art restoration and pottery work: Unusual exposure source and household risk. *J. environ. Pathol. Toxicol. Oncol.*, **11**, 7–11
- Fischer, A.B., Georgieva, R., Nikolova, V., Halkova, J., Bainova, A., Hristeva, V., Penkov, D. & Alandjiisk, D. (2003) Health risk for children from lead and cadmium near a non-ferrous smelter in Bulgaria. *Int. J. Hyg. environ. Health*, **206**, 25–38
- Fitch, A. (1998) Lead analysis: Past and present. *Crit. Rev. anal. Chem.*, **28**, 267–345
- Fitchko, J. & Hutchinson, T.C. (1975) A comparative study of heavy metal concentrations in river mouth sediments around the Great Lakes. *J. Great Lakes Res.*, **1**, 46–78
- Flanagan, P.R., Hamilton, D.L., Haist, J. & Valberg, L.S. (1979) Interrelationships between iron and lead absorption in iron-deficient mice. *Gastroenterology*, **77**, 1074–1081
- Fleming, D.E.B., Boulay, D., Richard, N.S., Robin, J.-P., Gordon, C.L., Webber, C.E. & Chettle, D.R. (1997) Accumulated body burden and endogenous release of lead in employees of a lead smelter. *Environ. Health Perspect.*, **105**, 224–233
- Fleming, D.E.B., Chettle, D.R., Wetmur, J.G., Desnick, R.J., Robin, J.-P., Boulay, D., Richard, N.S., Gordon, C.L. & Webber, C.E. (1998) Effect of the δ-aminolevulinate dehydratase polymorphism on the accumulation of lead in bone and blood in lead smelter workers. *Environ. Res.*, **77**, 49–61
- Fleming, D.E., Chettle, D.R., Webber, C.E. & O'Flaherty, E.J. (1999) The O'Flaherty model of lead kinetics: An evaluation using data from a lead smelter population. *Toxicol. appl. Pharmacol.*, **161**, 100–109
- Flora, S.J.S. & Tandon, S.K. (1986) Preventive and therapeutic effects of thiamine, ascorbic acid and their combination in lead intoxication. *Acta pharmacol. toxicol.*, **58**, 374–378
- Flora, G.J.S., Khanna, V.K. & Seth, P.K. (1999) Changes in neurotransmitter receptors and neuro-behavioral variables in rats co-exposed to lead and ethanol. *Toxicol. Lett.*, **109**, 43–49
- Florence, T.M., Lilley, S.G. & Stauber, J.L. (1988) Skin absorption of lead. *Lancet*, **ii**, 157–158
- Florence, T.M., Stauber, J.L., Dale, L.S., Henderson, D., Izard, B.E. & Belbin, K. (1998) The absorption of ionic lead compounds through the skin of mice. *J. nutr. environ. Med.*, **8**, 19–23
- Forbes, G.B. & Reina, J.C. (1972) Effect of age on gastrointestinal absorption (Fe, Sr, Pb) in the rat. *J. Nutr.*, **102**, 647–652

- Forni, A. & Secchi, G.C. (1972) Chromosome changes in preclinical and clinical lead poisoning and correlation with biochemical findings. In: *Proceedings of the International Symposium 'Environmental Health Aspects of Lead'*, Amsterdam, Oct 2–6, pp. 473–485
- Forni, A., Cambiaghi, G. & Secchi, G.C. (1976) Initial occupational exposure to lead. Chromosome and biochemical findings. *Arch. environ. Health*, **31**, 73–78
- Foster, W.G. (1992) Reproductive toxicity of chronic lead exposure in the female cynomolgus monkeys. *J. reprod. Toxicol.*, **6**, 123–131
- Foster, W.G., McMahon, A. & Rice, D.C. (1996) Sperm chromatin structure is altered in cynomolgus monkeys with environmentally relevant blood lead levels. *Toxicol. ind. Health*, **12**, 723–735
- Fouassin, A. & Fondu, M. (1980) Evaluation of the daily intake of lead and cadmium from food in Belgium. *Arch. Belg. Méd. Soc. Hyg. Méd. Trav. Méd. Lég.*, **38**, 453–467
- Fowler, B.A. (1998) Roles of lead-binding proteins in mediating lead bioavailability. *Environ. Health Perspect.*, **106** (Suppl. 6), 1585–1587
- Fowler, B.A. & DuVal, G. (1991) Effects of lead on the kidney: Roles of high-affinity lead-binding proteins. *Environ. Health Perspect.*, **91**, 77–80
- Fowler, B.A., Kimmel, C.A., Woods, J.S., McConnell, E.E. & Grant, L.D. (1980) Chronic low-level lead toxicity in the rat. III. An integrated assessment of long-term toxicity with special reference to the kidney. *Toxicol. appl. Pharmacol.*, **56**, 59–77
- Fowler, B.A., Kahng, M.W., Smith, D.R., Conner, E.A. & Laughlin, N.K. (1993) Implications of lead binding proteins for risk assessment of lead exposure. *J. Exp. Anal. environ. Epidemiol.*, **3**, 441–448
- Fox, D.A., He, L., Poblenz, A.T., Medrano, C.J., Blocker, Y.S. & Srivastava, D. (1998) Lead-induced alterations in retinal cGMP phosphodiesterase trigger calcium overload, mitochondrial dysfunction and rod photoreceptor apoptosis. *Toxicol. Lett.*, **102–103**, 359–361
- Fracasso, M.E., Perbellini, L., Solda, S., Talamini, G. & Franceschetti, P. (2002) Lead induced DNA strand breaks in lymphocytes of exposed workers: Role of reactive oxygen species and protein kinase C. *Mutat. Res.*, **515**, 159–169
- Franco, G., Cottica, D. & Minoia, C. (1994) Chewing electric wire coatings: An unusual source of lead poisoning. *Am. J. ind. Med.*, **25**, 291–296
- Franklin, C.A., Inskip, M.J., Baccanale, C.L., Edwards, C.M., Manton, W.I., Edwards, E. & O'Flaherty, E.J. (1997) Use of sequentially administered stable lead isotopes to investigate changes in blood lead during pregnancy in a nonhuman primate (*Macaca fascicularis*). *Fundam. appl. Toxicol.*, **39**, 109–119
- Freeman, G.B., Johnson, J.D., Killinger, J.M., Liao, S.C., Feder, P.I., Davis, A.O., Ruby, M.V., Chaney, R.L., Lovre, S.C. & Bergstrom, P.D. (1992) Relative bioavailability of lead from mining waste soil in rats. *Fundam. appl. Toxicol.*, **19**, 388–398
- Freeman, G.B., Johnson, J.D., Liao, S.C., Feder, P.I., Davis, A.O., Ruby, M.V., Schoof, R.A., Chaney, R.L. & Bergstrom, P.D. (1994) Absolute bioavailability of lead acetate and mining waste lead in rats. *Toxicology*, **91**, 151–163
- Freeman, G.B., Dill, J.A., Johnson, J.D., Kurtz, P.J., Parham, F. & Matthews, H.B. (1996) Comparative absorption of lead from contaminated soil and lead salts by weanling Fischer 344 rats. *Fundam. appl. Toxicol.*, **33**, 109–119

- Frenz, P.Y., Vega, J.M., Marchetti, N.P., Torres, J.P., Kopplin, E.I., Delgado, I.B. & Vega, F.A. (1997) [Chronic exposure to environmental lead in Chilean nursing infants.] *Rev. méd. Chile*, **125**, 1137–1144 (in Spanish)
- Friberg, L. & Vahter, M. (1983) Assessment of exposure to lead and cadmium through biological monitoring: Results of UNEP/WHO global study. *Environ. Res.*, **30**, 95–128
- Frisancho, A.R. & Ryan, A.S. (1991) Decreased stature associated with moderate blood lead concentrations in Mexican-American children. *Am. J. clin. Nutr.*, **54**, 516–519
- Froom, P., Kristal-Boneh, E., Benbassat, J., Ashkanazi, R. & Ribak, J. (1998) Predictive value of determinations of zinc protoporphyrin for increased blood lead concentrations. *Clim. Chem.*, **44**, 1283–1288
- Fu, H. & Boffetta, P. (1995) Cancer and occupational exposure to inorganic lead compounds: A meta-analysis of published data. *Occup. environ. Med.*, **52**, 73–81
- Fujiwara, Y. & Kaji, T. (1999) Possible mechanism for lead inhibition of vascular endothelial cell proliferation: A lower response to basic fibroblast growth factor through inhibition of heparan sulfate synthesis. *Toxicology*, **133**, 147–157
- Fukui, Y., Miki, M., Ukai, H., Okamoto, S., Takada, S., Higashikawa, K. & Ikeda, M. (1999) Urinary lead as a possible surrogate of blood lead among workers occupationally exposed to lead. *Int. Arch. occup. environ. Health*, **72**, 516–20
- Fukunaga, M., Kurachi, Y. & Mizuguchi, Y. (1982) Action of some metal ions on yeast chromosomes. *Chem. pharm. Bull.*, **30**, 3017–3019
- Fullmer, C.S. (1990) Intestinal lead and calcium absorption: Effect of 1,25-dihydroxycholecalciferol and lead status. *Proc. Soc. exp. Biol. Med.*, **194**, 258–264
- Fullmer, C.S. (1991) Intestinal calcium and lead absorption: Effects of dietary lead and calcium. *Environ. Res.*, **54**, 159–169
- Fullmer, C.S. (1997) Lead–calcium interactions: Involvement of 1,25-dihydroxyvitamin D. *Environ. Res.*, **72**, 45–55
- Fullmer, C.S., Edelstein, S. & Wasserman, R.H. (1985) Lead-binding properties of intestinal calcium-binding proteins. *J. biol. Chem.*, **260**, 6816–6819
- Fulton, M., Thomson, G., Hunter, R., Raab, G., Laxen, D. & Hepburn, W. (1987) Influence of blood lead on the ability and attainment of children in Edinburgh. *Lancet*, **i**, 1221–1226
- Fuortes, L. & Bauer, E. (2000) Lead contamination of imported candy wrappers. *Vet. hum. Toxicol.*, **42**, 41–42
- Furst, A., Schlauder, M. & Sasmore, D.P. (1976) Tumorigenic activity of lead chromate. *Cancer Res.*, **36**, 1779–1783
- Galal-Gorchev, H. (1991a) Dietary intake of pesticide residues, cadmium, mercury and lead. *Food addit. Contam.*, **8**, 793–806
- Galal-Gorchev, H. (1991b) Global overview of dietary lead exposure. *Chem. Speciation Bioavailab.*, **3**, 5–11
- Galke, W., Clark, S., Wilson, J., Jacobs, D., Succop, P., Dixon, S., Bornschein, B., McLaine, P. & Chen, M. (2001) Evaluation of the HUD Lead Hazard Control grant program: Early overall findings. *Environ. Res.*, **A86**, 149–156
- Gallicchio, L., Scherer, R.W. & Sexton, M. (2002) Influence of nutrient intake on blood lead levels of young children at risk for lead poisoning. *Environ. Health Perspect.*, **110**, A767–A772
- Garber, B.T. & Wei, E. (1974) Influence of dietary factors on the gastrointestinal absorption of lead. *Toxicol. appl. Pharmacol.*, **27**, 685–691

- Garrido Latorre, F., Hernandez-Avila, M., Tamayo Orozco, J., Albores Medina, C.A., Aro, A., Palazuelos, E. & Hu, H. (2003) Relationship of blood and bone lead to menopause and bone mineral density among middle-age women in Mexico City. *Environ. Health Perspect.*, **111**, 631–636
- Garner, D.L., Pinkel, D., Johnson, L.A. & Pace, M.M. (1986) Assessment of spermatozoal function using dual fluorescent staining and flow cytometric analyses. *Biol. Reprod.*, **34**, 127–138
- Gartrell, M.J., Craun, J.C., Podrebarac, D.S. & Gunderson, E.L. (1985a) Pesticides, selected elements, and other chemicals in adult total diet samples, October 1979–September 1980. *J. Assoc. Off. Anal. Chem.*, **68**, 1184–1197
- Gartrell, M.J., Craun, J.C., Podrebarac, D.S. & Gunderson, E.L. (1985b) Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1979–September 1980. *J. Assoc. Off. Anal. Chem.*, **68**, 1163–1183
- Gasiorek, K. & Bauchinger, M. (1981) Chromosome changes in human lymphocytes after separate and combined treatment with divalent salts of lead, cadmium, and zinc. *Environ. Mutag.*, **3**, 513–518
- Gélinas, Y., Lafond, J. & Schmit, J.-P. (1998) Multielemental Analysis of Human Fetal Tissues using Inductively Coupled Plasma-Mass Spectrometry. *Biol. Trace Elem. Res.*, **59**, 63–74
- Gennart, J.P., Bernard, A. & Lauwers, R. (1992) Assessment of thyroid, testes, kidney and autonomic nervous system function in lead-exposed workers. *Int. Arch. occup. environ. Health*, **64**, 49–57
- George, P.M., Walmsley, T.A., Currie, D. & Wells, J.E. (1993) Lead exposure during recreational use of small bore rifle ranges. *N.Z. Med. J.*, **106**, 422–424
- Gerhardsson, L., Lundström, N.-G., Nordberg, G. & Wall, S. (1986) Mortality and lead exposure: A retrospective cohort study of Swedish smelter workers. *Br. J. ind. Med.*, **43**, 707–712
- Gerhardsson, L., Chettle, D.R., Englyst, V., Nordberg, G.F., Nyhlin, H., Scott, M.C., Todd, A.C. & Vesterberg, O. (1992) Kidney effects in long term exposed lead smelter workers. *Br. J. ind. Med.*, **49**, 186–192
- Gerhardsson, L., Attewell, R., Chettle, D.R., Englyst, V., Lundström, N.G., Nordberg, G.F., Nyhlin, H., Scott, M.C. & Todd, A.C. (1993) In vivo measurements of lead in bone in long-term exposed lead smelter workers. *Arch. environ. Health*, **48**, 147–156
- Gerhardsson, L., Hagmar, L., Rylander, L. & Skerfving, S. (1995a) Mortality and cancer incidence among secondary lead smelter workers. *Occup. environ. Med.*, **52**, 667–672
- Gerhardsson, L., Englyst, V., Lundström, N.-G., Nordberg, G., Sandberg, S. & Steinvall, F. (1995b) Lead in tissues of deceased lead smelter workers. *J. trace Elem. Med. Biol.*, **9**, 136–143
- Gerhardt, R.E., Crecelius, E.A. & Hudson, J.B. (1980) Trace element content of moonshine. *Arch. environ. Health*, **35**, 332–334
- Gerr, F., Letz, R., Stokes, L., Chettle, D., McNeill, F. & Kaye, W. (2002) Association between bone lead concentration and blood pressure among young adults. *Am. J. ind. Med.*, **42**, 98–106
- Gersberg, R.M., Gaynor, K., Tenczar, D., Bartzen, M., Ginsberg, M., Gresham, L.S. & Molgaard, C. (1997) Quantitative modeling of lead exposure from glazed ceramic pottery in childhood lead poisoning cases. *Int. J. environ. Health Res.*, **7**, 193–202
- Gerson, M., Van Den Eeden, S.K. & Gahagan, P. (1996) Take-home lead poisoning in a child from his father's occupational exposure. *Am. J. ind. Med.*, **29**, 507–508
- Gething, J. (1975) Tetramethyl lead absorption : A report of human exposure to a high level of tetramethyl lead. *Br. J. ind. Med.*, **32**, 329–333

- Gisbert, C., Ros, R., De Haro, A., Walker, D.J., Bernal, M.P., Serrano, R. & Navarro-Aviñó, J. (2003) A plant genetically modified that accumulates Pb is especially promising for phyto-remediation. *Biochem. biophys. Res. Commun.*, **303**, 440–445
- Gittleman, J., Estacio, P., O'Brien, D. & Montopoli, M. (1991) Health Hazard Evaluation Report, HETA 91-0213-2123, G.T. Jones Tire & Battery Distributing Inc., Birmingham, AL, USA, NIOSH
- Giuffréd de López Cameló, L., Ratto de Miguez, S. & Marbán, L. (1997) Heavy metals input with phosphate fertilizers used in Argentina. *Sci. total Environ.*, **204**, 245–250
- Godwin, H.A. (2001) The biological chemistry of lead. *Curr. Opin. chem. Biol.*, **5**, 223–227
- Goering, P.L. (1993) Lead-protein interactions as a basis for lead toxicity. *Neurotoxicology*, **14**, 45–60
- Gogte, S.T., Basu, N., Sinclair, S., Ghai, O.P. & Bhide, N.K. (1991) Blood lead levels of children with pica and surma use. *Indian J. Pediatr.*, **58**, 513–519
- Goldberg, A., Doyle, D., Yeung-Laiwah, A., Moore, M.R. & McColl, K.E.L. (1985) Relevance of cytochrome C oxidase deficiency to pathogenesis of acute porphyria. *Q. J. Med.*, **57**, 799 (Abstract)
- Goldberg, R.L., Hicks, A.M., O'Leary, L.M. & London, S. (1991) Lead exposure at uncovered outdoor firing ranges. *J. occup. Med.*, **33**, 718–719
- Goldman, R.H., Baker, E.L., Hannan, M. & Kamerow, D. (1987) Lead poisoning in automobile radiator mechanics. *New Engl. J. Med.*, **317**, 214–218
- Goldstein, G.W. (1993) Evidence that lead acts as a calcium substitute in second messenger metabolism. *Neurotoxicology*, **14**, 97–101
- Goldstein, D.H., Benoit, J.N. & Tyroler, H.A. (1970) An epidemiologic study of an oil mist exposure. *Arch. environ. Health*, **21**, 600–603
- Golter, M. & Michaelson, I.A. (1975) Growth, behavior and brain catecholamines in lead exposed neonatal rats: A reappraisal. *Science*, **187**, 359–361
- González-Cossío, T., Peterson, K.E., Sanín, L.-H., Fishbein, E., Palazuelos, E., Aro, A., Hernández-Avila, M. & Hu, H. (1997) Decrease in birth weight in relation to maternal bone-lead burden. *Pediatrics*, **100**, 856–862
- Gordon, J.N., Taylor, A. & Bennett, P.N. (2002) Lead poisoning: Case studies. *Br. J. clin. Pharmacol.*, **53**, 451–458
- Goyer, R.A. (1989) Mechanisms of lead and cadmium nephrotoxicity. *Toxicol. Lett.*, **46**, 153–162
- Goyer, R.A. (1990a) Transplacental transport of lead. *Environ. Health Perspect.*, **89**, 101–105
- Goyer, R.A. (1990b) Lead toxicity: From overt to subclinical to subtle health effects. *Environ. Health Perspect.*, **86**, 177–181
- Goyer, R.A. (1993) Lead toxicity: Current concerns. *Environ. Health Perspect.*, **100**, 177–187
- Goyer, R.A. & Wilson, M.H. (1975) Lead-induced inclusion bodies: Results of ethylenediamine-tetraacetic acid treatment. *Lab. Invest.*, **32**, 149–156
- Goyer, R.A., Leonard, D.L., Moore, J.F., Rhyne, B. & Krigman, M.R. (1970) Lead dosage and the role of the intranuclear inclusion body: An experimental study. *Arch. environ. Health*, **20**, 705–711
- Grandjean, P. & Bach, E. (1986) Indirect exposures: The significance of bystanders at work and at home. *Am. ind. Hyg. Assoc. J.*, **47**, 819–824
- Grandjean, P., Wulf, H.C. & Niebuhr, E. (1983) Sister chromatid exchange in response to variations in occupational lead exposure. *Environ. Res.*, **32**, 199–204

- Granick, J.L., Sassa, S., Granick, S., Levere, R.D. & Kappas, A. (1973) Studies in lead poisoning. II. Correlation between the ratio of activated to inactivated δ -aminolevulinic acid dehydratase of whole blood and the blood lead level. *Biochem. Med.*, **8**, 149–159
- Grant, L.D., Kimmel, C.A., West, G.L., Martinez-Vargas, C.M. & Howard, J.L. (1980) Chronic low-level toxicity in the rat. II. Effects on postnatal physical and behavioral development. *Toxicol. appl. Pharmacol.*, **56**, 42–58
- Grant, S., Walmsley, T.A. & George, P.M. (1992) Industrial blood lead levels in the South Island during 1988 and 1989: Trends and follow up patterns. *N.Z. med. J.*, **105**, 323–326
- Graziano, J.H. & Blum, C. (1991) Lead exposure from lead crystal. *Lancet*, **337**, 141–142
- Graziano, J.H., Popovac, D., Factor-Litvak, P., Shrout, P., Kline, J., Murphy, M.J., Zhao, Y.H., Mehmeti, A., Ahmed, X., Rajovic, B., Zvicer, Z., Nenezic, D.U., Lolacono, N.J. & Stein, Z. (1990) Determinants of elevated blood lead during pregnancy in a population surrounding a lead smelter in Kosovo, Yugoslavia. *Environ. Health Perspect.*, **89**, 95–100
- Graziano, J.H., Slavkovic, V., Factor-Litvak, P., Popovac, D., Ahmed, X. & Mehmeti, A. (1991) Depressed serum erythropoietin in pregnant women with elevated blood lead. *Arch. environ. Health*, **46**, 347–350
- Graziano, J.H., Blum, C.B., Lolacono, N.J., Slavkovich, V., Manton, W.I., Pond, S. & Moore, M.R. (1996) A human *in vivo* model for the determination of lead bioavailability using stable isotope dilution. *Environ. Health Perspect.*, **104**, 176–179
- Greene, T. & Ernhart, C.B. (1993) Dentine lead and intelligence prior to school entry: A statistical sensitivity analysis. *J. clin. Epidemiol.*, **46**, 323–339
- Gregus, Z. & Klaassen, C.D. (1986) Disposition of metals in rats: A comparative study of fecal, urinary, and biliary excretion and tissue distribution of eighteen metals. *Toxicol. appl. Pharmacol.*, **85**, 24–38
- Griffin, T.B., Coulston, F., Wills, H., Russel, J.C. & Knelson, J.H. (1975a) Clinical studies on men continuously exposed to airborne particulate lead. *Environ. Qual. Saf.*, **Suppl. 2**, 221–240
- Griffin, T.B., Coulston, F., Wills, H. & Russell, J.C. (1975b) Biologic effects of airborne particulate lead on continuously exposed rats and rhesus monkeys. *Environ. Qual. Saf.*, **Suppl. 2**, 202–220
- Grill, E., Winnacker, E.-L. & Zenk, M.H. (1985) Phytochelatins: The principal heavy-metal complexing peptides of higher plants. *Science*, **230**, 674–676
- Grill, E., Gekeler, W., Winnacker, E.-L. & Zenk, H.H. (1986) Homo-phytochelatins are heavy metal-binding peptides of homo-glutathione containing Fabales. *FEBS Letters*, **205**, 47–50
- Grill, E., Winnacker, E.-L. & Zenk, M.H. (1987) Phytochelatins, a class of heavy-metal-binding peptides from plants, are functionally analogous to metallothioneins. *Proc. natl Acad. Sci. USA*, **84**, 439–443
- Grill, E., Löfller, S., Winnacker, E.-L. & Zenk, M.H. (1989) Phytochelatins, the heavy-metal-binding peptides of plants, are synthesized from glutathione by a specific γ -glutamylcysteine dipeptidyl transpeptidase (phytochelatin synthetase). *Proc. natl Acad. Sci. USA*, **86**, 6838–6842
- Grill, E., Winnacker, E.L. & Zenk, M.H. (1991) Phytochelatins. *Meth. Enzymol.*, **205**, 333–341
- Grobler, S.R., Rossouw, R.J. & Maresky, L.S. (1985) Blood lead levels in a remote, unpolluted rural area in South Africa. *S. Afr. Med. J.*, **68**, 323–324
- Grobler, S.R., Rossouw, R.J. & Kotze, D. (1988) Effect of airborne lead on the blood lead levels of rats. *S. Afr. J. Sci.*, **84**, 260–262
- Grobler, S.R., Rossouw, R.J., Kotze, T.J.V.W. & Stander, I.A. (1991) The effect of airborne lead on lead levels of blood, incisors and alveolar bone of rats. *Arch. oral Biol.*, **36**, 357–360

- Gross, S.B., Pfitzer, E.A., Yeager, D.W. & Kehoe, R.A. (1975) Lead in human tissues. *Toxicol. appl. Pharmacol.*, **32**, 638–651
- Guilarte, T.R., Miceli, R.C. & Jett, D.A. (1995) Biochemical evidence of an interaction of lead at the zinc allosteric sites of the NMDA receptor complex: Effects of neuronal development. *Neurotoxicology*, **16**, 63–71
- Gulson, B.L. (1986) *Lead Isotopes in Mineral Exploration. Developments in Economic Geology*, Vol. 23, Amsterdam, Elsevier
- Gulson, B.L. (1996a) Tooth analyses of sources and intensity of lead exposure in children. *Environ. Health Perspect.*, **104**, 306–312
- Gulson, B.L. (1996b) Nails: Concern over their use in lead exposure assessment. *Sci. total Environ.*, **177**, 323–327
- Gulson, B.L., Mizon, K.J., Law, A.J., Korsch, M.J. & Davis, J.J. (1994) Source and pathways of lead in humans from the Broken Hill mining community — An alternative use of exploration methods. *Econom. Geol.*, **89**, 889–908
- Gulson, B.L., Mahaffey, K.R., Mizon, K.J., Korsch, M.J., Cameron, M.A. & Vimpani, G. (1995) Contribution of tissue lead to blood lead in adult female subjects based on stable lead isotope methods. *J. Lab. clin. Med.*, **125**, 703–712
- Gulson, B.L., James, M., Giblin, A.M., Sheehan, A. & Mitchell, P. (1997a) Maintenance of elevated lead levels in drinking water from occasional use and potential impact on blood leads in children. *Sci. total Environ.*, **205**, 271–275
- Gulson, B.L., Mahaffey, K.R., Vidal, M., Jameson, C.W., Vidal, M., Law, A.J., Mizon, K.J., Smith, A.J.M. & Korsch, M.J. (1997b) Dietary lead intakes for mother/child pairs and relevance to pharmacokinetic models. *Environ. Health Perspect.*, **105**, 1334–1342
- Gulson, B.L., Jameson, C.W., Mahaffey, K.R., Mizon, K.J., Korsch, M.J. & Vimpani, G. (1997c) Pregnancy increases mobilization of lead from maternal skeleton. *J. Lab. Clin. Med.*, **130**, 51–62
- Gulson, B.L., Jameson, C.W., Mahaffey, K.R., Mizon, K.J., Patison, N., Law, A.J., Korsch, M.J. & Salter, M.A. (1998a) Relationships of lead in breast milk to lead in blood, urine, and diet of the infant and mother. *Environ. Health Perspect.*, **106**, 667–674
- Gulson, B.L., Cameron, M.A., Smith, A.J., Mizon, K.J., Korsch, M.J., Vimpani, G., McMichael, A.J., Pisaniello, D., Jameson, C.W. & Mahaffey, K.R. (1998b) Blood lead-urine lead relationships in adults and children. *Environ. Res.*, **78**, 152–160
- Gulson, B.L., Stockley, C.S., Lee T.H., Gray, B., Mizon, K.J. & Patison, N. (1998c) Contribution of lead in wine to the total dietary intake of lead in humans with and without a meal: A pilot study. *J. Wine Res.*, **9**, 5–14
- Gulson, B.L., Mahaffey, K.R., Jameson, C.W., Mizon, K.J., Korsch, M.J., Cameron, M.A. & Eisman, J.A. (1998d) Mobilization of lead from the skeleton during the postnatal period is larger than during pregnancy. *J. Lab. clin. Med.*, **131**, 324–329
- Gulson, B.L., Gray, B., Mahaffey, K.R., Jameson, C.W., Mizon, K.J., Patison, N. & Korsch, M.J. (1999) Comparison of the rates of exchange of lead in the blood of newly born infants and their mothers with lead from their current environment. *J. Lab. clin. Med.*, **133**, 171–178
- Gulson, B.L., Mizon, K.J., Palmer, J.M., Korsch, M.J., Patison, N., Jameson, C.W. & Donnelly, J.B. (2000) Urinary lead isotopes during pregnancy and postpartum indicate no preferential partitioning of endogenous lead into plasma. *J. Lab. clin. Med.*, **136**, 236–242

- Gulson, B.L., Mizon, K.J., Palmer, J.M., Patison, N., Law, A.J., Korsch, M.J., Mahaffey, K.R. & Donnelly, J.B. (2001a) Longitudinal study of daily intake and excretion of lead in newly born infants. *Environ. Res.*, **85**, 232–245
- Gulson, B.L., Mizon, K.J., Palmer, J.M., Korsch, M.J. & Taylor, A.J. (2001b) Contribution of lead from calcium supplements to blood lead. *Environ. Health Perspect.*, **109**, 283–288
- Gulson, B., Mizon, K., Smith, H., Eisman, J., Palmer, J., Korsch, M., Donnelly, J. & Waite, K. (2002) Skeletal lead release during bone resorption: Effect of bisphosphonate treatment in a pilot study. *Environ. Health Perspect.*, **110**, 1017–1023
- Gulson, B.L., Mizon, K.J., Korsch, M.J., Palmer, J.M. & Donnelly, J.B. (2003) Mobilization of lead from human bone tissue during pregnancy and lactation — A summary of long-term research. *Sci. total Environ.*, **303**, 79–104
- Gulson, B.L., Mizon, K.J., Palmer, J.M., Korsch, M.J., Taylor, A.J. & Mahaffey, K.R. (2004) Blood lead changes during pregnancy and postpartum with calcium supplementation. *Environ. Health Perspect.*, **112**, 1499–1507
- Gunshin, H., Mackenzie, B., Berger, U.V., Gunshin, Y., Romero, M.F., Boron, W.F., Nussberger, S., Gollan, J.L. & Hediger, M.A. (1997) Cloning and characterization of a mammalian proton-coupled metal-ion transporter. *Nature*, **388**, 482–488
- Gunter, B.J. (1985) Health Hazard Evaluation Report, HETA 85-0170-1643, C.F. & I. Steel, Pueblo, CO, USA, NIOSH
- Gunter, B.J. (1987) Health Hazard Evaluation Report, HETA 86-0070-1774, Silver Deer Spectrum, Boulder, CO, USA, NIOSH
- Gunter, B.J. & Daniels, W. (1990) Health Hazard Evaluation Report, HETA 89-0295-2007, Peerless Alloy Inc., Denver, CO, USA, NIOSH
- Gunter, B.J. & Hales, T.R. (1990a) Health Hazard Evaluation Report, HETA 89-0231-2016, Sims Radiator Shop, Decatur, GA, USA, NIOSH
- Gunter, B.J. & Hales, T.R. (1990b) Health Hazard Evaluation Report, HETA 89-0234-2014, Sims Radiator Shop, Decatur, GA, USA, NIOSH
- Gunter, B.J. & Hales, T.R. (1990c) Health Hazard Evaluation Report, HETA 89-0232-2015, Sims Radiator Shop, Chamblee, GA, USA, NIOSH
- Gunter, B.J. & Hales, T.R. (1990d) Health Hazard Evaluation Report, HETA 89-0233-2013, Sims Radiator Shop, Lawrenceville, GA, USA, NIOSH
- Gunter, B.J. & Hammel, R. (1989) Health Hazard Evaluation Report, HETA 88-0354-1955, Lakewood Radiator Shop, Denver, CO, USA, NIOSH
- Gunter, B.J. & Seligman, P.J. (1984) Health Hazard Evaluation Report, HETA 84-0038-1513, Kennecott Smelter, Hurley, NM, USA, NIOSH
- Gunter, B.J. & Thoburn, T.W. (1984) Health Hazard Evaluation Report, HETA 84-0099-1514, C.F. & I. Steel, Pueblo, CO, USA, NIOSH
- Gunter, B.J. & Thoburn, T.W. (1985) Health Hazard Evaluation Report, HETA 84-0384-1580, Crystal Zoo, Boulder, CO, USA, NIOSH
- Gunter, B.J. & Thoburn, T.W. (1986a) Health Hazard Evaluation Report, HETA 86-0348-1756, J'Leen Ltd., Boulder, CO, USA, NIOSH
- Gunter, B.J. & Thoburn, T.W. (1986b) Health Hazard Evaluation Report, HETA 86-0087-1686, TAC Radiator, Minot, ND, USA, NIOSH
- Gunter, B.J., Richardson, F. & Anderson, K.E. (1986) Health Hazard Evaluation Report, HETA 86-0438,0534-1795, Bondar-Clegg, Lakewood, CO & Sparks, NV, USA, NIOSH

- Guo, H.R., Ballard, T.J., Madar, S., Piacitelli, G.M. & Seligman, P.J. (1994) Health Hazard Evaluation Report, HETA 93-0955-2390, United Seal Co., Columbus, OH, USA, NIOSH
- Gupta, S. & Dogra, T.D. (2002) Air pollution and human health hazards. *Indian J. occup. environ. Med.*, **6**, 89–93
- Gustafson, A., Hedner, P., Schütz, A. & Skjerpving, S. (1989) Occupational lead exposure and pituitary function. *Int. Arch. occup. environ. Health*, **61**, 277–281
- Hackett, P.L., Hess, J.O. & Sikov, M.R. (1982a) Effect of dose level and pregnancy on the distribution and toxicity of intravenous lead in rats. *J. Toxicol. environ. Health*, **9**, 1007–1020
- Hackett, P.L., Hess, J.O. & Sikov, M.R. (1982b) Distribution and effects of intravenous lead in the fetoplacental unit of the rat. *J. Toxicol. environ. Health*, **9**, 1021–1032
- Hadi, D.A., Chowdhury, A.H. & Akhter, S. (1996) Status of lead and cadmium in poly(vinyl chloride) pipes. *Bangladesh J. sci. ind. Res.*, **31**, 39–42
- Haeger-Aronsen, B., Abdulla, M. & Fristedt, B.I. (1974) Effect of lead on δ-aminolevulinic acid dehydratase activity in red blood cells. *Arch. environ. Health*, **29**, 150–153
- Hales, T.R. & Gunter, B.J. (1990) Health Hazard Evaluation Report, HETA 89-0196-2023, Hazen Research Inc., Golden, CO, USA, NIOSH
- Hales, T.R., Kiefer, M., Mitchell, C. & Salisbury, S. (1991) Health Hazard Evaluation Report, HETA 91-0393-2171, Georgia Metals, Inc., Powder Springs, GA, USA, NIOSH
- Hall, R.M., Page, E., Mattorano, D. & Roegner, K. (1998) Health Hazard Evaluation Report, HETA 97-0292-2678, General Electric — Bridgeville Glass Plant, Bridgeville, PA, USA, NIOSH
- Hamilton, J.W., Bement, W.J., Sinclair, P.R., Sinclair, J.F., Alcedo, J.A. & Wetterhahn, K.E. (1991) Heme regulates hepatic 5-aminolevulinate synthase mRNA expression by decreasing mRNA half-life and not by altering its rate of transcription. *Arch. Biochem. Biophys.*, **289**, 387–392
- Hammad, T.A., Sexton, M. & Langenberg, P. (1996) Relationship between blood lead and dietary iron intake in preschool children. A cross-sectional study. *Ann. Epidemiol.*, **6**, 30–33
- Hamurcu, Z., Donmez, H., Saraymen, R. & Demirtas, H. (2001) Micronucleus frequencies in workers exposed to lead, zinc, and cadmium. *Biol. trace Elem. Res.*, **83**, 97–102
- Hanas, J.S., Rodgers, J.S., Bantle, J.A. & Cheng, Y.-G. (1999) Lead inhibition of DNA-binding mechanism of Cys₂His₂ zinc finger proteins. *Mol. Pharmacol.*, **56**, 982–988
- Hansen, O.N., Trillingsgaard, A., Beese, I., Lyngbye, T. & Grandjean, P. (1989) A neuropsychological study of children with elevated dentine lead level: Assessment of the effect of lead in different socio-economic groups. *Neurotoxicol. Teratol.*, **11**, 205–213
- Harney, J.M. & Barsan, M.E. (1999) Health Hazard Evaluation Report, HETA 97-0255-2735, Forest Park Police Department, Forest Park, OH, USA, NIOSH
- Harper, C.C., Mathee, A., von Schirnding, Y., De Rosa, C.T. & Falk, H. (2003) The health impact of environmental pollutants: A special focus on lead exposure in South Africa. *Int. J. Hyg. environ. Health*, **206**, 315–322
- Hart, C. (1987) Art hazards: An overview for sanitarians and hygienists. *J. environ. Health*, **49**, 282–287
- Hart, M.H. & Smith, J.L. (1981) Effect of vitamin D and low dietary calcium on lead uptake and retention in rats. *J. Nutr.*, **111**, 694–698
- Hartwig, A. (1994) Role of DNA repair inhibition in lead- and cadmium-induced genotoxicity: A review. *Environ. Health Perspect.*, **102** (Suppl. 3), 45–50
- Hartwig, A., Schlepegrell, R. & Beyersmann, D. (1990) Indirect mechanism of lead-induced genotoxicity in cultured mammalian cells. *Mutat. Res.*, **241**, 75–82

- Hashim, J.H., Hashim, Z., Omar, A. & Shamsudin, S.B. (2000) Blood lead levels of urban and rural Malaysian primary school children. *Asia Pac. J. public Health*, **12**, 65–70
- Hass, G.M., Brown, D.V.L., Eisenstein, R. & Hemmens, A. (1964) Relations between lead poisoning in rabbit and man. *Am. J. Pathol.*, **45**, 691–727
- Hass, G.M., McDonald, J.H., Oyasu, R., Battifora, H.A. & Paloucek, J.T. (1967) Renal neoplasia induced by combinations of dietary lead subacetate and N-2-fluorenylacetamide. In: *Renal Neoplasia*, pp. 377–412
- Hayakawa, K. (1972) Microdetermination and dynamic aspects of in vivo alkyl lead compounds. II. Studies on the dynamic aspects of alkyl lead compounds in vivo. *Nippon Eiseigaku Zasshi*, **26**, 526–535
- He, L., Poblenz, A.T., Medrano, C.J. & Fox, D.A. (2000) Lead and calcium produce rod photoreceptor cell apoptosis by opening the mitochondrial permeability transition pore. *J. biol. Chem.*, **275**, 12175–12184
- Healy, M.A., Harrison, P.G., Aslam, M., Davis, S.S. & Wilson, C.G. (1982) Lead sulphide and traditional preparations: Routes for ingestion, and solubility and reactions in gastric fluid. *J. clin. Hosp. Pharm.*, **7**, 169–173
- Heard, M.J. & Chamberlain, A.C. (1982) Effect of minerals and food on uptake of lead from the gastrointestinal tract in humans. *Hum. Toxicol.*, **1**, 411–415
- Heard, M.J. & Chamberlain, A.C. (1984) Uptake of Pb by human skeleton and comparative metabolism of Pb and alkaline earth elements. *Health Phys.*, **47**, 857–865
- Heard, M.J., Wells, A.C., Newton, D. & Chamberlain, A.C. (1979) Human uptake and metabolism of tetra ethyl and tetramethyl lead vapour labelled with ^{203}Pb . In: *Proceedings of an International Conference on Management and Control of Heavy Metals in the Environment, London, England, September*, Edinburgh, CEP Consultants, pp. 103–108
- Heard, M.J., Chamberlain, A.C. & Sherlock, J.C. (1983) Uptake of lead by humans and effect of minerals and food. *Sci. total Environ.*, **30**, 245–253
- Hengstler, J.G., Bolm-Audorff, U., Faldum, A., Janssen, K., Reifenrath, M., Gotte, W., Jung, D., Mayer-Popken, O., Fuchs, J., Gebhard, S., Bienfait, H.G., Schlink, K., Dietrich, C., Faust, D., Epe, B. & Oesch, F. (2003) Occupational exposure to heavy metals: DNA damage induction and DNA repair inhibition prove co-exposures to cadmium, cobalt and lead as more dangerous than hitherto expected. *Carcinogenesis*, **24**, 63–73
- Henning, S.J. & Leeper, L.L. (1984) Duodenal uptake of lead by suckling and weanling rats. *Biol. Neonate*, **46**, 27–35
- Hernández, E., Gutiérrez-Ruiz, M.C. & García Vargas, G. (1998) Effect of acute lead treatment on coproporphyrinogen oxidase activity in HepG2 cells. *Toxicology*, **126**, 163–171
- Hernandez-Avila, M., Gonzalez-Cossio, T., Palazuelos, E., Romieu, I., Aro, A., Fishbein, E., Peterson, K.E. & Hu, H. (1996) Dietary and environmental determinants of blood and bone lead levels in lactating postpartum women living in Mexico City. *Environ. Health Perspect.*, **104**, 1076–1082
- Hernandez-Avila, M., Smith, D., Meneses, F., Sanin, L.H. & Hu, H. (1998) The influence of bone and blood lead on plasma lead levels in environmentally exposed adults. *Environ. Health Perspect.*, **106**, 473–477
- Hernandez-Avila, M., Villalpando, C.G., Palazuelos, E., Hu, H., Villalpando, M.E. & Martinez, D.R. (2000) Determinants of blood lead levels across the menopausal transition. *Arch. environ. Health*, **55**, 355–360

- Hernandez-Avila, M., Peterson, K.E., Gonzalez-Cossio, T., Sanin, L.H., Aro, A., Schnaas, L. & Hu, H. (2002) Effect of maternal bone lead on length and head circumference of newborns and 1-month-old infants. *Arch. environ. Health*, **57**, 482–488
- Hernandez-Avila, M., Gonzalez-Cossio, T., Hernandez-Avila, J.E., Romieu, I., Peterson, K.E., Aro, A., Palazuelos, E. & Hu, H. (2003) Dietary calcium supplements to lower blood lead levels in lactating women: A randomized placebo-controlled trial. *Epidemiology*, **14**, 206–212
- Hernberg, S. (2000) Lead poisoning in a historical perspective. *Am. J. ind. Med.*, **38**, 244–254
- Hershko, C., Eisenberg, A., Avni, A., Grauer, F., Acker, C., Hamdallah, M., Shahin, S., Moreb, J., Richter, E. & Weissenberg, E. (1989) Lead poisoning by contaminated flour. *Rev. environ. Health*, **8**, 17–23
- Hertz-Pannier, I. (2000) The evidence that lead increases the risk for spontaneous abortion. *Am. J. ind. Med.*, **38**, 300–309
- Hertz-Pannier, I. & Croft, J. (1993) Review of the relation between blood lead and blood pressure. *Epidemiol. Rev.*, **15**, 352–373
- Hertz-Pannier, I., Schramm, M., Watt-Morse, M., Chantala, K., Anderson, J. & Osterloh, J. (2000) Patterns and determinants of blood lead during pregnancy. *Am. J. Epidemiol.*, **152**, 829–837
- Heywood, R. & James, R.W. (1985) Current laboratory approaches for assessing male reproductive toxicity: Testicular toxicity in laboratory animals. In: Dixon, R.L., ed., *Reproductive Toxicology* (Target Organ Toxicology Series), New York, Raven Press, pp. 147–160
- Hiasa, Y., Ohshima, M., Kitahori, Y., Fujita, T., Yuasa, T. & Miyashiro, A. (1983) Basic lead acetate: Promoting effect on the development of renal tubular cell tumors in rats treated with N-ethyl-N-hydroxyethylnitrosamine. *J. natl Cancer Inst.*, **70**, 761–765
- Hiasa, Y., Konishi, N., Nakaoka, S., Nakamura, M., Nishii, S., Kitahori, Y. & Ohshima, M. (1991) Possible application to medium-term organ bioassays for renal carcinogenesis modifiers in rats treated with N-ethyl-N-hydroxyethylnitrosamine and unilateral nephrectomy. *Jpn. J. Cancer Res.*, **82**, 1385–1390
- Hilderbrand, D.C., Der, R., Griffin, W.T. & Fahim, M.S. (1973) Effect of lead acetate on reproduction. *Am. J. Obstet. Gynecol.*, **115**, 1058–1065
- Hill, G.J. & Hill, S. (1995) Lead poisoning due to *hai ge fen*. *J. Am. med. Assoc.*, **273**, 24–25
- Hills, B. & Savery, H. (1988) Health Hazard Evaluation Report, HETA 87-0410-1868, Klotz Brothers, Inc., Staunton, VA, USA, NIOSH
- Hindy, K.T., Farag, S.A., El-Taieb, N.M., Rizk, H.F. & Ibrahim, J.M. (1987) Spectrographic study of heavy metals in an industrial area in North Cairo. In: *Proceedings, International Conference on Heavy Metals in the Environment*, New Orleans, Vol. 1, pp. 134–136
- Hinton, D.E., Lipsky, M.M., Heatfield, B.M. & Trump, B.F. (1979) Opposite effects of lead on chemical carcinogenesis in kidney and liver of rats. *Bull. environ. Contam. Toxicol.*, **23**, 464–469
- Hinton, D., Coope, P.A., Malpress, W.A. & Janus, E.D. (1986) Trends in blood lead levels in Christchurch (NZ) and environs 1978–85. *J. Epidemiol. Community Health*, **40**, 244–248
- Hirata, M., Yoshida, T., Miyajima, K., Kosaka, H. & Tabuchi, T. (1995) Correlation between lead in plasma and other indicators of lead exposure among lead-exposed workers. *Int. Arch. occup. environ. Health*, **68**, 58–63
- Hisham, J. & Pertanika, Z.H. (1995) Lead and cadmium content of total suspended particulates in the atmosphere over the Klang valley. *J. Sci. Technol.*, **3**, 57–65
- Ho, S.F., Sam, C.T. & Embi, G.B. (1998) Lead exposure in the lead-acid storage battery manufacturing and PVC compounding industries. *Occup. Med.*, **48**, 369–373

- Hoar, S.K., Morrison, A.S., Cole, P. & Silverman, D.T. (1980) An occupation and exposure linkage system for the study of occupational carcinogenesis. *J. occup. Med.*, **22**, 722–726
- Hodgkins, D.G., Robins, T.G., Hinkamp, D.L., Schork, M.A., Levine, S.P. & Krebs, W.H. (1991) The effect of airborne lead particle size on worker blood-lead levels: An empirical study of battery workers. *J. occup. Med.*, **33**, 1265–1273
- Holdstein, Y., Pratt, H., Goldsher, M., Rosen, G., Shenhav, R., Linn, S., Mor, A. & Barkai, A. (1986) Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *J. Laryngol. Otol.*, **100**, 1031–1036
- Hollett, B. & Moody, P.L. (1984) Health Hazard Evaluation Report, HETA 80-0115-1401, U.S. Steel, Lorain-Cayahoga Works, Lorain, OH, USA, NIOSH
- Hopkins, A.P. & Dayan, A.D. (1974) The pathology of experimental lead encephalopathy in the baboon (*Papio anubis*). *Br. J. ind. Med.*, **31**, 128–133
- Hoppin, J.A., Aro, A., Hu, H. & Ryan, P.B. (1997) In vivo bone lead measurement in suburban teenagers. *Pediatrics*, **100**, 365–370
- Hoppin, J.A., Aro, A., Hu, H. & Ryan, P.B. (2000) Measurement variability associated with KXRF bone lead measurement in young adults. *Environ. Health Perspect.*, **108**, 239–242
- Horiguchi, S., Teramoto, K., Kiyota, I., Shinagawa, K., Nakano, H., Karai, I. & Matsuda, F. (1981) Relationships among the parameters of lead absorption and lead effects especially on the hematopoietic system. *Osaka City med. J.*, **27**, 35–45
- Houston, D.K. & Johnson, M.A. (2000) Does vitamin C intake protect against lead toxicity? *Nutr. Rev.*, **58**, 73–75
- Hrdina, P.D., Peters, D.A.V. & Singhal, R.L. (1976) Effects of chronic exposure to cadmium, lead and mercury on brain biogenic amines in the rat. *Res. Commun. chem. Pathol. Pharmacol.*, **15**, 483–493
- Hryhorczuk, D.O., Rabinowitz, M.B., Hessl, S.M., Hoffman, D., Hogan, M.M., Mallin, K., Finch, H., Orris, P. & Berman, E. (1985) Elimination kinetics of blood lead in workers with chronic lead intoxication. *Am. J. ind. Med.*, **8**, 33–42
- Hsiao, C.Y., Wu, H.D.I., Lai, J.S. & Kuo, H.W. (2001) A longitudinal study of the effects of long-term exposure to lead among lead battery factory workers in Taiwan (1989–1999). *Sci. total Environ.*, **279**, 151–158
- Hu, H. (1991) Knowledge of diagnosis and reproductive history among survivors of childhood plumbism. *Am. J. pub. Health*, **81**, 1070–1072
- Hu, H., Pepper, L & Goldman, R. (1991) Effect of repeated occupational exposure to lead, cessation of exposure, and chelation on levels of lead in bone. *Am. J. ind. Med.*, **20**, 723–735
- Hu, H., Aro, A. & Rotnitzky, A. (1995) Bone lead measured by X-ray fluorescence: Epidemiologic methods. *Environ. Health Perspect.*, **103** (Suppl. 1), 105–110
- Hu, H., Hashimoto, D. & Besser, M. (1996a) Levels of lead in blood and bone of women giving birth in a Boston hospital. *Arch. environ. Health*, **51**, 52–58
- Hu, H., Aro, A., Payton, M., Korrick, S., Sparrow, D., Weiss, S.T. & Rotnitzky, A. (1996b) The relationship of bone and blood lead to hypertension. The Normative Aging Study. *J. Am. med. Assoc.*, **275**, 1171–1176
- Hu, H., Payton, M., Korrick, S., Aro, A., Sparrow, D., Weiss, S.T. & Rotnitzky, A. (1996c) Determinants of bone and blood lead levels among community-exposed middle-aged to elderly men. The Normative Aging Study. *Am. J. Epidemiol.*, **144**, 749–759

- Hu, H., Rabinowitz, M. & Smith, D. (1998) Bone lead as a biological marker in epidemiologic studies of chronic toxicity: Conceptual paradigms. *Environ. Health Perspect.*, **106**, 1–8
- Hu, H., Wu, M.-T., Cheng, Y., Sparrow, D., Weiss, S. & Kelsey, K. (2001) The δ-aminolevulinic acid dehydratase (ALAD) polymorphism and bone and blood lead levels in community-exposed men: The Normative Aging Study. *Environ. Health Perspect.*, **109**, 827–832
- Hu, J., Johnson, K.C., Mao, Y., Guo, L., Zhao, X., Jia, X., Bi, D., Huang, G. & Liu, R. (1998) Risk factors for glioma in adults: A case-control study in northeast China. *Cancer Detect. Prev.*, **22**, 100–108
- Hu, J., Little, J., Xu, T., Zhao, X., Guo, L., Jia, X., Huang, G., Bi, D. & Liu, R. (1999) Risk factors for meningioma in adults: A case-control study in northeast China. *Int. J. Cancer*, **83**, 299–304
- Huang, J.W. & Cunningham, S.D. (1996) Lead phytoextraction: Species variation in lead uptake and translocation. *New Phytol.*, **134**, 75–84
- Huang, J.X., He, F.S., Wu, Y.G. & Zhang, S.C. (1988) Observations on renal function in workers exposed to lead. *Sci. total Environ.*, **71**, 535–537
- Huang, X.-P., Feng, Z.-Y., Zhai, W.-L. & Xu, J.-H. (1988) Chromosomal aberrations and sister chromatid exchanges in workers exposed to lead. *Biomed. environ. Sci.*, **1**, 382–387
- Huang, J.W., Chen, J., Berti, W.R. & Cunningham, S.D. (1997) Phytoremediation of lead-contaminated soils: Role of synthetic chelates in lead phytoextraction. *Environ. Sci. Technol.*, **31**, 800–805
- Hueper, W.C. (1961) Environmental carcinogenesis and cancers. *Cancer Res.*, **21**, 842–857
- Huguet, J.M., Braun, J.P., Burgat-Sacaze, V., Bernard, P. & Rico, A.G. (1982) Acute kidney disturbances by lead acetate in the rat. *Toxicol. Lett.*, **10**, 395–398
- Hunaiti, A., Soud, M. & Khalil, A. (1995) Lead concentration and the level of glutathione, glutathione S-transferase, reductase and peroxidase in the blood of some occupational workers from Irbid City, Jordan. *Sci. total Environ.*, **170**, 95–100
- Hunter, D. (1978) The ancient metals. In: *The Diseases of Occupations*, 6th Ed., London, Hodder & Stoughton
- Hursh, J.B. (1973) Retention of ^{210}Pb in beagle dogs. *Health Phys.*, **25**, 29–35
- Hursh, J.B. & Suomela, J. (1968) Absorption of ^{212}Pb from the gastrointestinal tract of man. *Acta radiol. ther. phys. biol.*, **7**, 108–120
- Huseman, C.A., Varma, M.M. & Angle, C.R. (1992) Neuroendocrine effects of toxic and low blood lead levels in children. *Pediatrics*, **90**, 186–189
- Hussain, T., Khan, I.H. & Ali Khan, M. (1990) Study of environmental pollutants in and around the city of Lahore. I. Determination of lead in blood of various population groups. *Sci. total Environ.*, **99**, 137–143
- Hwang, Y.-H., Chao, K.-Y., Chang, C.-W., Hsiao, F.-T., Chang, H.-L. & Han, H.-Z. (2000) Lip lead as an alternative measure for lead exposure assessment of lead battery assembly workers. *Am. ind. Hyg. Assoc. J.*, **61**, 825–831
- Hwang, K.-Y., Schwartz, B.-S., Lee, B.-K., Strickland, P.T., Todd, A.C. & Bressler, J.P. (2001) Associations of lead exposure and dose measures with erythrocyte protein kinase C activity in 212 current Korean lead workers. *Toxicol. Sci.*, **62**, 280–288
- Hwu, Y.-S. & Yang, J.-L. (1998) Effect of 3-aminotriazole on anchorage independence and mutagenicity in cadmium- and lead-treated diploid human fibroblasts. *Carcinogenesis*, **19**, 881–888
- Hyttén, F. (1985) Blood volume changes in normal pregnancy. *Clin. Haematol.*, **14**, 601–612

- IAEA (1987) Co-ordinated research programme on human daily dietary intakes of nutritionally important trace elements as measured by nuclear and other techniques. *IAEA Newl.*, **2**, 6–15
- IARC (1972) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 1, *Some Inorganic Substances, Chlorinated Hydrocarbons, Aromatic Amines, N-Nitroso Compounds, and Natural Products*, Lyon
- IARC (1973) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 2, *Some Inorganic and Organometallic Compounds*, Lyon
- IARC (1976) *IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man*, Vol. 12, *Some Carbamates, Thiocarbamates and Carbazides*, Lyon
- IARC (1980) *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*, Vol 23, *Some Metals and Metallic Compounds*, Lyon
- IARC (1987) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Suppl. 7, *Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42*, Lyon
- IARC (1989) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 46, *Diesel and Gasoline Engine Exhausts and Some Nitroarenes*, Lyon, pp. 153
- IARC (1990) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 49, *Chromium, Nickel and Welding*, Lyon
- IARC (1994) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 58, *Beryllium, Cadmium, Mercury, and Exposures in the Glass Manufacturing Industry*, Lyon, pp. 371
- IARC (1999) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 74, *Surgical Implants and Other Foreign Bodies*, Lyon
- IARC (2004a) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 83, *Tobacco Smoke and Involuntary Smoking*, Lyon
- IARC (2004b) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 84, *Some Drinking-water Disinfectants and Contaminants, including Arsenic*, Lyon
- Iavicoli, I., Sgambato, A., Carelli, G., Ardito, R., Cittadini, A. & Castellino, N. (2001) Lead-related effects on rat fibroblasts. *Mol. cell. Biochem.*, **222**, 35–40
- Iavicoli, I., Carelli, G., Stanek, E.J. III, Castellino, N. & Calabrese, E.J. (2003) Effects of low doses of dietary lead on red blood cell production in male and female mice. *Toxicol. Lett.*, **137**, 193–199
- Ikeda, M., Zhang, Z.W., Shimbo, S., Watanabe, T., Nakatsuka, H., Moon, C.-S., Matsuda-Inoguchi, N. & Higashikawa, K. (2000a) Exposure of women in general populations to lead via food and air in East and Southeast Asia. *Am. J. intern. Med.*, **38**, 271–280
- Ikeda, M., Zhang, Z.-W., Shimbo, S., Watanabe, T., Nakatsuka, H., Moon, C.-S., Matsuda-Inoguchi, N. & Higashikawa, K. (2000b) Urban population exposure to lead and cadmium in East and South-East Asia. *Sci. total Environ.*, **249**, 373–384
- Industrias Deriplom SA (2003) *Our Products: Pure Lead and Alloys; Lead Oxides; Lead Shot Pellets; Lead Sheets*, Buenos Aires
- Inskip, M.J., Franklin, C.A., Baccanale, C.L., Manton, W.I., O'Flaherty, E.J., Edwards, C.M.H., Blenkinsop, J.B. & Edwards, E.B. (1996) Measurement of the flux of lead from bone to blood in a nonhuman primate (*Macaca fascicularis*) by sequential administration of stable lead isotopes. *Fundam. appl. Toxicol.*, **33**, 235–245

- International Lead and Zinc Study Group (1990) *Lead and Zinc Statistics — 1960–1988*, London, pp. 9–56
- International Lead and Zinc Study Group (1992) *Principal Uses of Lead and Zinc, 1960–1990*, London, pp. 32–51, 63–86
- International Lead and Zinc Study Group (2000) *Environmental and Health Controls on Lead*, London
- International Lead and Zinc Study Group (2003) *Principal Uses of Lead and Zinc*, London, pp. 5, 7
- International Lead and Zinc Study Group (2004) *Interactive Statistical Database*, London [<http://www.ilzsg.org>; accessed 03/02/2004]
- International Lead Management Center (ILMC) (1999) *Lead in Gasoline Phase-Out Report Card*, Washington DC [<http://www.ilmc.org>; accessed 10/02/2004]
- IOMC (1998) Lead exposure and human health. In: *Global Opportunities for Reducing the Use of Leaded Gasoline*, United Nations, Inter-organization Programme for the sound Management of Chemicals, pp. 7–16
- Ishida, M., Ishizaki, M. & Yamada, Y. (1996) Decreases in postural change of finger blood flow in ceramic painters chronically exposed to low level lead. *Am. J. ind. Med.*, **29**, 547–553
- Israili, A.W. (1991) Occurrence of heavy metals in Ganga river water and sediments of western Uttar Pradesh. *Pollut. Res.*, **10**, 103–109
- Israili, A.W. & Khurshid, S. (1991) Distribution of heavy metals in Yamuna river water and sediments from Delhi to Allahabad. *Poll. Res.*, **10**, 215–222
- Ito, N. (1973) Experimental studies on tumors of the urinary system of rats induced by chemical carcinogens. *Acta pathol. Jpn*, **23**, 87–109
- Ito, N., Hiasa, Y., Kamamoto, Y., Makiura, S., Sugihara, S. & Marugami, M. (1971) Histopathological analysis of kidney tumors in rats induced by chemical carcinogens. *Gann*, **62**, 435–444
- Ivanova-Cemíšanska, L., Antov, G., Hinkova, L., Valceva, V. & Hristeva, V. (1980) Lead acetate effect upon reproduction in male Albino rats. *Hig. Zdraveopazvane*, **23**, 304–308
- Jacobson, J.L. & Snowdon, C.T. (1976) Increased lead ingestion in calcium-deficient monkeys. *Nature*, **262**, 51–52
- Jacquet, P. & Tachon, P. (1981) Effects of long-term lead exposure on monkey leucocyte chromosomes. *Toxicol. Lett.*, **8**, 165–169
- Jacquet, P., Léonard, A. & Gerber, G.B. (1977) Cytogenetic investigations on mice treated with lead. *J. Toxicol. Environ. Health*, **2**, 619–624
- Jaffe, E.K., Bagla, S. & Michini, P.A. (1991) Reevaluation of a sensitive indicator of early lead exposure. Measurement of porphobilinogen synthase in blood. *Biol. trace Elem. Res.*, **28**, 223–231
- Jaffe, E.K., Volin, M., Bronson-Mullins, C.R., Dunbrack, R.L., Jr, Kervinen, J., Martins, J., Quinlan, J.F., Jr, Sazinsky, M.H., Steinhause, E.M. & Yeung, A.T. (2000) An artificial gene for human porphobilinogen synthetase allows comparison of an allelic variation implicated in susceptibility to lead poisoning. *J. biol. Chem.*, **275**, 2619–2626
- Jaffe, E.K., Martins, J., Li, J., Kervinen, J. & Dunbrack, R.L., Jr (2001) The molecular mechanism of lead inhibition of human porphobilinogen synthase. *J. biol. Chem.*, **276**, 1531–1537
- Jagetia, G.C. & Aruna, R. (1998) Effect of various concentrations of lead nitrate on the induction of micronuclei in mouse bone marrow. *Mutat. Res.*, **415**, 131–137
- James, H.M., Hilburn, M.E. & Blair, J.A. (1985) Effects of meals and meal times on uptake of lead from the gastrointestinal tract in humans. *Hum. Toxicol.*, **4**, 401–407

- Janakiraman, V., Ettinger, A., Mercado-Garcia, A., Hu, H. & Hernandez-Avila, M. (2003) Calcium supplements and bone resorption in pregnancy. A randomized crossover trial. *Am. J. prev. Med.*, **24**, 260–264
- Janin, Y., Couinaud, C., Stone, A. & Wise, L. (1985) The ‘lead-induced colic’ syndrome in lead intoxication. *Surg. Annu.*, **17**, 287–307
- Jaremin, B. (1990) Immunological humoral responsiveness in men occupationally exposed to lead. *Bull. Inst. marit. trop. Med. Gdynia*, **41**, 27–36
- Jasmin, G. & Riopelle, J.L. (1976) Renal carcinomas and erythrocytosis in rats following intrarenal injection of nickel subsulfide. *Lab. Invest.*, **35**, 71–78
- Jason, K.M. & Kellogg, C.K. (1981) Neonatal lead exposure: Effects of development of behavior and striatal dopamine neurons. *Pharmacol. Biochem. Behav.*, **15**, 641–649
- JECFA (2002) *Summary of Evaluations Performed by the Joint FAO/WHO Expert Committee on Food Additives*, Geneva, International Programme on Chemical Safety, World Health Organization
- Jemal, A., Graubard, B.I., Devesa, S.S. & Flegal, K.M. (2002) The association of blood lead level and cancer mortality among whites in the United States. *Environ. Health Perspect.*, **110**, 325–329
- Jeyaratnam, J., Devathasan, G., Ong, C.N., Phoon, W.O. & Wong, P.K. (1985) Neurophysiological studies on workers exposed to lead. *Br. J. ind. Med.*, **42**, 173–177
- Jiang, X., Liang, Y. & Wang, Y. (1992) Studies of lead exposure on reproductive system: A review of work in China. *Biomed. environ. Sci.*, **5**, 266–275
- Jin, Y.-P., Kobayashi, E., Okubo, Y., Suwazono, Y., Nogawa, K. & Nakagawa, H. (2000) Changes of lead levels in 24-h urine from 1985 to 1998 in Japanese adults. *Toxicol. Lett.*, **114**, 91–99
- Johansson, L. (1989) Premature acrosome reaction in spermatozoa from lead-exposed mice. *Toxicology*, **54**, 151–162
- Joffe, M., Bisanti, L., Apostoli, P., Kiss, P., Dale, A., Roeleveld, N., Lindbohm, M.-L., Sallmén, M., Vanhoorne, M. & Bonde, J.P. & the ASCLEPIOS Study Group (2003) Time to pregnancy and occupational lead exposure. *Occup. environ. Med.*, **60**, 752–758
- Jorhem, L., Mattsson, P. & Slorach, S. (1988) Lead in table wines on the Swedish market. *Food addit. Contam.*, **5**, 645–649
- Jowsey, J., Kelly, P.J., Riggs, B.L., Bianco, A.J., Jr, Scholz, D.A. & Gershon-Cohen, J. (1965) Quantitative microradiographic studies of normal and osteoporotic bone. *J. Bone Joint Surg.*, **47A**, 785–806
- Kachru, D.N., Tandon, S.K., Misra, U.K. & Nag, D. (1989) Occupational lead poisoning among silver jewellery workers. *Indian J. med. Sci.*, **43**, 89–91
- Kaiser, R., Henderson, H.A.K., Daley, W.R., Naughton, M., Khan, M.H., Rahman, M., Kieszak, S. & Rubin, C.H. (2001) Blood lead levels of primary school children in Dhaka, Bangladesh. *Environ. Health Perspect.*, **109**, 563–566
- Kákosy, T., Hudák, A. & Náray, M. (1996) Lead intoxication epidemic caused by ingestion of contaminated ground paprika. *Clin. Toxicol.*, **34**, 507–511
- Kalra, V., Chitrakha, K.T., Dua, T., Pandey, R.M. & Gupta, Y. (2003) Blood lead levels and risk factors for lead toxicity in children from schools and an urban slum in Delhi. *J. trop. Pediatr.*, **49**, 121–123
- Kamal, A.-A., Eldamaty, S.E. & Faris, R. (1991) Blood lead level of Cairo traffic policemen. *Sci. tot. Environ.*, **105**, 165–170

- Kamaraj, S., Muthuvel, P., Dhakshinamoorthy, M. & Singh, M.V. (2003) Heavy metal accumulation in a swell-shrink soil environment as influenced by long term fertilization. In: Singh, V.P. & Yadava, R.N., eds, *Environmental Pollution: Water and Environment*, New Delhi, Allied Publishers, pp. 236–242
- Kampe, W. (1983) [Lead and cadmium in food — A current danger?] *Forum Städte-Hyg.*, **34**, 236–241 (in German)
- Kandiloros, D.C., Goletsos, G.A., Nikolopoulos, T.P., Ferekidis, E.A., Tsomis, A.S. & Adamopoulos, G.K. (1997) Effect of subclinical lead intoxication on laryngeal cancer. *Br. J. clin. Pract.*, **51**, 69–70
- Kang, H.K., Infante, P.F. & Carra, J.S. (1980) Occupational lead exposure and cancer. *Science*, **207**, 935–936
- Kanisawa, M. & Schroeder, H. A. (1969) Life term studies on the effect of trace elements on spontaneous tumors in mice and rats. *Cancer Res.*, **29**, 892–895
- Kantor, A.F., Curnen, M.G., Meigs, J.W. & Flannery J.T. (1979) Occupations of fathers of patients with Wilms's tumour. *J. Epidemiol. Community Health*, **33**, 253–256
- Kapaki, E.N., Varelas, P.N., Syrigou, A.I., Spanaki, M.V., Andreadou, E., Kakami, A.E. & Papageorgiou, C.T. (1998) Blood lead levels of traffic- and gasoline-exposed professionals in the city of Athens. *Arch. environ. Health*, **53**, 287–291
- Kaphalia, B.S., Chandra, H., Bhargava, S.K., Seth, T.D. & Gupta, B.N. (1981) Lead in drinking water. *Indian J. environ. Prot.*, **1**, 92–96
- Karita, K., Shinozaki, T., Yano, E. & Amari, N. (2000) Blood lead levels in copper smelter workers in Japan. *Ind. Health*, **38**, 57–61
- Kasprzak, K.S., Hoover, K.L. & Poirier, L.A. (1985) Effects of dietary calcium acetate on lead subacetate carcinogenicity in kidneys of male Sprague-Dawley rats. *Carcinogenesis*, **6**, 279–282
- Kastori, R., Plesnicar, M., Sakac, Z., Pankovic, D. & Arsenijevic-Maksimovic, I. (1998) Effect of excess lead on sunflower growth and photosynthesis. *J. Plant Nutr.*, **21**, 75–85
- Kaul, B. (1999) Lead exposure and iron deficiency among Jammu and New Delhi children. *Indian J. Pediatr.*, **66**, 27–35
- Kaul, P.S. & Kaul, B. (1986) Blood lead and erythrocyte protoporphyrin levels among papier-mâché workers in Kashmir. *Mount Sinai J. Med.*, **53**, 145–148
- Kaul, B., Rasmuson, J.O., Olsen, R.L., Chanda, C.R., Slazhneva, T.I., Granovsky, E.L. & Korchevsky, A.A. (2000) Blood lead and erythrocyte protoporphyrin levels in Kazakhstan. *Indian J. Pediatr.*, **67**, 87–91
- Kauppinen, T., Riala, R., Seitsamo, J. & Hernberg, S. (1992) Primary liver cancer and occupational exposure. *Scand. J. Work Environ. Health*, **18**, 18–25
- Kaye, W.E., Novotny, T.E. & Tucker, M. (1987) New ceramics-related industry implicated in elevated blood lead levels in children. *Arch. environ. Health*, **42**, 161–164
- KCM SA (2003) *Product Data Sheet: Lead*, Plovdiv
- Kehoe, R.A. (1987) Studies of lead administration and elimination in adult volunteers under natural and experimentally induced conditions over extended periods of time. *Food chem. Toxicol.*, **25**, 421–493
- Kelada, S.N., Shelton, E., Kaufmann, R.B. & Khouri, M.J. (2001) δ-aminolevulinic acid dehydratase genotype and lead toxicity: A HuGE review. *Am. J. Epidemiol.*, **154**, 1–13
- Keller, C.A. & Doherty, R.A. (1980a) Lead and calcium distributions in blood, plasma and milk of the lactating mouse. *J. Lab. clin. Med.*, **95**, 81–89

- Keller, C.A. & Doherty, R.A. (1980b) Distribution and excretion of lead in young and adult female mice. *Environ. Res.*, **21**, 217–228
- Kello, D. & Kostial, K. (1973) The effect of milk diet on lead metabolism in rats. *Environ. Res.*, **6**, 355–360
- Kemper, A.R., Bordley, W.C. & Downs, S.M. (1998) Cost-effectiveness analysis of lead poisoning screening strategies following the 1997 guidelines of the Centers for Disease Control and Prevention. *Arch. pediatr. adoles. Med.*, **152**, 1202–1208
- Kerr, M.A., Nasca, P.C., Mundt, K.A., Michalek, A.M., Baptiste, M.S. & Mahoney, M.C. (2000) Parental occupational exposures and risk of neuroblastoma: A case-control study (United States). *Cancer Causes Control*, **11**, 635–643
- Kessler, M., Durand, P.Y., Huu, T.C., Royer-Morot, M.J., Chanliau, J., Netter, P. and Duc, M. (1999) Mobilization of lead from bone in end-stage renal failure patients with secondary hyperparathyroidism. *Nephrol. Dial. Transplant.*, **14**, 2731–2733
- Khalil-Manesh, F., Gonick, H.C., Cohen, A.H., Alinovi, R., Bergamaschi, E., Mutti, A. & Rosen, V.J. (1992a) Experimental model of lead nephropathy. I. Continuous high-dose lead administration. *Kidney int.*, **41**, 1192–1203
- Khalil-Manesh, F., Gonick, H.C., Cohen, A., Bergamaschi, E. & Mutti, A. (1992b) Experimental model of lead nephropathy. II. Effect of removal from lead exposure and chelation treatment with dimercaptosuccinic acid (DMSA). *Environ. Res.*, **58**, 35–54
- Khalil-Manesh, F., Tartaglia-Erler, J. & Gonick, H.C. (1994) Experimental model of lead nephropathy. IV. Correlation between renal functional changes and hematological indices of lead toxicity. *J. trace Elem. Electrolytes Health Dis.*, **8**, 13–19
- Khan, M.H., Khan, I., Shah, S.H. & Rashid, Q. (1995) Lead poisoning — A hazard of traffic and industries in Pakistan. *J. environ. Pathol. Toxicol. Oncol.*, **14**, 117–120
- Khandekar, R.N., Mishra, U.C. & Vohra, K.G. (1984) Environmental lead exposure of an urban Indian population. *Sci. total Environ.*, **40**, 269–278
- Kharab, P. & Singh, I. (1985) Genotoxic effects of potassium dichromate, sodium arsenite, cobalt chloride and lead nitrate in diploid yeast. *Mutat. Res.*, **155**, 117–120
- Kiefer, M., Trout, D. & Wallace, M.E. (1998) Health Hazard Evaluation Report, HETA 97-0260-2716, Avondale Shipyards, Avondale, LA, USA, NIOSH
- Kies, C & Ip, S.W. (1991) Lead bioavailability to humans from diets containing constant amounts of lead: Impact of supplemental copper, zinc and iron. In: Hemphill, D.H.C. & Cothorn, C.R., eds, *Trace Substances in Environmental Health*, Vol. XXIV, University of Missouri, Columbia, pp. 177–184
- Kim, Y., Harada, K., Ohmori, S., Lee, B.K., Miura, H. & Ueda, A. (1995a) Evaluation of lead exposure in workers at a lead-acid battery factory in Korea: With focus on activity of erythrocyte pyrimidine 5'-nucleotidase (P5N). *Occup. environ. Med.*, **52**, 484–488
- Kim, R., Aro, A., Rotnitzky, A., Amarasirivardena, C. & Hu, H. (1995b) K X-ray fluorescence measurements of bone lead concentration: The analysis of low-level data. *Phys. med. Biol.*, **40**, 1475–1485
- Kim, R., Hu, H., Rotnitzky, A., Bellinger, D. & Needleman, H. (1996a) Longitudinal relationship between dentin lead levels in childhood and bone lead levels in young adulthood. *Arch. environ. Health*, **51**, 375–382

- Kim, R., Rotnitsky, A., Sparrow, D., Weiss, S.T., Wager, C. & Hu, H. (1996b) A longitudinal study of low-level lead exposure and impairment of renal function. The Normative Aging Study. *J. Am. med. Assoc.*, **275**, 1177–1181
- Kim, Y., Lee, H., Lee, C.R., Park, D.U., Yang, J.S., Park, I.J., Lee, K.Y., Lee, M.Y., Kim, T.-K., Sohn, N.-S., Cho, Y.S., Lee, N.R. & Chung, H.K. (2002) Evaluation of lead exposure in workers at secondary lead smelters in South Korea: With focus on activity of erythrocyte pyrimidine 5'-nucleotidase (P5N). *Sci. total Environ.*, **286**, 181–189
- Kimmel, E.C., Fish, R.H., & Casida, J.E. (1977) Bioorganotin chemistry: Metabolism of organotin compounds in microsomal monooxygenase systems and in mammals. *J. agric. Food Chem.*, **25**, 1–9
- Kinnes, G.M. & Hammel, R.R. (1990) Health Hazard Evaluation Report, HETA 88-0357-2042, A.W. Cash Valve Manufacturing Corp., Decatur, IL, USA, NIOSH
- Kirkby, H. & Gyntelberg, F. (1985) Blood pressure and other cardiovascular risk factors of long-term exposure to lead. *Scand. J. Work Environ. Health*, **11**, 15–19
- Klaassen, C.D. & Shoeman, D.W. (1974) Biliary excretion of lead in rats, rabbits, and dogs. *Toxicol. appl. Pharmacol.*, **29**, 434–446
- Klein, M., Namer, R., Harpur, E. & Corbin, R. (1970) Earthenware containers as a source of fatal lead poisoning. *New Engl. J. Med.*, **283**, 669–672
- Knowles, S.O. & Donaldson, W.E. (1997) Lead disrupts eicosanoid metabolism, macrophage function, and disease resistance in birds. *Biol. trace Elem. Res.*, **60**, 13–26
- Kobayashi, N. & Okamoto, T. (1974) Effects of lead oxide on the induction of lung tumors in Syrian hamsters. *J. natl Cancer Inst.*, **52**, 1605–1610
- Koh, D., Ng, V., Chua, L.H., Yang, Y., Ong, H.Y. & Chia, S.E. (2003) Can salivary lead be used for biological monitoring of lead exposed individuals? *Occup. environ. Med.*, **60**, 696–698
- Kohler, K., Lilienthal, H., Guenther, E., Winneke, G. & Zrenner, E. (1997) Persistent decrease of the dopamine-synthesizing enzyme tyrosine hydroxylase in the rhesus monkey retina after chronic lead exposure. *NeuroToxicology*, **18**, 623–632
- Koller, L.D. & Brauner, J.A. (1977) Decreased B-lymphocyte response after exposure to lead and cadmium. *Toxicol. appl. Pharmacol.*, **42**, 621–624
- Koller, L.D. & Kovacic, S. (1974) Decreased antibody formation in mice exposed to lead. *Nature*, **250**, 148–150
- Koller, L.D., Roan, J.G. & Isaacson Kerkvliet, N. (1979) Mitogen stimulation of lymphocytes in CBA mice exposed to lead and cadmium. *Environ. Res.*, **19**, 177–188
- Koller, L.D., Kerkvliet, N.I. & Exon, J.H. (1985) Neoplasia induced in male rats fed lead acetate, ethyl urea, and sodium nitrite. *Toxicol. Pathol.*, **13**, 50–57
- Kopito, L., Byers, R.K. & Shwachman, H. (1967) Lead in hair of children with chronic lead poisoning. *New Engl. J. Med.*, **276**, 949–953
- Korea Zinc Co. (2003) *Product Data Sheet: Lead*, Seoul
- Korrick, S.A., Hunter, D.J., Rotnitsky, A., Hu, H. & Speizer, F.E. (1999) Lead and hypertension in a sample of middle-aged women. *Am. J. pub. Health*, **89**, 330–335
- Korrick, S.A., Schwartz, J., Tsaih, S.-W., Hunter, D.J., Aro, A., Rosner, B., Speizer, F.E. & Hu, H. (2002) Correlates of bone and blood lead levels among middle-aged and elderly women. *Am. J. Epidemiol.*, **156**, 335–343

- Kosnett, M.J., Becker, C.E., Osterloh, J.D., Kelly, T.J. & Pasta, D.J. (1994) Factors influencing bone lead concentration in a suburban community assessed by noninvasive K X-ray fluorescence. *J. Am. med. Assoc.*, **271**, 197–203
- Kostial, K. & Kello, D. (1979) Bioavailability of lead in rats fed 'human' diets. *Bull. environ. Contam. Toxicol.*, **21**, 312–314
- Kostial, K. & Momcilovic, B. (1972) The effect of lactation on the absorption of ^{203}Pb and ^{47}Ca in rats. *Health Phys.*, **23**, 383
- Kostial, K. & Momcilovic, B. (1974) Transport of lead 203 and calcium 47 from mother to offspring. *Arch. environ. Health*, **29**, 28–30
- Kostial, K., Kello, D., Jugo, S., Rabar, I. & Maljkovic, T. (1978) Influence of age on metal metabolism and toxicity. *Environ. Health Perspect.*, **25**, 81–86
- Kotok, D. (1972) Development of children with elevated blood lead levels: A controlled study. *J. Pediatr.*, **80**, 57–61
- Kovar, I.Z., Strehlow, C.D., Richmond, J. & Thompson, M.G. (1984) Perinatal lead and cadmium burden in a British urban population. *Arch. Dis. Child.*, **59**, 36–39
- Kozarzewska, Z. & Chmielnicka, J. (1987) Dynamics of diethyldiethyllead excretion in the urine of rabbits after tetraethyllead administration. *Br. J. ind. Med.*, **44**, 417–421
- Kristensen, P. & Andersen, A. (1992) A cohort study on cancer incidence in offspring of male printing workers. *Epidemiology*, **3**, 6–10
- Kristensen, P., Eilertsen, E., Einarsdóttir, E., Øvrebø, S. & Haugen, A. (1993) Effect modification by inorganic lead in the dominant lethal assay. *Mutat. Res.*, **302**, 33–38
- Kroes, R., van Logten, M.J., Berkvens, J.M., de Vries, T. & van Esch, G.J. (1974) Study on the carcinogenicity of lead arsenate and sodium arsenite and on the possible synergistic effect of diethylnitrosamine. *Food Cosmet. Toxicol.*, **12**, 671–679
- Krueger, J.A. & Duguay, K.M. (1989) Comparative analysis of lead in Maine urban soils. *Bull. environ. Contam. Toxicol.*, **42**, 574–581
- Krugner-Higby, L.A., Gendron, A., Laughlin, N.K., Luck, M., Scheffler, J. & Phillips, B. (2001) Chronic myelocytic leukemia in a juvenile rhesus macaque (*Macaca mulatta*). *Contemp. top. Lab. Anim. Sci.*, **40**, 44–48
- Ku, Y., Alvarez, G.H. & Mahaffey, K.R. (1978) Comparative effects of feeding lead acetate and phospholipid-bound lead on blood and tissue lead concentrations in young and adult rats. *Bull. environ. Contam. Toxicol.*, **20**, 561–567
- Kumar, B.D. & Krishnaswamy, K. (1995a) Detection of sub-clinical lead toxicity in monocasters. *Bull. environ. Contam. Toxicol.*, **54**, 863–869
- Kumar, B.D. & Krishnaswamy, K. (1995b) Detection of occupational lead nephropathy using early renal markers. *Clin. Toxicol.*, **33**, 331–335
- Kumar, R.K. & Kesaree, N. (1999) Blood lead levels in urban and rural Indian children. *Indian Pediatr.*, **36**, 303–306
- Kurasaki, M., Hartoto, D.I., Saito, T., Suzuki-Kurasaki, M. & Iwakuma, T. (2000) Metals in water in the central Kalimantan, Indonesia. *Bull. environ. Contam. Toxicol.*, **65**, 591–597
- Labbé, R.F., Vreman, H.J. & Stevenson, D.K. (1999) Zinc protoporphyrin: A metabolite with a mission. *Clin. Chem.*, **45**, 2060–2072
- Lagerkvist, B.J., Sandberg, S., Frech, W., Jin, T. & Nordberg, G.F. (1996a) Is placenta a good indicator of cadmium and lead exposure? *Arch. environ. Health*, **51**, 389–394

- Lagerkvist, B.J., Ekesrydh, S., Englyst, V., Nordberg, G.F., Söderberg, H.-A. & Wiklund, D.-E. (1996b) Increased blood lead and decreased calcium levels during pregnancy: A prospective study of Swedish women living near a smelter. *Am. J. public Health*, **86**, 1247–1252
- LaGoy, P.K. (1987) Estimated soil ingestion rates for use in risk assessment. *Risk Anal.*, **7**, 355–359
- Lai, C.S. (1972) Lead poisoning as an occupational hazard in Chinese opera actors — A case report. *Singap. Med. J.*, **13**, 115–117
- Lai, J.S., Wu, T.N., Liou, S.H., Shen, C.Y., Guu, C.F., Ko, K.N., Chi, H.Y. & Chang, P.Y. (1997) A study of the relationship between ambient lead and blood lead among lead battery workers. *Int. Arch. occup. environ. Health*, **69**, 295–300
- Lal, B., Murthy, R.C., Anand, M., Chandra, S.V., Kumar, R., Tripathi, O. & Srimal, R.C. (1991) Cardiotoxicity and hypertension in rats after oral lead exposure. *Drug chem. Toxicol.*, **14**, 305–318
- Lalor, G., Rattray, R., Vutchkov, M., Campbell, B. & Lewis-Bell, K. (2001) Blood lead levels in Jamaican school children. *Sci. total Environ.*, **269**, 171–181
- Lamola, A.A. & Yamane, T. (1974) Zinc protoporphyrin in the erythrocytes of patients with lead intoxication and iron deficiency anemia. *Science*, **186**, 936–938
- Lancranjan, I., Popescu, H.I., Gavanescu, O., Klepsch, I. & Serbanescu, M. (1975) Reproductive ability of workmen occupationally exposed to lead. *Arch. environ. Health*, **30**, 396–401
- Landrigan, P.J. & Straub, W.E. (1985) Health Hazard Evaluation Report, HETA 85-0132-1598, Mystic Seaport, Mystic, CT, USA, NIOSH
- Landrigan, P.J., Gehlbach, S.H., Rosenblum, B.F., Shoults, J.M., Candelaria, R.M., Barthel, W.F., Liddle, J.A., Smrek, A.L., Staehling, N.W. & Sanders, J.F. (1975a) Epidemic lead absorption near an ore smelter — The role of particulate lead. *N. Engl. J. Med.*, **292**, 123–129
- Landrigan, P.J., McKinney, A.S., Hopkins, L.C., Rhodes, W.W., Jr, Price, W.A. & Cox, D.H. (1975b) Chronic lead absorption: Result of poor ventilation in an indoor pistol range. *JAMA*, **234**, 394–397
- Landrigan, P.J., Baloh, R.W., Barthel, W.F., Whitworth, R.H., Staehling, N.W. & Rosenblum, B.F. (1975c) Neuropsychological dysfunction in children with chronic low-level lead absorption. *Lancet*, **i**, 708–712
- Landrigan, P.J., Straub, W., McManus, K., Stein, G.F., Baker, E.L. & Himmelstein, J.S. (1980) Technical Assistance Report, TA 80-099-859, Tobin-Mystic River Bridge, Boston, MA, USA, NIOSH
- Landrigan, P.J., Albrecht, W.N., Watanabe, A. & Lee, S. (1982) Health Hazard Evaluation Report, HETA 80-0116-1034, Ferro Corp., Cleveland, OH, USA, NIOSH
- Lang, D.S., Meier, K.L. & Luster, M.I. (1993) Comparative effects of immunotoxic chemicals on *in vitro* proliferative responses of human and rodent lymphocytes. *Fundam. appl. Toxicol.*, **21**, 535–545
- Langlois, P., Smith, L., Fleming, S., Gould, R., Goel, V. & Gibson, B. (1996) Blood lead levels in Toronto children and abatement of lead-contaminated soil and house dust. *Arch. environ. Health*, **51**, 59–67
- Lanphear, B.P., Matte, T.D., Rogers, J., Clickner, R.P., Dietz, B., Bornschein, R.L., Succop, P., Mahaffey, K.R., Dixon, S., Galke, W., Rabinowitz, M., Farfel, M., Rohde, C., Schwartz, J., Ashley, P. & Jacobs, D.E. (1998) The contribution of lead-contaminated house dust and residential soil to children's blood lead levels — A pooled analysis of 12 epidemiologic studies. *Environ. Res.*, **79**, 51–68

- Lanphear, B.P., Eberly, S. & Howard, C.R. (2000a) Long-term effect of dust control on blood lead concentrations. *Pediatrics*, **106**, 48–51
- Lanphear, B.P., Dietrich, K., Auinger, P. & Cox, C. (2000b) Cognitive deficits associated with blood lead concentrations < 10 microg/dL in US children and adolescents. *Public Health Rep.*, **115**, 521–529
- Lanphear, B.P., Hornung, R., Ho, M., Howard, C.R., Eberle, S. & Knauf, K. (2002) Environmental lead exposure during early childhood. *J. Pediatr.*, **140**, 40–47
- Lansdown, R.G., Sheperd, J., Clayton, B.E., Delves, H.T., Graham P.J. & Turner, W.C. (1974) Blood lead levels, behaviour and intelligence: A population study. *Lancet*, **i**, 538–541
- Lansdown, R., Yule, W., Urbanowicz, M.-A. & Hunter, J. (1986) The relationship between blood-lead concentrations, intelligence, attainment and behaviour in a school population: The second London study. *Int. Arch. occup. environ. Health*, **57**, 225–235
- Larsen, S.B., Abell, A. & Bonde, J.P. (1998) Selection bias in occupational sperm studies. *Am. J. Epidemiol.*, **147**, 681–685
- Larson, J.K., Buchan, R.M., Blehm, K.D. & Smith, C.W. (1989) Characterization of lead fume exposure during gas metal arc welding on carbon steel. *Appl. ind. Hyg.*, **4**, 330–333
- Larsson, B., Slorach, S.A., Hagman, U. & Hofvander, Y. (1981) WHO collaborative breast feeding study. II. Levels of lead and cadmium in Swedish human milk, 1978–1979. *Acta paediatr. scand.*, **70**, 281–284
- Lasheen, M.R. (1987) The distribution of trace metals in Aswan High Dam Reservoir and River Nile ecosystems. In: Hutchinson, T.C. & Meema, K.M., eds, *Lead, Mercury, Cadmium and Arsenic in the Environment*, New York, Wiley, pp. 235–253
- Laurier, C., Tatematsu, M., Rao, P.M., Rajalakshmi, S. & Sarma, D.S.R. (1984) Promotion by orotic acid of liver carcinogenesis in rats initiated by 1,2-dimethylhydrazine. *Cancer Res.*, **44**, 2186–2191
- Lauwerys, R.R., Buchet, J.-P. & Roels, H.A. (1973) Comparative study of effect of inorganic lead and cadmium on blood δ-aminolevulinate dehydratase in man. *Br. J. ind. Med.*, **30**, 359–364
- Lauwerys, R.R., Bernard, A., Roels, H. & Buchet, J.P. (1995) Health risk assessment of long-term exposure to non-genotoxic chemicals: Application of biological indices. *Toxicol. Lett.*, **77**, 39–44
- Lead Development Association International (2003a) *Technical Note: Primary Extraction of Lead*, London [www.ldaint.org/default.htm; accessed 01/02/2004]
- Lead Development Association International (2003b) *Lead Information*, London [www.ldaint.org/default.htm; accessed 01/02/2004]
- Lead Development Association International (2003c) *Technical Note: Primary Lead Refining*, London [www.ldaint.org/default.htm; accessed 01/02/2004]
- Lead Development Association International (2003d) *Technical Note: Secondary lead production*, London [www.ldaint.org/default.htm; accessed 01/02/2004]
- Lead Development Association International (2003e) *Technical Note: Lead Products and Their Uses*, London [www.ldaint.org/default.htm; accessed 01/02/2004]
- Leal, R.B., Cordova, F.M., Herd, L., Bobrovskaya, L. & Dunkley, P.R. (2002) Lead-stimulated p38MAPK-dependent Hsp27 phosphorylation. *Toxicol. appl. Pharmacol.*, **178**, 44–51
- Leal-Garza, C., Montes de Oca, R., Cerda-Flores, R.M., Garcia-Martinez, E. & Garza-Chapa, R. (1986) Frequency of sister chromatid exchange (SCE) in lead exposed workers. *Arch. invest. Med.*, **17**, 267–276

- Ledda-Columbano, G.M., Coni, P., Curto, M., Giacomini, L., Faa, G., Sarma, D.S.R. & Columbano, A. (1992) Mitogen-induced liver hyperplasia does not substitute for compensatory regeneration during promotion of chemical hepatocarcinogenesis. *Carcinogenesis*, **13**, 379–383
- Lee, S.A. (1987) Health Hazard Evaluation Report, HETA 87-0262-1852, Artistic Awards, Colorado Springs, CO, USA, NIOSH
- Lee, S.A. (1991) Health Hazard Evaluation Report, HETA 91-0076-2164, Silver Deer, Boulder, CO, USA, NIOSH
- Lee, B.K. (1999) The role of biological monitoring in the health management of lead-exposed workers. *Toxicol. Lett.*, **108**, 149–160
- Lee, S.A. & McCammon, C.S. (1992) Health Hazard Evaluation Report, HETA 91-0161-2225, Denver Police Dept., Denver, CO, USA, NIOSH
- Lee, V.W.K., De Kretser, D.M., Hudson, B. & Wang, C. (1975) Variations in serum FSH, LH, and testosterone levels in male rats from birth to sexual maturity. *J. Reprod. Fertil.*, **42**, 121–126
- Lee, R.G., Becker, W.C. & Collins, D.W. (1989) Lead at the tap: Sources and control. *J. Am. Water Works Assoc.*, **81**, 52–62
- Lee, S.A., Goldfield, J., Hales, T.R. & Gunter, B.J. (1990a) Health Hazard Evaluation Report, HETA 89-0052-2006, Alma American Labs, Fairplay, CO, USA, NIOSH
- Lee, S.A., Hales, T.R. & Daniels, W.J. (1990b) Health Hazard Evaluation Report, HETA 89-0139-2025, Tamco, Etiwanda, CA, USA, NIOSH
- Lee, D.-S., Lee, Y.-K., Huh, J.-W., Lee, S.-I., Sohn, D.-H. & Kim, M.-G. (1994) [Annual variation of atmospheric lead concentration in Seoul (1984–1993).] *J. Kor. Air Pollut. Res. Assoc.*, **10**, 170–174 (in Korean with English Abstract)
- Lee, J.-E., Chen, S., Golemboski, K.A., Parsons, P.J. & Dietert, R.R. (2001) Developmental windows of differential lead-induced immunotoxicity in chickens. *Toxicology*, **156**, 161–170
- Lee, S.-S., Lee, B.-K., Lee, G.-S., Stewart, W.F., Simon, D., Kelsey, K., Todd, A.C. & Schwartz, B.S. (2001) Associations of lead biomarkers and delta-aminolevulinic acid dehydratase and vitamin D receptor genotypes with hematopoietic outcomes in Korean lead workers. *Scand. J. Work Environ. Health*, **27**, 402–411
- Lee, C.R., Lee, J.H., Yoo, C.I. & Kim, S.-R. (2002) Trend of blood lead levels in children in an industrial complex and its suburban area in Ulsan, Korea. *Int. Arch. occup. environ. Health*, **75**, 507–510
- Leggett, R.W. (1993) An age-specific kinetic model of lead metabolism in humans. *Environ. Health Perspect.*, **101**, 598–616
- Leighton, J., Klitzman, S., Sedlar, S., Matte, T. & Cohen, N.L. (2003) The effect of lead-based paint hazard remediation on blood lead levels of lead poisoned children in New York City. *Environ. Res.*, **92**, 182–190
- Lerda, D. (1992) Study of sperm characteristics in persons occupationally exposed to lead. *Am. J. ind. Med.*, **22**, 567–571
- Leroyer, A., Hemon, D., Nisse, C., Bazerques, J., Salomez, J.L. & Haguenoer, J.M. (2001) Environmental exposure to lead in a population of adults living in northern France: Lead burden levels and their determinants. *Sci. total Environ.*, **267**, 87–99
- Leung, F.Y., Bradley, C. & Pellar, T.G. (1993) Reference intervals for blood lead and evaluation of zinc protoporphyrin as a screening test for lead toxicity. *Clin. Biochem.*, **26**, 491–496
- Levin, L., Zheng, W., Blot, W.J., Yu-tang, G. & Fraumeni, J.F., Jr (1988) Occupation and lung cancer in Shanghai: A case-control study. *Br. J. ind. Med.*, **45**, 450–458

- Levy, L.S. & Venitt, S. (1986) Carcinogenicity and mutagenicity of chromium compounds: The association between bronchial metaplasia and neoplasia. *Carcinogenesis*, **7**, 831–836
- Levy, L.S., Martin, P.A. & Bidstrup, P.L. (1986) Investigation of the potential carcinogenicity of a range of chromium containing materials on rat lung. *Br. J. Ind. Med.*, **43**, 243–256
- Li, P. & Rossman, T.G. (2001) Genes upregulated in lead-resistant glioma cells reveal possible targets for lead-induced developmental neurotoxicity. *Toxicol. Sci.*, **64**, 90–99
- Li, W., Han, S., Gregg, T.R., Kemp, F.W., Davidow, A.L., Louria, D.B., Siegel, A. & Bogden, J.D. (2003) Lead exposure potentiates predatory attack behavior in the cat. *Environ. Res.*, **92**, 197–206
- Lide, D.R., ed. (2003) *CRC Handbook of Chemistry and Physics on CD-ROM, Version 2004*, 84th Ed., Boca Raton, FL, pp. 4-17–4-18; 4-64–4-65
- Lidsky, T.I. & Schneider, J.S. (2003) Lead neurotoxicity in children: Basic mechanisms and clinical correlates. *Brain*, **126**, 5–19
- Lilley, S.G., Florence, T.M. & Stauber, J.L. (1988) The use of sweat to monitor lead absorption through the skin. *Sci. total Environ.*, **76**, 267–278
- Lin, R.H., Lee, C.H., Chen, W.K. & Lin-Shiau, S.Y. (1994) Studies on cytotoxic and genotoxic effects of cadmium nitrate and lead nitrate in Chinese hamster ovary cells. *Environ. mol. Mutag.*, **23**, 143–149
- Lin, S., Hwang, S.-A., Marshall, E.G. & Marion, D. (1998) Does paternal occupational lead exposure increase the risks of low birth weight or prematurity? *Am. J. Epidemiol.*, **148**, 173–181
- Lindblad, B., Lindstedt, S. & Steen, G. (1977) On the enzymic defects in hereditary tyrosinemia. *Proc. natl Acad. Sci. USA*, **74**, 4641–4645
- Lindbohm, M.L., Sallmén, M., Anttila, A., Taskinen, H. & Hemminki, K. (1991) Paternal occupational lead exposure and spontaneous abortion. *Scand. J. Work Environ. Health*, **17**, 95–103
- Linden, M.A., Manton, W.I., Stewart, R.M., Thal, E.R. & Feit, H. (1982) Lead poisoning from retained bullets: Pathogenesis, diagnosis, and management. *Ann. Surg.*, **195**, 305–313
- Lin-Fu, J.S. (1992) Modern history of lead poisoning: A century of discovery and rediscovery. In: Needleman, H.L., ed., *Human Lead Exposure*, Boca Raton, FL, CFRC Press, pp. 23–43
- Liou, S.H., Wu, T.N., Chiang, H.C., Yang, T., Yang, G.Y., Wu, Y.Q., Lai, J.S., Ho, S.T., Guo, Y.L., Ko, Y.C., Ko, K.N. & Chang, P.Y. (1996) Three-year survey of blood lead levels in 8828 Taiwanese adults. *Int. arch. Occup. Environ. Health*, **68**, 80–87
- Little, P., Fleming, R.G. & Heard, M.J. (1981) Uptake of lead by vegetable foodstuffs during cooking. *Sci. total Environ.*, **17**, 111–131
- Litvinov, N.N., Voronin, V.M. & Kazachkov, V.I. (1982) [Experimental study of aniline, lead nitrate and sodium alkylsulfate as modifiers of chemical blastomogenesis] *Vopr. Onkol.*, **28**, 56–59 (in Russian)
- Litvinov, N.N., Voronin, V.M. & Kazachkov, V.I. (1984) [Characteristics of aniline, lead nitrate, carbon tetrachloride and formaldehyde as modifiers of chemical carcinogenesis] *Vopr. Onkol.*, **30**, 56–60 (in Russian)
- Lloyd, R.D., Mays, C.W., Atherton, D.R. & Bruenger, F.W. (1975) ^{210}Pb studies in beagles. *Health Phys.*, **28**, 575–583
- Lockhart Gibson, J., Love, W., Hardie, D., Bancroft, P. & Jefferis Turner, A. (1892) Notes on lead-poisoning as observed among children in Brisbane. In: *Transactions of the Intercolonial Medical Congress of Australia*, Sydney, pp. 78–83

- Lockitch, G., Berry, B., Roland, E., Wadsworth, L., Kaikov, Y. & Mirhady, F. (1991) Seizures in a 10-week-old infant: Lead poisoning from an unexpected source. *Can. med. Assoc. J.*, **145**, 1465–1468
- Löfstedt, H., Seldén, A., Storéus, L. & Bodin, L. (1999) Blood lead in Swedish police officers. *Am. J. Ind. Med.*, **35**, 519–522
- Loghman-Adham, M. (1997) Renal effects of environmental and occupational lead exposure: A review. *Environ. Health Perspect.*, **105**, 928–938
- Loikkanen, J., Chvalova, K., Naarala, J., Vähäkangas, K.H. & Savolainen, K.M. (2003) Pb²⁺-induced toxicity is associated with p53-independent apoptosis and enhanced by glutamate in GT1-7 neurons. *Toxicol. Lett.*, **144**, 235–246
- Lokhande, R.S. & Kelkar, N. (1999) Studies on heavy metals in water of Vasai Creek, Maharashtra. *Indian J. environ. Prot.*, **19**, 664–668
- Loranger, S. & Zayed, J. (1994) Manganese and lead concentrations in ambient air and emission rates from unleaded and leaded gasoline between 1981 and 1992 in Canada: A comparative study. *Atmos. Environ.*, **28**, 1645–1651
- Lu, H., Guizzetti, M. & Costa, L.G. (2001) Inorganic lead stimulates DNA synthesis in human astrocytoma cells: Role of protein kinase C alpha. *J. Neurochem.*, **78**, 590–599
- Lu, H., Guizzetti, M. & Costa, L.G. (2002) Inorganic lead activates the mitogen-activated protein kinase kinase-mitogen-activated protein kinase-p90(RSK) signaling pathway in human astrocytoma cells via a protein kinase C-dependent mechanism. *J. Pharmacol. exp. Ther.*, **300**, 818–823
- Lubin, J.H., Pottern, L.M., Stone, B.J. & Fraumeni, J.F., Jr (2000) Respiratory cancer in a cohort of copper smelter workers: Results from more than 50 years of follow-up. *Am. J. Epidemiol.*, **151**, 554–565
- Lucas, S.R., Sexton, M. & Langenberg, P. (1996) Relationship between blood lead and nutritional factors in preschool children: A cross-sectional study. *Pediatrics*, **97**, 74–78
- Lundström, N.-G., Nordberg, G., Englyst, V., Gerhardsson, L., Hagmar, L., Jin, T., Rylander, L. & Wall, S. (1997) Cumulative lead exposure in relation to mortality and lung cancer morbidity in a cohort of primary smelter workers. *Scand. J. Work Environ. Health*, **23**, 24–30
- Luo, W., Zhang, Y. & Li, H. (2003) Children's blood lead levels after the phasing out of leaded gasoline in Shantou, China. *Arch. environ. Health*, **58**, 184–187
- Lussenhop, D.H., Parker, D.L., Barklind, A. & McJilton, C. (1989) Lead exposure and radiator repair work. *Am. J. public Health*, **79**, 1558–1560
- Lustberg, M. & Silbergeld, E. (2002) Blood lead levels and mortality. *Arch. intern. Med.*, **162**, 2443–2449
- Luster, M.I., Faith, R.E. & Kimmel, C.A. (1978) Depression of humoral immunity in rats following chronic developmental lead exposure. *J. environ. Pathol. Toxicol.*, **1**, 397–402
- Lynge, E., Kurppa, K., Kristoffersen, L., Malker, H. & Sauli, H. (1986) Silica dust and lung cancer: Results from the Nordic occupational mortality and cancer incidence registers. *J. natl Cancer Inst.*, **77**, 883–889
- Lyon, T.D.B., Patriarca, M., Howatson, A.G., Fleming, P.J., Blair, P.S. & Fell, G.S. (2002) Age dependence of potentially toxic elements (Sb, Cd, Pb, Ag) in human liver tissue from paediatric subjects. *J. environ. Monit.*, **4**, 1034–1039

- Maddaloni, M., Lolacono, N., Manton, W., Blum, C., Drexler, J. & Graziano, J. (1998) Bioavailability of soilborne lead in adults, by stable isotope dilution. *Environ. Health Perspect.*, **106** (Suppl. 6), 1589–1594
- Maenhaut, W., Zoller, W.H., Duce, R.A. & Hoffman, G.L. (1979) Concentration and size distribution of particulate trace elements in the south polar atmosphere. *J. geophys. Res.*, **84**, 2421–2431
- Mahaffey, K.R. & Annest, J.L. (1986) Association of erythrocyte protoporphyrin with blood lead level and iron status in the second National Health and Nutrition Examination Survey, 1976–1980. *Environ. Res.*, **41**, 327–338
- Maja, M., Penazzi, N., Baudino, M. & Ginatta, M.V. (1989) *Recycling of Lead-acid Batteries. The Ginatta Process. Proceedings of the International Conference on Lead/Acid Batteries (LABAT '89)*, Drujba, Varna, Bulgaria
- Makino, S., Matsuno, K., Hisanaga, N., Seki, Y., Ortega, V.S.D., Villanueva, M.B., Cucueco, M.T., Yu-Sison, S. & Castro, F.T., II (1994) [Medical examination of workers exposed to lead in the Philippines.] *Jpn. J. ind. Health*, **36**, 114–123 (in Japanese)
- Mäki-Paakkonen, J., Sorsa, M. & Vainio, H. (1981) Chromosome aberrations and sister chromatid exchanges in lead-exposed workers. *Hereditas*, **94**, 269–275
- Malcolm, D. & Barnett, H.A.R. (1982) A mortality study of lead workers 1925–1976. *Br. J. ind. Med.*, **39**, 404–410
- Maldonado-Vega, M., Cerbón-Solórzano, J., Albores-Medina, A., Hernández-Luna, C. & Calderon-Salinas, J.V. (1996) Lead: Intestinal absorption and bone mobilization during lactation. *Hum. exp. Toxicol.*, **15**, 872–877
- Maldonado-Vega, M., Solórzano, J.C. & Salinas, J.V. (2002) The effects of dietary calcium during lactation on lead in bone mobilization: Implications for toxicology. *Hum. exp. Toxicol.*, **21**, 409–414
- Malkin, R. (1993) Health Hazard Evaluation Report, HETA 93-0739-2364, Curcio Scrap Metal and Cirello Iron and Steel, Saddle Brook, NJ, USA, NIOSH
- Mallin, K., Rubin, M. & Joo, E. (1989) Occupational cancer mortality in Illinois white and black males, 1979–1984, for seven cancer sites. *Am. J. ind. Med.*, **15**, 699–717
- Maltoni, C. (1976) Predictive value of carcinogenesis bioassays. *Ann. N.Y. Acad. Sci.*, **271**, 431–443
- Maltoni, C., Morisi, L. & Chieco, P. (1982) Experimental approach to the assessment of the carcinogenic risk of industrial inorganic pigments. *Adv. mod. environ. Toxicol.*, **2**, 77–92
- Mameli, O., Caria, M.A., Melis, F., Solinas, A., Tavera, C., Ibba, A., Tocco, M., Flore, C. & Sanna Randaccio, F. (2001) Neurotoxic effect of lead at low concentrations. *Brain Res. Bull.*, **55**, 269–275
- Manton, W.I. (1985) Total contribution of airborne lead to blood lead. *Br. J. ind. Med.*, **42**, 168–172
- Manton, W.I. (1994) Lead poisoning from gunshots — A five century heritage. *Clin. Toxicol.*, **32**, 387–389
- Manton, W.I. & Cook, J.D. (1984) High accuracy (stable isotope dilution) measurements of lead in serum and cerebrospinal fluid. *Br. J. ind. Med.*, **41**, 313–319
- Manton, W.I., Angle, C.R., Stanek, K.L., Reese, Y.R. & Kuehnemann, T.J. (2000) Acquisition and retention of lead by young children. *Environ. Res.*, **82**, 60–80
- Manton, W.I., Rothenberg, S.J. & Manalo, M. (2001) The lead content of blood serum. *Environ. Res.*, **86**, 263–273
- Mao, P. & Molnar, J.J. (1967) The fine structure and histochemistry of lead-induced renal tumors in rats. *Am. J. Pathol.*, **50**, 571–603

- Maranelli, G. & Apostoli, P. (1987) Assessment of renal function in lead-poisoned workers. In: Foà, V., Emmet, E.A., Maroni, M., Colombi, A., eds, *Occupational and Environmental Chemical Hazards: Cellular and Biochemical Indices for Monitoring Toxicity*, Chichester, Ellis Horwood Ltd, pp. 344–348
- Marcus, A.H. (1985) Multicompartment kinetic model for lead III. Lead in blood plasma and erythrocytes. *Environ. Res.*, **36**, 473–489
- Marcus, A.H. & Schwartz, J. (1987) Dose-response curves for erythrocyte protoporphyrin vs blood lead: Effects of iron status. *Environ. Res.*, **44**, 221–227
- Maresky, L.S. & Grobler, S.R. (1993) Effect of the reduction of petrol lead on the blood lead levels of South Africans. *Sci. total Environ.*, **136**, 43–48
- Markowitz, M.E. & Shen, X.M. (2001) Assessment of bone lead during pregnancy: A pilot study. *Environ. Res.*, **A85**, 83–89
- Markowitz, M.E. & Weinberger, H.L. (1990) Immobilization-related lead toxicity in previously lead-poisoned children. *Pediatrics*, **86**, 455–457
- Markowitz, S.B., Nunez, C.M., Klitzman, S., Munshi, A.A., Kim, W.S., Eisinger, J. & Landrigan, P.J. (1994) Lead poisoning due to *hai ge fen*: The porphyrin content of individual erythrocytes. *J. Am. med. Assoc.*, **271**, 932–934
- Marshall, J.H. & Onkelinx, C. (1968) Radial diffusion and power function retention of alkaline earth radioisotopes in adult bone. *Nature*, **217**, 742–743
- Maslat, A.O. & Haas, H.J. (1989) Mutagenic effects of lead (II) bromide. *J. trace Elem. Electrolytes Health Dis.*, **3**, 187–191
- Mathee, A., von Schirnding, Y.E.R., Levin, J., Ismail, A., Huntley, R. & Cantrell, A. (2002) A survey of blood lead levels among young Johannesburg school children. *Environ. Res.*, **90**, 181–184
- Matte, T.D. (2003) [Effects of lead exposure on children's health]. *Salud Publica Mex.*, **45** (Suppl. 2), 220–224 (in Spanish)
- Matte, T.D. & Burr, G.A. (1989a) Health Hazard Evaluation Report, HETA 87-0371-1986, Technical Assistance to the Jamaican Ministry of Health, Kingston, Jamaica, NIOSH
- Matte, T.D. & Burr, G.A. (1989b) Health Hazard Evaluation Report, HETA 87-0371-1989, Technical Assistance to the Jamaican Ministry of Health, Kingston, Jamaica, NIOSH
- Mattorano, D.A. (1996) Health Hazard Evaluation Report, HETA 94-0273-2556, Bruce Mansfield Power Station, Shippingport, PA, USA, NIOSH
- Maynard, E., Thomas, R., Simon, D., Phipps, C., Ward, C. & Calder, I. (2003) An evaluation of recent blood lead levels in Port Pirie, South Australia. *Sci. total Environ.*, **303**, 25–33
- Mazess, R.B. (1982) On aging bone loss. *Clin. Orthoped. rel. Res.*, **165**, 239–252
- Mazess, R.B., Barden, H.S., Ettinger, M., Johnston, C., Dawson-Hughes, B., Baran, D., Powell, M. & Notelovitz, M. (1987) Spine and femur density using dual-photon absorptiometry in US white women. *Bone Miner.*, **2**, 211–219
- McCammon, C.S., Daniels, W.J., Hales, T.R. & Lee, S.A. (1991) Health Hazard Evaluation Report, HETA 91-0290-2131, New England Lead Burning Co. (NELCO), Eaton Metals, Salt Lake City, UT, USA, NIOSH
- McCammon, C.S., Hales, T.R., Daniels, W.J. & Lee, S.A. (1992) Health Hazard Evaluation Report, HETA 91-0391-2174, New England Lead Burning Co. (NELCO), Eaton Metals, Salt Lake City, UT, USA, NIOSH
- McClain, R.M. & Siekierka, J.J. (1975) The placental transfer of lead-chelate complexes in the rat. *Toxicol. appl. Pharmacol.*, **31**, 443–451

- McDonald, J.A. & Potter, N.U. (1996) Lead's legacy? Early and late mortality of 454 lead-poisoned children. *Arch. environ. Health*, **51**, 116–121
- McGivern, R.F., Sokol, R.Z. & Berman, N.G. (1991) Prenatal lead exposure in the rat during the third week of gestation: Long-term behavioral, physiological, and anatomical effects associated with reproduction. *Toxicol. appl. Pharmacol.*, **110**, 206–215
- McGlothlin, J., Mattorano, D.A., Harney, J.M., Habes, D., Cook, C. & Roegner, K. (1999) Health Hazard Evaluation Report, HETA 97-0196-2755, Astoria Metal Corp., Hunters Point Naval Shipyard, San Francisco, CA, USA, NIOSH
- McGregor, A.J. & Mason, H.J. (1990) Chronic occupational lead exposure and testicular endocrine function. *Hum. exp. Toxicol.*, **9**, 371–376
- McIntosh, J.F., Möller, E. & Van Slyke, D.D. (1928) Studies of urea excretion III. The influence of body size on urea output. *J. clin. Invest.*, **6**, 467–483
- McLaughlin, J.K., Thomas, T.L., Stone, B.J., Blot, W.J., Malker, H.S., Wiener, J.A., Ericsson, J.L. & Malker, B.K. (1987) Occupational risks for meningiomas of the CNS in Sweden. *J. occup. Med.*, **29**, 66–68
- McManus, K.P. (1991) Health Hazard Evaluation Report, HETA 91-0376-2154, U.S. Customs Service, World Trade Center New York, NY, USA, NIOSH
- McMichael, A.J. & Johnson, H.M. (1982) Long-term mortality profile of heavily-exposed lead smelter workers. *J. occup. Med.*, **24**, 375–378
- McMichael, A.J., Baghurst, P.A., Robertson, E.F., Vimpani, G.V. & Wigg, N.R. (1985) The Port Pirie cohort study. Blood lead concentrations in early childhood. *Med. J. Aust.*, **143**, 499–503
- McMichael, A.J., Vimpani, G.V., Robertson, E.F., Baghurst, P.A. & Clark, P.D. (1986) The Port Pirie cohort study: Maternal blood lead and pregnancy outcome. *J. Epidemiol. Community Health*, **40**, 18–25
- McMichael, A.J., Baghurst, P.A., Wigg, N.R., Vimpani, G.V., Robertson, E.F. & Roberts, R.J. (1988) Port Pirie cohort study: Environmental exposure to lead and children's abilities at the age of four years. *N. Engl. J. Med.*, **319**, 468–475
- McNeill, F.E., Laughlin, N.K., Todd, A.C., Sonawane, B.R., Van de Wal, K.M. & Fowler, B.A. (1997) Geriatric bone lead metabolism in a female nonhuman primate population. *Environ. Res.*, **72**, 131–139
- McNutt, T.K., Chambers-Emerson, J., Dethlefsen, M. & Shah, R. (2001) Bite the bullet: Lead poisoning after ingestion of 206 lead bullets. *Vet. hum. Toxicol.*, **43**, 288–289
- Mehdi, J.K., Al-Imarah, F.J.M. & Al-Suhail, A.A. (2000) Levels of some trace metals and related enzymes in workers at storage-battery factories in Iraq. *East mediterr. Health J.*, **6**, 66–82
- Mehra, R.K. & Tripathi, R.D. (2000) Phytochelatins and metal tolerance. In: Agarwal, S.B. & Agarwal, M., eds, *Environmental Pollution and Plant Responses*, Boca Raton, FL, Lewis Publishers, pp. 367–382
- Mencel, S.J. & Thorp, R.H. (1976) A study of blood lead levels in residents of the Sydney area. *Med. J. Aust.*, **1**, 423–426
- Meredith, P.A., Moore, M.R. & Goldberg, A. (1977) The effect of calcium on lead absorption in rats. *Biochem. J.*, **166**, 531–537
- Merzenich, H., Hartwig, A., Ahrens, W., Beyermann, D., Schlepegrell, R., Scholze, M., Timm, J. & Jöckel, K.-H. (2001) Biomonitoring on carcinogenic metals and oxidative DNA damage in a cross-sectional study. *Cancer Epidemiol. Biomarkers Prev.*, **10**, 515–522

- Mexico City Commission for Prevention and Control of Pollution (1993) [*Program to Control Atmospheric Pollution in Mexico City*], Mexico City (in Spanish)
- Meyer, B.R., Fischbein, A., Rosenman, K., Lerman, Y., Drayer, D.E. & Reidenberg, M.M. (1984) Increased urinary enzyme excretion in workers exposed to nephrotoxic chemicals. *Am. J. Med.*, **76**, 989–998
- Michaels, D., Zoloth, S.R. & Stern, F.B. (1991) Does low-level lead exposure increase risk of death? A mortality study of newspaper printers. *Int. J. Epidemiol.*, **20**, 978–983
- Mielke, H.W. (1991) Lead in residential soils: Background and preliminary results of New Orleans. *Water Air Soil Pollut.*, **57–58**, 111–119
- Mielke, H.W., Anderson, J.C., Berry, K.J., Mielke, P.W., Chaney, R.L. & Leech, M. (1983) Lead concentrations in inner-city soils as a factor in the child lead problem. *Am. J. public Health*, **73**, 1366–1369
- Mielke, H.W., Adams, J.L., Reagan, P.L. & Mielke, P.W., Jr (1989) Soil-dust lead and childhood lead exposure as a function of city size and community traffic flow: The case for lead abatement in Minnesota. *Environ. Chem. Health*, **9** (Suppl.), 253–271
- Mielke, H.W., Dugas, D., Mielke, P.W., Jr, Smith, K.S., Smith, S.L. & Gonzales, C.R. (1997a) Associations between soil lead and childhood blood lead in urban New Orleans and rural Lafourche Parish of Louisiana. *Environ. Health Perspect.*, **105**, 950–954
- Mielke, H.W., Taylor, M.D., Gonzales, C.R., Smith, M.K., Daniels, P.V. & Buckner, A.V. (1997b) Lead-based hair coloring products: Too hazardous for household use. *J. Am. pharm. Assoc.*, **NS37**, 85–89
- Miller, G.D., Massaro, T.F., Granlund, R.W. & Massaro, E.J. (1983) Tissue distribution of lead in the neonatal rat exposed to multiple doses of lead acetate. *J. Toxicol. environ. Health*, **11**, 121–128
- Miller, M.B., Curry, S.C., Kunkel, D.B., Arreola, P., Arvizu, E., Schaller, K. & Salmen, D. (1996) Pool cue chalk: A source of environmental lead. *Pediatrics*, **97**, 916–917
- Miller, T.E., Golemboski, K.A., Ha, R.S., Bunn, T., Sanders, F.S. & Dietert, R.R. (1998) Developmental exposure to lead causes persistent immunotoxicity in Fischer 344 rats. *Toxicol. Sci.*, **42**, 129–135
- Milne, K.L., Sandler, D.P., Everson, R.B. & Brown, S.M. (1983) Lung cancer and occupation in Alameda county: A death certificate case-control study. *Am. J. ind. Med.*, **4**, 565–575
- Ministry of Health, Brazil (2004) Portaria No. 518, de 25 de março de 2004 [http://www.sabesp.com/legislacao/Pdf/518_04.pdf; assessed 01/02/2005] (in Portuguese)
- Ministry of Health, Labour and Welfare (2001) [Database for quality of water supply] (in Japanese) [http://www.jwwa.or.jp/mizu/bunpu/bunpu1_D.asp; accessed 26/01/2004]
- Ministry of Health, Labour and Welfare (2002) *The National Nutrition Survey in Japan, 2001*, Tokyo, Dai-ichi Shuppan Publishers (in Japanese)
- Ministry of Health, Labour and Welfare (2003) *Journal of Health and Welfare Statistics, Health and Welfare Statistics Association*, p. 269
- Minnesota Pollution Control Agency (1987) *Soil Lead Report to the Minnesota State Legislature*, Minneapolis, Minnesota, Minnesota Pollution Control Agency & Minnesota Department of Health
- Mira, M., Bawden-Smith, J., Causer, J., Alperstein, G., Karr, M., Snitch, P., Waller, G. & Fett, M.J. (1996) Blood lead concentrations of preschool children in Central and Southern Sydney. *Med. J. Australia*, **164**, 399–402

- Mishra, K.P., Singh, V.K., Rani, R., Yadav, V.S., Chandran, V., Srivastava, S.P. & Seth, P.K. (2003) Effect of lead exposure on the immune response of some occupationally exposed individuals. *Toxicology*, **188**, 251–259
- Mistry, P., Lucier, G.W. & Fowler, B.A. (1985) High-affinity lead binding proteins in rat kidney cytosol mediate cell-free nuclear translocation of lead. *J. Pharmacol. exp. Ther.*, **232**, 462–469
- Mistry, P., Mastri, C. & Fowler, B.A. (1986) Influence of metal ions on renal cytosolic lead-binding proteins and nuclear uptake of lead in the kidney. *Biochem. Pharmacol.*, **35**, 711–713
- Modak, A.T., Weintraub, S.T. & Stavinoha, W.B. (1975) Effect of chronic ingestion of lead on the central cholinergic system in rat brain regions. *Toxicol. appl. Pharmacol.*, **34**, 340–347
- Modak, A.T., Purdy, R.H. & Stavinoha, W.B. (1978) Changes in acetylcholine concentration in mouse brain following ingestion of lead acetate in drinking water. *Drug chem. Toxicol.*, **1**, 373–389
- Mokhtar, M.B., Awaluddin, A.B., Yusof, A.B.B.M. & Bakar, B.B. (2002) Lead in blood and hair of shipyard workers, Sabah, Malaysia. *Bull. environ. Contam. Toxicol.*, **69**, 8–14
- Mombeshora, C., Osibanjo, O. & Ajayi, S.O. (1983) Pollution studies on Nigerian rivers: The onset of lead pollution of surface waters in Ibadan. *Environ. Int.*, **9**, 81–84
- Momcilovic, B. (1978) The effect of maternal dose on lead retention in suckling rats. *Arch. environ. Health*, **33**, 115–117
- Momcilovic, B. (1979) Lead metabolism in lactation. *Experientia*, **35**, 517–518
- Momcilovic, B. & Kostial, K. (1974) Kinetics of lead retention and distribution in suckling and adult rats. *Environ. Res.*, **8**, 214–220
- Monchaux, G., Morin, M., Morlier, J.P. & Olivier, M.F. (1997) Long-term effects of combined exposure to fission neutrons and inhaled lead oxide particles in rats. *Ann. occup. Hyg.*, **41** (Suppl. 1), 630–635
- Montopoli, M., Seligman, P., O'Brien, D. & Zaebst, D. (1989) Health Hazard Evaluation Report, HETA 88-0244-1951, Orrville Bronze and Aluminum Co., Orrville, OH, USA, NIOSH
- Moon, C.-S. & Ikeda, M. (1996) Pollutant levels in ambient air and blood in Korea. *Environ. Health prev. Med.*, **1**, 33–38
- Moon, D.-H. & Lee, C.-U. (1992) [A study on the ambient air pollution by heavy metals in Pusan area.] *Inje. Med. J.*, **13**, 61–91 (in Korean with English abstract)
- Moon, C.-S., Zhang, Z.-W., Shimbo, S., Watanabe, T., Moon, D.-H., Lee, C.-U., Lee, B.-K., Ahn, K.-D., Lee, S.-H. & Ikeda, M. (1995) Dietary intake of cadmium and lead among the general population in Korea. *Environ. Res.*, **71**, 46–54
- Moore, M.R. (1988) Haematological effects of lead. *Sci. tot. Environ.*, **71**, 419–431
- Moore, J.F. & Goyer, R.A. (1974) Lead-induced inclusion bodies: Composition and probable role in lead metabolism. *Environ. Health Perspect.*, **7**, 121–127
- Moore, M.R., Beattie, A.D., Thompson, G.G. & Goldberg, A. (1971) Depression of δ -aminolaevulinic acid dehydrase activity by ethanol in man and rat. *Clin. Sci.*, **40**, 81–88
- Moore, P.J., Pridmore, S.A. & Gill, G.F. (1976) Total blood lead levels in petrol vendors. *Med. J. Aust.*, **1**, 438–440
- Moore, M.R., Meredith, P.A., Campbell, B.C. & Watson, W.S. (1979) The gastrointestinal absorption of lead 203 chloride in man. In: Hemphill, D.D., ed., *Trace Substances in Environmental Health*, Vol. XIII, Columbia, MO, University of Missouri, pp. 368–373
- Moore, M.R., Meredith, P.A., Watson, W.S., Sumner, D.J., Taylor, M.K. & Goldberg, A. (1980a) The percutaneous absorption of lead-203 in humans from cosmetic preparations containing

- lead acetate, as assessed by whole-body counting and other techniques. *Food Cosmet. Toxicol.*, **18**, 399–405
- Moore, M.R., Meredith, P.A. & Goldberg A. (1980b) Lead and heme biosynthesis. In: Singhal, R.L. & Thomas, J.A., eds, *Lead Toxicity*, Baltimore, Urban and Schwarzenberg, pp. 79–117
- Moore, M.R., Goldberg, A., Pocock, S.J., Meredith, A., Stewart, I.M., MacAnespie, H., Lees, R. & Low, A. (1982) Some studies of maternal and infant lead exposure in Glasgow. *Scot. med. J.*, **27**, 113–121
- Moorman, W.J., Skaggs, S.R., Clark, J.C., Turner, T.W., Sharpnack, D.D., Murrell, J.A., Simon, S.D., Chapin, R.E. & Schrader, S.M. (1998) Male reproductive effects of lead, including species extrapolation for the rabbit model. *Reprod. Toxicol.*, **12**, 333–346
- Moreira, E.G., de Magalhaes Rosa, G.J., Barros, S.B.M., Vassilieff, V.S. & Vassillieff, I. (2001) Antioxidant defense in rat brain regions after developmental lead exposure. *Toxicology*, **169**, 145–151
- Morgan, A. & Holmes, A. (1978) The fate of lead in petrol-engine exhaust particulates inhaled by the rat. *Environ. Res.*, **15**, 44–56
- Morgan, A., Holmes, A. & Evans, J.C. (1977) Retention, distribution, and excretion of lead by the rat after intravenous injection. *Br. J. ind. Med.*, **34**, 37–42
- Morgan, B.W., Todd, K.H. & Moore, B. (2001) Elevated blood lead levels in urban moonshine drinkers. *Ann. emerg. Med.*, **37**, 51–54
- Morrison, J.N. & Quarterman, J. (1987) The relationship between iron status and lead absorption in rats. *Biol. trace Elem. Res.*, **14**, 115–126
- Morrow, P.E., Beiter, H., Amato, F. & Gibb, F.R. (1980) Pulmonary retention of lead: An experimental study in man. *Environ. Res.*, **21**, 373–384
- Moser, R., Oberley, T.D., Daggett, D.A., Friedman, A.L., Johnson, J.A. & Siegel, F.L. (1995) Effects of lead administration on developing rat kidney. I. Glutathione S-transferase isoenzymes. *Toxicol. appl. Pharmacol.*, **131**, 85–93
- Mouradian, R.F. & Kinnes, G.M. (1991) Health Hazard Evaluation Report, HETA 90-0348-2135, Grosse Pointes-Clinton Refuse Disposal Authority, Mount Clemens, MI, USA, NIOSH
- Muldoon, S.B., Cauley, J.A., Kuller, L.H., Scott, J. & Rohay, J. (1994) Lifestyle and sociodemographic factors as determinants of blood lead levels in elderly women. *Am. J. Epidemiol.*, **139**, 599–608
- Mulligan, C.N., Yong, R.N. & Gibbs, B.F. (2001) Remediation technologies for metal-contaminated soils and groundwater: An evaluation. *Eng. Geol.*, **60**, 193–207
- Murata, K., Araki, S. & Aono, H. (1987) Effects of lead, zinc, and copper absorption on peripheral nerve conduction in metal workers. *Int. Arch. occup. environ. Health*, **59**, 11–20
- Murata, K., Araki, S., Yokoyama, K., Nomiyama, K., Nomiyama, H., Tao, Y.-X. & Liu, S.-J. (1995) Autonomic and central nervous system effects of lead in female glass workers in China. *Am. J. ind. Med.*, **28**, 233–244
- Muro, L.A. & Goyer, R.A. (1969) Chromosome damage in experimental lead poisoning. *Arch. Path.*, **87**, 660–663
- Murphy, M.J., Graziano, J.H., Popovac, D., Kline, J.K., Mehmeti, A., Factor-Litvak, P., Ahmed, G., Shrout, P., Rajovic, B., Nenezic, D.U. & Stein, Z.A. (1990) Past pregnancy outcomes among women living in the vicinity of a lead smelter in Kosovo, Yugoslavia. *Am. J. pub. Health*, **80**, 33–35
- Mushak, P. (1991) Gastro-intestinal absorption of lead in children and adults: Overview of biological and biophysico-chemical aspects. *Chem. Spec. Bioavail.*, **3**, 87–104

- Muskett, C.J. & Caswell, R. (1980) An investigation into lead in two indoor small-bore rifle ranges. *Ann. occup. Hyg.*, **23**, 283–294
- Mykkänen, H.M. & Wasserman, R.H. (1982) Effect of vitamin D on the intestinal absorption of ^{203}Pb and ^{47}Ca in chicks. *J. Nutr.*, **112**, 520–527
- Mykkänen, H.M., Lancaster, M.C. & Dickerson, J.W.T. (1982) Concentrations of lead in the soft tissues of male rats during a long-term dietary exposure. *Environ. Res.*, **28**, 147–153
- Mykkänen, H.M., Fullmer, C.S. & Wasserman, R.H. (1984) Effect of phosphate on the intestinal absorption of lead (^{203}Pb) in chicks. *J. Nutr.*, **114**, 68–74
- Mylius, E.A. & Ophus, E.M. (1977) Pulmonary distributions of lead in human subjects. *Bull. environ. Contam. Toxicol.*, **17**, 302–310
- Nakaji, S., Fukuda, S., Sakamoto, J., Sugawara, K., Shimoyama, T., Umeda, T. & Baxter, D. (2001) Relationship between mineral and trace element concentrations in drinking water and gastric cancer mortality in Japan. *Nutr. Cancer*, **40**, 99–102
- Nambi, K.S.V., Raghunath, R., Tripathi, R.M. & Khandekar, R.N. (1997) Scenario of 'Pb pollution and children' in Mumbai: Current air quality standard vindicated. *Energy Environ. Monitor.*, **13**, 53–60
- Namihira, D., Saldivar, L., Pustilnik, N., Carreón, G.J. & Salinas, M.E. (1993) Lead in human blood and milk from nursing women living near a smelter in Mexico City. *J. Toxicol. environ. Health*, **38**, 225–232
- Nathan, E., Huang, H.F.S., Pogach, L., Giglio, W., Bogden, J.D. & Seebode, J. (1992) Lead acetate does not impair secretion of Sertoli cell function marker proteins in the adult Sprague Dawley rat. *Arch. environ. Health*, **47**, 370–375
- National Food Processors Association (1992) *Public Comment on the Toxicological Profile for Lead*. Submitted to the Academy for Toxic Substances and Disease Registry. Washington, DC, February 4, 1992
- National Institute for Occupational Safety and Health (1994a) *Lead by GFAAS, Method 7105, Issue 2*, In: NIOSH Manual of Analytical Methods (NMAM), 4th Ed.
- National Institute for Occupational Safety and Health (1994b) *Lead by Flame AAS, Method 7082, Issue 2*, In: NIOSH Manual of Analytical Methods (NMAM), 4th Ed.
- National Institute for Occupational Safety and Health (1994c) *Tetraethyl Lead (as Pb), Method 2533, Issue 2*, In: NIOSH Manual of Analytical Methods (NMAM), 4th Ed.
- National Institute for Occupational Safety and Health (1994d) *Tetramethyl Lead (as Pb), Method 2534, Issue 2*, In: NIOSH Manual of Analytical Methods (NMAM), 4th Ed.
- National Institute for Occupational Safety and Health (1995) *Report to Congress on Workers' Home Contamination Study Conducted Under the Workers' Family Protection*, Cincinnati, OH, National Institute for Occupational Safety and Health
- National Institute for Occupational Safety and Health (1998) *Lead by Field Portable XRF, Method 7702, Issue 1*, In: NIOSH Manual of Analytical Methods (NMAM), 4th Ed.
- National Institute for Occupational Safety and Health (2001) *Health Hazard Evaluations: Occupational Exposure to Lead 1994 to 1999*, Research Triangle Park, NC, Centers for Disease Control and Prevention
- National Institute for Occupational Safety and Health (2003a) *Elements by ICP (Nitric/Perchloric Acid Ashing), Method 7300, Issue 3*. In: NIOSH Manual of Analytical Methods (NMAM), 4th Ed.

- National Institute for Occupational Safety and Health (2003b) *Lead by Portable Ultrasonic Extraction/ASV, Method 7701, Issue 2*. In: NIOSH Manual of Analytical Methods (NMAM), 4th Ed.
- National Institute of Health Sciences, Japan (2000) [*Total Diet Survey in Japan (Estimation of Daily Dietary Intake of Food Contaminants)*, 1977–1999], National Institute of Health Sciences, Tokyo (in Japanese)
- National Institute of Nutrition (1995–96) *Annual Report*, Hyderabad, National Institute of Nutrition, pp. 43–44
- National Library of Medicine (2003) [<http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>; accessed 01/02/2004]
- National Oceanic and Atmospheric Administration (1998a) Sampling and analytical methods of the national status and trends program: 1993–1996 update. Method 140.0. In: *National Environmental Methods Index*
- National Oceanic and Atmospheric Administration (1998b) Sampling and analytical methods of the national status and trends program: 1993–1996 update. Method 172.0. In: *National Environmental Methods Index*
- National Oceanic and Atmospheric Administration (1998c) Sampling and analytical methods of the national status and trends program: 1993–1996 update. Method 160.0. In: *National Environmental Methods Index*
- National Research Council (1993) *Measuring Lead Exposure in Infants, Children, and Other Sensitive Populations* (ISBN 030904927X), Committee on Measuring Lead in Critical Populations, NRC, Washington DC, National Academies Press
- Navas-Acién, A., Pollán, M., Gustavsson, P. & Plato, N. (2002) Occupation, exposure to chemicals and risk of gliomas and meningiomas in Sweden. *Am. J. ind. Med.*, **42**, 214–227
- Nawrot, T.S., Thijss, L., Den Hond, E.M., Roels, H.A. & Staessen, J.A. (2002) An epidemiological re-appraisal of the association between blood pressure and blood lead: A meta-analysis. *J. Human Hypert.*, **16**, 123–131
- Nayak, B.N., Ray, M., Persaud, T.V.N. & Nigli, M. (1989) Relationship of embryotoxicity to genotoxicity of lead nitrate in mice. *Exp. Pathol.*, **36**, 65–73
- Needleman, H.L., Gunnoe, C., Leviton, A., Reed, R., Peresie, H., Maher, C. & Barret, P. (1979) Deficits in psychologic and classroom performance of children with elevated dentine lead levels. *New Engl. J. Med.*, **300**, 689–695
- Needleman, H.L., Leviton, A. & Bellinger, D. (1982) Lead-associated intellectual deficit. *New Engl. J. Med.*, **306**, 367
- Needleman, H.L., Rabinowitz, M., Leviton, A., Linn, S. & Schoenbaum, S. (1984) The relationship between prenatal exposure to lead and congenital anomalies. *J. Am. med. Assoc.*, **251**, 2956–2959
- Needleman, H.L., Schell, A., Bellinger, D., Leviton, A. & Allred, E.N. (1990) The long-term effects of exposure to low doses of lead in childhood. An 11-year follow-up report. *New Engl. J. Med.*, **322**, 83–88
- Needleman, H.L., Riess, J.A., Tobin, M.J., Biesecker, G.E. & Greenhouse, J.B. (1996) Bone lead levels and delinquent behavior. *J. Am. med. Assoc.*, **275**, 363–369
- Needleman, H.L., McFarland, C., Ness, R.B., Fienberg, S.E. & Tobin, M.J. (2002) Bone lead levels in adjudicated delinquents. A case control study. *Neurotoxicol. Teratol.*, **24**, 711–717

- Nehéz, M., Lorenz, R. & Dézi, I. (2000) Simultaneous action of cypermethrin and two environmental pollutant metals, cadmium and lead, on bone marrow cell chromosomes of rats in sub-chronic administration. *Ecotoxicol. environ. Safety*, **45**, 55–60
- Neri, L.C., Hewitt, D. & Orser, B. (1988) Blood lead and blood pressure: Analysis of cross-sectional and longitudinal data from Canada. *Environ. Health Perspect.*, **78**, 123–126
- Nestmann, E.R., Matula, T.I., Douglas, G.R., Bora, K.C. & Kowbel, D.J. (1979) Detection of the mutagenic activity of lead chromate using a battery of microbial tests. *Mutat. Res.*, **66**, 357–365
- Neuberger, J.S. & Hollowell, J.G. (1982) Lung cancer excess in an abandoned lead-zinc mining and smelting area. *Sci. total Environ.*, **25**, 287–294
- Neuman, D.R. & Dollhopf, D.J. (1992) Lead levels in blood from cattle residing near a lead smelter. *J. environ. Qual.*, **21**, 181–184
- Nevin, R. (2000) How lead exposure relates to temporal changes in IQ, violent crime, and unwed pregnancy. *Environ. Res.*, **83**, 1–22
- Newton, D., Pickford, C.J., Chamberlain, A.C., Sherlock, J.C. & Hislop, J.S. (1992) Elevation of lead in human blood from its controlled ingestion in beer. *Hum. exp. Toxicol.*, **11**, 3–9
- Ng, R. & Martin, D.J. (1977) Lead poisoning from lead-soldered electric kettles. *Can. med. Assoc. J.*, **116**, 508–509, 512
- Ng, T.P., Goh, H.H., Ng, Y.L., Ong, H.Y., Ong, C.N., Chia, K.S., Chia, S.E. & Jeyaratnam, J. (1991) Male endocrine functions in workers with moderate exposure to lead. *Br. J. ind. Med.*, **48**, 485–491
- Nielsen, T., Jensen, K.A. & Grandjean, P. (1978) Organic lead in normal human brains. *Nature*, **274**, 602–603
- Nielsen, C.J., Nielsen, V.K., Kirkby, H. & Gyntelberg, F. (1982) Absence of peripheral neuropathy in long-term lead-exposed subjects. *Acta. neurol. scand.*, **65**, 241–247
- NIH (1994) Optimal calcium intake. Consensus development panel on optimal calcium uptake. *J. Am. med. Assoc.*, **272**, 1942–1948
- Nilas, L. & Christiansen, C. (1988) Rates of bone loss in normal women: Evidence of accelerated trabecular bone loss after the menopause. *Eur. J. clin. Invest.*, **18**, 529–534
- Nilsson, U., Attewell, R., Christoffersson, J.O., Schutz, A., Ahlgren, L., Skerfving, S. & Mattsson, S. (1991) Kinetics of lead in bone and blood after end of occupational exposure. *Pharmacol. Toxicol.*, **69**, 477–84
- Nishii, K. (1993) A study of modulation by phosphate salts and potassium citrate on rat renal tumorigenesis. *J. Nara Med. Ass.*, **44**, 156–167
- Nishioka, H. (1975) Mutagenic activities of metal compounds in bacteria. *Mutat. Res.*, **31**, 185–189
- Nogueira, E. (1987) Rat renal carcinogenesis after chronic simultaneous exposure to lead acetate and N-nitrosodiethylamine. *Virchows Arch.*, **B53**, 365–374
- Nolan, C.V. & Shaikh, Z.A. (1992) Lead nephrotoxicity and associated disorders: Biochemical mechanisms. *Toxicology*, **73**, 127–146
- Nomiyama, K., Nomiyama, H., Liu, S.-J., Tao, Y-X., Nomiyama, T. & Omae, K. (2002) Lead induced increase of blood pressure in female lead workers. *Occup. environ. Med.*, **59**, 734–739
- Noranda (2003) *Product Data Sheet: Lead*, Belledune, New Brunswick
- Nordenson, I., Beckman, G., Beckman, L. & Nordström, S. (1978) Occupational and environmental risks in and around a smelter in northern Sweden. IV. Chromosomal aberrations in workers exposed to lead. *Hereditas*, **88**, 263–267

- Nordström, S., Beckman, L. & Nordenson, I. (1978) Occupational and environmental risks in and around a smelter in northern Sweden. III. Frequencies of spontaneous abortion. *Hereditas*, **88**, 51–54
- Nordström, S., Beckman, L. & Nordenson, I. (1979a) Occupational and environmental risks in and around a smelter in northern Sweden. VI. Congenital malformations. *Hereditas*, **90**, 297–302
- Nordström, S., Beckman, L. & Nordenson, I. (1979b) Occupational and environmental risks in and around a smelter in northern Sweden. V. Spontaneous abortion among female employees and decreased birth weight in their offspring. *Hereditas*, **90**, 291–296
- Norman, E.H., Hertz-Pannier, I., Salmen, D.A. & Ward, T.H. (1997) Childhood lead poisoning and vinyl miniblind exposure. *Arch. pediatr. adoles. Med.*, **151**, 1033–1037
- Novotny, T., Cook, M., Hughes, J. & Lee, S.A. (1987) Lead exposure in a firing range. *Am. J. Public Health*, **77**, 1225–1226
- Nriagu, J.O. (1978) Lead in soils, sediments and major rock types. In: Nriagu, J.O., ed., *The Biogeochemistry of Lead in the Environment. Part A. Ecological Cycles*, New York, Elsevier/North-Holland Biomedical Press, pp. 15–72
- Nriagu, J.O. (1992) Toxic metal pollution in Africa. *Science tot. Environ.*, **121**, 1–37
- Nriagu, J.O. & Pacyna, J.M. (1988) Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature*, **333**, 134–139
- Nriagu, J., Jinabhai, C., Naidoo, R. & Coutsoudis, A. (1996a) Atmospheric lead pollution in KwaZulu/Natal, South Africa. *Sci. total Environ.*, **191**, 69–76
- Nriagu, J.O., Blankson, M.L. & Ocran, K. (1996b) Childhood lead poisoning in Africa: A growing public health problem. *Sci. total Environ.*, **181**, 93–100
- Nriagu, J., Jinabhai, C.C., Naidoo, R. & Coutsoudis, A. (1997a) Lead poisoning of children in Africa, II. KwaZulu/Natal, South Africa. *Sci. total Environ.*, **197**, 1–11
- Nriagu, J., Oleru, N.T., Cudjoe, C. & Chine, A. (1997b) Lead poisoning of children in Africa, III. Kaduna, Nigeria. *Sci. total Environ.*, **197**, 13–19
- Nwankwo, J.N. & Elinder, C.G. (1979) Cadmium, lead and zinc concentrations in soils and in food grown near a zinc and lead smelter in Zambia. *Bull. environ. contam. Toxicol.*, **22**, 625–631
- Oberto, A., Marks, N., Evans, H.L. & Guidotti, A. (1996) Lead (Pb^{2+}) promotes apoptosis in newborn rat cerebellar neurons: Pathological implications. *J. Pharmacol. exp. Ther.*, **279**, 435–442
- Occupational Safety and Health Administration (2002a) *Metal and Metalloid Particulates in Workplace Atmospheres (Atomic Absorption)*, Method No. ID-121, US Department of Labor, Division of Physical Measurements and Inorganic Analyses, Sandy, UT, USA
- Occupational Safety and Health Administration (2002b) *Metal and Metalloid Particulates in Workplace Atmospheres (ICP Analysis)*, Method No. ID-125G, US Department of Labor, Division of Physical Measurements and Inorganic Analyses, Sandy, UT, USA
- Occupational Safety and Health Administration (2002c) *ICP Analysis of Metal/Metalloid Particulates from Solder Operations*, US Department of Labor, Division of Physical Measurements and Inorganic Analyses, Sandy, UT, USA
- Occupational Safety and Health Administration (2003) *Lead (Pb) on Surfaces by a Portable X-Ray Fluorescence (XRF) Analyzer*, Method No. OSS1, US Department of Labor, Division of Physical Measurements and Inorganic Analyses, Sandy, UT, USA
- Octel Ltd (1982) *World Wide Survey of Motor Gasoline Quality*, London
- Octel Ltd (1988) *World Wide Survey of Motor Gasoline Quality 1987*, London
- Octel Ltd (1990) *World Wide Survey of Motor Gasoline Quality*, London

- OECD (1993) *Lead — Background And National Experience With Reducing Risk* (Risk Reduction Monograph No. 1; OCDE/GD(93)67), Paris, Organization for Economic Co-operation and Development
- O'Flaherty, E.J. (1991a) Physiologically based lead kinetics. *Trace Subst. environ. Health*, **24**, 44–54
- O'Flaherty, E.J. (1991b) Physiologically based models for bone-seeking elements. I. Rat skeletal and bone growth. *Toxicol. appl. Pharmacol.*, **111**, 299–312
- O'Flaherty, E.J. (1991c) Physiologically based models for bone-seeking elements. II. Kinetics of lead disposition in rats. *Toxicol. appl. Pharmacol.*, **111**, 313–331
- O'Flaherty, E.J. (1992) Modeling bone mineral metabolism, with special reference to calcium and lead. *Neurotoxicology*, **13**, 789–798
- O'Flaherty, E.J. (1993) Physiologically based models for bone-seeking elements. IV. Kinetics of lead disposition in humans. *Toxicol. appl. Pharmacol.*, **118**, 16–29
- O'Flaherty, E.J. (1995) Physiologically based models for bone-seeking elements. V. Lead absorption and disposition in childhood. *Toxicol. appl. Pharmacol.*, **131**, 297–308
- O'Flaherty, E.J. (1998) A physiologically based kinetic model for lead in children and adults. *Environ. Health Perspect.*, **106** (Suppl. 6), 1495–1503
- O'Flaherty, E.J. (2000) Modeling normal aging bone loss, with consideration of bone loss in osteoporosis. *Toxicol. Sci.*, **55**, 171–188
- O'Flaherty, E.J., Hammond, P.B. & Lerner, S.I. (1982) Dependence of apparent blood lead half-life on the length of previous lead exposure in humans. *Fundam. appl. Toxicol.*, **2**, 49–54
- O'Flaherty, E.J., Inskip, M.J., Yagminas, A.P. & Franklin, C.A. (1996) Plasma and blood lead concentrations, lead absorption, and lead excretion in nonhuman primates. *Toxicol. appl. Pharmacol.*, **138**, 121–130
- O'Flaherty, E.J., Inskip, M.J., Franklin, C.A., Durbin, P.W., Manton, W.I. & Baccanale, C.L. (1998) Evaluation and modification of a physiologically based model of lead kinetics using data from a sequential isotope study in cynomolgus monkeys. *Toxicol. appl. Pharmacol.*, **149**, 1–16
- Ogunsola, O.J., Oluwole, A.F., Asubiojo, O.I., Olaniyi, H.B., Akeredolu, F.A., Akanle, O.A., Spyrou, N.M., Ward, N.I. & Ruck, W. (1994a) Traffic pollution: Preliminary elemental characterisation of roadside dust in Lagos, Nigeria. *Sci. total Environ.*, **146/147**, 175–184
- Ogunsola, O.J., Oluwole, A.F., Asubiojo, O.I., Durosinmi, M.A., Fatusi, A.O. & Ruck, W. (1994b) Environmental impact of vehicular traffic in Nigeria: Health aspects. *Sci. total Environ.*, **146–147**, 111–116
- Oishi, H., Nomiyama, H., Nomiyama, K. & Tomokuni, K. (1996a) Comparison between males and females with respect to the porphyrin metabolic disorders found in workers occupationally exposed to lead. *Int. Arch. occup. environ. Health*, **68**, 298–304
- Oishi, H., Nomiyama, H., Nomiyama, K. & Tomokuni, K. (1996b) Fluorometric HPLC determination of Δ -aminolevulinic acid (ALA) in the plasma and urine of lead workers: Biological indicators of lead exposure. *J. anal. Toxicol.*, **20**, 106–110
- Okada, I.A., Sakuma, A.M., Maio, F.D., Dovidauskas, S. & Zenebon, O. (1997) [Evaluation of lead and cadmium levels in milk due to environmental contamination in the Paraiba Valley Region of southeastern Brazil.] *Rev. Saude publica*, **31**, 140–143 (in Portuguese)
- Okayama, A., Fujii, S. & Miura, R. (1990) Optimized fluorometric determination of urinary delta-aminolevulinic acid by using pre-column derivatization, and identification of the derivative. *Clin. Chem.*, **36**, 1494–1497

- Olaiz, G., Fortoul, T.I., Rojas, R., Doyer, M., Palazuelos, E. & Tapia, C.R. (1996) Risk factors for high levels of lead in blood of schoolchildren in Mexico City. *Arch. environ. Health*, **51**, 122–126
- Olejnik, D., Walkowska, A., Wisniewska, J. & Ziembinski, R. (1985) [Evaluation of the daily intake of mercury, lead and cadmium in the meals of some population groups.] *Roczn. Pzh.*, **XXXVI**, 9–21 (in Polish, with English abstract)
- Olguín, A., Jauge, P. & Cebrián, M.E. (1982) Determinación del plomo en leches industrializadas. Resúmenes. II. Congreso sobre Problemas Ambientales de México, ENCB-IPN, México, p. 60
- Oliveira, S., Aro, A., Sparrow, D. & Hu, H. (2002) Season modifies the relationship between bone and blood lead levels: The Normative Aging Study. *Arch. environ. Health*, **57**, 466–472
- Olshan, A.F., Breslow, N.E., Daling, J.R., Falletta, J.M., Grufferman, S., Robison, L.L., Waskerwitz, M. & Hammond, G.D. (1990) Wilms' tumor and paternal occupation. *Cancer Res.*, **50**, 3212–3217
- Omokhodion, F.O. (1994) Blood lead and tap water lead levels in Ibadan, Nigeria. *Sci. total Environ.*, **151**, 187–190
- Omokhodion, F.O. & Crockford, G.W. (1991a) Sweat lead levels in persons with high blood lead levels: Experimental elevation of blood lead by ingestion of lead chloride. *Sci. total Environ.*, **108**, 235–242
- Omokhodion, F.O. & Crockford, G.W. (1991b) Lead in sweat and its relationship to salivary and urinary levels in normal healthy subjects. *Sci. total Environ.*, **103**, 113–122
- Omokhodion, F.O. & Howard, J.M. (1991) Sweat lead levels in persons with high blood lead levels: Lead in sweat of lead workers in the tropics. *Sci. total Environ.*, **103**, 123–128
- Onalaja, A.O. & Claudio, L. (2000) Genetic susceptibility to lead poisoning. *Environ. Health Perspect.*, **108**, 23–28
- O'Neil, M.J., ed. (2003) *The Merck Index*, 15th Ed., Whitehouse Station, NJ, Merck & Co., available on CD-Rom
- Ong, C.N., Phoon, W.O., Law, H.Y., Tye, C.Y. & Lim, H.H. (1985) Concentrations of lead in maternal blood, cord blood, and breast milk. *Arch. Dis. Child.*, **60**, 756–759
- Ong, C.N., Endo, G., Chia, K.S., Phoon, W.O. & Ong, H.Y. (1987) Evaluation of renal function in workers with low blood lead levels. In: Foà, V., Emmet, E.A., Maroni, M. & Colombi, A., eds, *Occupational and Environmental Chemical Hazards: Cellular and Biochemical Indices for Monitoring Toxicity*, Chichester, Ellis Horwood Ltd, pp. 327–333
- Ong, C.N., Kong, Y.M., Ong, H.Y. & Teramoto, K. (1990) The *in vitro* and *in vivo* effects of lead on δ-aminolevulinic acid dehydratase and pyrimidine 5'-nucleotidase. *Pharmacol. Toxicol.*, **66**, 23–26
- Onyari, J.M., Wandiga, S.O., Njenga, G.K. & Nyatebe, J.O. (1991) Lead contamination in street soils of Nairobi City and Mombasa Island, Kenya. *Bull. environ. Contam. Toxicol.*, **46**, 782–789
- Ordóñez, B.R., Ruiz Romero, L. & Mora, R. (2003) [Epidemiological investigations on the lead levels of a childhood population and the home environment of Juarez City, Chihuahua, in relation to a smelter from El Paso, Texas.] *Salud pub. Mex.*, **45** (Suppl. 2), 281–295 (in Spanish)
- O'Riordan, M.L. & Evans, H.J. (1974) Absence of significant chromosome damage in males occupationally exposed to lead. *Nature*, **247**, 50–53
- Oskarsson, A., Squibb, K.S. & Fowler, B.A. (1982) Intracellular binding of lead in the kidney: The partial isolation and characterization of postmitochondrial lead binding components. *Biochem. biophys. Res. Commun.*, **104**, 290–298

- Oskarsson, A., Jorhem, L., Sundberg, J., Nilsson, N.G. & Albanus, L. (1992) Lead poisoning in cattle — Transfer of lead to milk. *Sci. total Environ.*, **111**, 83–94
- Otto, D.A. & Fox, D.A. (1993) Auditory and visual dysfunction following lead exposure. *Neuro-toxicology*, **142**, 191–203
- Otto, D., Robinson, G., Baumann, S., Schroeder, S., Mushak, P., Kleinbaum, D. & Boone, L. (1985) 5-Year follow-up study of children with low to-moderate lead absorption: Electro-physiological evaluation. *Environ. Res.*, **38**, 168–186
- Overmann, S.R. (1977) Behavioral effects of asymptomatic lead exposure during neonatal development in rats. *Toxicol. appl. Pharmacol.*, **41**, 459–471
- Oyasu, R., Battifora, H.A., Clasen, R.A., McDonald, J.H. & Hass, G.M. (1970) Induction of cerebral gliomas in rats with dietary lead subacetate and 2-acetylaminofluorene. *Cancer Res.*, **30**, 1248–1261
- Paglia, D.E. & Valentine, W.N. (1975) Characteristics of a pyrimidine-specific 5'-nucleotidase in human erythrocytes. *J. biol. Chem.*, **250**, 7973–7979
- Paglia, D.E., Valentine, W.N. & Dahlgren, J.G. (1975) Effects of low-level lead exposure on pyrimidine 5'-nucleotidase and other erythrocyte enzymes: Possible role of pyrimidine 5'-nucleotidase in the pathogenesis of lead-induced anaemia. *J. clin. Invest.*, **56**, 1164–1169
- Pagliuca, A., Mufti, G.J., Baldwin, D., Lestas, A.N., Wallis, R.M. & Bellingham, A.J. (1990) Lead poisoning: Clinical, biochemical, and haematological aspects of a recent outbreak. *Clin. Pathol.*, **43**, 277–281
- Palminger Hallén, I. & Oskarsson, A. (1993) Dose dependent transfer of ²⁰³lead to milk and tissue uptake in suckling offspring studied in rats and mice. *Pharmacol. Toxicol.*, **73**, 174–179
- Palminger Hallén, I. & Oskarsson, A. (1995) Bioavailability of lead from various milk diets studied in a suckling rat model. *Biometals*, **8**, 231–236
- Palminger Hallén, I., Jorhem, L., Lagerkvist, B.J. & Oskarsson, A. (1995a) Lead and cadmium levels in human milk and blood. *Sci. tot. Environ.*, **166**, 149–155
- Palminger Hallén, I., Jorhem, L. & Oskarsson, A. (1995b) Placental and lactational transfer of lead in rats: A study on the lactational process and effects on offspring. *Arch. Toxicol.*, **69**, 596–602
- Palminger Hallén, I., Jonsson, S., Karlsson, M.O. & Oskarsson, A. (1996a) Kinetic observations in neonatal mice exposed to lead via milk. *Toxicol. appl. Pharmacol.*, **140**, 13–18
- Palminger Hallén, I., Jonsson, S., Karlsson, M.O. & Oskarsson, A. (1996b) Toxicokinetics of lead in lactating and nonlactating mice. *Toxicol. appl. Pharmacol.*, **136**, 342–347
- Palus, J., Rydzynski, K., Dziubaltowska, E., Wyszynska, K., Natarajan, A.T. & Nilsson, R. (2003) Genotoxic effects of occupational exposure to lead and cadmium. *Mutat. Res.*, **540**, 19–28
- P'an, A.Y.S. & Kennedy, C. (1989) Lead distribution in rats repeatedly treated with low doses of lead acetate. *Environ. Res.*, **48**, 238–247
- Pan American Health Organization (1997) *Eliminating Lead in Gasoline in Latin America and the Caribbean. Report — 1996, Epidemiol. Bulletin*, **18**, 9–10
- Parikh, D., Pandya, C.B. & Kashyap, S.K. (1999) Investigating environmental lead sources and pathways. In: *Lead Poisoning Prevention and Treatment: Implementing a National Programme in Developing Countries, February 8–10, Bangalore, India*, pp. 205–208 [<http://www.leadpoison.net/environment/investigating.htm>; accessed 09/02/2004]
- Parkinson, D.K., Hodgson, M.J., Bromet, E.J., Dew, M.A. & Connell, M.M. (1987) Occupational lead exposure and blood pressure. *Br. J. ind. Med.*, **44**, 744–748

- Parkpian, P., Leong, S.T., Laortanakul, P. & Thunthaisong, N. (2003) Regional monitoring of lead and cadmium contamination in a tropical grazing land site, Thailand. *Environ. Monitor. Assess.*, **85**, 157–173
- Parry, C. & Eaton, J. (1991) Kohl: A lead-hazardous eye makeup from the Third World to the First World. *Environ. Health Perspect.*, **94**, 121–123
- Parsons, P.J., Reilly, A.A. & Esernio-Jenssen, D. (1997) Screening children exposed to lead: An assessment of the capillary blood lead fingerstick test. *Clin. Chem.*, **43**, 302–311
- Parsons, P.J., Reilly, A.A., Esernio-Jenssen, D., Werk, L.N., Mofenson, H.C., Stanton, N.V. & Matte, T.D. (2001) Evaluation of blood lead proficiency testing: Comparison of open and blind paradigms. *Clin. Chem.*, **47**, 322–330
- Partanen, T., Heikkila, P., Hernberg, S., Kauppinen, T., Moneta, G. & Ojajarvi, A. (1991) Renal cell cancer and occupational exposure to chemical agents. *Scand. J. Work. environ. Health*, **17**, 231–239
- Pasminco Metals (1998) *Product Specification Sheet: 99.97% & 99.99% Lead Product*, Melbourne
- Pasminco Metals (2000) *Product Specification Sheet: Pasminco Preferred Products (PPP): Oxide Lead*, Melbourne
- Pasternack, B. & Ehrlich, L. (1972) Occupational exposure to an oil mist atmosphere. A 12-year mortality study. *Arch. environ. Health*, **25**, 286–294
- Patel, A.B., Williams, S.V., Frumkin, H., Kondawar, V.K., Glick, H. & Ganju, A.K. (2001) Blood lead in children and its determinants in Nagpur, India. *Int. J. occup. environ. Health*, **7**, 119–126
- Patino, S.R. & Landolph, J.R. (1989) Soluble vs insoluble hexavalent chromate. Relationship of mutation to in vitro transformation and particle uptake. *Biol. trace Elem. Res.*, **21**, 469–474
- Patino, S.R., Banh, D. & Landolph, J.R. (1988) Transformation of C3H/10T1/2 mouse embryo cells to focus formation and anchorage independence by insoluble lead chromate but not soluble calcium chromate: Relationship to mutagenesis and internalization of lead chromate particles. *Cancer Res.*, **48**, 5280–5288
- Patriarca, M., Menditto, A., Rossi, B., Lyon, T.D.B. & Fell, G.S. (2000) Environmental exposure to metals of newborns, infants and young children. *Microchem. J.*, **67**, 351–361
- Patterson, C., Ericson, J., Manea-Krichten, M. & Shirahata, H. (1991) Natural skeletal levels of lead in *Homo sapiens sapiens* uncontaminated by technological lead. *Sci. total Environ.*, **107**, 205–236
- Paul, R., White, F. & Luby, S. (2003) Trends in lead content of petrol in Pakistan. *Bull. World Health Org.*, **81**, 468
- Pawlak-Skowronska, B. (2001) Phytochelatin production in freshwater algae *Stigeoclonium* in response to heavy metals contained in mining water; effects of some environmental factors. *Aquat. Toxicol.*, **52**, 241–249
- Pawlak-Skowronska, B., Sanità di Toppi, L., Favali, M.A., Fossati, F., Pirszel, J. & Skowronski, T. (2002) Lichens respond to heavy metals by phytochelatin synthesis. *New Phytol.*, **156**, 95–102
- Penoles (2003) *Product Data Sheet: Lead*, Torreon, Coah
- Peraino, C., Fry, R.J.M. & Staffeldt, E. (1971) Reduction and enhancement by phenobarbital of hepatocarcinogenesis induced in the rat by 2-acetylaminofluorene. *Cancer Res.*, **31**, 1506–1512
- Pereira, L., Mañay, N., Cousillas, Z.A., Barregård, L., Sällsten, G. & Schütz, A. (1996) Occupational lead exposure in Montevideo, Uruguay. *Int. J. occup. environ. Health*, **2**, 328–330
- Perino, J. & Ernhart, C.B. (1974) The relation of subclinical lead level to cognitive and sensorimotor impairment in black preschoolers. *J. learning Disord.*, **7**, 26–30

- Perkins, K.C. & Oski, F.A. (1976) Elevated blood lead in a 6-month-old breast-fed infant: The role of newsprint logs. *Pediatrics*, **57**, 426–427
- Pesch, B., Haerting, J., Ranft, U., Klimpel, A., Oelschlagel, B. & Schill, W. & the MURC Study Group (2000) Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int. J. Epidemiol.*, **29**, 1014–1024
- Petering, D.H., Huang, M., Moteki, S. & Shaw, C.F., III (2000) Cadmium and lead interactions with transcription factor IIIA from *Xenopus laevis*: A model for zinc finger protein reactions with toxic metal ions and metallothionein. *Mar. environ. Res.*, **50**, 89–92
- Petrucci, R., Leonardi, A. & Battistuzzi, G. (1982) The genetic polymorphism of δ -aminolevulinate dehydrase in Italy. *Hum. Genet.*, **60**, 289–290
- Phuapradit, W., Jetsawangsri, T., Chaturachinda, K. & Noinongyao, N. (1994) Maternal and umbilical cord blood lead levels in Ramathibodi Hospital, 1993. *J. med. Assoc. Thai.*, **77**, 368–372
- Physical and Theoretical Chemistry Laboratory (2004) Chemistry resources [<http://physchem.ox.ac.uk/resources.html>; accessed 01/02/2004]
- Pickston, L., Brewerton, H.V., Drysdale, J.M., Hughes, J.T., Smith, J.M., Love, J.L., Sutcliffe, E.R. & Davidson, F. (1985) The New Zealand diet: A survey of elements, pesticides, colours, and preservatives. *N.Z. J. Technol.*, **1**, 81–89
- Piechalak, A., Tomaszewska, B., Baralkiewicz, D. & Malecka, A. (2002) Accumulation and detoxification of lead ions in legumes. *Phytochemistry*, **60**, 153–162
- Pinkerton, L.E., Biagini, R.E., Ward, E.M., Hull, R.D., Deddens, J.A., Boeniger, M.F., Schnorr, T.M., MacKenzie, B.A. & Luster, M.I. (1998) Immunologic findings among lead-exposed workers. *Am. J. ind. Med.*, **33**, 400–408
- Pinon-Lataillade, G., Thoreux-Manlay, A., Coffigny, H., Monchaux, G., Masse, R. & Soufir, J.-C. (1993) Effect of ingestion and inhalation of lead on the reproductive system and fertility of adult male rats and their progeny. *Hum. exp. Toxicol.*, **12**, 165–172
- Piomelli, S., Corash, L., Corash, M.B., Seaman, C., Mushak, P., Glover, B. & Padgett, R. (1980) Blood lead concentrations in a remote Himalayan population. *Science*, **210**, 1135–1137
- Pirkle, J.L., Brody, D.J., Gunter, E.W., Kramer, R.A., Paschal, D.C., Flegal, K.M. & Matte, T.D. (1994) The decline in blood lead levels in the United States — The National Health and Nutrition Examination Surveys (NHANES). *J. Am. med. Assoc.*, **272**, 284–291
- Pirkle, J.L., Kaufmann, R.B., Brody, D.J., Hickman, T., Gunter, E.W. & Paschal, D.C. (1998) Exposure of the US population to lead, 1991–1994. *Environ. Health Perspect.*, **106**, 745–750
- Poirier, L.A., Theiss, J.C., Arnold, L.J. & Shimkin, M.B. (1984) Inhibition by magnesium and calcium acetates of lead subacetate- and nickel acetate-induced lung tumors in strain A mice. *Cancer Res.*, **44**, 1520–1522
- Polák, J., O'Flaherty, E.J., Freeman, G.B., Johnson, J.D., Liao, S.C. & Bergstrom, P.D. (1996) Evaluating lead bioavailability data by means of a physiologically based lead kinetic model. *Fundam. appl. Toxicol.*, **29**, 63–70
- Pollock, C.A. & Ibels, L.S. (1988) Lead nephropathy — A preventable cause of renal failure. *Int. J. artif. Organs*, **11**, 75–78
- Pollution Control Department (1996) *Pollution Thailand, 1995*, Bangkok, Ministry of Science, Technology and Environment, the Government of Thailand, pp. 8–9
- Pönkä, A. (1998) Lead in the ambient air and blood of children in Helsinki. *Sci. total Environ.*, **219**, 1–5

- Pönkä, A., Salminen, E. & Ahonen, S. (1993) Lead in the ambient air and blood specimens of children in Helsinki. *Sci. total Environ.*, **138**, 301–308
- Pontifex, A.H. & Garg, A.K. (1985) Lead poisoning from an Asian Indian folk remedy. *Can. med. Assoc. J.*, **133**, 1227–1228
- Potula, V.L. & Hu, H. (1996a) Occupational and lifestyle determinants of blood lead levels among men in Madras, India. *Int. J. occup. environ. Health*, **2**, 1–4
- Potula, V.L. & Hu, H. (1996b) Relationship of hemoglobin to occupational exposure to motor vehicle exhaust. *Toxicol. ind. Health*, **12**, 629–637
- Pounds, J.G. & Leggett, R.W. (1998) The ICRP age-specific biokinetic model for lead: Validations, empirical comparisons, and explorations. *Environ. Health Perspect.*, **106** (Suppl. 6), 1505–1511
- Pounds, J.G. & Rosen, J.F. (1986) Cellular metabolism of lead: A kinetic analysis in cultured osteoclastic bone cells. *Toxicol. appl. Pharmacol.*, **83**, 531–545
- Pounds, J.G., Marlar, R.J. & Allen, J.R. (1978) Metabolism of lead-210 in juvenile and adult rhesus monkeys (*Macaca mulatta*). *Bull. environ. Contam. Toxicol.*, **19**, 684–691
- Pounds, J.G., Wright, R. & Kodell, R.L. (1982) Cellular metabolism of lead: A kinetic analysis in the isolated rat hepatocyte. *Toxicol. appl. Pharmacol.*, **66**, 88–101
- Prince, T.S. & Horstman, S.W. (1993) Case study at a college rifle range: The effect of a new ventilation system on air and blood lead levels. *Appl. Occup. Environ. Hyg.*, **8**, 909–911
- Prpic-Majic, D., Pizent, A., Jurasic, J., Pongracic, J. & Restek-Samarzija, N. (1996) Lead poisoning associated with the use of Ayurvedic metal-mineral tonics. *Clin. Toxicol.*, **34**, 417–423
- Pulido, M.D. & Parrish, A.R. (2003) Metal-induced apoptosis: Mechanisms. *Mutat. Res.*, **533**, 227–241
- Purser, D.A., Berrill, K.R. & Majeed, S.K. (1983) Effects of lead exposure on peripheral nerve in the cynomolgus monkey. *Br. J. ind. Med.*, **40**, 402–412
- Quartermar, J. & Morrison, J.N. (1975) The effects of dietary calcium and phosphorus on the retention and excretion of lead in rats. *Br. J. Nutr.*, **34**, 351–362
- Quartermar, J., Morrison, J.N. & Humphries, W.R. (1977) The role of phospholipids and bile in lead absorption. *Proc. Nutr. Soc.*, **36**, 103A
- Quartermar, J., Morrison, J.N. & Humphries, W.R. (1978) The influence of high dietary calcium and phosphate on lead uptake and release. *Environ. Res.*, **17**, 60–67
- Quartermar, J., Humphries, W.R., Morrison, J.N. & Morrison, E. (1980) The influence of dietary amino acids on lead absorption. *Environ. Res.*, **23**, 54–67
- Queirolo, F., Stegen, S., Restovic, M., Paz, M., Ostapczuk, P., Schwuger, M.J. & Muñoz, L. (2000) Total arsenic, lead, and cadmium levels in vegetables cultivated at the Andean villages of northern Chile. *Sci. total Environ.*, **255**, 75–84
- Queiroz, M.L., Perlingeiro, R.C., Bincoletto, C., Almeida, M., Cardoso, M.P. & Dantas, D.C. (1994a) Immunoglobulin levels and cellular immune function in lead exposed workers. *Immunopharmacol. Immunotoxicol.*, **16**, 115–128
- Queiroz, M.L.S., Costa, F.F., Bincoletto, C., Perlingeiro, R.C.R., Dantas, D.C.M., Cardoso, M.P. & Almeida, M. (1994b) Engulfment and killing capabilities of neutrophils and phagocytic splenic function in persons occupationally exposed to lead. *Int. J. Immunopharmacol.*, **16**, 239–244
- Quinn, M.J. (1985) Factors affecting blood lead concentrations in the UK: Results of the EEC blood lead surveys, 1979–1981. *Int. J. Epidemiol.*, **14**, 420–431
- Quinn, M.J. & Delves, H.T. (1987) UK blood lead monitoring programme 1984–1987: Protocol and results for 1984. *Human Toxicol.*, **6**, 459–474

- Quinn, M.J. & Delves, H.T. (1988) UK blood lead monitoring programme 1984–1987: Results for 1985. *Human Toxicol.*, **7**, 105–123
- Quinn, M.J. & Delves, H.T. (1989) The UK blood lead monitoring programme 1984–1987: Results for 1986. *Human Toxicol.*, **8**, 205–220
- Quintanilla-Vega, B., Hoover, D.J., Bal, W., Silbergeld, E.K., Waalkes, M.P. & Anderson, L.D. (2000) Lead interaction with human protamine (HP2) as a mechanism of male reproductive toxicity. *Chem. Res. Toxicol.*, **13**, 594–600
- Rabinowitz, M.B. (1991) Toxicokinetics of bone lead. *Environ. Health Perspect.*, **91**, 33–37
- Rabinowitz, M.B. (1995) Relating tooth and blood lead levels in children. *Bull. environ. Contam. Toxicol.*, **55**, 853–857
- Rabinowitz, M. & Needleman, H.L. (1982) Temporal trends in the lead concentrations of umbilical cord blood. *Science*, **216**, 1429–1431
- Rabinowitz, M.B., Wetherill, G.W. & Kopple, J.D. (1976) Kinetic analysis of lead metabolism in healthy humans. *J. clin. Invest.*, **58**, 260–270
- Rabinowitz, M.B., Wetherill, G.W. & Kopple, J.D. (1977) Magnitude of lead intake from respiration by normal man. *J. Lab. clin. Med.*, **90**, 238–248
- Rabinowitz, M.B., Kopple, J.D. & Wetherill, G.W. (1980) Effect of food intake and fasting on gastrointestinal lead absorption in humans. *Am. J. clin. Nutr.*, **33**, 1784–1788
- Rabinowitz, M.B., Needleman, H., Burley, M., Finch, H. & Rees, J. (1984) Lead in umbilical blood, indoor air, tap water, and gasoline in Boston. *Arch. environ. Health*, **39**, 299–301
- Rabinowitz, M., Leviton, A. & Needleman, H. (1985) Lead in milk and infant blood: A dose-response model. *Arch. environ. Health*, **40**, 283–286
- Rader, J.I., Peeler, J.T. & Mahaffey, K.R. (1981) Comparative toxicity and tissue distribution of lead acetate in weanling and adult rats. *Environ. Health Perspect.*, **42**, 187–195
- Ragan, H.A. (1977) Effects of iron deficiency on the absorption and distribution of lead and cadmium in rats. *J. Lab. clin. Med.*, **90**, 700–706
- Raghavan, S.R.V., Culver, B.D. & Gonick, H.C. (1980) Erythrocyte lead-binding protein after occupational exposure. I. Relationship to lead toxicity. *Environ. Res.*, **22**, 264–270
- Raghunath, R. & Nambi, K.S.V. (1998) Lead leaching from pressure cookers. *Sci. total Environ.*, **224**, 143–148
- Raghunath, R., Tripathi, R.M., Khandekar, R.N. & Nambi, K.S.V. (1997) Retention time of Pb, Cd, Cu and Zn in children's blood. *Sci. total Environ.*, **207**, 133–139
- Raghunath, R., Tripathi, R.M., Kumar, A.V., Sathe, A.P., Khandekar, R.N. & Nambi, K.S. (1999) Assessment of Pb, Cd, Cu and Zn exposures of 6 to 10 year old children in Mumbai. *Environ. Res.*, **80**, 215–221
- Raghunath, R., Tripathi, R.M., Sastry, V.N. & Krishnamoorthy, T.M. (2000) Heavy metals in maternal and cord blood. *Sci. total Environ.*, **250**, 135–141
- Rahbar, M.H., White, F., Agboatwalla, M., Hozhabri, S. & Luby, S. (2002) Factors associated with elevated blood lead concentrations in children in Karachi, Pakistan. *Bull. World Health Org.*, **80**, 769–775
- Rahman, H., Al Khayat, A. & Menon, N. (1986) Lead poisoning in infancy — Unusual causes in the UAE. *Ann. trop. Paediatr.*, **6**, 213–217
- Rahman, A., Maqbool, E. & Zuberi, H.S. (2002) Lead-associated deficits in stature, mental ability and behaviour in children in Karachi. *Ann. trop. Paediatr.*, **22**, 301–311

- Rai, U.N. & Sinha, S. (2001) Distribution of metals in aquatic edible plants: *Trapa natans* (Roxb.) Makino and *Ipomoea aquatica* Forsk. *Environ. Monitor. Assess.*, **70**, 241–252
- Rai, U.N., Sinha, S. & Chandra, P. (1996) Metal biomonitoring in water resources of Eastern Ghats, Koraput (Orissa), India by aquatic plants. *Environ. Monitor. Assess.*, **43**, 125–137
- Rai, U.N., Tripathi, R.D., Vajpayee, P., Jha, V. & Ali, M.B. (2002) Bioaccumulation of toxic metals (Cr, Cd, Pb and Cu) by seeds of *Euryale ferox* Salisb. (Makhana). *Chemosphere*, **46**, 267–272
- Rajah, T. & Ahuja, Y.R. (1995) In vivo genotoxic effects of smoking and occupational lead exposure in printing press workers. *Toxicol. Lett.*, **76**, 71–75
- Ramel, C. & Magnusson, J. (1979) Chemical induction of nondisjunction in Drosophila. *Environ. Health Perspect.*, **31**, 59–66
- Ramesh, G.T., Manna, S.K., Aggarwal, B.B. & Jadhav, A.L. (2001) Lead exposure activates nuclear factor kappa B, activator protein-1, c-Jun N-terminal kinase and caspases in the rat brain. *Toxicol. Lett.*, **123**, 195–207
- Razmiafshari, M., Kao, J., d'Avignon, A. & Zawia, N.H. (2001) NMR identification of heavy metal-binding sites in a synthetic zinc finger peptide: Toxicological implications for the interactions of xenobiotic metals with zinc finger proteins. *Toxicol. appl. Pharmacol.*, **172**, 1–10
- Rees, D.C., Duley, J.A. & Marinaki, A.M. (2003) Pyrimidine 5' nucleotidase deficiency. *Br. J. Haematol.*, **120**, 375–383
- Regional Environmental Center for Central and Eastern Europe (1998) *Sofia Initiative on Local Air Quality: Phase-out of Leaded Gasoline — Synthesis Report*, Szentendre, Hungary
- Reh, C.M. & Klein, M.K. (1990) Health Hazard Evaluation Report, HETA 87-0376-2018, U.S. Dept. of Justice, U.S. Marshals Service, Washington, DC, USA, NIOSH
- Rencher, A.C., Carter, M.W. & McKee, D.W. (1977) A retrospective epidemiological study of mortality at a large western copper smelter. *J. occup. Med.*, **19**, 754–758
- Rendall, R.E.G., Baily, P. & Soskolne, C.L. (1975) The effect of particle size on absorption of inhaled lead. *Am. ind. Hyg. Assoc. J.*, **36**, 207–213
- Revich, B.A., Bykov, A.A., Liapunov, S.M., Prikhodzhan, A.M., Seregina, I.F. & Sobolev, M.B. (1998) [Experience in the study of the effects of lead on the health status of children in Belovo.] *Med. Tr. Prom. Ekol.*, **12**, 25–32 (in Russian)
- Reynolds, S.J., Seem, R., Fourtes, L.J., Sprince, N.L., Johnson, J., Walkner, L., Clarke, W. & Whitten, P. (1999) Prevalence of elevated blood leads and exposure to lead in construction trades in Iowa and Illinois. *Am. J. ind. Med.*, **36**, 307–316
- Rice, D.C. (1997) Effects of lifetime lead exposure in monkeys on detection of pure tones. *Fundam. appl. Toxicol.*, **36**, 112–118
- Rice, D.C. & Hayward, S. (1999) Comparison of visual function at adulthood and during aging in monkeys exposed to lead or methylmercury. *NeuroToxicology*, **20**, 767–784
- Richter, E.D., Yaffe, Y. & Gruener, N. (1979) Air and blood lead levels in a battery factory. *Environ. Res.*, **20**, 87–98
- Richter, J., Hájek, Z., Pfeifer, I. & Šubrt, P. (1999) Relation between concentration of lead, zinc and lysozyme in placentas of women with intrauterine foetal growth retardation. *Cent. Eur. J. public Health*, **7**, 40–42
- Rinehart, R. & Almaguer, D. (1992) Health Hazard Evaluation Report, HETA 90-084-2219, Kansas City Kansas Police Dept., Kansas City, KS, USA, NIOSH
- Risch, H.A., Burch, J.D., Miller, A.B., Hill, G.B., Steele, R. & Howe, G.R. (1988) Occupational factors and the incidence of cancer of the bladder in Canada. *Br. J. ind. Med.*, **45**, 361–367

- Robbiano, L., Carrozzino, R., Puglia, C.P., Corbu, C. & Brambilla, G. (1999) Correlation between induction of DNA fragmentation and micronuclei formation in kidney cells from rats and humans and tissue-specific carcinogenic activity. *Toxicol. appl. Pharmacol.*, **161**, 153–159
- Robbins, S.K., Blehm, K.D. & Buchan, R.M. (1990) Controlling airborne lead in indoor firing ranges. *Appl. Occup. Environ. Hyg.*, **5**, 435–439
- Roberts, H.J. (1983) Potential toxicity due to dolomite and bonemeal. *South. med. J.*, **76**, 556–559
- Robertson, I.K. & Worwood, M. (1978) Lead and iron absorption from rat small intestine: The effect of dietary Fe deficiency. *Br. J. Nutr.*, **40**, 253–260
- Robins, T.G., Bornman, M.S., Ehrlich, R.I., Cantrell, A.C., Pienaar, E., Vallabh, J. & Miller, S. (1997) Semen quality and fertility of men employed in a South African lead acid battery plant. *Am. J. ind. Med.*, **32**, 369–376
- Robison, S.H., Cantoni, O. & Costa, M. (1984) Analysis of metal-induced DNA lesions and DNA-repair replication in mammalian cells. *Mutat. Res.*, **131**, 173–181
- Rodamilans, M., Osaba, M.J.M., To-Figueras, J., Rivera Fillat, F., Marques, J.M., Perez, P. & Corbella, J. (1988) Lead toxicity on endocrine testicular function in an occupationally exposed population. *Hum. Toxicol.*, **7**, 125–128
- Rodamilans, M., Torra, M., To-Figueras, J., Corbella, J., López, B., Sánchez, C. & Mazzara, R. (1996) Effect of the reduction of petrol lead on blood lead levels of the population of Barcelona (Spain). *Bull. environ. Contam. Toxicol.*, **56**, 717–721
- Roe, F.J.C., Boyland, E., Dukes, C.E. & Mitchley, B.C.V. (1965) Failure of testosterone or xanthopterin to influence the induction of renal neoplasms by lead in rats. *Br. J. Cancer*, **ii**, 860–866
- Roels, H.A., Hoet, P. & Lison, D. (1999) Usefulness of biomarkers of exposure to inorganic mercury, lead, or cadmium in controlling occupational and environmental risks of nephrotoxicity. *Ren. Fail.*, **21**, 251–262
- Rogalla, T., Ehrnsperger, M., Preville, X., Kotlyarov, A., Lutsch, G., Ducasse, C., Paul, C., Wieske, M., Arrigo, A.-P., Buchner, J. & Gaestel, M. (1999) Regulation of Hsp27 oligomerization, chaperone function, and protective activity against oxidative stress/tumor necrosis factor alpha by phosphorylation. *J. biol. Chem.*, **274**, 18947–18956
- Rogan, W.J., Ragan, N.B., Damokosh, A.L., Davoli, C., Shaffer, T.R., Jones, R.L., Wilkens, S., Heenehan, M.C., Ware, J.H. & Henretig, F. (1999) Recall of a lead-contaminated vitamin and mineral supplement in a clinical trial. *Pharmacoepidemiol. Drug Saf.*, **8**, 343–350
- Roh, Y.-M., Kim, K. & Kim, H. (2000) Zinc protoporphyrin IX concentrations between normal adults and the lead-exposed workers measured by HPLC, spectrofluorometer, and hematofluorometer. *Ind. Health*, **38**, 372–379
- Romero, A.J. (1996) The environmental impact of leaded gasoline in Venezuela. *J. environ. Dev.*, **5**, 434–438
- Romieu, I. & Lacasana, M. (1996) Lead in the Americas. A call for action. In: Howson, C.P., Hernández-Avila, M. & Rall, D.P., eds, *Committee to Reduce Lead Exposure in the Americas*, Board on International Health Institute of Medicine, Washington, DC in collaboration with the National Institute of Public Health, Cuernavaca, Morelos, Mexico
- Romieu, I., Lacasana, M., McConnell, R. & the Lead Research Group of the Pan-American Health Organization (1997) Lead exposure in Latin America and the Caribbean. *Environ. Health Perspect.*, **105**, 398–405

- Ronis, M.J.J., Badger, T.M., Shema, S.J., Roberson, P.K. & Shaikh, F. (1996) Reproductive toxicity and growth effects in rats exposed to lead at different periods during development. *Toxicol. appl. Pharmacol.*, **136**, 361–371
- Rosenkranz, H.S. & Poirier, L.A. (1979) Evaluation of the mutagenicity and DNA-modifying activity of carcinogens and noncarcinogens in microbial systems. *J. natl Cancer Inst.*, **62**, 873–891
- Roses, O.E., Gonzalez, D.E., López, C.M., Piñeiro, A.E. & Villaamil, E.C. (1997) Lead levels in Argentine market wines. *Bull. environ. Contam. Toxicol.*, **59**, 210–215
- Rosman, K.J.R., Chisholm, W., Boutron, C.F., Cadelone, J.P. & Hong, S. (1994a) Isotopic evidence to account for changes in the concentration of lead in Greenland snow between 1960 and 1988. *Geochim. Cosmochim. Acta*, **58**, 3265–3269
- Rosman, K.J.R., Chisholm, W., Boutron, C.F., Cadelone, J.P. & Patterson, C.C. (1994b) Anthropogenic lead isotopes in Antarctica. *Geophys. Res. Lett.*, **21**, 2669–2672
- Rothenberg, S.J., Karchmer, S., Schnaas, L., Perroni, E., Zea, F. & Fernandez Alba, J. (1994) Changes in serial blood lead levels during pregnancy. *Environ. Health Perspect.*, **102**, 876–880
- Rothenberg, S.J., Schnaas, L., Perroni, E., Hernández, R.M. & Karchmer, S. (1998) Secular trend in blood lead levels in a cohort of Mexico City children. *Arch. environ. Health*, **53**, 231–235
- Rothenberg, S.J., Manalo, M., Jiang, J., Khan, F., Cuellar, R., Reyes, S., Sanchez, M., Reynoso, B., Aguilar, A., Diaz, M., Acosta, S., Jauregui, M. & Johnson, C. (1999) Maternal blood lead level during pregnancy in South Central Los Angeles. *Arch. environ. Health*, **54**, 151–157
- Rothenberg, S.J., Khan, F., Manalo, M., Jiang, J., Cuellar, R., Reyes, S., Acosta, S., Jauregui, M., Diaz, M., Sanchez, M., Todd, A.C. & Johnson, C. (2000) Maternal bone lead contribution to blood lead during and after pregnancy. *Environ. Res.*, **82**, 81–90
- Rothenberg, S.J., Kondrashov, V., Manalo, M., Jiang, J., Cuellar, R., Garcia, M., Reynoso, B., Reyes, S., Diaz, M. & Todd, A.C. (2002) Increases in hypertension and blood pressure during pregnancy with increased bone lead levels. *Am. J. Epidemiol.*, **156**, 1079–1087
- Roy, N.K. & Rossman, T.G. (1992) Mutagenesis and comutagenesis by lead compounds. *Mutat. Res.*, **298**, 97–103
- Roy, M.M., Gordon, C.L., Beaumont, L.F., Chettle, D.R. & Webber, C.E. (1997) Further experience with bone lead content measurements in residents of southern Ontario. *Appl. Radiat. Isot.*, **48**, 391–396
- Rudnick, R.L. & Fountain, D.M. (1995) Nature and composition of the continental crust: A lower crustal perspective. *Rev. Geophys.*, **33**, 267–309
- Ruhe, R.L. (1982a) Health Hazard Evaluation Report, HETA 81-0426-1062, Xomox Corp., Cincinnati, OH, USA, NIOSH
- Ruhe, R.L. (1982b) Health Hazard Evaluation Report, HETA 81-0438-1090, Matryx Corp., Sharonville, OH, USA, NIOSH
- Ruhe, R.L. & Thoburn, T.W. (1984) Health Hazard Evaluation Report, HETA 83-0459-1465, Stuart Manufacturing, Denver, CO, USA, NIOSH
- Russell, J.C., Griffin, T.B., McChesney, E.W. & Coulston, F. (1978) Metabolism of airborne particulate lead in continuously exposed rats: Effect of penicillamine on mobilization. *Ecotoxicol. Environ. Saf.*, **2**, 49–53
- Ryu, J.E., Ziegler, E.E. & Fomon, S.J. (1978) Maternal lead exposure and blood lead concentration in infancy. *J. Pediatrics*, **93**, 476–478
- Ryu, J.E., Ziegler, E.E., Nelson, S.E. & Fomon, S.J. (1983) Dietary intake of lead and blood lead concentration in early infancy. *Am. J. Dis. Child.*, **137**, 886–891

- Ryu, J.E., Ziegler, E.E., Nelson, S.E. & Fomon, S.J. (1985) Dietary and environmental exposure to lead and blood lead during early infancy. In: Mahaffey, K.R., ed., *Chapter 7, Dietary and Environmental Lead: Human Health Effects*, Amsterdam, Elsevier Science Publishers, pp. 187–209
- Sadasivan, S., Negi, B.S. & Mishra, U.C. (1987) Atmospheric lead levels in some cities in India. *Indian J. environ. Health*, **29**, 280–286
- Saenger, P., Markowitz, M.E. & Rosen, J.F. (1984) Depressed excretion of 6-beta-hydroxycortisol in lead-toxic children. *J. clin. Endocrinol. Metab.*, **58**, 363–367
- Sakai, T. (2000) Biomarkers of lead exposure. *Ind. Health*, **38**, 127–142
- Sakai, T. & Ushio, K. (1986) A simplified method for determining erythrocyte pyrimidine 5'-nucleotidase (P5N) activity by HPLC and its value in monitoring lead exposure. *Br. J. ind. Med.*, **43**, 839–844
- Sakai, T., Yanagihara, S. & Ushio, K. (1980) Restoration of lead-inhibited 5-aminolevulinate dehydratase activity in whole blood by heat, zinc ion, and (or) dithiothreitol. *Clin. Chem.*, **26**, 625–628
- Sakai, K., Susuki, M., Yamane, Y., Takahashi, A. & Ide, G. (1990) Promoting effect of basic lead acetate administration on the tumorigenesis of lung in N-nitrosodimethylamine-treated mice. *Bull. environ. Contam. Toxicol.*, **44**, 707–714
- Sallmén, M., Lindbohm, M.-L., Anttila, A., Taskinen, H. & Hemminki, K. (2000) Time to pregnancy among wives of men occupationally exposed to lead. *Epidemiology*, **11**, 141–147
- Salt, D.E., Blaylock, M., Kumar, N.P.B.A., Dushenkov, V., Ensley, B.D., Chet, I. & Raskin, I. (1995) Phytoremediation: A novel strategy for the removal of toxic metals from the environment using plants. *Bio/Technology*, **13**, 468–474
- Salt, D.E., Smith, R.D. & Raskin, I. (1998) Phytoremediation. *Ann. Rev. Plant Physiol. Plant mol. Biol.*, **49**, 643–668
- Sandhu, S.S., Ma, T.-H., Peng, Y. & Zhou, X.-D. (1989) Clastogenicity evaluation of seven chemicals commonly found at hazardous industrial waste sites. *Mutat. Res.*, **224**, 437–445
- Sanín, L.H., Gonzalez-Cossío, T., Romieu, I., Peterson, K.E., Ruiz, S., Palazuelos, E., Hernandez-Avila, M. & Hu, H. (2001) Effect of maternal lead burden on infant weight and weight gain at one month of age among breastfed infants. *Pediatrics*, **107**, 1016–1023
- Sankila, R., Karjalainen, S., Pukkala, E., Oksanen, H., Hakulinen, T., Teppo, L. & Hakama, M. (1990) Cancer risk among glass factory workers: An excess of lung cancer? *Br. J. ind. Med.*, **47**, 815–818
- Sauerhoff, M.W. & Michaelson, I.A. (1973) Hyperactivity and brain catecholamines in lead-exposed developing rats. *Science*, **182**, 1022–1024
- Savolainen, K.M., Loikkanen, J., Erikainen, S. & Naarala, J. (1998) Glutamate-stimulated ROS production in neuronal cultures: Interactions with lead and the cholinergic system. *Neurotoxicology*, **19**, 669–674
- Saxena, D.K., Srivastava, R.S., Lal, B. & Chandra, S.V. (1987) The effect of lead exposure on the testis of growing rats. *Exp. Pathol.*, **31**, 249–252
- Saxena, D.K., Lal, B., Srivastava, R.S. & Chandra, S.V. (1990) Lead induced testicular hypersensitivity in stressed rats. *Exp. Pathol.*, **39**, 100–109
- Saxena, D.K., Singh, C., Murthy, R.C., Mathur, N. & Chandra, S.V. (1994) Blood and placental lead levels in an Indian city: A preliminary report. *Arch. environ. Health*, **49**, 106–110
- Scarano, G. & Morelli, E. (2002) Characterization of cadmium- and lead-phytochelatin complexes formed in a marine microalga in response to metal exposure. *Biomet.*, **15**, 145–151

- Scelfo, G.M. & Flegal, A.R. (2000) Lead in calcium supplements. *Environ. Health Perspect.*, **108**, 309–313
- Schaller, K.H., Angerer, J. & Drexler, H. (2002) Review. Quality assurance of biological monitoring in occupational and environmental medicine. *J. Chromatogr. B.*, **778**, 403–417
- Schechtman, L.M., Hatch, G.G., Anderson, T.M., Putman, D.L., Kouri, R.E., Cameron, J.W., Nims, R.W., Spalding, J.W., Tennant, R.W. & Lubet, R.A. (1986) Analysis of the interlaboratory and intralaboratory reproducibility of the enhancement of simian adenovirus SA7 transformation of Syrian hamster embryo cells by model carcinogenic and noncarcinogenic compounds. *Environ. Mutag.*, **8**, 495–514
- Schmid, E., Bauchinger, M., Pietruck, S. & Hall, G. (1972) [Cytogenetic action of lead in human peripheral lymphocytes *in vitro* and *in vivo*.] *Mutat. Res.*, **16**, 401–406 (in German)
- Schmitt, C.J. & Brumbaugh, W.G. (1990) National contaminant biomonitoring program: Concentrations of arsenic, cadmium, copper, lead, mercury, selenium, and zinc in U.S. freshwater fish, 1976–1984. *Arch. environ. Contam. Toxicol.*, **19**, 731–747
- Schmitt, M.D.C., Trippler, D.J., Wachtler, J.N. & Lund, G.V. (1988) Soil lead concentrations in residential Minnesota as measured by ICP-AES. *Water Air Soil Pollut.*, **39**, 157–168
- Schnaas, L., Rothenberg, S.J., Perroni, E., Martínez, S., Hernández, C. & Hernández, R.M. (2000) Temporal pattern in the effect of postnatal blood lead level on intellectual development of young children. *Neurotoxicol. Teratol.*, **22**, 805–810
- Schroeder, H.A. & Mitchener, M. (1971) Toxic effects of trace elements on the reproduction of mice and rats. *Arch. environ. Health*, **23**, 102–106
- Schroeder, H.A., Balassa, J.J. & Vinton, W.H., Jr (1965) Chromium, cadmium and lead in rats: Effects of life span, tumors and tissue levels. *J. Nutr.*, **86**, 51–66
- Schroeder, H.A., Mitchener, M. & Nason, A.P. (1970) Zirconium, niobium, antimony, vanadium and lead in rats: Life term studies. *J. Nutr.*, **100**, 59–68
- Schuhmacher, M., Bellés, M., Rico, A., Domingo, J.L. & Corbella, J. (1996a) Impact of reduction of lead in gasoline on the blood and hair lead levels in the population of Tarragona Province, Spain, 1990–1995. *Sci. total Environ.*, **184**, 203–209
- Schuhmacher, M., Hernández, M., Domingo, J.L., Fernández-Ballart, J.D., Llobet, J.M. & Corbella, J. (1996b) A longitudinal study of lead mobilization during pregnancy: Concentrations in maternal and umbilical cord blood. *Trace Elem. Electrolytes*, **13**, 177–181
- Schuhmacher, M., Paternain, J.L., Domingo, J.L. & Corbella, J. (1997) An assessment of some biomonitoring indicative of occupational exposure to lead. *Trace elem. Electrolytes*, **14**, 145–149
- Schütz, A., Skerfving, S., Ranstam, J. & Christoffersson, J.-O. (1987) Kinetics of lead in blood after the end of occupational exposure. *Scand. J. Work Environ. Health*, **13**, 221–231
- Schütz, A., Attewell, R. & Skerfving, S. (1989) Decreasing blood lead in Swedish children, 1978–1988. *Arch. environ. Health*, **44**, 391–394
- Schütz, A., Bergdahl, I.A., Ekholm, A. & Skerfving, S. (1996) Measurement by ICP-MS of lead in plasma and whole blood of lead workers and controls. *Occup. environ. Med.*, **53**, 736–740
- Schütz, A., Barregård, L., Sällsten, G., Wilske, J., Manay, N., Pereira, L. & Cousillas, Z.A. (1997) Blood lead in Uruguayan children and possible sources of exposure. *Environ. Res.*, **74**, 17–23
- Schwanitz, G., Lehnert, G. & Gebhart, E. (1970) [Chromosome damage after occupational exposure to lead.] *Dtsch. Med. Wochenschr.*, **95**, 1636–1641 (in German)

- Schwanitz, G., Gebhart, E., Rott, H.-D., Schaller, K.-H., Essing, H.-G., Lauer, O. & Prestele, H. (1975) [Chromosome investigations in subjects with occupational lead exposure.] *Dtsch. med. Wochenschr.*, **100**, 1007–1011 (in German)
- Schwartz, J. (1994) Low-level lead exposure and children's IQ: A meta-analysis and search for a threshold. *Environ. Res.*, **65**, 42–55
- Schwartz, J. & Otto, D. (1987) Blood lead, hearing thresholds and neurobehavioral development in children and youth. *Arch. environ. Health*, **42**, 153–160
- Schwartz, J., Landrigan, P.J., Feldman, R.G., Silbergeld, E.K., Baker, E.L., Jr & von Lindern, I.H. (1988) Threshold effect in lead-induced peripheral neuropathy. *J. Pediatr.*, **112**, 12–17
- Schwartz, J., Landrigan, P.J., Baker, E.L., Jr, Orenstein, W.A. & von Lindern, I.H. (1990) Lead-induced anemia: Dose-response relationships and evidence for a threshold. *Am. J. pub. Health*, **80**, 165–168
- Schwartz, B.S., Lee, B.-K., Stewart, W., Ahn, K.-D., Springer, K. & Kelsey, K. (1995) Associations of δ-aminolevulinic acid dehydratase genotype with plant, exposure duration, and blood lead and zinc protoporphyrin levels in Korean lead workers. *Am. J. Epidemiol.*, **142**, 738–745
- Schwartz, B.S., Stewart, W.F., Todd, A.C. & Links, J.M. (1999) Predictors of dimercaptosuccinic acid chelatable lead and tibial lead in former organolead manufacturing workers. *Occup. environ. Med.*, **56**, 22–29
- Schwartz, B.S., Stewart, W.F., Todd, A.C., Simon, D. & Links, J.M. (2000a) Different associations of blood lead, meso 2,3-dimercaptosuccinic acid (DMSA)-chelatable lead, and tibial lead levels with blood pressure in 543 former organolead manufacturing workers. *Arch. environ. Health*, **55**, 85–92
- Schwartz, B.S., Lee, B.K., Lee, G.S., Stewart, W.F., Simon, D., Kelsey, K. & Todd, A.C. (2000b) Associations of blood lead, dimercaptosuccinic acid-chelatable lead, and tibia lead with polymorphisms in the vitamin D receptor and δ-aminolevulinic acid dehydratase genes. *Environ. Health Perspect.*, **108**, 949–954
- Schwartz, B.S., Lee, B.-K., Lee, G.-S., Stewart, W.F., Lee, S.-S., Hwang, K.-Y., Ahn, K.-D., Kim, Y.-B., Bolla, K.L., Simon, D., Parsons, P.J. & Todd, A.C. (2001) Associations of blood lead, dimercaptosuccinic acid-chelatable lead, and tibia lead with neurobehavioral test scores in South Korean lead workers. *Am. J. Epidemiol.*, **153**, 453–464
- Seidel, S., Kreutzer, R., Smith, D., McNeel, S. & Gilliss, D. (2001) Assessment of commercial laboratories performing hair mineral analysis. *J. Am. med. Assoc.*, **285**, 67–72
- Selevan, S.G., Landrigan, P.J., Stern, F.B. & Jones, J.H. (1985) Mortality of lead smelter workers. *Am. J. Epidemiol.*, **122**, 673–683
- Seppäläinen, A.M., Tola, S., Hernberg, S. & Kock, B. (1975) Subclinical neuropathy at 'safe' levels of lead exposure. *Arch. environ. Health*, **30**, 180–183
- Seppäläinen, A.M., Hernberg, S. & Kock, B. (1979) Relationship between blood lead levels and nerve conduction velocities. *Neurotoxicology*, **1**, 313–332
- Seppäläinen, A.M., Hernberg, S., Vesanto, R. & Kock, B. (1983) Early neurotoxic effects of lead exposure: A prospective study. *Neurotoxicology*, **4**, 181–192
- Sepúlveda, V., Vega, J. & Delgado, I. (2000) [Severe exposure to environmental lead in a child population in Antofagasta, Chile.] *Rev. méd. Chile*, **128**, 221–232 (in Spanish)
- Shaltout, A., Yaish, S.A. & Fernando, N. (1981) Lead encephalopathy in infants in Kuwait. *Ann. trop. Paediatr. (London)*, **1**, 209–215

- Sharma, K. & Reutergardh, L.B. (2000) Exposure of preschoolers to lead in the Makati area of Metro Manila, the Philippines. *Environ. Res.*, **A83**, 322–332
- Sheffet, A., Thind, I., Miller, A.M. & Louria, D.B. (1982) Cancer mortality in a pigment plant utilizing lead and zinc chromates. *Arch. environ. Health*, **37**, 44–52
- Shen, X.-M., Rosen, J.F., Guo, D. & Wu, S.-M. (1996) Childhood lead poisoning in China. *Sci. total Environ.*, **181**, 101–109
- Shen, X., Yan, C., Zhang, Y., Wu, S., Jiang, F., He, J., Yin, J., Ao, L., Zhang, Y. & Li, R. (1999) [Comparison of children's blood lead levels in Shanghai before and after the introduction of lead free gasoline]. *Natl med. J. China*, **79**, 739–741 (in Chinese)
- Sherlock, J.C., Smart, G.A., Walters, B., Evans, W.H., McWeeny, D.J. & Cassidy, W. (1983) Dietary surveys on a population at Shipham, Somerset, United Kingdom. *Sci. total Environ.*, **29**, 121–142
- Sherlock, J.C., Pickford, C.J. & White, G.F. (1986) Lead in alcoholic beverages. *Food addit. Contam.*, **3**, 347–354
- Shih, T.-M. & Hanin, I. (1978) Chronic lead exposure in immature animals: Neurochemical correlates. *Life Sci.*, **23**, 877–888
- Shimbo, S., Zhang, Z.-W., Moon, C.-S., Watanabe, T., Nakatsuka, H., Matsuda-Inoguchi, N., Higashikawa, K. & Ikeda, M. (2000) Correlation between urine and blood concentrations, and dietary intake of cadmium and lead among women in the general population of Japan. *Int. Arch. occup. environ. Health*, **73**, 163–170
- Shimbo, S., Zhang, Z.-W., Watanabe, T., Nakatsuka, H., Matsuda-Inoguchi, N., Higashikawa, K. & Ikeda, M. (2001) Cadmium and lead contents in rice and other cereal products in Japan in 1998–2000. *Sci. total Environ.*, **281**, 165–175
- Shimkin, M.B., Stoner, G.D. & Theiss, J.C. (1977) Lung tumor response in mice to metals and metal salts. *Adv. exp. Med. Biol.*, **91**, 85–91
- Shirai, T., Ohshima, M., Masuda, A., Tamano, S. & Ito, N. (1984) Promotion of 2-(ethylnitrosamo)ethanol-induced renal carcinogenesis in rats by nephrotoxic compounds: Positive responses with folic acid, basic lead acetate, and N-(3,5-dichlorophenyl)succinimide but not with 2,3-dibromo-1-propanol phosphate. *J. natl Cancer Inst.*, **72**, 477–482
- Shukla, R., Bornschein, R.L., Dietrich, K.N., Buncher, C.R., Berger, O.G., Hammond, P.B. & Succop, P.A. (1989) Fetal and infant lead exposure: Effects on growth in stature. *Pediatrics*, **84**, 604–612
- Shukla, R., Dietrich, K.N., Bornschein, R.L., Berger, O. & Hammond, P.B. (1991) Lead exposure and growth in the early preschool child: A follow-up report from the Cincinnati lead study. *Pediatrics*, **88**, 886–892
- Shukla, V.K., Prakash, A., Tripathi, B.D., Reddy, D.C.S. & Singh, S. (1998) Biliary heavy metal concentrations in carcinoma of the gall bladder: Case–control study. *Br. med. J.*, **317**, 1288–1289
- Siddiqui, M.K.J., Srivastava, S. & Mehrotra, P.K. (2002) Environmental exposure to lead as a risk for prostate cancer. *Biomed. environ. Sci.*, **15**, 298–305
- Sidhu, M.K., Fernandez, C., Khan, M.Y. & Kumar, S. (1991) Induction of morphological transformation, anchorage-independent growth and plasminogen activators in non-tumorigenic human osteosarcoma cells by lead chromate. *Anticancer Res.*, **11**, 1045–1053
- Siemiatycki, J. (1991) *Risk Factors for Cancer in the Workplace*, Boca Raton, FL, CRC Press
- Silbergeld, E.K. (1991) Lead in bone: Implications for toxicology during pregnancy and lactation. *Environ. Health Perspect.*, **91**, 63–70

- Silbergeld, E.K. & Chisholm, J.J., Jr (1976) Lead poisoning: Altered urinary catecholamine metabolites as indicators of intoxication in mice and children. *Science*, **192**, 153–155
- Silbergeld, E.K. & Goldberg, A.M. (1975) Pharmacological and neurochemical investigations of lead-induced hyperactivity. *Neuropharmacology*, **14**, 431–444
- Silbergeld, E.K., Schwartz, J. & Mahaffey, K. (1988) Lead and osteoporosis: Mobilization of lead from bone in postmenopausal women. *Environ. Res.*, **47**, 79–94
- Silbergeld, E.K., Waalkes, M. & Rice, J.M. (2000) Lead as a carcinogen: Experimental evidence and mechanisms of action. *Am. J. Ind. Med.*, **38**, 316–323
- de Silva, P.E. & Donnan, M.B. (1977) Petrol vendors, capillary blood lead levels and contamination. *Med. J. Aust.*, **1**, 344–347
- de Silva, P.E. & Donnan, M.B. (1980) Blood lead levels in Victorian children. *Med. J. Aust.*, **2**, 315–318
- Silva, P.A., Hughes, P., Williams, S. & Faed, J.M. (1988) Blood lead, intelligence, reading attainment, and behaviour in eleven year old children in Dunedin, New Zealand. *J. Child Psychol. Psychiat.*, **29**, 43–52
- Silvany Neto, A.M., Carvalho, F.M., Lima, M.E.C. & Tavares, T.M. (1985) [Social determination of lead intoxication in children from Santo Amaro-Bahia] *Cié. Cultura*, **37**, 1614–1626 (in Portuguese)
- Silvany-Neto, A.M., Carvalho, F.M., Chaves, M.E.C., Brandão, A.M. & Tavares, T.M. (1989) Repeated surveillance of lead poisoning among children. *Sci. total Environ.*, **78**, 179–186
- Silvany-Neto, A.M., Carvalho, F.M., Tavares, T.M., Guimarães, G.C., Amorim, C.J.B., Peres, M.F.T., Lopes, R.S., Rocha, C.M. & Raña, M.C. (1996) Lead poisoning among children of Santo Amaro, Bahia, Brazil in 1980, 1985, and 1992. *Bull. PAHO*, **30**, 51–62
- Silver, W. & Rodriguez-Torres, R. (1968) Electrocardiographic studies in children with lead poisoning. *Pediatrics*, **41**, 1124–1127
- Simmon, V.F. (1979) In vitro assays for recombinogenic activity of chemical carcinogens and related compounds with *Saccharomyces cerevisiae* D3. *J. natl Cancer Inst.*, **62**, 901–909
- Simmonds, P.L., Luckhurst, C.L. & Woods, J.S. (1995) Quantitative evaluation of heme biosynthetic pathway parameters as biomarkers of low-level lead exposure in rats. *J. Toxicol. environ. Health*, **44**, 351–367
- Simon, J.A. & Hudes, E.S. (1999) Relationship of ascorbic acid to blood lead levels. *J. am. med. Assoc.*, **281**, 2289–2293
- Simons, T.J.B. (1995) The affinity of human erythrocyte porphobilinogen synthase for Zn²⁺ and Pb²⁺. *Eur. J. Biochem.*, **234**, 178–183
- Singal, M., Zey, J.N. & Arnold, S.J. (1985) Health Hazard Evaluation Report, HETA 84-0041-1592, Johnson Controls, Inc., Owosso, MI, USA, NIOSH
- Singh, K.P. (1996) *Monitoring and Assessment of the Gomti River Quality* (Project Report), Lucknow, Industrial Toxicology Research Centre
- Singh, R.P., Tripathi, R.D., Sinha, S.K., Maheshwari, R. & Srivastava, H.S. (1997) Response of higher plants to lead contaminated environment. *Chemosphere*, **34**, 2467–2493
- Singh, B., Chandran, V., Bandhu, H.K., Mittal, B.R., Bhattacharya, A., Jindal, S.K. & Varma, S. (2000) Impact of lead exposure on pituitary-thyroid axis in humans. *Biometals*, **13**, 187–192
- Singh, V.K., Mishra, K.P., Rani, R., Yadav, V.S., Awasthi, S.K. & Garg, S.K. (2003) Immunomodulation by lead. *Immunol. Res.*, **28**, 151–166

- Sithisarankul, P., Schwartz, B.S., Lee, B.-K., Kelsey, K.T. & Strickland, P.T. (1997) Aminolevulinic acid dehydratase genotype mediates plasma levels of the neurotoxin, 5-aminolevulinic acid, in lead-exposed workers. *Am. J. ind. Med.*, **32**, 15–20
- Six, K.M. & Goyer, R.A. (1970) Experimental enhancement of lead toxicity by low dietary calcium. *J. Lab. clin. Med.*, **76**, 933–942
- Six, K.M. & Goyer, R.A. (1972) The influence of iron deficiency on tissue content and toxicity of ingested lead in the rat. *J. Lab. clin. Med.*, **76**, 128–136
- Skerfving, S., Schütz, A. & Ranstam, J. (1986) Decreasing lead exposure in Swedish children, 1978–84. *Sci. total Environ.*, **58**, 225–229
- Skreb, Y. & Habazin-Novak, V. (1977) Lead induces modifications of the response to X-rays in human cells in culture. *Stud. biophys.*, **63**, 97–104
- Slorach, S., Gustafsson, I.-B., Jorhem, L. & Mattsson, P. (1983) Intake of lead, cadmium and certain other metals via a typical Swedish weekly diet. *Vår Föda*, **35** (Suppl. 1), 3–16
- Slovin, D.L. & Albrecht, W.N. (1982) Health Hazard Evaluation Report, HETA 81-0356-1183, Sherwin Williams Co., Coffeyville, KS, USA, NIOSH
- Smith, D.L. (1976) Lead absorption in police small-arms instructors. *J. Soc. occup. Med.*, **26**, 139–140
- Smith, G.R. (1999) *Lead*, Reston, VA, US Geological Survey
- Smith, G.R. (2002) *2002 Minerals Yearbook: Lead*, Reston, VA, US Geological Survey
- Smith, C.M., DeLuca, H.F., Tanaka, Y. & Mahaffey, K.R. (1978) Stimulation of lead absorption by vitamin D administration. *J. Nutr.*, **108**, 843–847
- Smith, M., Delves, T., Lansdown, R., Clayton, B. & Graham, P. (1983) The effects of lead exposure on urban children: The institute of child health/Southampton Study. *Dev. Med. Child Neurol.*, **25** (Suppl.), 1–54
- Smith, D.R., Markowitz, M.E., Crick, J., Rosen, J.F. & Flegal, A.R. (1994) The effects of succimer on the absorption of lead in adults determined by using the stable isotope ^{204}Pb . *Environ. Res.*, **67**, 39–53
- Smith, C.M., Wang, X., Hu, H. & Kelsy, K.T. (1995) A polymorphism in the δ -aminolevulinic acid dehydratase gene may modify the pharmacokinetics and toxicity of lead. *Environ. Health Perspect.*, **103**, 248–253
- Smith, D.R., Osterloh, J.D. & Flegal, A.R. (1996) Use of endogenous, stable lead isotopes to determine release of lead from the skeleton. *Environ. Health Perspect.*, **104**, 60–66
- Smith, D.R., Ilustre, R.P. & Osterloh, J.D. (1998) Methodological considerations for the accurate determination of lead in human plasma and serum. *Am. J. ind. Med.*, **33**, 430–438
- Smith, D., Hernandez-Avila, M., Téllez-Rojo, M.M., Mercado, A. & Hu, H. (2002) The relationship between lead in plasma and whole blood in women. *Environ. Health Perspect.*, **110**, 263–268
- Smitherman, J. & Harber, P. (1991) A case of mistaken identity: Herbal medicine as a cause of lead toxicity. *Am. J. ind. Med.*, **20**, 795–798
- Smolders, A.J.P., Lock, R.A.C., Van der Velde, G., Medina Hoyos, R.I. & Roelofs, J.G.M. (2003) Effects of mining activities on heavy metal concentrations in water, sediment, and macro-invertebrates in different reaches of the Pilcomayo River, South America. *Arch. environ. Contam. Toxicol.*, **44**, 314–323
- Snyder, R.D., Davis, G.F. & Lachmann, P.J. (1989) Inhibition by metals of X-ray and ultraviolet-induced DNA repair in human cells. *Biol. trace Elem. Res.*, **21**, 389–398

- Sobel, A.E. & Burger, M. (1955) Calcification. XIII. The influence of calcium, phosphorus, and vitamin D on the removal of lead from blood and bone. *J. biol. Chem.*, **212**, 105–110
- Sobotka, T.J. & Cook, M.P. (1974) Postnatal lead acetate exposure in rats: Possible relationship to minimal brain dysfunction. *Am. J. ment. Defic.*, **79**, 5–9
- Sokol, R.Z. & Berman, N. (1991) The effect of age of exposure on lead-induced testicular toxicity. *Toxicology*, **69**, 269–278
- Sokol, R.Z., Madding, C.E. & Swerdluff, R.S. (1985) Lead toxicity and the hypothalamic–pituitary–testicular axis. *Biol. Reprod.*, **33**, 722–728
- Sollaway, B.M., Schaffer, A., Pratt, H., Mittelman, N. & Yannai, S. (1995) Visual evoked potentials N75 and P100 latencies correlate with urinary δ-aminolevulinic acid, suggesting γ-amino-butyric acid involvement in their generation. *J. neurol. Sci.*, **134**, 89–94
- Solt, B. & Farber, E. (1976) New principle for the analysis of chemical carcinogenesis. *Nature*, **263**, 701–703
- Somervaille, L.J., Chettle, D.R., Scott, M.C., Aufderheide, A.C., Wallgren, J.E., Wittmers, L.E., Jr & Rapp, G.R., Jr (1986) Comparison of two *in vitro* methods of bone lead analysis and the implications for *in vivo* measurements. *Phys. Med. Biol.*, **31**, 1267–1274
- Southpolymetal (2003) *Product Data Sheet: Lead*, Shymkent
- Spanò, M., Bonde, J.P., Hjøllund, H.I., Kolstad, H.A., Cordelli, E., Leter, G. & The Danish First Pregnancy Planner Study Team (2000) Sperm chromatin damage impairs human fertility. *Fertil. Steril.*, **73**, 43–50
- Spickett, J.T., Bell, R.R., Stawell, J. & Polan, S. (1984) The influence of dietary citrate on the absorption and retention of orally ingested lead. *Agents Actions*, **15**, 459–462
- Spivey, G.H., Baloh, R.W., Brown, C.P., Browdy, B.L., Campion, D.S., Valentine, J.L., Morgan, D.E. & Culver, B.D. (1980) Subclinical effects of chronic increased lead absorption — A prospective study. III. Neurological findings at follow-up examination. *J. occup. Med.*, **22**, 607–612
- Sprinkle, R.V. (1995) Leaded eye cosmetics: A cultural cause of elevated lead levels in children. *J. fam. Pract.*, **40**, 358–362
- Srianujata, S. (1998) Lead — The toxic metal to stay with human. *J. toxicol. Sci.*, **23** (Suppl. 2), 237–240
- Srikanth, R., Madhumohan Rao, A., Shravan Kumar, C. & Khanum, A. (1993) Lead, cadmium, nickel, and zinc contamination of ground water around Hussain Sagar Lake, Hyderabad, India. *Bull. environ. Contam. Toxicol.*, **50**, 138–143
- Srikanth, R., Ramana, D. & Rao, V. (1995a) Lead uptake from beer in India. *Bull. environ. Contam. Toxicol.*, **54**, 783–786
- Srikanth, R., Ramana, D. & Rao, V. (1995b) Role of rice and cereal products in dietary cadmium and lead intake among different socio-economic groups in south India. *Food Addit. Contam.*, **12**, 695–701
- Srivastava, S., Mehrotra, P.K., Srivastava, S.P., Tandon, I. & Siddiqui, M.K.J. (2001) Blood lead and zinc in pregnant women and their offspring in intrauterine growth retardation cases. *J. anal. Toxicol.*, **25**, 461–465
- Staessen, J., Yeoman, W.B., Fletcher, A.E., Markowe, H.L.J., Marmot, M.G., Rose, G., Semmence, A., Shipley, M.J. & Bulpitt, C.J. (1990) Blood lead concentration, renal function, and blood pressure in London civil servants. *Br. J. ind. Med.*, **47**, 442–447

- Staessen, J.A., Lauwerys, R.R., Buchet, J.-P., Bulpitt, C.J., Rondia, D., Vanrenterghem, Y., Amery, A. & the Cadmibel Study Group (1992) Impairment of renal function with increasing blood lead concentrations in the general population. *New Engl. J. Med.*, **327**, 151–156
- Staessen, J.A., Bulpitt, C.J., Fagard, R., Lauwerys, R.R., Roels, H., Thijs, L. & Amery, A. (1994) Hypertension caused by low-level lead exposure: Myth or fact? *J. cardiovasc. Risk*, **1**, 87–97
- Staessen, J.A., Roels, H., Lauwerys, R.R. & Amery, A. (1995) Low-level lead exposure and blood pressure. *J. hum. Hypertens.*, **9**, 303–328
- Stauber, J.L. & Florence, T.M. (1988) A comparative study of copper, lead, cadmium and zinc in human sweat and blood. *Sci. total Environ.*, **74**, 235–247
- Stauber, J.L., Florence, T.M., Gulson, B.L. & Dale, L.S. (1994) Percutaneous absorption of inorganic lead compounds. *Sci. total Environ.*, **145**, 55–70
- Steenland, K. & Boffetta, P. (2000) Lead and cancer in humans: Where are we now? *Am. J. ind. Med.*, **38**, 295–99
- Steenland, K., Selevan, S. & Landrigan, P. (1992) The mortality of lead smelter workers: An update. *Am. J. public Health*, **82**, 1641–1644
- Steenland, K., Loomis, D., Shy, C. & Simonsen, N. (1996) Review of occupational carcinogens. *Am. J. ind. Med.*, **29**, 474–490
- Steffee, C.H. & Baetjer, A.M. (1965) Histopathologic effects of chromate chemicals. *Arch. environ. Health*, **11**, 66–75
- Stephenson, R.L. & Burt, S. (1992) Health Hazard Evaluation Report, HETA 89-0252,0293-2178, Chempower Inc., Combustion Engineering Inc., Albright Power Station, Albright, WV, USA, NIOSH
- Sternowsky, H.J. & Wessolowski, R. (1985) Lead and cadmium in breast milk. *Arch. Toxicol.*, **57**, 41–45
- Stevenson, A.J., Kacew, S. & Singhal, R.L. (1977) Reappraisal of the use of a single dose of lead for the study of cell proliferation in kidney, liver and lung. *J. Toxicol. environ. Health*, **2**, 1125–1134
- Stewart, W.F., Schwartz, B.S., Simon, D., Kelsey, K. & Todd, A.C. (2002) *ApoE* genotype, past adult lead exposure and neurobehavioral function. *Environ. Health Perspect.*, **110**, 501–505
- STN International (2003) Registry file [<http://stuweb.cas.org>; latest update 25/11/2003]
- Stockholm Municipal Environment and Health Administration (1983) *Undersökningar av Fordonstrafikens Luftforureningar under 1982* [Investigations of air pollution from the traffic during 1982], Stockholm (in Swedish)
- Stoner, G.D., Shimkin, M.B., Troxell, M.C., Thompson, T.L. & Terry, L.S. (1976) Test for carcinogenicity of metallic compounds by the pulmonary tumor response in strain A mice. *Cancer Res.*, **36**, 1744–1747
- Stoner, G.D., Conran, P.B., Greisiger, E.A., Stober, J., Morgan, M. & Pereira, M.A. (1986) Comparison of two routes of chemical administration on the lung adenoma response in strain A/J mice. *Toxicol. appl. Pharmacol.*, **82**, 19–31
- Stowe, H.D., Goyer, R.A., Krigman, M.M., Wilson, M. & Cates, M. (1973) Experimental oral lead toxicity in young dogs. Clinical and morphologic effects. *Arch. Pathol.*, **95**, 106–116
- Stretesky, P.B. & Lynch, M.J. (2001) The relationship between lead exposure and homicide. *Arch. pediatr. adul. Med.*, **155**, 579–582
- Strömberg, U., Schütz, A. & Skerfving, S. (1995) Substantial decrease of blood lead in Swedish children, 1978–94, associated with petrol lead. *Occup. environ. Med.*, **52**, 764–769

- Subramanian, K.S. (1989) Determination of lead in blood by graphite furnace atomic absorption spectrometry — A critique. *Sci. total Environ.*, **89**, 237–250
- Sun, C.-C., Wong, T.-T., Hwang, Y.-H., Chao, K.-Y., Jee, S.-H. & Wang, J.-D. (2002) Percutaneous absorption of inorganic lead compounds. *Am. ind. Hyg. Assoc. J.*, **63**, 641–646
- Sundström, R. & Karlsson, B. (1987) Myelin basic protein in brains of rats with low dose lead encephalopathy. *Arch. Toxicol.*, **59**, 341–345
- Suplido, M.L. & Ong, C.N. (2000) Lead exposure among small-scale battery recyclers, automobile radiator mechanics, and their children in Manila, the Philippines. *Environ. Res.*, **82**, 231–238
- Sussell, A.L. & Piacitelli, G.M. (1999) Health Hazard Evaluation Report, HETA 98-0283, Illinois Historic Preservation Agency, Springfield, IL, USA, NIOSH
- Sussell, A.L. & Piacitelli, G.M. (2001) Health Hazard Evaluation Report, HETA 99-0113-2853, University of California-Berkeley, Berkeley, CA, USA, NIOSH
- Sussell, A.L., Montopoli, M. & Tubbs, R. (1992a) Health Hazard Evaluation Report, HETA 91-0006-2193, M & J Painting Company, Covington, KY, USA, NIOSH
- Sussell, A.L., Elliott, L.J., Wild, D. & Freund, E. (1992b) Health Hazard Evaluation Report, HETA 90-0070-2181, HUD Lead-Based Paint Abatement Demonstration Project
- Sussell, A.L., Mickelsen, R.L. & Rubin, C. (1992c) Health Hazard Evaluation Report, HETA 91-0209-2249, Seaway Painting, Inc., Annapolis, MD, USA, NIOSH
- Sussell, A.L., Weber, A., Wild, D., Ashley, K. & Wall, D. (1993) Health Hazard Evaluation Report, HETA 92-0095-2317, Ohio University, Athens, OH, USA, NIOSH
- Sussell, A.L., Gittleman, J. & Singal, M. (1997) Health Hazard Evaluation Report, HETA 93-0818-2646, People Working Cooperatively, Cincinnati, OH, USA, NIOSH
- Sussell, A.L., Piacitelli, G.M. & Trout, D. (2000) Health Hazard Evaluation Report, HETA 96-0200-2799, Rhode Island Department of Health, Providence, RI, USA, NIOSH
- Sussell, A.L., Piacitelli, G.M., Chaudre, Z. & Ashley, K. (2002) Health Hazard Evaluation Report, HETA 99-0305-2878, Lead Safe Services, Inc., Neenah, WI, USA, NIOSH
- Suwansaksri, J. & Wiwanitkit, V. (2001) Monitoring of lead exposure among mechanics in Bangkok. *Southeast Asian J. trop. Med. public Health*, **32**, 661–663
- Suwansaksri, J., Teerasart, N., Wiwanitkit, V. & Chaiyaset, T. (2002) High blood lead level among garage workers in Bangkok, public concern is necessary. *Biometals*, **15**, 367–370
- Süzen, H.S., Duydu, Y., Aydin, A., Isimer, A. & Vural, N. (2003) Influence of the delta-amino-levulinic acid dehydratase (ALAD) polymorphism on biomarkers of lead exposure in Turkish storage battery manufacturing workers. *Am. J. ind. Med.*, **43**, 165–171
- Suzuki, S. (1990) Health effects of lead pollution due to automobile exhaust: Findings from field surveys in Japan and Indonesia. *J. hum. Ergol.*, **19**, 113–122
- Svensson, B.G., Schütz, A., Nilsson, A. & Skerfving, S. (1992) Lead exposure in indoor firing ranges. *Int. Arch. Occup. Environ. Health*, **64**, 219–221
- Sweeney, M.H., Beaumont, J.J., Waxweiler, R.J. & Halperin, W.E. (1986) An investigation of mortality from cancer and other causes of death among workers employed at an east Texas chemical plant. *Arch. environ. Health*, **41**, 23–28
- Sylvain, D.C. (1996) Health Hazard Evaluation Report, HETA 94-0122-2578, Bath Iron Works Corp., Bath, ME, USA, NIOSH
- Symanski, E. & Hertz-Pannier, I. (1995) Blood lead levels in relation to menopause, smoking, and pregnancy history. *Am. J. Epidemiol.*, **141**, 1047–1058

- Tabuchi, T., Okayama, A., Ogawa, Y., Miyajima, K., Hirata, M., Yoshida, T., Sugimoto, K. & Morimoto, K. (1989) A new HPLC fluorimetric method to monitor urinary delta-amino-levulinic acid (ALA-U) levels in workers exposed to lead. *Int. Arch. occup. environ. Health*, **61**, 297–302
- Tachi, K., Nishimae, S. & Saito, K. (1985) Cytogenetic effects of lead acetate on rat bone marrow cells. *Arch. environ. Health*, **40**, 144–147
- Tait, P.A., Vora, A., James, S., Fitzgerald, D.J. & Pester, B.A. (2002) Severe congenital lead poisoning in a preterm infant due to a herbal remedy. *Med. J. Aust.*, **177**, 193–195
- Tamayo, L., Liceaga, C., Sánchez, P. & Herce, J.L. (1984) Estudio comparativo de envases de frutas y jugos. *Rev. Soc. Quím. Méx.*, **28**, 359–362
- Tanner, D.C. & Lipsky, M.M. (1984) Effect of lead acetate on N-(4'-fluoro-4-biphenyl)acetamide-induced renal carcinogenesis in the rat. *Carcinogenesis*, **5**, 1109–1113
- Tantanaskul, S., Chaivisuth, B., Siriratanapreuk, S., Padungtod, C., Pleubreukan, R., Boonmark, T., Worahan, S., Bhumiratanarak, P. & Chomchai, C. (2002) The management of environmental lead exposure in the pediatric population: Lessons from Clitty Creek, Thailand. *J. med. Assoc. Thai.*, **85** (Suppl. 2), S762–S768
- Taskinen, H., Nordman, H., Hernberg, S. & Engström, K. (1981) Blood lead levels in Finnish preschool children. *Sci. total Environ.*, **20**, 117–129
- Taupeau, C., Poupon, J., Treton, D., Brosse, A., Richard, Y. & Machelon, V. (2003) Lead reduces messenger RNA and protein levels of cytochrome p450 aromatase and estrogen receptor beta in human ovarian granulosa cells. *Biol. Reprod.*, **68**, 1982–1988
- Tavares, T.M. (1990) *Avaliação de Efeitos das Emissões de Cádmio e Chumbo em Santo Amaro, Bahia*, PhD Thesis, São Paulo, University of São Paulo
- Tavares, T.M. (1991) Ecological studies of the Recôncavo, Bahia, Brazil (1976 until 1990). *Rev. int. Contam. ambient.*, **7**, 33–50
- Tavares, T.M. (1992) The role of lead and cadmium reference samples in an epidemiological case study at Santo Amaro, Bahia, Brazil. In: Rossbach, M., Schladot, J.D. & Ostapczuk, P., eds, *Specimen Banking: Environmental Monitoring and Modern Analytical Approaches*, Berlin, Springer Verlag, pp. 89–98
- Tavares, T.M. (1996a) *Distribuição Espacial de Poluentes Atmosféricos no entorno da RLAM in Programa de Monitoramento dos Ecossistemas ao Norte da Baía de Todos os Santos, 1994–1995*, Tomo 8, Vol. II, Salvador, Bahia, Petrobrás
- Tavares, T.M. (1996b) *Distribuição Espacial de Metais Pesados e Hidrocarbonetos ao Norte da Baía de Todos os Santos em Programa de Monitoramento dos Ecossistemas ao Norte da Baía de Todos os Santos, 1994–1995*, Tomo 8, Vol. I, Salvador, Bahia, Petrobrás
- Taylor, S.R. & McLennan, S.M. (1995) The geochemical evolution of the continental crust. *Rev. Geophys.*, **33**, 241–265
- Taylor, R., Bazelmans, J., Golec, R. & Oakes, S. (1995) Declining blood lead levels in Victorian children. *Aust. J. public Health*, **19**, 455–459
- Teck Cominco (2003) *Product Data Sheet: Lead*, Vancouver, BC
- Telisman, S., Cvitkovic, P., Jurasic, J., Pizent, A., Gavella, M. & Rocic, B. (2000) Semen quality and reproductive endocrine function in relation to biomarkers of lead, cadmium, zinc, and copper in men. *Environ. Health Perspect.*, **108**, 45–53

- Téllez-Rojo, M.M., Hernández-Avila, M., González-Cossío, T., Romieu, I., Aro, A., Palazuelos, E., Schwartz, J. & Hu, H. (2002) Impact of breastfeeding on the mobilization of lead from bone. *Am. J. Epidemiol.*, **155**, 420–428
- Teraki, Y. & Uchiumi, A. (1990) Inorganic elements in the tooth and bone tissues of rats bearing nickel acetate- and lead acetate-induced tumors. *Shigaku*, **78**, 269–273
- Tharr, D. (1993) Lead contamination in radiator repair shops. *Appl. occup. environ. Hyg.*, **8**, 434–438
- Tharr, D. (1997) Lead exposure during custodial activities. *Appl. occup. environ. Hyg.*, **12**, 395–399
- Thier, R., Bonacker, D., Stoiber, T., Bohm, K.J., Wang, M., Unger, E., Bolt, H.M. & Degen, G. (2003) Interaction of metal salts with cytoskeletal motor protein systems. *Toxicol. Lett.*, **140–141**, 75–81
- Thomas, V.M., Socolow, R.H., Fanelli, J.J. & Spiro, T.G. (1999) Effects of reducing lead in gasoline: An analysis of the international experience. *Environ. Sci. Technol.*, **33**, 3942–3948
- Thoreux-Manlay, A., Vélez de la Calle, J.F., Olivier, M.F., Soufir, J.C., Masse, R. & Pinon-Lataillade, G. (1995) Impairment of testicular endocrine function after lead intoxication in the adult rat. *Toxicology*, **100**, 101–109
- Threlfall, T., Kent, N., Garcia-Webb, P., Byrnes, E. & Psaila-Savona, P. (1993) Blood lead levels in children in Perth, Western Australia. *Aust. J. public Health*, **17**, 379–381
- Todd, A.C. & Chettle, D.R. (1994) *In vivo* X-ray fluorescence of lead in bone: Review and current issues. *Environ. Health Perspect.*, **102**, 172–177
- Todd, A.C., Carroll, S., Godbold, J.H., Moshier, E.L. & Khan, F.A. (2000a) Variability in XRF-measured tibia lead levels. *Phys. Med. Biol.*, **45**, 3737–3748
- Todd, A.C., Ehrlich, R.I., Selby, P. & Jordaan, E. (2000b) Repeatability of tibia lead measurement by X-Ray fluorescence in a battery-making workforce. *Environ. Res.*, **84**, 282–289
- Todd, A.C., Lee, B.-K., Lee, G.-S., Ahn, K.-D., Moshier, E. & Schwartz, B.S. (2001a) Predictors of DMSA chelatable lead, tibial lead, and blood lead in 802 Korean lead workers. *Occup. environ. Med.*, **58**, 73–80
- Todd, A.C., Buchanan, R., Carroll, S., Moshier, E.L., Popovac, D., Slavkovich, V. & Graziano, J.H. (2001b) Tibia lead levels and methodological uncertainty in 12-year-old children. *Environ. Res.*, **A86**, 60–65
- Todd, A.C., Carroll, S., Godbold, J.H., Moshier, E.L. & Khan, F.A. (2001c) The effect of measurement location on tibia lead XRF measurement results and uncertainty. *Phys. Med. Biol.*, **46**, 29–40
- Todd, A.C., Parsons, P.J., Tang, S. & Moshier, E.L. (2001d) Individual variability in human tibia lead concentration. *Environ. Health Perspect.*, **109**, 1139–1143
- Todd, A.C., Parsons, P.J., Carroll, S., Geraghty, C., Khan, F.A., Tang, S. & Moshier, E.L. (2002) Measurements of lead in human tibiae. A comparison between K-shell x-ray fluorescence and electrothermal atomic absorption spectrometry. *Phys. Med. Biol.*, **47**, 673–687
- Toews, A.D., Kolber, A., Hayward, J., Krigman, M.R. & Morell, P. (1978) Experimental lead encephalopathy in the suckling rat: Concentration of lead in cellular fractions enriched in brain capillaries. *Brain Res.*, **147**, 131–138
- Toffaletti, J. & Savory, J. (1976) An overview of the laboratory diagnosis of lead poisoning. *Ann. clin. Lab. Sci.*, **6**, 529–536
- Tola, S., Hernberg, S., Asp, S. & Nikkanen, J. (1973) Parameters indicative of absorption and biological effect in new lead exposure: A prospective study. *Br. J. ind. Med.*, **30**, 134–141

- Tomokuni, K. & Ichiba, M. (1988a) A simple method for colorimetric determination of urinary delta-aminolevulinic acid in workers exposed to lead. *Jpn J. ind. Health*, **30**, 52–53
- Tomokuni, K. & Ichiba, M. (1988b) Comparison of inhibition of erythrocyte pyrimidine 5'-nucleotidase and delta-aminolevulinic acid dehydratase by lead. *Toxicol. Lett.*, **40**, 159–163
- Tomokuni, K. & Ogata, M. (1976) Relationship between lead concentration in blood and biological response for porphyrin metabolism in workers occupationally exposed to lead. *Arch. Toxicol.*, **35**, 239–246
- Tomokuni, K., Ichiba, M., Hirai, Y., Sugimoto, K., Yoshida, T. & Hirata, M. (1988) Comparison between the fluorimetric HPLC method and the conventional method for determining urinary δ-aminolevulinic acid and coproporphyrin as indices of lead exposure. *Int. Arch. occup. environ. Health*, **61**, 153–156
- Tomokuni, K., Ichiba, M. & Mori, K. (1992) Relation between urinary β-aminoisobutyric acid excretion and concentration of lead in the blood of workers occupationally exposed to lead. *Br. J. ind. Med.*, **49**, 365–368
- Tomsig, J.L. & Suszkiw, J.B. (1996) Metal selectivity of exocytosis in alpha-toxin-permeabilized bovine chromaffin cells. *J. Neurochem.*, **66**, 644–650
- Tong, S., Baghurst, P., McMichael, A., Sawyer, M. & Mudge, J. (1996) Lifetime exposure to environmental lead and children's intelligence at 11–13 years: The Port Pirie cohort study. *Br. med. J.*, **312**, 1569–1575
- Tönz, O. (1957) [Changes in the kidney of rats after chronic experimental exposure to lead.] *Z. ges. exp. Med.*, **128**, 361–377 (in German)
- Torelli, G. (1930) L'influenza dell'avvelenamento cronico da piombo (saturnismo) sulla discendenza. *La Medicina del Lavoro*, **3**, 110–121
- Torrance, J.D., Mills, W., Kilroe-Smith, T.A. & Smith, A.N. (1985) Erythrocyte pyrimidine-5'-nucleotidase activity as a sensitive indicator of lead exposure. *S. Afr. med. J.*, **67**, 850–852
- Torvik, E., Pfister, E., Kereakes, J.G. & Blanchard, R. (1974) Long term effective half-lives for lead-210 and polonium-210 in selected organs of the male rat. *Health Phys.*, **26**, 81–87
- Treble, R.G. & Thompson, T.S. (1997) Preliminary results of a survey of lead levels in human liver tissue. *Bull. environ. Contam. Toxicol.*, **59**, 688–695
- Treble, R.G. & Thompson, T.S. (2002) Elevated blood lead levels resulting from the ingestion of air rifle pellets. *J. anal. Toxicol.*, **26**, 370–373
- Triebig, G., Weltle, D. & Valentin, H. (1984) Investigations on neurotoxicity of chemical substances at the workplace. V. Determination of the motor and sensory nerve conduction velocity in persons occupationally exposed to lead. *Int. Arch. occup. environ. Health*, **53**, 189–203
- Tripathi, R.K., Sherertz, P.C., Llewellyn, G.C., Armstrong, C.W. & Ramsey, S.L. (1989) Over-exposures to lead at a covered outdoor firing range. *J. Am. College Toxicol.*, **8**, 1189–1195
- Tripathi, R.K., Sherertz, P.C., Llewellyn, G.C., Armstrong, C.W. & Ramsey, S.L. (1990) Reducing exposures to airborne lead in a covered, outdoor firing range by using totally copper-jacketed bullets. *Am. Ind. Hyg. Assoc. J.*, **51**, 28–31
- Tripathi, R.K., Sherertz, P.C., Llewellyn, G.C. & Armstrong, C.W. (1991) Lead exposure in outdoor firearm instructors. *Am. J. publ. Health*, **81**, 753–755
- Tripathi, R.M., Raghunath, R., Kumar, A.V., Sastry, V.N. & Sadasivan, S. (2001) Atmospheric and children's blood lead as indicators of vehicular traffic and other emission sources in Mumbai, India. *Sci. total Environ.*, **267**, 101–108

- Trotter, R.T. (1990) The cultural parameters of lead poisoning: A medical anthropologist's view of intervention in environmental lead exposure. *Environ. Health Perspect.*, **89**, 79–84
- Tsaih, S.W., Schwartz, J., Lee, M.-L., Amarasiriwardena, C., Aro, A., Sparrow, D. & Hu, H. (1999) The independent contribution of bone and erythrocyte lead to urinary lead among middle-aged and elderly men: The Normative Aging Study. *Environ. Health Perspect.*, **107**, 391–396
- Tubbs, R.L., Moss, C.E. & Fleeger, A. (1992) Health Hazard Evaluation Report, HETA 89-0364-2202, ARMCO Advanced Materials Corp., Butler, PA, USA, NIOSH
- Turlakiewicz, Z. & Chmielnicka, J. (1985) Diethyllead as a specific indicator of occupational exposure to tetraethyllead. *Br. J. Ind. Med.*, **42**, 682–685
- Tuthill, R.W. (1996) Hair lead levels related to children's classroom attention-deficit behavior. *Arch. Environ. Health*, **51**, 214–220
- Ukhun, M.E., Nwazota, J. & Nkwocha, F.O. (1990) Levels of toxic mineral elements in selected foods marketed in Nigeria. *Bull. Environ. Contam. Toxicol.*, **44**, 325–330
- Umicore Precious Metals (2002) *Technical Data Sheet: Lead*, Hoboken
- Ünderer, Ü., Basaran, N., Canpinar, H. & Kansu, E. (1996) Immune alterations in lead-exposed workers. *Toxicology*, **109**, 167–172
- US Department of Housing and Urban Development (US DHUD) (1987) *Code Fed. Regul.*, **24 CFR 35, 510, 511, 570, 590**
- US Department of the Treasury (1991) *Report of Analyses of Wines and Related Products to Determine Lead Content*, Washington, DC, US Department of the Treasury, Bureau of Alcohol, Tobacco and Firearms
- US Environmental Protection Agency (US EPA) (1978) *Lead (AA, Direct Aspiration), Method No. 239.1*
- US Environmental Protection Agency (1982) *An Exposure and Risk Assessment for Lead* (EPA/440/4-85/010, NTIS PB85-220606), Washington DC, Office of Water Regulations and Standards, Monitoring and Data Support Division
- US Environmental Protection Agency (1985) *National Air Quality and Emissions Trends Report 1983* (EPA-450/4-84-029), Bethesda, MD
- US Environmental Protection Agency (1986a) *Air Quality Criteria for Lead* (EPA 600/8-83-028F), Research Triangle Park, NC, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office
- US Environmental Protection Agency (1986b) *Lead (AA, Direct Aspiration), Method No. 7420*
- US Environmental Protection Agency (1986c) *Lead (AA, Furnace Technique), Method No. 7421*
- US Environmental Protection Agency (1989) *Evaluation of the Potential Carcinogenicity of Lead and Lead Compounds* (EPA/600/8-89/045A), Washington, DC, US Environmental Protection Agency, Office of Health and Environmental Assessment
- US Environmental Protection Agency (1991) Maximum contaminant level goals and national primary drinking water regulations for lead and copper. *Fed. Reg.*, **56**, 26461–26564
- US Environmental Protection Agency (1992) *National Air Quality and Emissions Trends Report 1991* (EPA 450-R-92-001), Bethesda, MD
- US Environmental Protection Agency (1994) *Guidance Manual for the Integrated Exposure Uptake Biokinetic Model for Lead in Children* (EPA/540/R-93/081; PB93-963510), Research Triangle Park, NC, US Environmental Protection Agency, DC 20460
- US Environmental Protection Agency (1996a) *National Air Quality and Emissions Trends Report 1995*, Washington DC, Office of Air Quality Planning and Standards

- US Environmental Protection Agency (1996b) *Urban Soil Lead Abatement Demonstration Project* (EPA/600/P-93/001aF), Washington DC, Office of Research and Development
- US Environmental Protection Agency (1996c) *Determination of Trace Elements in Ambient Waters by Off-Line Chelation, Preconcentration and Stabilized Temperature Graphite Furnace Atomic Absorption, Method 1637*, Washington, DC, Office of Water
- US Environmental Protection Agency (1996d) *Determination of Trace Elements in Ambient Waters by Inductively Coupled Plasma–Mass Spectrometry, Method 1638*, Washington, DC, Office of Water
- US Environmental Protection Agency (1997a) *Determination of Trace Elements in Water by Pre-concentration and Inductively Coupled Plasma–Mass Spectrometry, Method 1640*, Washington, DC, Office of Water
- US Environmental Protection Agency (1997b) *Determination of Trace Elements in Marine Waters by Stabilized Temperature Graphite Furnace Atomic Absorption, Method 200.12*, Cincinnati, OH, National Exposure Research Laboratory, Office of Research and Development
- US Environmental Protection Agency (1997c) *Determination of Trace Elements in Marine Waters by On-Line Chelation Preconcentration and Inductively Coupled Plasma–Mass Spectrometry, Method 200.10*, Cincinnati, OH, National Exposure Research Laboratory, Office of Research and Development
- US Environmental Protection Agency (2000) *Inductively Coupled Plasma–Atomic Emission Spectrometry, Method 6010C*
- US Food and Drug Administration (1994) *Action Levels for Poisonous or Deleterious Substances in Human Food and Animal Feed*, Department of Health and Human Services, Public Health Service
- US Food and Drug Administration (2000a) Flame atomic absorption spectrometric determination of lead and cadmium extracted from ceramic foodware. In: *FDA Elemental Analysis Manual For Food and Related Products*
- US Food and Drug Administration (2000b) Graphite furnace atomic absorption spectrometric determination of lead and cadmium extracted from ceramic foodware. In: *FDA Elemental Analysis Manual For Food and Related Products*
- Vaglenov, A.K., Laltchev, S.G., Nosko, M.S. & Pavlova, S.P. (1997) Cytogenetic monitoring of workers exposed to lead. *Cent. Eur. J. occup. environ. Med.*, **3**, 298–308
- Vaglenov, A., Carbonell, E. & Marcos, R. (1998) Biomonitoring of workers exposed to lead. Genotoxic effects, its modulation by polyvitamin treatment and evaluation of the induced radio-resistance. *Mutat. Res.*, **418**, 79–92
- Vaglenov, A., Creus, A., Laltchev, S., Petkova, V., Pavlova, S. & Marcos, R. (2001) Occupational exposure to lead and induction of genetic damage. *Environ. Health Perspect.*, **109**, 295–298
- Vahter, M., Berglund, M., Slorach, S., Friberg, L., Šaric, M., Xingquan, Z. & Fujita, M. (1991a) Methods for integrated exposure monitoring of lead and cadmium. *Environ. Res.*, **56**, 78–89
- Vahter, M., Berglund, M., Lind, B., Jorhem, L., Slorach, S. & Friberg, L. (1991b) Personal monitoring of lead and cadmium exposure — A Swedish study with special reference to methodological aspects. *Scand. J. Work environ. Health*, **17**, 65–74
- Vahter, M., Counter, S.A., Laurell, G., Buchanan, L.H., Ortega, F., Schütz, A. & Skerfving, S. (1997) Extensive lead exposure in children living in an area with production of lead-glazed tiles in the Ecuadorian Andes. *Int. Arch. occup. environ. Health*, **70**, 282–286

- Valverde, M., Fortoul, T.I., Díaz-Barriga, F., Mejía, J. & Rojas del Castillo, E. (2002) Genotoxicity induced in CD-1 mice by inhaled lead: Differential organ response. *Mutagenesis*, **17**, 55–61
- Valway, S.E., Martyny, J.W., Miller, J.R., Cook, M. & Mangione, E.J. (1989) Lead absorption in indoor firing range users. *Am. J. Public Health*, **79**, 1029–1032
- Van Barneveld, A.A. & Van den Hamer, C.J.A. (1985) Influence of Ca and Mg on the uptake and deposition of Pb and Cd in mice. *Toxicol. appl Pharmacol.*, **79**, 1–10
- Vander, A.J., Taylor, D.L., Kalitis, K., Mouw, D.R. & Victery, W. (1977) Renal handling of lead in dogs: Clearance studies. *Am. J. Physiol.*, **233**, F532–F538
- Van Esch, G.J. & Kroes, R. (1969) The induction of renal tumours by feeding basic lead acetate to mice and hamsters. *Br. J. Cancer*, **23**, 765–771
- Van Esch, G.J., Van Genderen, H. & Vink, H.H. (1962) The induction of renal tumours by feeding of basic lead acetate to rats. *Cancer*, **16**, 289–297
- Varnai, V.M., Piasek, M., Blanuša, M., Saric, M.M., Šimic, D. & Kostial, K. (2001) Calcium supplementation efficiently reduces lead absorption in suckling rats. *Pharmacol. Toxicol.*, **89**, 326–330
- Varo, P. & Koivistoinen, P. (1983) Mineral element composition of Finnish foods. XII. General discussion and nutritional evaluation. *Acta agric. Scand.*, **22**, 165–171
- Vassil, A.D., Kapulnik, Y., Raskin, I. & Salt, D.E. (1998) The role of EDTA in lead transport and accumulation by Indian mustard. *Plant Physiol.*, **117**, 447–453
- Vatsala, S. & Ramakrishna, T. (1985) ‘Tinning’ of brass utensils: Possibility of lead poisoning. *Indian J. environ. Health*, **27**, 140–141
- Vena, J.E. (1983) Lung cancer incidence and air pollution in Erie County, New York. *Arch. environ. Health*, **38**, 229–236
- Venable, H.L., Moss, C.E., Connon, C.L., Kinnes, G.M., Freund, E., Seitz, T.A. & Kaiser, E.A. (1993) Health Hazard Evaluation Report, HETA 90-0075-2298, Boston Edison Co., Boston, MA, USA, NIOSH
- Verberk, M.M., Willems, T.E.P., Verplanke, A.J.W. & De Wolff, F.A. (1996) Environmental lead and renal effects in children. *Arch. environ. Health*, **51**, 83–87
- Verity, M.A. (1990) Comparative observations on inorganic and organic lead neurotoxicity. *Environ. Health Perspect.*, **89**, 43–48
- Verrengia Guerrero, N.R. & Kesten, E.M. (1994) Levels of heavy metals in waters from the La Plata River, Argentina: An approach to assess bioavailability. *Bull. environ. Contam. Toxicol.*, **52**, 254–260
- Verschoor, M., Wibowo, A., Herber, R., van Hemmen, J. & Zielhuis, R. (1987) Influence of occupational low-level lead exposure on renal parameters. *Am. J. ind. Med.*, **12**, 341–351
- Victery, W. (1988) Evidence for effects of chronic lead exposure on blood pressure in experimental animals: An overview. *Environ. Health Perspect.*, **78**, 71–76
- Victery, W., Vander, A.J., Shulak, J.M., Schoeps, P. & Julius, S. (1982) Lead, hypertension, and the renin-angiotensin system in rats. *J. Lab. clin. Med.*, **99**, 354–362
- Vig, E.K. & Hu, H. (2000) Lead toxicity in older adults. *J. Am. Geriatr. Soc.*, **48**, 1501–1506
- Viskum, S., Rabjerg, L., Jørgensen, P.J. & Grandjean, P. (1999) Improvement in semen quality associated with decreasing occupational lead exposure. *Am. J. ind. Med.*, **35**, 257–263
- Von Schirnding, Y.E.R. & Fuglie, R.F. (1984) A study of the relationship between low level lead exposure and classroom performance in South African children. *Int. J. Biol. Sci.*, **6**, 97–106

- Von Schirnding, Y., Bradshaw, D., Fuggle, R. & Stokol, M. (1991a) Blood lead levels in South African inner-city children. *Environ. Health Perspect.*, **94**, 125–130
- Von Schirnding, Y.E.R., Fuggle, R.F. & Bradshaw, D. (1991b) Factors associated with elevated blood lead levels in inner city Cape Town children. *S. Afr. Med. J.*, **79**, 454–456
- Vural, N. & Duydu, Y. (1995) Biological monitoring of lead in workers exposed to tetraethyllead. *Sci. total Environ.*, **171**, 183–187
- Waalkes, M.P., Diwan, B.A., Ward, J.M., Devor, D.E. & Goyer, R.A. (1995) Renal tubular tumors and atypical hyperplasias in B6C3F1 mice exposed to lead acetate during gestation and lactation occur with minimal chronic nephropathy. *Cancer Res.*, **55**, 5265–5271
- Waalkes, M.P., Fox, D.A., States, J.C., Patierno, S.R. & McCabe, M.J., Jr (2000) Metals and disorders of cell accumulation: Modulation of apoptosis and cell proliferation. *Toxicol. Sci.*, **56**, 255–261
- Wadge, A. & Hutton, M. (1987) The leachability and chemical speciation of selected trace elements in fly ash from coal combustion and refuse incineration. *Environ. Pollut.*, **48**, 85–99
- Wahid, A., Koul, P.A., Shah, S.U., Khan, A.R., Bhat, M.S. & Malik, M.A. (1997) Lead exposure in papier mâché workers. *Hum. exp. Toxicol.*, **16**, 281–283
- Wai, C.M., Knowles, C.R. & Keely, J.F. (1979) Lead caps on wine bottles and their potential problems. *Bull. environ. Contam. Toxicol.*, **21**, 4–6
- Wallace, D.M., Kalman, D.A. & Bird, T.D. (1985) Hazardous lead release from glazed dinnerware: A cautionary note. *Sci. total Environ.*, **44**, 289–292
- Walmsley, T.A., Sise, J.A. & Hinton, D. (1988) *Blood Lead Levels — Population Data Base. Trace Elements in New Zealand: Environmental, Human and Animal. Proceedings of the New Zealand Trace Elements Group Conference, 30 November to 2 December 1988*, Canterbury, Lincoln College, pp. 125–131
- Walmsley, T., Grant, S. & George, P. (1995) Trends in adult blood lead levels in New Zealand, 1974–1994. *N.Z. public Health Rep.*, **2**, 81–82
- Walsh, C.T. & Ryden, E.B. (1984) The effect of chronic ingestion of lead on gastrointestinal transit in rats. *Toxicol. appl. Pharmacol.*, **75**, 485–495
- Walsh, T.J. & Tilson, H.A. (1984) Neurobehavioral toxicology of the organoleads. *Neurotoxicology*, **5**, 67–86
- Wananukul, W., Sirivarasai, J., Sriapha, C., Chanatara, V., Chunvimaluang, N., Keanpoompuang, A., Boriboon, W., Pumala, K. & Kaojarern, S. (1998) Lead exposure and accumulation in healthy Thais: Assessed by lead levels, EDTA mobilization and heme synthesis-related parameters. *J. med. Assoc. Thai.*, **81**, 110–116
- Wang, Y.-L. (1984) Industrial lead poisoning in China over the past 33 years. *Ecotoxicol. environ. Saf.*, **8**, 526–530
- Wang, L. (1988) Blood lead levels of children with different degree of lead exposures. *Environ. Health*, **5**, 1–4
- Wang, L., Xu, S., Zhang, G.-D. & Wang, W.-Y. (1989) Study of lead absorption and its effect on children's development. *Biomed. environ. Sci.*, **2**, 325–330
- Wang, J.-D., Soong, W.-T., Chao, K.-Y., Hwang, Y.-H. & Jang, C.-S. (1998) Occupational and environmental lead poisoning: Case study of a battery recycling smelter in Taiwan. *J. toxicol. Sci.*, **23** (Suppl. 2), 241–245
- Wang, C., Huang, L., Xu, G. & Xin, Y. (2000) [Dynamic study on blood and milk lead levels of pregnant women in three districts of Hubei.] *J. Hyg. Res.*, **29**, 149–150, 153 (in Chinese)

- Wang, C.-L., Chuang, H.-Y., Ho, C.-K., Yang, C.-Y., Tsai, J.-L., Wu, T.-S. & Wu, T.N. (2002a) Relationship between blood lead concentrations and learning achievement among primary school children in Taiwan. *Environ. Res.*, **89**, 12–18
- Wang, V.-S., Lee, M.-T., Chiou, J.-Y., Guu, C.-F., Wu, C.-C., Wu, T.-N. & Lai, J.-X. (2002b) Relationship between blood lead levels and renal function in lead battery workers. *Int. Arch. occup. environ. Health*, **75**, 569–575
- Wasserman, G.A., Liu, X., Popovac, D., Factor-Litvak, P., Kline, J., Waternaux, C., LoIacono, N. & Graziano, J.H. (2000) The Yugoslavia prospective lead study: Contributions of prenatal and postnatal lead exposure to early intelligence. *Neurotoxicol. Teratol.*, **22**, 811–818
- Waszynski, E. (1977) Nonneoplastic and neoplastic changes in the kidneys and other organs in rodents fed lead acetate and sulfathiazole chronically. *Pathol. pol.*, **28**, 101–111
- Watanabe, T., Fujita, H., Koizumi, A., Chiba, K., Miyasaka, M. & Ikeda, M. (1985) Baseline level of blood lead concentration among Japanese farmers. *Arch. environ. Health*, **40**, 170–176
- Watanabe, T., Nakatsuka, H. & Ikeda, M. (1989) Cadmium and lead contents in rice available in various areas of Asia. *Sci. total Environ.*, **80**, 175–184
- Watanabe, T., Nakatsuka, H., Shimbo, S., Iwami, O., Imai, Y., Moon, C.-S., Zhang, Z.-W., Iguchi, H. & Ikeda, M. (1996) Reduced cadmium and lead burden in Japan in the past 10 years. *Int. Arch. occup. environ. Health*, **68**, 305–314
- Watanabe, T., Zhang, Z.-W., Qu, J.-B., Gao, W.-P., Jian, Z.-K., Shimbo, S., Nakatsuka, H., Matsuda-Inoguchi, N., Higashikawa, K. & Ikeda, M. (2000) Background lead and cadmium exposure of adult women in Xian city and two farming villages in Shaanxi Province, China. *Sci. total Environ.*, **247**, 1–13
- Watson, D.S. (1985) The use of ultrasound scanning by Aboriginal health workers in antenatal care in a remote area of Australia. *Med. J. Austr.*, **143**, S61–S62
- Watson, W.S., Hume, R. & Moore, M.R. (1980) Oral absorption of lead and iron. *Lancet*, **ii**, 236–237
- Watson, W.S., Morrison, J., Bethel, M.I.F., Baldwin, N.M., Lyon, D.T.B., Dobson, H., Moore, M.R. & Hume, R. (1986) Food iron and lead absorption in humans. *Am. J. clin. Nutr.*, **44**, 248–256
- Weaver, V.M., Schwartz, B.S., Ahn, K.-D., Stewart, W.F., Kelsey, K.T., Todd, A.C., Wen, J., Simon, D.J., Lustberg, M.E., Parsons, P.J., Silbergeld, E.K. & Lee, B.-K. (2003) Associations of renal function with polymorphisms in the δ-aminolevulinic acid dehydratase, vitamin D receptor, and nitric oxide synthase genes in Korean lead workers. *Environ. Health Perspect.*, **111**, 1613–1619
- Webber, C.E., Chettle, D.R., Bowins, R.J., Beaumont, L.F., Gordon, C.L., Song, X., Blake, J.M. & McNutt, R.H. (1995) Hormone replacement therapy may reduce the return of endogenous lead from bone to the circulation. *Environ. Health Perspect.*, **103**, 1150–1153
- Wedeen, R.P., Mallik, D.K. & Batuman, V. (1979) Detection and treatment of occupational lead nephropathy. *Arch. intern. Med.*, **139**, 53–57
- Weitzman, M., Aschengrau, A., Bellinger, D., Jones, R., Hamlin, J.S. & Beiser, A. (1993) Lead-contaminated soil abatement and urban children's blood lead levels. *J. Am. med. Assoc.*, **269**, 1647–1654
- Wesseling, C., Pukkala, E., Neuvonen, K., Kauppinen, T., Boffetta, P. & Partanen, T. (2002) Cancer of the brain and nervous system and occupational exposures in Finnish women. *J. occup. environ. Med.*, **44**, 663–668

- West, R. (1998) Vinyl miniblinds and childhood lead poisoning. *Arch. pediatr. adolesc. Med.*, **152**, 512–513
- West, W.L., Knight, E.M., Edwards, C.H., Manning, M., Spurlock, B., James, H., Johnson, A.A., Oyemade, U.J., Cole, O.J., Westney, O.E., Laryea, H., Jones, S. & Westney, L.S. (1994) Maternal low level lead and pregnancy outcomes. *J. Nutr.*, **124**, 981S–986S
- Wetmur, J.G., Kaya, A.H., Plewinska, M. & Desnick, R.J. (1991a) Molecular characterization of the human δ-aminolevulinate dehydratase 2 (ALAD₂) allele: Implications for molecular screening of individuals for genetic susceptibility to lead poisoning. *Am. J. hum. Genet.*, **49**, 757–763
- Wetmur, J.G., Lehnert, G. & Desnick, R.J. (1991b) The δ-aminolevulinic dehydratase polymorphism: Higher blood lead levels in lead workers and environmentally exposed children with the 1-2 and 2-2 isozymes. *Environ. Res.*, **56**, 109–119
- Weyermann, M. & Brenner, H. (1998) Factors affecting bone demineralization and blood lead levels of postmenopausal women — A population-based study from Germany. *Environ. Res.*, **76**, 19–25
- WHO (1977) *Lead* (Environmental Health Criteria 3), Geneva, World Health Organization
- WHO (1980) *WHO Study Group Recommended Health-based Limits in Occupational Exposure to Heavy Metals* (Tech. Rep. Ser. 647), Geneva, pp. 36–80
- WHO (1985) *Inorganic Lead* (Environmental Health Criteria 165), Geneva, International Programme on Chemical Safety
- WHO (1989) Lead — Environmental Aspects (Environmental Health Criteria 85), Geneva, World Health Organization
- WHO (1995) *Inorganic Lead* (Environmental Health Criteria 165), Geneva, International Programme on Chemical Safety, World Health Organization
- WHO (1996) *Biological Monitoring of Chemical Exposure in the Workplace. Guidelines*, Vol. 1, Geneva, International Programme on Chemical Safety, World Health Organization, pp. 20–51
- WHO (2000a) *Air Quality Guidelines for Europe* (European Series, No. 91), Copenhagen, World Health Organization, Regional Office for Europe, pp. 149–153
- WHO (2000b) *Safety Evaluation of Certain Food Additives and Contaminant — Lead* (WHO Food Additives Series 44), Geneva, International Programme on Chemical Safety, World Health Organization
- Wibberley, D.G., Khera, A.K., Edwards, J.H. & Rushton, D.I. (1977) Lead levels in human placentae from normal and malformed births. *J. med. Gen.*, **14**, 339–345
- Wiebe, J.P., Barr, K.J. & Buckingham, K.D. (1982) Lead administration during pregnancy and lactation affects steroidogenesis and hormone receptors in testes of offspring. *J. Toxicol. environ. Health*, **10**, 653–666
- Wiebe, R.A., Anderson, B.S., Lehman, C.W. & Fu, D.J. (1991) Lead poisoning in Hawaii: 1990. *Hawaiian Med. J.*, **50**, 89–95
- Wietlisbach, V., Rickenbach, M., Berode, M. & Guillemin, M. (1995) Time trend and determinants of blood lead levels in a Swiss population over a transition period (1984–1993) from leaded to unleaded gasoline use. *Environ. Res.*, **68**, 82–90
- Wilkins, J.R., 3rd & Sinks, T.H., Jr (1984a) Occupational exposures among fathers of children with Wilms' tumor. *J. occup. Med.*, **26**, 427–435
- Wilkins, J.R., 3rd & Sinks, T.H., Jr (1984b) Paternal occupation and Wilms' tumour in offspring. *J. Epidemiol. Community Health*, **38**, 7–11

- Willems, M.I., de Schepper, G.G., Wibowo, A.A.E., Immel, H.R., Dietrich, A.J.J. & Zielhuis, R.L. (1982) Absence of an effect of lead acetate on sperm morphology, sister chromatid exchanges or on micronuclei formation in rabbits. *Arch. Toxicol.*, **50**, 149–157
- Willes, R.F., Lok, E., Truelove, J.F. & Sundaram, A. (1977) Retention and tissue distribution of ^{210}Pb (NO_3)₂ administered orally to infant and adult monkeys. *J. Toxicol. environ. Health*, **3**, 395–406
- Williams, M.K., King, E. & Walford, J. (1969) An investigation of lead absorption in an electric accumulator factory with the use of personal samplers. *Br. J. ind. Med.*, **26**, 202–216
- Wilson, D., Esterman, A., Lewis, M., Roder, D. & Calder, I. (1986) Children's blood lead levels in the lead smelting town of Port Pirie, South Australia. *Arch. environ. Health*, **41**, 245–250
- Wingren, G. & Axelson, O. (1985) Mortality pattern in a glass producing area in SE Sweden. *Br. J. ind. Med.*, **42**, 411–414
- Wingren, G. & Axelson, O. (1987) Mortality in the Swedish glassworks industry. *Scand. J. Work Environ. Health*, **13**, 412–416
- Wingren, G. & Axelson, O. (1993) Epidemiologic studies of occupational cancer as related to complex mixtures of trace elements in the art glass industry. *Scand. J. Work Environ. Health*, **19**, 95–100
- Wingren, G. & Englander, V. (1990) Mortality and cancer morbidity in a cohort of Swedish glass-workers. *Int. Arch. occup. environ. Health*, **62**, 253–257
- Winneke, G., Hrdina, K.G. & Brockhaus, A. (1982) Neuropsychological studies in children with elevated tooth-lead concentrations. I. Pilot study. *Int. Arch. occup. environ. Health*, **51**, 169–183
- Winneke, G., Kramer, U., Brockhaus, A., Ewers, U., Kujanek, G., Lechner, H. & Janke, W. (1983) Neuropsychological studies in children with elevated tooth-lead concentrations. II. Extended study. *Int. Arch. occup. environ. Health*, **51**, 231–252
- Wise, J.P., Leonard, J.C. & Patierno, S.R. (1992) Clastogenicity of lead chromate particles in hamster and human cells. *Mutat. Res.*, **278**, 69–79
- Wise, J.P., Sr, Stearns, D.M., Wetterhahn, K.E. & Patierno, S.R. (1994) Cell-enhanced dissolution of carcinogenic lead chromate particles: The role of individual dissolution products in clastogenesis. *Carcinogenesis*, **15**, 2249–2254
- Wittmers, L.E., Jr, Aufderheide, A.C., Wallgren, J., Rapp, G., Jr & Alich, A. (1988) Lead in bone. IV. Distribution of lead in the human skeleton. *Arch. environ. Health*, **43**, 381–391
- Wong, O. & Harris, F. (2000) Cancer mortality study of employees at lead battery plants and lead smelters, 1947–1995. *Am. J. ind. Med.*, **38**, 255–270
- Wozniak, K. & Blasiak, J. (2003) In vitro genotoxicity of lead acetate: Induction of single and double DNA strand breaks and DNA–protein cross-links. *Mutat. Res.*, **535**, 127–139
- Wright, R.O., Tsaih, S.W., Schwartz, J., Wright, R.J. & Hu, H. (2003) Association between iron deficiency and blood lead level in a longitudinal analysis of children followed in an urban primary care clinic. *J. Pediatr.*, **142**, 9–14
- Wu, J., Hsu, F.C. & Cunningham, S.D. (1999) Chelate-assisted Pb phytoextraction: Pb availability, uptake, and translocation constraints. *Environ. Sci. Technol.*, **33**, 1898–1904
- Wu, T.-N., Yang, K.-C., Wang, C.-M., Lai, J.S., Ko, K.N., Chang, P.Y. & Liou, S.H. (1996) Lead poisoning caused by contaminated Cordyceps, a Chinese herbal medicine: Two case reports. *Sci. total Environ.*, **182**, 193–195

- Wu, F.-Y., Chang, P.-W., Wu, C.-C. & Kuo, H.-W. (2002) Correlations of blood lead with DNA-protein cross-links and sister chromatid exchanges in lead workers. *Cancer Epidemiol. Biomarkers Prev.*, **11**, 287–290
- Wu, Y., Huang, Q., Zhou, X., Hu, G., Wang, Z., Li, H., Bao, R., Yan, H., Li, C., Wu, L. & He, F. (2002) Study on the effects of lead from small industry of battery recycling on environment and children's health. *Chin. J. Epidemiol.*, **23**, 167–171
- Wulff, M., Höglberg, U. & Sandström, A. (1996) Cancer incidence for children born in a smelting community. *Acta Oncol.*, **35**, 179–183
- Xu, J., Wise, J.P. & Patierno, S.R. (1992) DNA damage induced by carcinogenic lead chromate particles in cultured mammalian cells. *Mutat. Res.*, **280**, 129–136
- Yamamura, K., Kishi, R., Maehara, N., Sadamoto, T. & Uchino, E. (1984) An experimental study of the effects of lead acetate on hearing. Cochlear microphonics and action potential of the guinea pig. *Toxicol. Lett.*, **21**, 41–47
- Yáñez, L., García-Nieto, E., Rojas, E., Carrizales, L., Mejía, J., Calderón, J., Razo, I. & Díaz-Barriga, F. (2003) DNA damage in blood cells from children exposed to arsenic and lead in a mining area. *Environ. Res.*, **93**, 231–240
- Yang, J.J. & Ma, Y.P. (1997) [The characteristics of metal elements in airborne particle in Taiyuan.] *J. Hyg. Res.*, **26**, 87–89 (in Chinese)
- Yang, J.-L., Yeh, S.-C. & Chang, C.-Y. (1996) Lead acetate mutagenicity and mutational spectrum in the hypoxanthine guanine phosphoribosyltransferase gene of Chinese hamster ovary K1 cells. *Mol. Carcinog.*, **17**, 181–191
- Yang, J.-L., Wang, L.-C., Chang, C.-Y. & Liu, T.-Y. (1999) Singlet oxygen is the major species participating in the induction of DNA strand breakage and 8-hydroxydeoxyguanosine adduct by lead acetate. *Environ. mol. Mutag.*, **33**, 194–201
- Ye, X.-B., Fu, H., Zhu, J.-L., Ni, W.-M., Lu, Y.-W., Kuang, X.-Y., Yang, S.-L. & Shu, B.-X. (1999) A study on oxidative stress in lead-exposed workers. *J. Toxicol. environ. Health*, **A56**, 161–172
- Yokoyama, K., Araki, S., Murata, K., Morita, Y., Katsuno, N., Tanigawa, T., Mori, N., Yokota, J., Ito, A. & Sakata, E. (1997) Subclinical vestibulo-cerebellar, anterior cerebellar lobe and spinocerebellar effects in lead workers in relation to concurrent and past exposure. *Neurotoxicology*, **18**, 371–380
- Yuan, X. & Tang, C. (2001) The accumulation effect of lead on DNA damage in mice blood cells of three generations and the protection of selenium. *J. environ. Sci. Health*, **A36**, 501–508
- Yule, W., Lansdown, R., Millar, I.B. & Urbanowicz, M.A. (1981) The relationship between blood lead concentrations, intelligence and attainment in a school population: A pilot study. *Dev. Med. Child Neurol.*, **23**, 567–576
- Yule, W., Urbanowicz, M.A., Lansdown, R. & Millar, I. (1984) Teachers ratings of children's behavior in relation to blood lead levels. *Br. J. dev. Psychol.*, **2**, 295–305
- Yusof, M., Yildiz, D. & Ercal, N. (1999) N-Acetyl-L-cysteine protects against δ-aminolevulinic acid-induced 8-hydroxydeoxyguanosine formation. *Toxicol. Lett.*, **106**, 41–47
- Zawia, N.H., Crumpton, T., Brydie, M., Reddy, G.R. & Razmialfshari, M. (2000) Disruption of the zinc finger domain: A common target that underlies many of the effects of lead. *Neurotoxicology*, **21**, 1069–1080
- Zawirska, B. (1981) The role of the kidneys in disorders of porphyrin metabolism during carcinogenesis induced with lead acetate. *Environ. Res.*, **24**, 391–408

- Zawirska, B. & Medras, K. (1968) [Tumors and disorders of porphyrin metabolism in rats with chronic experimental lead poisoning. I. Morphological studies]. *Zdrav. Prac.*, **111**, 1–12 (in German)
- Zawirska, B. & Medras, K. (1972) The role of the kidneys in disorders of porphyrin metabolism during carcinogenesis induced with lead acetate. *Arch. immunol. Ther. exp.*, **20**, 257–272
- Zejda, J.E., Sokal, A., Grabecki, J., Panasiuk, Z., Jarkowski, M. & Skiba, M. (1995) Blood lead concentrations in school children of Upper Silesian Industrial Zone, Poland. *Cent. Eur. J. Public Health*, **3**, 92–96
- Zelikoff, J.T., Li, J.H., Hartwig, A., Wang, X.W., Costa, M. & Rossman, T.G. (1988) Genetic toxicology of lead compounds. *Carcinogenesis*, **9**, 1727–1732
- Zeng, J. & Kagi, J.H.R. (1995) Zinc fingers and metallothionein in gene expression. In: Goyer, R.A. & Cherian, M.G., eds, *Toxicology of Metals*, Heidelberg, Springer Verlag, pp. 333–335
- Zey, J.N. & Cone, J.E. (1982) Health Hazard Evaluation Report, HETA 81-0039-1104, Modine Manufacturing Co., Bloomington, IL, USA, NIOSH
- Zhang, J., Ichiba, M., Wang, Y., Yukitake, S. & Tomokuni K. (1998) Relation between polymorphism of δ-aminolevulinic acid dehydratase and some parameters in lead workers. *J. occup. Health*, **40**, 77–78
- Zhang, Z.-W., Moon, C.-S., Watanabe, T., Shimbo, S. & Ikeda, M. (1996) Lead content of rice collected from various areas in the world. *Sci. total Environ.*, **191**, 169–175
- Zhang, Z.-W., Moon, C.-S., Watanabe, T., Shimbo, S., He, F.-S., Wu, Y.-Q., Zhou, S.-F., Su, D.-M., Qu, J.-B. & Ikeda, M. (1997a) Background exposure of urban populations to lead and cadmium: Comparison between China and Japan. *Int. Arch. occup. environ. Health*, **69**, 273–281
- Zhang, Z.-W., Qu, J.-B., Xu, G.-F., Song, L.-H., Wang, J.-J., Shimbo, S., Watanabe, T., Nakatsuka, H., Higashikawa, K. & Ikeda, M. (1997b) Maize and foxtail millet as substantial sources of dietary lead intake. *Sci. total Environ.*, **208**, 81–88
- Zhang, Z.W., Shimbo, S., Ochi, N., Eguchi, M., Watanabe, T., Moon, C.S. & Ikeda, M. (1997c) Determination of lead and cadmium in food and blood by inductively coupled plasma mass spectrometry: A comparison with graphite furnace atomic absorption spectrometry. *Sci. total Environ.*, **205**, 179–187
- Zhang, Z.-W., Qu, J.-B. & Ikeda, M. (1998) Lead and cadmium levels in the atmosphere in mainland China: A review. *J. occup. Health*, **40**, 257–263
- Zhang, Z.-W., Qu, J.-B., Watanabe, T., Shimbo, S., Moon, C.-S. & Ikeda, M. (1999) Exposure of citizens in China and in Japan to lead and cadmium: A comparative study. *Toxicol. Lett.*, **108**, 167–172
- Zhang, Z.-W., Moon, C.-S., Shimbo, S., Watanabe, T., Nakatsuka, H., Matsuda-Inoguchi, N., Higashikawa, K. & Ikeda, M. (2000) Further reduction in lead exposure in women in general populations in Japan in the 1990s, and comparison with levels in east and south-east Asia. *Int. Arch. occup. environ. Health.*, **73**, 91–97
- Zheng, X.Q., Liu, J.R. & Song, H.Q. (1993) Blood lead levels of children and their relationship with blood lead levels of adults. *Public Health Res.*, **23** (Suppl.), 29–33
- Zheng, Y., Leng, S., Song, W., Wang, Y., Niu, Y., Zhang, W., Yan, H., Liu, Y., Huang, Q. & Wu, Y. (2002) [A molecular epidemiological study of childhood lead poisoning in lead-polluted environment.] *Chin. J. Epidemiol.*, **23**, 175–78 (in Chinese)
- Zhou, W.X. & Chen, J.Z. (1988) Health effects of lead exposure in children. *Environ. Health*, **5**, 18–22

- Zhou, W., Yuan, D., Ye, S., Qi, P., Fu, C. & Christiani, D.C. (2001) Health effects of occupational exposures to vehicle emissions in Shanghai. *Int. J. occup. environ. Health*, **7**, 23–30
- Zhu, B.G., Su, D.Q., Qin, M. & Jian, C.P. (1984) [Study of chronic lead-poisoning from using tin-kettles.] *Chinese J. Prevent. Med.*, **18**, 328–330 (in Chinese)
- Ziegler, E.E., Edwards, B.B., Jensen, R.L., Mahaffey, K.R. & Fomon, S.J. (1978) Absorption and retention of lead by infants. *Pediatr. Res.*, **12**, 29–34
- Zollinger, H.U. (1953) [Renal adenomas and carcinomas induced in rats after chronic lead exposure, and their relationship with corresponding neoplasia in humans.] *Virchows Arch.*, **323**, 697–710 (in German)
- Zuckerman, M.A. (1991) Lead exposure from lead crystal. *Lancet*, **337**, 550