

Annex 2: Table of national age standardised (world) cancer mortality rates by site and sex, 1993-1997

Country	Oral		Oesophagus		Stomach		Large bowel		Liver		Gallbladder		Pancreas	
	140-149	140-149	150	150	151	151	153-154.	153-154.	155	155	156	156	157	157
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Austria	6.1	1.1	3.7	0.5	13.6	7.1	22.8	12.7	7.2	2.2	2.3	3.0	9.4	6.2
Belgium	5.9	1.3	5.5	1.1	8.1	3.5	19.4	13.0	4.2	1.9	1.1	1.2	7.4	4.8
Cyprus	0.0	0.0	0.2	0.1	2.9	1.3	4.7	2.8	1.2	0.6	-	-	1.3	0.5
Czech	6.8	1.1	4.8	0.6	15.1	7.3	34.2	17.5	8.0	3.5	3.9	5.9	11.1	6.8
Denmark	4.5	1.5	5.7	1.7	6.4	3.1	22.8	16.2	1.5	0.9	0.9	1.3	7.6	6.2
Estonia	9.3	1.3	5.4	0.5	25.7	11.3	18.2	12.0	4.8	2.1	1.1	1.3	10.6	4.6
Finland	2.4	1.1	2.9	1.2	10.2	5.2	12.0	8.3	3.1	1.5	1.7	2.6	8.1	5.9
France	11.3	1.3	9.3	1.0	7.1	2.7	16.6	9.6	11.0	2.1	1.2	1.4	7.4	4.0
Germany	6.5	1.2	5.2	0.9	12.1	6.4	21.3	14.6	4.5	1.8	2.2	3.1	8.1	5.3
Greece	2.0	0.6	1.5	0.4	9.2	4.8	9.3	7.4	13.0	5.5	0.7	0.8	6.1	3.5
Hungary	19.2	2.4	8.9	0.9	20.5	9.2	33.1	19.0	8.2	3.8	3.6	6.1	11.4	6.7
Iceland	2.1	1.0	5.7	2.9	11.6	5.9	13.8	10.1	3.0	1.7	0.5	1.4	8.3	7.1
Ireland	4.7	1.2	8.0	3.4	10.5	5.0	25.4	14.8	3.1	1.6	0.7	1.0	7.7	5.3
Italy	5.3	1.0	3.6	0.6	14.0	6.6	18.6	11.9	13.1	4.7	2.0	2.5	7.3	4.7
Latvia	9.3	1.1	5.2	0.4	25.4	10.7	18.3	11.8	3.6	1.7	0.9	1.0	12.0	5.4
Lithuania	8.6	0.9	5.6	0.5	25.9	10.2	18.0	11.5	3.4	1.6	1.1	1.8	10.4	4.7
Luxembourg	7.4	1.4	6.3	1.6	9.0	4.5	20.7	13.4	5.7	1.8	1.3	1.2	7.0	4.8
Malta	4.2	1.1	3.8	0.9	11.4	4.9	18.1	11.3	1.4	1.4	0.8	0.7	10.1	4.8
Netherlands	2.8	1.1	6.2	2.0	10.2	4.2	19.0	13.5	2.1	1.0	1.2	1.6	7.1	5.3
Norway	3.0	1.1	2.9	0.7	9.0	4.2	19.7	14.8	1.4	0.8	1.1	1.2	7.3	5.7
Poland	6.3	1.1	4.9	0.8	19.3	6.9	16.3	10.9	5.4	3.9	1.8	4.5	8.3	5.0
Portugal	6.5	0.8	5.4	0.9	21.5	10.0	19.8	11.8	4.9	1.9	1.4	1.5	6.1	3.3
Slovakia	17.2	1.3	7.2	0.8	17.3	7.0	26.6	12.9	6.7	3.6	2.0	3.9	8.9	4.7
Slovenia	11.1	1.0	6.5	0.7	20.6	8.8	24.0	13.9	5.0	2.4	2.3	3.2	7.9	4.9
Spain	6.9	0.9	5.5	0.5	12.4	5.4	16.9	10.4	8.4	3.2	1.3	1.9	5.9	3.5
Sweden	2.2	0.9	2.9	0.8	6.6	3.6	13.8	10.3	4.0	2.4	1.9	3.1	7.7	6.6
Switzerland	5.2	1.1	5.0	1.0	7.2	3.2	15.5	9.2	5.8	1.6	1.3	1.8	7.2	4.9
UK	2.9	1.1	8.5	3.4	9.6	3.9	19.6	12.7	2.5	1.3	0.5	0.6	6.5	4.7
EU-EEA	6.5	1.1	5.9	1.2	12.0	5.5	19.2	12.4	6.9	2.5	1.6	2.3	7.5	4.8
% of all cancer	4%	1%	3%	1%	7%	6%	11%	12%	4%	3%	1%	2%	4%	5%

* - no data reported

*Annex 2: Table of national age standardised (world) cancer mortality rates
by site and sex, 1993-1997*

Country	Larynx		Lung		Pleura		Melanoma		NMSC	Breast	Cervix	Uterus	
	161	162	162	163	163	163	172	172					
	M	F	M	F	M	F	M	F	M	F	F	F	
Austria	3.1	0.2	42.3	10.2	0.7	0.3	2.4	1.7	0.8	0.3	21.2	2.7	1.3
Belgium	4.0	0.5	69.1	9.8	1.2	0.2	1.4	1.2	0.5	0.2	25.3	2.2	1.2
Cyprus	0.0	0.0	15.8	2.9	-	-	0.3	0.1	-	-	11.0	2.3	-
Czech	4.4	0.2	68.3	11.1	0.7	0.3	2.8	1.6	0.8	0.5	21.0	5.1	3.5
Denmark	2.4	0.5	49.1	27.7	1.2	0.3	2.8	1.9	0.4	0.2	27.4	4.0	2.5
Estonia	5.7	0.3	65.6	7.3	0.2	0.0	1.5	1.6	1.0	0.7	18.4	6.0	2.0
Finland	1.0	0.1	39.8	6.9	1.1	0.2	2.3	1.2	0.4	0.2	16.6	1.2	2.3
France	5.5	0.3	46.5	6.1	1.5	0.4	1.4	1.1	0.4	0.2	19.5	1.5	0.8
Germany	2.5	0.2	45.4	9.2	1.1	0.3	1.8	1.2	0.3	0.2	21.8	2.9	1.3
Greece	3.4	0.2	50.0	6.3	0.0	0.0	0.5	0.4	1.0	0.8	14.8	0.9	0.4
Hungary	9.1	0.7	84.8	19.0	0.3	0.1	2.4	1.5	1.2	0.7	23.9	6.4	3.4
Iceland	0.4	0.1	30.8	26.2	0.3	0.3	1.7	1.3	0.2	0.1	24.9	1.8	2.5
Ireland	2.1	0.4	42.7	17.3	0.5	0.1	1.3	1.2	0.9	0.2	24.4	3.1	1.6
Italy	4.1	0.2	52.7	7.8	1.3	0.5	1.5	1.0	0.6	0.2	19.7	0.8	0.7
Latvia	6.4	0.2	58.5	5.5	0.2	0.1	1.6	1.2	0.0	0.0	18.0	5.1	4.9
Lithuania	7.5	0.2	61.2	5.5	0.2	0.1	1.2	1.2	0.7	0.4	18.8	7.7	4.5
Luxembourg	3.1	0.4	55.9	10.6	0.8	0.1	1.6	1.2	0.5	0.2	22.0	1.2	4.1
Malta	3.3	0.3	44.5	5.0	0.1	0.0	0.6	0.8	0.5	0.6	30.1	2.2	1.8
Netherlands	1.7	0.3	61.1	13.7	2.7	0.3	2.2	1.6	0.4	0.2	25.9	1.8	1.8
Norway	1.0	0.2	31.5	13.7	1.3	0.2	3.7	2.3	0.4	0.2	19.0	3.2	2.4
Poland	7.4	0.5	71.4	11.0	0.4	0.2	1.7	1.4	1.1	0.7	16.0	7.3	2.5
Portugal	5.4	0.3	29.3	4.6	0.1	0.1	0.8	0.7	0.9	0.4	17.5	2.6	1.1
Slovakia	7.5	0.3	63.3	7.0	0.7	0.3	2.0	1.6	1.1	0.8	16.9	5.3	5.2
Slovenia	4.8	0.3	61.2	9.2	1.1	0.4	3.1	2.7	0.3	0.2	22.3	3.8	2.7
Spain	6.4	0.1	47.8	3.9	0.4	0.1	1.1	0.8	0.8	0.4	16.9	1.8	1.5
Sweden	0.6	0.1	22.3	11.8	1.0	0.3	2.6	1.5	0.4	0.1	16.7	1.9	1.3
Switzerland	1.6	0.2	37.9	9.1	1.2	0.2	2.6	1.5	0.7	0.3	21.7	2.0	2.2
UK	1.6	0.3	47.5	20.5	1.1	0.1	1.8	1.4	0.5	0.2	24.8	3.1	1.2
EU-EEA	3.9	0.3	50.3	10.3	1.0	0.3	1.7	1.2	0.6	0.3	20.6	2.7	1.5
% of all cancer	2%	0%	28%	10%	1%	0%	1%	1%	0%	0%	21%	3%	2%

* - no data reported

Annex 2: Table of national age standardised (world) cancer mortality rates by site and sex, 1993-1997

Country	All uterus		Ovary	Prostate	Testis	Bladder		Kidney		Brain & CNS		Thyroid
	179-182	179-182 Under 50				188	188	189	191-192	191-192	193	
	F	F	F	M	M	M	F	M	F	M	F	F
Austria	6.8	1.9	7.0	17.5	0.4	5.1	1.4	5.5	2.7	4.3	3.0	0.6
Belgium	5.3	1.3	7.1	19.4	0.2	7.5	1.6	4.6	2.2	5.8	4.1	0.4
Cyprus	0.1	0.0	0.8	1.8	-	0.3	0.1	-	-	0.1	0.1	-
Czech	10.3	2.8	8.5	15.9	0.9	6.9	1.5	10.8	4.9	5.4	3.6	0.7
Denmark	8.4	2.0	8.6	19.8	0.7	9.1	2.7	4.8	2.8	5.5	3.7	0.4
Estonia	10.6	3.3	8.1	14.5	0.7	6.3	1.1	7.9	3.3	5.3	4.1	0.6
Finland	3.7	0.5	6.4	18.1	0.3	4.0	1.0	5.1	2.5	5.2	4.1	0.5
France	5.0	1.3	5.6	15.7	0.3	6.5	1.2	4.5	1.7	3.9	2.6	0.4
Germany	5.8	1.7	7.0	16.5	0.5	6.3	1.6	6.1	2.7	4.7	3.3	0.6
Greece	3.3	0.9	3.6	9.2	0.2	6.3	1.0	2.6	1.1	7.3	4.6	0.4
Hungary	11.2	4.2	6.4	17.5	0.9	8.1	1.6	6.6	2.9	6.5	4.5	0.8
Iceland	4.3	0.7	7.8	19.8	0.1	4.9	1.7	6.8	3.7	6.0	5.1	0.6
Ireland	5.2	1.6	8.4	19.0	0.3	4.4	1.6	3.5	1.7	6.1	4.4	0.6
Italy	4.7	1.1	4.8	11.2	0.2	7.7	1.2	4.1	1.5	4.0	2.7	0.6
Latvia	10.1	2.8	8.3	12.8	0.9	8.4	1.2	6.9	2.6	4.2	3.0	0.7
Lithuania	12.3	4.5	9.0	15.1	0.7	7.7	1.0	7.6	3.1	4.6	3.2	0.7
Luxembourg	5.3	0.8	6.2	15.4	0.6	6.3	1.7	3.9	2.1	5.7	4.3	0.8
Malta	6.6	1.2	7.5	13.6	0.2	8.5	2.3	4.2	1.3	3.7	3.2	0.3
Netherlands	4.0	0.8	7.3	19.2	0.3	6.3	1.6	5.0	2.4	4.2	2.9	0.4
Norway	5.9	1.3	8.0	23.8	0.3	5.6	1.8	4.6	2.2	4.4	3.1	0.4
Poland	11.1	3.8	6.8	10.9	0.7	8.1	1.1	6.3	2.7	6.0	4.0	0.7
Portugal	6.8	2.3	3.5	17.2	0.3	5.2	1.2	2.3	1.0	4.3	2.7	0.5
Slovakia	10.9	3.7	5.9	12.3	0.7	6.0	1.0	6.4	2.9	5.2	3.6	0.7
Slovenia	8.7	2.5	6.7	15.3	0.4	6.1	1.3	3.8	2.3	4.6	3.2	0.6
Spain	4.7	1.2	4.2	13.8	0.2	8.5	1.1	3.3	1.2	4.2	2.7	0.4
Sweden	4.5	0.8	7.3	17.1	0.2	4.2	1.2	4.7	2.7	4.9	3.4	0.4
Switzerland	4.6	0.9	5.8	20.1	0.4	5.3	1.5	4.1	2.0	4.7	3.1	0.5
UK	5.2	1.7	8.1	16.7	0.3	6.5	2.0	4.0	1.9	4.5	3.0	0.3
EU-EEA	6.0	1.7	6.3	15.4	0.4	6.8	1.4	4.8	2.1	4.6	3.2	0.5
% of all cancer	6%		6%	9%	0%	4%	1%	3%	2%	3%	3%	1%

* - no data reported

**Annex 2: Table of national age standardised (world) cancer mortality rates
by site and sex, 1993-1997**

Annex 2: National age standardised (world) cancer mortality rates by site and sex, 1993-1997																
Country	Hodgkin's disease		NHL		Myeloma		Leukaemia		Other and ill-defined		All cancer		140-208	140-208	140-208	
	201	201	200 & 202	200 & 202	203	203	204-208	204-208	195-199	195-199	195-199	195-199				140-208
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Austria	1.2	0.8	3.2	2.2	2.1	1.6	5.1	3.4	4.2	2.5 %	3.0	2.9 %	166.5	101.9		
Belgium	0.6	0.3	4.4	2.7	2.5	1.6	6.1	3.7	9.8	5.1 %	5.8	5.7 %	193.9	102.2		
Cyprus	-	-	0.6	0.3	1.7	1.0	11.2	5.7	34.5	45.0 %	19.5	37.9 %	76.6	51.5		
Czech	1.2	0.8	3.6	2.1	2.2	1.5	6.8	4.2	5.5	2.4 %	3.6	2.9 %	227.8	124.6		
Denmark	0.6	0.4	4.4	3.0	2.7	1.7	6.2	3.8	11.7	6.6 %	9.9	7.1 %	177.4	139.3		
Estonia	1.3	0.7	3.1	1.9	1.5	0.9	6.3	4.6	4.4	2.1 %	1.7	1.7 %	206.0	102.0		
Finland	0.5	0.3	5.6	3.9	2.3	1.6	4.4	2.8	5.4	3.9 %	4.3	5.1 %	139.3	84.6		
France	0.4	0.2	4.5	2.8	2.0	1.4	5.5	3.3	10.9	5.8 %	6.0	7.1 %	187.6	84.4		
Germany	0.6	0.4	4.0	2.5	2.0	1.5	5.5	3.5	8.5	5.0 %	5.6	5.4 %	169.4	104.0		
Greece	1.1	0.6	1.4	0.9	1.5	0.7	5.9	3.4	11.8	8.1 %	7.6	10.1 %	145.0	75.6		
Hungary	1.0	0.6	4.3	2.6	1.7	1.4	7.2	4.6	3.4	1.3 %	2.5	1.8 %	268.0	138.4		
Iceland	0.0	0.5	4.8	2.1	3.0	2.0	5.2	2.3	3.4	2.5 %	2.9	2.4 %	137.6	121.6		
Ireland	0.8	0.3	4.9	3.2	3.2	2.1	5.2	3.1	11.1	6.5 %	7.8	6.6 %	170.4	117.6		
Italy	0.6	0.4	4.7	3.0	2.1	1.5	6.1	3.7	5.5	3.1 %	3.3	3.6 %	175.2	92.2		
Latvia	1.2	0.8	2.8	1.4	1.4	1.0	6.0	4.0	3.0	1.5 %	1.4	1.5 %	198.0	96.5		
Lithuania	1.4	0.8	2.4	1.3	1.5	1.2	6.7	4.1	3.8	1.9 %	1.6	1.6 %	201.3	99.8		
Luxembourg	0.6	0.3	4.8	1.9	2.0	1.5	7.6	3.2	11.1	6.1 %	6.3	6.2 %	181.4	101.6		
Malta	1.1	0.5	4.4	3.3	1.9	1.5	4.7	2.7	10.9	6.9 %	6.4	6.4 %	158.1	100.6		
Netherlands	0.5	0.3	5.2	3.3	2.7	1.9	5.4	3.1	11.0	6.1 %	7.0	6.5 %	181.6	108.4		
Norway	0.4	0.2	5.0	3.4	3.1	2.1	4.4	2.8	8.7	6.0 %	6.8	6.6 %	146.2	103.7		
Poland	1.4	0.7	3.0	1.6	1.4	1.1	5.6	3.5	8.8	4.3 %	5.2	4.8 %	205.0	107.6		
Portugal	0.6	0.4	3.5	2.2	1.7	1.2	5.0	3.4	7.0	4.5 %	4.0	4.8 %	154.2	84.1		
Slovakia	0.9	0.5	2.2	1.5	1.6	1.2	5.6	3.7	3.1	1.4 %	1.6	1.6 %	218.4	102.4		
Slovenia	0.9	0.3	3.7	2.2	1.8	1.8	5.4	3.1	7.4	3.7 %	4.5	4.1 %	202.4	108.5		
Spain	0.6	0.3	3.6	2.3	1.9	1.4	5.1	3.1	11.0	6.4 %	5.7	7.3 %	170.8	78.4		
Sweden	0.3	0.3	5.1	3.1	2.7	1.7	4.6	3.1	5.5	4.5 %	4.9	5.3 %	121.4	93.3		
Switzerland	0.4	0.3	4.8	3.1	2.4	1.7	5.2	2.9	5.0	3.3 %	3.5	3.9 %	151.0	89.2		
UK	0.5	0.3	5.1	3.3	2.4	1.7	4.6	2.9	15.0	9.1 %	10.5	9.0 %	165.4	117.0		
EU-EEA	0.7	0.4	4.3	2.7	2.1	1.5	5.5	3.4	9.3	0.1	5.8	0.1	177.0	99.8		
% of all cancer	0%	0%	2%	3%	1%	2%	3%	3%	5%		6%		100%	100%		

* - no data reported