

References

- Adam SA, Sheaves JK, Wright NH, et al. (1981). A case-control study of the possible association between oral contraceptives and malignant melanoma. *Br J Cancer*, 44:45–50.
- AFSSE (2005) [Ultraviolet radiation – Current knowledge relating to exposure and health risks], Report, Maisons-Alfort, France (in French).
- Agar N, Young AR (2005). Melanogenesis: a photo-protective response to DNA damage? *Mutat Res*, 571:121–132.
- Agar NS, Halliday GM, Barnetson RStC, et al. (2004). The basal layer in human squamous tumors harbors more UVA than UVB fingerprint mutations: A role for UVA in human skin carcinogenesis. *Proc Natl Acad Sci USA*, 101:4954–4959.
- Ajani UA, Seddon JM, Hsieh CC, et al. (1992). Occupation and risk of uveal melanoma: an exploratory study. *Cancer*, 70:2891–2900.
- Atilasoy ES, Seykora JT, Soballe PW, et al. (1998). UVB induces atypical melanocytic lesions and melanoma in human skin. *Am J Pathol*, 152:1179–1186.
- Aubry F, MacGibbon B (1985). Risk factors of squamous cell carcinoma of the skin. *Cancer*, 55:907–911.
- Autier P (2004). Perspectives in melanoma prevention: the case of sunbeds. *Eur J Cancer*, 40:2367–2376.
- Autier P, Doré JF (1998). Influence of sun exposures during childhood and during adulthood on melanoma risk. *Int J Cancer*, 77:533–537.
- Autier P, Joarlette M, Lejeune F, et al. (1991). Cutaneous malignant melanoma and exposure to sunlamps and sunbeds: a descriptive study in Belgium. *Melanoma Res*, 1:69–74.
- Autier P, Dore JF, Lejeune F, et al. (1994), for the EORTC Melanoma Cooperative Group. Cutaneous malignant melanoma and exposure to sunlamps or sunbeds: an EORTC multicenter case-control study in Belgium, France and Germany. *Int J Cancer*, 58:809–813.
- Bajdik CD, Gallagher RP, Astrakianakis G, et al. (1996). Non-solar ultraviolet radiation and the risk of basal and squamous cell skin cancer. *Br J Cancer*, 73:1612–1614.
- Banks BA, Silverman RA, Schwartz RH, et al. (1992). Attitudes of teenagers toward sun exposure and sunscreen use. *Pediatrics*, 89:40–42.
- Bataille V, Winnett A, Sasieni P, et al. (2004). Exposure to the sun and sunbeds and the risk of cutaneous melanoma in the UK: a case-control study. *Eur J Cancer*, 40:29–435.
- Bataille V, Boniol M, DeVries E, et al. A multicentre epidemiological study on sunbed use and cutaneous melanoma in Europe. *Eur J Cancer* 2005, 41: 2141–2149.
- Bech-Thomsen N, Wulf HC, Poulsen T, et al. (1991). Photocarcinogenesis in hairless mice induced by ultraviolet A tanning devices with or without subsequent solar-simulated ultraviolet irradiation. *Photodermatol Photoimmunol Photomed*, 8:139–145.
- Bech-Thomsen N, Poulsen T, Christensen FG, et al. (1992). UVA tanning devices interact with solar-simulated UV radiation in skin tumor development in hairless mice. *Arch Dermatol Res*, 284:353–357.
- Beitner H, Norell SE, Ringborg U, et al. (1990). Malignant melanoma: aetiological importance of individual pigmentation and sun exposure. *Br J Dermatol*, 122:43–51.
- Beral V, Evans S, Shaw H, Milton G (1982). Malignant melanoma and exposure to fluorescent lighting at work. *Lancet*, 2:290–293.
- Berking C, Takemoto R, Binder RL, et al. (2002). Photocarcinogenesis in human adult skin grafts. *Carcinogenesis*, 23:181–187.
- Black G, Matzinger E, Gange RW (1985). Lack of photoprotection against UVB-induced erythema by immediate pigmentation induced by 382 nm radiation. *J Invest Dermatol*, 85:448–449.
- Bohm M, Wolff I, Scholzen TE, et al. (2005). Alpha-Melanocyte-stimulating hormone protects from ultraviolet radiation-induced apoptosis and DNA damage. *J Biol Chem*, 280:5795–5802.
- Boldeman C, Beitner H, Jansson B, Nilsson B, Ullen H (1996). Sunbed use in relation to phenotype, erythema, sunscreen use and skin diseases. A questionnaire survey among Swedish adolescents. *Br J Dermatol*, 135:712–716.
- Boldeman C, Jansson B, Nilsson B, Ullen H (1997). Sunbed use in Swedish urban adolescents related to behavioral characteristics. *Prev Med*, 26:114–119.

- Boldeman C, Branstrom R, Dal H, et al. (2001). Tanning habits and sunburn in a Swedish population age 13-50 years. *Eur J Cancer*, 37:2441-2448.
- Boyd AS, Shyr Y, King LE (2002). Basal cell carcinoma in young women: An evaluation of the association of tanning bed use and smoking. *J Am Acad Dermatol*, 46:706-709.
- Brandberg Y, Ullen H, Sjoberg L, Holm L-E (1998). Sunbathing and sunbed use related to self-image in a randomized sample of Swedish adolescents. *Eur J Cancer Prev*, 7:321-329.
- Brash DE, Ziegler A, Jonason AS, et al. (1996). Sunlight and sunburn in human skin cancer: p53, apoptosis, and tumor promotion. *J Invest Dermatol Symp Proc*, 1:136-142.
- Bykov VJ, Marcusson JA, Hemminki K (2001). Protective effects of tanning on cutaneous melanoma. *Dermatology*, 202:22-26.
- Calvo MS, Whiting SJ, Baron CN (2005). Vitamin D intake: A global perspective of current status. *J Nutr*, 135:310-316.
- Chen YT, Dubrow R, Zheng T, et al. (1998). Sunlamp use and the risk of cutaneous malignant melanoma: a population-based case-control study in Connecticut, USA. *Int J Epidemiol*, 27:758-765.
- Clemens TL, Adams JS, Henderson SL, et al. (1982). Increased skin pigment reduces the capacity of skin to synthesise vitamin D₃. *Lancet*, 319:74-76.
- Clingen PH, Berneburg M, Petit-Frere C, et al. (2001). Contrasting effects of an ultraviolet B and an ultraviolet A tanning lamp on interleukin-6, tumour necrosis factor-alpha and intercellular adhesion molecule-1 expression. *Br J Dermatol*, 145:54-62.
- Cokkinides VE, Weinstock MA, O'Connell MC, Thun MJ (2002). Use of indoor tanning sunlamps by US youths, ages 11-18 years, and by their parents or guardian caregivers: prevalence and correlates. *Pediatrics*, 109:1124-1130.
- Colditz GA, Burdick E, Mosteller F (1995). Heterogeneity in meta-analysis of data from epidemiologic studies: a commentary. *Am J Epidemiol*, 142:371-382.
- Commission Internationale de l'Eclairage (International Commission on Illumination) (1987). *Vocabulaire International de l'Eclairage* [International Lighting Vocabulary] (CIE Publication No. 17.4), 4th ed., Geneva, Bureau Central de la Commission Electrotechnique Internationale, p. 3.
- Cooper KD, Oberhelman L, Hamilton TA, et al. (1992). UV exposure reduces immunization rates and promotes tolerance to epicutaneous antigens in humans: relationship to dose, CD1a-DR+ epidermal macrophage induction, and Langerhans cell depletion. *Proc Natl Acad Sci USA*, 89:8497-8501.
- Copas JB, Shi JQ (2001). A sensitivity analysis for publication bias in systematic reviews. *Stat Methods Med Res*, 10:251-265.
- Corona R, Dogliotti E, D'Errico M, et al. (2001). Risk factors for basal cell carcinoma in a Mediterranean population. *Arch Dermatol*, 137:1162-1168.
- Culley CA, Mayer JA, Eckhardt L, et al. (2001). Compliance with federal and state legislation by indoor tanning facilities in San Diego. *J Am Acad Dermatol*, 44:53-60.
- Dahle J, Kvam E (2003). Induction of delayed mutations and chromosomal instability in fibroblasts after UVA-, UVB-, and X-radiation. *Cancer Res*, 63:1464-1469.
- De Fabo EC, Noonan FP, Fears T, Merlino G (2004). Ultraviolet B but not ultraviolet A radiation initiates melanoma. *Cancer Res*, 64:6372-6376.
- Del Bino S, Vioux C, Rossio-Pasquier P, et al. (2004). Ultraviolet B induces hyperproliferation and modification of epidermal differentiation in normal human skin grafted on to nude mice. *Br J Dermatol*, 150:658-667.
- Dellavalle RP, Parker ER, Cersonsky N, et al. (2003). Youth access laws: in the dark at the tanning parlor? *Arch Dermatol*, 139:443-448.
- Demko CA, Borawski EA, Dehanne SM, et al. (2003). Use of indoor tanning facilities by white adolescents in the United States. *Arch Pediatr Adolesc Med*, 157:854-860.
- DeVries E, Boniol M, Severi G, et al. Public awareness about risk factors could pose problems for case-control studies: the example of sunbed use and cutaneous melanoma. *Eur J Cancer* 2005, in press.
- De Winter S, Pavel S (2000). [Tanning beds: effect on skin cancer risk unclear]. *Ned Tijdschr Geneesk*, 144:467-470 (in Dutch).
- Diederer PV, van Weelden H, Sanders CJ, et al. (2003). Narrowband UVB and psoralen-UVA in the treatment of early-stage mycosis fungoides: A retrospective study. *J Am Acad Dermatol*, 48:215-219.
- Diffey BL (1990). Human exposure to ultraviolet radiation. *Semin Dermatol*, 9:2-10.

- Diffey BL, Langley FC (1986). *Evaluation of Ultraviolet Radiation Hazards in Hospitals* (Report No. 49), London, Institute of Physical Sciences in Medicine.
- Diffey BL, Farr PM, Ferguson J, et al. (1990). Tanning with ultraviolet A sunbeds. *Br Med J*, 301: 773–774.
- Donawho CK, Wolf P, Kripke ML (1994). Enhanced development of murine melanoma in UV-irradiated skin : UV dose response, waveband dependence, and relation to inflammation. *Melanoma Res*, 4:93–100.
- Drobetsky EA, Turcotte J, Châteauneuf A (1995). A role for ultraviolet A in solar mutagenesis. *Proc Natl Acad Sci USA*, 92:2350–2354.
- Dunn-Lane J, Herity B, Moriarty MJ, Conroy R (1993). A case control study of malignant melanoma. *Ir Med J*, 86:57–59 (Erratum in *Ir Med J* (1993), 86:135).
- Ezzedine K, Guinot C, Mauger E, et al. (2005). Use of tanning devices: attitudes, beliefs and behaviour in 1,179 French adults. *EuroSkin workshop*, Lyon, 19–20 May 2005 (meeting abstract).
- Fitzpatrick TB (1988). The validity and practicality of sun-reactive skin types I through VI. *Arch Dermatol*, 124:869–871.
- Francis SO, Burkhardt DL, Dellavalle RP (2005). 2005: A banner year for new US youth access tanning restrictions. *Arch Dermatol*, 141:524–525.
- Fritschi L, Battistutta D, Strutton GM, Green AA (1995). A non-invasive measure of photoageing. *Int J Epidemiol*, 24:150–154.
- Furlong T, Leisenring W, Storb R, et al. (2002). Psoralen and ultraviolet A irradiation (PUVA) as therapy for steroid-resistant cutaneous acute graft-versus-host disease. *Biol Blood Marrow Transplant*, 8:206–212.
- Galkin ON, Terenetskaya IP (1999). Vitamin D biosimeter: Basic characteristics and potential applications. *J Photochem Photobiol B: Biology*, 53:12–19.
- Gallagher RP, Elwood JM, Hill GB (1986). Risk factors for cutaneous malignant melanoma: the Western Canada Melanoma Study. *Recent Results Cancer Res*, 102:38–55.
- Gange RW, Blackett AD, Matzinger EA, et al. (1985). Comparative protection efficiency of UVA- and UVB-induced tans against erythema and formation of endonuclease-sensitive sites in DNA by UVB in human skin. *J Invest Dermatol*, 85:362–364.
- Garbe C, Weiss J, Kruger S, et al. (1993). The German melanoma registry and environmental risk factors implied. *Recent Results Cancer Res*, 128:69–89.
- Geller AC, Colditz GA, Oliveria S, et al. (2002). Use of sunscreen, sunburning rates, and tanning bed use among more than 10,000 US children and adolescents. *Pediatrics*, 109:1009–1014.
- Gerber B, Mathys P, Moser M, et al. (2002). Ultraviolet emission spectra of sunbeds. *Photochem Photobiol*, 76:664–668.
- Gilchrest BA, Eller MS (1999). DNA photodamage stimulates melanogenesis and other photoprotective responses. *J Invest Dermatol Symp Proc*, 4:35–40.
- Gniadecka M, Jemec GB (1998). Quantitative evaluation of chronological ageing and photoageing in vivo: studies on skin echogenicity and thickness. *Br J Dermatol*, 139:815–821.
- Goerz G (1979). [Erythropoietic protoporphyria]. *Fortschr Med*, 97:1625–1630 (in German).
- Green AC (1991). Premature ageing of the skin in a Queensland population. *Med J Aust*, 155:473–474, 477–478.
- Green A, Whiteman D, Frost C, Battistutta D (1999). Sun exposure, skin cancers and related skin conditions. *J Epidemiol*, 9:S7–13.
- Greenland S (1987). Quantitative methods in the review of epidemiologic literature. *Epi Reviews*, 9:1–30.
- Greinert R, McKinlay A, Breitbart EW (2001). The European Society of skin cancer prevention – EUROSkin : towards the promotion and harmonization of skin cancer prevention in Europe. Recommendations. *Eur J Cancer Prev*, 10:157–162.
- Griffiths HR, Mistry P, Herbert KE, et al. (1998). Molecular and cellular effects of ultraviolet light-induced genotoxicity. *Crit Rev Clin Lab Sci*, 35:189–237.
- Grimes DA, Schulz KF (2005). Compared to what? Finding controls for case-control studies. *Lancet*, 365:1429–1433.
- Guenel P, Laforest L, Cyr D, et al. (2001). Occupational risk factors, ultraviolet radiation, and ocular melanoma : a case-control study in France. *Cancer Causes Control*, 12:451–459.
- Halliday G (2005). Inflammation, gene mutation and photoimmunosuppression in response to UVR-induced oxidative damage contributes to photocarcinogenesis. *Mut Res*, 571:107–120.
- Halliday GM, Agar NS, Barnetson RS, et al. (2005). UV-A fingerprint mutations in human skin cancer. *Photochem Photobiol*, 81:3–8.
- Hamlet N, Kennedy K (2004). Reconnaissance study of sunbed use by primary school children in Lanarkshire. *J Public Health*, 26:31–33.

- Hannuksela-Svahn A, Sigurgeirsson B, Pukkala E, et al. (1999). Trioxsalen bath PUVA did not increase the risk of squamous cell skin carcinoma and cutaneous malignant melanoma in a joint analysis of 944 Swedish and Finnish patients with psoriasis. *Br J Dermatol*, 141:497–501.
- Hefferen JJ, Cooley RO, Hall JB, et al. (1971). Use of ultraviolet illumination in oral diagnosis. *J Am Dent Assoc*, 82:1353–1360.
- Hemminki K, Bykov VJ, Marcusson JA (1999). Re: Sunscreen use and duration of sun exposure: A double-blind, randomised trial. *J Natl Cancer Inst*, 91:2046–2047.
- Hemminki K, Xu G, Le Curieux F (2001). *Ultraviolet radiation-induced photoproducts in human skin DNA as biomarkers of damage and its repair*. IARC Scientific Publications, 154:69–79.
- Henseler T, Wolff K, Honigsmann H, et al. (1981). Oral 8-methoxypsoralen photochemotherapy of psoriasis. The European PUVA study: A cooperative study among 18 European centres. *Lancet*, 1:853–857.
- Herity B, O'Loughlin C, Moriarty MJ, Conroy R (1989). Risk factors for non-melanoma skin cancer. *J Irish Med*, 82:151–152.
- Hersey P, Bradley M, Hasic E, et al. (1983). Immunological effects of solarium exposure. *Lancet*, 1:545–548.
- Hersey P, MacDonald M, Henderson C, et al. (1988). Suppression of natural killer cell activity in humans by radiation from solarium lamps depleted of UVB. *J Invest Dermatol*, 90:305–310.
- Higgins JP, Thompson SG (2002). Quantifying heterogeneity in a meta-analysis. *Stat Med*, 15:1539–1558.
- Hogan DJ, To T, Wilson ER, et al. (1991). A study of acne treatments as risk factors for skin cancer of the head and neck. *Br J Dermatol*, 125:343–348.
- Holick MF, Matsuoka LY, Wortsman J (1989). Age, vitamin D, and solar ultraviolet. *Lancet*, 334:1104–1105.
- Holman CD, Armstrong BK, Heenan PJ, et al. (1986). The causes of malignant melanoma: results from the West Australian Lions Melanoma Research Project. *Recent Results Cancer Res*, 102:18–37.
- Holly EA, Kelly JW, Shpall SN, et al. (1987). Number of melanocytic nevi as a major risk factor for malignant melanoma. *J Am Acad Dermatol*, 17:459–468.
- Holly EA, Aston DA, Char DH, et al. (1990). Uveal melanoma in relation to ultraviolet light exposure and host factors. *Cancer Res*, 50:5773–5777.
- Holly EA, Aston DA, Cress RD, et al. (1995). Cutaneous melanoma in women. I. Exposure to sunlight, ability to tan, and other risk factors related to ultraviolet light. *Am J Epidemiol*, 141:923–933.
- Holly EA, Aston DA, Ahn DK, et al. (1996). Intraocular melanoma linked to occupations and chemical exposures. *Epidemiology*, 7:55–61.
- Honigsmann H (2001). Phototherapy for psoriasis. *Clin exp Dermatol*, 26:343–350.
- Hornung RL, Magee KH, Lee WJ, et al. (2003). Tanning facility use: are we exceeding Food and Drug Administration limits. *J Am Acad Dermatol*, 49:655–661.
- IARC (1992). *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 55, Solar and ultraviolet radiation, Lyon, International Agency for Research on Cancer.
- IARC (2001). *IARC Handbooks of Cancer Prevention*, Vol. 5, Sunscreens, Lyon, IARC Press.
- IARC (2004). *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 83, Tobacco smoke and involuntary smoking, Lyon, International Agency for Research on Cancer.
- ICNIRP (2002). General approach to protection against non-ionizing radiation. *Health Physics*, 82:540–548.
- ICNIRP (2004). Guidelines on limits of exposure to ultraviolet radiation of wavelengths between 180 nm and 400 nm (incoherent optical radiation). *Health Physics*, 87:171–186.
- Indoor Tanning Association (2004). Statistics and facts, Sep 30, 2004. Available at: http://www.theita.com/client_files/news/estimates.pdf (accessed 26 July 2005).
- International Electrotechnical Commission (1987). *Safety of Household and Similar Electrical Appliances*, Part 2, *Particular Requirements for Ultraviolet and Infrared Radiation Skin Treatment Appliances for Household Use*, IEC 60335-2-27, Geneva, International Electrotechnical Commission.
- International Electrotechnical Commission (1989). *Amendment*, Geneva, International Electrotechnical Commission.
- International Electrotechnical Commission (1995). *Household and similar electrical appliances – Safety — Part 2-27: Particular requirements for appliances for skin exposure to ultraviolet and infrared radiation*, IEC 60335-2-27, 3rd edition, Geneva, International Electrotechnical Commission.

- International Electrotechnical Commission (2003). *Household and similar electrical appliances – Safety — Part 2-27: Particular requirements for appliances for skin exposure to ultraviolet and infrared radiation*, IEC 60335-2-27, 4th edition, Geneva, International Electrotechnical Commission.
- IPCS (1994). Ultraviolet radiation, Environmental Health Criteria 160, Geneva, International Programme on Chemical Safety, World Health Organisation, United Nations Environment Programme.
- Javitt JC, Taylor HR (1994). Cataract and latitude. *Doc Ophthalmol*, 88:307–325.
- Jenkins G (2002). Molecular mechanisms of skin ageing. *Mech Ageing Dev*, 123:801–810.
- Kadunce DP, Piepkorn MW, Zone JJ (1990). Persistent melanocytic lesions associated with cosmetic tanning bed use: ‘Sunbed lentiginosities’. *J Am Acad Dermatol*, 23:1029–1031.
- Karagas MR, Stannard VA, Mott LA, et al. (2002). Use of tanning devices and risk of basal cell and squamous cell skin cancer. *J Natl Cancer Inst*, 94:224–226.
- Kaskel P, Sander S, Kron M, et al. (2001). Outdoor activities in childhood: a protective factor for cutaneous melanoma? Results of a case-control study in 271 matched pairs. *Br J Dermatol*, 145:602–609.
- Kelly DA, Walker SL, McGregor JM, Young AR (1998). A single exposure of solar simulated radiation suppresses contact hypersensitivity responses both locally and systemically in humans: quantitative studies with high-frequency ultrasound. *J Photochem Photobiol B*, 44:130–142.
- Klepp O, Magnus K (1979). Some environmental and bodily characteristics of melanoma patients. A case-control study. *Int J Cancer*, 23:482–486.
- Knight JM, Kirincich AN, Farmer ER, Hood AF (2002). Awareness of the risks of tanning lamps does not influence behavior among college students. *Arch Dermatol*, 138:1311–1315.
- Kraemer KH, Lee MM, Andrews AD, Lambert WC (1994). The role of sunlight and DNA repair in melanoma and non-melanoma skin cancer: The xeroderma pigmentosa paradigm. *Arch Dermatol*, 130:1018–1021.
- Kreimer-Erlacher H, Seidl H, Back B, et al. (2003). High frequency of ultraviolet mutations at the INK4a-ARF locus in squamous cell carcinomas from psoralen-plus-ultraviolet-A-treated psoriasis patients. *J Invest Dermatol*, 120:676–682.
- Kripke ML (1974). Antigenicity of murine skin tumors induced by UV light. *J Natl Cancer Inst*, 53:1333–1336.
- Kwon HT, Mayer JA, Walker KK, et al. (2002). Promotion of frequent tanning sessions by indoor tanning facilities: two studies. *J Am Acad Dermatol*, 46:700–705.
- de Laat A, van der Leun JC, de Gruijl FR (1997). Carcinogenesis induced by UVA (365-nm) radiation: the dose-time dependence of tumor formation in hairless mice. *Carcinogenesis*, 18:1013–1020.
- Lazovich D, Forster J (2005). Indoor tanning by adolescents: prevalence, practices and policies. *Eur J Cancer*, 41:20–37.
- Lazovich D, Forster JL, Sorensen G, et al. (2004). Characteristics associated with adolescents intention to initiate or continue indoor tanning use. *Arch Pediatr Adolesc Med*, 158:918–924.
- Lazovich D, Sweeney C, Forster J (2005). Prevalence of indoor tanning use in Minnesota, 2002. *Arch Dermatol*, 141:523–524.
- Lerman S (1984). Biophysical aspects of corneal and lenticular transparency. *Curr Eye Res*, 3:3–14.
- Ley RD (1997). Ultraviolet radiation A-induced precursors of cutaneous melanoma in *Monodelphis domestica*. *Cancer Res*, 57:3682–3684.
- Ley RD (2001). Dose response for ultraviolet radiation A-induced focal melanocytic hyperplasia and nonmelanoma skin tumors in *Monodelphis domestica*. *Photochem Photobiol*, 73:20–23.
- Leyden JJ (1990). Clinical features of ageing skin. *Br J Dermatol*, 122 (Suppl. 35):1–3.
- Lim HW, Cyr WH, DeFabo E, et al., for the American Academy of Dermatology Association, American Society for Photobiology, US Food and Drug Administration (2004). Scientific and regulatory issues related to indoor tanning. *J Am Acad Dermatol*, 51:781–784.
- Lindelof B, Sigurgeirsson B, Tegner E, et al. (1999). PUVA and cancer risk: The Swedish follow-up study. *Br J Dermatol*, 141:108–112.
- Lucci A, Citro HW, Wilson L (2001). Assessment of knowledge of melanoma risk factors, prevention, and detection principles in Texas teenagers. *J Surg Res*, 97:179–183.
- Lutz JM, Cree I, Sabroe S, et al. (2005). Occupational risks for uveal melanoma results from a case-control study in nine European countries. *Cancer Causes Control*, 16:437–447.
- Macaskill P, Walter SD, Irwig L (2001). A comparison of methods to detect publication bias in meta-analysis. *Stat Med*, 20:641–654.

- MacKie RM, Freudenberger T, Aitchison TC (1989). Personal risk-factor chart for cutaneous melanoma. *Lancet* 2:487–90.
- Marcil I, Stern RS (2001). Squamous-cell cancer of the skin in patients given PUVA and cyclosporin: Nested cohort crossover study. *Lancet*, 358:1042–1045.
- Marguery MC, Lamant L, Bayle P, et al. (2005). Lupus-like phototriggering in a young woman with benign summer light eruption. *Photodermatol photoimmunol Photomed*, 21:53–55.
- Marrot L, Belaidi JP, Lejeune F, et al. (2004). Photostability of sunscreen products influences the efficiency of protection with regard to UV-induced genotoxic or photoageing-related endpoints. *Br J Dermatol*, 151:1234–1244 .
- McGinley J, Martin CJ, MacKie RM (1998). Sunbeds in current use in Scotland: a survey of their output and patterns of use. *Br J Dermatol*, 139:428–438.
- McGinnis KS, Shapiro M, Vittorio CC, et al. (2003). Psoralen plus long-wave UV-A (PUVA) and bexarotene therapy: An effective and synergistic combined adjunct to therapy for patients with advanced cutaneous T-cell lymphoma. *Arch Dermatol*, 139:771–775.
- McKinlay AF, Diffey BL (1987). A reference action spectrum for ultraviolet induced erythema in human skin. *CIE (Commission Internationale de l'Eclairage) J*, 6:17–22.
- Mermelstein RJ, Riesenber LA (1992). Changing knowledge and attitudes about skin cancer risk factors in adolescents. *Health Psychol*, 11:371–376.
- Millard TP, Bataille V, Snieder H, et al. (2000). The heritability of polymorphic light eruption. *J invest Dermatol*, 115:67–70.
- Miller SA, Hamilton SL, Wester UG, Cyr WH (1998). An analysis of UVA emissions from sunlamps and the potential importance for melanoma. *Photochem Photobiol*, 68:63–70.
- Mintz B, Silvers WK (1993). Transgenic mouse model of malignant skin melanoma. *Proc Natl Acad Sci USA*, 90:8817–8821.
- Moore DE (2002). Drug-induced cutaneous photosensitivity: Incidence, mechanism, prevention and management. *Drug Saf*, 25:345–372.
- Moy CS (2001). Evidence for the role of sunlight exposure in the etiology of choroidal melanoma. *Arch Ophthalmol*, 119:430–431.
- Mustajoki P (1980). Variegate porphyria. Twelve years' experience in Finland. *Q J Med*, 49:191–203.
- Naldi L, Gallus S, Imberti GL, et al., for the Italian Group for Epidemiological Research in Dermatology (2000). Sunlamps and sunbeds and the risk of cutaneous melanoma. *Eur J Cancer Prev*, 9:133–134.
- National Radiation Protection Board (NRPB) (2002). *Statement by the advisory group on non-ionizing radiation, use of sunbed and cosmetic tanning*. In : Health Effects from Ultraviolet Radiation, 13:279–282.
- National Toxicology Program (2002). Report on Carcinogens, 10th Edition, Substances Profiles, National Toxicology Program, Research Triangle Park, NC.
- Neale RE, Purdie JL, Hirst LW, Green AC (2003). Sun exposure as a risk factor for nuclear cataract. *Epidemiology*, 14:707–712.
- Nghiem DX, Kazimi N, Clydesdale G, et al. (2001). Ultraviolet A radiation suppresses an established immune response: implications for sunscreen design. *J Invest Dermatol*, 117:1193–99.
- Nghiem DX, Kazimi N, Mitchell DL, et al. (2002). Mechanisms underlying the suppression of established immune responses by ultraviolet radiation. *J Invest Dermatol*, 119:600–608.
- Nishigaki R, Mitani H, Tsuchida N, Shima A (1999). Effect of cyclobutane pyrimidine dimers on apoptosis induced by different wavelengths of UV. *Photochem Photobiol*, 70:228–35.
- Noonan FP, Recio JA, Takayama H, et al. (2001). Neonatal sunburn and melanoma in mice. *Nature*, 413:271–272.
- Oliphant JA, Forster JL, McBride CM (1994). The use of commercial tanning facilities by suburban Minnesota adolescents. *Am J Public Health*, 84:476–478.
- O'Loughlin C, Moriarty MJ, Herity B, et al. (1985). A Re-appraisal of risk factors for skin carcinoma in Ireland. *Ir J med Science*, 154:61–65.
- Osborne JE, Hutchinson PE (2002). Vitamin D and systemic cancer: is this relevant to malignant melanoma? *Br J Dermatol*, 147:197–213.
- Osterlind A, Tucker MA, Stone BJ, et al. (1988). The Danish case-control study of cutaneous malignant melanoma. II. Importance of UV-light exposure. *Int J Cancer*, 42:319–24.
- O'Toole E, Barnes L (1995). Sun-bed-induced vesiculobullous polymorphic light eruption. *Br J Dermatol*, 132:171.
- Paul CL, Girgis A, Tzelepis F, Walsh R (2004). Solaria use by minors in Australia: is there a cause for concern? *Aust N Z J Public Health*, 28:90.

- Paul CL, Stacey F, Girgis A, et al. (2005). Solaria compliance in an unregulated environment: The Australian experience. *Eur J Cancer*, 41: 1178–1184.
- Pavel S, Smit NP, Van Der Meulen H, et al. (2003). Homozygous germline mutation of CDKN2A/p16 and glucose-6-phosphate dehydrogenase deficiency in a multiple melanoma case. *Melanoma Res*, 13:171–178.
- Pedoux R, Al-Irani N, Marteau C, et al. (1998). Thymidine dinucleotide induce S phase cell cycle arrest in addition to increased melanogenesis in human melanocytes. *J Invest Dermatol*, 111:472–477.
- Persson AE, Edstrom DW, Backvall H, et al. (2002). The mutagenic effect of ultraviolet-A1 on human skin demonstrated by sequencing the p53 gene in single keratinocytes. *Photodermatol Photoimmunol Photomed*, 18:287–293.
- Pfeifer GP, You YH, Besaratinia A (2005). Mutations induced by ultraviolet light. *Mutat Res*, 571:19–31.
- Pittelkow MR, Perry HO, Muller SA, et al. (1981). Skin cancer in patients with psoriasis treated with coal tar. A 25-year follow-up study. *Arch Dermatol*, 117:465–468.
- Pjrek E, Winkler D, Stastny J, et al. (2004). Bright light therapy in seasonal affective disorder—Does it suffice? *Eur Neuropsychopharmacol*, 14:347–351.
- Placzek M, Kerkmann U, Bell S, et al. (2004). Tobacco smoke is phototoxic. *Br J Dermatol*, 150:991–993.
- Poh-Fitzpatrick MB, Ellis DL (1989). Porphyrialike bullous dermatosis after chronic intense tanning bed and/or sunlight exposure. *Arch Dermatol*, 125:1236–1238.
- Remé CE, Rol P, Grothmann K, et al. (1996). Bright light therapy in focus: lamp emission spectra and ocular safety. *Technol Health Care*, 4:403–413.
- Rhainds M, De Guire L, Claveau J (1999). A population-based survey on the use of artificial tanning devices in the province of Quebec, Canada. *J Am Acad Dermatol*, 40:572–576.
- Rigel DS, Friedman RJ, Levenstein MJ, et al. (1983). Relationship of fluorescent lights to malignant melanoma: another view. *J Dermatol Surg Oncol*, 9:836–838.
- Rivers JK, Norris PG, Murphy GM, et al. (1989). UVA sunbeds: tanning, photoprotection, acute adverse effects and immunological changes. *Br J Dermatol*, 120:767–777.
- Robert C, Muel B, Benoit A, et al. (1996). Cell survival and shuttle vector mutagenesis induced by UVA and UVB radiation in a human cell line. *J Invest Dermatol*, 106:721–728.
- Robinson ES, Hubbard GB, Colon G, et al. (1998). Low-dose ultraviolet exposure early in development can lead to widespread melanoma in the opossum model. *Int J Exp Pathol*, 79:235–244.
- Robinson ES, Hill RH Jr, Kripke ML, et al. (2000a). The Monodelphis melanoma model: initial report on large ultraviolet A exposures of suckling young. *Photochem Photobiol*, 71:743–746.
- Robinson ES, Hubbard GB, Dooley TP (2000b). Metastatic melanoma in an adult opossum (*Monodelphis domestica*) after short-term intermittent UVB exposure. *Arch Dermatol Res*, 292:469–471.
- Robinson JK, Rademaker AW, Sylvester JA, Cook B (1997). Summer sun exposure: knowledge, attitudes and behaviours of midwest adolescents. *Prev Med*, 26:364–372.
- Roenigk HH Jr (1979). Photochemotherapy for mycosis fungoides: Long-term followup study. *Cancer Treat Rep*, 63:669–673.
- Roth DE, Hodge SJ, Callen JP (1989). Possible ultraviolet A-induced lentigines: A side effect of chronic tanning salon usage. *J Am Acad Dermatol*, 20:950–954.
- Ruegger J, Schuetz B, Hermann K, et al. (2002). UV-induced skin changes due to regular use of commercial sunbeds. *Photodermatol Photoimmunol Photomed*, 18:223–227.
- Sanders CJ, Van Weelden H, Kazzaz GA, et al. (2003). Photosensitivity in patients with lupus erythematosus: A clinical and photobiological study of 100 patients using a prolonged phototest protocol. *Br J Dermatol*, 149:131–137.
- Sauter ER, Klein-Szanto AJ, Atilasoy E, et al. (1998). Ultraviolet B-induced squamous epithelial and melanocytic cell changes in a xenograft model of cancer development in human skin. *Mol Carcinog*, 23:168–174.
- Sayre RM, Dowdy JC, Poh-Fitzpatrick M (2004). Dermatological risk of indoor ultraviolet exposure from contemporary lighting sources. *Photochem Photobiol*, 80:47–51.
- Seddon JM, Gragoudas ES, Glynn RJ, et al. (1990). Host factors, UV radiation, and risk of uveal melanoma. A case-control study. *Arch Ophthalmol*, 108:1274–1280.
- Sheehan JM, Potten CS, Young AR (1998). Tanning in human skin types II and III offers modest photoprotection against erythema. *Photochem Photobiol*, 68:588–592.
- Setlow RB, Regan JD, German J, et al. (1969). Evidence that xeroderma pigmentosum cells do

- not perform the first step in the repair of ultraviolet damage to their DNA. *Proc Natl Acad Sci USA*, 64:1035–1041.
- Setlow RB, Grist E, Thompson K, et al. (1993). Wavelengths effective in induction of malignant melanoma. *Proc Natl Acad Sci USA*, 90: 6666–6670.
- Siemiątycki J (1991). Risk factors for cancer in the work place. Vol. 1, Boca Raton, CRC Press.
- Singh RK, Gutman M, Reich R, et al. (1995). Ultraviolet B irradiation promotes tumorigenic and metastatic properties in primary cutaneous melanoma via induction of interleukin-8. *Cancer Res*, 55:369–374.
- Skjerve A, Holsten F, Aarsland D, et al. (2004). Improvement in behavioral symptoms and advance of activity acrophase after short-term bright light treatment in severe dementia. *Psychiatry clin Neurosci*, 58:343–347.
- Sollitto RB, Kraemer KH, DiGiovanna JJ (1997). Normal vitamin D levels can be maintained despite rigorous photoprotection: six years' experience with xeroderma pigmentosum. *J Am Acad Dermatol*, 37:942–947.
- Spencer JM, Amonette RA (1995). Indoor tanning: risks, benefits, and future trends. *J Am Acad Dermatol*, 33:288–298.
- Stern RS (2001). The risk of melanoma in association with long-term exposure to PUVA. *J Am Acad Dermatol*, 44:755–761.
- Stern RS, Laird N (1994). The carcinogenic risk of treatments for severe psoriasis. Photochemotherapy Follow-up Study. *Cancer*, 73:2759–2764.
- Stern RS, Lunder EJ (1998). Risk of squamous cell carcinoma and methoxsalen (psoralen) and UV-A radiation (PUVA). A meta-analysis. *Arch Dermatol*, 134:1582–1585.
- Stoebner-Delbarre A, Thezenas S, Kuntz C, et al. (2001). Connaissances, attitudes et comportements des adultes vis-à-vis de l'exposition solaire en France. In: Aubin F, Humbert P (eds) *Rayonnement ultraviolet et peau*. Paris, John Libbey Eurotext, pp 135–140 (in French).
- Stryker JE, Lazovich D, Forster JL, et al. (2004). Maternal/female caregiver influences on adolescent indoor tanning. *J Adolesc Health*, 35:528e1–528e9.
- Swordlow AJ, English JS, MacKie RM, et al. (1988). Fluorescent lights, ultraviolet lamps, and risk of cutaneous melanoma. *Br med J*, 297:647–650.
- Takahashi Y, Moriwaki S, Sugiyama Y, Endo Y, et al. (2005). Decreased gene expression responsible for post-ultraviolet DNA repair synthesis in aging: A possible mechanism of age-related reduction in DNA repair capacity. *J Invest Dermatol*, 124:435–442.
- Taylor HR (1994). Ocular effects of UV-B exposure. *Doc Ophthalmol*, 88:285–93.
- Tie C, Golomb C, Taylor JR, Streilein JW (1995). Suppressive and enhancing effects of ultraviolet B radiation on expression of contact hypersensitivity in man. *J Invest Dermatol*, 104:18–22.
- Tomany SC, Cruickshanks KJ, Klein R, et al. (2004). Sunlight and the 10-year incidence of age-related maculopathy: the Beaver Dam Eye Study. *Arch Ophthalmol*, 122:750–757. Erratum in: *Arch Ophthalmol* (2005), 123:362.
- Tucker MA, Shields JA, Hartge P, et al. (1985). Sunlight exposure as risk factor for intraocular malignant melanoma. *N Engl J Med*, 313:789–792.
- Ullrich SE (2005). Mechanisms underlying UV-induced immune suppression. *Mut Res*, 571:185–205.
- US FDA (1985) *Code Fed. Regul.*, 21 CFR Part 1040 (Docket No. 82N-0188). Sunlamp Products; Performance Standard - Final Rule. Federal Register, Vol. 50, No. 173, US Department of Health and Human Services, Food and Drug Administration.
- US FDA (2004) *Code Fed. Regul.*, 21 CFR 1040.20. Sunlamps and sunlamp products; Performance standards. Revised as of April 1, 2004, US Department of Health and Human Services, Food and Drug Administration.
- Vajdic CM, Krickler A, Giblin M, et al. (2004). Artificial ultraviolet radiation and ocular melanoma in Australia. *Int J Cancer*, 112:896–900.
- van Houwelingen HC, Arends LR, Stijnen T (2002). Advanced methods in meta-analysis: multivariate approach and meta-regression. *Stat Med*, 21:589–624.
- van Schanke A, Jongsma MJ, Bisschop R, et al. (2005). Single UVB overexposure stimulates melanocyte proliferation in murine skin, in contrast to fractionated or UVA-1 exposure. *J Invest Dermatol*, 124:241–247.
- Veierød MB, Weiderpass E, Thorn M, et al. (2003). A prospective study of pigmentation, sun exposure, and risk of cutaneous malignant melanoma in women. *J Natl Cancer Inst*, 95:1530–1538.
- Veierød MB, Weiderpass E, Lund E, et al. (2004). Re: prospective study of pigmentation, sun exposure, and risk of cutaneous malignant melanoma in women. *J Natl Cancer Int*, 96:337–338.

- Walter SD, Marrett LD, From L, et al. (1990). The association of cutaneous malignant melanoma with the use of sunbeds and sunlamps. *Am J Epidemiol*, 131:232–243.
- Walter SD, Marrett LD, Shannon HS, et al. (1992). The association of cutaneous malignant melanoma and fluorescent light exposure. *Am J Epidemiol*, 135:749–762.
- Walter SD, King WD, Marrett LD (1999). Association of cutaneous malignant melanoma with intermittent exposure to ultraviolet radiation: Results of a case-control study in Ontario, Canada. *Int J Epidemiol*, 28:418–427.
- Walther U, Kron M, Sander S, et al. (2004). Risk and protective factors for sporadic basal cell carcinoma: results of a two-centre case-control study in southern Germany. Clinical actinic elastosis may be a protective factor. *Br J Dermatol*, 151:170–178.
- Wang Y, Rosenstein B, Goldwyn S, et al. (1998). Differential regulation of P53 and Bcl-2 expression by ultraviolet A and B. *J Invest Dermatol*, 111:380–384.
- Weischer M, Blum A, Eberhard F, et al. (2004). No evidence for increased skin cancer risk in psoriasis patients treated with broadband or narrow-band UVB phototherapy: A first retrospective study. *Acta Derm Venereol*, 84:370–374.
- Wester U, Boldemann C, Jansson B, Ullén H (1999). Population UV-dose and skin area -Do sunbeds rival the sun? *Health Physics*, 77:436–440.
- Westerdahl J, Olsson H, Masback A, et al. (1994). Use of sunbeds or sunlamps and malignant melanoma in southern Sweden. *Am J Epidemiol*, 140:691–699.
- Westerdahl J, Ingvar C, Masback A, et al. (2000). Risk of cutaneous malignant melanoma in relation to use of sunbeds: Further evidence for UV-A carcinogenicity. *Br J Cancer*, 82:1593–1599.
- Whiteman DC, Whiteman CA, Green A (2001). Childhood sun exposure as a risk factor for melanoma: A systematic review of epidemiologic studies. *Cancer Causes Control*, 12:69–82.
- Whitmore SE, Morison WL, Potten CS, et al. (2001). Tanning salon exposure and molecular alterations. *J Am Acad Dermatol*, 44:775–780.
- WHO (2003). *Artificial tanning sunbeds – risks and guidance*, Geneva, World Health Organisation.
- Wichstrom L (1994). Predictors of Norwegian adolescents' sunbathing and use of sunscreen. *Health Psychol*, 13:412–420.
- Wolf P, Donawho CK, Kripke ML (1994). Effect of sunscreens on UV radiation-induced enhancement of melanoma growth in mice. *J Natl Cancer Inst*, 86:99–105.
- Woollons A, Clingen PH, Price ML, et al. (1997). Induction of mutagenic damage in human fibroblasts after exposure to artificial tanning lamps. *Br J Dermatol*, 137:687–692.
- Wright AL, Hart GC, Kernohan E, et al. (1996). Survey of the variation in ultraviolet outputs from ultraviolet A sunbeds in Bradford. *Photodermatol Photoimmunol Photomed*, 12:12–16.
- Wright A, Hart G, Kernohan L (1997). Dangers of sunbeds are greater in the commercial sector. *Br Med J*, 314:1280–1281.
- Young AR, Potten CS, Nikaido O, et al. (1998). Human melanocytes and keratinocytes exposed to UVB or UVA in vivo show comparable levels of thymine dimers. *J Invest Dermatol*, 111:936–40.
- Young AR (2004). Tanning devices—Fast track to skin cancer? *Pigment Cell Res*, 17:2–9.
- Zanetti R, Rosso F, Faggiano F, et al. (1988). A case-control study on cutaneous malignant melanoma in the province of Torino, Italy. *Rev Epidemiol Santé Publique*, 36:309–317 [in French].
- Zhang H, Rosdahl I (2003). Ultraviolet A and B differently induce intracellular protein expression in human skin melanocytes — A speculation of separate pathways in initiation of melanoma. *Carcinogenesis*, 24:1929–1934.
- Zigman S (1983). Effects of near ultraviolet radiation on the lens and retina. *Doc Ophthalmol*, 55:375–381.