


# Austria

## CONTRIBUTORS

Monika Hackl  
Nadine Zielonke  
Thomas Pascher  
Regina Heß  
Ernst Leser



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	64.7	Breast	68.1
Trachea, bronchus, and lung	38.1	Trachea, bronchus, and lung	19.0
Colon	20.6	Colon	12.6
Bladder	14.6	Thyroid	11.8
Rectum	12.6	Corpus uteri	11.0
Melanoma of skin	11.3	Melanoma of skin	10.3
Kidney	10.8	Ovary	8.4
Pancreas	9.9	Pancreas	7.4
Stomach	9.6	Non-Hodgkin lymphoma	6.4
Non-Hodgkin lymphoma	8.8	Rectum	6.4
Liver	8.5	Cervix uteri	6.2
Testis	7.6	Kidney	5.7
Brain and nervous system	6.0	Brain and nervous system	5.1
Lymphoid leukaemia	5.1	Stomach	5.1
Other and unspecified	4.8	Bladder	4.1
Oesophagus	4.6	Other and unspecified	4.0
Thyroid	4.6	Lymphoid leukaemia	3.1
Myeloid leukaemia	4.1	Myeloid leukaemia	2.9
Larynx	3.8	Liver	2.7
Multiple myeloma	2.9	Multiple myeloma	2.2
All sites	281.4	All sites	221.6


## Austria (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	116	0.1	0.6	<b>0.3</b>	0.01	0.04	63	0.1	0.3	<b>0.1</b>	0.00	0.01	C00
Tongue	749	0.7	3.7	<b>2.3</b>	0.18	0.27	279	0.3	1.3	<b>0.7</b>	0.05	0.08	C01-02
Mouth	858	0.8	4.2	<b>2.7</b>	0.22	0.32	389	0.4	1.8	<b>1.0</b>	0.07	0.11	C03-06
Salivary glands	259	0.3	1.3	<b>0.7</b>	0.03	0.07	174	0.2	0.8	<b>0.4</b>	0.02	0.03	C07-08
Tonsil	555	0.5	2.7	<b>1.7</b>	0.14	0.21	201	0.2	0.9	<b>0.6</b>	0.04	0.07	C09
Other oropharynx	436	0.4	2.1	<b>1.4</b>	0.11	0.17	136	0.1	0.6	<b>0.4</b>	0.03	0.05	C10
Nasopharynx	136	0.1	0.7	<b>0.4</b>	0.04	0.05	64	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	613	0.6	3.0	<b>1.9</b>	0.16	0.24	91	0.1	0.4	<b>0.3</b>	0.02	0.03	C12-13
Pharynx unspecified	145	0.1	0.7	<b>0.5</b>	0.04	0.06	27	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	1604	1.6	7.9	<b>4.6</b>	0.29	0.58	422	0.5	2.0	<b>0.9</b>	0.06	0.11	C15
Stomach	3841	3.8	18.8	<b>9.6</b>	0.45	1.06	2870	3.1	13.4	<b>5.1</b>	0.24	0.53	C16
Small intestine	434	0.4	2.1	<b>1.2</b>	0.07	0.14	360	0.4	1.7	<b>0.8</b>	0.05	0.09	C17
Colon	8346	8.2	41.0	<b>20.6</b>	0.87	2.35	6871	7.4	32.0	<b>12.6</b>	0.59	1.42	C18
Rectum	4757	4.7	23.3	<b>12.6</b>	0.68	1.54	3104	3.3	14.5	<b>6.4</b>	0.37	0.74	C19-20
Anus	230	0.2	1.1	<b>0.7</b>	0.05	0.08	454	0.5	2.1	<b>1.1</b>	0.08	0.12	C21
Liver	3219	3.2	15.8	<b>8.5</b>	0.42	1.07	1485	1.6	6.9	<b>2.7</b>	0.13	0.31	C22
Gallbladder etc.	826	0.8	4.1	<b>2.0</b>	0.09	0.24	1179	1.3	5.5	<b>2.0</b>	0.09	0.22	C23-24
Pancreas	3795	3.7	18.6	<b>9.9</b>	0.49	1.19	4093	4.4	19.1	<b>7.4</b>	0.34	0.86	C25
Nose, sinuses etc.	230	0.2	1.1	<b>0.7</b>	0.05	0.08	119	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	1280	1.3	6.3	<b>3.8</b>	0.27	0.47	206	0.2	1.0	<b>0.6</b>	0.04	0.07	C32
Trachea, bronchus, and lung	14061	13.8	69.0	<b>38.1</b>	2.17	4.84	8047	8.7	37.5	<b>19.0</b>	1.26	2.37	C33-34
Other thoracic organs	176	0.2	0.9	<b>0.6</b>	0.03	0.06	136	0.1	0.6	<b>0.3</b>	0.02	0.04	C37-38
Bone	282	0.3	1.4	<b>1.3</b>	0.08	0.11	258	0.3	1.2	<b>1.1</b>	0.07	0.09	C40-41
Melanoma of skin	3779	3.7	18.5	<b>11.3</b>	0.71	1.21	3594	3.9	16.7	<b>10.3</b>	0.72	1.01	C43
Other skin	0		0.0	<b>0.0</b>	0.00	0.00	0		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	404	0.4	2.0	<b>1.1</b>	0.05	0.14	138	0.1	0.6	<b>0.3</b>	0.02	0.03	C45
Kaposi sarcoma	19	0.0	0.1	<b>0.1</b>	0.00	0.01	6	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	725	0.7	3.6	<b>2.4</b>	0.14	0.23	572	0.6	2.7	<b>1.6</b>	0.10	0.16	C47+C49
Breast	305	0.3	1.5	<b>0.8</b>	0.04	0.10	26362	28.4	122.8	<b>68.1</b>	4.80	7.85	C50
Vulva							745	0.8	3.5	<b>1.4</b>	0.08	0.15	C51
Vagina							191	0.2	0.9	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							2028	2.2	9.5	<b>6.2</b>	0.49	0.62	C53
Corpus uteri							4617	5.0	21.5	<b>11.0</b>	0.73	1.38	C54
Uterus unspecified							138	0.1	0.6	<b>0.2</b>	0.01	0.02	C55
Ovary							3515	3.8	16.4	<b>8.4</b>	0.57	0.95	C56
Other female genital organs							345	0.4	1.6	<b>0.8</b>	0.04	0.10	C57
Placenta							8	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	295	0.3	1.4	<b>0.8</b>	0.04	0.09							C60
Prostate	24215	23.8	118.8	<b>64.7</b>	3.25	8.58							C61
Testis	1771	1.7	8.7	<b>7.6</b>	0.59	0.61							C62
Other male genital organs	42	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	3834	3.8	18.8	<b>10.8</b>	0.64	1.31	2537	2.7	11.8	<b>5.7</b>	0.31	0.67	C64
Renal pelvis	175	0.2	0.9	<b>0.4</b>	0.02	0.05	124	0.1	0.6	<b>0.2</b>	0.01	0.03	C65
Ureter	146	0.1	0.7	<b>0.3</b>	0.01	0.04	100	0.1	0.5	<b>0.2</b>	0.01	0.02	C66
Bladder	5873	5.8	28.8	<b>14.6</b>	0.63	1.68	2170	2.3	10.1	<b>4.1</b>	0.20	0.46	C67
Other urinary organs	124	0.1	0.6	<b>0.3</b>	0.01	0.03	72	0.1	0.3	<b>0.1</b>	0.00	0.02	C68
Eye	212	0.2	1.0	<b>0.7</b>	0.04	0.07	170	0.2	0.8	<b>0.5</b>	0.03	0.05	C69
Brain and nervous system	1735	1.7	8.5	<b>6.0</b>	0.37	0.61	1587	1.7	7.4	<b>5.1</b>	0.31	0.49	C70-72
Thyroid	1326	1.3	6.5	<b>4.6</b>	0.37	0.48	3426	3.7	16.0	<b>11.8</b>	0.95	1.17	C73
Adrenal gland	80	0.1	0.4	<b>0.4</b>	0.02	0.03	75	0.1	0.3	<b>0.4</b>	0.02	0.02	C74
Other endocrine	28	0.0	0.1	<b>0.1</b>	0.01	0.01	24	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	435	0.4	2.1	<b>1.9</b>	0.13	0.15	415	0.4	1.9	<b>1.8</b>	0.12	0.14	C81
Non-Hodgkin lymphoma	3000	3.0	14.7	<b>8.8</b>	0.51	0.93	2798	3.0	13.0	<b>6.4</b>	0.38	0.70	C82-86,C96
Immunoproliferative diseases	242	0.2	1.2	<b>0.7</b>	0.04	0.08	198	0.2	0.9	<b>0.4</b>	0.02	0.05	C88
Multiple myeloma	1152	1.1	5.7	<b>2.9</b>	0.14	0.34	1151	1.2	5.4	<b>2.2</b>	0.11	0.26	C90
Lymphoid leukaemia	1479	1.5	7.3	<b>5.1</b>	0.25	0.48	1039	1.1	4.8	<b>3.1</b>	0.15	0.26	C91
Myeloid leukaemia	1406	1.4	6.9	<b>4.1</b>	0.22	0.42	1194	1.3	5.6	<b>2.9</b>	0.16	0.29	C92-94
Leukaemia unspecified	62	0.1	0.3	<b>0.1</b>	0.01	0.01	77	0.1	0.4	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1874	1.8	9.2	<b>4.8</b>	0.24	0.51	2220	2.4	10.3	<b>4.0</b>	0.20	0.40	O&U
All sites	101686		499.0	<b>281.4</b>	15.40	33.43	92664		431.8	<b>221.6</b>	14.18	24.78	C00-96
All sites except C44	101686	100.0	499.0	<b>281.4</b>	15.40	33.43	92664	100.0	431.8	<b>221.6</b>	14.18	24.78	C00-96 exc. C44

# Austria, Carinthia

## CONTRIBUTORS

Zorica Jukic  
Mori Kornelia  
Otti Brigitte  
Gerhard Presser



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	74.9	Breast	78.1
Trachea, bronchus, and lung	39.0	Melanoma of skin	21.7
Melanoma of skin	23.4	Trachea, bronchus, and lung	19.9
Bladder	21.4	Thyroid	19.1
Colon	19.7	Corpus uteri	12.7
Kidney	13.1	Colon	11.9
Stomach	12.3	Ovary	8.8
Rectum	12.1	Pancreas	8.3
Testis	11.1	Cervix uteri	7.3
Pancreas	10.6	Non-Hodgkin lymphoma	6.9
Non-Hodgkin lymphoma	9.8	Bladder	6.6
Liver	8.0	Kidney	6.5
Thyroid	6.2	Stomach	6.5
Brain and nervous system	6.2	Rectum	6.4
Larynx	4.8	Brain and nervous system	4.0
Myeloid leukaemia	4.4	Other and unspecified	3.1
Oesophagus	4.3	Myeloproliferative disorders	2.8
Lymphoid leukaemia	4.2	Myeloid leukaemia	2.7
Other and unspecified	3.5	Liver	2.7
Mouth	3.3	Lymphoid leukaemia	2.3
All sites	327.8	All sites	263.0

## Austria, Carinthia (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	3	0.0	0.2	<b>0.2</b>	0.01	0.02	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C00
Tongue	63	0.7	4.6	<b>2.8</b>	0.22	0.34	32	0.4	2.2	<b>1.5</b>	0.10	0.16	C01-02
Mouth	73	0.9	5.4	<b>3.3</b>	0.28	0.39	37	0.5	2.6	<b>1.3</b>	0.10	0.16	C03-06
Salivary glands	16	0.2	1.2	<b>0.5</b>	0.02	0.08	13	0.2	0.9	<b>0.4</b>	0.03	0.05	C07-08
Tonsil	34	0.4	2.5	<b>1.5</b>	0.14	0.17	17	0.2	1.2	<b>0.6</b>	0.04	0.08	C09
Other oropharynx	43	0.5	3.2	<b>1.9</b>	0.16	0.23	15	0.2	1.0	<b>0.6</b>	0.05	0.07	C10
Nasopharynx	11	0.1	0.8	<b>0.5</b>	0.03	0.05	5	0.1	0.3	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	42	0.5	3.1	<b>1.9</b>	0.18	0.22	4	0.1	0.3	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	1	0.0	0.1	<b>0.0</b>	0.00	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	108	1.3	8.0	<b>4.3</b>	0.31	0.53	31	0.4	2.2	<b>0.9</b>	0.06	0.11	C15
Stomach	364	4.3	26.8	<b>12.3</b>	0.55	1.30	261	3.4	18.1	<b>6.5</b>	0.32	0.67	C16
Small intestine	29	0.3	2.1	<b>1.1</b>	0.06	0.13	34	0.4	2.4	<b>1.2</b>	0.08	0.14	C17
Colon	565	6.6	41.7	<b>19.7</b>	0.86	2.25	464	6.0	32.2	<b>11.9</b>	0.62	1.33	C18
Rectum	330	3.9	24.3	<b>12.1</b>	0.64	1.47	220	2.9	15.3	<b>6.4</b>	0.39	0.76	C19-20
Anus	21	0.2	1.5	<b>0.8</b>	0.06	0.10	29	0.4	2.0	<b>1.1</b>	0.10	0.12	C21
Liver	225	2.6	16.6	<b>8.0</b>	0.37	1.00	114	1.5	7.9	<b>2.7</b>	0.08	0.34	C22
Gallbladder etc.	73	0.9	5.4	<b>2.5</b>	0.11	0.32	77	1.0	5.3	<b>2.0</b>	0.08	0.25	C23-24
Pancreas	284	3.3	20.9	<b>10.6</b>	0.55	1.31	361	4.7	25.1	<b>8.3</b>	0.33	0.92	C25
Nose, sinuses etc.	20	0.2	1.5	<b>0.9</b>	0.07	0.10	11	0.1	0.8	<b>0.4</b>	0.02	0.03	C30-31
Larynx	115	1.4	8.5	<b>4.8</b>	0.39	0.57	22	0.3	1.5	<b>0.8</b>	0.05	0.11	C32
Trachea, bronchus, and lung	1040	12.2	76.7	<b>39.0</b>	2.19	4.95	616	8.0	42.8	<b>19.9</b>	1.34	2.45	C33-34
Other thoracic organs	15	0.2	1.1	<b>0.6</b>	0.03	0.07	5	0.1	0.3	<b>0.1</b>	0.00	0.02	C37-38
Bone	18	0.2	1.3	<b>1.1</b>	0.06	0.09	8	0.1	0.6	<b>0.3</b>	0.02	0.03	C40-41
Melanoma of skin	556	6.5	41.0	<b>23.4</b>	1.47	2.64	524	6.8	36.4	<b>21.7</b>	1.58	2.21	C43
Other skin	3	0.0	0.2	<b>0.2</b>	0.02	0.02	3	0.0	0.2	<b>0.2</b>	0.02	0.02	C44
Mesothelioma	45	0.5	3.3	<b>1.7</b>	0.09	0.22	11	0.1	0.8	<b>0.3</b>	0.01	0.05	C45
Kaposi sarcoma	3	0.0	0.2	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	64	0.8	4.7	<b>2.7</b>	0.13	0.27	49	0.6	3.4	<b>1.9</b>	0.10	0.19	C47+C49
Breast	18	0.2	1.3	<b>0.6</b>	0.03	0.09	2068	26.8	143.6	<b>78.1</b>	5.60	8.99	C50
Vulva							65	0.8	4.5	<b>1.4</b>	0.05	0.14	C51
Vagina							13	0.2	0.9	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							158	2.1	11.0	<b>7.3</b>	0.60	0.73	C53
Corpus uteri							377	4.9	26.2	<b>12.7</b>	0.86	1.63	C54
Uterus unspecified							13	0.2	0.9	<b>0.2</b>	0.01	0.01	C55
Ovary							265	3.4	18.4	<b>8.8</b>	0.58	0.99	C56
Other female genital organs							36	0.5	2.5	<b>1.1</b>	0.06	0.14	C57
Placenta							3	0.0	0.2	<b>0.2</b>	0.02	0.02	C58
Penis	25	0.3	1.8	<b>0.9</b>	0.06	0.10							C60
Prostate	2023	23.8	149.2	<b>74.9</b>	3.38	10.24							C61
Testis	172	2.0	12.7	<b>11.1</b>	0.86	0.90							C62
Other male genital organs	4	0.0	0.3	<b>0.1</b>	0.01	0.02							C63
Kidney	317	3.7	23.4	<b>13.1</b>	0.80	1.67	204	2.6	14.2	<b>6.5</b>	0.38	0.87	C64
Renal pelvis	23	0.3	1.7	<b>0.7</b>	0.02	0.09	9	0.1	0.6	<b>0.3</b>	0.01	0.05	C65
Ureter	10	0.1	0.7	<b>0.3</b>	0.00	0.03	4	0.1	0.3	<b>0.1</b>	0.01	0.01	C66
†Bladder	633	7.4	46.7	<b>21.4</b>	0.86	2.58	261	3.4	18.1	<b>6.6</b>	0.32	0.76	C67
Other urinary organs	3	0.0	0.2	<b>0.1</b>	0.00	0.01	4	0.1	0.3	<b>0.2</b>	0.02	0.02	C68
Eye	6	0.1	0.4	<b>0.2</b>	0.00	0.02	4	0.1	0.3	<b>0.2</b>	0.02	0.02	C69
Brain and nervous system	130	1.5	9.6	<b>6.2</b>	0.38	0.71	94	1.2	6.5	<b>4.0</b>	0.25	0.38	C70-72
Thyroid	118	1.4	8.7	<b>6.2</b>	0.54	0.65	355	4.6	24.7	<b>19.1</b>	1.56	1.79	C73
Adrenal gland	5	0.1	0.4	<b>0.5</b>	0.03	0.03	3	0.0	0.2	<b>0.2</b>	0.01	0.02	C74
Other endocrine	1	0.0	0.1	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	32	0.4	2.4	<b>1.8</b>	0.10	0.16	37	0.5	2.6	<b>2.3</b>	0.16	0.19	C81
Non-Hodgkin lymphoma	244	2.9	18.0	<b>9.8</b>	0.59	1.10	216	2.8	15.0	<b>6.9</b>	0.41	0.78	C82-86,C96
Immunoproliferative diseases	21	0.2	1.5	<b>0.8</b>	0.04	0.10	16	0.2	1.1	<b>0.5</b>	0.03	0.06	C88
Multiple myeloma	84	1.0	6.2	<b>2.9</b>	0.11	0.34	88	1.1	6.1	<b>2.3</b>	0.11	0.26	C90
Lymphoid leukaemia	104	1.2	7.7	<b>4.2</b>	0.23	0.49	85	1.1	5.9	<b>2.3</b>	0.10	0.29	C91
Myeloid leukaemia	112	1.3	8.3	<b>4.4</b>	0.22	0.49	83	1.1	5.8	<b>2.7</b>	0.16	0.30	C92-94
Leukaemia unspecified	8	0.1	0.6	<b>0.3</b>	0.01	0.03	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	68	0.8	5.0	<b>2.5</b>	0.13	0.32	86	1.1	6.0	<b>2.8</b>	0.16	0.34	MPD
Myelodysplastic syndromes	85	1.0	6.3	<b>2.4</b>	0.06	0.18	65	0.8	4.5	<b>1.2</b>	0.04	0.13	MDS
Other and unspecified	104	1.2	7.7	<b>3.5</b>	0.15	0.37	129	1.7	9.0	<b>3.1</b>	0.16	0.29	O&U
All sites	8514		627.8	<b>327.8</b>	17.59	39.58	7708		535.2	<b>263.0</b>	17.25	29.59	C00-96
All sites except C44	8511	100.0	627.6	<b>327.6</b>	17.57	39.56	7705	100.0	535.0	<b>262.8</b>	17.23	29.57	C00-96 exc. C44

† See note following population pyramid

# Austria, Tyrol

## CONTRIBUTORS

Wilhelm Oberaigner  
 Helmut Mühlböck  
 Christine Wartha  
 Patricia Gscheidlinger  
 Alois Harrasser  
 Hermann Leitner



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	79.8	Breast	75.9
Trachea, bronchus, and lung	41.6	Melanoma of skin	34.9
Melanoma of skin	33.8	Trachea, bronchus, and lung	20.8
Bladder	24.2	Thyroid	17.0
Colon	19.8	Colon	11.3
Rectum	13.7	Corpus uteri	9.7
Non-melanoma skin cancer	13.5	Ovary	9.7
Kidney	11.2	Non-melanoma skin cancer	9.5
Stomach	10.8	Pancreas	7.6
Non-Hodgkin lymphoma	10.3	Rectum	7.2
Pancreas	9.6	Cervix uteri	6.7
Testis	8.2	Bladder	6.4
Liver	6.7	Non-Hodgkin lymphoma	6.4
Lymphoid leukaemia	6.6	Stomach	5.6
Thyroid	6.5	Kidney	5.5
Brain and nervous system	5.5	Brain and nervous system	4.8
Larynx	4.6	Lymphoid leukaemia	4.3
Other and unspecified	4.6	Myeloid leukaemia	3.6
Myeloid leukaemia	3.7	Other and unspecified	3.2
Multiple myeloma	3.5	Multiple myeloma	2.6
All sites	355.4	All sites	278.3

## Austria, Tyrol (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	30	0.3	1.7	<b>1.0</b>	0.06	0.10	22	0.3	1.2	<b>0.5</b>	0.01	0.06	C00
Tongue	66	0.7	3.8	<b>2.5</b>	0.20	0.31	21	0.2	1.2	<b>0.7</b>	0.05	0.08	C01-02
Mouth	86	0.9	5.0	<b>3.3</b>	0.28	0.39	33	0.4	1.8	<b>1.0</b>	0.06	0.12	C03-06
Salivary glands	38	0.4	2.2	<b>1.1</b>	0.04	0.14	19	0.2	1.1	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	59	0.6	3.4	<b>2.3</b>	0.20	0.26	27	0.3	1.5	<b>0.8</b>	0.05	0.11	C09
Other oropharynx	21	0.2	1.2	<b>0.8</b>	0.07	0.09	9	0.1	0.5	<b>0.3</b>	0.03	0.04	C10
Nasopharynx	13	0.1	0.8	<b>0.5</b>	0.03	0.05	7	0.1	0.4	<b>0.2</b>	0.01	0.03	C11
Hypopharynx	50	0.5	2.9	<b>1.9</b>	0.14	0.24	9	0.1	0.5	<b>0.3</b>	0.03	0.05	C12-13
Pharynx unspecified	2	0.0	0.1	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	88	0.9	5.1	<b>3.0</b>	0.18	0.39	21	0.2	1.2	<b>0.5</b>	0.02	0.07	C15
Stomach	357	3.6	20.6	<b>10.8</b>	0.43	1.12	238	2.8	13.2	<b>5.6</b>	0.30	0.60	C16
Small intestine	36	0.4	2.1	<b>1.2</b>	0.06	0.15	24	0.3	1.3	<b>0.8</b>	0.06	0.09	C17
Colon	633	6.4	36.6	<b>19.8</b>	0.83	2.37	484	5.7	26.8	<b>11.3</b>	0.50	1.21	C18
Rectum	409	4.1	23.6	<b>13.7</b>	0.74	1.69	264	3.1	14.6	<b>7.2</b>	0.42	0.87	C19-20
Anus	21	0.2	1.2	<b>0.7</b>	0.05	0.09	42	0.5	2.3	<b>1.3</b>	0.10	0.14	C21
Liver	212	2.2	12.2	<b>6.7</b>	0.33	0.76	86	1.0	4.8	<b>2.3</b>	0.13	0.23	C22
Gallbladder etc.	64	0.6	3.7	<b>2.0</b>	0.08	0.21	91	1.1	5.0	<b>2.0</b>	0.10	0.20	C23-24
Pancreas	301	3.1	17.4	<b>9.6</b>	0.46	1.12	318	3.7	17.6	<b>7.6</b>	0.33	0.90	C25
Nose, sinuses etc.	22	0.2	1.3	<b>0.8</b>	0.06	0.10	12	0.1	0.7	<b>0.4</b>	0.04	0.04	C30-31
Larynx	128	1.3	7.4	<b>4.6</b>	0.30	0.57	22	0.3	1.2	<b>0.8</b>	0.07	0.09	C32
Trachea, bronchus, and lung	1265	12.8	73.1	<b>41.6</b>	2.13	5.21	705	8.3	39.0	<b>20.8</b>	1.37	2.60	C33-34
Other thoracic organs	9	0.1	0.5	<b>0.4</b>	0.03	0.04	4	0.0	0.2	<b>0.1</b>	0.01	0.01	C37-38
Bone	33	0.3	1.9	<b>1.8</b>	0.10	0.15	20	0.2	1.1	<b>1.1</b>	0.07	0.09	C40-41
Melanoma of skin	835	8.5	48.2	<b>33.8</b>	2.34	3.40	859	10.1	47.5	<b>34.9</b>	2.58	3.11	C43
Other skin	436		25.2	<b>13.5</b>	0.58	1.53	432		23.9	<b>9.5</b>	0.37	0.95	C44
Mesothelioma	15	0.2	0.9	<b>0.5</b>	0.03	0.07	7	0.1	0.4	<b>0.2</b>	0.01	0.02	C45
Kaposi sarcoma	2	0.0	0.1	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	63	0.6	3.6	<b>2.2</b>	0.13	0.21	54	0.6	3.0	<b>2.1</b>	0.15	0.19	C47+C49
Breast	18	0.2	1.0	<b>0.6</b>	0.04	0.07	2345	27.5	129.8	<b>75.9</b>	5.29	8.71	C50
Vulva							80	0.9	4.4	<b>2.1</b>	0.13	0.24	C51
Vagina							8	0.1	0.4	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							184	2.2	10.2	<b>6.7</b>	0.52	0.66	C53
Corpus uteri							342	4.0	18.9	<b>9.7</b>	0.61	1.20	C54
Uterus unspecified							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C55
Ovary							341	4.0	18.9	<b>9.7</b>	0.61	1.11	C56
Other female genital organs							29	0.3	1.6	<b>0.8</b>	0.04	0.11	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	31	0.3	1.8	<b>1.0</b>	0.03	0.12							C60
Prostate	2346	23.8	135.5	<b>79.8</b>	4.46	10.84							C61
Testis	165	1.7	9.5	<b>8.2</b>	0.65	0.65							C62
Other male genital organs	5	0.1	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	318	3.2	18.4	<b>11.2</b>	0.66	1.39	183	2.1	10.1	<b>5.5</b>	0.32	0.64	C64
Renal pelvis	13	0.1	0.8	<b>0.3</b>	0.01	0.02	13	0.2	0.7	<b>0.4</b>	0.02	0.06	C65
Ureter	16	0.2	0.9	<b>0.4</b>	0.00	0.03	6	0.1	0.3	<b>0.2</b>	0.01	0.02	C66
†Bladder	778	7.9	44.9	<b>24.2</b>	1.10	2.77	245	2.9	13.6	<b>6.4</b>	0.34	0.77	C67
Other urinary organs	7	0.1	0.4	<b>0.2</b>	0.01	0.01	5	0.1	0.3	<b>0.2</b>	0.01	0.03	C68
Eye	16	0.2	0.9	<b>0.7</b>	0.04	0.06	20	0.2	1.1	<b>0.9</b>	0.05	0.08	C69
Brain and nervous system	138	1.4	8.0	<b>5.5</b>	0.39	0.57	123	1.4	6.8	<b>4.8</b>	0.31	0.47	C70-72
Thyroid	151	1.5	8.7	<b>6.5</b>	0.53	0.66	394	4.6	21.8	<b>17.0</b>	1.40	1.65	C73
Adrenal gland	4	0.0	0.2	<b>0.3</b>	0.02	0.02	4	0.0	0.2	<b>0.3</b>	0.02	0.02	C74
Other endocrine	1	0.0	0.1	<b>0.1</b>	0.00	0.00	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	46	0.5	2.7	<b>2.5</b>	0.18	0.20	29	0.3	1.6	<b>1.5</b>	0.10	0.11	C81
Non-Hodgkin lymphoma	287	2.9	16.6	<b>10.3</b>	0.62	1.10	212	2.5	11.7	<b>6.4</b>	0.41	0.75	C82-86,C96
Immunoproliferative diseases	23	0.2	1.3	<b>0.8</b>	0.05	0.10	16	0.2	0.9	<b>0.4</b>	0.01	0.05	C88
Multiple myeloma	109	1.1	6.3	<b>3.5</b>	0.20	0.40	104	1.2	5.8	<b>2.6</b>	0.14	0.29	C90
Lymphoid leukaemia	146	1.5	8.4	<b>6.6</b>	0.31	0.59	95	1.1	5.3	<b>4.3</b>	0.22	0.30	C91
Myeloid leukaemia	105	1.1	6.1	<b>3.7</b>	0.16	0.41	93	1.1	5.1	<b>3.6</b>	0.21	0.35	C92-94
Leukaemia unspecified	2	0.0	0.1	<b>0.0</b>	0.00	0.00	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	55	0.6	3.2	<b>1.9</b>	0.08	0.24	53	0.6	2.9	<b>1.5</b>	0.06	0.19	MPD
Myelodysplastic syndromes	78	0.8	4.5	<b>2.1</b>	0.06	0.19	63	0.7	3.5	<b>1.1</b>	0.03	0.11	MDS
Other and unspecified	142	1.4	8.2	<b>4.6</b>	0.23	0.50	151	1.8	8.4	<b>3.2</b>	0.16	0.31	O&U
All sites	10294		594.6	<b>355.4</b>	19.73	41.76	8973		496.5	<b>278.3</b>	17.93	30.22	C00-96
All sites except C44	9858	100.0	569.4	<b>341.9</b>	19.15	40.23	8541	100.0	472.6	<b>268.8</b>	17.56	29.27	C00-96 exc. C44

† See note following population pyramid

# Austria, Vorarlberg

## CONTRIBUTORS

Alois Lang  
Hans Concin  
Karin Parschalk  
Hildegard Burtscher  
Elmar Stimpfl



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	81.0	Breast	69.1
Non-melanoma skin cancer	61.5	Non-melanoma skin cancer	43.6
Trachea, bronchus, and lung	37.9	Melanoma of skin	18.1
Bladder	23.1	Trachea, bronchus, and lung	17.4
Colon	20.7	Colon	12.7
Melanoma of skin	20.2	Corpus uteri	10.4
Rectum	13.1	Thyroid	7.6
Stomach	9.9	Ovary	7.4
Non-Hodgkin lymphoma	9.9	Non-Hodgkin lymphoma	7.2
Kidney	9.5	Rectum	6.5
Testis	8.1	Cervix uteri	6.0
Pancreas	7.3	Pancreas	5.9
Liver	6.7	Bladder	5.5
Lymphoid leukaemia	5.6	Kidney	4.7
Other and unspecified	5.2	Brain and nervous system	4.6
Myeloid leukaemia	4.9	Stomach	4.3
Oesophagus	4.5	Other and unspecified	3.4
Multiple myeloma	4.4	Lymphoid leukaemia	3.1
Larynx	4.4	Multiple myeloma	2.7
Brain and nervous system	3.8	Hodgkin lymphoma	2.4
All sites	376.1	All sites	266.9



## Austria, Vorarlberg (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	6	0.1	0.7	<b>0.4</b>	0.03	0.06	3	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	30	0.6	3.3	<b>2.2</b>	0.16	0.26	11	0.3	1.2	<b>0.8</b>	0.06	0.09	C01-02
Mouth	43	0.9	4.7	<b>3.1</b>	0.25	0.39	15	0.4	1.6	<b>0.9</b>	0.05	0.11	C03-06
Salivary glands	6	0.1	0.7	<b>0.4</b>	0.04	0.04	5	0.1	0.5	<b>0.3</b>	0.03	0.05	C07-08
Tonsil	36	0.8	4.0	<b>2.7</b>	0.25	0.34	12	0.3	1.3	<b>0.8</b>	0.07	0.09	C09
Other oropharynx	11	0.2	1.2	<b>0.8</b>	0.05	0.07	5	0.1	0.5	<b>0.3</b>	0.03	0.04	C10
Nasopharynx	7	0.1	0.8	<b>0.5</b>	0.04	0.05	4	0.1	0.4	<b>0.4</b>	0.03	0.04	C11
Hypopharynx	19	0.4	2.1	<b>1.4</b>	0.11	0.18	3	0.1	0.3	<b>0.2</b>	0.02	0.03	C12-13
Pharynx unspecified	1	0.0	0.1	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	65	1.4	7.2	<b>4.5</b>	0.25	0.57	18	0.5	1.9	<b>1.1</b>	0.08	0.12	C15
Stomach	160	3.4	17.6	<b>9.9</b>	0.51	1.12	93	2.5	9.9	<b>4.3</b>	0.20	0.42	C16
Small intestine	15	0.3	1.7	<b>1.0</b>	0.08	0.12	22	0.6	2.3	<b>1.4</b>	0.11	0.16	C17
Colon	335	7.2	36.9	<b>20.7</b>	0.89	2.38	259	7.0	27.7	<b>12.7</b>	0.60	1.45	C18
Rectum	206	4.4	22.7	<b>13.1</b>	0.67	1.54	116	3.1	12.4	<b>6.5</b>	0.38	0.73	C19-20
Anus	9	0.2	1.0	<b>0.6</b>	0.04	0.06	16	0.4	1.7	<b>0.8</b>	0.04	0.09	C21
Liver	107	2.3	11.8	<b>6.7</b>	0.26	0.88	49	1.3	5.2	<b>2.3</b>	0.09	0.27	C22
Gallbladder etc.	26	0.6	2.9	<b>1.5</b>	0.05	0.17	39	1.0	4.2	<b>2.0</b>	0.13	0.22	C23-24
Pancreas	115	2.5	12.7	<b>7.3</b>	0.34	0.90	116	3.1	12.4	<b>5.9</b>	0.28	0.75	C25
Nose, sinuses etc.	20	0.4	2.2	<b>1.4</b>	0.10	0.18	12	0.3	1.3	<b>0.6</b>	0.02	0.08	C30-31
Larynx	60	1.3	6.6	<b>4.4</b>	0.34	0.52	11	0.3	1.2	<b>0.8</b>	0.07	0.10	C32
Trachea, bronchus, and lung	588	12.6	64.7	<b>37.9</b>	2.02	4.74	295	7.9	31.5	<b>17.4</b>	1.05	2.30	C33-34
Other thoracic organs	9	0.2	1.0	<b>0.9</b>	0.04	0.08	5	0.1	0.5	<b>0.4</b>	0.04	0.05	C37-38
Bone	5	0.1	0.6	<b>0.5</b>	0.04	0.04	14	0.4	1.5	<b>1.4</b>	0.09	0.13	C40-41
Melanoma of skin	278	5.9	30.6	<b>20.2</b>	1.24	2.32	243	6.5	26.0	<b>18.1</b>	1.37	1.76	C43
Other skin	1030		113.4	<b>61.5</b>	2.15	6.67	925		98.8	<b>43.6</b>	2.05	4.81	C44
Mesothelioma	23	0.5	2.5	<b>1.3</b>	0.02	0.17	2	0.1	0.2	<b>0.1</b>	0.00	0.01	C45
Kaposi sarcoma	1	0.0	0.1	<b>0.1</b>	0.01	0.01	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	37	0.8	4.1	<b>3.0</b>	0.20	0.28	24	0.6	2.6	<b>1.6</b>	0.09	0.14	C47+C49
Breast	8	0.2	0.9	<b>0.5</b>	0.02	0.06	1111	29.8	118.7	<b>69.1</b>	4.77	7.81	C50
Vulva							35	0.9	3.7	<b>1.8</b>	0.12	0.18	C51
Vagina							7	0.2	0.7	<b>0.3</b>	0.01	0.05	C52
Cervix uteri							78	2.1	8.3	<b>6.0</b>	0.46	0.57	C53
Corpus uteri							175	4.7	18.7	<b>10.4</b>	0.70	1.28	C54
Uterus unspecified							3	0.1	0.3	<b>0.1</b>	0.00	0.00	C55
Ovary							126	3.4	13.5	<b>7.4</b>	0.49	0.79	C56
Other female genital organs							11	0.3	1.2	<b>0.6</b>	0.02	0.10	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	6	0.1	0.7	<b>0.4</b>	0.03	0.05							C60
Prostate	1206	25.8	132.8	<b>81.0</b>	4.37	10.96							C61
Testis	87	1.9	9.6	<b>8.1</b>	0.65	0.67							C62
Other male genital organs	5	0.1	0.6	<b>0.3</b>	0.01	0.04							C63
Kidney	143	3.1	15.7	<b>9.5</b>	0.53	1.27	80	2.1	8.5	<b>4.7</b>	0.22	0.48	C64
Renal pelvis	4	0.1	0.4	<b>0.3</b>	0.02	0.03	6	0.2	0.6	<b>0.3</b>	0.00	0.04	C65
Ureter	4	0.1	0.4	<b>0.2</b>	0.01	0.02	5	0.1	0.5	<b>0.3</b>	0.02	0.03	C66
†Bladder	380	8.1	41.8	<b>23.1</b>	1.02	2.64	104	2.8	11.1	<b>5.5</b>	0.31	0.64	C67
Other urinary organs	3	0.1	0.3	<b>0.2</b>	0.01	0.02	4	0.1	0.4	<b>0.2</b>	0.01	0.02	C68
Eye	8	0.2	0.9	<b>0.5</b>	0.03	0.07	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C69
Brain and nervous system	51	1.1	5.6	<b>3.8</b>	0.26	0.37	68	1.8	7.3	<b>4.6</b>	0.32	0.51	C70-72
Thyroid	41	0.9	4.5	<b>3.3</b>	0.22	0.33	100	2.7	10.7	<b>7.6</b>	0.60	0.77	C73
Adrenal gland	5	0.1	0.6	<b>0.3</b>	0.02	0.02	3	0.1	0.3	<b>0.5</b>	0.02	0.02	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	20	0.4	2.2	<b>2.2</b>	0.15	0.17	25	0.7	2.7	<b>2.4</b>	0.15	0.21	C81
Non-Hodgkin lymphoma	146	3.1	16.1	<b>9.9</b>	0.58	1.01	128	3.4	13.7	<b>7.2</b>	0.38	0.82	C82-86,C96
Immunoproliferative diseases	16	0.3	1.8	<b>1.1</b>	0.07	0.11	7	0.2	0.7	<b>0.4</b>	0.03	0.05	C88
Multiple myeloma	72	1.5	7.9	<b>4.4</b>	0.18	0.44	61	1.6	6.5	<b>2.7</b>	0.12	0.26	C90
Lymphoid leukaemia	67	1.4	7.4	<b>5.6</b>	0.28	0.48	39	1.0	4.2	<b>3.1</b>	0.14	0.26	C91
Myeloid leukaemia	66	1.4	7.3	<b>4.9</b>	0.30	0.51	33	0.9	3.5	<b>1.5</b>	0.08	0.17	C92-94
Leukaemia unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	21	0.4	2.3	<b>1.5</b>	0.10	0.17	31	0.8	3.3	<b>1.5</b>	0.07	0.16	MPD
Myelodysplastic syndromes	25	0.5	2.8	<b>1.4</b>	0.03	0.16	15	0.4	1.6	<b>0.5</b>	0.02	0.02	MDS
Other and unspecified	80	1.7	8.8	<b>5.2</b>	0.26	0.56	76	2.0	8.1	<b>3.4</b>	0.13	0.34	O&U
All sites	5712		628.8	<b>376.1</b>	19.31	44.32	4651		496.8	<b>266.9</b>	16.13	29.61	C00-96
All sites except C44	4682	100.0	515.4	<b>314.6</b>	17.16	37.65	3726	100.0	398.0	<b>223.3</b>	14.09	24.80	C00-96 exc. C44


† See note following population pyramid



# Belarus

## CONTRIBUTORS

Oleg Sukonko  
Pavel Moiseev  
Aleksey Okeanov  
Leonid Levin  
Vitaly Osharin  
Alesia Evmenenko  
Semyon Polyakov



## NOTES ON THE DATA

\*No DCO registrations. †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	60.6	Breast	44.2
Prostate	44.4	Non-melanoma skin cancer	32.2
Non-melanoma skin cancer	33.5	Corpus uteri	19.8
Stomach	30.3	Thyroid	14.8
Kidney	18.0	Cervix uteri	12.9
Colon	17.2	Colon	12.6
Rectum	15.5	Ovary	12.6
Bladder	15.3	Stomach	12.5
Larynx	9.6	Kidney	9.0
Pancreas	8.4	Rectum	8.8
Other and unspecified	7.0	Trachea, bronchus, and lung	5.5
Oesophagus	6.9	Melanoma of skin	5.1
Lymphoid leukaemia	5.9	Brain and nervous system	4.3
Brain and nervous system	5.6	Pancreas	3.9
Non-Hodgkin lymphoma	5.5	Non-Hodgkin lymphoma	3.9
Melanoma of skin	4.2	Lymphoid leukaemia	3.8
Mouth	4.1	Other and unspecified	3.2
Liver	4.0	Hodgkin lymphoma	2.7
Hypopharynx	3.8	Myeloid leukaemia	2.5
Thyroid	3.3	Bladder	2.2
All sites	335.5	All sites	232.0

## \*Belarus (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	
Lip	669	0.7	3.0	<b>2.1</b>	0.08	0.27	270	0.3	1.1	<b>0.4</b>	0.00	0.04	C00
Tongue	885	1.0	4.0	<b>2.9</b>	0.24	0.37	151	0.2	0.6	<b>0.3</b>	0.02	0.04	C01-02
Mouth	1215	1.3	5.5	<b>4.1</b>	0.33	0.50	195	0.2	0.8	<b>0.4</b>	0.03	0.05	C03-06
Salivary glands	254	0.3	1.2	<b>0.9</b>	0.05	0.10	197	0.2	0.8	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	569	0.6	2.6	<b>1.9</b>	0.16	0.23	88	0.1	0.3	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	855	0.9	3.9	<b>2.9</b>	0.24	0.36	45	0.1	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	114	0.1	0.5	<b>0.4</b>	0.03	0.04	52	0.1	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	1146	1.3	5.2	<b>3.8</b>	0.32	0.48	24	0.0	0.1	<b>0.1</b>	0.00	0.01	C12-13
Pharynx unspecified	30	0.0	0.1	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	2088	2.3	9.5	<b>6.9</b>	0.50	0.88	209	0.2	0.8	<b>0.4</b>	0.02	0.04	C15
Stomach	9313	10.2	42.2	<b>30.3</b>	1.64	3.77	6707	7.8	26.4	<b>12.5</b>	0.65	1.51	C16
Small intestine	165	0.2	0.7	<b>0.5</b>	0.03	0.07	174	0.2	0.7	<b>0.4</b>	0.03	0.05	C17
Colon	5312	5.8	24.1	<b>17.2</b>	0.84	2.19	6629	7.7	26.1	<b>12.6</b>	0.68	1.60	C18
Rectum	4796	5.3	21.7	<b>15.5</b>	0.79	1.96	4597	5.3	18.1	<b>8.8</b>	0.50	1.11	C19-20
Anus	72	0.1	0.3	<b>0.2</b>	0.02	0.03	175	0.2	0.7	<b>0.4</b>	0.03	0.05	C21
Liver	1195	1.3	5.4	<b>4.0</b>	0.24	0.50	812	0.9	3.2	<b>1.6</b>	0.09	0.18	C22
Gallbladder etc.	392	0.4	1.8	<b>1.3</b>	0.06	0.16	746	0.9	2.9	<b>1.3</b>	0.06	0.16	C23-24
Pancreas	2554	2.8	11.6	<b>8.4</b>	0.49	1.06	2166	2.5	8.5	<b>3.9</b>	0.19	0.48	C25
Nose, sinuses etc.	220	0.2	1.0	<b>0.7</b>	0.05	0.09	132	0.2	0.5	<b>0.3</b>	0.02	0.03	C30-31
Larynx	2909	3.2	13.2	<b>9.6</b>	0.74	1.24	89	0.1	0.4	<b>0.2</b>	0.01	0.02	C32
Trachea, bronchus, and lung	18464	20.3	83.7	<b>60.6</b>	3.59	8.02	2842	3.3	11.2	<b>5.5</b>	0.32	0.67	C33-34
Other thoracic organs	124	0.1	0.6	<b>0.5</b>	0.03	0.05	81	0.1	0.3	<b>0.3</b>	0.02	0.02	C37-38
Bone	261	0.3	1.2	<b>1.1</b>	0.07	0.09	228	0.3	0.9	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	1255	1.4	5.7	<b>4.2</b>	0.28	0.49	2159	2.5	8.5	<b>5.1</b>	0.36	0.55	C43
Other skin	10508		47.6	<b>33.5</b>	1.50	3.83	17503		68.9	<b>32.2</b>	1.69	3.83	C44
Mesothelioma	162	0.2	0.7	<b>0.5</b>	0.03	0.06	150	0.2	0.6	<b>0.3</b>	0.02	0.04	C45
Kaposi sarcoma	66	0.1	0.3	<b>0.2</b>	0.01	0.02	41	0.0	0.2	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	497	0.5	2.3	<b>1.8</b>	0.11	0.19	616	0.7	2.4	<b>1.6</b>	0.10	0.15	C47+C49
Breast	148	0.2	0.7	<b>0.5</b>	0.03	0.06	18504	21.4	72.9	<b>44.2</b>	3.38	5.05	C50
Vulva							792	0.9	3.1	<b>1.3</b>	0.05	0.15	C51
Vagina							184	0.2	0.7	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							4689	5.4	18.5	<b>12.9</b>	1.04	1.29	C53
Corpus uteri							8398	9.7	33.1	<b>19.8</b>	1.58	2.44	C54
Uterus unspecified							87	0.1	0.3	<b>0.2</b>	0.02	0.02	C55
Ovary							4911	5.7	19.3	<b>12.6</b>	0.96	1.36	C56
Other female genital organs							136	0.2	0.5	<b>0.3</b>	0.03	0.04	C57
Placenta							19	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	255	0.3	1.2	<b>0.8</b>	0.05	0.09							C60
Prostate	13904	15.3	63.0	<b>44.4</b>	1.58	5.76							C61
Testis	613	0.7	2.8	<b>2.3</b>	0.17	0.19							C62
Other male genital organs	18	0.0	0.1	<b>0.1</b>	0.00	0.01							C63
Kidney	5363	5.9	24.3	<b>18.0</b>	1.30	2.20	3825	4.4	15.1	<b>9.0</b>	0.65	1.09	C64
Renal pelvis	101	0.1	0.5	<b>0.3</b>	0.02	0.05	71	0.1	0.3	<b>0.1</b>	0.01	0.02	C65
Ureter	57	0.1	0.3	<b>0.2</b>	0.01	0.03	24	0.0	0.1	<b>0.0</b>	0.00	0.01	C66
†Bladder	4757	5.2	21.6	<b>15.3</b>	0.68	1.88	1190	1.4	4.7	<b>2.2</b>	0.10	0.26	C67
Other urinary organs	13	0.0	0.1	<b>0.1</b>	0.00	0.01	19	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	240	0.3	1.1	<b>0.9</b>	0.05	0.09	290	0.3	1.1	<b>0.7</b>	0.05	0.08	C69
Brain and nervous system	1432	1.6	6.5	<b>5.6</b>	0.39	0.54	1403	1.6	5.5	<b>4.3</b>	0.32	0.42	C70-72
Thyroid	926	1.0	4.2	<b>3.3</b>	0.26	0.32	4867	5.6	19.2	<b>14.8</b>	1.20	1.41	C73
Adrenal gland	115	0.1	0.5	<b>0.5</b>	0.04	0.05	90	0.1	0.4	<b>0.4</b>	0.02	0.03	C74
Other endocrine	13	0.0	0.1	<b>0.1</b>	0.00	0.00	12	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	644	0.7	2.9	<b>2.6</b>	0.18	0.22	732	0.8	2.9	<b>2.7</b>	0.18	0.21	C81
Non-Hodgkin lymphoma	1563	1.7	7.1	<b>5.5</b>	0.35	0.59	1714	2.0	6.7	<b>3.9</b>	0.24	0.44	C82-86,C96
Immunoproliferative diseases	24	0.0	0.1	<b>0.1</b>	0.00	0.01	19	0.0	0.1	<b>0.0</b>	0.00	0.00	C88
Multiple myeloma	555	0.6	2.5	<b>1.9</b>	0.12	0.24	770	0.9	3.0	<b>1.6</b>	0.10	0.21	C90
Lymphoid leukaemia	1557	1.7	7.1	<b>5.9</b>	0.32	0.61	1391	1.6	5.5	<b>3.8</b>	0.21	0.36	C91
Myeloid leukaemia	864	0.9	3.9	<b>3.0</b>	0.17	0.32	963	1.1	3.8	<b>2.5</b>	0.16	0.26	C92-94
Leukaemia unspecified	80	0.1	0.4	<b>0.3</b>	0.01	0.03	93	0.1	0.4	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	158	0.2	0.7	<b>0.5</b>	0.04	0.07	170	0.2	0.7	<b>0.4</b>	0.02	0.05	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2087	2.3	9.5	<b>7.0</b>	0.42	0.87	1549	1.8	6.1	<b>3.2</b>	0.17	0.36	O&U
All sites	101577		460.3	<b>335.5</b>	18.66	41.29	103990		409.5	<b>232.0</b>	15.50	26.41	C00-96
All sites except C44	91069	100.0	412.7	<b>301.9</b>	17.16	37.46	86487	100.0	340.6	<b>199.8</b>	13.81	22.58	C00-96 exc. C44

†\*See note following population pyramid

# Belgium

## CONTRIBUTORS

Kris Henau  
Elizabeth Van Eycken



## NOTES ON THE DATA

\*No DCO registrations. †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	87.6	Breast	109.2
Non-melanoma skin cancer	84.1	Non-melanoma skin cancer	76.5
Trachea, bronchus, and lung	56.0	Trachea, bronchus, and lung	21.3
Bladder	30.4	Colon	19.4
Colon	27.8	Melanoma of skin	15.3
Rectum	16.3	Corpus uteri	12.7
Non-Hodgkin lymphoma	11.6	Rectum	8.9
Kidney	10.7	Thyroid	8.9
Melanoma of skin	10.5	Non-Hodgkin lymphoma	8.3
Stomach	8.8	Ovary	8.1
Pancreas	7.4	Cervix uteri	7.8
Oesophagus	7.4	Bladder	6.4
Lymphoid leukaemia	6.4	Pancreas	5.6
Brain and nervous system	6.3	Kidney	5.3
Larynx	6.1	Brain and nervous system	4.4
Testis	6.0	Stomach	4.1
Other and unspecified	5.9	Other and unspecified	3.9
Liver	5.3	Lymphoid leukaemia	3.8
Myeloid leukaemia	4.5	Myeloid leukaemia	3.3
Multiple myeloma	4.0	Multiple myeloma	2.6
All sites	448.2	All sites	365.6

## \*Belgium (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	211	0.1	0.8	<b>0.4</b>	0.02	0.04	86	0.1	0.3	<b>0.1</b>	0.00	0.01	C00
Tongue	1360	0.8	5.1	<b>3.2</b>	0.25	0.39	559	0.4	2.0	<b>1.2</b>	0.09	0.14	C01-02
Mouth	1558	0.9	5.9	<b>3.7</b>	0.30	0.44	742	0.5	2.7	<b>1.5</b>	0.11	0.18	C03-06
Salivary glands	393	0.2	1.5	<b>0.8</b>	0.05	0.09	279	0.2	1.0	<b>0.6</b>	0.04	0.07	C07-08
Tonsil	852	0.5	3.2	<b>2.1</b>	0.17	0.25	343	0.2	1.2	<b>0.7</b>	0.06	0.09	C09
Other oropharynx	646	0.4	2.4	<b>1.5</b>	0.13	0.19	199	0.1	0.7	<b>0.5</b>	0.04	0.06	C10
Nasopharynx	231	0.1	0.9	<b>0.6</b>	0.05	0.07	79	0.1	0.3	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	1067	0.6	4.0	<b>2.5</b>	0.21	0.32	207	0.1	0.7	<b>0.5</b>	0.04	0.06	C12-13
Pharynx unspecified	97	0.1	0.4	<b>0.2</b>	0.02	0.03	40	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	3480	2.0	13.1	<b>7.4</b>	0.47	0.93	1233	0.8	4.5	<b>2.0</b>	0.12	0.24	C15
Stomach	4541	2.6	17.1	<b>8.8</b>	0.43	1.01	2737	1.9	9.9	<b>4.1</b>	0.22	0.44	C16
Small intestine	747	0.4	2.8	<b>1.6</b>	0.09	0.19	592	0.4	2.1	<b>1.1</b>	0.07	0.13	C17
Colon	14664	8.4	55.2	<b>27.8</b>	1.20	3.26	13095	8.9	47.3	<b>19.4</b>	0.94	2.18	C18
Rectum	8139	4.6	30.6	<b>16.3</b>	0.85	2.00	5415	3.7	19.6	<b>8.9</b>	0.52	1.06	C19-20
Anus	317	0.2	1.2	<b>0.7</b>	0.04	0.08	454	0.3	1.6	<b>0.9</b>	0.06	0.10	C21
Liver	2487	1.4	9.4	<b>5.3</b>	0.31	0.67	1074	0.7	3.9	<b>1.9</b>	0.11	0.23	C22
Gallbladder etc.	905	0.5	3.4	<b>1.7</b>	0.08	0.21	1019	0.7	3.7	<b>1.4</b>	0.06	0.16	C23-24
Pancreas	3680	2.1	13.8	<b>7.4</b>	0.39	0.93	3493	2.4	12.6	<b>5.6</b>	0.28	0.69	C25
Nose, sinuses etc.	480	0.3	1.8	<b>1.1</b>	0.07	0.12	169	0.1	0.6	<b>0.3</b>	0.02	0.03	C30-31
Larynx	2784	1.6	10.5	<b>6.1</b>	0.41	0.78	471	0.3	1.7	<b>1.0</b>	0.08	0.13	C32
Trachea, bronchus, and lung	28126	16.0	105.8	<b>56.0</b>	2.86	7.12	10838	7.4	39.2	<b>21.3</b>	1.46	2.71	C33-34
Other thoracic organs	188	0.1	0.7	<b>0.5</b>	0.03	0.05	128	0.1	0.5	<b>0.3</b>	0.02	0.03	C37-38
Bone	316	0.2	1.2	<b>1.1</b>	0.07	0.09	311	0.2	1.1	<b>1.0</b>	0.07	0.08	C40-41
Melanoma of skin	4345	2.5	16.3	<b>10.5</b>	0.71	1.12	6187	4.2	22.4	<b>15.3</b>	1.14	1.49	C43
Other skin	44883		168.8	<b>84.1</b>	3.63	9.33	45033		162.8	<b>76.5</b>	4.54	8.51	C44
Mesothelioma	1070	0.6	4.0	<b>2.0</b>	0.08	0.26	241	0.2	0.9	<b>0.4</b>	0.02	0.05	C45
Kaposi sarcoma	176	0.1	0.7	<b>0.5</b>	0.03	0.04	48	0.0	0.2	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	881	0.5	3.3	<b>2.3</b>	0.14	0.21	735	0.5	2.7	<b>1.7</b>	0.11	0.15	C47+C49
Breast	426	0.2	1.6	<b>0.9</b>	0.05	0.10	51362	34.9	185.7	<b>109.2</b>	8.23	12.38	C50
Vulva							1102	0.7	4.0	<b>1.8</b>	0.10	0.18	C51
Vagina							208	0.1	0.8	<b>0.3</b>	0.02	0.04	C52
Cervix uteri							3135	2.1	11.3	<b>7.8</b>	0.62	0.78	C53
Corpus uteri							7216	4.9	26.1	<b>12.7</b>	0.74	1.66	C54
Uterus unspecified							54	0.0	0.2	<b>0.1</b>	0.00	0.01	C55
Ovary							4171	2.8	15.1	<b>8.1</b>	0.53	0.94	C56
Other female genital organs							289	0.2	1.0	<b>0.5</b>	0.04	0.07	C57
Placenta							34	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	413	0.2	1.6	<b>0.8</b>	0.05	0.09							C60
Prostate	43685	24.9	164.3	<b>87.6</b>	4.18	11.76							C61
Testis	1646	0.9	6.2	<b>6.0</b>	0.45	0.46							C62
Other male genital organs	66	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	4866	2.8	18.3	<b>10.7</b>	0.65	1.29	2857	1.9	10.3	<b>5.3</b>	0.31	0.62	C64
Renal pelvis	540	0.3	2.0	<b>1.0</b>	0.04	0.12	371	0.3	1.3	<b>0.5</b>	0.02	0.05	C65
Ureter	374	0.2	1.4	<b>0.7</b>	0.03	0.08	179	0.1	0.6	<b>0.2</b>	0.01	0.03	C66
†Bladder	16400	9.3	61.7	<b>30.4</b>	1.25	3.58	4301	2.9	15.6	<b>6.4</b>	0.32	0.76	C67
Other urinary organs	91	0.1	0.3	<b>0.2</b>	0.01	0.01	35	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	297	0.2	1.1	<b>0.8</b>	0.05	0.08	305	0.2	1.1	<b>0.8</b>	0.05	0.07	C69
Brain and nervous system	2319	1.3	8.7	<b>6.3</b>	0.41	0.64	1740	1.2	6.3	<b>4.4</b>	0.28	0.44	C70-72
Thyroid	1169	0.7	4.4	<b>3.1</b>	0.23	0.32	3214	2.2	11.6	<b>8.9</b>	0.69	0.86	C73
Adrenal gland	142	0.1	0.5	<b>0.6</b>	0.03	0.04	129	0.1	0.5	<b>0.5</b>	0.03	0.03	C74
Other endocrine	53	0.0	0.2	<b>0.2</b>	0.01	0.01	44	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	891	0.5	3.4	<b>3.0</b>	0.21	0.25	661	0.4	2.4	<b>2.3</b>	0.16	0.18	C81
Non-Hodgkin lymphoma	5171	2.9	19.4	<b>11.6</b>	0.65	1.26	4473	3.0	16.2	<b>8.3</b>	0.47	0.91	C82-86,C96
Immunoproliferative diseases	585	0.3	2.2	<b>1.2</b>	0.06	0.14	481	0.3	1.7	<b>0.9</b>	0.05	0.10	C88
Multiple myeloma	2013	1.1	7.6	<b>4.0</b>	0.20	0.49	1641	1.1	5.9	<b>2.6</b>	0.13	0.32	C90
Lymphoid leukaemia	2552	1.5	9.6	<b>6.4</b>	0.35	0.66	1730	1.2	6.3	<b>3.8</b>	0.22	0.38	C91
Myeloid leukaemia	2040	1.2	7.7	<b>4.5</b>	0.24	0.46	1614	1.1	5.8	<b>3.3</b>	0.19	0.34	C92-94
Leukaemia unspecified	48	0.0	0.2	<b>0.1</b>	0.00	0.01	38	0.0	0.1	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	1348	0.8	5.1	<b>2.9</b>	0.15	0.32	1305	0.9	4.7	<b>2.3</b>	0.13	0.26	MPD
Myelodysplastic syndromes	1764	1.0	6.6	<b>3.1</b>	0.10	0.33	1279	0.9	4.6	<b>1.8</b>	0.08	0.19	MDS
Other and unspecified	2942	1.7	11.1	<b>5.9</b>	0.31	0.66	2521	1.7	9.1	<b>3.9</b>	0.21	0.44	O&U
All sites	220465		829.2	<b>448.2</b>	22.78	53.42	192296		695.3	<b>365.6</b>	23.89	41.12	C00-96
All sites except C44	175582	100.0	660.4	<b>364.1</b>	19.16	44.08	147263	100.0	532.4	<b>289.1</b>	19.36	32.61	C00-96 exc. C44

†\*See note following population pyramid

# Bulgaria

## CONTRIBUTORS

Zdravka Valerianova  
Nadya Dimitrova  
Minka Yordanova



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	51.3	Breast	54.5
Non-melanoma skin cancer	29.1	Non-melanoma skin cancer	20.3
Prostate	27.8	Cervix uteri	19.6
Colon	20.9	Corpus uteri	16.9
Bladder	18.0	Colon	14.1
Rectum	16.5	Ovary	12.3
Stomach	14.3	Trachea, bronchus, and lung	8.7
Other and unspecified	13.3	Rectum	8.4
Pancreas	9.7	Other and unspecified	6.6
Larynx	9.6	Stomach	6.6
Kidney	7.8	Pancreas	5.3
Brain and nervous system	6.9	Brain and nervous system	5.0
Liver	6.2	Thyroid	4.8
Testis	5.1	Bladder	3.9
Non-Hodgkin lymphoma	5.0	Non-Hodgkin lymphoma	3.7
Melanoma of skin	3.9	Melanoma of skin	3.5
Lymphoid leukaemia	3.7	Kidney	3.3
Oesophagus	2.7	Lymphoid leukaemia	2.6
Myeloid leukaemia	2.3	Liver	2.1
Hodgkin lymphoma	2.0	Gallbladder etc.	1.9
All sites	283.1	All sites	222.0

## Bulgaria (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	680	0.8	3.7	1.9	0.09	0.23	241	0.3	1.3	0.4	0.01	0.05	C00
Tongue	521	0.6	2.9	1.8	0.16	0.21	137	0.2	0.7	0.4	0.03	0.05	C01-02
Mouth	580	0.7	3.2	2.0	0.17	0.24	159	0.2	0.8	0.4	0.03	0.05	C03-06
Salivary glands	237	0.3	1.3	0.7	0.04	0.08	176	0.2	0.9	0.5	0.03	0.05	C07-08
Tonsil	367	0.4	2.0	1.3	0.11	0.15	73	0.1	0.4	0.2	0.02	0.02	C09
Other oropharynx	189	0.2	1.0	0.6	0.06	0.08	33	0.0	0.2	0.1	0.01	0.01	C10
Nasopharynx	291	0.4	1.6	1.1	0.09	0.12	101	0.1	0.5	0.3	0.03	0.04	C11
Hypopharynx	375	0.5	2.1	1.3	0.11	0.16	40	0.1	0.2	0.1	0.01	0.01	C12-13
Pharynx unspecified	123	0.1	0.7	0.4	0.03	0.05	24	0.0	0.1	0.0	0.00	0.01	C14
Oesophagus	866	1.1	4.8	2.7	0.19	0.35	206	0.3	1.1	0.5	0.03	0.05	C15
Stomach	4983	6.1	27.5	14.3	0.73	1.77	3115	4.3	16.2	6.6	0.33	0.76	C16
Small intestine	161	0.2	0.9	0.5	0.04	0.06	136	0.2	0.7	0.4	0.03	0.04	C17
Colon	7253	8.8	40.0	20.9	1.06	2.65	6278	8.6	32.6	14.1	0.79	1.71	C18
Rectum	5673	6.9	31.3	16.5	0.90	2.13	3616	4.9	18.8	8.4	0.50	1.04	C19-20
Anus	98	0.1	0.5	0.3	0.02	0.04	154	0.2	0.8	0.4	0.03	0.05	C21
Liver	2039	2.5	11.2	6.2	0.38	0.76	976	1.3	5.1	2.1	0.10	0.23	C22
Gallbladder etc.	548	0.7	3.0	1.6	0.08	0.18	913	1.2	4.7	1.9	0.09	0.24	C23-24
Pancreas	3240	3.9	17.9	9.7	0.59	1.20	2494	3.4	13.0	5.3	0.28	0.65	C25
Nose, sinuses etc.	206	0.3	1.1	0.7	0.05	0.08	91	0.1	0.5	0.2	0.02	0.03	C30-31
Larynx	2897	3.5	16.0	9.6	0.75	1.23	193	0.3	1.0	0.6	0.05	0.06	C32
Trachea, bronchus, and lung	16282	19.8	89.8	51.3	3.49	6.79	3405	4.6	17.7	8.7	0.62	1.04	C33-34
Other thoracic organs	162	0.2	0.9	0.6	0.04	0.06	92	0.1	0.5	0.3	0.02	0.03	C37-38
Bone	238	0.3	1.3	1.1	0.07	0.10	177	0.2	0.9	0.7	0.05	0.06	C40-41
Melanoma of skin	1205	1.5	6.6	3.9	0.25	0.44	1181	1.6	6.1	3.5	0.25	0.36	C43
Other skin	10785		59.5	29.1	1.19	3.29	9718		50.5	20.3	1.00	2.30	C44
Mesothelioma	156	0.2	0.9	0.5	0.03	0.07	108	0.1	0.6	0.3	0.02	0.04	C45
Kaposi sarcoma	46	0.1	0.3	0.1	0.01	0.01	18	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	487	0.6	2.7	1.8	0.11	0.18	473	0.6	2.5	1.7	0.11	0.16	C47+C49
Breast	232	0.3	1.3	0.7	0.04	0.08	18787	25.7	97.6	54.5	4.12	6.16	C50
Vulva							576	0.8	3.0	1.2	0.06	0.14	C51
Vagina							152	0.2	0.8	0.4	0.03	0.05	C52
Cervix uteri							5557	7.6	28.9	19.6	1.65	1.98	C53
Corpus uteri							6187	8.4	32.1	16.9	1.28	2.10	C54
Uterus unspecified							216	0.3	1.1	0.6	0.04	0.06	C55
Ovary							4072	5.6	21.1	12.3	0.95	1.36	C56
Other female genital organs							76	0.1	0.4	0.2	0.02	0.02	C57
Placenta							15	0.0	0.1	0.1	0.01	0.01	C58
Penis	262	0.3	1.4	0.8	0.04	0.10							C60
Prostate	10806	13.1	59.6	27.8	0.87	3.49							C61
Testis	1072	1.3	5.9	5.1	0.38	0.41							C62
Other male genital organs	22	0.0	0.1	0.1	0.00	0.01							C63
Kidney	2311	2.8	12.7	7.8	0.53	0.93	1143	1.6	5.9	3.3	0.22	0.38	C64
Renal pelvis	179	0.2	1.0	0.6	0.04	0.07	107	0.1	0.6	0.2	0.01	0.03	C65
Ureter	70	0.1	0.4	0.2	0.01	0.03	32	0.0	0.2	0.1	0.00	0.01	C66
†Bladder	6108	7.4	33.7	18.0	0.97	2.27	1679	2.3	8.7	3.9	0.23	0.47	C67
Other urinary organs	22	0.0	0.1	0.1	0.00	0.01	22	0.0	0.1	0.0	0.00	0.01	C68
Eye	126	0.2	0.7	0.5	0.03	0.05	123	0.2	0.6	0.4	0.02	0.04	C69
Brain and nervous system	1834	2.2	10.1	6.9	0.47	0.73	1607	2.2	8.3	5.0	0.32	0.54	C70-72
Thyroid	312	0.4	1.7	1.2	0.09	0.12	1245	1.7	6.5	4.8	0.39	0.46	C73
Adrenal gland	54	0.1	0.3	0.3	0.02	0.02	55	0.1	0.3	0.2	0.02	0.02	C74
Other endocrine	11	0.0	0.1	0.1	0.00	0.00	16	0.0	0.1	0.1	0.00	0.01	C75
Hodgkin lymphoma	419	0.5	2.3	2.0	0.14	0.17	367	0.5	1.9	1.8	0.12	0.14	C81
Non-Hodgkin lymphoma	1394	1.7	7.7	5.0	0.32	0.55	1303	1.8	6.8	3.7	0.24	0.42	C82-86,C96
Immunoproliferative diseases	21	0.0	0.1	0.1	0.00	0.01	14	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	496	0.6	2.7	1.6	0.10	0.20	472	0.6	2.5	1.2	0.09	0.15	C90
Lymphoid leukaemia	851	1.0	4.7	3.7	0.20	0.35	643	0.9	3.3	2.6	0.14	0.22	C91
Myeloid leukaemia	672	0.8	3.7	2.3	0.14	0.26	564	0.8	2.9	1.8	0.12	0.19	C92-94
Leukaemia unspecified	159	0.2	0.9	0.5	0.03	0.05	132	0.2	0.7	0.3	0.02	0.03	C95
Myeloproliferative disorders	461	0.6	2.5	1.5	0.10	0.19	479	0.7	2.5	1.4	0.09	0.15	MPD
Myelodysplastic syndromes	153	0.2	0.8	0.5	0.02	0.05	130	0.2	0.7	0.3	0.02	0.04	MDS
Other and unspecified	4357	5.3	24.0	13.3	0.81	1.66	2845	3.9	14.8	6.6	0.36	0.76	O&U
All sites	93092		513.2	283.1	16.18	34.48	82944		430.7	222.0	15.07	25.07	C00-96
All sites except C44	82307	100.0	453.8	254.0	14.99	31.19	73226	100.0	380.2	201.7	14.07	22.77	C00-96 exc. C44

† See note following population pyramid

# Croatia

## CONTRIBUTORS

Mario Šekerija  
Ljubica Bubanović  
Petar Novak  
Đurđa Šelendić  
Jelena Lončar



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	58.9	Breast	63.2
Prostate	45.9	Trachea, bronchus, and lung	15.2
Colon	26.5	Colon	14.9
Rectum	20.5	Corpus uteri	14.8
Bladder	20.4	Thyroid	14.1
Stomach	15.4	Ovary	12.1
Kidney	12.6	Cervix uteri	10.6
Pancreas	9.5	Rectum	9.7
Other and unspecified	9.3	Melanoma of skin	7.2
Brain and nervous system	9.1	Stomach	6.8
Larynx	9.0	Brain and nervous system	6.5
Melanoma of skin	8.9	Pancreas	5.8
Liver	8.6	Kidney	5.8
Testis	7.6	Other and unspecified	5.7
Non-Hodgkin lymphoma	7.4	Non-Hodgkin lymphoma	5.6
Lymphoid leukaemia	5.0	Bladder	5.1
Oesophagus	4.9	Gallbladder etc.	3.1
Thyroid	3.7	Lymphoid leukaemia	2.9
Tongue	3.4	Liver	2.8
Myeloid leukaemia	3.2	Myeloid leukaemia	2.1
All sites	323.4	All sites	231.7




## Croatia (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	274	0.5	2.6	<b>1.4</b>	0.07	0.17	135	0.3	1.2	<b>0.4</b>	0.02	0.05	C00
Tongue	569	1.0	5.4	<b>3.4</b>	0.28	0.41	116	0.2	1.0	<b>0.6</b>	0.04	0.07	C01-02
Mouth	525	0.9	5.0	<b>3.1</b>	0.25	0.37	160	0.3	1.4	<b>0.7</b>	0.05	0.07	C03-06
Salivary glands	157	0.3	1.5	<b>0.9</b>	0.04	0.09	98	0.2	0.9	<b>0.4</b>	0.03	0.04	C07-08
Tonsil	251	0.4	2.4	<b>1.5</b>	0.11	0.18	50	0.1	0.4	<b>0.3</b>	0.02	0.03	C09
Other oropharynx	242	0.4	2.3	<b>1.4</b>	0.11	0.18	31	0.1	0.3	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	119	0.2	1.1	<b>0.7</b>	0.05	0.08	38	0.1	0.3	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	513	0.9	4.9	<b>3.0</b>	0.25	0.35	47	0.1	0.4	<b>0.3</b>	0.02	0.03	C12-13
Pharynx unspecified	34	0.1	0.3	<b>0.2</b>	0.02	0.02	4	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	891	1.5	8.5	<b>4.9</b>	0.32	0.60	200	0.4	1.8	<b>0.7</b>	0.04	0.08	C15
Stomach	3041	5.1	28.9	<b>15.4</b>	0.72	1.81	1998	3.9	17.7	<b>6.8</b>	0.32	0.72	C16
Small intestine	133	0.2	1.3	<b>0.7</b>	0.04	0.08	125	0.2	1.1	<b>0.5</b>	0.03	0.06	C17
Colon	5246	8.8	49.8	<b>26.5</b>	1.20	3.25	4048	7.9	35.8	<b>14.9</b>	0.78	1.75	C18
Rectum	3931	6.6	37.3	<b>20.5</b>	1.08	2.58	2534	4.9	22.4	<b>9.7</b>	0.55	1.15	C19-20
Anus	69	0.1	0.7	<b>0.4</b>	0.03	0.05	72	0.1	0.6	<b>0.3</b>	0.02	0.03	C21
Liver	1650	2.8	15.7	<b>8.6</b>	0.41	1.07	868	1.7	7.7	<b>2.8</b>	0.11	0.29	C22
Gallbladder etc.	636	1.1	6.0	<b>3.1</b>	0.12	0.36	940	1.8	8.3	<b>3.1</b>	0.12	0.35	C23-24
Pancreas	1844	3.1	17.5	<b>9.5</b>	0.49	1.14	1690	3.3	15.0	<b>5.8</b>	0.26	0.68	C25
Nose, sinuses etc.	135	0.2	1.3	<b>0.8</b>	0.06	0.09	67	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	1603	2.7	15.2	<b>9.0</b>	0.67	1.13	140	0.3	1.2	<b>0.7</b>	0.05	0.07	C32
Trachea, bronchus, and lung	11275	19.0	107.1	<b>58.9</b>	3.44	7.48	3661	7.2	32.4	<b>15.2</b>	0.98	1.81	C33-34
Other thoracic organs	64	0.1	0.6	<b>0.3</b>	0.02	0.04	41	0.1	0.4	<b>0.2</b>	0.01	0.01	C37-38
Bone	218	0.4	2.1	<b>1.7</b>	0.10	0.15	192	0.4	1.7	<b>1.3</b>	0.08	0.10	C40-41
Melanoma of skin	1494	2.5	14.2	<b>8.9</b>	0.56	1.01	1407	2.7	12.5	<b>7.2</b>	0.52	0.77	C43
Other skin	181		1.7	<b>0.9</b>	0.02	0.07	204		1.8	<b>0.5</b>	0.01	0.02	C44
Mesothelioma	273	0.5	2.6	<b>1.5</b>	0.08	0.19	66	0.1	0.6	<b>0.3</b>	0.02	0.04	C45
Kaposi sarcoma	22	0.0	0.2	<b>0.1</b>	0.01	0.02	10	0.0	0.1	<b>0.0</b>	0.00	0.01	C46
Connective and soft tissue	362	0.6	3.4	<b>2.8</b>	0.16	0.25	342	0.7	3.0	<b>2.1</b>	0.13	0.19	C47+C49
Breast	143	0.2	1.4	<b>0.8</b>	0.04	0.08	12885	25.2	114.0	<b>63.2</b>	4.70	7.18	C50
Vulva							401	0.8	3.5	<b>1.5</b>	0.07	0.17	C51
Vagina							84	0.2	0.7	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							1779	3.5	15.7	<b>10.6</b>	0.84	1.05	C53
Corpus uteri							3274	6.4	29.0	<b>14.8</b>	1.08	1.86	C54
Uterus unspecified							124	0.2	1.1	<b>0.3</b>	0.01	0.02	C55
Ovary							2427	4.7	21.5	<b>12.1</b>	0.88	1.35	C56
Other female genital organs							91	0.2	0.8	<b>0.4</b>	0.03	0.05	C57
Placenta							3	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	153	0.3	1.5	<b>0.8</b>	0.05	0.09							C60
Prostate	9214	15.5	87.5	<b>45.9</b>	1.66	5.99							C61
Testis	859	1.4	8.2	<b>7.6</b>	0.56	0.57							C62
Other male genital organs	20	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	2219	3.7	21.1	<b>12.6</b>	0.78	1.51	1293	2.5	11.4	<b>5.8</b>	0.37	0.67	C64
Renal pelvis	95	0.2	0.9	<b>0.5</b>	0.02	0.06	62	0.1	0.5	<b>0.2</b>	0.01	0.03	C65
Ureter	88	0.1	0.8	<b>0.4</b>	0.02	0.06	55	0.1	0.5	<b>0.2</b>	0.01	0.03	C66
Bladder	4006	6.7	38.0	<b>20.4</b>	1.01	2.39	1346	2.6	11.9	<b>5.1</b>	0.27	0.59	C67
Other urinary organs	21	0.0	0.2	<b>0.1</b>	0.01	0.01	14	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	90	0.2	0.9	<b>0.6</b>	0.04	0.06	96	0.2	0.8	<b>0.4</b>	0.03	0.05	C69
Brain and nervous system	1353	2.3	12.9	<b>9.1</b>	0.56	0.93	1279	2.5	11.3	<b>6.5</b>	0.39	0.64	C70-72
Thyroid	556	0.9	5.3	<b>3.7</b>	0.29	0.39	2136	4.2	18.9	<b>14.1</b>	1.14	1.38	C73
Adrenal gland	66	0.1	0.6	<b>0.5</b>	0.02	0.05	58	0.1	0.5	<b>0.4</b>	0.03	0.03	C74
Other endocrine	31	0.1	0.3	<b>0.2</b>	0.01	0.02	31	0.1	0.3	<b>0.2</b>	0.01	0.02	C75
Hodgkin lymphoma	234	0.4	2.2	<b>2.0</b>	0.14	0.16	252	0.5	2.2	<b>2.1</b>	0.14	0.16	C81
Non-Hodgkin lymphoma	1193	2.0	11.3	<b>7.4</b>	0.45	0.77	1196	2.3	10.6	<b>5.6</b>	0.35	0.60	C82-86,C96
Immunoproliferative diseases	41	0.1	0.4	<b>0.2</b>	0.01	0.03	25	0.0	0.2	<b>0.1</b>	0.00	0.01	C88
Multiple myeloma	483	0.8	4.6	<b>2.5</b>	0.12	0.31	447	0.9	4.0	<b>1.7</b>	0.09	0.20	C90
Lymphoid leukaemia	684	1.1	6.5	<b>5.0</b>	0.23	0.43	513	1.0	4.5	<b>2.9</b>	0.13	0.23	C91
Myeloid leukaemia	536	0.9	5.1	<b>3.2</b>	0.16	0.33	477	0.9	4.2	<b>2.1</b>	0.12	0.23	C92-94
Leukaemia unspecified	46	0.1	0.4	<b>0.2</b>	0.01	0.02	30	0.1	0.3	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1785	3.0	17.0	<b>9.3</b>	0.45	1.03	1743	3.4	15.4	<b>5.7</b>	0.24	0.58	O&U
All sites	59668		566.7	<b>323.4</b>	17.36	38.53	51405		454.9	<b>231.7</b>	15.22	25.70	C00-96
All sites except C44	59487	100.0	565.0	<b>322.5</b>	17.34	38.46	51201	100.0	453.1	<b>231.3</b>	15.21	25.68	C00-96 exc. C44

# Cyprus

## CONTRIBUTORS

Pavlos Pavlou  
Anna Demetriou  
Christiana Soteriou



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	65.1	Breast	78.5
Trachea, bronchus, and lung	33.4	Thyroid	29.9
Bladder	22.6	Colon	15.0
Colon	22.1	Corpus uteri	13.5
Non-Hodgkin lymphoma	9.5	Trachea, bronchus, and lung	8.7
Rectum	9.3	Non-Hodgkin lymphoma	8.4
Thyroid	7.7	Ovary	8.3
Stomach	7.7	Cervix uteri	5.3
Pancreas	6.7	Stomach	4.8
Testis	6.6	Rectum	4.7
Kidney	6.3	Melanoma of skin	4.6
Other and unspecified	6.0	Other and unspecified	4.4
Lymphoid leukaemia	5.8	Bladder	3.9
Melanoma of skin	5.3	Brain and nervous system	3.8
Brain and nervous system	5.2	Pancreas	3.8
Larynx	4.8	Hodgkin lymphoma	3.6
Liver	4.5	Kidney	3.4
Myeloid leukaemia	3.6	Lymphoid leukaemia	3.0
Hodgkin lymphoma	3.3	Connective and soft tissue	2.6
Multiple myeloma	3.3	Multiple myeloma	2.6
All sites	260.9	All sites	229.5

## Cyprus (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	18	0.2	0.9	<b>0.6</b>	0.05	0.07	9	0.1	0.4	<b>0.2</b>	0.00	0.02	C00
Tongue	38	0.5	1.9	<b>1.3</b>	0.08	0.13	20	0.3	0.9	<b>0.6</b>	0.04	0.05	C01-02
Mouth	28	0.3	1.4	<b>1.0</b>	0.05	0.11	21	0.3	1.0	<b>0.6</b>	0.04	0.06	C03-06
Salivary glands	22	0.3	1.1	<b>0.6</b>	0.03	0.05	16	0.2	0.7	<b>0.4</b>	0.02	0.03	C07-08
Tonsil	10	0.1	0.5	<b>0.4</b>	0.04	0.04	5	0.1	0.2	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	7	0.1	0.3	<b>0.2</b>	0.01	0.03	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	19	0.2	0.9	<b>0.8</b>	0.05	0.08	7	0.1	0.3	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	3	0.0	0.1	<b>0.1</b>	0.00	0.01	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C12-13
Pharynx unspecified	1	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	35	0.4	1.7	<b>1.1</b>	0.07	0.13	16	0.2	0.7	<b>0.4</b>	0.03	0.05	C15
Stomach	245	3.0	12.0	<b>7.7</b>	0.40	0.92	188	2.5	8.8	<b>4.8</b>	0.26	0.50	C16
Small intestine	18	0.2	0.9	<b>0.6</b>	0.04	0.08	14	0.2	0.7	<b>0.4</b>	0.02	0.06	C17
Colon	726	8.9	35.6	<b>22.1</b>	0.98	2.58	567	7.7	26.4	<b>15.0</b>	0.77	1.68	C18
Rectum	304	3.7	14.9	<b>9.3</b>	0.44	1.10	168	2.3	7.8	<b>4.7</b>	0.24	0.57	C19-20
Anus	12	0.1	0.6	<b>0.4</b>	0.02	0.04	22	0.3	1.0	<b>0.6</b>	0.03	0.09	C21
Liver	153	1.9	7.5	<b>4.5</b>	0.18	0.49	69	0.9	3.2	<b>1.7</b>	0.06	0.19	C22
Gallbladder etc.	53	0.6	2.6	<b>1.5</b>	0.04	0.18	69	0.9	3.2	<b>1.7</b>	0.06	0.21	C23-24
Pancreas	211	2.6	10.4	<b>6.7</b>	0.35	0.77	146	2.0	6.8	<b>3.8</b>	0.17	0.43	C25
Nose, sinuses etc.	9	0.1	0.4	<b>0.3</b>	0.02	0.03	2	0.0	0.1	<b>0.1</b>	0.00	0.00	C30-31
Larynx	148	1.8	7.3	<b>4.8</b>	0.28	0.62	9	0.1	0.4	<b>0.3</b>	0.01	0.04	C32
Trachea, bronchus, and lung	1077	13.1	52.8	<b>33.4</b>	1.56	4.28	310	4.2	14.4	<b>8.7</b>	0.49	1.05	C33-34
Other thoracic organs	12	0.1	0.6	<b>0.4</b>	0.03	0.04	10	0.1	0.5	<b>0.3</b>	0.02	0.03	C37-38
Bone	28	0.3	1.4	<b>1.3</b>	0.07	0.12	24	0.3	1.1	<b>1.0</b>	0.07	0.08	C40-41
Melanoma of skin	156	1.9	7.7	<b>5.3</b>	0.32	0.56	142	1.9	6.6	<b>4.6</b>	0.31	0.50	C43
Other skin	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	42	0.5	2.1	<b>1.3</b>	0.03	0.16	11	0.1	0.5	<b>0.3</b>	0.02	0.03	C45
Kaposi sarcoma	13	0.2	0.6	<b>0.4</b>	0.02	0.02	4	0.1	0.2	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	66	0.8	3.2	<b>2.3</b>	0.13	0.19	77	1.0	3.6	<b>2.6</b>	0.17	0.25	C47+C49
Breast	27	0.3	1.3	<b>0.9</b>	0.06	0.09	2432	32.8	113.4	<b>78.5</b>	5.87	8.84	C50
Vulva							49	0.7	2.3	<b>1.2</b>	0.03	0.15	C51
Vagina							9	0.1	0.4	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							148	2.0	6.9	<b>5.3</b>	0.43	0.49	C53
Corpus uteri							446	6.0	20.8	<b>13.5</b>	0.91	1.69	C54
Uterus unspecified							27	0.4	1.3	<b>0.7</b>	0.03	0.05	C55
Ovary							271	3.7	12.6	<b>8.3</b>	0.57	0.92	C56
Other female genital organs							9	0.1	0.4	<b>0.3</b>	0.02	0.03	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	39	0.5	1.9	<b>1.2</b>	0.05	0.14							C60
Prostate	2191	26.7	107.5	<b>65.1</b>	2.47	8.24							C61
Testis	149	1.8	7.3	<b>6.6</b>	0.48	0.50							C62
Other male genital organs	1	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	185	2.3	9.1	<b>6.3</b>	0.42	0.66	105	1.4	4.9	<b>3.4</b>	0.23	0.38	C64
Renal pelvis	3	0.0	0.1	<b>0.1</b>	0.00	0.01	7	0.1	0.3	<b>0.2</b>	0.01	0.02	C65
Ureter	6	0.1	0.3	<b>0.2</b>	0.00	0.03	2	0.0	0.1	<b>0.1</b>	0.00	0.00	C66
†Bladder	739	9.0	36.3	<b>22.6</b>	1.03	2.79	147	2.0	6.9	<b>3.9</b>	0.18	0.40	C67
Other urinary organs	4	0.0	0.2	<b>0.1</b>	0.00	0.00	1	0.0	0.0	<b>0.0</b>	0.00	0.01	C68
Eye	7	0.1	0.3	<b>0.3</b>	0.03	0.03	6	0.1	0.3	<b>0.1</b>	0.00	0.02	C69
Brain and nervous system	139	1.7	6.8	<b>5.2</b>	0.33	0.57	121	1.6	5.6	<b>3.8</b>	0.21	0.40	C70-72
Thyroid	190	2.3	9.3	<b>7.7</b>	0.61	0.73	791	10.7	36.9	<b>29.9</b>	2.42	2.86	C73
Adrenal gland	5	0.1	0.2	<b>0.2</b>	0.02	0.02	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C74
Other endocrine	1	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	71	0.9	3.5	<b>3.3</b>	0.22	0.26	84	1.1	3.9	<b>3.6</b>	0.24	0.26	C81
Non-Hodgkin lymphoma	281	3.4	13.8	<b>9.5</b>	0.60	1.06	287	3.9	13.4	<b>8.4</b>	0.52	0.95	C82-86,C96
Immunoproliferative diseases	12	0.1	0.6	<b>0.4</b>	0.03	0.05	11	0.1	0.5	<b>0.4</b>	0.02	0.04	C88
Multiple myeloma	110	1.3	5.4	<b>3.3</b>	0.15	0.38	96	1.3	4.5	<b>2.6</b>	0.12	0.31	C90
Lymphoid leukaemia	138	1.7	6.8	<b>5.8</b>	0.33	0.52	80	1.1	3.7	<b>3.0</b>	0.16	0.26	C91
Myeloid leukaemia	107	1.3	5.2	<b>3.6</b>	0.20	0.36	82	1.1	3.8	<b>2.4</b>	0.14	0.27	C92-94
Leukaemia unspecified	22	0.3	1.1	<b>0.6</b>	0.01	0.05	20	0.3	0.9	<b>0.4</b>	0.01	0.02	C95
Myeloproliferative disorders	36	0.4	1.8	<b>1.1</b>	0.04	0.13	34	0.5	1.6	<b>1.0</b>	0.06	0.09	MPD
Myelodysplastic syndromes	79	1.0	3.9	<b>2.1</b>	0.05	0.22	30	0.4	1.4	<b>0.6</b>	0.01	0.05	MDS
Other and unspecified	207	2.5	10.2	<b>6.0</b>	0.25	0.60	183	2.5	8.5	<b>4.4</b>	0.17	0.41	O&U
All sites	8203		402.4	<b>260.9</b>	12.72	30.27	7409		345.3	<b>229.5</b>	15.28	24.93	C00-96
All sites except C44	8203	100.0	402.4	<b>260.9</b>	12.72	30.27	7409	100.0	345.3	<b>229.5</b>	15.28	24.93	C00-96 exc. C44

† See note following population pyramid

# Czech Republic

## CONTRIBUTORS

Ladislav Dusek  
 Jitka Abrahamova  
 Jiri Novak  
 Jaroslava Barkmanova  
 Milena Rousarova  
 Jan Stritesky  
 Jan Muzik  
 Miroslav Zvolsky



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	74.7	Breast	65.3
Prostate	71.8	Non-melanoma skin cancer	59.0
Trachea, bronchus, and lung	51.2	Corpus uteri	18.1
Colon	29.5	Trachea, bronchus, and lung	17.3
Rectum	23.2	Colon	16.6
Kidney	21.6	Cervix uteri	12.7
Bladder	20.2	Ovary	11.4
Melanoma of skin	12.7	Melanoma of skin	10.7
Pancreas	11.8	Rectum	10.5
Stomach	10.4	Thyroid	10.3
Non-Hodgkin lymphoma	8.6	Kidney	9.4
Other and unspecified	8.3	Pancreas	8.0
Testis	7.6	Non-Hodgkin lymphoma	6.4
Liver	6.7	Other and unspecified	6.1
Brain and nervous system	6.6	Stomach	5.5
Oesophagus	5.8	Bladder	5.4
Larynx	5.6	Brain and nervous system	4.9
Lymphoid leukaemia	5.4	Gallbladder etc.	4.3
Gallbladder etc.	3.6	Lymphoid leukaemia	2.8
Thyroid	2.9	Liver	2.5
All sites	420.9	All sites	309.2

## Czech Republic (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	299	0.2	1.2	<b>0.6</b>	0.02	0.08	181	0.1	0.7	<b>0.3</b>	0.01	0.03	C00
Tongue	1110	0.7	4.3	<b>2.7</b>	0.22	0.33	396	0.3	1.5	<b>0.8</b>	0.06	0.10	C01-02
Mouth	1033	0.7	4.0	<b>2.6</b>	0.21	0.31	448	0.3	1.7	<b>0.9</b>	0.07	0.11	C03-06
Salivary glands	340	0.2	1.3	<b>0.8</b>	0.04	0.08	254	0.2	1.0	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	1140	0.8	4.4	<b>2.8</b>	0.23	0.34	391	0.3	1.5	<b>0.8</b>	0.06	0.10	C09
Other oropharynx	365	0.2	1.4	<b>0.9</b>	0.08	0.11	58	0.0	0.2	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	198	0.1	0.8	<b>0.5</b>	0.04	0.06	83	0.1	0.3	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	630	0.4	2.4	<b>1.6</b>	0.13	0.20	76	0.1	0.3	<b>0.2</b>	0.01	0.02	C12-13
Pharynx unspecified	62	0.0	0.2	<b>0.2</b>	0.01	0.02	22	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	2452	1.6	9.5	<b>5.8</b>	0.40	0.72	530	0.4	2.0	<b>1.0</b>	0.06	0.12	C15
Stomach	4727	3.1	18.4	<b>10.4</b>	0.48	1.18	3318	2.6	12.4	<b>5.5</b>	0.27	0.61	C16
Small intestine	490	0.3	1.9	<b>1.1</b>	0.06	0.14	370	0.3	1.4	<b>0.7</b>	0.04	0.07	C17
Colon	13446	8.9	52.2	<b>29.5</b>	1.23	3.58	10144	7.8	38.0	<b>16.6</b>	0.80	1.93	C18
Rectum	10303	6.8	40.0	<b>23.2</b>	1.20	2.91	6080	4.7	22.8	<b>10.5</b>	0.58	1.26	C19-20
Anus	236	0.2	0.9	<b>0.6</b>	0.04	0.06	416	0.3	1.6	<b>0.8</b>	0.06	0.10	C21
Liver	2969	2.0	11.5	<b>6.7</b>	0.32	0.85	1577	1.2	5.9	<b>2.5</b>	0.10	0.28	C22
Gallbladder etc.	1667	1.1	6.5	<b>3.6</b>	0.13	0.41	2902	2.2	10.9	<b>4.3</b>	0.17	0.50	C23-24
Pancreas	5289	3.5	20.5	<b>11.8</b>	0.60	1.44	5011	3.9	18.8	<b>8.0</b>	0.36	0.95	C25
Nose, sinuses etc.	225	0.1	0.9	<b>0.5</b>	0.03	0.07	131	0.1	0.5	<b>0.2</b>	0.01	0.03	C30-31
Larynx	2382	1.6	9.3	<b>5.6</b>	0.42	0.73	300	0.2	1.1	<b>0.6</b>	0.04	0.08	C32
Trachea, bronchus, and lung	22942	15.2	89.1	<b>51.2</b>	2.60	6.75	9805	7.6	36.7	<b>17.3</b>	1.00	2.22	C33-34
Other thoracic organs	274	0.2	1.1	<b>0.7</b>	0.04	0.07	203	0.2	0.8	<b>0.4</b>	0.02	0.04	C37-38
Bone	331	0.2	1.3	<b>1.1</b>	0.07	0.10	267	0.2	1.0	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	5278	3.5	20.5	<b>12.7</b>	0.75	1.41	4766	3.7	17.8	<b>10.7</b>	0.74	1.11	C43
Other skin	34167		132.7	<b>74.7</b>	3.03	8.36	34688		129.9	<b>59.0</b>	3.12	6.65	C44
Mesothelioma	186	0.1	0.7	<b>0.4</b>	0.02	0.05	114	0.1	0.4	<b>0.2</b>	0.01	0.03	C45
Kaposi sarcoma	41	0.0	0.2	<b>0.1</b>	0.00	0.01	16	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	806	0.5	3.1	<b>2.2</b>	0.12	0.21	705	0.5	2.6	<b>1.7</b>	0.11	0.16	C47+C49
Breast	265	0.2	1.0	<b>0.6</b>	0.03	0.07	31568	24.4	118.2	<b>65.3</b>	4.60	7.50	C50
Vulva							1069	0.8	4.0	<b>1.8</b>	0.09	0.20	C51
Vagina							243	0.2	0.9	<b>0.4</b>	0.03	0.05	C52
Cervix uteri							4995	3.9	18.7	<b>12.7</b>	0.99	1.26	C53
Corpus uteri							9365	7.2	35.1	<b>18.1</b>	1.20	2.28	C54
Uterus unspecified							227	0.2	0.9	<b>0.4</b>	0.01	0.04	C55
Ovary							5527	4.3	20.7	<b>11.4</b>	0.79	1.30	C56
Other female genital organs							412	0.3	1.5	<b>0.7</b>	0.04	0.08	C57
Placenta							18	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	432	0.3	1.7	<b>1.0</b>	0.05	0.11							C60
Prostate	32626	21.6	126.8	<b>71.8</b>	3.00	9.69							C61
Testis	2323	1.5	9.0	<b>7.6</b>	0.58	0.60							C62
Other male genital organs	84	0.1	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	9268	6.1	36.0	<b>21.6</b>	1.29	2.65	5275	4.1	19.8	<b>9.4</b>	0.49	1.16	C64
Renal pelvis	385	0.3	1.5	<b>0.9</b>	0.04	0.10	344	0.3	1.3	<b>0.5</b>	0.02	0.07	C65
Ureter	176	0.1	0.7	<b>0.4</b>	0.01	0.04	109	0.1	0.4	<b>0.2</b>	0.01	0.02	C66
†Bladder	9251	6.1	35.9	<b>20.2</b>	0.84	2.43	3287	2.5	12.3	<b>5.4</b>	0.27	0.66	C67
Other urinary organs	65	0.0	0.3	<b>0.1</b>	0.01	0.01	34	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	229	0.2	0.9	<b>0.6</b>	0.04	0.07	214	0.2	0.8	<b>0.5</b>	0.03	0.05	C69
Brain and nervous system	2350	1.6	9.1	<b>6.6</b>	0.40	0.68	2077	1.6	7.8	<b>4.9</b>	0.31	0.50	C70-72
Thyroid	1082	0.7	4.2	<b>2.9</b>	0.20	0.32	3849	3.0	14.4	<b>10.3</b>	0.79	1.03	C73
Adrenal gland	87	0.1	0.3	<b>0.3</b>	0.01	0.03	81	0.1	0.3	<b>0.2</b>	0.01	0.02	C74
Other endocrine	21	0.0	0.1	<b>0.1</b>	0.00	0.01	29	0.0	0.1	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	708	0.5	2.8	<b>2.3</b>	0.15	0.20	603	0.5	2.3	<b>1.9</b>	0.13	0.16	C81
Non-Hodgkin lymphoma	3483	2.3	13.5	<b>8.6</b>	0.46	0.93	3445	2.7	12.9	<b>6.4</b>	0.37	0.73	C82-86,C96
Immunoproliferative diseases	138	0.1	0.5	<b>0.3</b>	0.02	0.04	170	0.1	0.6	<b>0.3</b>	0.02	0.04	C88
Multiple myeloma	1180	0.8	4.6	<b>2.6</b>	0.14	0.33	1038	0.8	3.9	<b>1.8</b>	0.09	0.22	C90
Lymphoid leukaemia	2032	1.3	7.9	<b>5.4</b>	0.28	0.57	1313	1.0	4.9	<b>2.8</b>	0.14	0.28	C91
Myeloid leukaemia	971	0.6	3.8	<b>2.4</b>	0.13	0.26	926	0.7	3.5	<b>1.9</b>	0.11	0.20	C92-94
Leukaemia unspecified	699	0.5	2.7	<b>1.6</b>	0.06	0.16	620	0.5	2.3	<b>1.0</b>	0.04	0.09	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	2	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	5	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	3665	2.4	14.2	<b>8.3</b>	0.41	0.93	3844	3.0	14.4	<b>6.1</b>	0.29	0.66	O&U
All sites	184913		718.4	<b>420.9</b>	20.68	50.84	163937		613.9	<b>309.2</b>	18.74	35.25	C00-96
All sites except C44	150746	100.0	585.7	<b>346.2</b>	17.65	42.48	129249	100.0	484.0	<b>250.2</b>	15.62	28.60	C00-96 exc. C44

† See note following population pyramid

# Denmark

## CONTRIBUTORS

Lise Kristine Højsgaard Schmidt  
 Milan Fajber  
 Margit Rasted  
 Gerda Engholm  
 Niels Christensen  
 Hans H. Storm



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	126.5	Non-melanoma skin cancer	124.8
Prostate	82.4	Breast	101.3
Trachea, bronchus, and lung	42.5	Trachea, bronchus, and lung	36.8
Colon	24.7	Melanoma of skin	25.8
Melanoma of skin	20.7	Colon	21.8
Bladder	20.2	Corpus uteri	13.4
Rectum	17.0	Ovary	10.5
Non-Hodgkin lymphoma	12.7	Cervix uteri	10.2
Testis	10.2	Other and unspecified	9.7
Kidney	10.1	Rectum	9.6
Other and unspecified	9.5	Non-Hodgkin lymphoma	8.5
Pancreas	9.4	Pancreas	7.4
Oesophagus	7.0	Bladder	6.1
Stomach	6.9	Brain and nervous system	4.9
Lymphoid leukaemia	6.9	Kidney	4.8
Brain and nervous system	6.4	Thyroid	4.6
Liver	5.0	Lymphoid leukaemia	4.3
Larynx	4.5	Myeloid leukaemia	3.1
Myeloid leukaemia	4.3	Connective and soft tissue	3.1
Multiple myeloma	3.9	Stomach	3.0
All sites	465.0	All sites	440.7

## Denmark (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	128	0.1	0.9	<b>0.5</b>	0.02	0.06	47	0.1	0.3	<b>0.1</b>	0.01	0.02	C00
Tongue	552	0.6	4.0	<b>2.4</b>	0.19	0.31	271	0.3	1.9	<b>1.0</b>	0.07	0.12	C01-02
Mouth	691	0.8	5.0	<b>3.0</b>	0.22	0.37	453	0.5	3.2	<b>1.6</b>	0.11	0.19	C03-06
Salivary glands	155	0.2	1.1	<b>0.7</b>	0.03	0.07	143	0.2	1.0	<b>0.6</b>	0.04	0.07	C07-08
Tonsil	607	0.7	4.4	<b>2.8</b>	0.24	0.34	202	0.2	1.4	<b>0.9</b>	0.07	0.11	C09
Other oropharynx	455	0.5	3.3	<b>2.0</b>	0.16	0.26	165	0.2	1.2	<b>0.7</b>	0.06	0.09	C10
Nasopharynx	93	0.1	0.7	<b>0.5</b>	0.04	0.05	34	0.0	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	404	0.5	2.9	<b>1.7</b>	0.13	0.23	99	0.1	0.7	<b>0.4</b>	0.03	0.05	C12-13
Pharynx unspecified	7	0.0	0.1	<b>0.0</b>	0.00	0.00	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	1772	2.1	12.9	<b>7.0</b>	0.38	0.88	631	0.8	4.5	<b>2.1</b>	0.11	0.26	C15
Stomach	1820	2.1	13.3	<b>6.9</b>	0.34	0.82	918	1.1	6.6	<b>3.0</b>	0.15	0.35	C16
Small intestine	311	0.4	2.3	<b>1.2</b>	0.07	0.14	266	0.3	1.9	<b>1.0</b>	0.06	0.12	C17
Colon	6764	7.9	49.2	<b>24.7</b>	0.98	2.92	7166	8.7	51.3	<b>21.8</b>	0.99	2.55	C18
Rectum	4462	5.2	32.5	<b>17.0</b>	0.81	2.08	2881	3.5	20.6	<b>9.6</b>	0.52	1.15	C19-20
Anus	192	0.2	1.4	<b>0.8</b>	0.06	0.09	423	0.5	3.0	<b>1.7</b>	0.13	0.20	C21
Liver	1236	1.4	9.0	<b>5.0</b>	0.26	0.64	560	0.7	4.0	<b>1.9</b>	0.10	0.21	C22
Gallbladder etc.	447	0.5	3.3	<b>1.6</b>	0.07	0.20	627	0.8	4.5	<b>1.9</b>	0.09	0.22	C23-24
Pancreas	2477	2.9	18.0	<b>9.4</b>	0.44	1.21	2376	2.9	17.0	<b>7.4</b>	0.34	0.90	C25
Nose, sinuses etc.	217	0.3	1.6	<b>0.9</b>	0.06	0.10	165	0.2	1.2	<b>0.6</b>	0.03	0.07	C30-31
Larynx	1093	1.3	8.0	<b>4.5</b>	0.28	0.57	224	0.3	1.6	<b>0.9</b>	0.05	0.11	C32
Trachea, bronchus, and lung	11498	13.5	83.7	<b>42.5</b>	1.87	5.28	10743	13.0	76.9	<b>36.8</b>	1.96	4.68	C33-34
Other thoracic organs	70	0.1	0.5	<b>0.3</b>	0.01	0.03	52	0.1	0.4	<b>0.2</b>	0.01	0.02	C37-38
Bone	148	0.2	1.1	<b>1.0</b>	0.06	0.08	123	0.1	0.9	<b>0.9</b>	0.06	0.06	C40-41
Melanoma of skin	4523	5.3	32.9	<b>20.7</b>	1.33	2.26	5213	6.3	37.3	<b>25.8</b>	1.89	2.52	C43
Other skin	32637		237.6	<b>126.5</b>	6.28	14.46	33844		242.3	<b>124.8</b>	7.74	14.10	C44
Mesothelioma	500	0.6	3.6	<b>1.9</b>	0.08	0.26	94	0.1	0.7	<b>0.3</b>	0.02	0.04	C45
Kaposi sarcoma	23	0.0	0.2	<b>0.1</b>	0.01	0.01	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	766	0.9	5.6	<b>3.8</b>	0.23	0.38	622	0.8	4.5	<b>3.1</b>	0.21	0.30	C47+C49
Breast	154	0.2	1.1	<b>0.6</b>	0.02	0.07	24587	29.8	176.0	<b>101.3</b>	7.46	11.88	C50
Vulva							514	0.6	3.7	<b>1.7</b>	0.10	0.18	C51
Vagina							93	0.1	0.7	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							1863	2.3	13.3	<b>10.2</b>	0.78	0.93	C53
Corpus uteri							3728	4.5	26.7	<b>13.4</b>	0.84	1.70	C54
Uterus unspecified							110	0.1	0.8	<b>0.4</b>	0.02	0.04	C55
Ovary							2745	3.3	19.6	<b>10.5</b>	0.66	1.25	C56
Other female genital organs							157	0.2	1.1	<b>0.6</b>	0.03	0.07	C57
Placenta							5	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	293	0.3	2.1	<b>1.1</b>	0.06	0.13							C60
Prostate	22283	26.1	162.2	<b>82.4</b>	3.33	11.09							C61
Testis	1477	1.7	10.8	<b>10.2</b>	0.78	0.82							C62
Other male genital organs	21	0.0	0.2	<b>0.1</b>	0.00	0.01							C63
Kidney	2366	2.8	17.2	<b>10.1</b>	0.62	1.18	1266	1.5	9.1	<b>4.8</b>	0.29	0.56	C64
Renal pelvis	231	0.3	1.7	<b>0.9</b>	0.03	0.11	157	0.2	1.1	<b>0.5</b>	0.02	0.06	C65
Ureter	83	0.1	0.6	<b>0.3</b>	0.01	0.04	51	0.1	0.4	<b>0.1</b>	0.00	0.02	C66
†Bladder	5574	6.5	40.6	<b>20.2</b>	0.78	2.38	1955	2.4	14.0	<b>6.1</b>	0.27	0.73	C67
Other urinary organs	17	0.0	0.1	<b>0.1</b>	0.01	0.01	20	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	210	0.2	1.5	<b>1.0</b>	0.06	0.11	218	0.3	1.6	<b>1.0</b>	0.06	0.10	C69
Brain and nervous system	1362	1.6	9.9	<b>6.4</b>	0.41	0.69	1088	1.3	7.8	<b>4.9</b>	0.30	0.50	C70-72
Thyroid	318	0.4	2.3	<b>1.7</b>	0.13	0.17	867	1.1	6.2	<b>4.6</b>	0.35	0.44	C73
Adrenal gland	38	0.0	0.3	<b>0.3</b>	0.02	0.02	46	0.1	0.3	<b>0.3</b>	0.01	0.03	C74
Other endocrine	25	0.0	0.2	<b>0.2</b>	0.01	0.01	22	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	385	0.5	2.8	<b>2.4</b>	0.16	0.21	297	0.4	2.1	<b>2.0</b>	0.13	0.16	C81
Non-Hodgkin lymphoma	2955	3.5	21.5	<b>12.7</b>	0.70	1.44	2293	2.8	16.4	<b>8.5</b>	0.47	0.97	C82-86,C96
Immunoproliferative diseases	26	0.0	0.2	<b>0.1</b>	0.01	0.01	18	0.0	0.1	<b>0.1</b>	0.00	0.01	C88
Multiple myeloma	1035	1.2	7.5	<b>3.9</b>	0.18	0.48	821	1.0	5.9	<b>2.7</b>	0.13	0.33	C90
Lymphoid leukaemia	1495	1.8	10.9	<b>6.9</b>	0.34	0.72	1044	1.3	7.5	<b>4.3</b>	0.21	0.40	C91
Myeloid leukaemia	1017	1.2	7.4	<b>4.3</b>	0.21	0.46	806	1.0	5.8	<b>3.1</b>	0.18	0.32	C92-94
Leukaemia unspecified	34	0.0	0.2	<b>0.2</b>	0.01	0.01	35	0.0	0.3	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	9	0.0	0.1	<b>0.0</b>	0.00	0.00	11	0.0	0.1	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2519	3.0	18.3	<b>9.5</b>	0.43	1.02	3113	3.8	22.3	<b>9.7</b>	0.48	1.09	O&U
All sites	117975		858.9	<b>465.0</b>	22.98	55.28	116276		832.3	<b>440.7</b>	27.70	50.37	C00-96
All sites except C44	85338	100.0	621.3	<b>338.5</b>	16.70	40.82	82432	100.0	590.0	<b>315.9</b>	19.96	36.27	C00-96 exc. C44


† See note following population pyramid



# Estonia

## CONTRIBUTORS

Margit Mägi  
Pille Härmaorg  
Mari-Liis Pürjer



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	102.2	Breast	53.1
Trachea, bronchus, and lung	57.1	Non-melanoma skin cancer	37.1
Non-melanoma skin cancer	33.6	Cervix uteri	17.9
Stomach	21.7	Colon	14.8
Colon	19.8	Corpus uteri	14.8
Kidney	17.7	Ovary	11.3
Bladder	16.8	Trachea, bronchus, and lung	10.7
Rectum	15.3	Melanoma of skin	9.9
Pancreas	11.8	Stomach	9.8
Non-Hodgkin lymphoma	8.9	Rectum	8.2
Melanoma of skin	8.4	Kidney	7.8
Other and unspecified	7.7	Pancreas	6.8
Larynx	6.6	Non-Hodgkin lymphoma	5.8
Lymphoid leukaemia	6.4	Thyroid	5.8
Oesophagus	6.2	Brain and nervous system	4.5
Brain and nervous system	6.0	Other and unspecified	4.1
Liver	5.3	Lymphoid leukaemia	3.8
Myeloid leukaemia	4.1	Bladder	3.6
Testis	3.3	Myeloid leukaemia	2.5
Multiple myeloma	2.9	Hodgkin lymphoma	2.4
All sites	393.4	All sites	255.5

## Estonia (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	46	0.3	1.5	<b>0.8</b>	0.03	0.09	25	0.2	0.7	<b>0.2</b>	0.01	0.02	C00
Tongue	118	0.7	3.8	<b>2.5</b>	0.19	0.31	51	0.3	1.4	<b>0.7</b>	0.05	0.08	C01-02
Mouth	130	0.7	4.2	<b>2.9</b>	0.22	0.37	61	0.4	1.7	<b>0.9</b>	0.08	0.11	C03-06
Salivary glands	45	0.3	1.5	<b>0.9</b>	0.04	0.11	41	0.3	1.2	<b>0.5</b>	0.04	0.06	C07-08
Tonsil	48	0.3	1.5	<b>1.1</b>	0.09	0.13	12	0.1	0.3	<b>0.2</b>	0.03	0.03	C09
Other oropharynx	75	0.4	2.4	<b>1.7</b>	0.14	0.23	13	0.1	0.4	<b>0.2</b>	0.02	0.02	C10
Nasopharynx	13	0.1	0.4	<b>0.3</b>	0.03	0.03	13	0.1	0.4	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	97	0.5	3.1	<b>2.1</b>	0.18	0.28	4	0.0	0.1	<b>0.1</b>	0.00	0.01	C12-13
Pharynx unspecified	7	0.0	0.2	<b>0.2</b>	0.01	0.02	3	0.0	0.1	<b>0.1</b>	0.00	0.01	C14
Oesophagus	294	1.6	9.5	<b>6.2</b>	0.40	0.84	65	0.4	1.8	<b>0.7</b>	0.04	0.09	C15
Stomach	1097	6.1	35.4	<b>21.7</b>	1.13	2.70	868	5.4	24.4	<b>9.8</b>	0.53	1.13	C16
Small intestine	45	0.3	1.5	<b>0.9</b>	0.05	0.09	51	0.3	1.4	<b>0.7</b>	0.04	0.08	C17
Colon	1063	5.9	34.3	<b>19.8</b>	0.78	2.33	1438	9.0	40.5	<b>14.8</b>	0.67	1.77	C18
Rectum	798	4.4	25.7	<b>15.3</b>	0.70	1.86	758	4.7	21.3	<b>8.2</b>	0.41	0.99	C19-20
Anus	19	0.1	0.6	<b>0.3</b>	0.01	0.03	65	0.4	1.8	<b>0.8</b>	0.05	0.09	C21
Liver	274	1.5	8.8	<b>5.3</b>	0.24	0.65	201	1.3	5.7	<b>2.1</b>	0.10	0.25	C22
Gallbladder etc.	109	0.6	3.5	<b>2.1</b>	0.10	0.22	162	1.0	4.6	<b>1.7</b>	0.08	0.19	C23-24
Pancreas	600	3.3	19.4	<b>11.8</b>	0.58	1.47	672	4.2	18.9	<b>6.8</b>	0.29	0.81	C25
Nose, sinuses etc.	37	0.2	1.2	<b>0.8</b>	0.05	0.10	22	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	312	1.7	10.1	<b>6.6</b>	0.45	0.82	35	0.2	1.0	<b>0.5</b>	0.04	0.05	C32
Trachea, bronchus, and lung	2932	16.3	94.6	<b>57.1</b>	2.88	7.27	906	5.7	25.5	<b>10.7</b>	0.63	1.31	C33-34
Other thoracic organs	23	0.1	0.7	<b>0.6</b>	0.03	0.06	8	0.1	0.2	<b>0.1</b>	0.01	0.01	C37-38
Bone	40	0.2	1.3	<b>1.0</b>	0.07	0.09	31	0.2	0.9	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	399	2.2	12.9	<b>8.4</b>	0.51	0.90	584	3.6	16.4	<b>9.9</b>	0.70	1.04	C43
Other skin	1754		56.6	<b>33.6</b>	1.39	3.79	3074		86.5	<b>37.1</b>	2.07	4.24	C44
Mesothelioma	13	0.1	0.4	<b>0.2</b>	0.01	0.02	15	0.1	0.4	<b>0.2</b>	0.02	0.02	C45
Kaposi sarcoma	11	0.1	0.4	<b>0.2</b>	0.01	0.02	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	75	0.4	2.4	<b>1.7</b>	0.11	0.18	95	0.6	2.7	<b>1.5</b>	0.11	0.15	C47+C49
Breast	24	0.1	0.8	<b>0.5</b>	0.02	0.06	3412	21.3	96.0	<b>53.1</b>	4.02	6.04	C50
Vulva							123	0.8	3.5	<b>1.2</b>	0.06	0.14	C51
Vagina							35	0.2	1.0	<b>0.5</b>	0.03	0.06	C52
Cervix uteri							937	5.9	26.4	<b>17.9</b>	1.46	1.81	C53
Corpus uteri							1047	6.5	29.5	<b>14.8</b>	1.02	1.82	C54
Uterus unspecified							10	0.1	0.3	<b>0.1</b>	0.00	0.00	C55
Ovary							781	4.9	22.0	<b>11.3</b>	0.79	1.27	C56
Other female genital organs							39	0.2	1.1	<b>0.5</b>	0.03	0.06	C57
Placenta							3	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	52	0.3	1.7	<b>1.1</b>	0.06	0.14							C60
Prostate	5226	29.1	168.6	<b>102.2</b>	4.48	13.76							C61
Testis	115	0.6	3.7	<b>3.3</b>	0.24	0.25							C62
Other male genital organs	7	0.0	0.2	<b>0.2</b>	0.01	0.02							C63
Kidney	867	4.8	28.0	<b>17.7</b>	1.05	2.22	633	4.0	17.8	<b>7.8</b>	0.43	0.96	C64
Renal pelvis	53	0.3	1.7	<b>1.1</b>	0.05	0.15	44	0.3	1.2	<b>0.5</b>	0.03	0.06	C65
Ureter	21	0.1	0.7	<b>0.4</b>	0.02	0.05	20	0.1	0.6	<b>0.2</b>	0.00	0.03	C66
†Bladder	893	5.0	28.8	<b>16.8</b>	0.69	2.03	339	2.1	9.5	<b>3.6</b>	0.18	0.42	C67
Other urinary organs	8	0.0	0.3	<b>0.2</b>	0.00	0.02	5	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	29	0.2	0.9	<b>0.7</b>	0.03	0.08	32	0.2	0.9	<b>0.4</b>	0.02	0.04	C69
Brain and nervous system	250	1.4	8.1	<b>6.0</b>	0.37	0.65	268	1.7	7.5	<b>4.5</b>	0.28	0.45	C70-72
Thyroid	83	0.5	2.7	<b>1.9</b>	0.12	0.22	351	2.2	9.9	<b>5.8</b>	0.43	0.62	C73
Adrenal gland	15	0.1	0.5	<b>0.4</b>	0.02	0.03	14	0.1	0.4	<b>0.2</b>	0.01	0.02	C74
Other endocrine	2	0.0	0.1	<b>0.1</b>	0.01	0.01	3	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	84	0.5	2.7	<b>2.4</b>	0.17	0.19	94	0.6	2.6	<b>2.4</b>	0.17	0.18	C81
Non-Hodgkin lymphoma	405	2.3	13.1	<b>8.9</b>	0.49	0.91	423	2.6	11.9	<b>5.8</b>	0.32	0.64	C82-86,C96
Immunoproliferative diseases	16	0.1	0.5	<b>0.3</b>	0.02	0.03	9	0.1	0.3	<b>0.1</b>	0.01	0.02	C88
Multiple myeloma	148	0.8	4.8	<b>2.9</b>	0.16	0.32	200	1.2	5.6	<b>2.3</b>	0.12	0.29	C90
Lymphoid leukaemia	267	1.5	8.6	<b>6.4</b>	0.32	0.64	231	1.4	6.5	<b>3.8</b>	0.19	0.36	C91
Myeloid leukaemia	180	1.0	5.8	<b>4.1</b>	0.23	0.41	176	1.1	5.0	<b>2.5</b>	0.15	0.26	C92-94
Leukaemia unspecified	4	0.0	0.1	<b>0.1</b>	0.00	0.01	10	0.1	0.3	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	68	0.4	2.2	<b>1.4</b>	0.07	0.18	100	0.6	2.8	<b>1.3</b>	0.07	0.13	MPD
Myelodysplastic syndromes	42	0.2	1.4	<b>0.8</b>	0.02	0.09	47	0.3	1.3	<b>0.5</b>	0.01	0.04	MDS
Other and unspecified	384	2.1	12.4	<b>7.7</b>	0.37	0.90	414	2.6	11.6	<b>4.1</b>	0.18	0.45	O&U
All sites	19717		636.2	<b>393.4</b>	19.43	48.39	19074		536.7	<b>255.5</b>	16.15	28.90	C00-96
All sites except C44	17963	100.0	579.6	<b>359.8</b>	18.04	44.59	16000	100.0	450.2	<b>218.4</b>	14.07	24.66	C00-96 exc. C44

† See note following population pyramid

# France, Bas-Rhin

## CONTRIBUTORS

Michel Velten  
 Florence Binder-Foucard  
 Jérémie Jégu



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	95.8	Breast	96.4
Trachea, bronchus, and lung	50.7	Melanoma of skin	15.8
Colon	24.9	Trachea, bronchus, and lung	15.2
Melanoma of skin	16.3	Colon	15.1
Rectum	15.2	Corpus uteri	14.1
Kidney	15.0	Ovary	8.2
Bladder	14.7	Thyroid	8.1
Non-Hodgkin lymphoma	12.9	Non-Hodgkin lymphoma	7.6
Liver	12.5	Kidney	7.5
Pancreas	9.6	Rectum	7.3
Other and unspecified	9.4	Pancreas	6.6
Testis	8.1	Other and unspecified	5.7
Oesophagus	7.7	Cervix uteri	5.0
Stomach	7.1	Stomach	4.0
Brain and nervous system	5.9	Brain and nervous system	3.9
Lymphoid leukaemia	4.9	Hodgkin lymphoma	3.0
Myeloid leukaemia	4.7	Myeloid leukaemia	2.8
Larynx	4.7	Multiple myeloma	2.7
Mouth	4.6	Liver	2.7
Hypopharynx	4.4	Bladder	2.5
All sites	371.4	All sites	260.2

## \*France, Bas-Rhin (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	11	0.1	0.5	<b>0.3</b>	0.02	0.02	8	0.1	0.4	<b>0.1</b>	0.00	0.01	C00
Tongue	118	0.9	5.5	<b>3.7</b>	0.29	0.45	37	0.4	1.6	<b>0.9</b>	0.04	0.12	C01-02
Mouth	148	1.1	6.9	<b>4.6</b>	0.39	0.57	50	0.5	2.2	<b>1.3</b>	0.10	0.14	C03-06
Salivary glands	25	0.2	1.2	<b>0.7</b>	0.04	0.09	25	0.2	1.1	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	71	0.5	3.3	<b>2.1</b>	0.16	0.27	29	0.3	1.3	<b>0.9</b>	0.09	0.10	C09
Other oropharynx	63	0.5	2.9	<b>2.0</b>	0.16	0.26	12	0.1	0.5	<b>0.3</b>	0.04	0.04	C10
Nasopharynx	13	0.1	0.6	<b>0.4</b>	0.03	0.05	7	0.1	0.3	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	147	1.1	6.8	<b>4.4</b>	0.30	0.54	15	0.1	0.7	<b>0.4</b>	0.03	0.06	C12-13
Pharynx unspecified	27	0.2	1.3	<b>0.9</b>	0.07	0.11	10	0.1	0.4	<b>0.3</b>	0.03	0.03	C14
Oesophagus	280	2.2	13.0	<b>7.7</b>	0.48	0.93	62	0.6	2.7	<b>1.4</b>	0.08	0.15	C15
Stomach	279	2.1	13.0	<b>7.1</b>	0.35	0.80	200	1.9	8.8	<b>4.0</b>	0.23	0.44	C16
Small intestine	49	0.4	2.3	<b>1.3</b>	0.08	0.16	39	0.4	1.7	<b>1.0</b>	0.07	0.13	C17
Colon	948	7.3	44.0	<b>24.9</b>	1.09	3.05	766	7.4	33.8	<b>15.1</b>	0.73	1.74	C18
Rectum	557	4.3	25.9	<b>15.2</b>	0.73	1.85	351	3.4	15.5	<b>7.3</b>	0.38	0.87	C19-20
Anus	14	0.1	0.6	<b>0.4</b>	0.03	0.04	50	0.5	2.2	<b>1.2</b>	0.07	0.14	C21
Liver	462	3.5	21.4	<b>12.5</b>	0.55	1.57	134	1.3	5.9	<b>2.7</b>	0.12	0.31	C22
Gallbladder etc.	72	0.6	3.3	<b>1.8</b>	0.07	0.21	78	0.8	3.4	<b>1.4</b>	0.04	0.18	C23-24
Pancreas	346	2.7	16.1	<b>9.6</b>	0.49	1.24	344	3.3	15.2	<b>6.6</b>	0.29	0.73	C25
Nose, sinuses etc.	28	0.2	1.3	<b>0.8</b>	0.05	0.10	9	0.1	0.4	<b>0.2</b>	0.02	0.02	C30-31
Larynx	162	1.2	7.5	<b>4.7</b>	0.31	0.61	22	0.2	1.0	<b>0.6</b>	0.06	0.07	C32
Trachea, bronchus, and lung	1799	13.8	83.5	<b>50.7</b>	2.88	6.51	620	6.0	27.4	<b>15.2</b>	1.01	1.81	C33-34
Other thoracic organs	16	0.1	0.7	<b>0.5</b>	0.03	0.07	12	0.1	0.5	<b>0.3</b>	0.02	0.04	C37-38
Bone	27	0.2	1.3	<b>1.1</b>	0.06	0.10	15	0.1	0.7	<b>0.6</b>	0.04	0.06	C40-41
Melanoma of skin	519	4.0	24.1	<b>16.3</b>	1.14	1.79	503	4.8	22.2	<b>15.8</b>	1.11	1.53	C43
Other skin	61		2.8	<b>1.6</b>	0.06	0.16	52		2.3	<b>1.1</b>	0.05	0.11	C44
Mesothelioma	37	0.3	1.7	<b>0.9</b>	0.04	0.11	12	0.1	0.5	<b>0.2</b>	0.00	0.03	C45
Kaposi sarcoma	12	0.1	0.6	<b>0.4</b>	0.04	0.04	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	68	0.5	3.2	<b>2.4</b>	0.12	0.22	57	0.5	2.5	<b>1.5</b>	0.08	0.13	C47+C49
Breast	23	0.2	1.1	<b>0.6</b>	0.03	0.06	3473	33.4	153.3	<b>96.4</b>	7.08	11.10	C50
Vulva							51	0.5	2.3	<b>1.0</b>	0.05	0.11	C51
Vagina							14	0.1	0.6	<b>0.3</b>	0.02	0.02	C52
Cervix uteri							169	1.6	7.5	<b>5.0</b>	0.39	0.49	C53
Corpus uteri							574	5.5	25.3	<b>14.1</b>	0.87	1.89	C54
Uterus unspecified							11	0.1	0.5	<b>0.2</b>	0.02	0.03	C55
Ovary							325	3.1	14.3	<b>8.2</b>	0.49	0.99	C56
Other female genital organs							38	0.4	1.7	<b>0.9</b>	0.04	0.11	C57
Placenta							1	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	21	0.2	1.0	<b>0.6</b>	0.03	0.06							C60
Prostate	3424	26.3	158.9	<b>95.8</b>	4.74	13.05							C61
Testis	193	1.5	9.0	<b>8.1</b>	0.63	0.65							C62
Other male genital organs	2	0.0	0.1	<b>0.0</b>	0.00	0.01							C63
Kidney	523	4.0	24.3	<b>15.0</b>	0.87	1.82	326	3.1	14.4	<b>7.5</b>	0.46	0.86	C64
Renal pelvis	42	0.3	1.9	<b>1.1</b>	0.04	0.15	13	0.1	0.6	<b>0.3</b>	0.01	0.04	C65
Ureter	32	0.2	1.5	<b>0.8</b>	0.03	0.10	18	0.2	0.8	<b>0.3</b>	0.01	0.04	C66
Bladder	577	4.4	26.8	<b>14.7</b>	0.54	1.85	137	1.3	6.0	<b>2.5</b>	0.11	0.28	C67
Other urinary organs	8	0.1	0.4	<b>0.2</b>	0.00	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	25	0.2	1.2	<b>0.9</b>	0.05	0.09	26	0.3	1.1	<b>0.8</b>	0.04	0.08	C69
Brain and nervous system	169	1.3	7.8	<b>5.9</b>	0.40	0.57	135	1.3	6.0	<b>3.9</b>	0.24	0.38	C70-72
Thyroid	74	0.6	3.4	<b>2.4</b>	0.18	0.27	247	2.4	10.9	<b>8.1</b>	0.68	0.83	C73
Adrenal gland	7	0.1	0.3	<b>0.5</b>	0.02	0.02	4	0.0	0.2	<b>0.2</b>	0.01	0.01	C74
Other endocrine	3	0.0	0.1	<b>0.2</b>	0.01	0.01	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	60	0.5	2.8	<b>2.4</b>	0.16	0.17	72	0.7	3.2	<b>3.0</b>	0.19	0.22	C81
Non-Hodgkin lymphoma	441	3.4	20.5	<b>12.9</b>	0.74	1.45	333	3.2	14.7	<b>7.6</b>	0.41	0.85	C82-86,C96
Immunoproliferative diseases	62	0.5	2.9	<b>1.7</b>	0.07	0.19	42	0.4	1.9	<b>0.9</b>	0.05	0.10	C88
Multiple myeloma	165	1.3	7.7	<b>4.2</b>	0.23	0.46	141	1.4	6.2	<b>2.7</b>	0.13	0.32	C90
Lymphoid leukaemia	138	1.1	6.4	<b>4.9</b>	0.25	0.37	88	0.8	3.9	<b>2.3</b>	0.14	0.20	C91
Myeloid leukaemia	161	1.2	7.5	<b>4.7</b>	0.21	0.50	127	1.2	5.6	<b>2.8</b>	0.17	0.23	C92-94
Leukaemia unspecified	2	0.0	0.1	<b>0.1</b>	0.01	0.01	3	0.0	0.1	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	77	0.6	3.6	<b>2.1</b>	0.08	0.23	72	0.7	3.2	<b>1.5</b>	0.09	0.17	MPD
Myelodysplastic syndromes	135	1.0	6.3	<b>3.0</b>	0.04	0.28	140	1.3	6.2	<b>2.2</b>	0.07	0.20	MDS
Other and unspecified	357	2.7	16.6	<b>9.4</b>	0.42	1.07	336	3.2	14.8	<b>5.7</b>	0.26	0.60	O&U
All sites	13080		607.2	<b>371.4</b>	19.82	45.36	10438		460.8	<b>260.2</b>	16.87	29.26	C00-96
All sites except C44	13019	100.0	604.4	<b>369.8</b>	19.77	45.20	10386	100.0	458.5	<b>259.2</b>	16.82	29.15	C00-96 exc. C44

\*See note following population pyramid

# France, Calvados

## CONTRIBUTORS

Anne-Valérie Guizard  
 Véronique Bastard-Jaouen  
 Nicolle Avequin  
 Christelle Boizard  
 Cécile Chauveau  
 Khaled Meflah  
 Guy Launoy  
 Véronique Bouvier  
 Gaëlle Morin  
 Joséphine Gardy  
 Xavier Troussard  
 Edouard Cornet



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	96.6	Breast	98.7
Trachea, bronchus, and lung	56.7	Non-melanoma skin cancer	20.7
Non-melanoma skin cancer	30.7	Trachea, bronchus, and lung	15.9
Colon	19.8	Colon	13.6
Bladder	15.1	Thyroid	11.5
Rectum	14.7	Corpus uteri	11.0
Liver	14.5	Melanoma of skin	10.9
Kidney	13.6	Ovary	7.8
Non-Hodgkin lymphoma	10.8	Non-Hodgkin lymphoma	7.7
Oesophagus	10.7	Kidney	7.3
Melanoma of skin	9.7	Rectum	6.6
Pancreas	8.8	Pancreas	5.7
Stomach	7.4	Cervix uteri	5.5
Other and unspecified	7.2	Brain and nervous system	4.8
Lymphoid leukaemia	7.0	Other and unspecified	4.8
Brain and nervous system	6.8	Lymphoid leukaemia	4.7
Larynx	6.6	Myelodysplastic syndromes	3.4
Testis	6.2	Myeloproliferative disorders	3.4
Mouth	5.4	Hodgkin lymphoma	3.2
Hypopharynx	5.3	Multiple myeloma	2.9
All sites	407.4	All sites	282.1

## \*France, Calvados (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	15	0.1	0.9	<b>0.6</b>	0.05	0.07	16	0.2	0.9	<b>0.4</b>	0.02	0.04	C00
Tongue	114	1.0	6.9	<b>4.4</b>	0.33	0.52	46	0.5	2.6	<b>1.6</b>	0.14	0.17	C01-02
Mouth	138	1.3	8.4	<b>5.4</b>	0.46	0.63	55	0.6	3.1	<b>1.6</b>	0.14	0.16	C03-06
Salivary glands	19	0.2	1.2	<b>0.7</b>	0.02	0.08	19	0.2	1.1	<b>0.5</b>	0.03	0.04	C07-08
Tonsil	80	0.7	4.8	<b>3.1</b>	0.24	0.37	20	0.2	1.1	<b>0.7</b>	0.07	0.07	C09
Other oropharynx	89	0.8	5.4	<b>3.6</b>	0.29	0.44	21	0.2	1.2	<b>0.7</b>	0.07	0.09	C10
Nasopharynx	11	0.1	0.7	<b>0.4</b>	0.03	0.04	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C11
Hypopharynx	140	1.3	8.5	<b>5.3</b>	0.43	0.66	9	0.1	0.5	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	5	0.0	0.3	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	314	2.9	19.0	<b>10.7</b>	0.70	1.36	68	0.8	3.8	<b>1.6</b>	0.11	0.17	C15
Stomach	229	2.1	13.9	<b>7.4</b>	0.35	0.87	113	1.3	6.3	<b>2.3</b>	0.10	0.23	C16
Small intestine	28	0.3	1.7	<b>1.0</b>	0.07	0.10	41	0.5	2.3	<b>1.0</b>	0.05	0.13	C17
Colon	646	5.9	39.2	<b>19.8</b>	0.87	2.32	629	7.2	35.3	<b>13.6</b>	0.65	1.55	C18
Rectum	425	3.9	25.8	<b>14.7</b>	0.81	1.91	292	3.3	16.4	<b>6.6</b>	0.37	0.72	C19-20
Anus	18	0.2	1.1	<b>0.7</b>	0.06	0.07	54	0.6	3.0	<b>1.7</b>	0.12	0.20	C21
Liver	441	4.1	26.7	<b>14.5</b>	0.73	1.85	102	1.2	5.7	<b>2.6</b>	0.13	0.33	C22
Gallbladder etc.	98	0.9	5.9	<b>2.8</b>	0.12	0.30	90	1.0	5.0	<b>1.9</b>	0.09	0.24	C23-24
Pancreas	265	2.4	16.1	<b>8.8</b>	0.50	1.08	263	3.0	14.7	<b>5.7</b>	0.30	0.66	C25
Nose, sinuses etc.	23	0.2	1.4	<b>0.9</b>	0.06	0.10	9	0.1	0.5	<b>0.3</b>	0.01	0.04	C30-31
Larynx	171	1.6	10.4	<b>6.6</b>	0.49	0.86	29	0.3	1.6	<b>0.9</b>	0.07	0.10	C32
Trachea, bronchus, and lung	1616	14.9	97.9	<b>56.7</b>	3.57	7.14	533	6.1	29.9	<b>15.9</b>	1.14	1.86	C33-34
Other thoracic organs	16	0.1	1.0	<b>0.5</b>	0.03	0.06	10	0.1	0.6	<b>0.4</b>	0.04	0.04	C37-38
Bone	18	0.2	1.1	<b>1.0</b>	0.07	0.09	16	0.2	0.9	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	257	2.4	15.6	<b>9.7</b>	0.66	1.07	319	3.7	17.9	<b>10.9</b>	0.83	1.07	C43
Other skin	1104		66.9	<b>30.7</b>	1.05	3.19	996		55.8	<b>20.7</b>	0.94	2.18	C44
Mesothelioma	41	0.4	2.5	<b>1.2</b>	0.06	0.13	32	0.4	1.8	<b>0.8</b>	0.04	0.10	C45
Kaposi sarcoma	5	0.0	0.3	<b>0.2</b>	0.02	0.03	1	0.0	0.1	<b>0.0</b>	0.00	0.01	C46
Connective and soft tissue	62	0.6	3.8	<b>2.8</b>	0.19	0.24	63	0.7	3.5	<b>2.1</b>	0.14	0.20	C47+C49
Breast	18	0.2	1.1	<b>0.6</b>	0.03	0.07	2887	33.0	161.9	<b>98.7</b>	7.29	11.36	C50
Vulva							46	0.5	2.6	<b>0.9</b>	0.04	0.10	C51
Vagina							5	0.1	0.3	<b>0.1</b>	0.00	0.00	C52
Cervix uteri							144	1.6	8.1	<b>5.5</b>	0.44	0.56	C53
Corpus uteri							401	4.6	22.5	<b>11.0</b>	0.62	1.43	C54
Uterus unspecified							9	0.1	0.5	<b>0.2</b>	0.00	0.02	C55
Ovary							283	3.2	15.9	<b>7.8</b>	0.45	0.88	C56
Other female genital organs							22	0.3	1.2	<b>0.5</b>	0.03	0.06	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	16	0.1	1.0	<b>0.5</b>	0.03	0.06							C60
Prostate	2883	26.5	174.7	<b>96.6</b>	4.68	13.37							C61
Testis	105	1.0	6.4	<b>6.2</b>	0.45	0.51							C62
Other male genital organs	5	0.0	0.3	<b>0.2</b>	0.01	0.01							C63
Kidney	379	3.5	23.0	<b>13.6</b>	0.85	1.67	238	2.7	13.3	<b>7.3</b>	0.48	0.84	C64
Renal pelvis	25	0.2	1.5	<b>0.9</b>	0.05	0.11	20	0.2	1.1	<b>0.4</b>	0.01	0.05	C65
Ureter	13	0.1	0.8	<b>0.4</b>	0.02	0.05	4	0.0	0.2	<b>0.1</b>	0.00	0.00	C66
Bladder	508	4.7	30.8	<b>15.1</b>	0.66	1.72	129	1.5	7.2	<b>2.4</b>	0.09	0.26	C67
Other urinary organs	9	0.1	0.5	<b>0.3</b>	0.02	0.03	3	0.0	0.2	<b>0.1</b>	0.00	0.01	C68
Eye	25	0.2	1.5	<b>1.0</b>	0.06	0.09	19	0.2	1.1	<b>0.7</b>	0.05	0.05	C69
Brain and nervous system	157	1.4	9.5	<b>6.8</b>	0.45	0.71	132	1.5	7.4	<b>4.8</b>	0.30	0.50	C70-72
Thyroid	75	0.7	4.5	<b>3.4</b>	0.25	0.36	261	3.0	14.6	<b>11.5</b>	0.87	1.16	C73
Adrenal gland	6	0.1	0.4	<b>0.5</b>	0.03	0.03	5	0.1	0.3	<b>0.3</b>	0.01	0.03	C74
Other endocrine	4	0.0	0.2	<b>0.3</b>	0.01	0.02	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	60	0.6	3.6	<b>3.3</b>	0.23	0.27	49	0.6	2.7	<b>3.2</b>	0.20	0.21	C81
Non-Hodgkin lymphoma	320	2.9	19.4	<b>10.8</b>	0.60	1.18	280	3.2	15.7	<b>7.7</b>	0.42	0.89	C82-86,C96
Immunoproliferative diseases	39	0.4	2.4	<b>1.3</b>	0.07	0.15	28	0.3	1.6	<b>0.8</b>	0.06	0.09	C88
Multiple myeloma	128	1.2	7.8	<b>4.3</b>	0.22	0.54	120	1.4	6.7	<b>2.9</b>	0.16	0.33	C90
Lymphoid leukaemia	187	1.7	11.3	<b>7.0</b>	0.33	0.74	162	1.9	9.1	<b>4.7</b>	0.21	0.48	C91
Myeloid leukaemia	121	1.1	7.3	<b>4.0</b>	0.19	0.38	106	1.2	5.9	<b>2.8</b>	0.16	0.27	C92-94
Leukaemia unspecified	4	0.0	0.2	<b>0.2</b>	0.01	0.02	5	0.1	0.3	<b>0.3</b>	0.02	0.02	C95
Myeloproliferative disorders	109	1.0	6.6	<b>3.9</b>	0.24	0.46	125	1.4	7.0	<b>3.4</b>	0.22	0.35	MPD
Myelodysplastic syndromes	186	1.7	11.3	<b>4.8</b>	0.13	0.45	189	2.2	10.6	<b>3.4</b>	0.11	0.38	MDS
Other and unspecified	211	1.9	12.8	<b>7.2</b>	0.41	0.77	210	2.4	11.8	<b>4.8</b>	0.28	0.49	O&U
All sites	11981		726.1	<b>407.4</b>	22.29	49.37	9732		545.6	<b>282.1</b>	18.25	31.34	C00-96
All sites except C44	10877	100.0	659.2	<b>376.7</b>	21.24	46.18	8736	100.0	489.8	<b>261.4</b>	17.31	29.16	C00-96 exc. C44

\*See note following population pyramid

# France, Doubs

## CONTRIBUTORS

Anne-Sophie Woronoff  
 Evelyne Fournier  
 Virginie Champenois  
 Sophie Munier  
 Valérie Queuche  
 Emilie Roux DeKeukeleire  
 Fabienne Dromard  
 Mady Keita  
 Virginie Urbin



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	125.9	Breast	87.6
Trachea, bronchus, and lung	53.5	Trachea, bronchus, and lung	15.8
Colon	22.1	Colon	14.1
Bladder	15.6	Corpus uteri	11.7
Rectum	13.0	Melanoma of skin	11.2
Non-Hodgkin lymphoma	12.5	Thyroid	11.0
Kidney	10.5	Non-Hodgkin lymphoma	8.5
Melanoma of skin	10.3	Ovary	7.9
Liver	10.3	Rectum	6.7
Pancreas	9.6	Cervix uteri	6.3
Testis	8.9	Pancreas	6.2
Lymphoid leukaemia	8.8	Lymphoid leukaemia	5.9
Brain and nervous system	7.4	Kidney	5.4
Stomach	6.7	Brain and nervous system	4.0
Larynx	5.6	Other and unspecified	3.4
Myeloid leukaemia	5.1	Myeloid leukaemia	3.4
Oesophagus	4.5	Liver	2.9
Mouth	4.5	Myeloproliferative disorders	2.8
Hypopharynx	4.4	Multiple myeloma	2.8
Other and unspecified	4.2	Stomach	2.7
All sites	389.4	All sites	249.4



## \*France, Doubs (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	7	0.1	0.5	<b>0.3</b>	0.01	0.03	3	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	53	0.6	4.1	<b>2.6</b>	0.22	0.32	28	0.5	2.1	<b>1.2</b>	0.09	0.14	C01-02
Mouth	86	1.0	6.6	<b>4.5</b>	0.37	0.55	36	0.6	2.7	<b>1.6</b>	0.12	0.18	C03-06
Salivary glands	17	0.2	1.3	<b>0.7</b>	0.02	0.08	18	0.3	1.3	<b>0.9</b>	0.06	0.08	C07-08
Tonsil	63	0.7	4.8	<b>3.3</b>	0.26	0.43	24	0.4	1.8	<b>1.2</b>	0.09	0.12	C09
Other oropharynx	61	0.7	4.7	<b>3.1</b>	0.31	0.35	13	0.2	1.0	<b>0.6</b>	0.05	0.07	C10
Nasopharynx	14	0.2	1.1	<b>0.7</b>	0.07	0.08	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	91	1.1	7.0	<b>4.4</b>	0.34	0.58	11	0.2	0.8	<b>0.5</b>	0.05	0.06	C12-13
Pharynx unspecified	2	0.0	0.2	<b>0.1</b>	0.01	0.02	2	0.0	0.1	<b>0.1</b>	0.01	0.02	C14
Oesophagus	99	1.1	7.6	<b>4.5</b>	0.27	0.55	31	0.5	2.3	<b>1.1</b>	0.06	0.13	C15
Stomach	167	1.9	12.8	<b>6.7</b>	0.31	0.72	100	1.7	7.4	<b>2.7</b>	0.11	0.28	C16
Small intestine	38	0.4	2.9	<b>1.6</b>	0.07	0.21	14	0.2	1.0	<b>0.6</b>	0.04	0.07	C17
Colon	546	6.3	41.9	<b>22.1</b>	0.94	2.60	452	7.5	33.6	<b>14.1</b>	0.69	1.56	C18
Rectum	307	3.6	23.6	<b>13.0</b>	0.68	1.63	200	3.3	14.9	<b>6.7</b>	0.37	0.83	C19-20
Anus	12	0.1	0.9	<b>0.5</b>	0.04	0.06	41	0.7	3.0	<b>1.6</b>	0.12	0.18	C21
Liver	225	2.6	17.3	<b>10.3</b>	0.48	1.28	89	1.5	6.6	<b>2.9</b>	0.15	0.31	C22
Gallbladder etc.	56	0.6	4.3	<b>2.1</b>	0.07	0.25	58	1.0	4.3	<b>1.7</b>	0.08	0.19	C23-24
Pancreas	229	2.7	17.6	<b>9.6</b>	0.45	1.15	219	3.6	16.3	<b>6.2</b>	0.25	0.74	C25
Nose, sinuses etc.	22	0.3	1.7	<b>0.9</b>	0.05	0.08	8	0.1	0.6	<b>0.4</b>	0.02	0.04	C30-31
Larynx	116	1.3	8.9	<b>5.6</b>	0.41	0.65	15	0.2	1.1	<b>0.6</b>	0.04	0.08	C32
Trachea, bronchus, and lung	1195	13.9	91.7	<b>53.5</b>	3.30	6.73	391	6.5	29.1	<b>15.8</b>	1.06	1.88	C33-34
Other thoracic organs	11	0.1	0.8	<b>0.6</b>	0.04	0.05	10	0.2	0.7	<b>0.5</b>	0.04	0.06	C37-38
Bone	11	0.1	0.8	<b>0.8</b>	0.05	0.07	15	0.2	1.1	<b>1.1</b>	0.06	0.09	C40-41
Melanoma of skin	213	2.5	16.4	<b>10.3</b>	0.58	1.17	233	3.9	17.3	<b>11.2</b>	0.77	1.20	C43
Other skin	20		1.5	<b>0.9</b>	0.04	0.09	28		2.1	<b>1.1</b>	0.07	0.10	C44
Mesothelioma	15	0.2	1.2	<b>0.6</b>	0.03	0.06	5	0.1	0.4	<b>0.2</b>	0.00	0.03	C45
Kaposi sarcoma	8	0.1	0.6	<b>0.4</b>	0.02	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	60	0.7	4.6	<b>2.8</b>	0.17	0.28	41	0.7	3.0	<b>2.2</b>	0.13	0.18	C47+C49
Breast	16	0.2	1.2	<b>0.7</b>	0.04	0.11	1902	31.6	141.4	<b>87.6</b>	6.56	10.10	C50
Vulva							32	0.5	2.4	<b>1.1</b>	0.08	0.12	C51
Vagina							7	0.1	0.5	<b>0.2</b>	0.02	0.03	C52
Cervix uteri							120	2.0	8.9	<b>6.3</b>	0.46	0.62	C53
Corpus uteri							298	4.9	22.2	<b>11.7</b>	0.70	1.62	C54
Uterus unspecified							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C55
Ovary							189	3.1	14.1	<b>7.9</b>	0.49	0.98	C56
Other female genital organs							11	0.2	0.8	<b>0.4</b>	0.03	0.05	C57
Placenta							3	0.0	0.2	<b>0.3</b>	0.02	0.02	C58
Penis	12	0.1	0.9	<b>0.5</b>	0.02	0.05							C60
Prostate	2812	32.6	215.9	<b>125.9</b>	6.46	17.68							C61
Testis	119	1.4	9.1	<b>8.9</b>	0.67	0.68							C62
Other male genital organs	1	0.0	0.1	<b>0.0</b>	0.01	0.01							C63
Kidney	223	2.6	17.1	<b>10.5</b>	0.59	1.21	124	2.1	9.2	<b>5.4</b>	0.35	0.61	C64
Renal pelvis	12	0.1	0.9	<b>0.5</b>	0.02	0.05	5	0.1	0.4	<b>0.2</b>	0.01	0.03	C65
Ureter	25	0.3	1.9	<b>1.0</b>	0.03	0.11	4	0.1	0.3	<b>0.1</b>	0.01	0.02	C66
Bladder	393	4.6	30.2	<b>15.6</b>	0.67	1.84	88	1.5	6.5	<b>2.3</b>	0.10	0.24	C67
Other urinary organs	15	0.2	1.2	<b>0.7</b>	0.06	0.07	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	17	0.2	1.3	<b>0.9</b>	0.04	0.11	15	0.2	1.1	<b>0.9</b>	0.05	0.06	C69
Brain and nervous system	135	1.6	10.4	<b>7.4</b>	0.48	0.75	85	1.4	6.3	<b>4.0</b>	0.23	0.43	C70-72
Thyroid	61	0.7	4.7	<b>3.5</b>	0.27	0.37	186	3.1	13.8	<b>11.0</b>	0.91	1.01	C73
Adrenal gland	2	0.0	0.2	<b>0.1</b>	0.01	0.01	3	0.0	0.2	<b>0.4</b>	0.02	0.02	C74
Other endocrine	3	0.0	0.2	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	46	0.5	3.5	<b>3.3</b>	0.23	0.27	31	0.5	2.3	<b>2.4</b>	0.16	0.16	C81
Non-Hodgkin lymphoma	284	3.3	21.8	<b>12.5</b>	0.67	1.29	237	3.9	17.6	<b>8.5</b>	0.51	0.95	C82-86,C96
Immunoproliferative diseases	38	0.4	2.9	<b>1.8</b>	0.11	0.23	38	0.6	2.8	<b>1.3</b>	0.09	0.13	C88
Multiple myeloma	104	1.2	8.0	<b>4.0</b>	0.20	0.43	89	1.5	6.6	<b>2.8</b>	0.16	0.31	C90
Lymphoid leukaemia	182	2.1	14.0	<b>8.8</b>	0.44	0.91	131	2.2	9.7	<b>5.9</b>	0.31	0.60	C91
Myeloid leukaemia	108	1.3	8.3	<b>5.1</b>	0.23	0.50	97	1.6	7.2	<b>3.4</b>	0.18	0.36	C92-94
Leukaemia unspecified	2	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	64	0.7	4.9	<b>2.9</b>	0.18	0.30	69	1.1	5.1	<b>2.8</b>	0.16	0.29	MPD
Myelodysplastic syndromes	117	1.4	9.0	<b>3.9</b>	0.11	0.33	90	1.5	6.7	<b>2.1</b>	0.04	0.23	MDS
Other and unspecified	106	1.2	8.1	<b>4.2</b>	0.18	0.46	109	1.8	8.1	<b>3.4</b>	0.22	0.34	O&U
All sites	8641		663.3	<b>389.4</b>	21.33	47.88	6055		450.2	<b>249.4</b>	16.41	27.93	C00-96
All sites except C44	8621	100.0	661.8	<b>388.6</b>	21.29	47.79	6027	100.0	448.1	<b>248.3</b>	16.34	27.83	C00-96 exc. C44

\*See note following population pyramid

# France, Gironde

## CONTRIBUTORS

Brice Amadeo  
Gaëlle Coureau  
Simone Mathoulin-Pélissier  
Sylvain Maurisset  
Marianne Saves  
Isabelle Baldi  
Anne Cantagrel-Gruber  
Camille Pouchieu  
Sandra Le Guyader  
Alain Monnereau  
Sébastien Orazio  
Patrick Brochard  
Céline Gramond



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

Male		Female	
Prostate	89.0	Breast	96.7
Trachea, bronchus, and lung	56.4	Thyroid	23.4
Colon	23.9	Trachea, bronchus, and lung	19.7
Bladder	15.9	Colon	16.0
Kidney	14.8	Melanoma of skin	12.2
Rectum	13.4	Corpus uteri	10.1
Non-Hodgkin lymphoma	12.9	Non-Hodgkin lymphoma	8.0
Melanoma of skin	12.3	Ovary	7.1
Liver	11.1	Rectum	7.1
Pancreas	8.3	Kidney	6.5
Stomach	7.2	Pancreas	5.8
Thyroid	7.2	Cervix uteri	5.7
Other and unspecified	7.0	Brain and nervous system	4.3
Brain and nervous system	6.8	Other and unspecified	3.9
Lymphoid leukaemia	6.6	Lymphoid leukaemia	3.8
Larynx	6.2	Myeloid leukaemia	3.1
Oesophagus	5.7	Stomach	2.6
Testis	5.6	Multiple myeloma	2.6
Myeloid leukaemia	4.6	Liver	2.5
Multiple myeloma	4.2	Myelodysplastic syndromes	2.4
All sites	367.7	All sites	272.4

## \*France, Gironde (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	24	0.1	0.7	<b>0.3</b>	0.01	0.04	10	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	166	0.8	4.8	<b>3.1</b>	0.24	0.37	76	0.4	2.0	<b>1.2</b>	0.10	0.13	C01-02
Mouth	218	1.0	6.2	<b>3.9</b>	0.33	0.44	109	0.6	2.9	<b>1.4</b>	0.10	0.15	C03-06
Salivary glands	46	0.2	1.3	<b>0.9</b>	0.05	0.10	40	0.2	1.1	<b>0.7</b>	0.04	0.07	C07-08
Tonsil	138	0.6	4.0	<b>2.6</b>	0.23	0.30	49	0.3	1.3	<b>0.9</b>	0.07	0.10	C09
Other oropharynx	153	0.7	4.4	<b>2.9</b>	0.25	0.34	34	0.2	0.9	<b>0.6</b>	0.04	0.07	C10
Nasopharynx	24	0.1	0.7	<b>0.5</b>	0.04	0.05	12	0.1	0.3	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	210	1.0	6.0	<b>3.9</b>	0.29	0.48	27	0.1	0.7	<b>0.5</b>	0.04	0.06	C12-13
Pharynx unspecified	43	0.2	1.2	<b>0.8</b>	0.06	0.10	15	0.1	0.4	<b>0.2</b>	0.02	0.03	C14
Oesophagus	353	1.6	10.1	<b>5.7</b>	0.37	0.71	104	0.6	2.7	<b>1.3</b>	0.09	0.16	C15
Stomach	481	2.2	13.8	<b>7.2</b>	0.36	0.80	226	1.2	6.0	<b>2.6</b>	0.14	0.28	C16
Small intestine	70	0.3	2.0	<b>1.2</b>	0.07	0.14	59	0.3	1.6	<b>0.7</b>	0.03	0.09	C17
Colon	1643	7.5	47.1	<b>23.9</b>	1.04	2.81	1539	8.3	40.6	<b>16.0</b>	0.72	1.84	C18
Rectum	861	3.9	24.7	<b>13.4</b>	0.68	1.66	607	3.3	16.0	<b>7.1</b>	0.43	0.81	C19-20
Anus	54	0.2	1.5	<b>1.0</b>	0.06	0.12	140	0.8	3.7	<b>2.0</b>	0.15	0.24	C21
Liver	671	3.1	19.2	<b>11.1</b>	0.64	1.33	222	1.2	5.9	<b>2.5</b>	0.12	0.29	C22
Gallbladder etc.	152	0.7	4.4	<b>2.3</b>	0.10	0.30	157	0.8	4.1	<b>1.5</b>	0.06	0.16	C23-24
Pancreas	523	2.4	15.0	<b>8.3</b>	0.44	1.02	514	2.8	13.6	<b>5.8</b>	0.31	0.66	C25
Nose, sinuses etc.	35	0.2	1.0	<b>0.6</b>	0.03	0.07	26	0.1	0.7	<b>0.4</b>	0.02	0.04	C30-31
Larynx	347	1.6	9.9	<b>6.2</b>	0.44	0.79	55	0.3	1.5	<b>0.9</b>	0.07	0.11	C32
Trachea, bronchus, and lung	3356	15.3	96.1	<b>56.4</b>	3.55	7.16	1315	7.1	34.7	<b>19.7</b>	1.45	2.34	C33-34
Other thoracic organs	16	0.1	0.5	<b>0.4</b>	0.03	0.04	19	0.1	0.5	<b>0.3</b>	0.02	0.03	C37-38
Bone	53	0.2	1.5	<b>1.3</b>	0.08	0.12	32	0.2	0.8	<b>0.7</b>	0.04	0.06	C40-41
Melanoma of skin	675	3.1	19.3	<b>12.3</b>	0.83	1.36	726	3.9	19.1	<b>12.2</b>	0.92	1.28	C43
Other skin	192		5.5	<b>2.5</b>	0.08	0.24	166		4.4	<b>1.6</b>	0.07	0.17	C44
Mesothelioma	109	0.5	3.1	<b>1.4</b>	0.04	0.17	37	0.2	1.0	<b>0.4</b>	0.01	0.04	C45
Kaposi sarcoma	31	0.1	0.9	<b>0.6</b>	0.04	0.06	5	0.0	0.1	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	125	0.6	3.6	<b>2.5</b>	0.13	0.26	110	0.6	2.9	<b>2.1</b>	0.12	0.20	C47+C49
Breast	52	0.2	1.5	<b>0.8</b>	0.05	0.11	5928	32.0	156.4	<b>96.7</b>	7.18	11.10	C50
Vulva							86	0.5	2.3	<b>0.9</b>	0.04	0.10	C51
Vagina							16	0.1	0.4	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							335	1.8	8.8	<b>5.7</b>	0.45	0.56	C53
Corpus uteri							748	4.0	19.7	<b>10.1</b>	0.60	1.36	C54
Uterus unspecified							31	0.2	0.8	<b>0.4</b>	0.02	0.04	C55
Ovary							503	2.7	13.3	<b>7.1</b>	0.49	0.80	C56
Other female genital organs							41	0.2	1.1	<b>0.5</b>	0.02	0.05	C57
Placenta							7	0.0	0.2	<b>0.2</b>	0.01	0.01	C58
Penis	33	0.2	0.9	<b>0.5</b>	0.03	0.06							C60
Prostate	5384	24.6	154.2	<b>89.0</b>	4.63	12.40							C61
Testis	212	1.0	6.1	<b>5.6</b>	0.43	0.44							C62
Other male genital organs	14	0.1	0.4	<b>0.3</b>	0.02	0.02							C63
Kidney	879	4.0	25.2	<b>14.8</b>	0.90	1.73	439	2.4	11.6	<b>6.5</b>	0.37	0.74	C64
Renal pelvis	59	0.3	1.7	<b>0.8</b>	0.02	0.10	27	0.1	0.7	<b>0.3</b>	0.01	0.04	C65
Ureter	46	0.2	1.3	<b>0.6</b>	0.03	0.07	25	0.1	0.7	<b>0.3</b>	0.01	0.03	C66
Bladder	1084	4.9	31.0	<b>15.9</b>	0.68	1.96	241	1.3	6.4	<b>2.2</b>	0.10	0.24	C67
Other urinary organs	57	0.3	1.6	<b>0.8</b>	0.03	0.08	17	0.1	0.4	<b>0.2</b>	0.00	0.02	C68
Eye	32	0.1	0.9	<b>0.7</b>	0.04	0.07	19	0.1	0.5	<b>0.3</b>	0.02	0.03	C69
Brain and nervous system	328	1.5	9.4	<b>6.8</b>	0.44	0.72	259	1.4	6.8	<b>4.3</b>	0.28	0.46	C70-72
Thyroid	341	1.6	9.8	<b>7.2</b>	0.54	0.80	1152	6.2	30.4	<b>23.4</b>	1.88	2.33	C73
Adrenal gland	13	0.1	0.4	<b>0.3</b>	0.02	0.03	12	0.1	0.3	<b>0.3</b>	0.01	0.02	C74
Other endocrine	2	0.0	0.1	<b>0.1</b>	0.00	0.00	2	0.0	0.1	<b>0.1</b>	0.00	0.00	C75
Hodgkin lymphoma	130	0.6	3.7	<b>3.3</b>	0.23	0.26	95	0.5	2.5	<b>2.3</b>	0.16	0.19	C81
Non-Hodgkin lymphoma	741	3.4	21.2	<b>12.9</b>	0.73	1.44	606	3.3	16.0	<b>8.0</b>	0.47	0.89	C82-86,C96
Immunoproliferative diseases	106	0.5	3.0	<b>1.6</b>	0.08	0.17	109	0.6	2.9	<b>1.4</b>	0.09	0.16	C88
Multiple myeloma	275	1.3	7.9	<b>4.2</b>	0.23	0.48	239	1.3	6.3	<b>2.6</b>	0.14	0.29	C90
Lymphoid leukaemia	364	1.7	10.4	<b>6.6</b>	0.32	0.69	263	1.4	6.9	<b>3.8</b>	0.21	0.39	C91
Myeloid leukaemia	279	1.3	8.0	<b>4.6</b>	0.23	0.47	238	1.3	6.3	<b>3.1</b>	0.17	0.34	C92-94
Leukaemia unspecified	4	0.0	0.1	<b>0.0</b>	0.00	0.00	7	0.0	0.2	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	150	0.7	4.3	<b>2.3</b>	0.13	0.26	140	0.8	3.7	<b>1.6</b>	0.09	0.17	MPD
Myelodysplastic syndromes	301	1.4	8.6	<b>3.6</b>	0.10	0.32	299	1.6	7.9	<b>2.4</b>	0.06	0.24	MDS
Other and unspecified	459	2.1	13.1	<b>7.0</b>	0.37	0.79	388	2.1	10.2	<b>3.9</b>	0.19	0.41	O&U
All sites	22114		633.3	<b>367.7</b>	20.81	44.86	18703		493.3	<b>272.4</b>	18.33	30.50	C00-96
All sites except C44	21922	100.0	627.8	<b>365.3</b>	20.73	44.62	18537	100.0	489.0	<b>270.8</b>	18.26	30.33	C00-96 exc. C44

\*See note following population pyramid

# France, Haut-Rhin

## CONTRIBUTORS

Émilie Marrer  
Antoine Buemi  
Erik-André Sauleau  
Laure Meynaud-Kraemer  
Séverine Boyer



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	112.9	Breast	92.0
Prostate	107.0	Non-melanoma skin cancer	86.1
Trachea, bronchus, and lung	48.8	Trachea, bronchus, and lung	16.0
Colon	22.8	Melanoma of skin	15.9
Melanoma of skin	17.4	Colon	14.9
Bladder	14.8	Corpus uteri	13.7
Rectum	12.9	Ovary	8.3
Kidney	12.7	Non-Hodgkin lymphoma	8.0
Non-Hodgkin lymphoma	11.2	Thyroid	7.4
Liver	10.4	Rectum	7.4
Pancreas	8.9	Kidney	6.6
Stomach	8.3	Cervix uteri	5.6
Testis	8.2	Pancreas	5.4
Oesophagus	7.6	Lymphoid leukaemia	4.6
Lymphoid leukaemia	7.4	Brain and nervous system	3.9
Brain and nervous system	6.3	Stomach	3.7
Other and unspecified	5.2	Other and unspecified	3.6
Larynx	4.7	Myeloid leukaemia	3.3
Myeloid leukaemia	4.7	Multiple myeloma	3.1
Multiple myeloma	4.4	Liver	2.8
All sites	478.9	All sites	339.1

## \*France, Haut-Rhin (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	6	0.1	0.3	<b>0.2</b>	0.01	0.03	4	0.0	0.2	<b>0.1</b>	0.01	0.01	C00
Tongue	82	0.7	4.4	<b>2.7</b>	0.20	0.36	25	0.3	1.3	<b>0.8</b>	0.05	0.09	C01-02
Mouth	94	0.8	5.1	<b>3.1</b>	0.28	0.39	37	0.4	1.9	<b>1.1</b>	0.09	0.14	C03-06
Salivary glands	15	0.1	0.8	<b>0.5</b>	0.03	0.06	20	0.2	1.0	<b>0.7</b>	0.05	0.08	C07-08
Tonsil	82	0.7	4.4	<b>2.8</b>	0.23	0.35	27	0.3	1.4	<b>0.8</b>	0.05	0.09	C09
Other oropharynx	55	0.5	3.0	<b>1.9</b>	0.13	0.25	7	0.1	0.4	<b>0.2</b>	0.01	0.03	C10
Nasopharynx	14	0.1	0.8	<b>0.5</b>	0.04	0.05	10	0.1	0.5	<b>0.4</b>	0.03	0.04	C11
Hypopharynx	129	1.1	7.0	<b>4.1</b>	0.28	0.53	10	0.1	0.5	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	16	0.1	0.9	<b>0.6</b>	0.05	0.07	5	0.1	0.3	<b>0.2</b>	0.02	0.02	C14
Oesophagus	250	2.1	13.5	<b>7.6</b>	0.43	0.98	65	0.7	3.4	<b>1.6</b>	0.10	0.18	C15
Stomach	283	2.4	15.3	<b>8.3</b>	0.39	0.95	185	2.1	9.7	<b>3.7</b>	0.15	0.41	C16
Small intestine	44	0.4	2.4	<b>1.2</b>	0.04	0.14	38	0.4	2.0	<b>1.2</b>	0.08	0.15	C17
Colon	810	6.9	43.8	<b>22.8</b>	1.00	2.72	699	7.8	36.5	<b>14.9</b>	0.71	1.73	C18
Rectum	437	3.7	23.6	<b>12.9</b>	0.59	1.65	309	3.4	16.1	<b>7.4</b>	0.44	0.84	C19-20
Anus	21	0.2	1.1	<b>0.7</b>	0.05	0.09	44	0.5	2.3	<b>1.2</b>	0.09	0.14	C21
Liver	359	3.0	19.4	<b>10.4</b>	0.48	1.33	123	1.4	6.4	<b>2.8</b>	0.11	0.37	C22
Gallbladder etc.	57	0.5	3.1	<b>1.6</b>	0.03	0.23	49	0.5	2.6	<b>1.1</b>	0.05	0.13	C23-24
Pancreas	283	2.4	15.3	<b>8.9</b>	0.49	1.09	259	2.9	13.5	<b>5.4</b>	0.20	0.65	C25
Nose, sinuses etc.	29	0.2	1.6	<b>1.0</b>	0.07	0.14	8	0.1	0.4	<b>0.2</b>	0.01	0.01	C30-31
Larynx	149	1.3	8.1	<b>4.7</b>	0.30	0.58	16	0.2	0.8	<b>0.5</b>	0.04	0.05	C32
Trachea, bronchus, and lung	1591	13.5	86.1	<b>48.8</b>	2.74	6.24	587	6.6	30.7	<b>16.0</b>	1.09	1.98	C33-34
Other thoracic organs	14	0.1	0.8	<b>0.5</b>	0.04	0.05	7	0.1	0.4	<b>0.2</b>	0.02	0.02	C37-38
Bone	26	0.2	1.4	<b>1.4</b>	0.09	0.11	21	0.2	1.1	<b>0.9</b>	0.06	0.06	C40-41
Melanoma of skin	494	4.2	26.7	<b>17.4</b>	1.13	1.88	452	5.0	23.6	<b>15.9</b>	1.17	1.54	C43
Other skin	3929		212.6	<b>112.9</b>	5.08	12.58	3544		185.1	<b>86.1</b>	4.94	9.49	C44
Mesothelioma	28	0.2	1.5	<b>0.7</b>	0.03	0.09	5	0.1	0.3	<b>0.1</b>	0.00	0.01	C45
Kaposi sarcoma	18	0.2	1.0	<b>0.6</b>	0.03	0.07	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	64	0.5	3.5	<b>2.1</b>	0.13	0.18	51	0.6	2.7	<b>1.8</b>	0.10	0.18	C47+C49
Breast	28	0.2	1.5	<b>0.8</b>	0.05	0.11	2983	33.3	155.8	<b>92.0</b>	6.63	10.63	C50
Vulva							66	0.7	3.4	<b>1.6</b>	0.10	0.15	C51
Vagina							16	0.2	0.8	<b>0.3</b>	0.03	0.03	C52
Cervix uteri							150	1.7	7.8	<b>5.6</b>	0.45	0.55	C53
Corpus uteri							517	5.8	27.0	<b>13.7</b>	0.78	1.82	C54
Uterus unspecified							9	0.1	0.5	<b>0.2</b>	0.02	0.02	C55
Ovary							262	2.9	13.7	<b>8.3</b>	0.55	0.95	C56
Other female genital organs							14	0.2	0.7	<b>0.5</b>	0.04	0.05	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	25	0.2	1.4	<b>0.7</b>	0.03	0.06							C60
Prostate	3529	29.9	191.0	<b>107.0</b>	5.10	14.81							C61
Testis	163	1.4	8.8	<b>8.2</b>	0.62	0.66							C62
Other male genital organs	5	0.0	0.3	<b>0.2</b>	0.00	0.01							C63
Kidney	394	3.3	21.3	<b>12.7</b>	0.73	1.51	250	2.8	13.1	<b>6.6</b>	0.37	0.74	C64
Renal pelvis	30	0.3	1.6	<b>0.9</b>	0.05	0.11	11	0.1	0.6	<b>0.3</b>	0.02	0.04	C65
Ureter	18	0.2	1.0	<b>0.5</b>	0.03	0.06	7	0.1	0.4	<b>0.2</b>	0.01	0.02	C66
Bladder	537	4.6	29.1	<b>14.8</b>	0.60	1.79	133	1.5	6.9	<b>2.6</b>	0.09	0.27	C67
Other urinary organs	7	0.1	0.4	<b>0.2</b>	0.00	0.03	2	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	13	0.1	0.7	<b>0.4</b>	0.02	0.04	12	0.1	0.6	<b>0.4</b>	0.02	0.04	C69
Brain and nervous system	163	1.4	8.8	<b>6.3</b>	0.40	0.68	115	1.3	6.0	<b>3.9</b>	0.24	0.41	C70-72
Thyroid	80	0.7	4.3	<b>3.1</b>	0.22	0.31	188	2.1	9.8	<b>7.4</b>	0.59	0.73	C73
Adrenal gland	2	0.0	0.1	<b>0.1</b>	0.01	0.01	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	57	0.5	3.1	<b>2.8</b>	0.19	0.21	38	0.4	2.0	<b>2.0</b>	0.13	0.15	C81
Non-Hodgkin lymphoma	354	3.0	19.2	<b>11.2</b>	0.60	1.26	310	3.5	16.2	<b>8.0</b>	0.44	0.89	C82-86,C96
Immunoproliferative diseases	31	0.3	1.7	<b>0.9</b>	0.05	0.11	43	0.5	2.2	<b>1.1</b>	0.07	0.12	C88
Multiple myeloma	145	1.2	7.8	<b>4.4</b>	0.24	0.50	120	1.3	6.3	<b>3.1</b>	0.15	0.39	C90
Lymphoid leukaemia	211	1.8	11.4	<b>7.4</b>	0.42	0.77	152	1.7	7.9	<b>4.6</b>	0.23	0.50	C91
Myeloid leukaemia	145	1.2	7.8	<b>4.7</b>	0.25	0.48	109	1.2	5.7	<b>3.3</b>	0.21	0.34	C92-94
Leukaemia unspecified	2	0.0	0.1	<b>0.1</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	72	0.6	3.9	<b>2.2</b>	0.10	0.25	89	1.0	4.6	<b>2.3</b>	0.12	0.25	MPD
Myelodysplastic syndromes	142	1.2	7.7	<b>3.5</b>	0.09	0.33	117	1.3	6.1	<b>2.2</b>	0.06	0.26	MDS
Other and unspecified	183	1.6	9.9	<b>5.2</b>	0.28	0.52	181	2.0	9.5	<b>3.6</b>	0.19	0.35	O&U
All sites	15715		850.4	<b>478.9</b>	24.47	57.80	12504		653.2	<b>339.1</b>	21.26	38.21	C00-96
All sites except C44	11786	100.0	637.8	<b>366.1</b>	19.39	45.22	8960	100.0	468.1	<b>253.0</b>	16.32	28.72	C00-96 exc. C44

\*See note following population pyramid

# France, Hérault

## CONTRIBUTORS

Brigitte Trétarre  
Jean-Pierre Daurès  
Faïza Bessaoud  
Claudine Gras-Aygon



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	92.5	Breast	99.8
Trachea, bronchus, and lung	53.9	Trachea, bronchus, and lung	20.8
Colon	23.3	Colon	16.2
Bladder	15.8	Corpus uteri	10.0
Liver	13.8	Thyroid	9.6
Kidney	13.7	Melanoma of skin	8.7
Rectum	13.2	Ovary	8.3
Pancreas	11.5	Cervix uteri	7.8
Non-Hodgkin lymphoma	10.5	Non-Hodgkin lymphoma	7.5
Melanoma of skin	8.8	Pancreas	6.5
Brain and nervous system	7.0	Rectum	6.4
Testis	6.5	Brain and nervous system	5.2
Stomach	6.5	Kidney	4.6
Larynx	6.3	Lymphoid leukaemia	3.8
Other and unspecified	5.9	Other and unspecified	3.7
Lymphoid leukaemia	5.7	Myeloid leukaemia	3.4
Oesophagus	5.3	Stomach	2.7
Myeloid leukaemia	4.3	Multiple myeloma	2.7
Tongue	3.8	Liver	2.6
Mouth	3.7	Hodgkin lymphoma	2.4
All sites	358.3	All sites	260.3



## \*France, Hérault (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	16	0.1	0.6	<b>0.3</b>	0.02	0.05	5	0.0	0.2	<b>0.1</b>	0.01	0.01	C00
Tongue	154	0.9	6.2	<b>3.8</b>	0.33	0.45	55	0.4	2.0	<b>1.2</b>	0.09	0.13	C01-02
Mouth	147	0.9	5.9	<b>3.7</b>	0.30	0.42	84	0.6	3.1	<b>1.5</b>	0.09	0.17	C03-06
Salivary glands	47	0.3	1.9	<b>1.0</b>	0.05	0.10	31	0.2	1.1	<b>0.7</b>	0.04	0.07	C07-08
Tonsil	143	0.9	5.7	<b>3.6</b>	0.28	0.44	53	0.4	1.9	<b>1.2</b>	0.10	0.15	C09
Other oropharynx	64	0.4	2.6	<b>1.7</b>	0.15	0.20	16	0.1	0.6	<b>0.4</b>	0.04	0.04	C10
Nasopharynx	29	0.2	1.2	<b>0.8</b>	0.07	0.09	8	0.1	0.3	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	131	0.8	5.3	<b>3.4</b>	0.29	0.42	25	0.2	0.9	<b>0.5</b>	0.04	0.06	C12-13
Pharynx unspecified	25	0.1	1.0	<b>0.6</b>	0.05	0.08	5	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	241	1.4	9.7	<b>5.3</b>	0.40	0.66	78	0.6	2.8	<b>1.1</b>	0.06	0.12	C15
Stomach	335	2.0	13.4	<b>6.5</b>	0.33	0.76	196	1.5	7.2	<b>2.7</b>	0.12	0.31	C16
Small intestine	58	0.3	2.3	<b>1.3</b>	0.09	0.15	53	0.4	1.9	<b>0.9</b>	0.06	0.10	C17
Colon	1244	7.4	49.9	<b>23.3</b>	1.07	2.68	1112	8.4	40.6	<b>16.2</b>	0.81	1.85	C18
Rectum	662	4.0	26.5	<b>13.2</b>	0.70	1.58	401	3.0	14.6	<b>6.4</b>	0.39	0.73	C19-20
Anus	54	0.3	2.2	<b>1.4</b>	0.11	0.14	120	0.9	4.4	<b>2.3</b>	0.17	0.26	C21
Liver	632	3.8	25.3	<b>13.8</b>	0.86	1.68	173	1.3	6.3	<b>2.6</b>	0.12	0.29	C22
Gallbladder etc.	89	0.5	3.6	<b>1.5</b>	0.06	0.18	84	0.6	3.1	<b>1.1</b>	0.04	0.13	C23-24
Pancreas	566	3.4	22.7	<b>11.5</b>	0.60	1.40	454	3.4	16.6	<b>6.5</b>	0.29	0.75	C25
Nose, sinuses etc.	35	0.2	1.4	<b>0.8</b>	0.06	0.08	22	0.2	0.8	<b>0.4</b>	0.02	0.03	C30-31
Larynx	274	1.6	11.0	<b>6.3</b>	0.45	0.76	27	0.2	1.0	<b>0.6</b>	0.05	0.07	C32
Trachea, bronchus, and lung	2526	15.1	101.3	<b>53.9</b>	3.27	6.66	1038	7.8	37.9	<b>20.8</b>	1.49	2.44	C33-34
Other thoracic organs	28	0.2	1.1	<b>0.7</b>	0.05	0.07	20	0.2	0.7	<b>0.5</b>	0.03	0.04	C37-38
Bone	34	0.2	1.4	<b>1.2</b>	0.09	0.10	35	0.3	1.3	<b>1.2</b>	0.07	0.10	C40-41
Melanoma of skin	366	2.2	14.7	<b>8.8</b>	0.59	0.93	361	2.7	13.2	<b>8.7</b>	0.65	0.88	C43
Other skin	44		1.8	<b>1.0</b>	0.05	0.10	35		1.3	<b>0.5</b>	0.02	0.05	C44
Mesothelioma	57	0.3	2.3	<b>1.0</b>	0.03	0.14	24	0.2	0.9	<b>0.4</b>	0.02	0.05	C45
Kaposi sarcoma	24	0.1	1.0	<b>0.7</b>	0.05	0.08	4	0.0	0.1	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	112	0.7	4.5	<b>3.0</b>	0.16	0.27	78	0.6	2.8	<b>1.8</b>	0.11	0.15	C47+C49
Breast	41	0.2	1.6	<b>0.7</b>	0.03	0.08	4545	34.3	165.9	<b>99.8</b>	7.38	11.44	C50
Vulva							54	0.4	2.0	<b>0.8</b>	0.04	0.08	C51
Vagina							15	0.1	0.5	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							313	2.4	11.4	<b>7.8</b>	0.62	0.75	C53
Corpus uteri							579	4.4	21.1	<b>10.0</b>	0.56	1.30	C54
Uterus unspecified							3	0.0	0.1	<b>0.1</b>	0.01	0.01	C55
Ovary							435	3.3	15.9	<b>8.3</b>	0.56	0.93	C56
Other female genital organs							9	0.1	0.3	<b>0.1</b>	0.01	0.02	C57
Placenta							3	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	33	0.2	1.3	<b>0.5</b>	0.03	0.04							C60
Prostate	4486	26.8	179.8	<b>92.5</b>	4.60	12.88							C61
Testis	164	1.0	6.6	<b>6.5</b>	0.50	0.51							C62
Other male genital organs	3	0.0	0.1	<b>0.1</b>	0.00	0.01							C63
Kidney	593	3.5	23.8	<b>13.7</b>	0.86	1.62	257	1.9	9.4	<b>4.6</b>	0.28	0.52	C64
Renal pelvis	55	0.3	2.2	<b>1.0</b>	0.04	0.11	34	0.3	1.2	<b>0.4</b>	0.02	0.04	C65
Ureter	32	0.2	1.3	<b>0.5</b>	0.02	0.06	23	0.2	0.8	<b>0.2</b>	0.01	0.03	C66
Bladder	901	5.4	36.1	<b>15.8</b>	0.67	1.88	194	1.5	7.1	<b>2.4</b>	0.11	0.25	C67
Other urinary organs	17	0.1	0.7	<b>0.3</b>	0.01	0.03	13	0.1	0.5	<b>0.2</b>	0.01	0.02	C68
Eye	31	0.2	1.2	<b>0.9</b>	0.06	0.09	29	0.2	1.1	<b>0.6</b>	0.04	0.07	C69
Brain and nervous system	245	1.5	9.8	<b>7.0</b>	0.47	0.66	202	1.5	7.4	<b>5.2</b>	0.32	0.51	C70-72
Thyroid	108	0.6	4.3	<b>3.1</b>	0.24	0.34	339	2.6	12.4	<b>9.6</b>	0.78	0.96	C73
Adrenal gland	18	0.1	0.7	<b>1.1</b>	0.06	0.06	11	0.1	0.4	<b>0.4</b>	0.03	0.03	C74
Other endocrine	6	0.0	0.2	<b>0.3</b>	0.02	0.02	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	95	0.6	3.8	<b>3.3</b>	0.22	0.27	73	0.6	2.7	<b>2.4</b>	0.17	0.19	C81
Non-Hodgkin lymphoma	472	2.8	18.9	<b>10.5</b>	0.55	1.16	391	3.0	14.3	<b>7.5</b>	0.49	0.85	C82-86,C96
Immunoproliferative diseases	70	0.4	2.8	<b>1.4</b>	0.07	0.18	60	0.5	2.2	<b>1.1</b>	0.07	0.15	C88
Multiple myeloma	190	1.1	7.6	<b>3.5</b>	0.18	0.39	181	1.4	6.6	<b>2.7</b>	0.15	0.32	C90
Lymphoid leukaemia	226	1.4	9.1	<b>5.7</b>	0.34	0.53	168	1.3	6.1	<b>3.8</b>	0.20	0.33	C91
Myeloid leukaemia	205	1.2	8.2	<b>4.3</b>	0.23	0.44	191	1.4	7.0	<b>3.4</b>	0.20	0.35	C92-94
Leukaemia unspecified	4	0.0	0.2	<b>0.0</b>	0.00	0.00	8	0.1	0.3	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	141	0.8	5.7	<b>3.0</b>	0.18	0.33	135	1.0	4.9	<b>2.3</b>	0.13	0.24	MPD
Myelodysplastic syndromes	170	1.0	6.8	<b>2.4</b>	0.05	0.23	141	1.1	5.1	<b>1.6</b>	0.06	0.15	MDS
Other and unspecified	312	1.9	12.5	<b>5.9</b>	0.33	0.62	276	2.1	10.1	<b>3.7</b>	0.20	0.37	O&U
All sites	16755		671.7	<b>358.3</b>	20.33	43.20	13280		484.7	<b>260.3</b>	17.45	29.00	C00-96
All sites except C44	16711	100.0	669.9	<b>357.3</b>	20.28	43.10	13245	100.0	483.4	<b>259.8</b>	17.43	28.95	C00-96 exc. C44


\*See note following population pyramid



# France, Isère

## CONTRIBUTORS

Marc Colonna  
Patricia Delafosse



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	97.9	Breast	97.2
Trachea, bronchus, and lung	49.6	Thyroid	28.4
Colon	21.3	Melanoma of skin	15.5
Bladder	14.4	Trachea, bronchus, and lung	15.3
Melanoma of skin	14.4	Colon	14.2
Rectum	13.0	Corpus uteri	9.7
Non-Hodgkin lymphoma	12.8	Non-Hodgkin lymphoma	8.5
Kidney	12.7	Ovary	7.5
Liver	12.2	Pancreas	6.7
Pancreas	10.0	Rectum	6.6
Stomach	8.9	Kidney	5.2
Thyroid	8.0	Cervix uteri	5.1
Testis	7.4	Brain and nervous system	4.8
Lymphoid leukaemia	6.8	Lymphoid leukaemia	3.7
Brain and nervous system	6.4	Other and unspecified	3.4
Other and unspecified	5.5	Myeloid leukaemia	3.2
Oesophagus	5.3	Hodgkin lymphoma	2.9
Larynx	5.2	Stomach	2.9
Multiple myeloma	4.1	Multiple myeloma	2.8
Myeloid leukaemia	4.1	Bladder	2.4
All sites	364.6	All sites	272.9

## \*France, Isère (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	13	0.1	0.4	<b>0.3</b>	0.01	0.03	5	0.0	0.2	<b>0.1</b>	0.00	0.01	C00
Tongue	151	0.9	5.0	<b>3.4</b>	0.26	0.41	69	0.5	2.2	<b>1.3</b>	0.10	0.15	C01-02
Mouth	160	0.9	5.3	<b>3.7</b>	0.27	0.45	63	0.4	2.0	<b>1.1</b>	0.08	0.13	C03-06
Salivary glands	29	0.2	1.0	<b>0.6</b>	0.05	0.07	26	0.2	0.8	<b>0.6</b>	0.04	0.07	C07-08
Tonsil	122	0.7	4.1	<b>2.8</b>	0.25	0.35	51	0.4	1.6	<b>1.1</b>	0.08	0.14	C09
Other oropharynx	74	0.4	2.5	<b>1.7</b>	0.14	0.21	10	0.1	0.3	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	25	0.1	0.8	<b>0.6</b>	0.05	0.06	18	0.1	0.6	<b>0.4</b>	0.03	0.04	C11
Hypopharynx	121	0.7	4.0	<b>2.7</b>	0.19	0.36	7	0.0	0.2	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	24	0.1	0.8	<b>0.5</b>	0.04	0.07	4	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	263	1.5	8.8	<b>5.3</b>	0.31	0.65	74	0.5	2.4	<b>1.1</b>	0.07	0.11	C15
Stomach	460	2.6	15.3	<b>8.9</b>	0.47	1.05	207	1.4	6.7	<b>2.9</b>	0.14	0.32	C16
Small intestine	70	0.4	2.3	<b>1.4</b>	0.08	0.15	63	0.4	2.0	<b>0.9</b>	0.05	0.09	C17
Colon	1141	6.5	38.0	<b>21.3</b>	0.93	2.52	1007	7.0	32.5	<b>14.2</b>	0.71	1.59	C18
Rectum	659	3.7	21.9	<b>13.0</b>	0.69	1.58	421	2.9	13.6	<b>6.6</b>	0.37	0.76	C19-20
Anus	32	0.2	1.1	<b>0.7</b>	0.04	0.08	75	0.5	2.4	<b>1.5</b>	0.08	0.20	C21
Liver	607	3.4	20.2	<b>12.2</b>	0.62	1.51	167	1.2	5.4	<b>2.3</b>	0.13	0.22	C22
Gallbladder etc.	114	0.6	3.8	<b>2.1</b>	0.09	0.26	128	0.9	4.1	<b>1.7</b>	0.08	0.18	C23-24
Pancreas	530	3.0	17.6	<b>10.0</b>	0.47	1.16	470	3.3	15.2	<b>6.7</b>	0.31	0.79	C25
Nose, sinuses etc.	38	0.2	1.3	<b>0.7</b>	0.04	0.09	20	0.1	0.6	<b>0.4</b>	0.03	0.04	C30-31
Larynx	240	1.4	8.0	<b>5.2</b>	0.37	0.66	27	0.2	0.9	<b>0.6</b>	0.05	0.07	C32
Trachea, bronchus, and lung	2439	13.8	81.2	<b>49.6</b>	2.91	6.31	854	6.0	27.6	<b>15.3</b>	1.03	1.82	C33-34
Other thoracic organs	18	0.1	0.6	<b>0.4</b>	0.03	0.04	13	0.1	0.4	<b>0.2</b>	0.02	0.02	C37-38
Bone	40	0.2	1.3	<b>1.2</b>	0.07	0.10	27	0.2	0.9	<b>0.9</b>	0.05	0.07	C40-41
Melanoma of skin	625	3.5	20.8	<b>14.4</b>	1.01	1.53	692	4.8	22.3	<b>15.5</b>	1.19	1.59	C43
Other skin	91		3.0	<b>1.8</b>	0.09	0.17	73		2.4	<b>1.2</b>	0.06	0.12	C44
Mesothelioma	100	0.6	3.3	<b>1.7</b>	0.05	0.21	33	0.2	1.1	<b>0.5</b>	0.01	0.06	C45
Kaposi sarcoma	16	0.1	0.5	<b>0.3</b>	0.02	0.04	4	0.0	0.1	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	111	0.6	3.7	<b>2.6</b>	0.14	0.22	86	0.6	2.8	<b>1.8</b>	0.11	0.17	C47+C49
Breast	39	0.2	1.3	<b>0.8</b>	0.04	0.09	4745	33.1	153.2	<b>97.2</b>	7.18	11.10	C50
Vulva							78	0.5	2.5	<b>1.0</b>	0.06	0.10	C51
Vagina							15	0.1	0.5	<b>0.3</b>	0.01	0.02	C52
Cervix uteri							244	1.7	7.9	<b>5.1</b>	0.38	0.49	C53
Corpus uteri							559	3.9	18.1	<b>9.7</b>	0.56	1.26	C54
Uterus unspecified							13	0.1	0.4	<b>0.2</b>	0.01	0.02	C55
Ovary							402	2.8	13.0	<b>7.5</b>	0.47	0.94	C56
Other female genital organs							32	0.2	1.0	<b>0.5</b>	0.03	0.07	C57
Placenta							8	0.1	0.3	<b>0.2</b>	0.02	0.02	C58
Penis	30	0.2	1.0	<b>0.6</b>	0.03	0.06							C60
Prostate	4849	27.5	161.4	<b>97.9</b>	5.10	13.34							C61
Testis	234	1.3	7.8	<b>7.4</b>	0.56	0.57							C62
Other male genital organs	9	0.1	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	586	3.3	19.5	<b>12.7</b>	0.79	1.51	278	1.9	9.0	<b>5.2</b>	0.31	0.58	C64
Renal pelvis	52	0.3	1.7	<b>0.9</b>	0.02	0.08	21	0.1	0.7	<b>0.3</b>	0.01	0.03	C65
Ureter	39	0.2	1.3	<b>0.7</b>	0.02	0.08	18	0.1	0.6	<b>0.2</b>	0.01	0.03	C66
Bladder	820	4.6	27.3	<b>14.4</b>	0.55	1.61	198	1.4	6.4	<b>2.4</b>	0.09	0.25	C67
Other urinary organs	16	0.1	0.5	<b>0.3</b>	0.00	0.04	3	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	36	0.2	1.2	<b>0.8</b>	0.05	0.10	30	0.2	1.0	<b>0.8</b>	0.05	0.07	C69
Brain and nervous system	270	1.5	9.0	<b>6.4</b>	0.44	0.68	207	1.4	6.7	<b>4.8</b>	0.33	0.46	C70-72
Thyroid	323	1.8	10.8	<b>8.0</b>	0.58	0.91	1132	7.9	36.6	<b>28.4</b>	2.29	2.92	C73
Adrenal gland	16	0.1	0.5	<b>0.6</b>	0.03	0.03	21	0.1	0.7	<b>0.9</b>	0.05	0.05	C74
Other endocrine	3	0.0	0.1	<b>0.1</b>	0.01	0.01	3	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	105	0.6	3.5	<b>3.2</b>	0.21	0.24	94	0.7	3.0	<b>2.9</b>	0.20	0.23	C81
Non-Hodgkin lymphoma	595	3.4	19.8	<b>12.8</b>	0.71	1.44	488	3.4	15.8	<b>8.5</b>	0.47	0.96	C82-86,C96
Immunoproliferative diseases	85	0.5	2.8	<b>1.6</b>	0.08	0.17	67	0.5	2.2	<b>1.0</b>	0.06	0.11	C88
Multiple myeloma	218	1.2	7.3	<b>4.1</b>	0.19	0.45	200	1.4	6.5	<b>2.8</b>	0.14	0.32	C90
Lymphoid leukaemia	290	1.6	9.7	<b>6.8</b>	0.36	0.67	190	1.3	6.1	<b>3.7</b>	0.19	0.38	C91
Myeloid leukaemia	193	1.1	6.4	<b>4.1</b>	0.23	0.42	160	1.1	5.2	<b>3.2</b>	0.18	0.30	C92-94
Leukaemia unspecified	5	0.0	0.2	<b>0.1</b>	0.00	0.00	3	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	145	0.8	4.8	<b>2.9</b>	0.17	0.33	126	0.9	4.1	<b>2.1</b>	0.13	0.23	MPD
Myelodysplastic syndromes	166	0.9	5.5	<b>2.7</b>	0.07	0.24	96	0.7	3.1	<b>1.1</b>	0.05	0.12	MDS
Other and unspecified	308	1.7	10.3	<b>5.5</b>	0.25	0.56	286	2.0	9.2	<b>3.4</b>	0.13	0.34	O&U
All sites	17745		590.8	<b>364.6</b>	20.24	43.98	14411		465.4	<b>272.9</b>	18.26	30.20	C00-96
All sites except C44	17654	100.0	587.8	<b>362.8</b>	20.15	43.82	14338	100.0	463.0	<b>271.7</b>	18.20	30.08	C00-96 exc. C44

\*See note following population pyramid

# France, Lille-Métropole

**CONTRIBUTORS**

Karine Ligier  
Sandrine Plouvier



**NOTES ON THE DATA**

\*No DCO registrations.

**20 major cancers, ASR (World) per 100 000**

<i>Male</i>		<i>Female</i>	
Prostate	109.2	Breast	115.4
Trachea, bronchus, and lung	70.7	Colon	18.5
Colon	24.3	Trachea, bronchus, and lung	15.4
Bladder	19.4	Thyroid	12.2
Rectum	16.1	Corpus uteri	11.8
Liver	15.7	Melanoma of skin	10.7
Oesophagus	12.2	Ovary	9.8
Melanoma of skin	11.6	Rectum	8.5
Kidney	11.0	Cervix uteri	8.1
Pancreas	10.0	Pancreas	6.2
Non-Hodgkin lymphoma	9.9	Kidney	6.1
Other and unspecified	9.2	Non-Hodgkin lymphoma	6.0
Larynx	8.4	Other and unspecified	4.5
Mouth	8.3	Brain and nervous system	4.3
Hypopharynx	8.0	Lymphoid leukaemia	4.0
Stomach	7.4	Myeloid leukaemia	3.6
Testis	7.1	Liver	3.5
Lymphoid leukaemia	6.8	Myeloproliferative disorders	3.3
Tongue	6.5	Stomach	3.1
Brain and nervous system	6.2	Bladder	3.0
All sites	433.0	All sites	290.6

## \*France, Lille-Métropole (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	8	0.1	0.4	<b>0.3</b>	0.01	0.03	6	0.1	0.3	<b>0.1</b>	0.00	0.02	C00
Tongue	152	1.4	7.9	<b>6.5</b>	0.54	0.78	48	0.5	2.3	<b>1.6</b>	0.13	0.17	C01-02
Mouth	192	1.8	10.0	<b>8.3</b>	0.72	1.00	48	0.5	2.3	<b>1.7</b>	0.13	0.20	C03-06
Salivary glands	17	0.2	0.9	<b>0.6</b>	0.03	0.06	14	0.2	0.7	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	107	1.0	5.6	<b>4.7</b>	0.38	0.60	35	0.4	1.7	<b>1.3</b>	0.12	0.14	C09
Other oropharynx	100	0.9	5.2	<b>4.3</b>	0.39	0.52	19	0.2	0.9	<b>0.7</b>	0.05	0.09	C10
Nasopharynx	18	0.2	0.9	<b>0.8</b>	0.06	0.09	5	0.1	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	185	1.7	9.7	<b>8.0</b>	0.66	1.02	33	0.4	1.6	<b>1.2</b>	0.09	0.15	C12-13
Pharynx unspecified	20	0.2	1.0	<b>0.9</b>	0.06	0.10	4	0.0	0.2	<b>0.2</b>	0.01	0.02	C14
Oesophagus	295	2.8	15.4	<b>12.2</b>	0.85	1.53	99	1.1	4.7	<b>2.9</b>	0.20	0.37	C15
Stomach	185	1.7	9.7	<b>7.4</b>	0.37	0.90	118	1.3	5.7	<b>3.1</b>	0.14	0.35	C16
Small intestine	32	0.3	1.7	<b>1.3</b>	0.09	0.14	28	0.3	1.3	<b>0.8</b>	0.04	0.09	C17
Colon	648	6.1	33.9	<b>24.3</b>	1.10	2.82	759	8.3	36.4	<b>18.5</b>	0.87	2.15	C18
Rectum	407	3.8	21.3	<b>16.1</b>	0.82	2.02	322	3.5	15.4	<b>8.5</b>	0.45	0.98	C19-20
Anus	14	0.1	0.7	<b>0.6</b>	0.04	0.08	47	0.5	2.3	<b>1.5</b>	0.10	0.16	C21
Liver	380	3.6	19.9	<b>15.7</b>	0.84	2.04	115	1.3	5.5	<b>3.5</b>	0.20	0.41	C22
Gallbladder etc.	73	0.7	3.8	<b>2.6</b>	0.08	0.31	100	1.1	4.8	<b>2.4</b>	0.10	0.27	C23-24
Pancreas	257	2.4	13.4	<b>10.0</b>	0.55	1.17	254	2.8	12.2	<b>6.2</b>	0.29	0.73	C25
Nose, sinuses etc.	27	0.3	1.4	<b>1.2</b>	0.08	0.14	10	0.1	0.5	<b>0.4</b>	0.02	0.04	C30-31
Larynx	200	1.9	10.5	<b>8.4</b>	0.67	1.04	22	0.2	1.1	<b>0.7</b>	0.05	0.09	C32
Trachea, bronchus, and lung	1731	16.4	90.5	<b>70.7</b>	4.20	8.93	484	5.3	23.2	<b>15.4</b>	1.08	1.84	C33-34
Other thoracic organs	18	0.2	0.9	<b>0.7</b>	0.04	0.06	10	0.1	0.5	<b>0.3</b>	0.02	0.02	C37-38
Bone	25	0.2	1.3	<b>1.3</b>	0.07	0.11	20	0.2	1.0	<b>0.9</b>	0.05	0.06	C40-41
Melanoma of skin	274	2.6	14.3	<b>11.6</b>	0.76	1.35	301	3.3	14.4	<b>10.7</b>	0.83	1.12	C43
Other skin	27		1.4	<b>1.0</b>	0.05	0.10	31		1.5	<b>0.8</b>	0.03	0.07	C44
Mesothelioma	30	0.3	1.6	<b>1.2</b>	0.05	0.15	22	0.2	1.1	<b>0.5</b>	0.01	0.04	C45
Kaposi sarcoma	16	0.2	0.8	<b>0.7</b>	0.06	0.06	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	47	0.4	2.5	<b>2.0</b>	0.11	0.17	50	0.5	2.4	<b>1.6</b>	0.08	0.15	C47+C49
Breast	33	0.3	1.7	<b>1.3</b>	0.06	0.16	3297	36.1	158.0	<b>115.4</b>	8.62	13.23	C50
Vulva							57	0.6	2.7	<b>1.5</b>	0.10	0.14	C51
Vagina							11	0.1	0.5	<b>0.3</b>	0.01	0.03	C52
Cervix uteri							219	2.4	10.5	<b>8.1</b>	0.64	0.78	C53
Corpus uteri							378	4.1	18.1	<b>11.8</b>	0.73	1.58	C54
Uterus unspecified							3	0.0	0.1	<b>0.1</b>	0.00	0.01	C55
Ovary							300	3.3	14.4	<b>9.8</b>	0.63	1.16	C56
Other female genital organs							15	0.2	0.7	<b>0.5</b>	0.02	0.05	C57
Placenta							5	0.1	0.2	<b>0.2</b>	0.01	0.02	C58
Penis	21	0.2	1.1	<b>0.7</b>	0.03	0.05							C60
Prostate	2651	25.1	138.6	<b>109.2</b>	5.72	15.09							C61
Testis	154	1.5	8.0	<b>7.1</b>	0.53	0.54							C62
Other male genital organs	5	0.0	0.3	<b>0.2</b>	0.01	0.03							C63
Kidney	264	2.5	13.8	<b>11.0</b>	0.70	1.35	200	2.2	9.6	<b>6.1</b>	0.38	0.73	C64
Renal pelvis	34	0.3	1.8	<b>1.3</b>	0.07	0.14	16	0.2	0.8	<b>0.5</b>	0.01	0.06	C65
Ureter	23	0.2	1.2	<b>0.9</b>	0.01	0.11	8	0.1	0.4	<b>0.1</b>	0.00	0.01	C66
Bladder	516	4.9	27.0	<b>19.4</b>	0.76	2.37	138	1.5	6.6	<b>3.0</b>	0.12	0.32	C67
Other urinary organs	11	0.1	0.6	<b>0.4</b>	0.01	0.03	3	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	21	0.2	1.1	<b>1.1</b>	0.07	0.09	13	0.1	0.6	<b>0.4</b>	0.01	0.04	C69
Brain and nervous system	140	1.3	7.3	<b>6.2</b>	0.39	0.63	121	1.3	5.8	<b>4.3</b>	0.25	0.46	C70-72
Thyroid	101	1.0	5.3	<b>4.6</b>	0.31	0.52	311	3.4	14.9	<b>12.2</b>	1.00	1.23	C73
Adrenal gland	10	0.1	0.5	<b>0.7</b>	0.04	0.04	7	0.1	0.3	<b>0.4</b>	0.03	0.03	C74
Other endocrine	2	0.0	0.1	<b>0.1</b>	0.01	0.01	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	59	0.6	3.1	<b>2.8</b>	0.19	0.21	64	0.7	3.1	<b>2.9</b>	0.20	0.22	C81
Non-Hodgkin lymphoma	237	2.2	12.4	<b>9.9</b>	0.52	1.11	213	2.3	10.2	<b>6.0</b>	0.30	0.68	C82-86,C96
Immunoproliferative diseases	30	0.3	1.6	<b>1.2</b>	0.06	0.12	24	0.3	1.2	<b>0.8</b>	0.05	0.10	C88
Multiple myeloma	120	1.1	6.3	<b>4.6</b>	0.20	0.54	113	1.2	5.4	<b>2.8</b>	0.14	0.33	C90
Lymphoid leukaemia	158	1.5	8.3	<b>6.8</b>	0.33	0.65	121	1.3	5.8	<b>4.0</b>	0.22	0.42	C91
Myeloid leukaemia	129	1.2	6.7	<b>4.9</b>	0.22	0.43	123	1.3	5.9	<b>3.6</b>	0.19	0.34	C92-94
Leukaemia unspecified	5	0.0	0.3	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	87	0.8	4.5	<b>3.4</b>	0.23	0.35	123	1.3	5.9	<b>3.3</b>	0.17	0.37	MPD
Myelodysplastic syndromes	73	0.7	3.8	<b>2.5</b>	0.07	0.22	90	1.0	4.3	<b>2.0</b>	0.08	0.19	MDS
Other and unspecified	239	2.3	12.5	<b>9.2</b>	0.50	1.04	190	2.1	9.1	<b>4.5</b>	0.22	0.50	O&U
All sites	10608		554.5	<b>433.0</b>	24.74	53.18	9170		439.5	<b>290.6</b>	19.28	32.87	C00-96
All sites except C44	10581	100.0	553.1	<b>431.9</b>	24.68	53.08	9139	100.0	438.0	<b>289.8</b>	19.25	32.80	C00-96 exc. C44

\*See note following population pyramid

# France, Limousin

## CONTRIBUTORS

Nathalie Leone  
Fouad Rharbaoui  
Aurélie Herry  
Dominique Bourzeix  
Clément Colin



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	119.6	Breast	90.4
Trachea, bronchus, and lung	39.7	Thyroid	16.5
Colon	22.8	Trachea, bronchus, and lung	13.7
Rectum	14.9	Colon	13.2
Kidney	14.7	Melanoma of skin	12.2
Bladder	14.1	Corpus uteri	10.1
Melanoma of skin	11.1	Ovary	7.5
Non-Hodgkin lymphoma	10.1	Rectum	7.4
Liver	8.8	Kidney	7.3
Pancreas	8.3	Non-Hodgkin lymphoma	6.4
Lymphoid leukaemia	8.2	Cervix uteri	6.3
Other and unspecified	6.4	Pancreas	5.8
Oesophagus	6.1	Brain and nervous system	4.2
Stomach	6.1	Lymphoid leukaemia	4.0
Brain and nervous system	6.0	Other and unspecified	3.9
Larynx	5.4	Myeloproliferative disorders	3.1
Mouth	5.0	Myeloid leukaemia	2.9
Testis	5.0	Hodgkin lymphoma	2.7
Myelodysplastic syndromes	4.8	Stomach	2.6
Myeloid leukaemia	4.7	Multiple myeloma	2.4
All sites	364.8	All sites	245.1

## \*France, Limousin (2009–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	12	0.2	1.7	<b>0.7</b>	0.02	0.10	2	0.0	0.3	<b>0.1</b>	0.00	0.01	C00
Tongue	42	0.8	5.8	<b>3.3</b>	0.23	0.43	13	0.3	1.6	<b>0.7</b>	0.06	0.06	C01-02
Mouth	65	1.2	9.0	<b>5.0</b>	0.37	0.58	21	0.5	2.7	<b>1.3</b>	0.12	0.14	C03-06
Salivary glands	15	0.3	2.1	<b>0.8</b>	0.03	0.09	11	0.3	1.4	<b>0.7</b>	0.05	0.06	C07-08
Tonsil	27	0.5	3.7	<b>2.2</b>	0.14	0.29	7	0.2	0.9	<b>0.4</b>	0.02	0.06	C09
Other oropharynx	24	0.4	3.3	<b>1.7</b>	0.16	0.20	5	0.1	0.6	<b>0.3</b>	0.02	0.03	C10
Nasopharynx	3	0.1	0.4	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C11
Hypopharynx	49	0.9	6.8	<b>3.6</b>	0.28	0.45	5	0.1	0.6	<b>0.4</b>	0.03	0.05	C12-13
Pharynx unspecified	18	0.3	2.5	<b>1.3</b>	0.11	0.14	3	0.1	0.4	<b>0.3</b>	0.03	0.03	C14
Oesophagus	91	1.6	12.5	<b>6.1</b>	0.36	0.80	26	0.6	3.3	<b>1.6</b>	0.13	0.16	C15
Stomach	112	2.0	15.4	<b>6.1</b>	0.26	0.70	70	1.7	8.9	<b>2.6</b>	0.11	0.30	C16
Small intestine	10	0.2	1.4	<b>0.6</b>	0.04	0.06	10	0.2	1.3	<b>0.7</b>	0.05	0.10	C17
Colon	414	7.4	57.1	<b>22.8</b>	1.00	2.56	338	8.3	42.9	<b>13.2</b>	0.61	1.44	C18
Rectum	245	4.4	33.8	<b>14.9</b>	0.75	1.83	156	3.9	19.8	<b>7.4</b>	0.44	0.81	C19-20
Anus	5	0.1	0.7	<b>0.3</b>	0.02	0.04	30	0.7	3.8	<b>1.8</b>	0.13	0.22	C21
Liver	134	2.4	18.5	<b>8.8</b>	0.47	1.18	41	1.0	5.2	<b>1.9</b>	0.11	0.18	C22
Gallbladder etc.	37	0.7	5.1	<b>2.4</b>	0.14	0.28	39	1.0	4.9	<b>1.8</b>	0.09	0.24	C23-24
Pancreas	135	2.4	18.6	<b>8.3</b>	0.42	1.03	138	3.4	17.5	<b>5.8</b>	0.30	0.62	C25
Nose, sinuses etc.	20	0.4	2.8	<b>1.2</b>	0.04	0.16	5	0.1	0.6	<b>0.2</b>	0.02	0.02	C30-31
Larynx	74	1.3	10.2	<b>5.4</b>	0.39	0.70	5	0.1	0.6	<b>0.4</b>	0.05	0.05	C32
Trachea, bronchus, and lung	595	10.6	82.0	<b>39.7</b>	2.50	4.93	223	5.5	28.3	<b>13.7</b>	0.96	1.64	C33-34
Other thoracic organs	10	0.2	1.4	<b>1.0</b>	0.06	0.09	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C37-38
Bone	7	0.1	1.0	<b>0.9</b>	0.05	0.08	6	0.1	0.8	<b>0.4</b>	0.03	0.03	C40-41
Melanoma of skin	151	2.7	20.8	<b>11.1</b>	0.75	1.14	160	4.0	20.3	<b>12.2</b>	0.92	1.24	C43
Other skin	2		0.3	<b>0.3</b>	0.02	0.02	5		0.6	<b>0.6</b>	0.05	0.05	C44
Mesothelioma	15	0.3	2.1	<b>0.7</b>	0.01	0.06	3	0.1	0.4	<b>0.1</b>	0.00	0.01	C45
Kaposi sarcoma	7	0.1	1.0	<b>0.8</b>	0.05	0.08	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	29	0.5	4.0	<b>2.6</b>	0.14	0.30	12	0.3	1.5	<b>0.8</b>	0.03	0.09	C47+C49
Breast	11	0.2	1.5	<b>0.6</b>	0.02	0.06	1291	31.9	163.7	<b>90.4</b>	6.65	10.49	C50
Vulva							26	0.6	3.3	<b>0.9</b>	0.04	0.11	C51
Vagina							2	0.0	0.3	<b>0.1</b>	0.01	0.01	C52
Cervix uteri							70	1.7	8.9	<b>6.3</b>	0.53	0.59	C53
Corpus uteri							197	4.9	25.0	<b>10.1</b>	0.61	1.31	C54
Uterus unspecified							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C55
Ovary							124	3.1	15.7	<b>7.5</b>	0.53	0.90	C56
Other female genital organs							10	0.2	1.3	<b>0.4</b>	0.01	0.05	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	9	0.2	1.2	<b>0.5</b>	0.02	0.06							C60
Prostate	1881	33.6	259.3	<b>119.6</b>	6.02	16.37							C61
Testis	35	0.6	4.8	<b>5.0</b>	0.37	0.39							C62
Other male genital organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	195	3.5	26.9	<b>14.7</b>	0.89	1.72	110	2.7	13.9	<b>7.3</b>	0.48	0.77	C64
Renal pelvis	20	0.4	2.8	<b>1.2</b>	0.02	0.16	5	0.1	0.6	<b>0.2</b>	0.01	0.02	C65
Ureter	8	0.1	1.1	<b>0.4</b>	0.01	0.04	2	0.0	0.3	<b>0.1</b>	0.00	0.01	C66
Bladder	259	4.6	35.7	<b>14.1</b>	0.49	1.69	58	1.4	7.4	<b>2.1</b>	0.09	0.23	C67
Other urinary organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	4	0.1	0.6	<b>0.5</b>	0.02	0.04	6	0.1	0.8	<b>1.2</b>	0.05	0.06	C69
Brain and nervous system	66	1.2	9.1	<b>6.0</b>	0.38	0.53	65	1.6	8.2	<b>4.2</b>	0.30	0.48	C70-72
Thyroid	48	0.9	6.6	<b>4.5</b>	0.35	0.51	169	4.2	21.4	<b>16.5</b>	1.25	1.68	C73
Adrenal gland	2	0.0	0.3	<b>0.2</b>	0.01	0.01	3	0.1	0.4	<b>0.4</b>	0.01	0.03	C74
Other endocrine	2	0.0	0.3	<b>0.4</b>	0.02	0.02	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	21	0.4	2.9	<b>2.5</b>	0.19	0.19	21	0.5	2.7	<b>2.7</b>	0.19	0.19	C81
Non-Hodgkin lymphoma	148	2.6	20.4	<b>10.1</b>	0.49	1.23	116	2.9	14.7	<b>6.4</b>	0.34	0.71	C82-86,C96
Immunoproliferative diseases	21	0.4	2.9	<b>1.0</b>	0.04	0.10	13	0.3	1.6	<b>0.4</b>	0.02	0.05	C88
Multiple myeloma	78	1.4	10.8	<b>4.5</b>	0.24	0.52	58	1.4	7.4	<b>2.4</b>	0.11	0.27	C90
Lymphoid leukaemia	105	1.9	14.5	<b>8.2</b>	0.41	0.85	62	1.5	7.9	<b>4.0</b>	0.20	0.40	C91
Myeloid leukaemia	74	1.3	10.2	<b>4.7</b>	0.28	0.47	61	1.5	7.7	<b>2.9</b>	0.17	0.29	C92-94
Leukaemia unspecified	1	0.0	0.1	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	42	0.8	5.8	<b>2.5</b>	0.12	0.29	57	1.4	7.2	<b>3.1</b>	0.19	0.34	MPD
Myelodysplastic syndromes	111	2.0	15.3	<b>4.8</b>	0.11	0.48	82	2.0	10.4	<b>2.3</b>	0.05	0.21	MDS
Other and unspecified	111	2.0	15.3	<b>6.4</b>	0.30	0.74	107	2.6	13.6	<b>3.9</b>	0.17	0.40	O&U
All sites	5600		771.8	<b>364.8</b>	19.62	44.83	4053		513.9	<b>245.1</b>	16.36	27.27	C00-96
All sites except C44	5598	100.0	771.6	<b>364.5</b>	19.60	44.81	4048	100.0	513.2	<b>244.5</b>	16.31	27.22	C00-96 exc. C44

\*See note following population pyramid

# France, Loire-Atlantique

## CONTRIBUTORS

Florence Molinié  
Anne Cowppli-Bony  
Solenne Delacour-Billon  
Stéphanie Ayrault  
Nathalie Auffret  
Anne-Delphine Tagri



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	104.8	Breast	101.8
Trachea, bronchus, and lung	49.5	Melanoma of skin	16.0
Colon	24.9	Thyroid	15.3
Liver	20.3	Colon	15.0
Melanoma of skin	15.9	Trachea, bronchus, and lung	14.1
Rectum	14.8	Corpus uteri	9.4
Non-Hodgkin lymphoma	14.1	Non-Hodgkin lymphoma	8.4
Bladder	13.3	Rectum	8.1
Kidney	13.2	Ovary	7.8
Oesophagus	9.8	Kidney	6.2
Pancreas	9.0	Pancreas	5.6
Stomach	7.4	Cervix uteri	4.6
Larynx	6.6	Brain and nervous system	4.1
Brain and nervous system	6.4	Other and unspecified	3.7
Testis	6.3	Lymphoid leukaemia	3.6
Other and unspecified	6.2	Myeloid leukaemia	3.1
Lymphoid leukaemia	6.1	Stomach	2.9
Hypopharynx	5.7	Liver	2.7
Mouth	5.5	Multiple myeloma	2.7
Thyroid	5.3	Hodgkin lymphoma	2.4
All sites	397.9	All sites	263.7



## \*France, Loire-Atlantique (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	51	0.3	1.6	<b>0.9</b>	0.05	0.10	14	0.1	0.4	<b>0.2</b>	0.01	0.02	C00
Tongue	226	1.1	7.2	<b>4.9</b>	0.41	0.57	60	0.4	1.8	<b>1.2</b>	0.10	0.14	C01-02
Mouth	249	1.2	7.9	<b>5.5</b>	0.44	0.64	94	0.6	2.8	<b>1.3</b>	0.11	0.14	C03-06
Salivary glands	18	0.1	0.6	<b>0.4</b>	0.03	0.04	25	0.2	0.8	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	216	1.1	6.9	<b>4.7</b>	0.39	0.55	34	0.2	1.0	<b>0.7</b>	0.05	0.08	C09
Other oropharynx	144	0.7	4.6	<b>3.1</b>	0.25	0.39	20	0.1	0.6	<b>0.4</b>	0.03	0.04	C10
Nasopharynx	17	0.1	0.5	<b>0.4</b>	0.03	0.04	7	0.0	0.2	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	271	1.4	8.6	<b>5.7</b>	0.44	0.71	17	0.1	0.5	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	30	0.2	1.0	<b>0.7</b>	0.06	0.07	6	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	504	2.5	16.0	<b>9.8</b>	0.63	1.20	123	0.8	3.7	<b>1.6</b>	0.09	0.19	C15
Stomach	416	2.1	13.2	<b>7.4</b>	0.33	0.85	245	1.6	7.4	<b>2.9</b>	0.13	0.32	C16
Small intestine	87	0.4	2.8	<b>1.7</b>	0.09	0.21	78	0.5	2.3	<b>1.1</b>	0.06	0.14	C17
Colon	1375	6.9	43.7	<b>24.9</b>	1.17	3.07	1205	7.9	36.2	<b>15.0</b>	0.72	1.73	C18
Rectum	793	4.0	25.2	<b>14.8</b>	0.82	1.79	558	3.6	16.8	<b>8.1</b>	0.45	1.01	C19-20
Anus	42	0.2	1.3	<b>0.9</b>	0.07	0.10	114	0.7	3.4	<b>1.9</b>	0.13	0.23	C21
Liver	1047	5.2	33.3	<b>20.3</b>	1.07	2.68	184	1.2	5.5	<b>2.7</b>	0.15	0.32	C22
Gallbladder etc.	90	0.5	2.9	<b>1.6</b>	0.05	0.20	137	0.9	4.1	<b>1.6</b>	0.05	0.18	C23-24
Pancreas	481	2.4	15.3	<b>9.0</b>	0.43	1.11	426	2.8	12.8	<b>5.6</b>	0.27	0.67	C25
Nose, sinuses etc.	49	0.2	1.6	<b>1.0</b>	0.06	0.12	16	0.1	0.5	<b>0.3</b>	0.03	0.03	C30-31
Larynx	320	1.6	10.2	<b>6.6</b>	0.51	0.82	37	0.2	1.1	<b>0.6</b>	0.06	0.06	C32
Trachea, bronchus, and lung	2423	12.1	77.1	<b>49.5</b>	3.30	6.27	842	5.5	25.3	<b>14.1</b>	0.97	1.69	C33-34
Other thoracic organs	35	0.2	1.1	<b>0.7</b>	0.04	0.07	22	0.1	0.7	<b>0.4</b>	0.03	0.05	C37-38
Bone	44	0.2	1.4	<b>1.3</b>	0.09	0.11	29	0.2	0.9	<b>0.7</b>	0.04	0.05	C40-41
Melanoma of skin	751	3.8	23.9	<b>15.9</b>	1.04	1.77	806	5.3	24.2	<b>16.0</b>	1.17	1.67	C43
Other skin	44		1.4	<b>0.8</b>	0.04	0.09	66		2.0	<b>0.9</b>	0.05	0.08	C44
Mesothelioma	143	0.7	4.5	<b>2.4</b>	0.07	0.27	35	0.2	1.1	<b>0.4</b>	0.02	0.05	C45
Kaposi sarcoma	16	0.1	0.5	<b>0.4</b>	0.03	0.04	5	0.0	0.2	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	118	0.6	3.8	<b>2.7</b>	0.16	0.25	103	0.7	3.1	<b>2.1</b>	0.12	0.19	C47+C49
Breast	40	0.2	1.3	<b>0.8</b>	0.05	0.08	5307	34.6	159.4	<b>101.8</b>	7.56	11.70	C50
Vulva							24	0.2	0.7	<b>0.3</b>	0.01	0.03	C51
Vagina							12	0.1	0.4	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							210	1.4	6.3	<b>4.6</b>	0.38	0.44	C53
Corpus uteri							600	3.9	18.0	<b>9.4</b>	0.56	1.24	C54
Uterus unspecified							7	0.0	0.2	<b>0.1</b>	0.00	0.01	C55
Ovary							475	3.1	14.3	<b>7.8</b>	0.51	0.95	C56
Other female genital organs							36	0.2	1.1	<b>0.5</b>	0.02	0.06	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	20	0.1	0.6	<b>0.4</b>	0.01	0.05							C60
Prostate	5303	26.6	168.7	<b>104.8</b>	5.61	14.48							C61
Testis	204	1.0	6.5	<b>6.3</b>	0.46	0.49							C62
Other male genital organs	6	0.0	0.2	<b>0.2</b>	0.01	0.01							C63
Kidney	644	3.2	20.5	<b>13.2</b>	0.84	1.61	370	2.4	11.1	<b>6.2</b>	0.37	0.68	C64
Renal pelvis	36	0.2	1.1	<b>0.6</b>	0.02	0.07	22	0.1	0.7	<b>0.3</b>	0.01	0.03	C65
Ureter	25	0.1	0.8	<b>0.4</b>	0.01	0.05	8	0.1	0.2	<b>0.1</b>	0.01	0.01	C66
Bladder	759	3.8	24.1	<b>13.3</b>	0.58	1.62	181	1.2	5.4	<b>1.9</b>	0.07	0.20	C67
Other urinary organs	10	0.1	0.3	<b>0.2</b>	0.01	0.02	3	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	10	0.1	0.3	<b>0.3</b>	0.02	0.02	14	0.1	0.4	<b>0.3</b>	0.02	0.02	C69
Brain and nervous system	285	1.4	9.1	<b>6.4</b>	0.41	0.64	211	1.4	6.3	<b>4.1</b>	0.26	0.42	C70-72
Thyroid	220	1.1	7.0	<b>5.3</b>	0.40	0.57	632	4.1	19.0	<b>15.3</b>	1.18	1.49	C73
Adrenal gland	13	0.1	0.4	<b>0.4</b>	0.03	0.03	22	0.1	0.7	<b>0.6</b>	0.05	0.05	C74
Other endocrine	4	0.0	0.1	<b>0.2</b>	0.01	0.01	2	0.0	0.1	<b>0.0</b>	0.00	0.01	C75
Hodgkin lymphoma	134	0.7	4.3	<b>3.8</b>	0.26	0.32	88	0.6	2.6	<b>2.4</b>	0.17	0.19	C81
Non-Hodgkin lymphoma	716	3.6	22.8	<b>14.1</b>	0.76	1.60	534	3.5	16.0	<b>8.4</b>	0.49	0.96	C82-86,C96
Immunoproliferative diseases	194	1.0	6.2	<b>3.6</b>	0.14	0.51	120	0.8	3.6	<b>1.6</b>	0.09	0.19	C88
Multiple myeloma	202	1.0	6.4	<b>3.7</b>	0.20	0.43	208	1.4	6.2	<b>2.7</b>	0.12	0.32	C90
Lymphoid leukaemia	284	1.4	9.0	<b>6.1</b>	0.31	0.67	212	1.4	6.4	<b>3.6</b>	0.20	0.33	C91
Myeloid leukaemia	228	1.1	7.3	<b>4.3</b>	0.20	0.42	204	1.3	6.1	<b>3.1</b>	0.18	0.32	C92-94
Leukaemia unspecified	8	0.0	0.3	<b>0.2</b>	0.01	0.01	8	0.1	0.2	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	131	0.7	4.2	<b>2.4</b>	0.15	0.26	115	0.7	3.5	<b>1.7</b>	0.10	0.18	MPD
Myelodysplastic syndromes	174	0.9	5.5	<b>2.7</b>	0.06	0.28	148	1.0	4.4	<b>1.5</b>	0.05	0.16	MDS
Other and unspecified	354	1.8	11.3	<b>6.2</b>	0.30	0.65	317	2.1	9.5	<b>3.7</b>	0.15	0.38	O&U
All sites	20004		636.4	<b>397.9</b>	22.93	49.06	15400		462.4	<b>263.7</b>	17.51	29.62	C00-96
All sites except C44	19960	100.0	635.0	<b>397.0</b>	22.89	48.97	15334	100.0	460.4	<b>262.8</b>	17.46	29.54	C00-96 exc. C44

\*See note following population pyramid

# France, Manche

## CONTRIBUTORS

Simona Bara  
Delphine Degré



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	87.5	Breast	91.2
Trachea, bronchus, and lung	52.8	Colon	14.3
Colon	22.1	Trachea, bronchus, and lung	13.2
Rectum	16.9	Non-Hodgkin lymphoma	9.4
Bladder	13.2	Corpus uteri	9.4
Liver	12.9	Ovary	9.0
Kidney	11.8	Melanoma of skin	8.9
Non-Hodgkin lymphoma	10.4	Thyroid	7.8
Stomach	9.5	Rectum	7.6
Oesophagus	9.3	Cervix uteri	6.5
Pancreas	8.2	Pancreas	5.6
Testis	7.8	Kidney	5.4
Melanoma of skin	7.6	Stomach	4.7
Brain and nervous system	7.0	Brain and nervous system	4.1
Other and unspecified	6.8	Lymphoid leukaemia	3.8
Larynx	6.6	Multiple myeloma	3.5
Lymphoid leukaemia	5.7	Other and unspecified	3.2
Hypopharynx	5.2	Myeloid leukaemia	2.7
Mouth	5.0	Hodgkin lymphoma	2.6
Multiple myeloma	4.6	Bladder	2.5
All sites	356.8	All sites	241.9

## \*France, Manche (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	16	0.2	1.6	<b>0.7</b>	0.04	0.07	6	0.1	0.6	<b>0.1</b>	0.00	0.01	C00
Tongue	66	1.0	6.8	<b>4.0</b>	0.34	0.47	23	0.4	2.2	<b>1.5</b>	0.13	0.17	C01-02
Mouth	81	1.2	8.3	<b>5.0</b>	0.41	0.57	27	0.5	2.6	<b>1.2</b>	0.09	0.12	C03-06
Salivary glands	13	0.2	1.3	<b>0.5</b>	0.02	0.03	8	0.2	0.8	<b>0.4</b>	0.03	0.05	C07-08
Tonsil	44	0.6	4.5	<b>2.8</b>	0.24	0.35	12	0.2	1.2	<b>0.8</b>	0.06	0.09	C09
Other oropharynx	46	0.7	4.7	<b>3.1</b>	0.26	0.38	10	0.2	1.0	<b>0.6</b>	0.07	0.08	C10
Nasopharynx	6	0.1	0.6	<b>0.5</b>	0.03	0.05	2	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	90	1.3	9.2	<b>5.2</b>	0.38	0.66	10	0.2	1.0	<b>0.6</b>	0.05	0.07	C12-13
Pharynx unspecified	10	0.1	1.0	<b>0.6</b>	0.06	0.07	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	188	2.7	19.3	<b>9.3</b>	0.59	1.14	42	0.8	4.1	<b>1.6</b>	0.12	0.18	C15
Stomach	222	3.2	22.8	<b>9.5</b>	0.39	1.04	159	3.1	15.5	<b>4.7</b>	0.22	0.51	C16
Small intestine	24	0.3	2.5	<b>1.1</b>	0.04	0.14	23	0.4	2.2	<b>0.8</b>	0.04	0.08	C17
Colon	489	7.1	50.2	<b>22.1</b>	0.90	2.69	453	8.8	44.2	<b>14.3</b>	0.71	1.64	C18
Rectum	363	5.3	37.3	<b>16.9</b>	0.89	2.04	209	4.0	20.4	<b>7.6</b>	0.44	0.89	C19-20
Anus	9	0.1	0.9	<b>0.5</b>	0.03	0.05	33	0.6	3.2	<b>1.5</b>	0.11	0.17	C21
Liver	246	3.6	25.3	<b>12.9</b>	0.76	1.70	52	1.0	5.1	<b>1.7</b>	0.09	0.17	C22
Gallbladder etc.	32	0.5	3.3	<b>1.4</b>	0.07	0.17	51	1.0	5.0	<b>1.5</b>	0.07	0.18	C23-24
Pancreas	172	2.5	17.7	<b>8.2</b>	0.44	0.93	170	3.3	16.6	<b>5.6</b>	0.22	0.69	C25
Nose, sinuses etc.	17	0.2	1.7	<b>1.1</b>	0.09	0.12	4	0.1	0.4	<b>0.2</b>	0.01	0.01	C30-31
Larynx	115	1.7	11.8	<b>6.6</b>	0.51	0.79	14	0.3	1.4	<b>0.7</b>	0.06	0.08	C32
Trachea, bronchus, and lung	1005	14.6	103.2	<b>52.8</b>	3.28	6.65	258	5.0	25.2	<b>13.2</b>	0.96	1.52	C33-34
Other thoracic organs	8	0.1	0.8	<b>0.6</b>	0.05	0.05	3	0.1	0.3	<b>0.1</b>	0.00	0.01	C37-38
Bone	11	0.2	1.1	<b>1.1</b>	0.07	0.10	12	0.2	1.2	<b>1.0</b>	0.07	0.09	C40-41
Melanoma of skin	140	2.0	14.4	<b>7.6</b>	0.43	0.91	194	3.8	18.9	<b>8.9</b>	0.61	0.89	C43
Other skin	39		4.0	<b>1.5</b>	0.03	0.11	39		3.8	<b>1.4</b>	0.06	0.10	C44
Mesothelioma	46	0.7	4.7	<b>2.3</b>	0.12	0.31	11	0.2	1.1	<b>0.3</b>	0.01	0.04	C45
Kaposi sarcoma	4	0.1	0.4	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	39	0.6	4.0	<b>2.4</b>	0.12	0.23	25	0.5	2.4	<b>1.1</b>	0.06	0.15	C47+C49
Breast	16	0.2	1.6	<b>0.8</b>	0.07	0.09	1632	31.6	159.2	<b>91.2</b>	7.04	10.33	C50
Vulva							28	0.5	2.7	<b>0.9</b>	0.06	0.07	C51
Vagina							3	0.1	0.3	<b>0.1</b>	0.01	0.01	C52
Cervix uteri							99	1.9	9.7	<b>6.5</b>	0.50	0.63	C53
Corpus uteri							215	4.2	21.0	<b>9.4</b>	0.60	1.19	C54
Uterus unspecified							7	0.1	0.7	<b>0.2</b>	0.01	0.03	C55
Ovary							195	3.8	19.0	<b>9.0</b>	0.59	0.99	C56
Other female genital organs							14	0.3	1.4	<b>0.4</b>	0.01	0.05	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	18	0.3	1.8	<b>0.8</b>	0.05	0.08							C60
Prostate	1750	25.4	179.7	<b>87.5</b>	4.39	12.36							C61
Testis	72	1.0	7.4	<b>7.8</b>	0.59	0.61							C62
Other male genital organs	2	0.0	0.2	<b>0.1</b>	0.00	0.02							C63
Kidney	224	3.2	23.0	<b>11.8</b>	0.73	1.41	130	2.5	12.7	<b>5.4</b>	0.30	0.62	C64
Renal pelvis	20	0.3	2.1	<b>1.0</b>	0.06	0.12	8	0.2	0.8	<b>0.2</b>	0.01	0.03	C65
Ureter	5	0.1	0.5	<b>0.2</b>	0.01	0.03	9	0.2	0.9	<b>0.3</b>	0.02	0.03	C66
Bladder	288	4.2	29.6	<b>13.2</b>	0.49	1.74	83	1.6	8.1	<b>2.5</b>	0.10	0.25	C67
Other urinary organs	7	0.1	0.7	<b>0.3</b>	0.01	0.03	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	11	0.2	1.1	<b>0.5</b>	0.03	0.07	9	0.2	0.9	<b>0.6</b>	0.04	0.05	C69
Brain and nervous system	109	1.6	11.2	<b>7.0</b>	0.48	0.70	72	1.4	7.0	<b>4.1</b>	0.29	0.40	C70-72
Thyroid	27	0.4	2.8	<b>1.9</b>	0.14	0.20	98	1.9	9.6	<b>7.8</b>	0.62	0.72	C73
Adrenal gland	2	0.0	0.2	<b>0.2</b>	0.02	0.02	5	0.1	0.5	<b>0.4</b>	0.04	0.04	C74
Other endocrine	1	0.0	0.1	<b>0.1</b>	0.01	0.01	2	0.0	0.2	<b>0.2</b>	0.02	0.02	C75
Hodgkin lymphoma	26	0.4	2.7	<b>2.6</b>	0.19	0.19	29	0.6	2.8	<b>2.6</b>	0.18	0.21	C81
Non-Hodgkin lymphoma	195	2.8	20.0	<b>10.4</b>	0.58	1.13	211	4.1	20.6	<b>9.4</b>	0.54	1.04	C82-86,C96
Immunoproliferative diseases	34	0.5	3.5	<b>1.7</b>	0.08	0.19	25	0.5	2.4	<b>1.1</b>	0.07	0.12	C88
Multiple myeloma	97	1.4	10.0	<b>4.6</b>	0.23	0.55	81	1.6	7.9	<b>3.5</b>	0.19	0.45	C90
Lymphoid leukaemia	102	1.5	10.5	<b>5.7</b>	0.27	0.62	76	1.5	7.4	<b>3.8</b>	0.20	0.37	C91
Myeloid leukaemia	81	1.2	8.3	<b>4.3</b>	0.28	0.45	55	1.1	5.4	<b>2.7</b>	0.16	0.26	C92-94
Leukaemia unspecified	2	0.0	0.2	<b>0.1</b>	0.00	0.01	3	0.1	0.3	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	67	1.0	6.9	<b>3.3</b>	0.16	0.38	64	1.2	6.2	<b>2.4</b>	0.12	0.23	MPD
Myelodysplastic syndromes	106	1.5	10.9	<b>3.9</b>	0.12	0.39	90	1.7	8.8	<b>2.2</b>	0.07	0.21	MDS
Other and unspecified	135	2.0	13.9	<b>6.8</b>	0.35	0.74	109	2.1	10.6	<b>3.2</b>	0.11	0.37	O&U
All sites	6938		712.6	<b>356.8</b>	19.91	44.03	5205		507.9	<b>241.9</b>	16.19	26.71	C00-96
All sites except C44	6899	100.0	708.6	<b>355.4</b>	19.88	43.92	5166	100.0	504.1	<b>240.6</b>	16.12	26.61	C00-96 exc. C44

\*See note following population pyramid

# France, Somme

## CONTRIBUTORS

Olivier Ganry  
Bénédicte Lapotre-Ledoux  
Eric Trecherel  
Agnès Thulliez  
Elodie Sobo  
Christine Cotte  
Claudie Cussey  
Caroline Boucher



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	84.9	Breast	99.0
Trachea, bronchus, and lung	62.8	Trachea, bronchus, and lung	16.5
Colon	23.3	Colon	14.1
Bladder	14.4	Thyroid	12.1
Rectum	13.0	Corpus uteri	11.5
Kidney	11.8	Ovary	8.4
Non-Hodgkin lymphoma	11.2	Cervix uteri	8.2
Oesophagus	10.9	Melanoma of skin	8.1
Liver	10.7	Rectum	8.0
Pancreas	9.9	Pancreas	6.6
Larynx	7.7	Non-Hodgkin lymphoma	6.0
Other and unspecified	7.6	Kidney	5.2
Stomach	7.5	Other and unspecified	4.7
Melanoma of skin	6.7	Brain and nervous system	3.9
Mouth	6.5	Stomach	3.4
Hypopharynx	6.5	Lymphoid leukaemia	3.1
Testis	6.0	Myeloid leukaemia	3.0
Brain and nervous system	5.9	Liver	2.7
Tongue	5.4	Hodgkin lymphoma	2.5
Myeloid leukaemia	5.3	Multiple myeloma	2.4
All sites	369.4	All sites	259.0

## \*France, Somme (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	17	0.2	1.2	<b>0.6</b>	0.03	0.06	3	0.0	0.2	<b>0.1</b>	0.00	0.02	C00
Tongue	118	1.4	8.5	<b>5.4</b>	0.45	0.68	30	0.4	2.0	<b>1.3</b>	0.11	0.14	C01-02
Mouth	133	1.5	9.6	<b>6.5</b>	0.50	0.81	46	0.7	3.1	<b>1.7</b>	0.13	0.18	C03-06
Salivary glands	15	0.2	1.1	<b>0.6</b>	0.04	0.06	20	0.3	1.4	<b>0.7</b>	0.04	0.06	C07-08
Tonsil	78	0.9	5.6	<b>3.7</b>	0.31	0.43	29	0.4	2.0	<b>1.4</b>	0.12	0.17	C09
Other oropharynx	65	0.7	4.7	<b>3.2</b>	0.26	0.42	14	0.2	1.0	<b>0.6</b>	0.06	0.07	C10
Nasopharynx	10	0.1	0.7	<b>0.6</b>	0.04	0.07	3	0.0	0.2	<b>0.1</b>	0.01	0.02	C11
Hypopharynx	137	1.6	9.9	<b>6.5</b>	0.51	0.81	11	0.2	0.7	<b>0.4</b>	0.03	0.04	C12-13
Pharynx unspecified	27	0.3	1.9	<b>1.3</b>	0.11	0.15	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	265	3.1	19.1	<b>10.9</b>	0.75	1.28	66	1.0	4.5	<b>2.0</b>	0.13	0.24	C15
Stomach	188	2.2	13.5	<b>7.5</b>	0.40	0.92	127	1.8	8.6	<b>3.4</b>	0.17	0.34	C16
Small intestine	22	0.3	1.6	<b>0.8</b>	0.04	0.08	33	0.5	2.2	<b>1.1</b>	0.05	0.14	C17
Colon	598	6.9	43.0	<b>23.3</b>	1.11	2.76	487	7.1	33.1	<b>14.1</b>	0.76	1.59	C18
Rectum	332	3.8	23.9	<b>13.0</b>	0.71	1.51	252	3.7	17.1	<b>8.0</b>	0.45	0.98	C19-20
Anus	19	0.2	1.4	<b>0.9</b>	0.08	0.09	32	0.5	2.2	<b>1.2</b>	0.08	0.13	C21
Liver	259	3.0	18.6	<b>10.7</b>	0.52	1.45	94	1.4	6.4	<b>2.7</b>	0.12	0.32	C22
Gallbladder etc.	62	0.7	4.5	<b>2.2</b>	0.12	0.24	70	1.0	4.8	<b>1.8</b>	0.05	0.19	C23-24
Pancreas	239	2.8	17.2	<b>9.9</b>	0.53	1.27	229	3.3	15.5	<b>6.6</b>	0.31	0.79	C25
Nose, sinuses etc.	19	0.2	1.4	<b>0.8</b>	0.05	0.09	11	0.2	0.7	<b>0.3</b>	0.02	0.03	C30-31
Larynx	171	2.0	12.3	<b>7.7</b>	0.55	0.97	24	0.3	1.6	<b>0.9</b>	0.05	0.10	C32
Trachea, bronchus, and lung	1489	17.1	107.2	<b>62.8</b>	3.88	7.92	430	6.3	29.2	<b>16.5</b>	1.18	1.97	C33-34
Other thoracic organs	18	0.2	1.3	<b>0.7</b>	0.04	0.08	7	0.1	0.5	<b>0.3</b>	0.03	0.03	C37-38
Bone	19	0.2	1.4	<b>1.3</b>	0.08	0.10	19	0.3	1.3	<b>1.3</b>	0.08	0.11	C40-41
Melanoma of skin	152	1.7	10.9	<b>6.7</b>	0.42	0.72	189	2.7	12.8	<b>8.1</b>	0.56	0.83	C43
Other skin	20		1.4	<b>0.8</b>	0.03	0.08	30		2.0	<b>0.9</b>	0.05	0.08	C44
Mesothelioma	42	0.5	3.0	<b>1.7</b>	0.09	0.19	14	0.2	1.0	<b>0.5</b>	0.03	0.06	C45
Kaposi sarcoma	6	0.1	0.4	<b>0.3</b>	0.02	0.04	1	0.0	0.1	<b>0.0</b>	0.01	0.01	C46
Connective and soft tissue	57	0.7	4.1	<b>2.9</b>	0.17	0.25	46	0.7	3.1	<b>2.1</b>	0.15	0.20	C47+C49
Breast	18	0.2	1.3	<b>0.8</b>	0.05	0.09	2345	34.1	159.2	<b>99.0</b>	7.25	11.67	C50
Vulva							38	0.6	2.6	<b>1.1</b>	0.07	0.11	C51
Vagina							16	0.2	1.1	<b>0.5</b>	0.03	0.07	C52
Cervix uteri							164	2.4	11.1	<b>8.2</b>	0.67	0.76	C53
Corpus uteri							337	4.9	22.9	<b>11.5</b>	0.72	1.53	C54
Uterus unspecified							19	0.3	1.3	<b>0.7</b>	0.04	0.05	C55
Ovary							225	3.3	15.3	<b>8.4</b>	0.54	0.94	C56
Other female genital organs							22	0.3	1.5	<b>0.6</b>	0.02	0.08	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	17	0.2	1.2	<b>0.6</b>	0.04	0.06							C60
Prostate	2059	23.7	148.2	<b>84.9</b>	4.30	11.70							C61
Testis	86	1.0	6.2	<b>6.0</b>	0.46	0.47							C62
Other male genital organs	6	0.1	0.4	<b>0.2</b>	0.01	0.02							C63
Kidney	272	3.1	19.6	<b>11.8</b>	0.76	1.41	147	2.1	10.0	<b>5.2</b>	0.34	0.54	C64
Renal pelvis	22	0.3	1.6	<b>0.9</b>	0.04	0.11	6	0.1	0.4	<b>0.2</b>	0.01	0.03	C65
Ureter	17	0.2	1.2	<b>0.6</b>	0.03	0.08	7	0.1	0.5	<b>0.1</b>	0.00	0.02	C66
Bladder	391	4.5	28.1	<b>14.4</b>	0.57	1.68	91	1.3	6.2	<b>2.2</b>	0.12	0.19	C67
Other urinary organs	14	0.2	1.0	<b>0.5</b>	0.03	0.06	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C68
Eye	21	0.2	1.5	<b>0.9</b>	0.04	0.11	17	0.2	1.2	<b>0.9</b>	0.05	0.10	C69
Brain and nervous system	115	1.3	8.3	<b>5.9</b>	0.37	0.61	90	1.3	6.1	<b>3.9</b>	0.26	0.38	C70-72
Thyroid	77	0.9	5.5	<b>4.1</b>	0.31	0.47	233	3.4	15.8	<b>12.1</b>	0.98	1.23	C73
Adrenal gland	6	0.1	0.4	<b>0.6</b>	0.03	0.03	3	0.0	0.2	<b>0.2</b>	0.01	0.02	C74
Other endocrine	1	0.0	0.1	<b>0.1</b>	0.01	0.01	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	43	0.5	3.1	<b>3.0</b>	0.22	0.22	38	0.6	2.6	<b>2.5</b>	0.16	0.19	C81
Non-Hodgkin lymphoma	254	2.9	18.3	<b>11.2</b>	0.67	1.24	179	2.6	12.2	<b>6.0</b>	0.36	0.64	C82-86,C96
Immunoproliferative diseases	31	0.4	2.2	<b>1.3</b>	0.06	0.18	28	0.4	1.9	<b>0.9</b>	0.05	0.12	C88
Multiple myeloma	104	1.2	7.5	<b>4.0</b>	0.22	0.47	90	1.3	6.1	<b>2.4</b>	0.11	0.27	C90
Lymphoid leukaemia	111	1.3	8.0	<b>5.1</b>	0.24	0.50	80	1.2	5.4	<b>3.1</b>	0.15	0.32	C91
Myeloid leukaemia	126	1.5	9.1	<b>5.3</b>	0.25	0.62	94	1.4	6.4	<b>3.0</b>	0.17	0.29	C92-94
Leukaemia unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	4	0.1	0.3	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	73	0.8	5.3	<b>3.2</b>	0.22	0.36	65	0.9	4.4	<b>1.7</b>	0.08	0.14	MPD
Myelodysplastic syndromes	79	0.9	5.7	<b>2.6</b>	0.09	0.26	67	1.0	4.5	<b>1.4</b>	0.05	0.13	MDS
Other and unspecified	186	2.1	13.4	<b>7.6</b>	0.36	0.92	181	2.6	12.3	<b>4.7</b>	0.23	0.50	O&U
All sites	8706		626.6	<b>369.4</b>	21.21	45.18	6908		469.0	<b>259.0</b>	17.27	29.15	C00-96
All sites except C44	8686	100.0	625.1	<b>368.6</b>	21.18	45.11	6878	100.0	467.0	<b>258.1</b>	17.22	29.07	C00-96 exc. C44

\*See note following population pyramid

# France, Tarn

## CONTRIBUTORS

Laetitia Daubisse-Marliac  
 Pascale Grosclaude  
 Martine Sauvage  
 Corine Ferre-Grevaz  
 Regine Litre-Tournier  
 Chantal Miquel-Herail  
 Helene Siguier  
 Christophe Lagadic  
 Cathy Robak  
 Valerie Testaud



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	87.3	Breast	89.4
Trachea, bronchus, and lung	46.5	Thyroid	15.5
Colon	21.4	Colon	15.3
Bladder	15.4	Trachea, bronchus, and lung	14.0
Rectum	14.1	Melanoma of skin	11.0
Kidney	12.6	Corpus uteri	10.7
Non-Hodgkin lymphoma	10.9	Rectum	8.1
Melanoma of skin	9.4	Ovary	7.4
Pancreas	9.4	Non-Hodgkin lymphoma	7.2
Other and unspecified	7.3	Cervix uteri	6.3
Lymphoid leukaemia	7.1	Pancreas	6.1
Liver	7.0	Brain and nervous system	5.4
Stomach	6.2	Kidney	5.3
Brain and nervous system	6.1	Other and unspecified	4.6
Larynx	5.8	Lymphoid leukaemia	3.3
Oesophagus	5.5	Myeloproliferative disorders	3.1
Testis	5.3	Stomach	3.0
Myeloid leukaemia	5.0	Multiple myeloma	2.8
Multiple myeloma	4.1	Myeloid leukaemia	2.3
Thyroid	4.0	Hodgkin lymphoma	2.1
All sites	334.9	All sites	247.8

## \*France, Tarn (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	25	0.4	2.7	1.1	0.06	0.10	15	0.3	1.5	0.6	0.02	0.08	C00
Tongue	45	0.7	4.9	2.7	0.21	0.31	20	0.4	2.0	1.1	0.09	0.12	C01-02
Mouth	51	0.8	5.5	3.3	0.32	0.36	20	0.4	2.0	0.8	0.04	0.11	C03-06
Salivary glands	9	0.1	1.0	0.5	0.04	0.06	11	0.2	1.1	0.3	0.01	0.03	C07-08
Tonsil	40	0.6	4.4	2.6	0.20	0.31	7	0.1	0.7	0.5	0.05	0.06	C09
Other oropharynx	35	0.5	3.8	2.3	0.20	0.28	5	0.1	0.5	0.4	0.03	0.04	C10
Nasopharynx	7	0.1	0.8	0.5	0.04	0.05	4	0.1	0.4	0.3	0.02	0.03	C11
Hypopharynx	43	0.6	4.7	2.6	0.21	0.29	5	0.1	0.5	0.2	0.02	0.03	C12-13
Pharynx unspecified	11	0.2	1.2	0.5	0.03	0.08	2	0.0	0.2	0.1	0.01	0.01	C14
Oesophagus	109	1.6	11.9	5.5	0.35	0.67	27	0.5	2.7	0.9	0.04	0.11	C15
Stomach	152	2.3	16.5	6.2	0.33	0.68	79	1.5	8.0	3.0	0.17	0.34	C16
Small intestine	29	0.4	3.2	1.4	0.08	0.19	18	0.3	1.8	0.9	0.06	0.11	C17
Colon	513	7.7	55.8	21.4	0.94	2.45	500	9.6	50.8	15.3	0.66	1.69	C18
Rectum	319	4.8	34.7	14.1	0.69	1.71	219	4.2	22.3	8.1	0.47	0.94	C19-20
Anus	8	0.1	0.9	0.4	0.02	0.04	33	0.6	3.4	1.6	0.10	0.21	C21
Liver	141	2.1	15.3	7.0	0.41	0.83	53	1.0	5.4	1.8	0.08	0.19	C22
Gallbladder etc.	48	0.7	5.2	2.2	0.10	0.27	74	1.4	7.5	2.1	0.08	0.21	C23-24
Pancreas	205	3.1	22.3	9.4	0.45	1.08	210	4.0	21.4	6.1	0.24	0.70	C25
Nose, sinuses etc.	18	0.3	2.0	1.0	0.05	0.15	11	0.2	1.1	0.5	0.04	0.05	C30-31
Larynx	104	1.6	11.3	5.8	0.40	0.77	7	0.1	0.7	0.3	0.02	0.04	C32
Trachea, bronchus, and lung	923	13.8	100.4	46.5	2.92	5.71	294	5.6	29.9	14.0	0.99	1.63	C33-34
Other thoracic organs	11	0.2	1.2	0.7	0.03	0.08	10	0.2	1.0	0.7	0.06	0.07	C37-38
Bone	10	0.1	1.1	0.9	0.08	0.09	11	0.2	1.1	1.0	0.06	0.08	C40-41
Melanoma of skin	146	2.2	15.9	9.4	0.68	1.06	176	3.4	17.9	11.0	0.79	1.12	C43
Other skin	21		2.3	1.0	0.06	0.09	26		2.6	1.1	0.05	0.08	C44
Mesothelioma	23	0.3	2.5	1.0	0.05	0.13	5	0.1	0.5	0.3	0.02	0.04	C45
Kaposi sarcoma	5	0.1	0.5	0.1	0.00	0.01	1	0.0	0.1	0.1	0.01	0.01	C46
Connective and soft tissue	40	0.6	4.4	2.7	0.17	0.25	31	0.6	3.2	1.6	0.07	0.18	C47+C49
Breast	16	0.2	1.7	0.8	0.03	0.11	1589	30.5	161.6	89.4	6.84	9.95	C50
Vulva							35	0.7	3.6	1.1	0.07	0.11	C51
Vagina							5	0.1	0.5	0.2	0.01	0.01	C52
Cervix uteri							101	1.9	10.3	6.3	0.47	0.60	C53
Corpus uteri							260	5.0	26.4	10.7	0.65	1.31	C54
Uterus unspecified							4	0.1	0.4	0.1	0.00	0.01	C55
Ovary							145	2.8	14.7	7.4	0.52	0.86	C56
Other female genital organs							4	0.1	0.4	0.2	0.01	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	18	0.3	2.0	0.8	0.04	0.10							C60
Prostate	1777	26.6	193.4	87.3	4.34	12.25							C61
Testis	44	0.7	4.8	5.3	0.40	0.40							C62
Other male genital organs	4	0.1	0.4	0.3	0.02	0.02							C63
Kidney	253	3.8	27.5	12.6	0.74	1.46	114	2.2	11.6	5.3	0.33	0.51	C64
Renal pelvis	18	0.3	2.0	0.6	0.02	0.06	3	0.1	0.3	0.0	0.00	0.00	C65
Ureter	10	0.1	1.1	0.4	0.00	0.05	5	0.1	0.5	0.1	0.00	0.00	C66
Bladder	377	5.6	41.0	15.4	0.73	1.77	84	1.6	8.5	2.1	0.07	0.22	C67
Other urinary organs	18	0.3	2.0	0.7	0.04	0.08	5	0.1	0.5	0.1	0.01	0.01	C68
Eye	12	0.2	1.3	1.0	0.06	0.09	8	0.2	0.8	0.4	0.04	0.05	C69
Brain and nervous system	98	1.5	10.7	6.1	0.38	0.62	92	1.8	9.4	5.4	0.31	0.55	C70-72
Thyroid	57	0.9	6.2	4.0	0.33	0.42	196	3.8	19.9	15.5	1.21	1.51	C73
Adrenal gland	2	0.0	0.2	0.2	0.02	0.02	2	0.0	0.2	0.3	0.02	0.02	C74
Other endocrine	3	0.0	0.3	0.5	0.03	0.03	1	0.0	0.1	0.0	0.00	0.01	C75
Hodgkin lymphoma	31	0.5	3.4	3.2	0.23	0.24	22	0.4	2.2	2.1	0.14	0.15	C81
Non-Hodgkin lymphoma	200	3.0	21.8	10.9	0.65	1.29	163	3.1	16.6	7.2	0.38	0.84	C82-86,C96
Immunoproliferative diseases	34	0.5	3.7	1.5	0.06	0.15	16	0.3	1.6	0.7	0.04	0.08	C88
Multiple myeloma	91	1.4	9.9	4.1	0.21	0.50	74	1.4	7.5	2.8	0.14	0.35	C90
Lymphoid leukaemia	105	1.6	11.4	7.1	0.37	0.70	65	1.2	6.6	3.3	0.18	0.38	C91
Myeloid leukaemia	92	1.4	10.0	5.0	0.27	0.46	64	1.2	6.5	2.3	0.14	0.26	C92-94
Leukaemia unspecified	4	0.1	0.4	0.4	0.03	0.03	4	0.1	0.4	0.3	0.02	0.02	C95
Myeloproliferative disorders	72	1.1	7.8	3.3	0.20	0.35	69	1.3	7.0	3.1	0.20	0.35	MPD
Myelodysplastic syndromes	103	1.5	11.2	3.1	0.08	0.25	80	1.5	8.1	2.0	0.06	0.20	MDS
Other and unspecified	178	2.7	19.4	7.3	0.32	0.77	158	3.0	16.1	4.6	0.22	0.43	O&U
All sites	6708		730.0	334.9	18.69	40.35	5242		532.9	247.8	16.40	27.10	C00-96
All sites except C44	6687	100.0	727.7	333.9	18.64	40.25	5216	100.0	530.3	246.8	16.35	27.02	C00-96 exc. C44


\*See note following population pyramid



# France, Territoire de Belfort

## CONTRIBUTORS

Anne-Sophie Woronoff  
 Evelyne Fournier  
 Virginie Champenois  
 Valérie Queuche  
 Sophie Munier  
 Emilie Roux DeKeukeleire  
 Fabienne Dromard  
 Virginie Urbin  
 Mady Keita



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	109.2	Breast	88.6
Trachea, bronchus, and lung	60.8	Trachea, bronchus, and lung	17.1
Colon	23.8	Colon	15.5
Rectum	15.7	Corpus uteri	13.4
Bladder	13.6	Melanoma of skin	11.9
Kidney	13.5	Thyroid	10.5
Melanoma of skin	11.5	Ovary	7.8
Non-Hodgkin lymphoma	11.0	Cervix uteri	6.4
Pancreas	10.9	Pancreas	6.2
Liver	10.5	Rectum	5.8
Lymphoid leukaemia	8.1	Non-Hodgkin lymphoma	5.6
Testis	7.6	Brain and nervous system	5.2
Oesophagus	7.1	Kidney	4.7
Stomach	6.8	Multiple myeloma	4.4
Brain and nervous system	6.4	Lymphoid leukaemia	4.0
Larynx	6.1	Myeloid leukaemia	3.7
Myelodysplastic syndromes	6.0	Stomach	3.5
Tongue	5.0	Hodgkin lymphoma	3.4
Tonsil	4.5	Myelodysplastic syndromes	3.2
Myeloid leukaemia	4.1	Liver	2.6
All sites	386.7	All sites	251.6

## \*France, Territoire de Belfort (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	2	0.1	0.6	<b>0.4</b>	0.04	0.04	2	0.1	0.6	<b>0.2</b>	0.02	0.02	C00
Tongue	28	1.2	7.8	<b>5.0</b>	0.33	0.64	11	0.7	3.1	<b>1.9</b>	0.11	0.18	C01-02
Mouth	18	0.8	5.0	<b>3.5</b>	0.27	0.45	12	0.7	3.3	<b>1.6</b>	0.13	0.20	C03-06
Salivary glands	5	0.2	1.4	<b>0.8</b>	0.07	0.07	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C07-08
Tonsil	23	1.0	6.4	<b>4.5</b>	0.38	0.53	9	0.5	2.5	<b>1.7</b>	0.14	0.21	C09
Other oropharynx	12	0.5	3.3	<b>2.3</b>	0.18	0.29	3	0.2	0.8	<b>0.5</b>	0.05	0.08	C10
Nasopharynx	5	0.2	1.4	<b>1.1</b>	0.08	0.08	1	0.1	0.3	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	20	0.9	5.6	<b>3.7</b>	0.34	0.55	2	0.1	0.6	<b>0.5</b>	0.04	0.04	C12-13
Pharynx unspecified	3	0.1	0.8	<b>0.6</b>	0.05	0.08	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	43	1.8	12.0	<b>7.1</b>	0.35	0.86	7	0.4	2.0	<b>1.1</b>	0.09	0.12	C15
Stomach	45	1.9	12.5	<b>6.8</b>	0.33	0.77	27	1.6	7.5	<b>3.5</b>	0.19	0.40	C16
Small intestine	9	0.4	2.5	<b>1.5</b>	0.08	0.16	6	0.4	1.7	<b>1.1</b>	0.09	0.15	C17
Colon	160	6.9	44.6	<b>23.8</b>	1.07	2.70	141	8.5	39.3	<b>15.5</b>	0.68	1.82	C18
Rectum	101	4.3	28.2	<b>15.7</b>	0.87	1.80	51	3.1	14.2	<b>5.8</b>	0.28	0.66	C19-20
Anus	2	0.1	0.6	<b>0.2</b>	0.00	0.00	6	0.4	1.7	<b>1.1</b>	0.09	0.12	C21
Liver	69	3.0	19.2	<b>10.5</b>	0.51	1.21	23	1.4	6.4	<b>2.6</b>	0.11	0.32	C22
Gallbladder etc.	11	0.5	3.1	<b>1.5</b>	0.07	0.15	10	0.6	2.8	<b>1.2</b>	0.06	0.13	C23-24
Pancreas	70	3.0	19.5	<b>10.9</b>	0.53	1.32	57	3.4	15.9	<b>6.2</b>	0.28	0.66	C25
Nose, sinuses etc.	6	0.3	1.7	<b>0.9</b>	0.04	0.13	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C30-31
Larynx	33	1.4	9.2	<b>6.1</b>	0.47	0.73	6	0.4	1.7	<b>1.1</b>	0.06	0.17	C32
Trachea, bronchus, and lung	362	15.5	100.9	<b>60.8</b>	3.60	7.85	118	7.1	32.9	<b>17.1</b>	1.33	1.98	C33-34
Other thoracic organs	2	0.1	0.6	<b>0.3</b>	0.00	0.04	3	0.2	0.8	<b>0.4</b>	0.02	0.02	C37-38
Bone	6	0.3	1.7	<b>1.6</b>	0.12	0.12	4	0.2	1.1	<b>0.9</b>	0.07	0.07	C40-41
Melanoma of skin	63	2.7	17.6	<b>11.5</b>	0.83	1.14	61	3.7	17.0	<b>11.9</b>	0.75	1.30	C43
Other skin	11		3.1	<b>1.7</b>	0.09	0.21	8		2.2	<b>1.5</b>	0.11	0.14	C44
Mesothelioma	5	0.2	1.4	<b>0.6</b>	0.02	0.06	4	0.2	1.1	<b>0.6</b>	0.04	0.08	C45
Kaposi sarcoma	1	0.0	0.3	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	8	0.3	2.2	<b>1.2</b>	0.04	0.12	12	0.7	3.3	<b>2.2</b>	0.15	0.22	C47+C49
Breast	4	0.2	1.1	<b>0.6</b>	0.04	0.04	523	31.6	145.8	<b>88.6</b>	6.42	10.51	C50
Vulva							13	0.8	3.6	<b>1.3</b>	0.07	0.14	C51
Vagina							2	0.1	0.6	<b>0.1</b>	0.00	0.00	C52
Cervix uteri							30	1.8	8.4	<b>6.4</b>	0.55	0.59	C53
Corpus uteri							99	6.0	27.6	<b>13.4</b>	0.74	1.79	C54
Uterus unspecified							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C55
Ovary							47	2.8	13.1	<b>7.8</b>	0.54	0.99	C56
Other female genital organs							1	0.1	0.3	<b>0.0</b>	0.00	0.00	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	6	0.3	1.7	<b>0.7</b>	0.05	0.05							C60
Prostate	655	28.1	182.6	<b>109.2</b>	5.61	15.59							C61
Testis	30	1.3	8.4	<b>7.6</b>	0.61	0.61							C62
Other male genital organs	1	0.0	0.3	<b>0.2</b>	0.00	0.04							C63
Kidney	80	3.4	22.3	<b>13.5</b>	0.74	1.61	30	1.8	8.4	<b>4.7</b>	0.22	0.53	C64
Renal pelvis	5	0.2	1.4	<b>0.8</b>	0.02	0.10	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C65
Ureter	8	0.3	2.2	<b>1.2</b>	0.05	0.21	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C66
Bladder	90	3.9	25.1	<b>13.6</b>	0.48	1.82	20	1.2	5.6	<b>1.9</b>	0.11	0.21	C67
Other urinary organs	5	0.2	1.4	<b>0.5</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	2	0.1	0.6	<b>0.5</b>	0.04	0.04	6	0.4	1.7	<b>1.5</b>	0.11	0.11	C69
Brain and nervous system	30	1.3	8.4	<b>6.4</b>	0.45	0.78	24	1.4	6.7	<b>5.2</b>	0.31	0.47	C70-72
Thyroid	14	0.6	3.9	<b>2.6</b>	0.15	0.31	48	2.9	13.4	<b>10.5</b>	0.82	0.99	C73
Adrenal gland	3	0.1	0.8	<b>0.7</b>	0.04	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	12	0.5	3.3	<b>3.1</b>	0.25	0.25	11	0.7	3.1	<b>3.4</b>	0.23	0.26	C81
Non-Hodgkin lymphoma	70	3.0	19.5	<b>11.0</b>	0.59	1.17	49	3.0	13.7	<b>5.6</b>	0.28	0.52	C82-86,C96
Immunoproliferative diseases	11	0.5	3.1	<b>1.5</b>	0.09	0.12	7	0.4	2.0	<b>1.0</b>	0.04	0.15	C88
Multiple myeloma	27	1.2	7.5	<b>4.0</b>	0.20	0.44	39	2.4	10.9	<b>4.4</b>	0.16	0.54	C90
Lymphoid leukaemia	47	2.0	13.1	<b>8.1</b>	0.34	0.86	29	1.8	8.1	<b>4.0</b>	0.20	0.52	C91
Myeloid leukaemia	25	1.1	7.0	<b>4.1</b>	0.17	0.40	23	1.4	6.4	<b>3.7</b>	0.22	0.36	C92-94
Leukaemia unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	15	0.6	4.2	<b>2.2</b>	0.11	0.23	24	1.4	6.7	<b>2.5</b>	0.11	0.25	MPD
Myelodysplastic syndromes	48	2.1	13.4	<b>6.0</b>	0.16	0.48	38	2.3	10.6	<b>3.2</b>	0.04	0.36	MDS
Other and unspecified	28	1.2	7.8	<b>3.4</b>	0.13	0.30	18	1.1	5.0	<b>1.8</b>	0.11	0.14	O&U
All sites	2339		652.2	<b>386.7</b>	21.12	47.64	1665		464.1	<b>251.6</b>	16.18	28.53	C00-96
All sites except C44	2328	100.0	649.1	<b>385.0</b>	21.03	47.43	1657	100.0	461.9	<b>250.2</b>	16.07	28.39	C00-96 exc. C44

\*See note following population pyramid

# France, Vendée

## CONTRIBUTORS

Florence Molinié  
Anne Cowppli-Bony  
Solenne Delacour-Billon  
Stéphanie Ayrault  
Nathalie Auffret  
Anne-Delphine Tagri



## NOTES ON THE DATA

\*No DCO registrations.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	98.6	Breast	97.7
Trachea, bronchus, and lung	46.6	Thyroid	23.3
Colon	25.9	Colon	14.8
Liver	14.5	Trachea, bronchus, and lung	14.5
Non-Hodgkin lymphoma	14.4	Melanoma of skin	12.5
Rectum	14.2	Corpus uteri	10.5
Kidney	12.6	Non-Hodgkin lymphoma	8.6
Bladder	11.7	Rectum	7.6
Melanoma of skin	11.5	Ovary	6.8
Oesophagus	8.9	Pancreas	5.5
Pancreas	8.2	Kidney	5.5
Stomach	7.6	Cervix uteri	5.0
Testis	7.2	Brain and nervous system	4.6
Lymphoid leukaemia	7.0	Other and unspecified	3.9
Other and unspecified	6.0	Lymphoid leukaemia	3.9
Thyroid	5.8	Hodgkin lymphoma	3.7
Brain and nervous system	5.5	Myeloid leukaemia	3.0
Larynx	5.4	Multiple myeloma	2.9
Mouth	4.7	Stomach	2.7
Myeloid leukaemia	4.5	Connective and soft tissue	2.6
All sites	366.2	All sites	262.5

## \*France, Vendée (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	47	0.4	3.0	1.3	0.05	0.15	9	0.1	0.6	0.1	0.00	0.02	C00
Tongue	110	1.0	7.0	4.1	0.27	0.54	34	0.4	2.1	1.2	0.09	0.12	C01-02
Mouth	127	1.1	8.1	4.7	0.39	0.56	39	0.5	2.4	1.1	0.08	0.10	C03-06
Salivary glands	18	0.2	1.2	0.5	0.02	0.06	13	0.2	0.8	0.4	0.02	0.04	C07-08
Tonsil	91	0.8	5.8	3.4	0.26	0.43	20	0.2	1.2	0.7	0.06	0.08	C09
Other oropharynx	67	0.6	4.3	2.5	0.18	0.33	9	0.1	0.6	0.3	0.03	0.03	C10
Nasopharynx	7	0.1	0.4	0.4	0.03	0.04	2	0.0	0.1	0.1	0.00	0.00	C11
Hypopharynx	102	0.9	6.5	3.7	0.28	0.50	10	0.1	0.6	0.3	0.02	0.04	C12-13
Pharynx unspecified	17	0.2	1.1	0.7	0.05	0.07	4	0.0	0.2	0.2	0.01	0.01	C14
Oesophagus	273	2.4	17.5	8.9	0.58	1.12	54	0.7	3.3	1.3	0.09	0.16	C15
Stomach	276	2.5	17.7	7.6	0.37	0.90	135	1.6	8.3	2.7	0.11	0.30	C16
Small intestine	45	0.4	2.9	1.4	0.08	0.17	26	0.3	1.6	0.6	0.03	0.06	C17
Colon	914	8.2	58.5	25.9	1.24	3.09	669	8.2	41.2	14.8	0.67	1.70	C18
Rectum	469	4.2	30.0	14.2	0.77	1.76	309	3.8	19.0	7.6	0.45	0.88	C19-20
Anus	10	0.1	0.6	0.3	0.02	0.04	48	0.6	3.0	1.4	0.10	0.17	C21
Liver	481	4.3	30.8	14.5	0.72	1.87	97	1.2	6.0	2.1	0.10	0.25	C22
Gallbladder etc.	56	0.5	3.6	1.5	0.05	0.17	61	0.7	3.8	1.1	0.03	0.09	C23-24
Pancreas	265	2.4	16.9	8.2	0.48	1.04	262	3.2	16.1	5.5	0.24	0.67	C25
Nose, sinuses etc.	38	0.3	2.4	1.2	0.07	0.18	10	0.1	0.6	0.4	0.03	0.03	C30-31
Larynx	163	1.5	10.4	5.4	0.37	0.67	25	0.3	1.5	0.8	0.07	0.08	C32
Trachea, bronchus, and lung	1384	12.3	88.5	46.6	3.07	5.89	450	5.5	27.7	14.5	1.02	1.77	C33-34
Other thoracic organs	22	0.2	1.4	0.8	0.05	0.08	10	0.1	0.6	0.3	0.02	0.04	C37-38
Bone	16	0.1	1.0	1.2	0.08	0.08	19	0.2	1.2	0.9	0.05	0.09	C40-41
Melanoma of skin	318	2.8	20.3	11.5	0.75	1.35	345	4.2	21.2	12.5	0.93	1.27	C43
Other skin	42		2.7	1.2	0.05	0.14	32		2.0	0.8	0.05	0.07	C44
Mesothelioma	41	0.4	2.6	1.1	0.04	0.15	15	0.2	0.9	0.3	0.01	0.04	C45
Kaposi sarcoma	2	0.0	0.1	0.1	0.01	0.01	3	0.0	0.2	0.0	0.00	0.00	C46
Connective and soft tissue	52	0.5	3.3	2.3	0.13	0.20	64	0.8	3.9	2.6	0.14	0.22	C47+C49
Breast	35	0.3	2.2	1.1	0.06	0.13	2742	33.4	168.7	97.7	7.40	11.29	C50
Vulva							32	0.4	2.0	0.7	0.03	0.07	C51
Vagina							10	0.1	0.6	0.3	0.02	0.03	C52
Cervix uteri							119	1.5	7.3	5.0	0.38	0.50	C53
Corpus uteri							384	4.7	23.6	10.5	0.64	1.44	C54
Uterus unspecified							10	0.1	0.6	0.3	0.03	0.03	C55
Ovary							232	2.8	14.3	6.8	0.42	0.75	C56
Other female genital organs							9	0.1	0.6	0.2	0.01	0.01	C57
Placenta							1	0.0	0.1	0.1	0.00	0.00	C58
Penis	19	0.2	1.2	0.6	0.02	0.08							C60
Prostate	3147	28.1	201.3	98.6	5.36	13.62							C61
Testis	110	1.0	7.0	7.2	0.55	0.56							C62
Other male genital organs	1	0.0	0.1	0.1	0.00	0.00							C63
Kidney	360	3.2	23.0	12.6	0.80	1.55	180	2.2	11.1	5.5	0.29	0.63	C64
Renal pelvis	29	0.3	1.9	0.9	0.05	0.12	10	0.1	0.6	0.2	0.00	0.03	C65
Ureter	7	0.1	0.4	0.2	0.00	0.03	5	0.1	0.3	0.1	0.00	0.03	C66
Bladder	424	3.8	27.1	11.7	0.55	1.41	106	1.3	6.5	2.1	0.10	0.21	C67
Other urinary organs	5	0.0	0.3	0.1	0.00	0.01	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	11	0.1	0.7	0.3	0.01	0.03	10	0.1	0.6	0.4	0.02	0.03	C69
Brain and nervous system	129	1.2	8.2	5.5	0.37	0.56	120	1.5	7.4	4.6	0.29	0.46	C70-72
Thyroid	123	1.1	7.9	5.8	0.43	0.61	474	5.8	29.2	23.3	1.86	2.31	C73
Adrenal gland	4	0.0	0.3	0.2	0.01	0.02	7	0.1	0.4	0.5	0.02	0.03	C74
Other endocrine	2	0.0	0.1	0.2	0.01	0.01	2	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	59	0.5	3.8	3.7	0.25	0.29	49	0.6	3.0	3.7	0.25	0.27	C81
Non-Hodgkin lymphoma	437	3.9	27.9	14.4	0.81	1.60	311	3.8	19.1	8.6	0.53	0.91	C82-86,C96
Immunoproliferative diseases	83	0.7	5.3	2.2	0.10	0.24	50	0.6	3.1	1.2	0.05	0.15	C88
Multiple myeloma	126	1.1	8.1	3.7	0.21	0.41	125	1.5	7.7	2.9	0.15	0.34	C90
Lymphoid leukaemia	192	1.7	12.3	7.0	0.37	0.74	126	1.5	7.8	3.9	0.21	0.44	C91
Myeloid leukaemia	138	1.2	8.8	4.5	0.27	0.44	94	1.1	5.8	3.0	0.18	0.34	C92-94
Leukaemia unspecified	4	0.0	0.3	0.1	0.00	0.00	2	0.0	0.1	0.0	0.00	0.00	C95
Myeloproliferative disorders	47	0.4	3.0	1.6	0.09	0.19	32	0.4	2.0	1.0	0.06	0.12	MPD
Myelodysplastic syndromes	104	0.9	6.7	2.7	0.07	0.30	51	0.6	3.1	1.0	0.04	0.12	MDS
Other and unspecified	202	1.8	12.9	6.0	0.36	0.67	171	2.1	10.5	3.9	0.22	0.42	O&U
All sites	11251		719.5	366.2	21.20	45.20	8238		506.9	262.5	17.66	29.33	C00-96
All sites except C44	11209	100.0	716.8	365.0	21.15	45.07	8206	100.0	505.0	261.6	17.61	29.26	C00-96 exc. C44

\*See note following population pyramid

# Germany, Bavaria

## CONTRIBUTORS

Martin Meyer



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	71.1	Breast	85.1
Trachea, bronchus, and lung	32.8	Colon	15.8
Colon	24.0	Trachea, bronchus, and lung	15.3
Bladder	19.9	Melanoma of skin	14.2
Rectum	16.5	Corpus uteri	12.7
Melanoma of skin	15.3	Thyroid	10.6
Kidney	12.0	Ovary	9.0
Stomach	11.1	Rectum	7.8
Non-Hodgkin lymphoma	9.5	Cervix uteri	7.3
Pancreas	9.4	Pancreas	6.9
Testis	8.5	Non-Hodgkin lymphoma	6.4
Liver	7.8	Stomach	6.0
Other and unspecified	6.6	Kidney	5.9
Brain and nervous system	6.3	Bladder	5.3
Oesophagus	5.9	Other and unspecified	5.0
Lymphoid leukaemia	5.4	Brain and nervous system	4.4
Thyroid	4.1	Lymphoid leukaemia	3.3
Myeloid leukaemia	4.0	Myeloid leukaemia	3.0
Larynx	3.9	Multiple myeloma	2.3
Multiple myeloma	3.3	Vulva	2.3
All sites	313.1	All sites	252.6

## Germany, Bavaria (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	286	0.2	0.9	<b>0.4</b>	0.02	0.05	135	0.1	0.4	<b>0.1</b>	0.00	0.01	C00
Tongue	1351	0.7	4.4	<b>2.6</b>	0.20	0.32	607	0.4	1.9	<b>1.0</b>	0.08	0.12	C01-02
Mouth	1593	0.8	5.2	<b>3.1</b>	0.24	0.37	741	0.4	2.3	<b>1.2</b>	0.09	0.14	C03-06
Salivary glands	437	0.2	1.4	<b>0.7</b>	0.04	0.08	316	0.2	1.0	<b>0.5</b>	0.03	0.04	C07-08
Tonsil	1023	0.5	3.3	<b>2.0</b>	0.17	0.25	345	0.2	1.1	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	711	0.4	2.3	<b>1.4</b>	0.12	0.17	174	0.1	0.5	<b>0.3</b>	0.03	0.04	C10
Nasopharynx	205	0.1	0.7	<b>0.4</b>	0.03	0.05	60	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	1391	0.7	4.5	<b>2.7</b>	0.21	0.34	197	0.1	0.6	<b>0.4</b>	0.03	0.04	C12-13
Pharynx unspecified	57	0.0	0.2	<b>0.1</b>	0.01	0.01	22	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	3411	1.8	11.1	<b>5.9</b>	0.38	0.76	894	0.5	2.8	<b>1.2</b>	0.08	0.15	C15
Stomach	7290	3.9	23.8	<b>11.1</b>	0.54	1.24	5355	3.2	16.8	<b>6.0</b>	0.28	0.63	C16
Small intestine	899	0.5	2.9	<b>1.5</b>	0.09	0.18	744	0.4	2.3	<b>1.1</b>	0.07	0.13	C17
Colon	15986	8.4	52.1	<b>24.0</b>	1.04	2.76	13975	8.3	43.9	<b>15.8</b>	0.75	1.73	C18
Rectum	10073	5.3	32.8	<b>16.5</b>	0.92	2.02	6091	3.6	19.1	<b>7.8</b>	0.45	0.89	C19-20
Anus	390	0.2	1.3	<b>0.7</b>	0.05	0.08	751	0.4	2.4	<b>1.2</b>	0.08	0.13	C21
Liver	4879	2.6	15.9	<b>7.8</b>	0.39	1.00	1759	1.0	5.5	<b>2.2</b>	0.11	0.26	C22
Gallbladder etc.	1564	0.8	5.1	<b>2.3</b>	0.10	0.27	1883	1.1	5.9	<b>2.0</b>	0.08	0.22	C23-24
Pancreas	6158	3.3	20.1	<b>9.4</b>	0.44	1.13	6302	3.7	19.8	<b>6.9</b>	0.30	0.78	C25
Nose, sinuses etc.	420	0.2	1.4	<b>0.8</b>	0.05	0.08	234	0.1	0.7	<b>0.4</b>	0.03	0.04	C30-31
Larynx	2230	1.2	7.3	<b>3.9</b>	0.26	0.49	294	0.2	0.9	<b>0.5</b>	0.03	0.06	C32
Trachea, bronchus, and lung	20515	10.8	66.9	<b>32.8</b>	1.72	4.11	10429	6.2	32.7	<b>15.3</b>	0.98	1.91	C33-34
Other thoracic organs	233	0.1	0.8	<b>0.4</b>	0.03	0.05	166	0.1	0.5	<b>0.3</b>	0.02	0.03	C37-38
Bone	365	0.2	1.2	<b>1.1</b>	0.07	0.08	239	0.1	0.8	<b>0.7</b>	0.04	0.05	C40-41
Melanoma of skin	8344	4.4	27.2	<b>15.3</b>	0.93	1.75	7621	4.5	23.9	<b>14.2</b>	1.01	1.46	C43
Other skin	51	0.0	0.2	<b>0.1</b>	0.01	0.01	70	0.0	0.2	<b>0.1</b>	0.01	0.01	C44
Mesothelioma	847	0.4	2.8	<b>1.2</b>	0.04	0.16	201	0.1	0.6	<b>0.2</b>	0.01	0.03	C45
Kaposi sarcoma	63	0.0	0.2	<b>0.1</b>	0.01	0.01	19	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	1219	0.6	4.0	<b>2.6</b>	0.15	0.24	1015	0.6	3.2	<b>1.9</b>	0.11	0.18	C47+C49
Breast	426	0.2	1.4	<b>0.7</b>	0.04	0.08	51643	30.6	162.1	<b>85.1</b>	6.13	9.73	C50
Vulva							1750	1.0	5.5	<b>2.3</b>	0.13	0.24	C51
Vagina							279	0.2	0.9	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							3529	2.1	11.1	<b>7.3</b>	0.58	0.71	C53
Corpus uteri							8779	5.2	27.5	<b>12.7</b>	0.78	1.61	C54
Uterus unspecified							177	0.1	0.6	<b>0.2</b>	0.01	0.02	C55
Ovary							6142	3.6	19.3	<b>9.0</b>	0.57	1.02	C56
Other female genital organs							442	0.3	1.4	<b>0.6</b>	0.03	0.07	C57
Placenta							17	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	446	0.2	1.5	<b>0.7</b>	0.04	0.09							C60
Prostate	46280	24.5	150.9	<b>71.1</b>	3.01	9.43							C61
Testis	2892	1.5	9.4	<b>8.5</b>	0.65	0.67							C62
Other male genital organs	58	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	7045	3.7	23.0	<b>12.0</b>	0.68	1.44	4275	2.5	13.4	<b>5.9</b>	0.31	0.67	C64
Renal pelvis	457	0.2	1.5	<b>0.7</b>	0.03	0.09	361	0.2	1.1	<b>0.4</b>	0.01	0.05	C65
Ureter	287	0.2	0.9	<b>0.4</b>	0.02	0.05	155	0.1	0.5	<b>0.2</b>	0.01	0.02	C66
†Bladder	13379	7.1	43.6	<b>19.9</b>	0.85	2.23	4530	2.7	14.2	<b>5.3</b>	0.25	0.61	C67
Other urinary organs	196	0.1	0.6	<b>0.3</b>	0.01	0.02	98	0.1	0.3	<b>0.1</b>	0.00	0.01	C68
Eye	323	0.2	1.1	<b>0.6</b>	0.04	0.07	258	0.2	0.8	<b>0.5</b>	0.03	0.04	C69
Brain and nervous system	2951	1.6	9.6	<b>6.3</b>	0.40	0.63	2354	1.4	7.4	<b>4.4</b>	0.27	0.44	C70-72
Thyroid	1905	1.0	6.2	<b>4.1</b>	0.32	0.44	4704	2.8	14.8	<b>10.6</b>	0.85	1.03	C73
Adrenal gland	93	0.0	0.3	<b>0.3</b>	0.02	0.02	122	0.1	0.4	<b>0.3</b>	0.02	0.02	C74
Other endocrine	49	0.0	0.2	<b>0.1</b>	0.01	0.01	40	0.0	0.1	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	982	0.5	3.2	<b>2.8</b>	0.18	0.23	677	0.4	2.1	<b>2.0</b>	0.13	0.15	C81
Non-Hodgkin lymphoma	5373	2.8	17.5	<b>9.5</b>	0.51	1.03	4501	2.7	14.1	<b>6.4</b>	0.36	0.71	C82-86,C96
Immunoproliferative diseases	394	0.2	1.3	<b>0.7</b>	0.04	0.08	389	0.2	1.2	<b>0.6</b>	0.04	0.07	C88
Multiple myeloma	2140	1.1	7.0	<b>3.3</b>	0.15	0.39	1859	1.1	5.8	<b>2.3</b>	0.11	0.27	C90
Lymphoid leukaemia	2568	1.4	8.4	<b>5.4</b>	0.27	0.50	1716	1.0	5.4	<b>3.3</b>	0.16	0.27	C91
Myeloid leukaemia	2199	1.2	7.2	<b>4.0</b>	0.20	0.40	1906	1.1	6.0	<b>3.0</b>	0.17	0.30	C92-94
Leukaemia unspecified	229	0.1	0.7	<b>0.3</b>	0.01	0.02	255	0.2	0.8	<b>0.2</b>	0.00	0.01	C95
Myeloproliferative disorders	1081	0.6	3.5	<b>1.8</b>	0.10	0.20	1182	0.7	3.7	<b>1.7</b>	0.09	0.19	MPD
Myelodysplastic syndromes	1300	0.7	4.2	<b>1.9</b>	0.06	0.17	1209	0.7	3.8	<b>1.2</b>	0.04	0.11	MDS
Other and unspecified	4200	2.2	13.7	<b>6.6</b>	0.32	0.73	4679	2.8	14.7	<b>5.0</b>	0.23	0.51	O&U
All sites	189244		617.1	<b>313.1</b>	16.23	37.09	168667		529.3	<b>252.6</b>	16.09	28.13	C00-96
All sites except C44	189193	100.0	616.9	<b>313.0</b>	16.22	37.08	168597	100.0	529.1	<b>252.4</b>	16.08	28.12	C00-96 exc. C44

† See note following population pyramid

# Germany, Bremen

## CONTRIBUTORS

Sabine Luttmann  
Andrea Eberle  
Britta Schubert  
Carola Lehmann



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	98.1	Breast	85.7
Prostate	70.4	Non-melanoma skin cancer	75.9
Trachea, bronchus, and lung	52.3	Trachea, bronchus, and lung	26.0
Bladder	26.1	Colon	17.6
Colon	20.9	Melanoma of skin	12.3
Rectum	14.8	Corpus uteri	12.0
Melanoma of skin	13.0	Ovary	9.5
Non-Hodgkin lymphoma	12.3	Rectum	8.9
Kidney	11.0	Non-Hodgkin lymphoma	8.3
Pancreas	9.9	Pancreas	7.8
Stomach	9.7	Bladder	7.3
Testis	9.6	Cervix uteri	6.7
Oesophagus	7.7	Stomach	5.7
Other and unspecified	7.6	Other and unspecified	5.6
Brain and nervous system	6.5	Kidney	5.6
Larynx	6.1	Thyroid	5.1
Liver	5.9	Brain and nervous system	4.7
Lymphoid leukaemia	5.7	Vulva	3.3
Myeloid leukaemia	5.0	Myeloid leukaemia	2.9
Mouth	4.9	Lymphoid leukaemia	2.7
All sites	442.7	All sites	345.3



## Germany, Bremen (2010–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	23	0.2	1.4	<b>0.6</b>	0.02	0.07	19	0.2	1.1	<b>0.4</b>	0.02	0.06	C00
Tongue	89	0.8	5.5	<b>3.1</b>	0.23	0.40	44	0.4	2.6	<b>1.3</b>	0.09	0.14	C01-02
Mouth	132	1.1	8.2	<b>4.9</b>	0.42	0.60	60	0.6	3.5	<b>1.7</b>	0.13	0.19	C03-06
Salivary glands	20	0.2	1.2	<b>0.6</b>	0.04	0.06	18	0.2	1.1	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	68	0.6	4.2	<b>2.5</b>	0.21	0.33	28	0.3	1.7	<b>0.8</b>	0.06	0.12	C09
Other oropharynx	30	0.3	1.9	<b>1.0</b>	0.08	0.14	9	0.1	0.5	<b>0.2</b>	0.02	0.03	C10
Nasopharynx	9	0.1	0.6	<b>0.2</b>	0.00	0.03	4	0.0	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	75	0.6	4.7	<b>2.5</b>	0.19	0.34	14	0.1	0.8	<b>0.4</b>	0.03	0.06	C12-13
Pharynx unspecified	17	0.1	1.1	<b>0.6</b>	0.05	0.09	7	0.1	0.4	<b>0.3</b>	0.03	0.03	C14
Oesophagus	248	2.1	15.4	<b>7.7</b>	0.46	0.97	88	0.9	5.2	<b>2.3</b>	0.15	0.30	C15
Stomach	355	3.1	22.0	<b>9.7</b>	0.41	1.13	288	2.8	17.0	<b>5.7</b>	0.28	0.62	C16
Small intestine	32	0.3	2.0	<b>1.1</b>	0.07	0.12	41	0.4	2.4	<b>1.0</b>	0.05	0.12	C17
Colon	781	6.7	48.5	<b>20.9</b>	0.86	2.51	926	9.0	54.6	<b>17.6</b>	0.78	1.93	C18
Rectum	526	4.5	32.7	<b>14.8</b>	0.70	1.79	387	3.8	22.8	<b>8.9</b>	0.51	1.01	C19-20
Anus	31	0.3	1.9	<b>1.1</b>	0.07	0.13	66	0.6	3.9	<b>2.0</b>	0.17	0.24	C21
Liver	203	1.8	12.6	<b>5.9</b>	0.33	0.76	108	1.0	6.4	<b>2.4</b>	0.11	0.31	C22
Gallbladder etc.	83	0.7	5.2	<b>2.3</b>	0.10	0.30	96	0.9	5.7	<b>1.8</b>	0.06	0.22	C23-24
Pancreas	349	3.0	21.7	<b>9.9</b>	0.50	1.22	403	3.9	23.8	<b>7.8</b>	0.34	0.87	C25
Nose, sinuses etc.	28	0.2	1.7	<b>0.9</b>	0.08	0.11	14	0.1	0.8	<b>0.5</b>	0.04	0.06	C30-31
Larynx	185	1.6	11.5	<b>6.1</b>	0.43	0.80	35	0.3	2.1	<b>1.2</b>	0.11	0.16	C32
Trachea, bronchus, and lung	1812	15.6	112.5	<b>52.3</b>	2.68	6.62	997	9.7	58.8	<b>26.0</b>	1.64	3.24	C33-34
Other thoracic organs	14	0.1	0.9	<b>0.5</b>	0.04	0.05	7	0.1	0.4	<b>0.2</b>	0.01	0.03	C37-38
Bone	19	0.2	1.2	<b>1.1</b>	0.07	0.09	12	0.1	0.7	<b>0.7</b>	0.04	0.06	C40-41
Melanoma of skin	385	3.3	23.9	<b>13.0</b>	0.83	1.47	367	3.6	21.7	<b>12.3</b>	0.82	1.24	C43
Other skin	3713		230.6	<b>98.1</b>	3.82	11.45	3501		206.6	<b>75.9</b>	3.86	8.89	C44
Mesothelioma	191	1.6	11.9	<b>4.9</b>	0.20	0.60	30	0.3	1.8	<b>0.6</b>	0.02	0.07	C45
Kaposi sarcoma	14	0.1	0.9	<b>0.5</b>	0.03	0.05	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	67	0.6	4.2	<b>2.4</b>	0.12	0.24	53	0.5	3.1	<b>1.5</b>	0.09	0.14	C47+C49
Breast	27	0.2	1.7	<b>0.7</b>	0.03	0.08	2891	28.1	170.6	<b>85.7</b>	6.14	9.72	C50
Vulva							135	1.3	8.0	<b>3.3</b>	0.22	0.34	C51
Vagina							18	0.2	1.1	<b>0.4</b>	0.03	0.05	C52
Cervix uteri							172	1.7	10.1	<b>6.7</b>	0.58	0.69	C53
Corpus uteri							482	4.7	28.4	<b>12.0</b>	0.71	1.54	C54
Uterus unspecified							8	0.1	0.5	<b>0.1</b>	0.01	0.01	C55
Ovary							367	3.6	21.7	<b>9.5</b>	0.62	1.09	C56
Other female genital organs							29	0.3	1.7	<b>0.5</b>	0.01	0.07	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	45	0.4	2.8	<b>1.4</b>	0.09	0.15							C60
Prostate	2565	22.1	159.3	<b>70.4</b>	2.86	9.63							C61
Testis	172	1.5	10.7	<b>9.6</b>	0.73	0.76							C62
Other male genital organs	9	0.1	0.6	<b>0.3</b>	0.02	0.02							C63
Kidney	347	3.0	21.5	<b>11.0</b>	0.62	1.29	213	2.1	12.6	<b>5.6</b>	0.33	0.67	C64
Renal pelvis	37	0.3	2.3	<b>0.9</b>	0.03	0.10	31	0.3	1.8	<b>0.5</b>	0.01	0.07	C65
Ureter	20	0.2	1.2	<b>0.5</b>	0.02	0.05	12	0.1	0.7	<b>0.3</b>	0.01	0.02	C66
†Bladder	985	8.5	61.2	<b>26.1</b>	1.15	2.96	344	3.3	20.3	<b>7.3</b>	0.38	0.84	C67
Other urinary organs	24	0.2	1.5	<b>0.6</b>	0.04	0.07	9	0.1	0.5	<b>0.2</b>	0.01	0.01	C68
Eye	11	0.1	0.7	<b>0.3</b>	0.02	0.03	11	0.1	0.6	<b>0.6</b>	0.03	0.05	C69
Brain and nervous system	167	1.4	10.4	<b>6.5</b>	0.44	0.69	117	1.1	6.9	<b>4.7</b>	0.29	0.44	C70-72
Thyroid	54	0.5	3.4	<b>2.2</b>	0.17	0.21	123	1.2	7.3	<b>5.1</b>	0.41	0.49	C73
Adrenal gland	6	0.1	0.4	<b>0.5</b>	0.03	0.03	6	0.1	0.4	<b>0.5</b>	0.02	0.03	C74
Other endocrine	1	0.0	0.1	<b>0.0</b>	0.00	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	50	0.4	3.1	<b>2.2</b>	0.15	0.21	44	0.4	2.6	<b>2.2</b>	0.16	0.16	C81
Non-Hodgkin lymphoma	384	3.3	23.8	<b>12.3</b>	0.65	1.34	347	3.4	20.5	<b>8.3</b>	0.44	0.97	C82-86,C96
Immunoproliferative diseases	26	0.2	1.6	<b>0.7</b>	0.05	0.09	29	0.3	1.7	<b>0.7</b>	0.03	0.08	C88
Multiple myeloma	163	1.4	10.1	<b>4.6</b>	0.22	0.58	114	1.1	6.7	<b>2.6</b>	0.13	0.33	C90
Lymphoid leukaemia	156	1.3	9.7	<b>5.7</b>	0.31	0.49	107	1.0	6.3	<b>2.7</b>	0.11	0.27	C91
Myeloid leukaemia	153	1.3	9.5	<b>5.0</b>	0.23	0.52	116	1.1	6.8	<b>2.9</b>	0.16	0.28	C92-94
Leukaemia unspecified	9	0.1	0.6	<b>0.2</b>	0.01	0.03	7	0.1	0.4	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	75	0.6	4.7	<b>2.3</b>	0.13	0.25	85	0.8	5.0	<b>2.2</b>	0.12	0.24	MPD
Myelodysplastic syndromes	68	0.6	4.2	<b>1.7</b>	0.04	0.17	69	0.7	4.1	<b>1.0</b>	0.02	0.09	MDS
Other and unspecified	257	2.2	16.0	<b>7.6</b>	0.46	0.87	289	2.8	17.1	<b>5.6</b>	0.27	0.56	O&U
All sites	15310		950.7	<b>442.7</b>	21.53	53.12	13799		814.2	<b>345.3</b>	20.76	39.34	C00-96
All sites except C44	11597	100.0	720.1	<b>344.6</b>	17.71	41.67	10298	100.0	607.7	<b>269.3</b>	16.89	30.45	C00-96 exc. C44

† See note following population pyramid

# Germany, Hamburg

## CONTRIBUTORS

Stefan Hentschel  
Alice Nennecke  
Imma Löhden  
Annie Funk  
Norbert Burkhardt



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

Male		Female	
Prostate	73.6	Breast	103.8
Trachea, bronchus, and lung	48.1	Trachea, bronchus, and lung	26.2
Bladder	24.7	Colon	18.4
Colon	24.2	Corpus uteri	11.4
Rectum	12.7	Ovary	11.3
Non-Hodgkin lymphoma	11.9	Melanoma of skin	11.2
Melanoma of skin	11.8	Cervix uteri	8.9
Pancreas	10.5	Rectum	8.1
Kidney	10.1	Non-Hodgkin lymphoma	7.7
Stomach	10.0	Pancreas	7.7
Testis	9.4	Thyroid	6.8
Oesophagus	8.7	Bladder	6.7
Other and unspecified	7.4	Stomach	6.0
Liver	7.3	Lymphoid leukaemia	5.7
Lymphoid leukaemia	7.2	Other and unspecified	5.6
Brain and nervous system	6.2	Brain and nervous system	5.5
Multiple myeloma	4.9	Kidney	4.9
Myeloid leukaemia	4.7	Vulva	4.3
Larynx	4.6	Liver	3.1
Mouth	4.0	Myeloid leukaemia	3.1
All sites	342.4	All sites	300.1

## Germany, Hamburg (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	51	0.2	1.2	<b>0.6</b>	0.02	0.07	47	0.2	1.0	<b>0.4</b>	0.02	0.05	C00
Tongue	217	0.8	5.0	<b>3.1</b>	0.23	0.39	118	0.4	2.6	<b>1.5</b>	0.10	0.19	C01-02
Mouth	277	1.0	6.4	<b>4.0</b>	0.32	0.50	151	0.6	3.3	<b>1.9</b>	0.14	0.23	C03-06
Salivary glands	72	0.3	1.7	<b>0.9</b>	0.05	0.11	50	0.2	1.1	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	110	0.4	2.5	<b>1.6</b>	0.12	0.20	45	0.2	1.0	<b>0.5</b>	0.04	0.07	C09
Other oropharynx	193	0.7	4.5	<b>2.8</b>	0.23	0.37	83	0.3	1.8	<b>1.1</b>	0.08	0.13	C10
Nasopharynx	52	0.2	1.2	<b>0.8</b>	0.05	0.10	23	0.1	0.5	<b>0.3</b>	0.03	0.04	C11
Hypopharynx	113	0.4	2.6	<b>1.7</b>	0.14	0.21	39	0.1	0.9	<b>0.5</b>	0.04	0.06	C12-13
Pharynx unspecified	151	0.5	3.5	<b>2.2</b>	0.18	0.28	47	0.2	1.0	<b>0.6</b>	0.05	0.08	C14
Oesophagus	694	2.5	16.1	<b>8.7</b>	0.52	1.11	245	0.9	5.4	<b>2.5</b>	0.15	0.31	C15
Stomach	852	3.1	19.7	<b>10.0</b>	0.50	1.13	690	2.5	15.2	<b>6.0</b>	0.30	0.67	C16
Small intestine	118	0.4	2.7	<b>1.4</b>	0.08	0.17	131	0.5	2.9	<b>1.3</b>	0.08	0.14	C17
Colon	2108	7.7	48.8	<b>24.2</b>	1.11	2.74	2243	8.2	49.4	<b>18.4</b>	0.86	2.03	C18
Rectum	1036	3.8	24.0	<b>12.7</b>	0.66	1.56	877	3.2	19.3	<b>8.1</b>	0.43	0.97	C19-20
Anus	146	0.5	3.4	<b>2.1</b>	0.17	0.25	244	0.9	5.4	<b>2.8</b>	0.22	0.32	C21
Liver	614	2.2	14.2	<b>7.3</b>	0.37	0.91	323	1.2	7.1	<b>3.1</b>	0.16	0.34	C22
Gallbladder etc.	206	0.7	4.8	<b>2.3</b>	0.09	0.24	208	0.8	4.6	<b>1.7</b>	0.08	0.19	C23-24
Pancreas	908	3.3	21.0	<b>10.5</b>	0.50	1.27	924	3.4	20.4	<b>7.7</b>	0.35	0.90	C25
Nose, sinuses etc.	68	0.2	1.6	<b>0.9</b>	0.05	0.10	34	0.1	0.7	<b>0.4</b>	0.03	0.04	C30-31
Larynx	343	1.2	7.9	<b>4.6</b>	0.31	0.61	82	0.3	1.8	<b>1.0</b>	0.08	0.14	C32
Trachea, bronchus, and lung	3964	14.4	91.7	<b>48.1</b>	2.51	6.14	2458	9.0	54.1	<b>26.2</b>	1.64	3.30	C33-34
Other thoracic organs	41	0.1	0.9	<b>0.6</b>	0.03	0.06	29	0.1	0.6	<b>0.4</b>	0.02	0.03	C37-38
Bone	66	0.2	1.5	<b>1.2</b>	0.07	0.11	62	0.2	1.4	<b>1.1</b>	0.07	0.09	C40-41
Melanoma of skin	908	3.3	21.0	<b>11.8</b>	0.64	1.39	915	3.4	20.2	<b>11.2</b>	0.74	1.22	C43
Other skin	0		0.0	<b>0.0</b>	0.00	0.00	0		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	284	1.0	6.6	<b>2.9</b>	0.06	0.35	71	0.3	1.6	<b>0.7</b>	0.04	0.09	C45
Kaposi sarcoma	27	0.1	0.6	<b>0.4</b>	0.03	0.03	3	0.0	0.1	<b>0.0</b>	0.00	0.01	C46
Connective and soft tissue	207	0.8	4.8	<b>3.1</b>	0.18	0.31	198	0.7	4.4	<b>2.9</b>	0.19	0.28	C47+C49
Breast	84	0.3	1.9	<b>1.0</b>	0.05	0.12	8497	31.2	187.1	<b>103.8</b>	7.49	12.17	C50
Vulva							422	1.6	9.3	<b>4.3</b>	0.26	0.49	C51
Vagina							85	0.3	1.9	<b>0.8</b>	0.04	0.09	C52
Cervix uteri							635	2.3	14.0	<b>8.9</b>	0.73	0.91	C53
Corpus uteri							1023	3.8	22.5	<b>11.4</b>	0.76	1.38	C54
Uterus unspecified							104	0.4	2.3	<b>1.0</b>	0.07	0.11	C55
Ovary							1030	3.8	22.7	<b>11.3</b>	0.71	1.26	C56
Other female genital organs							99	0.4	2.2	<b>1.0</b>	0.07	0.11	C57
Placenta							7	0.0	0.2	<b>0.2</b>	0.01	0.01	C58
Penis	77	0.3	1.8	<b>1.0</b>	0.06	0.12							C60
Prostate	6175	22.4	142.9	<b>73.6</b>	3.31	9.97							C61
Testis	509	1.8	11.8	<b>9.4</b>	0.70	0.77							C62
Other male genital organs	17	0.1	0.4	<b>0.2</b>	0.02	0.02							C63
Kidney	777	2.8	18.0	<b>10.1</b>	0.60	1.20	460	1.7	10.1	<b>4.9</b>	0.27	0.56	C64
Renal pelvis	63	0.2	1.5	<b>0.7</b>	0.03	0.09	54	0.2	1.2	<b>0.4</b>	0.02	0.06	C65
Ureter	47	0.2	1.1	<b>0.5</b>	0.03	0.05	24	0.1	0.5	<b>0.2</b>	0.00	0.02	C66
†Bladder	2204	8.0	51.0	<b>24.7</b>	1.05	2.86	790	2.9	17.4	<b>6.7</b>	0.33	0.78	C67
Other urinary organs	96	0.3	2.2	<b>1.0</b>	0.03	0.13	48	0.2	1.1	<b>0.3</b>	0.01	0.04	C68
Eye	55	0.2	1.3	<b>0.9</b>	0.05	0.08	68	0.2	1.5	<b>0.9</b>	0.05	0.10	C69
Brain and nervous system	398	1.4	9.2	<b>6.2</b>	0.39	0.62	379	1.4	8.3	<b>5.5</b>	0.33	0.52	C70-72
Thyroid	142	0.5	3.3	<b>2.1</b>	0.16	0.23	424	1.6	9.3	<b>6.8</b>	0.53	0.67	C73
Adrenal gland	23	0.1	0.5	<b>0.7</b>	0.03	0.05	24	0.1	0.5	<b>0.3</b>	0.02	0.03	C74
Other endocrine	14	0.1	0.3	<b>0.2</b>	0.01	0.02	18	0.1	0.4	<b>0.3</b>	0.02	0.03	C75
Hodgkin lymphoma	170	0.6	3.9	<b>3.2</b>	0.22	0.28	134	0.5	3.0	<b>2.7</b>	0.18	0.22	C81
Non-Hodgkin lymphoma	892	3.2	20.6	<b>11.9</b>	0.61	1.28	772	2.8	17.0	<b>7.7</b>	0.42	0.88	C82-86,C96
Immunoproliferative diseases	32	0.1	0.7	<b>0.4</b>	0.02	0.04	50	0.2	1.1	<b>0.5</b>	0.02	0.07	C88
Multiple myeloma	434	1.6	10.0	<b>4.9</b>	0.22	0.56	308	1.1	6.8	<b>2.9</b>	0.15	0.35	C90
Lymphoid leukaemia	517	1.9	12.0	<b>7.2</b>	0.38	0.76	416	1.5	9.2	<b>5.7</b>	0.31	0.53	C91
Myeloid leukaemia	361	1.3	8.4	<b>4.7</b>	0.25	0.51	286	1.1	6.3	<b>3.1</b>	0.18	0.31	C92-94
Leukaemia unspecified	16	0.1	0.4	<b>0.1</b>	0.00	0.01	23	0.1	0.5	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	613	2.2	14.2	<b>7.4</b>	0.40	0.85	690	2.5	15.2	<b>5.6</b>	0.29	0.58	O&U
All sites	27542		637.2	<b>342.4</b>	17.86	41.31	27210		599.3	<b>300.1</b>	19.25	34.26	C00-96
All sites except C44	27542	100.0	637.2	<b>342.4</b>	17.86	41.31	27210	100.0	599.3	<b>300.1</b>	19.25	34.26	C00-96 exc. C44

† See note following population pyramid

# Germany, Lower Saxony

**CONTRIBUTORS**

Joachim Kieschke  
 Iris Urbschat  
 Eunice Sirri  
 Claudia Vohmann  
 Claudia Jopp  
 Elke Bruns-Philipps  
 Kerstin Maaser  
 Bernhilde Deitermann



**NOTES ON THE DATA**

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

**20 major cancers, ASR (World) per 100 000**

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	99.0	Breast	95.0
Prostate	82.9	Non-melanoma skin cancer	79.5
Trachea, bronchus, and lung	41.9	Trachea, bronchus, and lung	19.5
Bladder	26.2	Melanoma of skin	18.3
Colon	23.7	Colon	17.7
Rectum	15.9	Corpus uteri	11.5
Melanoma of skin	15.7	Ovary	9.1
Kidney	11.7	Rectum	8.3
Stomach	11.7	Cervix uteri	7.7
Testis	11.1	Non-Hodgkin lymphoma	7.5
Non-Hodgkin lymphoma	10.7	Bladder	6.9
Pancreas	9.0	Thyroid	6.8
Other and unspecified	6.9	Pancreas	6.8
Lymphoid leukaemia	6.7	Stomach	5.8
Oesophagus	6.4	Kidney	5.5
Brain and nervous system	6.2	Other and unspecified	5.1
Liver	5.3	Brain and nervous system	4.7
Myeloid leukaemia	4.3	Lymphoid leukaemia	3.7
Larynx	4.3	Vulva	3.1
Multiple myeloma	4.2	Myeloid leukaemia	3.1
All sites	438.0	All sites	350.9

## Germany, Lower Saxony (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	164	0.1	0.8	<b>0.4</b>	0.01	0.05	80	0.1	0.4	<b>0.1</b>	0.01	0.01	C00
Tongue	847	0.6	4.3	<b>2.4</b>	0.18	0.29	357	0.3	1.8	<b>0.9</b>	0.07	0.11	C01-02
Mouth	1033	0.8	5.3	<b>3.0</b>	0.23	0.37	573	0.5	2.8	<b>1.4</b>	0.10	0.17	C03-06
Salivary glands	269	0.2	1.4	<b>0.7</b>	0.04	0.07	171	0.1	0.8	<b>0.4</b>	0.02	0.04	C07-08
Tonsil	545	0.4	2.8	<b>1.6</b>	0.13	0.20	187	0.2	0.9	<b>0.5</b>	0.04	0.07	C09
Other oropharynx	471	0.3	2.4	<b>1.4</b>	0.11	0.17	114	0.1	0.6	<b>0.3</b>	0.02	0.04	C10
Nasopharynx	111	0.1	0.6	<b>0.3</b>	0.02	0.04	35	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	655	0.5	3.4	<b>1.9</b>	0.14	0.24	112	0.1	0.6	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	123	0.1	0.6	<b>0.4</b>	0.03	0.05	33	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	2430	1.8	12.5	<b>6.4</b>	0.42	0.82	706	0.6	3.5	<b>1.4</b>	0.09	0.18	C15
Stomach	5011	3.7	25.7	<b>11.7</b>	0.58	1.32	3289	2.8	16.3	<b>5.8</b>	0.30	0.64	C16
Small intestine	447	0.3	2.3	<b>1.1</b>	0.07	0.13	379	0.3	1.9	<b>0.8</b>	0.05	0.10	C17
Colon	10552	7.7	54.1	<b>23.7</b>	1.04	2.73	10720	9.2	53.2	<b>17.7</b>	0.78	1.93	C18
Rectum	6521	4.8	33.5	<b>15.9</b>	0.87	1.99	4358	3.7	21.6	<b>8.3</b>	0.45	0.96	C19-20
Anus	273	0.2	1.4	<b>0.7</b>	0.05	0.08	501	0.4	2.5	<b>1.2</b>	0.08	0.13	C21
Liver	2291	1.7	11.8	<b>5.3</b>	0.25	0.65	989	0.8	4.9	<b>1.9</b>	0.10	0.22	C22
Gallbladder etc.	1061	0.8	5.4	<b>2.4</b>	0.10	0.27	1262	1.1	6.3	<b>2.1</b>	0.10	0.23	C23-24
Pancreas	3875	2.8	19.9	<b>9.0</b>	0.44	1.09	3912	3.4	19.4	<b>6.8</b>	0.31	0.78	C25
Nose, sinuses etc.	275	0.2	1.4	<b>0.8</b>	0.05	0.09	172	0.1	0.9	<b>0.5</b>	0.03	0.05	C30-31
Larynx	1656	1.2	8.5	<b>4.3</b>	0.28	0.56	252	0.2	1.3	<b>0.7</b>	0.05	0.08	C32
Trachea, bronchus, and lung	17561	12.8	90.1	<b>41.9</b>	2.21	5.27	8521	7.3	42.3	<b>19.5</b>	1.31	2.42	C33-34
Other thoracic organs	83	0.1	0.4	<b>0.3</b>	0.02	0.03	75	0.1	0.4	<b>0.2</b>	0.02	0.02	C37-38
Bone	238	0.2	1.2	<b>1.1</b>	0.07	0.09	151	0.1	0.7	<b>0.7</b>	0.04	0.05	C40-41
Melanoma of skin	5526	4.0	28.3	<b>15.7</b>	0.99	1.77	5816	5.0	28.8	<b>18.3</b>	1.33	1.81	C43
Other skin	44696		229.3	<b>99.0</b>	4.01	11.54	40070		198.8	<b>79.5</b>	4.33	9.29	C44
Mesothelioma	800	0.6	4.1	<b>1.7</b>	0.06	0.22	170	0.1	0.8	<b>0.3</b>	0.02	0.04	C45
Kaposi sarcoma	46	0.0	0.2	<b>0.1</b>	0.01	0.01	10	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	848	0.6	4.4	<b>2.6</b>	0.15	0.26	614	0.5	3.0	<b>1.8</b>	0.11	0.16	C47+C49
Breast	288	0.2	1.5	<b>0.7</b>	0.04	0.09	36928	31.7	183.2	<b>95.0</b>	6.96	10.89	C50
Vulva							1460	1.3	7.2	<b>3.1</b>	0.20	0.34	C51
Vagina							237	0.2	1.2	<b>0.5</b>	0.03	0.05	C52
Cervix uteri							2343	2.0	11.6	<b>7.7</b>	0.61	0.74	C53
Corpus uteri							5054	4.3	25.1	<b>11.5</b>	0.76	1.44	C54
Uterus unspecified							333	0.3	1.7	<b>0.4</b>	0.02	0.03	C55
Ovary							3879	3.3	19.2	<b>9.1</b>	0.59	1.04	C56
Other female genital organs							307	0.3	1.5	<b>0.6</b>	0.03	0.07	C57
Placenta							5	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	412	0.3	2.1	<b>1.0</b>	0.05	0.11							C60
Prostate	36098	26.4	185.2	<b>82.9</b>	3.56	11.19							C61
Testis	2277	1.7	11.7	<b>11.1</b>	0.85	0.87							C62
Other male genital organs	55	0.0	0.3	<b>0.1</b>	0.01	0.02							C63
Kidney	4546	3.3	23.3	<b>11.7</b>	0.69	1.42	2589	2.2	12.8	<b>5.5</b>	0.30	0.63	C64
Renal pelvis	384	0.3	2.0	<b>0.9</b>	0.04	0.11	282	0.2	1.4	<b>0.5</b>	0.02	0.05	C65
Ureter	191	0.1	1.0	<b>0.4</b>	0.01	0.05	111	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	11811	8.6	60.6	<b>26.2</b>	1.12	3.04	3760	3.2	18.7	<b>6.9</b>	0.35	0.79	C67
Other urinary organs	186	0.1	1.0	<b>0.4</b>	0.01	0.04	91	0.1	0.5	<b>0.1</b>	0.01	0.02	C68
Eye	290	0.2	1.5	<b>1.0</b>	0.05	0.09	303	0.3	1.5	<b>0.8</b>	0.05	0.09	C69
Brain and nervous system	1887	1.4	9.7	<b>6.2</b>	0.39	0.64	1528	1.3	7.6	<b>4.7</b>	0.30	0.46	C70-72
Thyroid	752	0.5	3.9	<b>2.6</b>	0.19	0.26	1826	1.6	9.1	<b>6.8</b>	0.53	0.64	C73
Adrenal gland	50	0.0	0.3	<b>0.3</b>	0.02	0.02	56	0.0	0.3	<b>0.2</b>	0.02	0.02	C74
Other endocrine	18	0.0	0.1	<b>0.1</b>	0.01	0.01	15	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	614	0.4	3.1	<b>2.8</b>	0.19	0.23	454	0.4	2.3	<b>2.0</b>	0.13	0.16	C81
Non-Hodgkin lymphoma	4087	3.0	21.0	<b>10.7</b>	0.59	1.20	3473	3.0	17.2	<b>7.5</b>	0.43	0.84	C82-86,C96
Immunoproliferative diseases	222	0.2	1.1	<b>0.5</b>	0.03	0.06	227	0.2	1.1	<b>0.5</b>	0.03	0.06	C88
Multiple myeloma	1856	1.4	9.5	<b>4.2</b>	0.20	0.49	1620	1.4	8.0	<b>3.0</b>	0.14	0.36	C90
Lymphoid leukaemia	2153	1.6	11.0	<b>6.7</b>	0.35	0.65	1382	1.2	6.9	<b>3.7</b>	0.19	0.35	C91
Myeloid leukaemia	1617	1.2	8.3	<b>4.3</b>	0.22	0.45	1272	1.1	6.3	<b>3.1</b>	0.18	0.32	C92-94
Leukaemia unspecified	211	0.2	1.1	<b>0.4</b>	0.01	0.03	205	0.2	1.0	<b>0.3</b>	0.01	0.02	C95
Myeloproliferative disorders	60	0.0	0.3	<b>0.1</b>	0.01	0.01	56	0.0	0.3	<b>0.1</b>	0.01	0.01	MPD
Myelodysplastic syndromes	95	0.1	0.5	<b>0.2</b>	0.00	0.02	71	0.1	0.4	<b>0.1</b>	0.00	0.02	MDS
Other and unspecified	2960	2.2	15.2	<b>6.9</b>	0.33	0.75	3139	2.7	15.6	<b>5.1</b>	0.25	0.53	O&U
All sites	181528		931.3	<b>438.0</b>	21.53	52.23	156635		777.0	<b>350.9</b>	21.94	39.60	C00-96
All sites except C44	136832	100.0	702.0	<b>339.0</b>	17.52	40.68	116565	100.0	578.2	<b>271.4</b>	17.61	30.31	C00-96 exc. C44

† See note following population pyramid

# Germany, Munich

## CONTRIBUTORS

Jutta Engel  
 Renate Eckel  
 Gabriele Schubert-Fritschle  
 Anne Schlesinger-Raab  
 Simone Schrodi  
 Miriam Rottmann  
 Gertrud Neher  
 Max Wiedemann  
 Michael Schmidt  
 Werner Tretter



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	66.9	Breast	89.8
Trachea, bronchus, and lung	31.4	Trachea, bronchus, and lung	16.6
Colon	21.9	Melanoma of skin	15.1
Bladder	19.6	Colon	14.9
Melanoma of skin	16.4	Corpus uteri	11.9
Rectum	15.2	Thyroid	11.7
Kidney	11.0	Ovary	8.7
Stomach	10.5	Rectum	7.5
Pancreas	9.4	Cervix uteri	7.1
Non-Hodgkin lymphoma	8.7	Pancreas	7.0
Testis	8.2	Non-Hodgkin lymphoma	5.9
Liver	7.8	Stomach	5.5
Brain and nervous system	6.3	Bladder	5.3
Other and unspecified	5.5	Kidney	4.9
Oesophagus	5.4	Brain and nervous system	4.5
Lymphoid leukaemia	4.7	Other and unspecified	4.4
Thyroid	4.5	Lymphoid leukaemia	3.1
Myeloid leukaemia	3.7	Myeloid leukaemia	3.0
Larynx	3.4	Liver	2.1
Multiple myeloma	3.3	Multiple myeloma	2.1
All sites	296.8	All sites	253.6

## Germany, Munich (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	85	0.1	0.8	<b>0.4</b>	0.02	0.04	32	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	539	0.8	4.8	<b>2.9</b>	0.21	0.35	246	0.4	2.1	<b>1.2</b>	0.09	0.14	C01-02
Mouth	517	0.8	4.6	<b>2.8</b>	0.22	0.34	249	0.4	2.1	<b>1.1</b>	0.07	0.13	C03-06
Salivary glands	169	0.3	1.5	<b>0.8</b>	0.04	0.08	108	0.2	0.9	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	386	0.6	3.4	<b>2.1</b>	0.17	0.26	142	0.2	1.2	<b>0.7</b>	0.06	0.09	C09
Other oropharynx	168	0.3	1.5	<b>0.9</b>	0.07	0.11	50	0.1	0.4	<b>0.2</b>	0.02	0.03	C10
Nasopharynx	76	0.1	0.7	<b>0.4</b>	0.04	0.05	27	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	464	0.7	4.1	<b>2.4</b>	0.19	0.31	70	0.1	0.6	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	28	0.0	0.2	<b>0.1</b>	0.01	0.02	13	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	1150	1.8	10.3	<b>5.4</b>	0.33	0.70	331	0.5	2.8	<b>1.3</b>	0.08	0.16	C15
Stomach	2447	3.8	21.8	<b>10.5</b>	0.50	1.19	1749	2.9	15.0	<b>5.5</b>	0.26	0.58	C16
Small intestine	363	0.6	3.2	<b>1.7</b>	0.10	0.19	324	0.5	2.8	<b>1.4</b>	0.09	0.17	C17
Colon	5233	8.1	46.6	<b>21.9</b>	0.94	2.46	4724	7.8	40.4	<b>14.9</b>	0.70	1.58	C18
Rectum	3349	5.2	29.9	<b>15.2</b>	0.83	1.86	2147	3.5	18.4	<b>7.5</b>	0.42	0.85	C19-20
Anus	178	0.3	1.6	<b>0.8</b>	0.05	0.10	345	0.6	3.0	<b>1.5</b>	0.11	0.17	C21
Liver	1748	2.7	15.6	<b>7.8</b>	0.37	0.96	611	1.0	5.2	<b>2.1</b>	0.09	0.23	C22
Gallbladder etc.	575	0.9	5.1	<b>2.4</b>	0.10	0.26	639	1.1	5.5	<b>1.9</b>	0.07	0.21	C23-24
Pancreas	2233	3.5	19.9	<b>9.4</b>	0.42	1.10	2326	3.8	19.9	<b>7.0</b>	0.27	0.77	C25
Nose, sinuses etc.	162	0.3	1.4	<b>0.9</b>	0.06	0.09	92	0.2	0.8	<b>0.4</b>	0.03	0.04	C30-31
Larynx	716	1.1	6.4	<b>3.4</b>	0.22	0.44	115	0.2	1.0	<b>0.5</b>	0.04	0.06	C32
Trachea, bronchus, and lung	7060	10.9	62.9	<b>31.4</b>	1.63	3.88	4196	6.9	35.9	<b>16.6</b>	1.01	2.08	C33-34
Other thoracic organs	106	0.2	0.9	<b>0.6</b>	0.04	0.06	83	0.1	0.7	<b>0.4</b>	0.03	0.04	C37-38
Bone	139	0.2	1.2	<b>1.1</b>	0.07	0.09	81	0.1	0.7	<b>0.6</b>	0.04	0.05	C40-41
Melanoma of skin	3268	5.1	29.1	<b>16.4</b>	0.99	1.90	2949	4.8	25.2	<b>15.1</b>	1.07	1.56	C43
Other skin	81		0.7	<b>0.3</b>	0.01	0.03	100		0.9	<b>0.3</b>	0.01	0.02	C44
Mesothelioma	382	0.6	3.4	<b>1.5</b>	0.05	0.20	93	0.2	0.8	<b>0.3</b>	0.01	0.03	C45
Kaposi sarcoma	20	0.0	0.2	<b>0.1</b>	0.00	0.01	3	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	423	0.7	3.8	<b>2.5</b>	0.14	0.23	380	0.6	3.3	<b>1.9</b>	0.12	0.18	C47+C49
Breast	145	0.2	1.3	<b>0.7</b>	0.04	0.08	19715	32.4	168.7	<b>89.8</b>	6.39	10.34	C50
Vulva							585	1.0	5.0	<b>2.0</b>	0.10	0.20	C51
Vagina							104	0.2	0.9	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							1274	2.1	10.9	<b>7.1</b>	0.57	0.70	C53
Corpus uteri							3035	5.0	26.0	<b>11.9</b>	0.71	1.51	C54
Uterus unspecified							39	0.1	0.3	<b>0.1</b>	0.01	0.01	C55
Ovary							2163	3.6	18.5	<b>8.7</b>	0.54	0.98	C56
Other female genital organs							175	0.3	1.5	<b>0.6</b>	0.03	0.07	C57
Placenta							6	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	157	0.2	1.4	<b>0.7</b>	0.04	0.08							C60
Prostate	15741	24.3	140.3	<b>66.9</b>	2.66	8.90							C61
Testis	1061	1.6	9.5	<b>8.2</b>	0.64	0.66							C62
Other male genital organs	22	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	2307	3.6	20.6	<b>11.0</b>	0.63	1.30	1304	2.1	11.2	<b>4.9</b>	0.24	0.54	C64
Renal pelvis	201	0.3	1.8	<b>0.8</b>	0.03	0.10	143	0.2	1.2	<b>0.4</b>	0.02	0.05	C65
Ureter	98	0.2	0.9	<b>0.4</b>	0.02	0.04	69	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	4776	7.4	42.6	<b>19.6</b>	0.79	2.16	1647	2.7	14.1	<b>5.3</b>	0.26	0.62	C67
Other urinary organs	66	0.1	0.6	<b>0.3</b>	0.01	0.03	31	0.1	0.3	<b>0.1</b>	0.00	0.01	C68
Eye	88	0.1	0.8	<b>0.5</b>	0.02	0.05	73	0.1	0.6	<b>0.4</b>	0.02	0.04	C69
Brain and nervous system	1118	1.7	10.0	<b>6.3</b>	0.39	0.64	897	1.5	7.7	<b>4.5</b>	0.28	0.46	C70-72
Thyroid	747	1.2	6.7	<b>4.5</b>	0.34	0.48	1938	3.2	16.6	<b>11.7</b>	0.94	1.16	C73
Adrenal gland	32	0.0	0.3	<b>0.3</b>	0.02	0.02	41	0.1	0.4	<b>0.3</b>	0.02	0.02	C74
Other endocrine	24	0.0	0.2	<b>0.1</b>	0.01	0.01	23	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	356	0.6	3.2	<b>2.7</b>	0.18	0.22	243	0.4	2.1	<b>1.9</b>	0.12	0.14	C81
Non-Hodgkin lymphoma	1825	2.8	16.3	<b>8.7</b>	0.45	0.92	1516	2.5	13.0	<b>5.9</b>	0.32	0.67	C82-86,C96
Immunoproliferative diseases	142	0.2	1.3	<b>0.7</b>	0.04	0.08	141	0.2	1.2	<b>0.6</b>	0.04	0.07	C88
Multiple myeloma	778	1.2	6.9	<b>3.3</b>	0.13	0.39	632	1.0	5.4	<b>2.1</b>	0.10	0.24	C90
Lymphoid leukaemia	796	1.2	7.1	<b>4.7</b>	0.22	0.41	594	1.0	5.1	<b>3.1</b>	0.15	0.25	C91
Myeloid leukaemia	755	1.2	6.7	<b>3.7</b>	0.18	0.37	702	1.2	6.0	<b>3.0</b>	0.17	0.30	C92-94
Leukaemia unspecified	91	0.1	0.8	<b>0.3</b>	0.01	0.02	84	0.1	0.7	<b>0.2</b>	0.01	0.01	C95
Myeloproliferative disorders	119	0.2	1.1	<b>0.5</b>	0.02	0.05	119	0.2	1.0	<b>0.4</b>	0.02	0.04	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1263	2.0	11.3	<b>5.5</b>	0.26	0.62	1388	2.3	11.9	<b>4.4</b>	0.22	0.46	O&U
All sites	64773		577.4	<b>296.8</b>	14.96	34.96	60907		521.3	<b>253.6</b>	16.05	28.27	C00-96
All sites except C44	64692	100.0	576.6	<b>296.4</b>	14.94	34.93	60807	100.0	520.4	<b>253.3</b>	16.04	28.25	C00-96 exc. C44


† See note following population pyramid



# Germany, North Rhine-Westphalia

## CONTRIBUTORS

Oliver Heidinger  
Volkmar Mattauch  
Hiltraud Kajüter  
Volker Krieg  
Jan Heidrich



## NOTES ON THE DATA

\*High DCO%. †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	120.9	Breast	101.2
Prostate	77.6	Non-melanoma skin cancer	96.9
Trachea, bronchus, and lung	50.1	Trachea, bronchus, and lung	24.4
Bladder	28.5	Melanoma of skin	19.0
Colon	24.8	Colon	18.2
Rectum	16.2	Corpus uteri	10.9
Melanoma of skin	16.0	Ovary	9.9
Stomach	11.4	Rectum	8.8
Kidney	11.3	Other and unspecified	8.3
Other and unspecified	10.8	Thyroid	8.1
Non-Hodgkin lymphoma	10.6	Bladder	7.6
Testis	9.4	Non-Hodgkin lymphoma	7.0
Pancreas	9.1	Cervix uteri	7.0
Oesophagus	7.0	Pancreas	6.8
Brain and nervous system	6.9	Stomach	5.8
Liver	5.9	Kidney	5.7
Larynx	4.9	Brain and nervous system	5.0
Lymphoid leukaemia	4.9	Vulva	3.8
Myeloid leukaemia	3.9	Lymphoid leukaemia	3.2
Multiple myeloma	3.8	Myeloid leukaemia	3.0
All sites	471.6	All sites	388.4

## \*Germany, North Rhine-Westphalia (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	
Lip	216	0.1	0.5	<b>0.2</b>	0.01	0.03	134	0.0	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	2001	0.6	4.6	<b>2.6</b>	0.20	0.33	956	0.3	2.1	<b>1.1</b>	0.08	0.13	C01-02
Mouth	2504	0.8	5.8	<b>3.3</b>	0.25	0.40	1471	0.5	3.2	<b>1.5</b>	0.10	0.18	C03-06
Salivary glands	574	0.2	1.3	<b>0.6</b>	0.03	0.07	471	0.2	1.0	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	1011	0.3	2.3	<b>1.3</b>	0.10	0.16	399	0.1	0.9	<b>0.5</b>	0.04	0.06	C09
Other oropharynx	1163	0.4	2.7	<b>1.6</b>	0.13	0.20	371	0.1	0.8	<b>0.4</b>	0.03	0.05	C10
Nasopharynx	342	0.1	0.8	<b>0.5</b>	0.04	0.06	133	0.0	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	1546	0.5	3.6	<b>2.0</b>	0.15	0.26	317	0.1	0.7	<b>0.4</b>	0.03	0.05	C12-13
Pharynx unspecified	510	0.2	1.2	<b>0.7</b>	0.05	0.09	167	0.1	0.4	<b>0.2</b>	0.01	0.03	C14
Oesophagus	5947	1.9	13.8	<b>7.0</b>	0.42	0.88	1984	0.7	4.4	<b>1.8</b>	0.11	0.22	C15
Stomach	10696	3.4	24.7	<b>11.4</b>	0.56	1.29	7384	2.6	16.2	<b>5.8</b>	0.29	0.62	C16
Small intestine	1146	0.4	2.7	<b>1.3</b>	0.08	0.16	1015	0.4	2.2	<b>0.9</b>	0.06	0.11	C17
Colon	24557	7.9	56.8	<b>24.8</b>	1.02	2.84	24940	8.8	54.8	<b>18.2</b>	0.80	1.98	C18
Rectum	14735	4.7	34.1	<b>16.2</b>	0.85	2.00	10420	3.7	22.9	<b>8.8</b>	0.46	1.02	C19-20
Anus	781	0.3	1.8	<b>1.0</b>	0.07	0.11	1188	0.4	2.6	<b>1.3</b>	0.10	0.15	C21
Liver	5525	1.8	12.8	<b>5.9</b>	0.27	0.72	2934	1.0	6.4	<b>2.3</b>	0.11	0.26	C22
Gallbladder etc.	2347	0.8	5.4	<b>2.4</b>	0.10	0.29	2931	1.0	6.4	<b>2.1</b>	0.08	0.23	C23-24
Pancreas	8542	2.7	19.8	<b>9.1</b>	0.43	1.09	8935	3.2	19.6	<b>6.8</b>	0.30	0.79	C25
Nose, sinuses etc.	627	0.2	1.4	<b>0.8</b>	0.06	0.09	387	0.1	0.9	<b>0.4</b>	0.03	0.05	C30-31
Larynx	4126	1.3	9.5	<b>4.9</b>	0.31	0.63	671	0.2	1.5	<b>0.8</b>	0.06	0.10	C32
Trachea, bronchus, and lung	45970	14.8	106.3	<b>50.1</b>	2.59	6.30	24057	8.5	52.9	<b>24.4</b>	1.63	3.01	C33-34
Other thoracic organs	261	0.1	0.6	<b>0.3</b>	0.02	0.03	194	0.1	0.4	<b>0.2</b>	0.01	0.02	C37-38
Bone	546	0.2	1.3	<b>1.1</b>	0.07	0.09	424	0.2	0.9	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	12222	3.9	28.3	<b>16.0</b>	1.00	1.76	13195	4.7	29.0	<b>19.0</b>	1.40	1.87	C43
Other skin	119610		276.6	<b>120.9</b>	4.82	13.98	106424		233.9	<b>96.9</b>	5.35	11.32	C44
Mesothelioma	1629	0.5	3.8	<b>1.6</b>	0.06	0.21	386	0.1	0.8	<b>0.3</b>	0.01	0.03	C45
Kaposi sarcoma	189	0.1	0.4	<b>0.3</b>	0.02	0.03	49	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	1966	0.6	4.5	<b>2.9</b>	0.16	0.27	1637	0.6	3.6	<b>2.3</b>	0.14	0.21	C47+C49
Breast	766	0.2	1.8	<b>0.9</b>	0.04	0.10	88835	31.5	195.2	<b>101.2</b>	7.30	11.78	C50
Vulva							4000	1.4	8.8	<b>3.8</b>	0.23	0.42	C51
Vagina							486	0.2	1.1	<b>0.4</b>	0.02	0.05	C52
Cervix uteri							4958	1.8	10.9	<b>7.0</b>	0.56	0.70	C53
Corpus uteri							10648	3.8	23.4	<b>10.9</b>	0.73	1.35	C54
Uterus unspecified							690	0.2	1.5	<b>0.5</b>	0.02	0.05	C55
Ovary							9451	3.4	20.8	<b>9.9</b>	0.62	1.13	C56
Other female genital organs							574	0.2	1.3	<b>0.6</b>	0.03	0.06	C57
Placenta							11	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	806	0.3	1.9	<b>0.9</b>	0.05	0.11							C60
Prostate	74082	23.8	171.3	<b>77.6</b>	3.22	10.37							C61
Testis	4389	1.4	10.1	<b>9.4</b>	0.72	0.74							C62
Other male genital organs	140	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	9596	3.1	22.2	<b>11.3</b>	0.65	1.34	6011	2.1	13.2	<b>5.7</b>	0.31	0.66	C64
Renal pelvis	931	0.3	2.2	<b>0.9</b>	0.04	0.11	683	0.2	1.5	<b>0.5</b>	0.02	0.06	C65
Ureter	565	0.2	1.3	<b>0.6</b>	0.02	0.07	282	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	28285	9.1	65.4	<b>28.5</b>	1.19	3.25	9419	3.3	20.7	<b>7.6</b>	0.38	0.88	C67
Other urinary organs	846	0.3	2.0	<b>0.8</b>	0.03	0.08	405	0.1	0.9	<b>0.3</b>	0.01	0.03	C68
Eye	803	0.3	1.9	<b>1.3</b>	0.07	0.12	829	0.3	1.8	<b>1.2</b>	0.07	0.11	C69
Brain and nervous system	4546	1.5	10.5	<b>6.9</b>	0.44	0.69	3912	1.4	8.6	<b>5.0</b>	0.31	0.49	C70-72
Thyroid	2131	0.7	4.9	<b>3.3</b>	0.25	0.34	5081	1.8	11.2	<b>8.1</b>	0.64	0.78	C73
Adrenal gland	161	0.1	0.4	<b>0.4</b>	0.02	0.03	172	0.1	0.4	<b>0.4</b>	0.02	0.03	C74
Other endocrine	100	0.0	0.2	<b>0.2</b>	0.01	0.01	104	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	1337	0.4	3.1	<b>2.7</b>	0.19	0.22	982	0.3	2.2	<b>2.1</b>	0.14	0.16	C81
Non-Hodgkin lymphoma	8590	2.8	19.9	<b>10.6</b>	0.59	1.15	7388	2.6	16.2	<b>7.0</b>	0.40	0.78	C82-86,C96
Immunoproliferative diseases	604	0.2	1.4	<b>0.7</b>	0.04	0.08	604	0.2	1.3	<b>0.6</b>	0.04	0.07	C88
Multiple myeloma	3585	1.2	8.3	<b>3.8</b>	0.18	0.44	3147	1.1	6.9	<b>2.5</b>	0.12	0.30	C90
Lymphoid leukaemia	3277	1.1	7.6	<b>4.9</b>	0.25	0.45	2440	0.9	5.4	<b>3.2</b>	0.16	0.27	C91
Myeloid leukaemia	3167	1.0	7.3	<b>3.9</b>	0.20	0.40	2760	1.0	6.1	<b>3.0</b>	0.17	0.30	C92-94
Leukaemia unspecified	331	0.1	0.8	<b>0.3</b>	0.01	0.03	410	0.1	0.9	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	3	0.0	0.0	<b>0.0</b>	0.00	0.00	8	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	63	0.0	0.1	<b>0.1</b>	0.00	0.00	64	0.0	0.1	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	10019	3.2	23.2	<b>10.8</b>	0.51	1.21	10514	3.7	23.1	<b>8.3</b>	0.42	0.89	O&U
All sites	430412		995.3	<b>471.6</b>	22.59	55.73	388442		853.6	<b>388.4</b>	24.06	44.01	C00-96
All sites except C44	310802	100.0	718.7	<b>350.7</b>	17.78	41.74	282018	100.0	619.7	<b>291.5</b>	18.71	32.69	C00-96 exc. C44

†\*See note following population pyramid

# Germany, Rhineland-Palatinate

## CONTRIBUTORS

Sylke Ruth Zeissig  
Katharina Emrich  
Meike Rissing  
Antje Swietlik



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	120.6	Non-melanoma skin cancer	93.7
Prostate	74.4	Breast	92.5
Trachea, bronchus, and lung	38.2	Trachea, bronchus, and lung	17.6
Bladder	23.4	Melanoma of skin	17.4
Colon	23.0	Colon	16.3
Melanoma of skin	16.6	Corpus uteri	10.8
Rectum	15.0	Ovary	8.2
Kidney	11.4	Rectum	7.8
Stomach	9.9	Cervix uteri	7.5
Testis	8.9	Non-Hodgkin lymphoma	6.6
Non-Hodgkin lymphoma	8.7	Bladder	6.4
Pancreas	7.9	Pancreas	6.2
Liver	6.8	Thyroid	5.9
Other and unspecified	6.7	Kidney	5.7
Oesophagus	6.1	Stomach	5.3
Brain and nervous system	5.3	Other and unspecified	5.1
Lymphoid leukaemia	5.2	Brain and nervous system	3.8
Larynx	4.0	Lymphoid leukaemia	3.3
Multiple myeloma	3.3	Vulva	2.9
Mouth	3.2	Myeloid leukaemia	2.5
All sites	433.9	All sites	351.2

## Germany, Rhineland-Palatinate (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	39	0.1	0.4	<b>0.2</b>	0.01	0.02	23	0.0	0.2	<b>0.1</b>	0.00	0.01	C00
Tongue	461	0.7	4.7	<b>2.6</b>	0.19	0.33	192	0.3	1.9	<b>0.9</b>	0.07	0.11	C01-02
Mouth	564	0.9	5.7	<b>3.2</b>	0.26	0.40	235	0.4	2.3	<b>1.1</b>	0.08	0.13	C03-06
Salivary glands	122	0.2	1.2	<b>0.6</b>	0.03	0.06	81	0.1	0.8	<b>0.4</b>	0.02	0.04	C07-08
Tonsil	258	0.4	2.6	<b>1.5</b>	0.13	0.20	109	0.2	1.1	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	252	0.4	2.6	<b>1.4</b>	0.12	0.18	86	0.2	0.8	<b>0.5</b>	0.04	0.06	C10
Nasopharynx	52	0.1	0.5	<b>0.3</b>	0.03	0.04	20	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	379	0.6	3.8	<b>2.1</b>	0.16	0.28	59	0.1	0.6	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	39	0.1	0.4	<b>0.2</b>	0.01	0.03	10	0.0	0.1	<b>0.0</b>	0.00	0.01	C14
Oesophagus	1213	1.9	12.3	<b>6.1</b>	0.38	0.78	334	0.6	3.3	<b>1.3</b>	0.08	0.16	C15
Stomach	2149	3.3	21.8	<b>9.9</b>	0.50	1.08	1536	2.7	15.0	<b>5.3</b>	0.27	0.58	C16
Small intestine	244	0.4	2.5	<b>1.2</b>	0.07	0.14	200	0.4	2.0	<b>0.9</b>	0.06	0.11	C17
Colon	5216	8.1	52.9	<b>23.0</b>	1.01	2.64	4924	8.7	48.1	<b>16.3</b>	0.76	1.78	C18
Rectum	3211	5.0	32.6	<b>15.0</b>	0.78	1.82	2066	3.6	20.2	<b>7.8</b>	0.44	0.91	C19-20
Anus	128	0.2	1.3	<b>0.7</b>	0.05	0.08	231	0.4	2.3	<b>1.1</b>	0.08	0.12	C21
Liver	1426	2.2	14.5	<b>6.8</b>	0.33	0.85	535	0.9	5.2	<b>2.0</b>	0.10	0.22	C22
Gallbladder etc.	455	0.7	4.6	<b>2.0</b>	0.09	0.22	695	1.2	6.8	<b>2.1</b>	0.08	0.22	C23-24
Pancreas	1712	2.7	17.4	<b>7.9</b>	0.38	0.95	1926	3.4	18.8	<b>6.2</b>	0.26	0.73	C25
Nose, sinuses etc.	107	0.2	1.1	<b>0.6</b>	0.04	0.07	73	0.1	0.7	<b>0.4</b>	0.03	0.05	C30-31
Larynx	781	1.2	7.9	<b>4.0</b>	0.25	0.52	141	0.2	1.4	<b>0.7</b>	0.05	0.08	C32
Trachea, bronchus, and lung	8141	12.6	82.6	<b>38.2</b>	1.96	4.84	3867	6.8	37.8	<b>17.6</b>	1.20	2.17	C33-34
Other thoracic organs	65	0.1	0.7	<b>0.4</b>	0.02	0.04	41	0.1	0.4	<b>0.3</b>	0.02	0.02	C37-38
Bone	89	0.1	0.9	<b>0.8</b>	0.04	0.06	79	0.1	0.8	<b>0.7</b>	0.04	0.05	C40-41
Melanoma of skin	3011	4.7	30.6	<b>16.6</b>	1.03	1.92	2871	5.1	28.1	<b>17.4</b>	1.29	1.74	C43
Other skin	27301		277.1	<b>120.6</b>	5.00	14.15	23304		227.8	<b>93.7</b>	5.26	10.86	C44
Mesothelioma	241	0.4	2.4	<b>1.0</b>	0.03	0.13	67	0.1	0.7	<b>0.2</b>	0.01	0.03	C45
Kaposi sarcoma	26	0.0	0.3	<b>0.1</b>	0.01	0.02	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	462	0.7	4.7	<b>2.7</b>	0.14	0.26	311	0.5	3.0	<b>1.8</b>	0.10	0.16	C47+C49
Breast	129	0.2	1.3	<b>0.6</b>	0.03	0.07	18528	32.6	181.1	<b>92.5</b>	6.75	10.72	C50
Vulva							722	1.3	7.1	<b>2.9</b>	0.18	0.31	C51
Vagina							107	0.2	1.0	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							1141	2.0	11.2	<b>7.5</b>	0.60	0.73	C53
Corpus uteri							2431	4.3	23.8	<b>10.8</b>	0.71	1.34	C54
Uterus unspecified							202	0.4	2.0	<b>0.6</b>	0.03	0.06	C55
Ovary							1812	3.2	17.7	<b>8.2</b>	0.52	0.93	C56
Other female genital organs							128	0.2	1.3	<b>0.6</b>	0.04	0.07	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	184	0.3	1.9	<b>0.9</b>	0.05	0.10							C60
Prostate	16408	25.4	166.6	<b>74.4</b>	3.18	9.83							C61
Testis	946	1.5	9.6	<b>8.9</b>	0.68	0.70							C62
Other male genital organs	36	0.1	0.4	<b>0.2</b>	0.01	0.02							C63
Kidney	2242	3.5	22.8	<b>11.4</b>	0.67	1.39	1352	2.4	13.2	<b>5.7</b>	0.30	0.65	C64
Renal pelvis	133	0.2	1.4	<b>0.6</b>	0.02	0.07	108	0.2	1.1	<b>0.4</b>	0.01	0.04	C65
Ureter	93	0.1	0.9	<b>0.4</b>	0.01	0.05	54	0.1	0.5	<b>0.2</b>	0.00	0.02	C66
†Bladder	5326	8.2	54.1	<b>23.4</b>	1.01	2.64	1755	3.1	17.2	<b>6.4</b>	0.34	0.72	C67
Other urinary organs	155	0.2	1.6	<b>0.6</b>	0.03	0.06	82	0.1	0.8	<b>0.3</b>	0.01	0.03	C68
Eye	69	0.1	0.7	<b>0.5</b>	0.03	0.05	61	0.1	0.6	<b>0.3</b>	0.02	0.03	C69
Brain and nervous system	819	1.3	8.3	<b>5.3</b>	0.34	0.54	626	1.1	6.1	<b>3.8</b>	0.23	0.38	C70-72
Thyroid	376	0.6	3.8	<b>2.4</b>	0.19	0.25	833	1.5	8.1	<b>5.9</b>	0.46	0.57	C73
Adrenal gland	25	0.0	0.3	<b>0.2</b>	0.02	0.02	27	0.0	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	5	0.0	0.1	<b>0.0</b>	0.00	0.00	4	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	277	0.4	2.8	<b>2.4</b>	0.16	0.20	207	0.4	2.0	<b>1.8</b>	0.12	0.14	C81
Non-Hodgkin lymphoma	1747	2.7	17.7	<b>8.7</b>	0.48	0.95	1519	2.7	14.8	<b>6.6</b>	0.37	0.73	C82-86,C96
Immunoproliferative diseases	118	0.2	1.2	<b>0.6</b>	0.03	0.07	115	0.2	1.1	<b>0.5</b>	0.03	0.06	C88
Multiple myeloma	755	1.2	7.7	<b>3.3</b>	0.15	0.38	626	1.1	6.1	<b>2.1</b>	0.09	0.24	C90
Lymphoid leukaemia	831	1.3	8.4	<b>5.2</b>	0.26	0.46	588	1.0	5.7	<b>3.3</b>	0.16	0.28	C91
Myeloid leukaemia	595	0.9	6.0	<b>3.2</b>	0.17	0.32	567	1.0	5.5	<b>2.5</b>	0.14	0.26	C92-94
Leukaemia unspecified	111	0.2	1.1	<b>0.4</b>	0.01	0.03	125	0.2	1.2	<b>0.3</b>	0.00	0.01	C95
Myeloproliferative disorders	346	0.5	3.5	<b>1.6</b>	0.08	0.18	358	0.6	3.5	<b>1.4</b>	0.07	0.16	MPD
Myelodysplastic syndromes	524	0.8	5.3	<b>2.1</b>	0.05	0.18	430	0.8	4.2	<b>1.1</b>	0.04	0.09	MDS
Other and unspecified	1471	2.3	14.9	<b>6.7</b>	0.33	0.74	1588	2.8	15.5	<b>5.1</b>	0.25	0.51	O&U
All sites	91865		932.5	<b>433.9</b>	21.04	51.40	80114		783.2	<b>351.2</b>	21.93	39.60	C00-96
All sites except C44	64564	100.0	655.4	<b>313.3</b>	16.05	37.25	56810	100.0	555.4	<b>257.5</b>	16.67	28.74	C00-96 exc. C44

† See note following population pyramid

# Germany, Saarland

## CONTRIBUTORS

Bernd Holleczek  
Christa Stegmaier



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	80.8	Breast	83.5
Prostate	57.3	Non-melanoma skin cancer	64.4
Trachea, bronchus, and lung	48.4	Trachea, bronchus, and lung	22.3
Bladder	24.0	Colon	16.1
Colon	22.6	Corpus uteri	11.4
Rectum	17.5	Melanoma of skin	10.6
Melanoma of skin	11.5	Cervix uteri	9.7
Non-Hodgkin lymphoma	10.7	Rectum	7.7
Kidney	10.4	Ovary	7.5
Stomach	10.3	Non-Hodgkin lymphoma	7.4
Testis	8.6	Bladder	6.4
Pancreas	8.5	Kidney	5.8
Liver	8.4	Vulva	5.7
Other and unspecified	5.9	Pancreas	5.5
Brain and nervous system	5.6	Thyroid	5.1
Oesophagus	5.2	Stomach	4.9
Myeloid leukaemia	5.2	Other and unspecified	4.7
Larynx	4.9	Brain and nervous system	3.5
Lymphoid leukaemia	4.6	Myeloid leukaemia	3.3
Mouth	3.9	Lymphoid leukaemia	2.8
All sites	390.5	All sites	314.5

## Germany, Saarland (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	10	0.1	0.4	<b>0.2</b>	0.01	0.02	12	0.1	0.5	<b>0.1</b>	0.00	0.01	C00
Tongue	118	0.7	4.8	<b>2.7</b>	0.23	0.32	59	0.4	2.3	<b>1.1</b>	0.09	0.13	C01-02
Mouth	178	1.1	7.2	<b>3.9</b>	0.33	0.47	82	0.6	3.1	<b>1.7</b>	0.13	0.19	C03-06
Salivary glands	34	0.2	1.4	<b>0.7</b>	0.04	0.06	23	0.2	0.9	<b>0.4</b>	0.02	0.04	C07-08
Tonsil	75	0.5	3.0	<b>1.8</b>	0.16	0.22	24	0.2	0.9	<b>0.5</b>	0.05	0.07	C09
Other oropharynx	97	0.6	3.9	<b>2.1</b>	0.18	0.27	35	0.2	1.3	<b>0.8</b>	0.07	0.09	C10
Nasopharynx	18	0.1	0.7	<b>0.5</b>	0.04	0.05	4	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	122	0.7	4.9	<b>2.7</b>	0.23	0.34	22	0.2	0.8	<b>0.5</b>	0.04	0.06	C12-13
Pharynx unspecified	9	0.1	0.4	<b>0.2</b>	0.02	0.02	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	277	1.7	11.2	<b>5.2</b>	0.29	0.68	67	0.5	2.6	<b>1.1</b>	0.08	0.14	C15
Stomach	583	3.6	23.5	<b>10.3</b>	0.50	1.22	394	2.7	15.1	<b>4.9</b>	0.26	0.53	C16
Small intestine	55	0.3	2.2	<b>1.0</b>	0.06	0.12	44	0.3	1.7	<b>0.7</b>	0.04	0.07	C17
Colon	1287	7.9	52.0	<b>22.6</b>	1.12	2.72	1265	8.7	48.4	<b>16.1</b>	0.79	1.84	C18
Rectum	942	5.8	38.0	<b>17.5</b>	1.02	2.21	547	3.8	20.9	<b>7.7</b>	0.43	0.91	C19-20
Anus	43	0.3	1.7	<b>1.0</b>	0.07	0.11	58	0.4	2.2	<b>1.2</b>	0.10	0.13	C21
Liver	448	2.7	18.1	<b>8.4</b>	0.49	1.02	185	1.3	7.1	<b>2.7</b>	0.15	0.30	C22
Gallbladder etc.	126	0.8	5.1	<b>2.1</b>	0.09	0.23	161	1.1	6.2	<b>1.8</b>	0.08	0.21	C23-24
Pancreas	477	2.9	19.3	<b>8.5</b>	0.42	1.05	469	3.2	17.9	<b>5.5</b>	0.21	0.69	C25
Nose, sinuses etc.	49	0.3	2.0	<b>1.0</b>	0.06	0.12	20	0.1	0.8	<b>0.4</b>	0.03	0.04	C30-31
Larynx	242	1.5	9.8	<b>4.9</b>	0.34	0.66	45	0.3	1.7	<b>0.8</b>	0.06	0.10	C32
Trachea, bronchus, and lung	2709	16.6	109.4	<b>48.4</b>	2.53	6.24	1302	9.0	49.8	<b>22.3</b>	1.55	2.77	C33-34
Other thoracic organs	32	0.2	1.3	<b>0.6</b>	0.03	0.08	9	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	24	0.1	1.0	<b>0.9</b>	0.06	0.07	24	0.2	0.9	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	530	3.2	21.4	<b>11.5</b>	0.77	1.27	488	3.4	18.7	<b>10.6</b>	0.76	1.09	C43
Other skin	4720		190.6	<b>80.8</b>	3.74	9.74	4132		158.1	<b>64.4</b>	3.93	7.37	C44
Mesothelioma	79	0.5	3.2	<b>1.3</b>	0.06	0.17	10	0.1	0.4	<b>0.1</b>	0.01	0.02	C45
Kaposi sarcoma	6	0.0	0.2	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	92	0.6	3.7	<b>2.0</b>	0.10	0.19	93	0.6	3.6	<b>1.9</b>	0.12	0.19	C47+C49
Breast	37	0.2	1.5	<b>0.7</b>	0.02	0.10	4385	30.3	167.7	<b>83.5</b>	6.13	9.61	C50
Vulva							320	2.2	12.2	<b>5.7</b>	0.38	0.62	C51
Vagina							35	0.2	1.3	<b>0.5</b>	0.02	0.06	C52
Cervix uteri							363	2.5	13.9	<b>9.7</b>	0.79	0.94	C53
Corpus uteri							674	4.7	25.8	<b>11.4</b>	0.79	1.46	C54
Uterus unspecified							41	0.3	1.6	<b>0.6</b>	0.04	0.07	C55
Ovary							455	3.1	17.4	<b>7.5</b>	0.47	0.86	C56
Other female genital organs							52	0.4	2.0	<b>0.9</b>	0.06	0.10	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	45	0.3	1.8	<b>0.9</b>	0.05	0.10							C60
Prostate	3336	20.4	134.7	<b>57.3</b>	2.48	7.96							C61
Testis	222	1.4	9.0	<b>8.6</b>	0.65	0.67							C62
Other male genital organs	12	0.1	0.5	<b>0.2</b>	0.01	0.02							C63
Kidney	517	3.2	20.9	<b>10.4</b>	0.69	1.24	339	2.3	13.0	<b>5.8</b>	0.36	0.69	C64
Renal pelvis	34	0.2	1.4	<b>0.6</b>	0.01	0.08	31	0.2	1.2	<b>0.4</b>	0.01	0.05	C65
Ureter	26	0.2	1.0	<b>0.4</b>	0.01	0.04	13	0.1	0.5	<b>0.2</b>	0.01	0.02	C66
†Bladder	1408	8.6	56.9	<b>24.0</b>	1.18	2.85	472	3.3	18.1	<b>6.4</b>	0.33	0.75	C67
Other urinary organs	18	0.1	0.7	<b>0.2</b>	0.01	0.04	9	0.1	0.3	<b>0.1</b>	0.01	0.01	C68
Eye	9	0.1	0.4	<b>0.3</b>	0.01	0.03	11	0.1	0.4	<b>0.3</b>	0.01	0.02	C69
Brain and nervous system	212	1.3	8.6	<b>5.6</b>	0.36	0.55	152	1.0	5.8	<b>3.5</b>	0.22	0.35	C70-72
Thyroid	76	0.5	3.1	<b>2.1</b>	0.16	0.21	191	1.3	7.3	<b>5.1</b>	0.39	0.50	C73
Adrenal gland	7	0.0	0.3	<b>0.2</b>	0.02	0.02	10	0.1	0.4	<b>0.2</b>	0.02	0.02	C74
Other endocrine	7	0.0	0.3	<b>0.3</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	80	0.5	3.2	<b>2.8</b>	0.20	0.23	61	0.4	2.3	<b>1.8</b>	0.12	0.16	C81
Non-Hodgkin lymphoma	503	3.1	20.3	<b>10.7</b>	0.68	1.17	442	3.1	16.9	<b>7.4</b>	0.44	0.85	C82-86,C96
Immunoproliferative diseases	2	0.0	0.1	<b>0.0</b>	0.00	0.00	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C88
Multiple myeloma	210	1.3	8.5	<b>3.7</b>	0.19	0.40	164	1.1	6.3	<b>2.2</b>	0.12	0.27	C90
Lymphoid leukaemia	175	1.1	7.1	<b>4.6</b>	0.26	0.46	116	0.8	4.4	<b>2.8</b>	0.15	0.25	C91
Myeloid leukaemia	248	1.5	10.0	<b>5.2</b>	0.29	0.57	178	1.2	6.8	<b>3.3</b>	0.19	0.34	C92-94
Leukaemia unspecified	14	0.1	0.6	<b>0.2</b>	0.01	0.02	21	0.1	0.8	<b>0.2</b>	0.01	0.01	C95
Myeloproliferative disorders	76	0.5	3.1	<b>1.3</b>	0.07	0.16	71	0.5	2.7	<b>1.0</b>	0.05	0.12	MPD
Myelodysplastic syndromes	71	0.4	2.9	<b>1.4</b>	0.06	0.13	59	0.4	2.3	<b>0.8</b>	0.03	0.08	MDS
Other and unspecified	331	2.0	13.4	<b>5.9</b>	0.29	0.68	374	2.6	14.3	<b>4.7</b>	0.27	0.46	O&U
All sites	21058		850.3	<b>390.5</b>	20.72	47.43	18617		712.2	<b>314.5</b>	20.46	35.75	C00-96
All sites except C44	16338	100.0	659.7	<b>309.7</b>	16.98	37.69	14485	100.0	554.1	<b>250.1</b>	16.54	28.39	C00-96 exc. C44

† See note following population pyramid

# Germany, Schleswig-Holstein

## CONTRIBUTORS

Alexander Katalinic  
Ron Pritzkeleit  
Miriam Holzmann  
Ulrike Gerdemann



## NOTES ON THE DATA

\*High DCO%. †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	107.4	Breast	105.9
Prostate	83.4	Non-melanoma skin cancer	90.6
Trachea, bronchus, and lung	45.5	Trachea, bronchus, and lung	24.2
Bladder	25.1	Colon	18.4
Colon	22.6	Melanoma of skin	15.0
Rectum	15.2	Corpus uteri	11.7
Melanoma of skin	12.8	Ovary	10.1
Stomach	11.2	Rectum	8.4
Non-Hodgkin lymphoma	11.2	Cervix uteri	7.9
Kidney	10.4	Pancreas	7.5
Testis	9.3	Non-Hodgkin lymphoma	7.4
Pancreas	9.2	Bladder	6.4
Oesophagus	7.4	Stomach	5.8
Brain and nervous system	7.3	Other and unspecified	5.1
Other and unspecified	6.6	Thyroid	5.1
Lymphoid leukaemia	6.3	Brain and nervous system	4.9
Liver	5.0	Vulva	4.7
Multiple myeloma	4.7	Kidney	4.7
Larynx	4.2	Lymphoid leukaemia	3.8
Myeloid leukaemia	4.1	Myeloid leukaemia	3.1
All sites	448.9	All sites	381.5



## \*Germany, Schleswig-Holstein (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	73	0.1	1.1	<b>0.4</b>	0.01	0.04	31	0.1	0.4	<b>0.1</b>	0.00	0.02	C00
Tongue	324	0.6	4.7	<b>2.6</b>	0.19	0.32	149	0.3	2.1	<b>1.0</b>	0.07	0.12	C01-02
Mouth	433	0.8	6.3	<b>3.4</b>	0.25	0.41	219	0.5	3.0	<b>1.6</b>	0.12	0.19	C03-06
Salivary glands	114	0.2	1.7	<b>0.8</b>	0.04	0.08	74	0.2	1.0	<b>0.4</b>	0.02	0.05	C07-08
Tonsil	310	0.6	4.5	<b>2.4</b>	0.19	0.30	135	0.3	1.9	<b>1.0</b>	0.07	0.12	C09
Other oropharynx	169	0.3	2.5	<b>1.4</b>	0.12	0.17	84	0.2	1.2	<b>0.6</b>	0.05	0.08	C10
Nasopharynx	49	0.1	0.7	<b>0.4</b>	0.03	0.05	20	0.0	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	255	0.5	3.7	<b>2.0</b>	0.16	0.25	50	0.1	0.7	<b>0.4</b>	0.03	0.04	C12-13
Pharynx unspecified	24	0.0	0.3	<b>0.2</b>	0.01	0.02	6	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	1048	2.1	15.2	<b>7.4</b>	0.47	0.94	298	0.6	4.1	<b>1.5</b>	0.08	0.18	C15
Stomach	1780	3.5	25.8	<b>11.2</b>	0.56	1.24	1168	2.5	16.2	<b>5.8</b>	0.29	0.63	C16
Small intestine	198	0.4	2.9	<b>1.4</b>	0.08	0.16	173	0.4	2.4	<b>1.1</b>	0.07	0.13	C17
Colon	3722	7.3	54.0	<b>22.6</b>	0.95	2.52	3996	8.7	55.4	<b>18.4</b>	0.81	1.99	C18
Rectum	2295	4.5	33.3	<b>15.2</b>	0.83	1.87	1629	3.5	22.6	<b>8.4</b>	0.47	0.97	C19-20
Anus	153	0.3	2.2	<b>1.2</b>	0.08	0.14	257	0.6	3.6	<b>1.8</b>	0.14	0.21	C21
Liver	776	1.5	11.3	<b>5.0</b>	0.24	0.60	352	0.8	4.9	<b>1.9</b>	0.11	0.22	C22
Gallbladder etc.	369	0.7	5.4	<b>2.2</b>	0.09	0.26	486	1.1	6.7	<b>2.1</b>	0.08	0.22	C23-24
Pancreas	1476	2.9	21.4	<b>9.2</b>	0.45	1.12	1573	3.4	21.8	<b>7.5</b>	0.33	0.87	C25
Nose, sinuses etc.	101	0.2	1.5	<b>0.8</b>	0.06	0.09	74	0.2	1.0	<b>0.5</b>	0.03	0.06	C30-31
Larynx	585	1.1	8.5	<b>4.2</b>	0.28	0.54	101	0.2	1.4	<b>0.7</b>	0.05	0.09	C32
Trachea, bronchus, and lung	6975	13.7	101.2	<b>45.5</b>	2.39	5.81	3885	8.4	53.8	<b>24.2</b>	1.61	3.03	C33-34
Other thoracic organs	50	0.1	0.7	<b>0.4</b>	0.03	0.04	28	0.1	0.4	<b>0.2</b>	0.01	0.02	C37-38
Bone	75	0.1	1.1	<b>0.9</b>	0.06	0.08	71	0.2	1.0	<b>0.9</b>	0.06	0.07	C40-41
Melanoma of skin	1746	3.4	25.3	<b>12.8</b>	0.77	1.47	1835	4.0	25.4	<b>15.0</b>	1.07	1.55	C43
Other skin	17703		256.9	<b>107.4</b>	4.40	12.83	16405		227.3	<b>90.6</b>	4.92	10.75	C44
Mesothelioma	393	0.8	5.7	<b>2.3</b>	0.07	0.31	74	0.2	1.0	<b>0.4</b>	0.02	0.05	C45
Kaposi sarcoma	6	0.0	0.1	<b>0.1</b>	0.00	0.01	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	282	0.6	4.1	<b>2.3</b>	0.12	0.21	237	0.5	3.3	<b>2.0</b>	0.12	0.18	C47+C49
Breast	123	0.2	1.8	<b>0.8</b>	0.05	0.10	15216	32.9	210.8	<b>105.9</b>	7.65	12.28	C50
Vulva							766	1.7	10.6	<b>4.7</b>	0.30	0.51	C51
Vagina							72	0.2	1.0	<b>0.4</b>	0.03	0.05	C52
Cervix uteri							916	2.0	12.7	<b>7.9</b>	0.61	0.77	C53
Corpus uteri							1871	4.1	25.9	<b>11.7</b>	0.76	1.46	C54
Uterus unspecified							150	0.3	2.1	<b>0.6</b>	0.02	0.06	C55
Ovary							1614	3.5	22.4	<b>10.1</b>	0.63	1.18	C56
Other female genital organs							124	0.3	1.7	<b>0.6</b>	0.03	0.07	C57
Placenta							2	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	142	0.3	2.1	<b>1.0</b>	0.07	0.12							C60
Prostate	13447	26.4	195.1	<b>83.4</b>	3.57	11.10							C61
Testis	684	1.3	9.9	<b>9.3</b>	0.71	0.74							C62
Other male genital organs	43	0.1	0.6	<b>0.3</b>	0.01	0.03							C63
Kidney	1486	2.9	21.6	<b>10.4</b>	0.60	1.21	820	1.8	11.4	<b>4.7</b>	0.25	0.52	C64
Renal pelvis	115	0.2	1.7	<b>0.7</b>	0.03	0.09	89	0.2	1.2	<b>0.4</b>	0.02	0.06	C65
Ureter	61	0.1	0.9	<b>0.4</b>	0.02	0.05	35	0.1	0.5	<b>0.2</b>	0.01	0.02	C66
†Bladder	4182	8.2	60.7	<b>25.1</b>	1.09	2.89	1320	2.9	18.3	<b>6.4</b>	0.32	0.74	C67
Other urinary organs	107	0.2	1.6	<b>0.6</b>	0.02	0.05	73	0.2	1.0	<b>0.3</b>	0.01	0.03	C68
Eye	86	0.2	1.2	<b>0.7</b>	0.04	0.07	96	0.2	1.3	<b>0.8</b>	0.05	0.08	C69
Brain and nervous system	798	1.6	11.6	<b>7.3</b>	0.49	0.76	560	1.2	7.8	<b>4.9</b>	0.33	0.48	C70-72
Thyroid	232	0.5	3.4	<b>2.1</b>	0.16	0.22	555	1.2	7.7	<b>5.1</b>	0.40	0.49	C73
Adrenal gland	20	0.0	0.3	<b>0.4</b>	0.02	0.03	24	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	10	0.0	0.1	<b>0.2</b>	0.01	0.01	9	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	235	0.5	3.4	<b>2.9</b>	0.20	0.24	192	0.4	2.7	<b>2.4</b>	0.15	0.18	C81
Non-Hodgkin lymphoma	1533	3.0	22.2	<b>11.2</b>	0.61	1.24	1252	2.7	17.3	<b>7.4</b>	0.42	0.83	C82-86,C96
Immunoproliferative diseases	96	0.2	1.4	<b>0.7</b>	0.04	0.07	113	0.2	1.6	<b>0.6</b>	0.03	0.07	C88
Multiple myeloma	764	1.5	11.1	<b>4.7</b>	0.21	0.55	594	1.3	8.2	<b>2.9</b>	0.14	0.34	C90
Lymphoid leukaemia	770	1.5	11.2	<b>6.3</b>	0.31	0.61	500	1.1	6.9	<b>3.8</b>	0.19	0.31	C91
Myeloid leukaemia	552	1.1	8.0	<b>4.1</b>	0.21	0.43	472	1.0	6.5	<b>3.1</b>	0.19	0.31	C92-94
Leukaemia unspecified	70	0.1	1.0	<b>0.4</b>	0.01	0.03	72	0.2	1.0	<b>0.2</b>	0.00	0.01	C95
Myeloproliferative disorders	222	0.4	3.2	<b>1.5</b>	0.08	0.17	244	0.5	3.4	<b>1.3</b>	0.07	0.15	MPD
Myelodysplastic syndromes	376	0.7	5.5	<b>2.1</b>	0.06	0.20	280	0.6	3.9	<b>1.0</b>	0.03	0.09	MDS
Other and unspecified	1030	2.0	14.9	<b>6.6</b>	0.31	0.68	1143	2.5	15.8	<b>5.1</b>	0.25	0.52	O&U
All sites	68668		996.3	<b>448.9</b>	21.86	53.56	62585		867.2	<b>381.5</b>	23.57	43.47	C00-96
All sites except C44	50965	100.0	739.5	<b>341.4</b>	17.46	40.72	46180	100.0	639.9	<b>290.9</b>	18.65	32.73	C00-96 exc. C44

†\*See note following population pyramid

# Iceland

## CONTRIBUTORS

Jón Gunnlaugur Jónasson  
 Laufey Tryggvadóttir  
 Elinborg J. Olafsdóttir  
 Sigrun Stefansdóttir  
 Hrefna Stefansdóttir  
 Kristin Alexiusdóttir  
 Gudridur H. Olafsdóttir



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	87.9	Breast	97.6
Non-melanoma skin cancer	69.8	Non-melanoma skin cancer	88.0
Trachea, bronchus, and lung	31.6	Trachea, bronchus, and lung	33.0
Bladder	22.2	Colon	16.3
Colon	22.1	Melanoma of skin	13.8
Kidney	14.5	Corpus uteri	11.6
Non-Hodgkin lymphoma	10.8	Thyroid	10.3
Melanoma of skin	9.6	Cervix uteri	9.1
Rectum	7.9	Kidney	8.3
Oesophagus	7.2	Ovary	7.9
Lymphoid leukaemia	6.2	Non-Hodgkin lymphoma	7.2
Stomach	5.9	Other and unspecified	6.8
Pancreas	5.7	Rectum	6.3
Testis	5.5	Bladder	6.0
Brain and nervous system	5.4	Pancreas	5.5
Multiple myeloma	4.9	Stomach	4.3
Other and unspecified	4.8	Brain and nervous system	3.6
Liver	4.4	Lymphoid leukaemia	3.6
Myeloid leukaemia	3.9	Multiple myeloma	2.8
Thyroid	3.8	Myelodysplastic syndromes	2.3
All sites	367.2	All sites	369.2

## Iceland (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	8	0.2	1.0	<b>0.6</b>	0.01	0.07	4	0.1	0.5	<b>0.1</b>	0.00	0.00	C00
Tongue	15	0.4	1.9	<b>1.4</b>	0.10	0.13	10	0.3	1.3	<b>0.6</b>	0.02	0.05	C01-02
Mouth	12	0.3	1.5	<b>1.1</b>	0.07	0.14	22	0.7	2.8	<b>1.6</b>	0.09	0.21	C03-06
Salivary glands	7	0.2	0.9	<b>0.5</b>	0.02	0.04	8	0.2	1.0	<b>0.9</b>	0.06	0.12	C07-08
Tonsil	15	0.4	1.9	<b>1.4</b>	0.07	0.19	4	0.1	0.5	<b>0.4</b>	0.02	0.06	C09
Other oropharynx	4	0.1	0.5	<b>0.3</b>	0.02	0.02	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	6	0.2	0.7	<b>0.6</b>	0.04	0.06	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C11
Hypopharynx	2	0.1	0.2	<b>0.2</b>	0.01	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	86	2.4	10.7	<b>7.2</b>	0.43	0.89	22	0.7	2.8	<b>1.2</b>	0.05	0.09	C15
Stomach	83	2.3	10.3	<b>5.9</b>	0.20	0.55	61	1.8	7.7	<b>4.3</b>	0.20	0.51	C16
Small intestine	20	0.6	2.5	<b>1.8</b>	0.12	0.25	16	0.5	2.0	<b>1.3</b>	0.10	0.14	C17
Colon	279	7.9	34.6	<b>22.1</b>	0.97	2.51	234	7.0	29.6	<b>16.3</b>	0.82	1.82	C18
Rectum	91	2.6	11.3	<b>7.9</b>	0.35	1.10	78	2.3	9.9	<b>6.3</b>	0.41	0.75	C19-20
Anus	3	0.1	0.4	<b>0.2</b>	0.01	0.03	9	0.3	1.1	<b>0.7</b>	0.04	0.08	C21
Liver	54	1.5	6.7	<b>4.4</b>	0.22	0.45	18	0.5	2.3	<b>1.4</b>	0.09	0.15	C22
Gallbladder etc.	30	0.8	3.7	<b>2.5</b>	0.08	0.33	17	0.5	2.1	<b>1.2</b>	0.04	0.15	C23-24
Pancreas	65	1.8	8.1	<b>5.7</b>	0.31	0.74	80	2.4	10.1	<b>5.5</b>	0.24	0.63	C25
Nose, sinuses etc.	6	0.2	0.7	<b>0.6</b>	0.05	0.06	3	0.1	0.4	<b>0.2</b>	0.00	0.02	C30-31
Larynx	24	0.7	3.0	<b>2.2</b>	0.12	0.29	5	0.1	0.6	<b>0.4</b>	0.00	0.08	C32
Trachea, bronchus, and lung	391	11.0	48.5	<b>31.6</b>	1.21	4.10	427	12.7	54.0	<b>33.0</b>	1.59	4.29	C33-34
Other thoracic organs	9	0.3	1.1	<b>0.9</b>	0.04	0.11	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C37-38
Bone	11	0.3	1.4	<b>1.2</b>	0.10	0.10	15	0.4	1.9	<b>1.5</b>	0.10	0.14	C40-41
Melanoma of skin	107	3.0	13.3	<b>9.6</b>	0.55	1.00	136	4.0	17.2	<b>13.8</b>	1.01	1.30	C43
Other skin	896		111.2	<b>69.8</b>	3.15	7.29	1147		145.1	<b>88.0</b>	4.82	9.96	C44
Mesothelioma	18	0.5	2.2	<b>1.2</b>	0.04	0.11	4	0.1	0.5	<b>0.2</b>	0.00	0.02	C45
Kaposi sarcoma	12	0.3	1.5	<b>0.8</b>	0.01	0.06	5	0.1	0.6	<b>0.2</b>	0.00	0.00	C46
Connective and soft tissue	26	0.7	3.2	<b>2.1</b>	0.10	0.20	17	0.5	2.1	<b>1.6</b>	0.10	0.18	C47+C49
Breast	10	0.3	1.2	<b>0.9</b>	0.08	0.13	1099	32.7	139.0	<b>97.6</b>	6.72	11.39	C50
Vulva							19	0.6	2.4	<b>1.5</b>	0.08	0.17	C51
Vagina							10	0.3	1.3	<b>0.6</b>	0.02	0.07	C52
Cervix uteri							85	2.5	10.7	<b>9.1</b>	0.69	0.79	C53
Corpus uteri							136	4.0	17.2	<b>11.6</b>	0.81	1.45	C54
Uterus unspecified							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C55
Ovary							92	2.7	11.6	<b>7.9</b>	0.49	0.97	C56
Other female genital organs							5	0.1	0.6	<b>0.5</b>	0.04	0.07	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	15	0.4	1.9	<b>1.3</b>	0.07	0.19							C60
Prostate	1061	29.9	131.7	<b>87.9</b>	3.87	11.65							C61
Testis	49	1.4	6.1	<b>5.5</b>	0.41	0.41							C62
Other male genital organs	2	0.1	0.2	<b>0.2</b>	0.01	0.01							C63
Kidney	161	4.5	20.0	<b>14.5</b>	0.77	1.87	104	3.1	13.2	<b>8.3</b>	0.43	1.07	C64
Renal pelvis	7	0.2	0.9	<b>0.5</b>	0.02	0.04	3	0.1	0.4	<b>0.2</b>	0.00	0.04	C65
Ureter	6	0.2	0.7	<b>0.4</b>	0.01	0.03	6	0.2	0.8	<b>0.5</b>	0.02	0.08	C66
†Bladder	280	7.9	34.8	<b>22.2</b>	0.95	2.78	75	2.2	9.5	<b>6.0</b>	0.29	0.83	C67
Other urinary organs	3	0.1	0.4	<b>0.2</b>	0.01	0.01	2	0.1	0.3	<b>0.1</b>	0.01	0.01	C68
Eye	7	0.2	0.9	<b>0.7</b>	0.04	0.10	5	0.1	0.6	<b>0.4</b>	0.03	0.03	C69
Brain and nervous system	54	1.5	6.7	<b>5.4</b>	0.31	0.61	39	1.2	4.9	<b>3.6</b>	0.23	0.42	C70-72
Thyroid	45	1.3	5.6	<b>3.8</b>	0.24	0.34	106	3.2	13.4	<b>10.3</b>	0.77	0.98	C73
Adrenal gland	1	0.0	0.1	<b>0.1</b>	0.01	0.01	2	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	19	0.5	2.4	<b>2.2</b>	0.17	0.17	18	0.5	2.3	<b>2.0</b>	0.12	0.16	C81
Non-Hodgkin lymphoma	121	3.4	15.0	<b>10.8</b>	0.56	1.23	91	2.7	11.5	<b>7.2</b>	0.46	0.85	C82-86,C96
Immunoproliferative diseases	18	0.5	2.2	<b>1.4</b>	0.06	0.13	19	0.6	2.4	<b>1.4</b>	0.07	0.18	C88
Multiple myeloma	60	1.7	7.4	<b>4.9</b>	0.27	0.59	39	1.2	4.9	<b>2.8</b>	0.09	0.37	C90
Lymphoid leukaemia	63	1.8	7.8	<b>6.2</b>	0.28	0.66	40	1.2	5.1	<b>3.6</b>	0.14	0.31	C91
Myeloid leukaemia	43	1.2	5.3	<b>3.9</b>	0.22	0.44	19	0.6	2.4	<b>1.7</b>	0.11	0.17	C92-94
Leukaemia unspecified	2	0.1	0.2	<b>0.2</b>	0.01	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	26	0.7	3.2	<b>2.3</b>	0.11	0.30	24	0.7	3.0	<b>1.8</b>	0.09	0.15	MPD
Myelodysplastic syndromes	46	1.3	5.7	<b>3.0</b>	0.10	0.21	31	0.9	3.9	<b>2.3</b>	0.11	0.23	MDS
Other and unspecified	67	1.9	8.3	<b>4.8</b>	0.20	0.52	97	2.9	12.3	<b>6.8</b>	0.35	0.76	O&U
All sites	4446		551.8	<b>367.2</b>	17.21	43.30	4510		570.4	<b>369.2</b>	22.03	42.38	C00-96
All sites except C44	3550	100.0	440.6	<b>297.4</b>	14.06	36.01	3363	100.0	425.3	<b>281.2</b>	17.21	32.42	C00-96 exc. C44

† See note following population pyramid

# Ireland

## CONTRIBUTORS

Kerri Clough Gorr  
Fiona Dwane  
Grace Gregan  
Tracy Kelleher  
Paul Walsh



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	145.7	Non-melanoma skin cancer	103.9
Prostate	106.4	Breast	91.5
Trachea, bronchus, and lung	39.0	Trachea, bronchus, and lung	25.4
Colon	26.0	Colon	18.5
Rectum	17.3	Melanoma of skin	14.6
Bladder	15.3	Corpus uteri	13.0
Melanoma of skin	12.1	Ovary	10.9
Non-Hodgkin lymphoma	11.9	Cervix uteri	10.9
Kidney	11.5	Non-Hodgkin lymphoma	9.0
Stomach	10.4	Rectum	8.1
Pancreas	7.9	Other and unspecified	6.8
Oesophagus	7.6	Pancreas	5.8
Other and unspecified	7.4	Kidney	5.7
Brain and nervous system	7.3	Thyroid	5.7
Lymphoid leukaemia	6.8	Brain and nervous system	5.2
Testis	6.8	Bladder	5.1
Liver	4.7	Stomach	4.9
Multiple myeloma	4.6	Lymphoid leukaemia	4.1
Larynx	4.5	Oesophagus	3.3
Myeloid leukaemia	3.8	Multiple myeloma	2.7
All sites	490.4	All sites	381.6

## Ireland (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	
Lip	83	0.2	0.7	<b>0.5</b>	0.03	0.06	21	0.0	0.2	<b>0.1</b>	0.00	0.01	C00
Tongue	315	0.6	2.8	<b>2.2</b>	0.14	0.27	171	0.4	1.5	<b>1.1</b>	0.07	0.12	C01-02
Mouth	283	0.5	2.5	<b>2.0</b>	0.13	0.24	188	0.4	1.6	<b>1.1</b>	0.07	0.13	C03-06
Salivary glands	109	0.2	1.0	<b>0.7</b>	0.04	0.07	81	0.2	0.7	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	173	0.3	1.5	<b>1.2</b>	0.10	0.14	59	0.1	0.5	<b>0.4</b>	0.03	0.05	C09
Other oropharynx	65	0.1	0.6	<b>0.4</b>	0.03	0.05	17	0.0	0.1	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	67	0.1	0.6	<b>0.5</b>	0.04	0.06	23	0.0	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	170	0.3	1.5	<b>1.1</b>	0.07	0.15	43	0.1	0.4	<b>0.2</b>	0.02	0.03	C12-13
Pharynx unspecified	54	0.1	0.5	<b>0.4</b>	0.02	0.05	15	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	1201	2.2	10.6	<b>7.6</b>	0.37	0.94	670	1.4	5.9	<b>3.3</b>	0.13	0.38	C15
Stomach	1707	3.2	15.1	<b>10.4</b>	0.43	1.24	982	2.1	8.6	<b>4.9</b>	0.22	0.53	C16
Small intestine	197	0.4	1.7	<b>1.3</b>	0.07	0.16	139	0.3	1.2	<b>0.8</b>	0.05	0.09	C17
Colon	4267	8.0	37.8	<b>26.0</b>	1.05	3.02	3564	7.7	31.2	<b>18.5</b>	0.87	2.11	C18
Rectum	2736	5.1	24.2	<b>17.3</b>	0.86	2.10	1439	3.1	12.6	<b>8.1</b>	0.46	0.95	C19-20
Anus	99	0.2	0.9	<b>0.6</b>	0.04	0.07	138	0.3	1.2	<b>0.8</b>	0.06	0.09	C21
Liver	732	1.4	6.5	<b>4.7</b>	0.24	0.56	347	0.8	3.0	<b>1.8</b>	0.08	0.20	C22
Gallbladder etc.	333	0.6	2.9	<b>2.0</b>	0.08	0.21	394	0.9	3.4	<b>1.9</b>	0.08	0.20	C23-24
Pancreas	1274	2.4	11.3	<b>7.9</b>	0.35	0.93	1170	2.5	10.2	<b>5.8</b>	0.23	0.65	C25
Nose, sinuses etc.	72	0.1	0.6	<b>0.5</b>	0.02	0.05	52	0.1	0.5	<b>0.3</b>	0.02	0.04	C30-31
Larynx	680	1.3	6.0	<b>4.5</b>	0.30	0.57	104	0.2	0.9	<b>0.6</b>	0.04	0.08	C32
Trachea, bronchus, and lung	6359	11.9	56.3	<b>39.0</b>	1.66	4.66	4671	10.1	40.8	<b>25.4</b>	1.21	3.10	C33-34
Other thoracic organs	63	0.1	0.6	<b>0.4</b>	0.02	0.04	38	0.1	0.3	<b>0.2</b>	0.01	0.03	C37-38
Bone	127	0.2	1.1	<b>1.0</b>	0.06	0.09	79	0.2	0.7	<b>0.6</b>	0.04	0.05	C40-41
Melanoma of skin	1835	3.4	16.2	<b>12.1</b>	0.70	1.33	2342	5.1	20.5	<b>14.6</b>	0.95	1.56	C43
Other skin	23652		209.3	<b>145.7</b>	6.32	16.86	19131		167.2	<b>103.9</b>	5.38	11.82	C44
Mesothelioma	168	0.3	1.5	<b>1.0</b>	0.04	0.13	28	0.1	0.2	<b>0.2</b>	0.01	0.02	C45
Kaposi sarcoma	38	0.1	0.3	<b>0.3</b>	0.02	0.03	6	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	311	0.6	2.8	<b>2.2</b>	0.12	0.19	207	0.4	1.8	<b>1.4</b>	0.09	0.14	C47+C49
Breast	119	0.2	1.1	<b>0.8</b>	0.04	0.09	14034	30.4	122.7	<b>91.5</b>	7.11	10.38	C50
Vulva							250	0.5	2.2	<b>1.4</b>	0.07	0.15	C51
Vagina							49	0.1	0.4	<b>0.3</b>	0.02	0.04	C52
Cervix uteri							1555	3.4	13.6	<b>10.9</b>	0.89	1.04	C53
Corpus uteri							2051	4.4	17.9	<b>13.0</b>	0.91	1.66	C54
Uterus unspecified							126	0.3	1.1	<b>0.7</b>	0.05	0.08	C55
Ovary							1796	3.9	15.7	<b>10.9</b>	0.70	1.27	C56
Other female genital organs							73	0.2	0.6	<b>0.4</b>	0.03	0.05	C57
Placenta							13	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	147	0.3	1.3	<b>0.9</b>	0.06	0.10							C60
Prostate	16290	30.4	144.2	<b>106.4</b>	5.54	14.38							C61
Testis	886	1.7	7.8	<b>6.8</b>	0.51	0.52							C62
Other male genital organs	17	0.0	0.2	<b>0.1</b>	0.00	0.01							C63
Kidney	1736	3.2	15.4	<b>11.5</b>	0.70	1.31	944	2.0	8.3	<b>5.7</b>	0.31	0.67	C64
Renal pelvis	61	0.1	0.5	<b>0.4</b>	0.02	0.05	36	0.1	0.3	<b>0.2</b>	0.00	0.02	C65
Ureter	56	0.1	0.5	<b>0.4</b>	0.02	0.05	38	0.1	0.3	<b>0.2</b>	0.01	0.02	C66
†Bladder	2526	4.7	22.4	<b>15.3</b>	0.60	1.71	985	2.1	8.6	<b>5.1</b>	0.23	0.58	C67
Other urinary organs	13	0.0	0.1	<b>0.1</b>	0.00	0.01	12	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	136	0.3	1.2	<b>1.0</b>	0.06	0.11	123	0.3	1.1	<b>0.9</b>	0.05	0.08	C69
Brain and nervous system	1004	1.9	8.9	<b>7.3</b>	0.43	0.77	772	1.7	6.7	<b>5.2</b>	0.33	0.53	C70-72
Thyroid	260	0.5	2.3	<b>1.8</b>	0.13	0.19	805	1.7	7.0	<b>5.7</b>	0.43	0.56	C73
Adrenal gland	46	0.1	0.4	<b>0.5</b>	0.02	0.03	38	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	40	0.1	0.4	<b>0.3</b>	0.02	0.03	25	0.1	0.2	<b>0.2</b>	0.01	0.01	C75
Hodgkin lymphoma	361	0.7	3.2	<b>2.9</b>	0.20	0.25	302	0.7	2.6	<b>2.5</b>	0.16	0.20	C81
Non-Hodgkin lymphoma	1807	3.4	16.0	<b>11.9</b>	0.65	1.30	1523	3.3	13.3	<b>9.0</b>	0.53	1.05	C82-86,C96
Immunoproliferative diseases	109	0.2	1.0	<b>0.7</b>	0.04	0.08	91	0.2	0.8	<b>0.6</b>	0.03	0.06	C88
Multiple myeloma	735	1.4	6.5	<b>4.6</b>	0.21	0.54	518	1.1	4.5	<b>2.7</b>	0.13	0.31	C90
Lymphoid leukaemia	967	1.8	8.6	<b>6.8</b>	0.34	0.70	579	1.3	5.1	<b>4.1</b>	0.20	0.39	C91
Myeloid leukaemia	566	1.1	5.0	<b>3.8</b>	0.19	0.39	417	0.9	3.6	<b>2.7</b>	0.16	0.27	C92-94
Leukaemia unspecified	74	0.1	0.7	<b>0.4</b>	0.01	0.03	67	0.1	0.6	<b>0.3</b>	0.01	0.02	C95
Myeloproliferative disorders	322	0.6	2.8	<b>2.1</b>	0.10	0.25	255	0.6	2.2	<b>1.5</b>	0.08	0.16	MPD
Myelodysplastic syndromes	485	0.9	4.3	<b>2.7</b>	0.06	0.27	300	0.6	2.6	<b>1.4</b>	0.05	0.16	MDS
Other and unspecified	1227	2.3	10.9	<b>7.4</b>	0.29	0.77	1461	3.2	12.8	<b>6.8</b>	0.26	0.70	O&U
All sites	77160		682.8	<b>490.4</b>	23.58	58.22	65357		571.3	<b>381.6</b>	22.98	42.97	C00-96
All sites except C44	53508	100.0	473.5	<b>344.6</b>	17.26	41.36	46226	100.0	404.1	<b>277.7</b>	17.60	31.15	C00-96 exc. C44

† See note following population pyramid

# Italy, Aosta Valley

## CONTRIBUTORS

Maurizio Castelli  
Salvatore Bongiorno  
Massimo De Padova  
Tania D'Herin



## NOTES ON THE DATA

\*New registry with limited source of information. †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	81.3	Breast	90.1
Non-melanoma skin cancer	74.3	Non-melanoma skin cancer	54.9
Trachea, bronchus, and lung	39.6	Colon	18.0
Bladder	31.2	Trachea, bronchus, and lung	14.7
Colon	26.6	Thyroid	12.7
Liver	18.5	Melanoma of skin	10.1
Kidney	11.6	Corpus uteri	9.6
Melanoma of skin	11.2	Non-Hodgkin lymphoma	8.3
Stomach	10.9	Ovary	8.0
Non-Hodgkin lymphoma	9.7	Bladder	7.5
Larynx	9.0	Pancreas	7.5
Rectum	8.9	Stomach	6.7
Brain and nervous system	8.7	Cervix uteri	5.0
Pancreas	7.8	Lymphoid leukaemia	4.9
Testis	6.2	Brain and nervous system	4.9
Oesophagus	6.0	Kidney	4.6
Myeloid leukaemia	5.0	Rectum	4.5
Multiple myeloma	4.4	Myelodysplastic syndromes	3.7
Thyroid	4.3	Myeloid leukaemia	3.5
Lymphoid leukaemia	3.9	Liver	3.4
All sites	417.9	All sites	304.8

## \*Italy, Aosta Valley (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	8	0.4	2.6	1.0	0.05	0.12	4	0.2	1.2	0.2	0.00	0.00	C00
Tongue	13	0.6	4.2	2.0	0.11	0.27	8	0.5	2.5	1.1	0.10	0.10	C01-02
Mouth	15	0.7	4.8	2.7	0.23	0.32	3	0.2	0.9	0.5	0.05	0.05	C03-06
Salivary glands	1	0.0	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C07-08
Tonsil	9	0.4	2.9	1.6	0.14	0.20	5	0.3	1.5	0.9	0.10	0.10	C09
Other oropharynx	5	0.2	1.6	0.8	0.07	0.10	0	0.0	0.0	0.0	0.00	0.00	C10
Nasopharynx	4	0.2	1.3	0.7	0.02	0.11	1	0.1	0.3	0.0	0.00	0.00	C11
Hypopharynx	6	0.3	1.9	0.9	0.05	0.11	2	0.1	0.6	0.2	0.00	0.03	C12-13
Pharynx unspecified	1	0.0	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	43	1.9	13.8	6.0	0.31	0.76	5	0.3	1.5	0.5	0.02	0.05	C15
Stomach	80	3.6	25.7	10.9	0.50	1.21	56	3.2	17.3	6.7	0.39	0.75	C16
Small intestine	12	0.5	3.8	2.1	0.16	0.22	6	0.3	1.9	1.3	0.13	0.13	C17
Colon	194	8.7	62.2	26.6	1.16	3.16	158	9.2	48.8	18.0	1.02	2.00	C18
Rectum	57	2.6	18.3	8.9	0.44	1.18	38	2.2	11.7	4.5	0.29	0.51	C19-20
Anus	6	0.3	1.9	1.0	0.09	0.13	7	0.4	2.2	1.2	0.11	0.11	C21
Liver	124	5.6	39.8	18.5	1.03	2.07	29	1.7	9.0	3.4	0.19	0.38	C22
Gallbladder etc.	20	0.9	6.4	2.7	0.10	0.29	17	1.0	5.2	1.4	0.02	0.19	C23-24
Pancreas	52	2.3	16.7	7.8	0.42	0.89	63	3.7	19.4	7.5	0.40	0.93	C25
Nose, sinuses etc.	6	0.3	1.9	1.0	0.04	0.13	1	0.1	0.3	0.2	0.00	0.03	C30-31
Larynx	55	2.5	17.6	9.0	0.67	1.14	6	0.3	1.9	0.9	0.10	0.10	C32
Trachea, bronchus, and lung	288	12.9	92.4	39.6	1.68	4.93	114	6.6	35.2	14.7	0.77	1.91	C33-34
Other thoracic organs	9	0.4	2.9	2.0	0.13	0.17	3	0.2	0.9	0.4	0.02	0.05	C37-38
Bone	2	0.1	0.6	0.4	0.05	0.05	3	0.2	0.9	1.1	0.03	0.09	C40-41
Melanoma of skin	62	2.8	19.9	11.2	0.71	1.22	63	3.7	19.4	10.1	0.71	0.99	C43
Other skin	504		161.7	74.3	3.69	8.27	468		144.4	54.9	3.17	6.10	C44
Mesothelioma	10	0.4	3.2	1.7	0.10	0.24	5	0.3	1.5	0.5	0.03	0.05	C45
Kaposi sarcoma	3	0.1	1.0	0.5	0.04	0.04	1	0.1	0.3	0.0	0.00	0.00	C46
Connective and soft tissue	11	0.5	3.5	1.7	0.07	0.30	7	0.4	2.2	1.1	0.07	0.07	C47+C49
Breast	6	0.3	1.9	0.6	0.00	0.03	564	32.7	174.1	90.1	6.90	10.07	C50
Vulva							12	0.7	3.7	1.1	0.05	0.14	C51
Vagina							2	0.1	0.6	0.2	0.00	0.03	C52
Cervix uteri							32	1.9	9.9	5.0	0.37	0.51	C53
Corpus uteri							61	3.5	18.8	9.6	0.74	1.21	C54
Uterus unspecified							6	0.3	1.9	1.1	0.12	0.12	C55
Ovary							54	3.1	16.7	8.0	0.57	0.94	C56
Other female genital organs							5	0.3	1.5	0.7	0.04	0.07	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	5	0.2	1.6	0.8	0.07	0.10							C60
Prostate	531	23.8	170.3	81.3	3.67	12.23							C61
Testis	25	1.1	8.0	6.2	0.47	0.52							C62
Other male genital organs	2	0.1	0.6	0.2	0.00	0.03							C63
Kidney	71	3.2	22.8	11.6	0.73	1.46	32	1.9	9.9	4.6	0.24	0.55	C64
Renal pelvis	4	0.2	1.3	0.6	0.05	0.08	5	0.3	1.5	0.3	0.00	0.03	C65
Ureter	4	0.2	1.3	0.5	0.00	0.10	2	0.1	0.6	0.5	0.04	0.04	C66
†Bladder	220	9.8	70.6	31.2	1.40	3.91	66	3.8	20.4	7.5	0.48	0.84	C67
Other urinary organs	1	0.0	0.3	0.2	0.02	0.02	1	0.1	0.3	0.0	0.00	0.00	C68
Eye	2	0.1	0.6	0.9	0.03	0.07	3	0.2	0.9	0.3	0.00	0.06	C69
Brain and nervous system	40	1.8	12.8	8.7	0.57	0.81	31	1.8	9.6	4.9	0.30	0.52	C70-72
Thyroid	20	0.9	6.4	4.3	0.36	0.49	55	3.2	17.0	12.7	0.96	1.15	C73
Adrenal gland	0	0.0	0.0	0.0	0.00	0.00	1	0.1	0.3	0.5	0.03	0.03	C74
Other endocrine	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C75
Hodgkin lymphoma	8	0.4	2.6	2.4	0.19	0.22	6	0.3	1.9	1.4	0.09	0.12	C81
Non-Hodgkin lymphoma	61	2.7	19.6	9.7	0.51	1.20	59	3.4	18.2	8.3	0.62	0.89	C82-86,C96
Immunoproliferative diseases	1	0.0	0.3	0.2	0.02	0.02	0	0.0	0.0	0.0	0.00	0.00	C88
Multiple myeloma	31	1.4	9.9	4.4	0.21	0.53	19	1.1	5.9	1.4	0.02	0.14	C90
Lymphoid leukaemia	15	0.7	4.8	3.9	0.19	0.32	14	0.8	4.3	4.9	0.31	0.34	C91
Myeloid leukaemia	27	1.2	8.7	5.0	0.25	0.52	18	1.0	5.6	3.5	0.15	0.26	C92-94
Leukaemia unspecified	3	0.1	1.0	0.4	0.00	0.03	5	0.3	1.5	0.4	0.02	0.02	C95
Myeloproliferative disorders	17	0.8	5.5	2.8	0.12	0.28	14	0.8	4.3	1.7	0.06	0.23	MPD
Myelodysplastic syndromes	25	1.1	8.0	3.0	0.07	0.28	38	2.2	11.7	3.7	0.07	0.52	MDS
Other and unspecified	19	0.9	6.1	2.7	0.14	0.34	15	0.9	4.6	1.3	0.04	0.12	O&U
All sites	2738		878.3	417.9	21.21	51.29	2193		676.8	304.8	19.95	33.65	C00-96
All sites except C44	2234	100.0	716.6	343.6	17.52	43.02	1725	100.0	532.4	249.9	16.78	27.55	C00-96 exc. C44


†\*See note following population pyramid



# Italy, Barletta

## CONTRIBUTORS

Enzo Coviello  
 Francesco Cuccaro  
 Angela Calabrese  
 Angela Pinto  
 Maria Altomare Di Lorenzo  
 Maria Elena Vitali  
 Grazia Antonella Cannone



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	73.3	Breast	75.5
Prostate	48.1	Non-melanoma skin cancer	43.5
Trachea, bronchus, and lung	39.7	Thyroid	18.1
Bladder	27.5	Colon	17.5
Colon	21.1	Corpus uteri	12.8
Liver	19.4	Melanoma of skin	8.5
Stomach	11.2	Ovary	8.4
Melanoma of skin	10.0	Non-Hodgkin lymphoma	8.0
Non-Hodgkin lymphoma	9.8	Liver	7.1
Rectum	9.8	Rectum	6.6
Kidney	8.6	Trachea, bronchus, and lung	6.5
Larynx	7.0	Stomach	5.9
Myeloproliferative disorders	6.7	Myeloproliferative disorders	5.8
Brain and nervous system	6.4	Cervix uteri	5.5
Lymphoid leukaemia	6.4	Kidney	4.9
Pancreas	6.1	Multiple myeloma	4.6
Testis	5.9	Pancreas	4.3
Multiple myeloma	4.9	Lymphoid leukaemia	4.2
Myelodysplastic syndromes	4.7	Myelodysplastic syndromes	4.1
Other and unspecified	4.1	Brain and nervous system	4.0
All sites	368.4	All sites	284.2

## Italy, Barletta (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	31	0.8	4.0	<b>1.8</b>	0.07	0.20	2	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	16	0.4	2.1	<b>1.4</b>	0.11	0.16	10	0.3	1.3	<b>0.8</b>	0.04	0.09	C01-02
Mouth	21	0.5	2.7	<b>1.6</b>	0.11	0.15	11	0.3	1.4	<b>0.5</b>	0.01	0.04	C03-06
Salivary glands	13	0.3	1.7	<b>1.1</b>	0.09	0.12	4	0.1	0.5	<b>0.3</b>	0.03	0.03	C07-08
Tonsil	7	0.2	0.9	<b>0.6</b>	0.06	0.07	2	0.1	0.3	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	6	0.2	0.8	<b>0.5</b>	0.06	0.06	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	10	0.3	1.3	<b>0.8</b>	0.07	0.08	5	0.2	0.6	<b>0.5</b>	0.04	0.04	C11
Hypopharynx	2	0.1	0.3	<b>0.1</b>	0.00	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	1	0.0	0.1	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	17	0.4	2.2	<b>1.2</b>	0.04	0.16	3	0.1	0.4	<b>0.2</b>	0.01	0.01	C15
Stomach	163	4.1	21.2	<b>11.2</b>	0.44	1.29	98	3.0	12.4	<b>5.9</b>	0.33	0.68	C16
Small intestine	9	0.2	1.2	<b>0.7</b>	0.06	0.08	4	0.1	0.5	<b>0.3</b>	0.02	0.05	C17
Colon	304	7.7	39.5	<b>21.1</b>	0.91	2.52	287	8.8	36.3	<b>17.5</b>	0.92	2.11	C18
Rectum	138	3.5	17.9	<b>9.8</b>	0.49	1.15	102	3.1	12.9	<b>6.6</b>	0.41	0.76	C19-20
Anus	7	0.2	0.9	<b>0.5</b>	0.03	0.05	5	0.2	0.6	<b>0.3</b>	0.01	0.04	C21
Liver	278	7.0	36.1	<b>19.4</b>	0.72	2.33	143	4.4	18.1	<b>7.1</b>	0.20	0.85	C22
Gallbladder etc.	44	1.1	5.7	<b>2.9</b>	0.09	0.30	55	1.7	7.0	<b>3.0</b>	0.11	0.34	C23-24
Pancreas	87	2.2	11.3	<b>6.1</b>	0.30	0.74	81	2.5	10.2	<b>4.3</b>	0.19	0.45	C25
Nose, sinuses etc.	8	0.2	1.0	<b>0.4</b>	0.00	0.03	1	0.0	0.1	<b>0.1</b>	0.00	0.01	C30-31
Larynx	84	2.1	10.9	<b>7.0</b>	0.50	0.88	5	0.2	0.6	<b>0.3</b>	0.02	0.04	C32
Trachea, bronchus, and lung	582	14.7	75.5	<b>39.7</b>	1.84	4.58	99	3.0	12.5	<b>6.5</b>	0.37	0.83	C33-34
Other thoracic organs	6	0.2	0.8	<b>0.6</b>	0.04	0.05	3	0.1	0.4	<b>0.2</b>	0.01	0.02	C37-38
Bone	8	0.2	1.0	<b>0.9</b>	0.07	0.07	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C40-41
Melanoma of skin	115	2.9	14.9	<b>10.0</b>	0.69	1.17	92	2.8	11.6	<b>8.5</b>	0.66	0.83	C43
Other skin	1015		131.7	<b>73.3</b>	3.65	8.63	649		82.1	<b>43.5</b>	2.55	4.86	C44
Mesothelioma	10	0.3	1.3	<b>0.7</b>	0.05	0.08	3	0.1	0.4	<b>0.2</b>	0.02	0.02	C45
Kaposi sarcoma	21	0.5	2.7	<b>1.4</b>	0.03	0.19	9	0.3	1.1	<b>0.4</b>	0.01	0.04	C46
Connective and soft tissue	27	0.7	3.5	<b>2.5</b>	0.20	0.30	13	0.4	1.6	<b>1.4</b>	0.10	0.12	C47+C49
Breast	12	0.3	1.6	<b>1.0</b>	0.07	0.12	953	29.2	120.6	<b>75.5</b>	5.69	8.51	C50
Vulva							27	0.8	3.4	<b>1.5</b>	0.05	0.17	C51
Vagina							4	0.1	0.5	<b>0.3</b>	0.01	0.04	C52
Cervix uteri							72	2.2	9.1	<b>5.5</b>	0.40	0.60	C53
Corpus uteri							168	5.1	21.3	<b>12.8</b>	0.93	1.61	C54
Uterus unspecified							11	0.3	1.4	<b>0.6</b>	0.04	0.04	C55
Ovary							109	3.3	13.8	<b>8.4</b>	0.60	0.90	C56
Other female genital organs							11	0.3	1.4	<b>0.8</b>	0.07	0.09	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	13	0.3	1.7	<b>1.1</b>	0.07	0.10							C60
Prostate	675	17.0	87.6	<b>48.1</b>	1.80	6.69							C61
Testis	48	1.2	6.2	<b>5.9</b>	0.41	0.43							C62
Other male genital organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	100	2.5	13.0	<b>8.6</b>	0.59	1.00	64	2.0	8.1	<b>4.9</b>	0.31	0.57	C64
Renal pelvis	13	0.3	1.7	<b>1.0</b>	0.01	0.17	2	0.1	0.3	<b>0.1</b>	0.00	0.00	C65
Ureter	2	0.1	0.3	<b>0.2</b>	0.00	0.03	1	0.0	0.1	<b>0.1</b>	0.00	0.01	C66
†Bladder	397	10.0	51.5	<b>27.5</b>	1.16	3.26	63	1.9	8.0	<b>3.5</b>	0.11	0.40	C67
Other urinary organs	7	0.2	0.9	<b>0.6</b>	0.03	0.08	2	0.1	0.3	<b>0.2</b>	0.01	0.03	C68
Eye	8	0.2	1.0	<b>1.1</b>	0.07	0.08	3	0.1	0.4	<b>0.3</b>	0.03	0.03	C69
Brain and nervous system	69	1.7	9.0	<b>6.4</b>	0.40	0.72	51	1.6	6.5	<b>4.0</b>	0.25	0.44	C70-72
Thyroid	40	1.0	5.2	<b>3.9</b>	0.33	0.39	177	5.4	22.4	<b>18.1</b>	1.52	1.67	C73
Adrenal gland	5	0.1	0.6	<b>0.5</b>	0.02	0.02	5	0.2	0.6	<b>0.7</b>	0.04	0.06	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	2	0.1	0.3	<b>0.3</b>	0.01	0.03	C75
Hodgkin lymphoma	29	0.7	3.8	<b>3.4</b>	0.23	0.29	29	0.9	3.7	<b>3.7</b>	0.24	0.29	C81
Non-Hodgkin lymphoma	115	2.9	14.9	<b>9.8</b>	0.64	1.08	105	3.2	13.3	<b>8.0</b>	0.45	0.85	C82-86,C96
Immunoproliferative diseases	8	0.2	1.0	<b>0.6</b>	0.04	0.07	7	0.2	0.9	<b>0.5</b>	0.04	0.06	C88
Multiple myeloma	68	1.7	8.8	<b>4.9</b>	0.29	0.52	70	2.1	8.9	<b>4.6</b>	0.27	0.51	C90
Lymphoid leukaemia	63	1.6	8.2	<b>6.4</b>	0.37	0.63	39	1.2	4.9	<b>4.2</b>	0.18	0.33	C91
Myeloid leukaemia	52	1.3	6.7	<b>4.0</b>	0.16	0.44	35	1.1	4.4	<b>3.3</b>	0.20	0.23	C92-94
Leukaemia unspecified	4	0.1	0.5	<b>0.3</b>	0.01	0.02	4	0.1	0.5	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	80	2.0	10.4	<b>6.7</b>	0.41	0.74	86	2.6	10.9	<b>5.8</b>	0.31	0.64	MPD
Myelodysplastic syndromes	76	1.9	9.9	<b>4.7</b>	0.09	0.40	65	2.0	8.2	<b>4.1</b>	0.22	0.42	MDS
Other and unspecified	66	1.7	8.6	<b>4.1</b>	0.16	0.32	65	2.0	8.2	<b>3.7</b>	0.17	0.28	O&U
All sites	4980		646.4	<b>368.4</b>	18.07	43.09	3918		495.8	<b>284.2</b>	18.27	31.12	C00-96
All sites except C44	3965	100.0	514.6	<b>295.1</b>	14.42	34.45	3269	100.0	413.7	<b>240.7</b>	15.72	26.25	C00-96 exc. C44

† See note following population pyramid

# Italy, Bergamo

## CONTRIBUTORS

Giuseppe Sampietro  
Silvia Ghisleni  
Luisa Giavazzi  
Andreina Zanchi  
Alberto Zucchi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	72.0	Breast	88.1
Non-melanoma skin cancer	67.2	Non-melanoma skin cancer	43.9
Trachea, bronchus, and lung	48.4	Colon	17.6
Bladder	33.0	Trachea, bronchus, and lung	17.3
Colon	25.2	Thyroid	16.3
Liver	21.3	Melanoma of skin	12.9
Stomach	18.6	Corpus uteri	10.9
Non-Hodgkin lymphoma	14.1	Stomach	9.2
Kidney	13.9	Non-Hodgkin lymphoma	9.1
Rectum	12.3	Pancreas	9.0
Melanoma of skin	11.7	Ovary	8.3
Pancreas	10.9	Bladder	7.2
Testis	7.8	Rectum	7.2
Larynx	6.4	Liver	7.1
Lymphoid leukaemia	6.0	Cervix uteri	6.0
Brain and nervous system	5.9	Kidney	5.6
Thyroid	5.4	Brain and nervous system	4.1
Myeloid leukaemia	4.4	Myeloid leukaemia	3.6
Other and unspecified	4.3	Hodgkin lymphoma	3.4
Hodgkin lymphoma	4.2	Lymphoid leukaemia	3.3
All sites	432.4	All sites	318.1

## Italy, Bergamo (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	30	0.2	1.1	<b>0.5</b>	0.02	0.06	5	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	84	0.5	3.1	<b>1.8</b>	0.12	0.22	62	0.4	2.3	<b>1.0</b>	0.06	0.11	C01-02
Mouth	88	0.5	3.3	<b>1.9</b>	0.13	0.22	57	0.4	2.1	<b>0.8</b>	0.05	0.10	C03-06
Salivary glands	23	0.1	0.9	<b>0.4</b>	0.01	0.03	34	0.2	1.2	<b>0.5</b>	0.02	0.05	C07-08
Tonsil	50	0.3	1.9	<b>1.0</b>	0.06	0.13	27	0.2	1.0	<b>0.5</b>	0.04	0.06	C09
Other oropharynx	27	0.2	1.0	<b>0.6</b>	0.05	0.08	7	0.0	0.3	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	38	0.2	1.4	<b>0.9</b>	0.08	0.10	13	0.1	0.5	<b>0.2</b>	0.01	0.03	C11
Hypopharynx	69	0.4	2.6	<b>1.4</b>	0.08	0.19	15	0.1	0.6	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	19	0.1	0.7	<b>0.4</b>	0.03	0.06	8	0.1	0.3	<b>0.1</b>	0.01	0.02	C14
Oesophagus	183	1.0	6.8	<b>3.5</b>	0.18	0.41	68	0.5	2.5	<b>1.1</b>	0.06	0.14	C15
Stomach	1000	5.6	37.3	<b>18.6</b>	0.73	2.21	685	4.6	25.1	<b>9.2</b>	0.38	1.01	C16
Small intestine	62	0.3	2.3	<b>1.3</b>	0.08	0.16	43	0.3	1.6	<b>0.8</b>	0.05	0.09	C17
Colon	1333	7.4	49.7	<b>25.2</b>	1.14	2.97	1213	8.1	44.5	<b>17.6</b>	0.93	1.98	C18
Rectum	610	3.4	22.8	<b>12.3</b>	0.68	1.55	411	2.8	15.1	<b>7.2</b>	0.44	0.83	C19-20
Anus	30	0.2	1.1	<b>0.7</b>	0.05	0.08	59	0.4	2.2	<b>1.0</b>	0.06	0.12	C21
Liver	1117	6.2	41.7	<b>21.3</b>	0.89	2.61	546	3.7	20.0	<b>7.1</b>	0.24	0.84	C22
Gallbladder etc.	153	0.9	5.7	<b>2.9</b>	0.13	0.33	187	1.3	6.9	<b>2.5</b>	0.11	0.30	C23-24
Pancreas	573	3.2	21.4	<b>10.9</b>	0.50	1.33	691	4.6	25.3	<b>9.0</b>	0.30	1.04	C25
Nose, sinuses etc.	29	0.2	1.1	<b>0.7</b>	0.05	0.08	13	0.1	0.5	<b>0.2</b>	0.02	0.03	C30-31
Larynx	312	1.7	11.6	<b>6.4</b>	0.37	0.82	51	0.3	1.9	<b>0.9</b>	0.06	0.12	C32
Trachea, bronchus, and lung	2591	14.4	96.6	<b>48.4</b>	1.94	5.98	1050	7.0	38.5	<b>17.3</b>	0.92	2.18	C33-34
Other thoracic organs	38	0.2	1.4	<b>0.7</b>	0.03	0.05	28	0.2	1.0	<b>0.5</b>	0.03	0.05	C37-38
Bone	27	0.2	1.0	<b>1.0</b>	0.05	0.08	22	0.1	0.8	<b>0.7</b>	0.05	0.07	C40-41
Melanoma of skin	507	2.8	18.9	<b>11.7</b>	0.79	1.29	519	3.5	19.0	<b>12.9</b>	0.99	1.27	C43
Other skin	3569		133.1	<b>67.2</b>	2.91	7.45	2713		99.5	<b>43.9</b>	2.56	4.81	C44
Mesothelioma	131	0.7	4.9	<b>2.7</b>	0.12	0.36	58	0.4	2.1	<b>0.9</b>	0.03	0.12	C45
Kaposi sarcoma	57	0.3	2.1	<b>1.1</b>	0.06	0.12	17	0.1	0.6	<b>0.2</b>	0.00	0.01	C46
Connective and soft tissue	89	0.5	3.3	<b>2.5</b>	0.15	0.21	64	0.4	2.3	<b>1.7</b>	0.11	0.16	C47+C49
Breast	56	0.3	2.1	<b>1.1</b>	0.05	0.14	4326	29.0	158.6	<b>88.1</b>	6.43	9.75	C50
Vulva							101	0.7	3.7	<b>1.4</b>	0.06	0.16	C51
Vagina							23	0.2	0.8	<b>0.4</b>	0.03	0.05	C52
Cervix uteri							248	1.7	9.1	<b>6.0</b>	0.47	0.63	C53
Corpus uteri							559	3.7	20.5	<b>10.9</b>	0.77	1.43	C54
Uterus unspecified							19	0.1	0.7	<b>0.3</b>	0.02	0.03	C55
Ovary							442	3.0	16.2	<b>8.3</b>	0.53	0.95	C56
Other female genital organs							40	0.3	1.5	<b>0.7</b>	0.05	0.07	C57
Placenta							1	0.0	0.0	<b>0.1</b>	0.00	0.00	C58
Penis	34	0.2	1.3	<b>0.7</b>	0.03	0.09							C60
Prostate	3634	20.2	135.5	<b>72.0</b>	3.20	10.28							C61
Testis	230	1.3	8.6	<b>7.8</b>	0.57	0.59							C62
Other male genital organs	8	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	655	3.6	24.4	<b>13.9</b>	0.85	1.71	330	2.2	12.1	<b>5.6</b>	0.32	0.67	C64
Renal pelvis	36	0.2	1.3	<b>0.7</b>	0.03	0.09	19	0.1	0.7	<b>0.2</b>	0.01	0.02	C65
Ureter	24	0.1	0.9	<b>0.4</b>	0.01	0.05	10	0.1	0.4	<b>0.1</b>	0.00	0.02	C66
†Bladder	1705	9.5	63.6	<b>33.0</b>	1.52	3.96	469	3.1	17.2	<b>7.2</b>	0.39	0.85	C67
Other urinary organs	30	0.2	1.1	<b>0.6</b>	0.03	0.08	24	0.2	0.9	<b>0.3</b>	0.02	0.04	C68
Eye	30	0.2	1.1	<b>0.7</b>	0.04	0.08	21	0.1	0.8	<b>0.7</b>	0.03	0.06	C69
Brain and nervous system	234	1.3	8.7	<b>5.9</b>	0.38	0.60	182	1.2	6.7	<b>4.1</b>	0.28	0.43	C70-72
Thyroid	214	1.2	8.0	<b>5.4</b>	0.43	0.58	612	4.1	22.4	<b>16.3</b>	1.32	1.64	C73
Adrenal gland	7	0.0	0.3	<b>0.2</b>	0.00	0.01	11	0.1	0.4	<b>0.5</b>	0.03	0.04	C74
Other endocrine	7	0.0	0.3	<b>0.3</b>	0.02	0.02	3	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	113	0.6	4.2	<b>4.2</b>	0.27	0.32	99	0.7	3.6	<b>3.4</b>	0.23	0.27	C81
Non-Hodgkin lymphoma	602	3.4	22.5	<b>14.1</b>	0.84	1.55	521	3.5	19.1	<b>9.1</b>	0.51	0.98	C82-86,C96
Immunoproliferative diseases	45	0.3	1.7	<b>0.9</b>	0.05	0.10	53	0.4	1.9	<b>1.0</b>	0.06	0.12	C88
Multiple myeloma	208	1.2	7.8	<b>4.2</b>	0.20	0.51	194	1.3	7.1	<b>2.9</b>	0.14	0.35	C90
Lymphoid leukaemia	220	1.2	8.2	<b>6.0</b>	0.33	0.60	132	0.9	4.8	<b>3.3</b>	0.17	0.26	C91
Myeloid leukaemia	192	1.1	7.2	<b>4.4</b>	0.25	0.42	156	1.0	5.7	<b>3.6</b>	0.23	0.34	C92-94
Leukaemia unspecified	8	0.0	0.3	<b>0.1</b>	0.00	0.01	14	0.1	0.5	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	38	0.2	1.4	<b>0.7</b>	0.03	0.08	52	0.3	1.9	<b>0.8</b>	0.04	0.07	MPD
Myelodysplastic syndromes	135	0.8	5.0	<b>2.4</b>	0.07	0.20	83	0.6	3.0	<b>1.1</b>	0.04	0.09	MDS
Other and unspecified	230	1.3	8.6	<b>4.3</b>	0.20	0.43	234	1.6	8.6	<b>3.0</b>	0.13	0.30	O&U
All sites	21534		803.2	<b>432.4</b>	20.85	51.69	17644		647.0	<b>318.1</b>	19.89	35.21	C00-96
All sites except C44	17965	100.0	670.1	<b>365.2</b>	17.94	44.24	14931	100.0	547.5	<b>274.2</b>	17.33	30.41	C00-96 exc. C44

† See note following population pyramid

# Italy, Biella

## CONTRIBUTORS

Roberto Zanetti  
Stefano Rosso  
Silvia Patriarca  
Piecario Vercellino  
Simona Andreone  
Adriano Giacomini (deceased)



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	80.1	Breast	97.5
Trachea, bronchus, and lung	50.0	Colon	22.0
Bladder	40.9	Corpus uteri	15.0
Colon	29.2	Trachea, bronchus, and lung	13.8
Liver	15.3	Ovary	11.5
Rectum	14.0	Melanoma of skin	11.2
Melanoma of skin	13.9	Thyroid	11.1
Non-Hodgkin lymphoma	13.7	Cervix uteri	10.0
Kidney	11.8	Rectum	9.0
Pancreas	9.8	Non-Hodgkin lymphoma	8.8
Stomach	9.3	Bladder	7.3
Testis	8.8	Pancreas	6.6
Other and unspecified	7.4	Kidney	6.5
Larynx	7.2	Brain and nervous system	4.9
Thyroid	6.6	Stomach	4.6
Brain and nervous system	5.7	Lymphoid leukaemia	4.0
Myelodysplastic syndromes	5.2	Other and unspecified	3.9
Myeloid leukaemia	5.1	Liver	3.2
Lymphoid leukaemia	5.1	Hodgkin lymphoma	3.1
Multiple myeloma	4.5	Multiple myeloma	3.1
All sites	389.3	All sites	285.8

## Italy, Biella (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	3	0.1	0.7	<b>0.2</b>	0.00	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C00
Tongue	32	0.7	7.3	<b>3.2</b>	0.22	0.39	12	0.3	2.5	<b>1.2</b>	0.08	0.16	C01-02
Mouth	18	0.4	4.1	<b>1.8</b>	0.11	0.26	15	0.4	3.1	<b>1.0</b>	0.08	0.12	C03-06
Salivary glands	9	0.2	2.0	<b>0.5</b>	0.00	0.06	11	0.3	2.3	<b>1.1</b>	0.07	0.07	C07-08
Tonsil	25	0.6	5.7	<b>2.9</b>	0.24	0.35	4	0.1	0.8	<b>0.4</b>	0.04	0.04	C09
Other oropharynx	18	0.4	4.1	<b>1.8</b>	0.09	0.22	3	0.1	0.6	<b>0.4</b>	0.03	0.05	C10
Nasopharynx	15	0.3	3.4	<b>1.9</b>	0.13	0.23	1	0.0	0.2	<b>0.2</b>	0.01	0.01	C11
Hypopharynx	27	0.6	6.1	<b>3.0</b>	0.25	0.36	3	0.1	0.6	<b>0.3</b>	0.02	0.03	C12-13
Pharynx unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.2	<b>0.1</b>	0.00	0.02	C14
Oesophagus	44	1.0	10.0	<b>4.0</b>	0.22	0.48	19	0.5	3.9	<b>1.0</b>	0.05	0.16	C15
Stomach	116	2.7	26.3	<b>9.3</b>	0.41	1.04	84	2.4	17.4	<b>4.6</b>	0.19	0.48	C16
Small intestine	16	0.4	3.6	<b>1.5</b>	0.11	0.17	12	0.3	2.5	<b>0.7</b>	0.03	0.06	C17
Colon	346	8.1	78.4	<b>29.2</b>	1.28	3.51	339	9.6	70.3	<b>22.0</b>	1.21	2.53	C18
Rectum	157	3.7	35.6	<b>14.0</b>	0.71	1.85	122	3.5	25.3	<b>9.0</b>	0.60	1.07	C19-20
Anus	5	0.1	1.1	<b>0.5</b>	0.03	0.05	19	0.5	3.9	<b>1.4</b>	0.09	0.15	C21
Liver	165	3.8	37.4	<b>15.3</b>	0.92	1.91	58	1.6	12.0	<b>3.2</b>	0.14	0.38	C22
Gallbladder etc.	40	0.9	9.1	<b>3.2</b>	0.14	0.29	55	1.6	11.4	<b>2.3</b>	0.09	0.22	C23-24
Pancreas	115	2.7	26.1	<b>9.8</b>	0.51	1.16	112	3.2	23.2	<b>6.6</b>	0.36	0.71	C25
Nose, sinuses etc.	12	0.3	2.7	<b>1.0</b>	0.02	0.15	7	0.2	1.5	<b>0.6</b>	0.04	0.06	C30-31
Larynx	82	1.9	18.6	<b>7.2</b>	0.37	0.82	14	0.4	2.9	<b>1.2</b>	0.12	0.12	C32
Trachea, bronchus, and lung	603	14.1	136.7	<b>50.0</b>	2.23	6.26	206	5.8	42.7	<b>13.8</b>	0.76	1.62	C33-34
Other thoracic organs	7	0.2	1.6	<b>0.7</b>	0.03	0.09	6	0.2	1.2	<b>0.4</b>	0.02	0.05	C37-38
Bone	3	0.1	0.7	<b>0.7</b>	0.06	0.06	6	0.2	1.2	<b>0.7</b>	0.06	0.09	C40-41
Melanoma of skin	122	2.8	27.7	<b>13.9</b>	0.97	1.49	85	2.4	17.6	<b>11.2</b>	0.91	1.15	C43
Other skin	9		2.0	<b>0.9</b>	0.08	0.10	13		2.7	<b>0.9</b>	0.06	0.09	C44
Mesothelioma	16	0.4	3.6	<b>1.1</b>	0.03	0.14	5	0.1	1.0	<b>0.4</b>	0.03	0.08	C45
Kaposi sarcoma	8	0.2	1.8	<b>0.7</b>	0.03	0.09	3	0.1	0.6	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	24	0.6	5.4	<b>2.4</b>	0.15	0.25	21	0.6	4.4	<b>1.9</b>	0.11	0.21	C47+C49
Breast	5	0.1	1.1	<b>0.6</b>	0.03	0.07	1085	30.7	225.1	<b>97.5</b>	6.74	11.08	C50
Vulva							29	0.8	6.0	<b>1.6</b>	0.08	0.17	C51
Vagina							8	0.2	1.7	<b>0.4</b>	0.02	0.05	C52
Cervix uteri							83	2.3	17.2	<b>10.0</b>	0.76	1.03	C53
Corpus uteri							181	5.1	37.6	<b>15.0</b>	0.94	1.87	C54
Uterus unspecified							8	0.2	1.7	<b>0.4</b>	0.02	0.03	C55
Ovary							131	3.7	27.2	<b>11.5</b>	0.87	1.31	C56
Other female genital organs							4	0.1	0.8	<b>0.2</b>	0.00	0.02	C57
Placenta							1	0.0	0.2	<b>0.1</b>	0.02	0.02	C58
Penis	7	0.2	1.6	<b>0.6</b>	0.03	0.07							C60
Prostate	937	21.9	212.4	<b>80.1</b>	3.18	11.26							C61
Testis	44	1.0	10.0	<b>8.8</b>	0.66	0.72							C62
Other male genital organs	1	0.0	0.2	<b>0.1</b>	0.02	0.02							C63
Kidney	121	2.8	27.4	<b>11.8</b>	0.72	1.51	86	2.4	17.8	<b>6.5</b>	0.34	0.78	C64
Renal pelvis	16	0.4	3.6	<b>1.4</b>	0.06	0.17	8	0.2	1.7	<b>0.4</b>	0.01	0.05	C65
Ureter	8	0.2	1.8	<b>0.7</b>	0.03	0.11	6	0.2	1.2	<b>0.5</b>	0.03	0.08	C66
†Bladder	508	11.8	115.2	<b>40.9</b>	1.68	4.92	119	3.4	24.7	<b>7.3</b>	0.37	0.83	C67
Other urinary organs	3	0.1	0.7	<b>0.3</b>	0.03	0.05	2	0.1	0.4	<b>0.1</b>	0.00	0.00	C68
Eye	5	0.1	1.1	<b>0.5</b>	0.03	0.05	5	0.1	1.0	<b>0.3</b>	0.02	0.03	C69
Brain and nervous system	45	1.0	10.2	<b>5.7</b>	0.34	0.55	38	1.1	7.9	<b>4.9</b>	0.28	0.42	C70-72
Thyroid	43	1.0	9.7	<b>6.6</b>	0.49	0.64	82	2.3	17.0	<b>11.1</b>	0.85	1.06	C73
Adrenal gland	5	0.1	1.1	<b>0.6</b>	0.05	0.07	5	0.1	1.0	<b>0.6</b>	0.06	0.08	C74
Other endocrine	1	0.0	0.2	<b>0.5</b>	0.03	0.03	1	0.0	0.2	<b>0.1</b>	0.02	0.02	C75
Hodgkin lymphoma	13	0.3	2.9	<b>2.5</b>	0.17	0.22	16	0.5	3.3	<b>3.1</b>	0.19	0.24	C81
Non-Hodgkin lymphoma	129	3.0	29.2	<b>13.7</b>	0.84	1.65	113	3.2	23.4	<b>8.8</b>	0.53	1.02	C82-86,C96
Immunoproliferative diseases	15	0.3	3.4	<b>1.6</b>	0.09	0.16	4	0.1	0.8	<b>0.2</b>	0.00	0.03	C88
Multiple myeloma	52	1.2	11.8	<b>4.5</b>	0.23	0.51	50	1.4	10.4	<b>3.1</b>	0.15	0.39	C90
Lymphoid leukaemia	46	1.1	10.4	<b>5.1</b>	0.23	0.55	33	0.9	6.8	<b>4.0</b>	0.22	0.25	C91
Myeloid leukaemia	57	1.3	12.9	<b>5.1</b>	0.26	0.56	34	1.0	7.1	<b>2.1</b>	0.06	0.24	C92-94
Leukaemia unspecified	1	0.0	0.2	<b>0.0</b>	0.00	0.00	5	0.1	1.0	<b>0.2</b>	0.00	0.02	C95
Myeloproliferative disorders	43	1.0	9.7	<b>4.2</b>	0.22	0.52	42	1.2	8.7	<b>2.7</b>	0.14	0.31	MPD
Myelodysplastic syndromes	65	1.5	14.7	<b>5.2</b>	0.11	0.58	59	1.7	12.2	<b>2.6</b>	0.06	0.26	MDS
Other and unspecified	89	2.1	20.2	<b>7.4</b>	0.40	0.70	75	2.1	15.6	<b>3.9</b>	0.14	0.41	O&U
All sites	4296		973.9	<b>389.3</b>	19.29	47.45	3549		736.4	<b>285.8</b>	18.11	31.82	C00-96
All sites except C44	4287	100.0	971.8	<b>388.4</b>	19.21	47.36	3536	100.0	733.7	<b>284.9</b>	18.05	31.73	C00-96 exc. C44

† See note following population pyramid

# Italy, Caserta

## CONTRIBUTORS

Angelo D'Argenzio  
 Alessandra Sessa  
 Maria Claudia Mendes Pereira Da Silva  
 Emma Perrotta  
 Mariastella D'Abronzio  
 Maria Teresa Pesce  
 Vincenzo Menditto  
 Domenico De Francesco



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	54.8	Breast	68.9
Bladder	45.7	Non-melanoma skin cancer	28.4
Non-melanoma skin cancer	44.5	Colon	18.3
Prostate	41.9	Thyroid	15.3
Colon	24.8	Corpus uteri	12.5
Liver	18.6	Trachea, bronchus, and lung	10.5
Stomach	13.2	Non-Hodgkin lymphoma	9.3
Non-Hodgkin lymphoma	12.1	Ovary	8.4
Larynx	10.5	Bladder	7.3
Rectum	9.8	Stomach	7.1
Kidney	8.4	Rectum	6.3
Testis	6.9	Liver	6.3
Pancreas	6.7	Melanoma of skin	6.0
Other and unspecified	6.2	Brain and nervous system	5.3
Brain and nervous system	5.7	Kidney	4.8
Melanoma of skin	5.6	Pancreas	4.8
Myeloid leukaemia	5.2	Other and unspecified	4.6
Thyroid	4.4	Cervix uteri	4.3
Myelodysplastic syndromes	3.9	Gallbladder etc.	4.3
Gallbladder etc.	3.7	Hodgkin lymphoma	3.8
All sites	368.1	All sites	261.2



## Italy, Caserta (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	6	0.1	0.5	<b>0.3</b>	0.01	0.03	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C00
Tongue	27	0.4	2.0	<b>1.5</b>	0.09	0.17	12	0.2	0.9	<b>0.5</b>	0.04	0.05	C01-02
Mouth	39	0.6	3.0	<b>2.0</b>	0.15	0.24	19	0.4	1.4	<b>0.8</b>	0.06	0.11	C03-06
Salivary glands	18	0.3	1.4	<b>0.9</b>	0.06	0.07	8	0.2	0.6	<b>0.3</b>	0.02	0.02	C07-08
Tonsil	9	0.1	0.7	<b>0.5</b>	0.04	0.06	2	0.0	0.1	<b>0.1</b>	0.00	0.02	C09
Other oropharynx	5	0.1	0.4	<b>0.3</b>	0.02	0.03	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	14	0.2	1.1	<b>0.7</b>	0.06	0.08	3	0.1	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	8	0.1	0.6	<b>0.4</b>	0.02	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	4	0.1	0.3	<b>0.2</b>	0.02	0.03	3	0.1	0.2	<b>0.2</b>	0.01	0.02	C14
Oesophagus	31	0.5	2.3	<b>1.5</b>	0.10	0.16	9	0.2	0.6	<b>0.3</b>	0.01	0.03	C15
Stomach	296	4.4	22.4	<b>13.2</b>	0.64	1.53	203	3.8	14.6	<b>7.1</b>	0.38	0.79	C16
Small intestine	20	0.3	1.5	<b>1.0</b>	0.07	0.10	12	0.2	0.9	<b>0.4</b>	0.01	0.03	C17
Colon	545	8.1	41.3	<b>24.8</b>	1.18	3.04	483	9.1	34.7	<b>18.3</b>	0.98	2.22	C18
Rectum	215	3.2	16.3	<b>9.8</b>	0.55	1.14	167	3.1	12.0	<b>6.3</b>	0.35	0.73	C19-20
Anus	12	0.2	0.9	<b>0.5</b>	0.03	0.04	9	0.2	0.6	<b>0.4</b>	0.02	0.04	C21
Liver	390	5.8	29.5	<b>18.6</b>	0.87	2.54	190	3.6	13.7	<b>6.3</b>	0.20	0.84	C22
Gallbladder etc.	81	1.2	6.1	<b>3.7</b>	0.15	0.39	122	2.3	8.8	<b>4.3</b>	0.18	0.55	C23-24
Pancreas	138	2.0	10.4	<b>6.7</b>	0.39	0.83	138	2.6	9.9	<b>4.8</b>	0.22	0.58	C25
Nose, sinuses etc.	10	0.1	0.8	<b>0.5</b>	0.04	0.07	5	0.1	0.4	<b>0.3</b>	0.01	0.02	C30-31
Larynx	205	3.0	15.5	<b>10.5</b>	0.72	1.30	14	0.3	1.0	<b>0.6</b>	0.04	0.09	C32
Trachea, bronchus, and lung	1192	17.6	90.3	<b>54.8</b>	2.67	6.97	244	4.6	17.5	<b>10.5</b>	0.67	1.26	C33-34
Other thoracic organs	22	0.3	1.7	<b>1.1</b>	0.05	0.13	8	0.2	0.6	<b>0.5</b>	0.04	0.04	C37-38
Bone	15	0.2	1.1	<b>1.2</b>	0.08	0.08	11	0.2	0.8	<b>0.6</b>	0.04	0.06	C40-41
Melanoma of skin	109	1.6	8.3	<b>5.6</b>	0.39	0.64	119	2.2	8.6	<b>6.0</b>	0.42	0.61	C43
Other skin	988		74.8	<b>44.5</b>	2.14	5.16	780		56.1	<b>28.4</b>	1.43	3.27	C44
Mesothelioma	16	0.2	1.2	<b>0.8</b>	0.04	0.08	4	0.1	0.3	<b>0.2</b>	0.01	0.01	C45
Kaposi sarcoma	28	0.4	2.1	<b>1.3</b>	0.07	0.14	16	0.3	1.2	<b>0.5</b>	0.03	0.06	C46
Connective and soft tissue	34	0.5	2.6	<b>2.0</b>	0.13	0.21	34	0.6	2.4	<b>1.7</b>	0.09	0.17	C47+C49
Breast	10	0.1	0.8	<b>0.5</b>	0.02	0.06	1447	27.2	104.0	<b>68.9</b>	5.15	7.62	C50
Vulva							41	0.8	2.9	<b>1.2</b>	0.04	0.12	C51
Vagina							2	0.0	0.1	<b>0.1</b>	0.01	0.01	C52
Cervix uteri							86	1.6	6.2	<b>4.3</b>	0.33	0.46	C53
Corpus uteri							280	5.3	20.1	<b>12.5</b>	0.96	1.58	C54
Uterus unspecified							28	0.5	2.0	<b>1.0</b>	0.04	0.11	C55
Ovary							179	3.4	12.9	<b>8.4</b>	0.64	0.90	C56
Other female genital organs							19	0.4	1.4	<b>0.9</b>	0.06	0.11	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	14	0.2	1.1	<b>0.6</b>	0.03	0.07							C60
Prostate	955	14.1	72.3	<b>41.9</b>	1.48	5.55							C61
Testis	99	1.5	7.5	<b>6.9</b>	0.49	0.50							C62
Other male genital organs	1	0.0	0.1	<b>0.2</b>	0.01	0.01							C63
Kidney	165	2.4	12.5	<b>8.4</b>	0.52	0.99	103	1.9	7.4	<b>4.8</b>	0.30	0.55	C64
Renal pelvis	19	0.3	1.4	<b>0.8</b>	0.04	0.10	6	0.1	0.4	<b>0.2</b>	0.01	0.02	C65
Ureter	4	0.1	0.3	<b>0.2</b>	0.03	0.03	4	0.1	0.3	<b>0.1</b>	0.00	0.01	C66
†Bladder	981	14.5	74.3	<b>45.7</b>	2.40	5.43	187	3.5	13.4	<b>7.3</b>	0.39	0.89	C67
Other urinary organs	8	0.1	0.6	<b>0.4</b>	0.01	0.04	4	0.1	0.3	<b>0.1</b>	0.00	0.00	C68
Eye	10	0.1	0.8	<b>0.5</b>	0.02	0.04	9	0.2	0.6	<b>0.4</b>	0.02	0.04	C69
Brain and nervous system	101	1.5	7.6	<b>5.7</b>	0.36	0.59	108	2.0	7.8	<b>5.3</b>	0.33	0.46	C70-72
Thyroid	76	1.1	5.8	<b>4.4</b>	0.37	0.44	257	4.8	18.5	<b>15.3</b>	1.25	1.35	C73
Adrenal gland	8	0.1	0.6	<b>0.9</b>	0.05	0.06	8	0.2	0.6	<b>0.5</b>	0.02	0.04	C74
Other endocrine	1	0.0	0.1	<b>0.1</b>	0.01	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	46	0.7	3.5	<b>3.3</b>	0.22	0.26	53	1.0	3.8	<b>3.8</b>	0.25	0.27	C81
Non-Hodgkin lymphoma	220	3.3	16.7	<b>12.1</b>	0.77	1.32	200	3.8	14.4	<b>9.3</b>	0.65	1.00	C82-86,C96
Immunoproliferative diseases	10	0.1	0.8	<b>0.5</b>	0.04	0.05	9	0.2	0.6	<b>0.5</b>	0.03	0.05	C88
Multiple myeloma	58	0.9	4.4	<b>2.6</b>	0.14	0.29	55	1.0	4.0	<b>2.2</b>	0.15	0.27	C90
Lymphoid leukaemia	57	0.8	4.3	<b>3.5</b>	0.22	0.34	38	0.7	2.7	<b>2.1</b>	0.13	0.19	C91
Myeloid leukaemia	94	1.4	7.1	<b>5.2</b>	0.28	0.52	58	1.1	4.2	<b>2.4</b>	0.14	0.25	C92-94
Leukaemia unspecified	38	0.6	2.9	<b>1.9</b>	0.09	0.24	40	0.8	2.9	<b>1.1</b>	0.04	0.11	C95
Myeloproliferative disorders	60	0.9	4.5	<b>3.0</b>	0.18	0.30	55	1.0	4.0	<b>2.6</b>	0.17	0.26	MPD
Myelodysplastic syndromes	91	1.3	6.9	<b>3.9</b>	0.13	0.39	63	1.2	4.5	<b>2.0</b>	0.08	0.22	MDS
Other and unspecified	140	2.1	10.6	<b>6.2</b>	0.27	0.72	144	2.7	10.4	<b>4.6</b>	0.21	0.44	O&U
All sites	7743		586.3	<b>368.1</b>	18.94	43.66	6103		438.7	<b>261.2</b>	16.70	29.01	C00-96
All sites except C44	6755	100.0	511.4	<b>323.6</b>	16.80	38.50	5323	100.0	382.6	<b>232.8</b>	15.28	25.74	C00-96 exc. C44

† See note following population pyramid

# Italy, Catania, Messina, and Enna

## CONTRIBUTORS

Salvatore Sciacca  
 Salvatore Sciacchitano  
 Melchiorre Fidelbo  
 Giovanni Benedetto  
 Francesca Bella  
 Andrea Benedetto  
 Ettore Carmelo Viscosi  
 Anna Caruso  
 Marine Castaing  
 Alessia Di Prima



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	54.1	Breast	77.9
Prostate	46.4	Non-melanoma skin cancer	32.0
Trachea, bronchus, and lung	41.1	Thyroid	29.0
Bladder	34.3	Colon	16.8
Colon	22.6	Corpus uteri	12.6
Rectum	12.7	Trachea, bronchus, and lung	10.6
Non-Hodgkin lymphoma	10.6	Ovary	7.7
Stomach	10.4	Rectum	7.4
Thyroid	10.4	Non-Hodgkin lymphoma	7.4
Liver	9.5	Melanoma of skin	5.9
Kidney	8.3	Stomach	5.7
Pancreas	8.1	Pancreas	5.6
Larynx	6.8	Bladder	5.4
Testis	6.2	Cervix uteri	5.2
Lymphoid leukaemia	6.0	Kidney	4.1
Melanoma of skin	6.0	Other and unspecified	4.1
Brain and nervous system	5.9	Brain and nervous system	4.1
Other and unspecified	4.8	Myeloid leukaemia	3.8
Myeloid leukaemia	4.7	Lymphoid leukaemia	3.7
Multiple myeloma	4.7	Liver	3.2
All sites	349.1	All sites	278.9

## Italy, Catania, Messina, and Enna (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	86	0.3	1.9	<b>0.8</b>	0.04	0.09	10	0.0	0.2	<b>0.1</b>	0.00	0.00	C00
Tongue	105	0.4	2.3	<b>1.4</b>	0.11	0.16	72	0.3	1.5	<b>0.7</b>	0.05	0.08	C01-02
Mouth	93	0.4	2.0	<b>1.2</b>	0.09	0.14	60	0.3	1.2	<b>0.6</b>	0.04	0.06	C03-06
Salivary glands	66	0.3	1.4	<b>0.7</b>	0.03	0.08	46	0.2	0.9	<b>0.5</b>	0.03	0.06	C07-08
Tonsil	27	0.1	0.6	<b>0.4</b>	0.03	0.05	10	0.0	0.2	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	24	0.1	0.5	<b>0.3</b>	0.02	0.04	9	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	110	0.4	2.4	<b>1.6</b>	0.13	0.18	39	0.2	0.8	<b>0.6</b>	0.04	0.06	C11
Hypopharynx	27	0.1	0.6	<b>0.4</b>	0.03	0.05	5	0.0	0.1	<b>0.1</b>	0.00	0.01	C12-13
Pharynx unspecified	22	0.1	0.5	<b>0.3</b>	0.02	0.03	6	0.0	0.1	<b>0.0</b>	0.00	0.01	C14
Oesophagus	119	0.5	2.6	<b>1.4</b>	0.08	0.17	42	0.2	0.8	<b>0.4</b>	0.02	0.04	C15
Stomach	981	3.8	21.3	<b>10.4</b>	0.52	1.26	704	3.1	14.2	<b>5.7</b>	0.30	0.63	C16
Small intestine	83	0.3	1.8	<b>1.0</b>	0.07	0.12	66	0.3	1.3	<b>0.6</b>	0.04	0.07	C17
Colon	2143	8.4	46.6	<b>22.6</b>	1.07	2.70	2023	8.9	40.8	<b>16.8</b>	0.86	1.93	C18
Rectum	1186	4.6	25.8	<b>12.7</b>	0.64	1.55	852	3.8	17.2	<b>7.4</b>	0.40	0.89	C19-20
Anus	38	0.1	0.8	<b>0.5</b>	0.04	0.05	56	0.2	1.1	<b>0.5</b>	0.04	0.06	C21
Liver	856	3.4	18.6	<b>9.5</b>	0.49	1.16	428	1.9	8.6	<b>3.2</b>	0.11	0.39	C22
Gallbladder etc.	348	1.4	7.6	<b>3.4</b>	0.15	0.39	425	1.9	8.6	<b>3.1</b>	0.13	0.37	C23-24
Pancreas	738	2.9	16.0	<b>8.1</b>	0.44	0.98	707	3.1	14.3	<b>5.6</b>	0.30	0.65	C25
Nose, sinuses etc.	44	0.2	1.0	<b>0.5</b>	0.03	0.07	21	0.1	0.4	<b>0.3</b>	0.02	0.03	C30-31
Larynx	558	2.2	12.1	<b>6.8</b>	0.44	0.86	50	0.2	1.0	<b>0.6</b>	0.04	0.07	C32
Trachea, bronchus, and lung	3807	14.9	82.7	<b>41.1</b>	1.95	5.20	1101	4.9	22.2	<b>10.6</b>	0.67	1.28	C33-34
Other thoracic organs	52	0.2	1.1	<b>0.7</b>	0.04	0.07	32	0.1	0.6	<b>0.4</b>	0.02	0.04	C37-38
Bone	54	0.2	1.2	<b>1.1</b>	0.07	0.08	44	0.2	0.9	<b>0.9</b>	0.06	0.06	C40-41
Melanoma of skin	425	1.7	9.2	<b>6.0</b>	0.42	0.62	446	2.0	9.0	<b>5.9</b>	0.43	0.58	C43
Other skin	5086		110.5	<b>54.1</b>	2.58	6.30	3576		72.2	<b>32.0</b>	1.84	3.52	C44
Mesothelioma	106	0.4	2.3	<b>1.3</b>	0.08	0.17	43	0.2	0.9	<b>0.5</b>	0.04	0.06	C45
Kaposi sarcoma	98	0.4	2.1	<b>1.0</b>	0.05	0.12	31	0.1	0.6	<b>0.2</b>	0.01	0.02	C46
Connective and soft tissue	146	0.6	3.2	<b>2.0</b>	0.12	0.21	105	0.5	2.1	<b>1.5</b>	0.10	0.14	C47+C49
Breast	61	0.2	1.3	<b>0.7</b>	0.04	0.08	6677	29.4	134.8	<b>77.9</b>	5.75	8.65	C50
Vulva							151	0.7	3.0	<b>1.2</b>	0.05	0.14	C51
Vagina							23	0.1	0.5	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							388	1.7	7.8	<b>5.2</b>	0.43	0.52	C53
Corpus uteri							1117	4.9	22.6	<b>12.6</b>	0.94	1.57	C54
Uterus unspecified							94	0.4	1.9	<b>0.7</b>	0.04	0.07	C55
Ovary							687	3.0	13.9	<b>7.7</b>	0.55	0.86	C56
Other female genital organs							61	0.3	1.2	<b>0.6</b>	0.04	0.07	C57
Placenta							2	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	95	0.4	2.1	<b>1.0</b>	0.07	0.12							C60
Prostate	4304	16.9	93.5	<b>46.4</b>	1.90	6.43							C61
Testis	292	1.1	6.3	<b>6.2</b>	0.44	0.46							C62
Other male genital organs	10	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	635	2.5	13.8	<b>8.3</b>	0.56	0.97	353	1.6	7.1	<b>4.1</b>	0.28	0.45	C64
Renal pelvis	68	0.3	1.5	<b>0.7</b>	0.04	0.10	44	0.2	0.9	<b>0.4</b>	0.02	0.05	C65
Ureter	26	0.1	0.6	<b>0.3</b>	0.01	0.04	19	0.1	0.4	<b>0.1</b>	0.00	0.01	C66
†Bladder	3243	12.7	70.5	<b>34.3</b>	1.65	4.14	615	2.7	12.4	<b>5.4</b>	0.32	0.62	C67
Other urinary organs	49	0.2	1.1	<b>0.5</b>	0.02	0.06	16	0.1	0.3	<b>0.1</b>	0.00	0.01	C68
Eye	37	0.1	0.8	<b>0.5</b>	0.04	0.05	29	0.1	0.6	<b>0.6</b>	0.04	0.04	C69
Brain and nervous system	409	1.6	8.9	<b>5.9</b>	0.37	0.62	334	1.5	6.7	<b>4.1</b>	0.26	0.41	C70-72
Thyroid	618	2.4	13.4	<b>10.4</b>	0.84	1.01	1823	8.0	36.8	<b>29.0</b>	2.33	2.75	C73
Adrenal gland	17	0.1	0.4	<b>0.5</b>	0.03	0.03	25	0.1	0.5	<b>0.8</b>	0.04	0.04	C74
Other endocrine	5	0.0	0.1	<b>0.1</b>	0.01	0.01	5	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	179	0.7	3.9	<b>3.6</b>	0.25	0.30	149	0.7	3.0	<b>3.0</b>	0.21	0.23	C81
Non-Hodgkin lymphoma	830	3.3	18.0	<b>10.6</b>	0.67	1.19	687	3.0	13.9	<b>7.4</b>	0.46	0.83	C82-86,C96
Immunoproliferative diseases	50	0.2	1.1	<b>0.6</b>	0.03	0.06	31	0.1	0.6	<b>0.3</b>	0.03	0.04	C88
Multiple myeloma	421	1.7	9.1	<b>4.7</b>	0.26	0.58	375	1.7	7.6	<b>3.2</b>	0.16	0.38	C90
Lymphoid leukaemia	384	1.5	8.3	<b>6.0</b>	0.34	0.56	244	1.1	4.9	<b>3.7</b>	0.19	0.30	C91
Myeloid leukaemia	395	1.5	8.6	<b>4.7</b>	0.24	0.50	353	1.6	7.1	<b>3.8</b>	0.24	0.39	C92-94
Leukaemia unspecified	60	0.2	1.3	<b>0.6</b>	0.02	0.05	54	0.2	1.1	<b>0.3</b>	0.01	0.02	C95
Myeloproliferative disorders	305	1.2	6.6	<b>4.0</b>	0.26	0.46	168	0.7	3.4	<b>1.7</b>	0.09	0.21	MPD
Myelodysplastic syndromes	196	0.8	4.3	<b>1.9</b>	0.07	0.21	186	0.8	3.8	<b>1.6</b>	0.09	0.18	MDS
Other and unspecified	484	1.9	10.5	<b>4.8</b>	0.19	0.51	543	2.4	11.0	<b>4.1</b>	0.23	0.43	O&U
All sites	30601		665.0	<b>349.1</b>	18.14	41.50	26262		530.3	<b>278.9</b>	18.45	30.45	C00-96
All sites except C44	25515	100.0	554.5	<b>295.0</b>	15.56	35.20	22686	100.0	458.1	<b>247.0</b>	16.61	26.92	C00-96 exc. C44

† See note following population pyramid

# Italy, Como

## CONTRIBUTORS

Gemma Gola  
 Maria Angela Corti  
 Maria Carmela Caparelli



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	68.9	Breast	92.2
Prostate	64.6	Non-melanoma skin cancer	50.0
Trachea, bronchus, and lung	42.0	Colon	18.4
Bladder	32.7	Corpus uteri	13.9
Colon	28.5	Melanoma of skin	13.8
Stomach	15.6	Trachea, bronchus, and lung	13.2
Liver	15.5	Thyroid	11.9
Melanoma of skin	13.3	Ovary	9.0
Non-Hodgkin lymphoma	12.8	Non-Hodgkin lymphoma	8.1
Rectum	12.3	Stomach	7.5
Kidney	12.1	Pancreas	6.7
Pancreas	9.4	Cervix uteri	6.7
Testis	7.6	Rectum	6.5
Brain and nervous system	7.3	Bladder	6.5
Lymphoid leukaemia	5.6	Kidney	5.1
Larynx	5.3	Brain and nervous system	5.1
Other and unspecified	5.1	Myeloproliferative disorders	3.7
Myeloid leukaemia	4.6	Liver	3.5
Multiple myeloma	4.0	Hodgkin lymphoma	3.3
Thyroid	4.0	Other and unspecified	3.3
All sites	405.0	All sites	316.5

## Italy, Como (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	19	0.2	1.7	<b>0.7</b>	0.02	0.08	2	0.0	0.2	<b>0.1</b>	0.00	0.01	C00
Tongue	34	0.4	3.0	<b>1.8</b>	0.12	0.21	15	0.2	1.3	<b>0.6</b>	0.05	0.08	C01-02
Mouth	34	0.4	3.0	<b>1.6</b>	0.11	0.16	37	0.6	3.1	<b>1.4</b>	0.11	0.16	C03-06
Salivary glands	13	0.2	1.1	<b>0.6</b>	0.03	0.06	8	0.1	0.7	<b>0.4</b>	0.02	0.03	C07-08
Tonsil	30	0.4	2.6	<b>1.3</b>	0.08	0.15	5	0.1	0.4	<b>0.2</b>	0.02	0.03	C09
Other oropharynx	34	0.4	3.0	<b>1.7</b>	0.13	0.20	3	0.0	0.3	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	13	0.2	1.1	<b>0.8</b>	0.07	0.08	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	26	0.3	2.3	<b>1.2</b>	0.07	0.17	3	0.0	0.3	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	2	0.0	0.2	<b>0.1</b>	0.01	0.01	2	0.0	0.2	<b>0.0</b>	0.00	0.00	C14
Oesophagus	43	0.6	3.8	<b>1.8</b>	0.09	0.21	16	0.2	1.3	<b>0.4</b>	0.02	0.03	C15
Stomach	393	5.1	34.4	<b>15.6</b>	0.66	1.82	279	4.2	23.3	<b>7.5</b>	0.28	0.81	C16
Small intestine	33	0.4	2.9	<b>1.4</b>	0.08	0.17	27	0.4	2.3	<b>0.8</b>	0.05	0.10	C17
Colon	691	9.0	60.5	<b>28.5</b>	1.30	3.38	588	8.8	49.2	<b>18.4</b>	0.99	2.11	C18
Rectum	284	3.7	24.9	<b>12.3</b>	0.60	1.59	174	2.6	14.6	<b>6.5</b>	0.42	0.77	C19-20
Anus	13	0.2	1.1	<b>0.6</b>	0.05	0.05	25	0.4	2.1	<b>1.0</b>	0.08	0.12	C21
Liver	363	4.7	31.8	<b>15.5</b>	0.82	1.86	142	2.1	11.9	<b>3.5</b>	0.10	0.39	C22
Gallbladder etc.	96	1.3	8.4	<b>3.6</b>	0.14	0.41	114	1.7	9.5	<b>3.2</b>	0.10	0.41	C23-24
Pancreas	224	2.9	19.6	<b>9.4</b>	0.49	1.09	249	3.7	20.8	<b>6.7</b>	0.28	0.77	C25
Nose, sinuses etc.	11	0.1	1.0	<b>0.5</b>	0.03	0.06	8	0.1	0.7	<b>0.3</b>	0.02	0.04	C30-31
Larynx	125	1.6	10.9	<b>5.3</b>	0.29	0.72	16	0.2	1.3	<b>0.5</b>	0.04	0.06	C32
Trachea, bronchus, and lung	1080	14.1	94.5	<b>42.0</b>	1.59	5.05	397	6.0	33.2	<b>13.2</b>	0.71	1.67	C33-34
Other thoracic organs	11	0.1	1.0	<b>0.4</b>	0.01	0.03	11	0.2	0.9	<b>0.5</b>	0.04	0.04	C37-38
Bone	14	0.2	1.2	<b>1.1</b>	0.07	0.09	5	0.1	0.4	<b>0.4</b>	0.03	0.03	C40-41
Melanoma of skin	253	3.3	22.1	<b>13.3</b>	0.91	1.49	251	3.8	21.0	<b>13.8</b>	1.09	1.39	C43
Other skin	1643		143.8	<b>68.9</b>	3.24	7.95	1446		121.0	<b>50.0</b>	2.90	5.41	C44
Mesothelioma	44	0.6	3.9	<b>1.8</b>	0.04	0.24	30	0.5	2.5	<b>0.9</b>	0.04	0.13	C45
Kaposi sarcoma	25	0.3	2.2	<b>1.4</b>	0.08	0.13	8	0.1	0.7	<b>0.2</b>	0.00	0.02	C46
Connective and soft tissue	59	0.8	5.2	<b>3.1</b>	0.16	0.33	32	0.5	2.7	<b>1.7</b>	0.09	0.15	C47+C49
Breast	11	0.1	1.0	<b>0.5</b>	0.04	0.05	2072	31.1	173.4	<b>92.2</b>	6.89	10.28	C50
Vulva							38	0.6	3.2	<b>1.1</b>	0.05	0.13	C51
Vagina							9	0.1	0.8	<b>0.3</b>	0.01	0.04	C52
Cervix uteri							119	1.8	10.0	<b>6.7</b>	0.54	0.66	C53
Corpus uteri							327	4.9	27.4	<b>13.9</b>	1.06	1.70	C54
Uterus unspecified							6	0.1	0.5	<b>0.1</b>	0.00	0.00	C55
Ovary							205	3.1	17.2	<b>9.0</b>	0.62	1.05	C56
Other female genital organs							10	0.2	0.8	<b>0.4</b>	0.03	0.05	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	5	0.1	0.4	<b>0.2</b>	0.00	0.02							C60
Prostate	1514	19.8	132.5	<b>64.6</b>	2.94	9.28							C61
Testis	94	1.2	8.2	<b>7.6</b>	0.57	0.59							C62
Other male genital organs	6	0.1	0.5	<b>0.3</b>	0.02	0.04							C63
Kidney	265	3.5	23.2	<b>12.1</b>	0.72	1.50	135	2.0	11.3	<b>5.1</b>	0.31	0.60	C64
Renal pelvis	19	0.2	1.7	<b>0.7</b>	0.02	0.09	9	0.1	0.8	<b>0.2</b>	0.01	0.03	C65
Ureter	12	0.2	1.1	<b>0.5</b>	0.02	0.07	5	0.1	0.4	<b>0.2</b>	0.02	0.02	C66
†Bladder	785	10.3	68.7	<b>32.7</b>	1.62	3.87	198	3.0	16.6	<b>6.5</b>	0.35	0.73	C67
Other urinary organs	3	0.0	0.3	<b>0.1</b>	0.01	0.02	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	10	0.1	0.9	<b>0.6</b>	0.03	0.06	6	0.1	0.5	<b>0.6</b>	0.03	0.04	C69
Brain and nervous system	134	1.8	11.7	<b>7.3</b>	0.47	0.83	97	1.5	8.1	<b>5.1</b>	0.31	0.52	C70-72
Thyroid	69	0.9	6.0	<b>4.0</b>	0.30	0.43	198	3.0	16.6	<b>11.9</b>	0.90	1.20	C73
Adrenal gland	1	0.0	0.1	<b>0.2</b>	0.01	0.01	6	0.1	0.5	<b>0.3</b>	0.01	0.02	C74
Other endocrine	1	0.0	0.1	<b>0.2</b>	0.01	0.01	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	43	0.6	3.8	<b>3.2</b>	0.21	0.24	36	0.5	3.0	<b>3.3</b>	0.20	0.23	C81
Non-Hodgkin lymphoma	252	3.3	22.1	<b>12.8</b>	0.74	1.36	214	3.2	17.9	<b>8.1</b>	0.48	0.95	C82-86,C96
Immunoproliferative diseases	23	0.3	2.0	<b>1.2</b>	0.07	0.13	25	0.4	2.1	<b>1.0</b>	0.06	0.13	C88
Multiple myeloma	97	1.3	8.5	<b>4.0</b>	0.21	0.48	95	1.4	7.9	<b>3.0</b>	0.16	0.36	C90
Lymphoid leukaemia	91	1.2	8.0	<b>5.6</b>	0.28	0.50	36	0.5	3.0	<b>3.2</b>	0.16	0.20	C91
Myeloid leukaemia	87	1.1	7.6	<b>4.6</b>	0.28	0.45	66	1.0	5.5	<b>2.4</b>	0.13	0.28	C92-94
Leukaemia unspecified	7	0.1	0.6	<b>0.2</b>	0.00	0.02	10	0.2	0.8	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	7	0.1	0.6	<b>0.2</b>	0.00	0.03	87	1.3	7.3	<b>3.7</b>	0.26	0.45	MPD
Myelodysplastic syndromes	7	0.1	0.6	<b>0.2</b>	0.00	0.03	73	1.1	6.1	<b>1.8</b>	0.03	0.24	MDS
Other and unspecified	135	1.8	11.8	<b>5.1</b>	0.17	0.49	128	1.9	10.7	<b>3.3</b>	0.15	0.31	O&U
All sites	9288		813.0	<b>405.0</b>	20.03	48.40	8106		678.3	<b>316.5</b>	20.26	35.00	C00-96
All sites except C44	7645	100.0	669.2	<b>336.1</b>	16.79	40.45	6660	100.0	557.3	<b>266.4</b>	17.36	29.59	C00-96 exc. C44

† See note following population pyramid

# Italy, Cremona

## CONTRIBUTORS

Paolo Ricci  
Luciana Gatti



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	69.8	Breast	93.3
Trachea, bronchus, and lung	45.5	Non-melanoma skin cancer	30.3
Non-melanoma skin cancer	43.9	Colon	19.6
Bladder	28.0	Thyroid	16.0
Colon	26.6	Trachea, bronchus, and lung	14.6
Stomach	22.4	Corpus uteri	14.3
Liver	20.9	Non-Hodgkin lymphoma	10.2
Kidney	12.8	Stomach	9.7
Rectum	12.2	Pancreas	8.0
Pancreas	10.4	Ovary	7.9
Non-Hodgkin lymphoma	9.4	Kidney	7.3
Testis	7.7	Melanoma of skin	7.1
Brain and nervous system	6.7	Bladder	6.8
Melanoma of skin	6.2	Rectum	6.2
Larynx	6.0	Liver	5.4
Oesophagus	5.0	Brain and nervous system	5.3
Thyroid	4.5	Cervix uteri	5.0
Other and unspecified	4.2	Other and unspecified	3.0
Multiple myeloma	4.2	Multiple myeloma	2.9
Myeloid leukaemia	3.8	Gallbladder etc.	2.4
All sites	393.0	All sites	299.7

## Italy, Cremona (2008–2010)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	1	0.0	0.2	<b>0.1</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C00
Tongue	28	0.7	5.3	<b>2.6</b>	0.12	0.36	6	0.2	1.1	<b>0.2</b>	0.00	0.03	C01-02
Mouth	16	0.4	3.0	<b>1.7</b>	0.17	0.21	15	0.4	2.7	<b>1.0</b>	0.07	0.12	C03-06
Salivary glands	14	0.4	2.6	<b>1.5</b>	0.10	0.16	7	0.2	1.3	<b>0.7</b>	0.04	0.06	C07-08
Tonsil	16	0.4	3.0	<b>1.7</b>	0.16	0.20	4	0.1	0.7	<b>0.4</b>	0.03	0.04	C09
Other oropharynx	8	0.2	1.5	<b>0.6</b>	0.03	0.08	2	0.1	0.4	<b>0.1</b>	0.00	0.00	C10
Nasopharynx	11	0.3	2.1	<b>1.4</b>	0.08	0.17	1	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	21	0.5	3.9	<b>1.7</b>	0.10	0.23	3	0.1	0.5	<b>0.2</b>	0.01	0.01	C12-13
Pharynx unspecified	10	0.3	1.9	<b>1.0</b>	0.07	0.10	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	63	1.6	11.8	<b>5.0</b>	0.21	0.56	13	0.4	2.3	<b>0.5</b>	0.03	0.04	C15
Stomach	286	7.2	53.8	<b>22.4</b>	0.86	2.66	193	5.6	34.8	<b>9.7</b>	0.35	1.05	C16
Small intestine	17	0.4	3.2	<b>1.4</b>	0.07	0.18	11	0.3	2.0	<b>0.9</b>	0.07	0.10	C17
Colon	320	8.1	60.2	<b>26.6</b>	1.20	3.21	305	8.9	55.0	<b>19.6</b>	1.07	2.20	C18
Rectum	140	3.5	26.3	<b>12.2</b>	0.67	1.49	91	2.7	16.4	<b>6.2</b>	0.35	0.72	C19-20
Anus	7	0.2	1.3	<b>0.8</b>	0.07	0.07	9	0.3	1.6	<b>0.8</b>	0.08	0.08	C21
Liver	249	6.3	46.8	<b>20.9</b>	1.00	2.49	95	2.8	17.1	<b>5.4</b>	0.23	0.62	C22
Gallbladder etc.	46	1.2	8.7	<b>3.4</b>	0.09	0.43	47	1.4	8.5	<b>2.4</b>	0.13	0.25	C23-24
Pancreas	124	3.1	23.3	<b>10.4</b>	0.53	1.23	159	4.6	28.7	<b>8.0</b>	0.30	0.90	C25
Nose, sinuses etc.	4	0.1	0.8	<b>0.4</b>	0.03	0.03	2	0.1	0.4	<b>0.1</b>	0.01	0.01	C30-31
Larynx	66	1.7	12.4	<b>6.0</b>	0.39	0.70	12	0.4	2.2	<b>0.7</b>	0.04	0.06	C32
Trachea, bronchus, and lung	561	14.2	105.5	<b>45.5</b>	1.89	5.78	218	6.4	39.3	<b>14.6</b>	0.81	1.69	C33-34
Other thoracic organs	10	0.3	1.9	<b>1.1</b>	0.06	0.13	6	0.2	1.1	<b>0.6</b>	0.03	0.06	C37-38
Bone	5	0.1	0.9	<b>1.0</b>	0.05	0.07	9	0.3	1.6	<b>1.7</b>	0.11	0.11	C40-41
Melanoma of skin	64	1.6	12.0	<b>6.2</b>	0.39	0.76	68	2.0	12.3	<b>7.1</b>	0.54	0.71	C43
Other skin	531		99.9	<b>43.9</b>	1.85	5.08	430		77.6	<b>30.3</b>	1.75	3.30	C44
Mesothelioma	24	0.6	4.5	<b>2.1</b>	0.11	0.28	10	0.3	1.8	<b>0.7</b>	0.04	0.07	C45
Kaposi sarcoma	29	0.7	5.5	<b>2.5</b>	0.13	0.26	18	0.5	3.2	<b>0.6</b>	0.00	0.06	C46
Connective and soft tissue	17	0.4	3.2	<b>1.8</b>	0.14	0.19	17	0.5	3.1	<b>1.5</b>	0.08	0.14	C47+C49
Breast	7	0.2	1.3	<b>0.8</b>	0.06	0.08	1009	29.4	182.1	<b>93.3</b>	6.99	10.42	C50
Vulva							16	0.5	2.9	<b>0.7</b>	0.01	0.08	C51
Vagina							8	0.2	1.4	<b>0.4</b>	0.01	0.04	C52
Cervix uteri							49	1.4	8.8	<b>5.0</b>	0.38	0.51	C53
Corpus uteri							163	4.8	29.4	<b>14.3</b>	1.03	1.81	C54
Uterus unspecified							6	0.2	1.1	<b>0.3</b>	0.01	0.03	C55
Ovary							95	2.8	17.1	<b>7.9</b>	0.56	0.86	C56
Other female genital organs							9	0.3	1.6	<b>0.5</b>	0.01	0.08	C57
Placenta							1	0.0	0.2	<b>0.1</b>	0.01	0.01	C58
Penis	5	0.1	0.9	<b>0.4</b>	0.01	0.03							C60
Prostate	780	19.7	146.7	<b>69.8</b>	3.56	9.61							C61
Testis	41	1.0	7.7	<b>7.7</b>	0.57	0.57							C62
Other male genital organs	2	0.1	0.4	<b>0.2</b>	0.01	0.03							C63
Kidney	137	3.5	25.8	<b>12.8</b>	0.82	1.50	93	2.7	16.8	<b>7.3</b>	0.38	0.97	C64
Renal pelvis	8	0.2	1.5	<b>0.6</b>	0.03	0.04	3	0.1	0.5	<b>0.1</b>	0.00	0.02	C65
Ureter	2	0.1	0.4	<b>0.1</b>	0.00	0.00	5	0.1	0.9	<b>0.3</b>	0.01	0.03	C66
†Bladder	338	8.5	63.6	<b>28.0</b>	1.18	3.23	99	2.9	17.9	<b>6.8</b>	0.38	0.81	C67
Other urinary organs	2	0.1	0.4	<b>0.1</b>	0.00	0.02	2	0.1	0.4	<b>0.0</b>	0.00	0.00	C68
Eye	3	0.1	0.6	<b>0.3</b>	0.00	0.04	6	0.2	1.1	<b>1.5</b>	0.06	0.08	C69
Brain and nervous system	62	1.6	11.7	<b>6.7</b>	0.35	0.81	46	1.3	8.3	<b>5.3</b>	0.31	0.46	C70-72
Thyroid	33	0.8	6.2	<b>4.5</b>	0.37	0.44	122	3.6	22.0	<b>16.0</b>	1.26	1.60	C73
Adrenal gland	4	0.1	0.8	<b>0.7</b>	0.02	0.07	5	0.1	0.9	<b>0.5</b>	0.04	0.07	C74
Other endocrine	1	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	17	0.4	3.2	<b>3.1</b>	0.22	0.26	17	0.5	3.1	<b>2.4</b>	0.20	0.23	C81
Non-Hodgkin lymphoma	101	2.5	19.0	<b>9.4</b>	0.55	1.16	117	3.4	21.1	<b>10.2</b>	0.67	1.12	C82-86,C96
Immunoproliferative diseases	5	0.1	0.9	<b>0.4</b>	0.01	0.05	4	0.1	0.7	<b>0.2</b>	0.00	0.03	C88
Multiple myeloma	56	1.4	10.5	<b>4.2</b>	0.17	0.43	48	1.4	8.7	<b>2.9</b>	0.08	0.42	C90
Lymphoid leukaemia	31	0.8	5.8	<b>3.2</b>	0.14	0.38	17	0.5	3.1	<b>1.0</b>	0.06	0.12	C91
Myeloid leukaemia	41	1.0	7.7	<b>3.8</b>	0.21	0.43	28	0.8	5.1	<b>1.5</b>	0.03	0.17	C92-94
Leukaemia unspecified	16	0.4	3.0	<b>1.9</b>	0.06	0.12	14	0.4	2.5	<b>1.0</b>	0.06	0.09	C95
Myeloproliferative disorders	31	0.8	5.8	<b>2.4</b>	0.06	0.37	26	0.8	4.7	<b>1.7</b>	0.07	0.21	MPD
Myelodysplastic syndromes	26	0.7	4.9	<b>1.7</b>	0.03	0.18	30	0.9	5.4	<b>1.2</b>	0.03	0.14	MDS
Other and unspecified	55	1.4	10.3	<b>4.2</b>	0.15	0.39	67	2.0	12.1	<b>3.0</b>	0.12	0.22	O&U
All sites	4492		844.9	<b>393.0</b>	19.19	47.33	3857		695.9	<b>299.7</b>	18.97	33.09	C00-96
All sites except C44	3961	100.0	745.0	<b>349.1</b>	17.33	42.26	3427	100.0	618.3	<b>269.4</b>	17.22	29.79	C00-96 exc. C44


† See note following population pyramid



# Italy, Ferrara

## CONTRIBUTORS

S. Ferretti  
L. Marzola  
E. Migliari  
N. Carletti  
C. Petrucci  
P. Biavati



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	90.5	Breast	101.3
Prostate	71.8	Non-melanoma skin cancer	57.8
Trachea, bronchus, and lung	54.5	Thyroid	25.7
Bladder	38.1	Colon	22.9
Colon	31.1	Corpus uteri	16.9
Kidney	18.8	Trachea, bronchus, and lung	15.2
Non-Hodgkin lymphoma	14.1	Non-Hodgkin lymphoma	8.8
Rectum	13.0	Rectum	8.6
Liver	11.3	Ovary	8.1
Pancreas	10.3	Bladder	8.1
Stomach	10.3	Melanoma of skin	7.3
Melanoma of skin	9.8	Kidney	7.2
Thyroid	9.6	Pancreas	6.7
Other and unspecified	6.7	Stomach	5.7
Larynx	6.4	Brain and nervous system	5.4
Brain and nervous system	5.6	Other and unspecified	4.4
Testis	5.4	Cervix uteri	4.3
Hodgkin lymphoma	4.3	Myeloproliferative disorders	4.2
Myeloid leukaemia	4.1	Myeloid leukaemia	3.5
Connective and soft tissue	4.0	Liver	3.1
All sites	462.7	All sites	354.9

## Italy, Ferrara (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	31	0.5	4.5	1.7	0.06	0.23	8	0.1	1.1	0.3	0.00	0.03	C00
Tongue	35	0.5	5.1	2.2	0.15	0.23	15	0.3	2.0	1.0	0.07	0.10	C01-02
Mouth	28	0.4	4.1	2.0	0.15	0.26	23	0.4	3.1	1.5	0.13	0.16	C03-06
Salivary glands	9	0.1	1.3	0.5	0.03	0.05	10	0.2	1.3	0.4	0.03	0.04	C07-08
Tonsil	19	0.3	2.8	1.3	0.09	0.18	9	0.2	1.2	0.6	0.04	0.09	C09
Other oropharynx	6	0.1	0.9	0.5	0.04	0.05	3	0.1	0.4	0.2	0.02	0.02	C10
Nasopharynx	11	0.2	1.6	1.1	0.09	0.10	6	0.1	0.8	0.6	0.05	0.05	C11
Hypopharynx	11	0.2	1.6	0.9	0.08	0.12	2	0.0	0.3	0.1	0.01	0.02	C12-13
Pharynx unspecified	8	0.1	1.2	0.5	0.03	0.07	3	0.1	0.4	0.1	0.01	0.02	C14
Oesophagus	50	0.8	7.3	3.2	0.20	0.36	31	0.5	4.1	1.5	0.10	0.17	C15
Stomach	205	3.2	29.8	10.3	0.42	1.19	148	2.6	19.7	5.7	0.32	0.63	C16
Small intestine	14	0.2	2.0	0.8	0.02	0.13	21	0.4	2.8	0.9	0.04	0.10	C17
Colon	615	9.5	89.5	31.1	1.30	3.63	584	10.3	77.9	22.9	1.17	2.67	C18
Rectum	240	3.7	34.9	13.0	0.60	1.59	190	3.4	25.3	8.6	0.46	1.01	C19-20
Anus	12	0.2	1.7	0.7	0.02	0.08	16	0.3	2.1	0.5	0.02	0.05	C21
Liver	215	3.3	31.3	11.3	0.54	1.17	111	2.0	14.8	3.1	0.08	0.30	C22
Gallbladder etc.	70	1.1	10.2	3.4	0.12	0.39	78	1.4	10.4	2.3	0.09	0.22	C23-24
Pancreas	195	3.0	28.4	10.3	0.46	1.21	211	3.7	28.1	6.7	0.20	0.81	C25
Nose, sinuses etc.	10	0.2	1.5	1.1	0.09	0.11	6	0.1	0.8	0.3	0.03	0.04	C30-31
Larynx	105	1.6	15.3	6.4	0.34	0.87	14	0.2	1.9	0.6	0.03	0.07	C32
Trachea, bronchus, and lung	1087	16.8	158.3	54.5	2.18	6.65	377	6.7	50.3	15.2	0.83	1.72	C33-34
Other thoracic organs	13	0.2	1.9	1.0	0.08	0.09	8	0.1	1.1	0.4	0.02	0.05	C37-38
Bone	5	0.1	0.7	0.3	0.01	0.05	3	0.1	0.4	0.2	0.01	0.02	C40-41
Melanoma of skin	129	2.0	18.8	9.8	0.74	1.04	99	1.7	13.2	7.3	0.57	0.70	C43
Other skin	1723		250.9	90.5	4.05	10.17	1318		175.8	57.8	3.28	6.18	C44
Mesothelioma	43	0.7	6.3	2.3	0.08	0.30	15	0.3	2.0	0.7	0.05	0.10	C45
Kaposi sarcoma	15	0.2	2.2	0.8	0.05	0.10	14	0.2	1.9	0.4	0.01	0.04	C46
Connective and soft tissue	44	0.7	6.4	4.0	0.23	0.33	38	0.7	5.1	2.2	0.11	0.26	C47+C49
Breast	13	0.2	1.9	0.7	0.05	0.07	1648	29.1	219.8	101.3	7.21	11.61	C50
Vulva							37	0.7	4.9	1.3	0.06	0.15	C51
Vagina							4	0.1	0.5	0.1	0.01	0.01	C52
Cervix uteri							62	1.1	8.3	4.3	0.34	0.40	C53
Corpus uteri							286	5.1	38.1	16.9	1.20	2.17	C54
Uterus unspecified							8	0.1	1.1	0.3	0.02	0.02	C55
Ovary							159	2.8	21.2	8.1	0.50	0.91	C56
Other female genital organs							12	0.2	1.6	0.4	0.02	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	10	0.2	1.5	0.6	0.04	0.05							C60
Prostate	1239	19.1	180.4	71.8	3.50	9.88							C61
Testis	39	0.6	5.7	5.4	0.39	0.43							C62
Other male genital organs	2	0.0	0.3	0.2	0.02	0.02							C63
Kidney	301	4.6	43.8	18.8	1.14	2.22	158	2.8	21.1	7.2	0.45	0.81	C64
Renal pelvis	31	0.5	4.5	1.5	0.07	0.14	7	0.1	0.9	0.2	0.00	0.03	C65
Ureter	12	0.2	1.7	0.5	0.02	0.04	5	0.1	0.7	0.2	0.01	0.03	C66
†Bladder	730	11.3	106.3	38.1	1.81	4.37	192	3.4	25.6	8.1	0.46	0.88	C67
Other urinary organs	4	0.1	0.6	0.1	0.00	0.00	1	0.0	0.1	0.1	0.01	0.01	C68
Eye	4	0.1	0.6	0.2	0.00	0.01	5	0.1	0.7	0.3	0.03	0.03	C69
Brain and nervous system	82	1.3	11.9	5.6	0.34	0.59	86	1.5	11.5	5.4	0.28	0.52	C70-72
Thyroid	109	1.7	15.9	9.6	0.68	1.01	277	4.9	36.9	25.7	1.95	2.52	C73
Adrenal gland	5	0.1	0.7	0.5	0.02	0.03	3	0.1	0.4	0.4	0.02	0.03	C74
Other endocrine	3	0.0	0.4	0.3	0.02	0.03	2	0.0	0.3	0.5	0.02	0.02	C75
Hodgkin lymphoma	34	0.5	5.0	4.3	0.30	0.36	23	0.4	3.1	2.8	0.22	0.24	C81
Non-Hodgkin lymphoma	191	2.9	27.8	14.1	0.80	1.46	169	3.0	22.5	8.8	0.59	0.91	C82-86,C96
Immunoproliferative diseases	21	0.3	3.1	1.3	0.08	0.15	13	0.2	1.7	0.9	0.08	0.10	C88
Multiple myeloma	66	1.0	9.6	3.7	0.20	0.42	63	1.1	8.4	2.6	0.13	0.33	C90
Lymphoid leukaemia	50	0.8	7.3	3.3	0.20	0.31	60	1.1	8.0	2.7	0.10	0.29	C91
Myeloid leukaemia	63	1.0	9.2	4.1	0.29	0.40	63	1.1	8.4	3.5	0.15	0.32	C92-94
Leukaemia unspecified	5	0.1	0.7	0.3	0.01	0.02	1	0.0	0.1	0.0	0.00	0.00	C95
Myeloproliferative disorders	49	0.8	7.1	3.3	0.18	0.41	61	1.1	8.1	4.2	0.26	0.43	MPD
Myelodysplastic syndromes	62	1.0	9.0	2.5	0.07	0.23	64	1.1	8.5	2.0	0.05	0.20	MDS
Other and unspecified	127	2.0	18.5	6.7	0.29	0.68	146	2.6	19.5	4.4	0.18	0.44	O&U
All sites	8200		1194.0	462.7	22.74	54.11	6976		930.3	354.9	22.10	39.13	C00-96
All sites except C44	6477	100.0	943.1	372.1	18.69	43.95	5658	100.0	754.6	297.1	18.83	32.95	C00-96 exc. C44

† See note following population pyramid

# Italy, Florence and Prato

## CONTRIBUTORS

Alessandro Barchielli  
 Carlotta Buzzoni  
 Adele Caldarella  
 Antonella Corbinelli  
 Pietro Paolo di Dia  
 Teresa Intrieri  
 Gianfranco Manneschi  
 Libuse Nemcova  
 Carmen Visioli  
 Emanuele Crocetti



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	81.3	Breast	89.9
Prostate	60.6	Non-melanoma skin cancer	55.5
Trachea, bronchus, and lung	42.8	Colon	19.1
Bladder	32.7	Melanoma of skin	18.2
Colon	24.5	Thyroid	18.0
Melanoma of skin	19.4	Trachea, bronchus, and lung	16.4
Kidney	15.0	Corpus uteri	15.4
Stomach	15.0	Non-Hodgkin lymphoma	8.5
Non-Hodgkin lymphoma	14.6	Ovary	8.0
Rectum	13.4	Rectum	7.8
Liver	8.5	Bladder	7.4
Pancreas	7.2	Stomach	7.0
Brain and nervous system	6.9	Kidney	6.3
Testis	6.1	Cervix uteri	5.5
Thyroid	5.8	Pancreas	5.3
Larynx	5.8	Other and unspecified	5.1
Other and unspecified	5.5	Brain and nervous system	4.0
Multiple myeloma	5.3	Multiple myeloma	3.6
Lymphoid leukaemia	5.0	Myeloid leukaemia	3.0
Hodgkin lymphoma	4.9	Liver	2.8
All sites	418.1	All sites	333.6

## Italy, Florence and Prato (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	26	0.2	1.5	<b>0.4</b>	0.00	0.04	10	0.1	0.5	<b>0.1</b>	0.00	0.01	C00
Tongue	60	0.5	3.5	<b>1.8</b>	0.12	0.24	37	0.3	2.0	<b>0.8</b>	0.07	0.09	C01-02
Mouth	45	0.3	2.6	<b>1.4</b>	0.10	0.19	41	0.4	2.2	<b>0.9</b>	0.04	0.11	C03-06
Salivary glands	21	0.2	1.2	<b>0.8</b>	0.06	0.08	23	0.2	1.2	<b>0.8</b>	0.05	0.07	C07-08
Tonsil	31	0.2	1.8	<b>1.0</b>	0.08	0.12	7	0.1	0.4	<b>0.3</b>	0.02	0.03	C09
Other oropharynx	15	0.1	0.9	<b>0.5</b>	0.04	0.06	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	26	0.2	1.5	<b>1.0</b>	0.08	0.10	10	0.1	0.5	<b>0.4</b>	0.03	0.03	C11
Hypopharynx	15	0.1	0.9	<b>0.5</b>	0.04	0.06	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	2	0.0	0.1	<b>0.1</b>	0.01	0.01	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	59	0.4	3.4	<b>1.4</b>	0.07	0.19	38	0.3	2.0	<b>0.6</b>	0.04	0.07	C15
Stomach	728	5.5	42.0	<b>15.0</b>	0.56	1.62	476	4.2	25.3	<b>7.0</b>	0.27	0.74	C16
Small intestine	47	0.4	2.7	<b>1.5</b>	0.10	0.16	32	0.3	1.7	<b>0.7</b>	0.04	0.08	C17
Colon	1099	8.4	63.4	<b>24.5</b>	1.16	2.78	1048	9.2	55.8	<b>19.1</b>	1.06	2.17	C18
Rectum	578	4.4	33.4	<b>13.4</b>	0.66	1.58	406	3.6	21.6	<b>7.8</b>	0.42	0.91	C19-20
Anus	29	0.2	1.7	<b>0.8</b>	0.04	0.08	57	0.5	3.0	<b>1.3</b>	0.09	0.16	C21
Liver	331	2.5	19.1	<b>8.5</b>	0.49	0.99	170	1.5	9.0	<b>2.8</b>	0.09	0.31	C22
Gallbladder etc.	132	1.0	7.6	<b>3.0</b>	0.14	0.36	143	1.3	7.6	<b>2.3</b>	0.09	0.27	C23-24
Pancreas	312	2.4	18.0	<b>7.2</b>	0.37	0.85	341	3.0	18.1	<b>5.3</b>	0.23	0.60	C25
Nose, sinuses etc.	31	0.2	1.8	<b>0.9</b>	0.06	0.10	24	0.2	1.3	<b>0.6</b>	0.04	0.07	C30-31
Larynx	220	1.7	12.7	<b>5.8</b>	0.35	0.75	30	0.3	1.6	<b>0.8</b>	0.07	0.09	C32
Trachea, bronchus, and lung	1830	13.9	105.6	<b>42.8</b>	1.96	5.33	760	6.7	40.4	<b>16.4</b>	1.05	2.02	C33-34
Other thoracic organs	27	0.2	1.6	<b>0.7</b>	0.02	0.06	17	0.1	0.9	<b>0.4</b>	0.03	0.05	C37-38
Bone	31	0.2	1.8	<b>1.5</b>	0.10	0.13	35	0.3	1.9	<b>1.4</b>	0.10	0.11	C40-41
Melanoma of skin	560	4.3	32.3	<b>19.4</b>	1.40	2.14	495	4.4	26.3	<b>18.2</b>	1.39	1.70	C43
Other skin	3441		198.6	<b>81.3</b>	4.09	9.28	2575		137.0	<b>55.5</b>	3.44	6.15	C44
Mesothelioma	43	0.3	2.5	<b>1.0</b>	0.05	0.12	11	0.1	0.6	<b>0.2</b>	0.00	0.04	C45
Kaposi sarcoma	43	0.3	2.5	<b>1.4</b>	0.11	0.14	7	0.1	0.4	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	81	0.6	4.7	<b>2.9</b>	0.18	0.25	60	0.5	3.2	<b>1.8</b>	0.10	0.20	C47+C49
Breast	24	0.2	1.4	<b>0.5</b>	0.03	0.05	3218	28.3	171.2	<b>89.9</b>	6.77	10.23	C50
Vulva							69	0.6	3.7	<b>1.1</b>	0.05	0.10	C51
Vagina							13	0.1	0.7	<b>0.5</b>	0.02	0.03	C52
Cervix uteri							173	1.5	9.2	<b>5.5</b>	0.42	0.56	C53
Corpus uteri							605	5.3	32.2	<b>15.4</b>	1.10	1.87	C54
Uterus unspecified							21	0.2	1.1	<b>0.4</b>	0.02	0.03	C55
Ovary							314	2.8	16.7	<b>8.0</b>	0.60	0.91	C56
Other female genital organs							20	0.2	1.1	<b>0.4</b>	0.03	0.04	C57
Placenta							3	0.0	0.2	<b>0.1</b>	0.01	0.01	C58
Penis	26	0.2	1.5	<b>0.6</b>	0.02	0.08							C60
Prostate	2574	19.6	148.6	<b>60.6</b>	2.49	8.43							C61
Testis	105	0.8	6.1	<b>6.1</b>	0.43	0.45							C62
Other male genital organs	3	0.0	0.2	<b>0.2</b>	0.01	0.01							C63
Kidney	539	4.1	31.1	<b>15.0</b>	0.90	1.78	287	2.5	15.3	<b>6.3</b>	0.39	0.72	C64
Renal pelvis	35	0.3	2.0	<b>0.8</b>	0.04	0.09	19	0.2	1.0	<b>0.4</b>	0.02	0.05	C65
Ureter	38	0.3	2.2	<b>0.8</b>	0.03	0.10	14	0.1	0.7	<b>0.2</b>	0.01	0.02	C66
†Bladder	1407	10.7	81.2	<b>32.7</b>	1.61	3.95	382	3.4	20.3	<b>7.4</b>	0.43	0.81	C67
Other urinary organs	6	0.0	0.3	<b>0.2</b>	0.01	0.01	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	18	0.1	1.0	<b>0.7</b>	0.04	0.06	16	0.1	0.9	<b>0.6</b>	0.02	0.05	C69
Brain and nervous system	220	1.7	12.7	<b>6.9</b>	0.40	0.72	163	1.4	8.7	<b>4.0</b>	0.20	0.39	C70-72
Thyroid	149	1.1	8.6	<b>5.8</b>	0.43	0.57	466	4.1	24.8	<b>18.0</b>	1.41	1.79	C73
Adrenal gland	10	0.1	0.6	<b>0.8</b>	0.05	0.05	8	0.1	0.4	<b>0.6</b>	0.03	0.03	C74
Other endocrine	4	0.0	0.2	<b>0.3</b>	0.02	0.02	2	0.0	0.1	<b>0.2</b>	0.01	0.01	C75
Hodgkin lymphoma	91	0.7	5.3	<b>4.9</b>	0.32	0.39	48	0.4	2.6	<b>2.5</b>	0.17	0.19	C81
Non-Hodgkin lymphoma	464	3.5	26.8	<b>14.6</b>	0.96	1.50	350	3.1	18.6	<b>8.5</b>	0.50	0.91	C82-86,C96
Immunoproliferative diseases	35	0.3	2.0	<b>1.1</b>	0.07	0.12	36	0.3	1.9	<b>0.8</b>	0.05	0.07	C88
Multiple myeloma	235	1.8	13.6	<b>5.3</b>	0.24	0.64	191	1.7	10.2	<b>3.6</b>	0.18	0.45	C90
Lymphoid leukaemia	141	1.1	8.1	<b>5.0</b>	0.27	0.46	60	0.5	3.2	<b>2.2</b>	0.10	0.17	C91
Myeloid leukaemia	133	1.0	7.7	<b>3.8</b>	0.22	0.41	114	1.0	6.1	<b>3.0</b>	0.18	0.30	C92-94
Leukaemia unspecified	22	0.2	1.3	<b>0.4</b>	0.01	0.05	15	0.1	0.8	<b>0.4</b>	0.01	0.03	C95
Myeloproliferative disorders	98	0.7	5.7	<b>2.9</b>	0.17	0.34	64	0.6	3.4	<b>1.7</b>	0.11	0.19	MPD
Myelodysplastic syndromes	100	0.8	5.8	<b>1.9</b>	0.06	0.19	98	0.9	5.2	<b>1.4</b>	0.04	0.12	MDS
Other and unspecified	244	1.9	14.1	<b>5.5</b>	0.26	0.53	306	2.7	16.3	<b>5.1</b>	0.25	0.47	O&U
All sites	16584		957.1	<b>418.1</b>	21.52	48.81	13937		741.7	<b>333.6</b>	21.95	36.68	C00-96
All sites except C44	13143	100.0	758.5	<b>336.8</b>	17.43	39.53	11362	100.0	604.6	<b>278.1</b>	18.52	30.53	C00-96 exc. C44

† See note following population pyramid

# Italy, Friuli-Venezia Giulia

## CONTRIBUTORS

Diego Serraino  
Tiziana Angelin  
Ettore Bidoli  
Silvia Birri  
Luigino Dal Maso  
Margherita De Dottori  
Emilia De Santis  
Ornella Forgiarini  
Antonella Zucchetto  
Loris Zanier



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	84.6	Breast	96.5
Prostate	75.3	Non-melanoma skin cancer	69.6
Trachea, bronchus, and lung	39.7	Colon	21.8
Colon	36.3	Trachea, bronchus, and lung	15.9
Bladder	25.2	Melanoma of skin	13.2
Liver	16.1	Thyroid	12.9
Melanoma of skin	14.8	Rectum	8.5
Stomach	14.3	Non-Hodgkin lymphoma	8.5
Rectum	13.9	Corpus uteri	8.2
Kidney	12.3	Stomach	7.3
Non-Hodgkin lymphoma	11.2	Pancreas	7.1
Pancreas	9.5	Ovary	6.7
Brain and nervous system	8.1	Bladder	6.1
Larynx	7.0	Kidney	5.3
Other and unspecified	6.6	Cervix uteri	5.1
Testis	6.2	Brain and nervous system	4.8
Lymphoid leukaemia	4.8	Other and unspecified	4.1
Oesophagus	4.6	Hodgkin lymphoma	3.9
Thyroid	4.6	Liver	3.3
Myeloid leukaemia	3.9	Myeloid leukaemia	2.7
All sites	439.0	All sites	339.6

## Italy, Friuli-Venezia Giulia (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	39	0.3	2.2	<b>0.7</b>	0.02	0.08	10	0.1	0.5	<b>0.1</b>	0.00	0.01	C00
Tongue	115	0.8	6.4	<b>3.1</b>	0.21	0.38	39	0.3	2.0	<b>0.8</b>	0.05	0.10	C01-02
Mouth	114	0.8	6.3	<b>3.2</b>	0.23	0.38	75	0.6	3.9	<b>1.5</b>	0.10	0.18	C03-06
Salivary glands	24	0.2	1.3	<b>0.6</b>	0.04	0.05	23	0.2	1.2	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	58	0.4	3.2	<b>1.7</b>	0.12	0.22	24	0.2	1.3	<b>0.7</b>	0.05	0.09	C09
Other oropharynx	29	0.2	1.6	<b>0.8</b>	0.06	0.09	15	0.1	0.8	<b>0.5</b>	0.04	0.05	C10
Nasopharynx	20	0.1	1.1	<b>0.7</b>	0.05	0.07	11	0.1	0.6	<b>0.2</b>	0.02	0.03	C11
Hypopharynx	103	0.7	5.7	<b>2.8</b>	0.19	0.37	13	0.1	0.7	<b>0.3</b>	0.02	0.03	C12-13
Pharynx unspecified	25	0.2	1.4	<b>0.8</b>	0.06	0.10	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	185	1.3	10.3	<b>4.6</b>	0.28	0.62	80	0.7	4.2	<b>1.6</b>	0.11	0.19	C15
Stomach	652	4.6	36.2	<b>14.3</b>	0.55	1.67	464	3.8	24.3	<b>7.3</b>	0.32	0.80	C16
Small intestine	40	0.3	2.2	<b>1.1</b>	0.08	0.14	43	0.4	2.2	<b>0.8</b>	0.05	0.09	C17
Colon	1564	10.9	87.0	<b>36.3</b>	1.71	4.44	1210	10.0	63.3	<b>21.8</b>	1.17	2.62	C18
Rectum	580	4.1	32.2	<b>13.9</b>	0.66	1.80	440	3.6	23.0	<b>8.5</b>	0.51	1.00	C19-20
Anus	27	0.2	1.5	<b>0.7</b>	0.04	0.08	61	0.5	3.2	<b>1.2</b>	0.08	0.14	C21
Liver	660	4.6	36.7	<b>16.1</b>	0.81	2.10	220	1.8	11.5	<b>3.3</b>	0.12	0.40	C22
Gallbladder etc.	116	0.8	6.4	<b>2.6</b>	0.12	0.31	161	1.3	8.4	<b>2.2</b>	0.09	0.25	C23-24
Pancreas	412	2.9	22.9	<b>9.5</b>	0.46	1.14	478	3.9	25.0	<b>7.1</b>	0.30	0.82	C25
Nose, sinuses etc.	20	0.1	1.1	<b>0.6</b>	0.04	0.07	16	0.1	0.8	<b>0.3</b>	0.02	0.04	C30-31
Larynx	270	1.9	15.0	<b>7.0</b>	0.41	0.90	40	0.3	2.1	<b>0.9</b>	0.07	0.11	C32
Trachea, bronchus, and lung	1813	12.7	100.8	<b>39.7</b>	1.68	4.85	833	6.9	43.6	<b>15.9</b>	0.93	1.92	C33-34
Other thoracic organs	24	0.2	1.3	<b>0.6</b>	0.04	0.07	18	0.1	0.9	<b>0.3</b>	0.01	0.03	C37-38
Bone	17	0.1	0.9	<b>1.1</b>	0.07	0.07	25	0.2	1.3	<b>1.1</b>	0.06	0.09	C40-41
Melanoma of skin	473	3.3	26.3	<b>14.8</b>	1.02	1.64	406	3.4	21.2	<b>13.2</b>	0.97	1.32	C43
Other skin	3522		195.8	<b>84.6</b>	4.19	9.79	3373		176.5	<b>69.6</b>	4.22	7.73	C44
Mesothelioma	146	1.0	8.1	<b>3.2</b>	0.13	0.42	17	0.1	0.9	<b>0.3</b>	0.01	0.03	C45
Kaposi sarcoma	22	0.2	1.2	<b>0.7</b>	0.04	0.08	4	0.0	0.2	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	76	0.5	4.2	<b>2.5</b>	0.15	0.23	70	0.6	3.7	<b>1.7</b>	0.12	0.18	C47+C49
Breast	32	0.2	1.8	<b>0.7</b>	0.02	0.08	3805	31.4	199.1	<b>96.5</b>	6.98	11.11	C50
Vulva							81	0.7	4.2	<b>1.3</b>	0.06	0.14	C51
Vagina							19	0.2	1.0	<b>0.4</b>	0.04	0.04	C52
Cervix uteri							158	1.3	8.3	<b>5.1</b>	0.41	0.50	C53
Corpus uteri							370	3.1	19.4	<b>8.2</b>	0.54	1.04	C54
Uterus unspecified							91	0.8	4.8	<b>2.3</b>	0.18	0.24	C55
Ovary							258	2.1	13.5	<b>6.7</b>	0.49	0.81	C56
Other female genital organs							109	0.9	5.7	<b>1.7</b>	0.09	0.20	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	33	0.2	1.8	<b>0.8</b>	0.05	0.08							C60
Prostate	3230	22.6	179.6	<b>75.3</b>	3.23	10.36							C61
Testis	117	0.8	6.5	<b>6.2</b>	0.47	0.48							C62
Other male genital organs	5	0.0	0.3	<b>0.1</b>	0.00	0.01							C63
Kidney	451	3.1	25.1	<b>12.3</b>	0.79	1.50	259	2.1	13.6	<b>5.3</b>	0.30	0.65	C64
Renal pelvis	16	0.1	0.9	<b>0.3</b>	0.02	0.04	11	0.1	0.6	<b>0.2</b>	0.02	0.02	C65
Ureter	25	0.2	1.4	<b>0.6</b>	0.03	0.06	21	0.2	1.1	<b>0.4</b>	0.02	0.04	C66
†Bladder	1117	7.8	62.1	<b>25.2</b>	1.06	2.94	355	2.9	18.6	<b>6.1</b>	0.32	0.69	C67
Other urinary organs	89	0.6	4.9	<b>1.8</b>	0.07	0.18	57	0.5	3.0	<b>0.8</b>	0.03	0.09	C68
Eye	19	0.1	1.1	<b>0.7</b>	0.05	0.07	9	0.1	0.5	<b>0.2</b>	0.02	0.02	C69
Brain and nervous system	224	1.6	12.5	<b>8.1</b>	0.50	0.78	177	1.5	9.3	<b>4.8</b>	0.27	0.43	C70-72
Thyroid	128	0.9	7.1	<b>4.6</b>	0.36	0.48	344	2.8	18.0	<b>12.9</b>	1.02	1.25	C73
Adrenal gland	7	0.0	0.4	<b>0.3</b>	0.01	0.02	9	0.1	0.5	<b>0.6</b>	0.03	0.04	C74
Other endocrine	2	0.0	0.1	<b>0.1</b>	0.00	0.01	5	0.0	0.3	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	63	0.4	3.5	<b>3.8</b>	0.24	0.28	67	0.6	3.5	<b>3.9</b>	0.24	0.28	C81
Non-Hodgkin lymphoma	405	2.8	22.5	<b>11.2</b>	0.64	1.22	407	3.4	21.3	<b>8.5</b>	0.51	0.93	C82-86,C96
Immunoproliferative diseases	10	0.1	0.6	<b>0.2</b>	0.00	0.02	15	0.1	0.8	<b>0.4</b>	0.03	0.04	C88
Multiple myeloma	140	1.0	7.8	<b>3.3</b>	0.15	0.39	161	1.3	8.4	<b>2.5</b>	0.11	0.28	C90
Lymphoid leukaemia	141	1.0	7.8	<b>4.8</b>	0.22	0.41	71	0.6	3.7	<b>2.3</b>	0.13	0.18	C91
Myeloid leukaemia	127	0.9	7.1	<b>3.9</b>	0.21	0.36	116	1.0	6.1	<b>2.7</b>	0.17	0.26	C92-94
Leukaemia unspecified	2	0.0	0.1	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	311	2.2	17.3	<b>6.6</b>	0.24	0.66	328	2.7	17.2	<b>4.1</b>	0.15	0.40	O&U
All sites	17840		991.8	<b>439.0</b>	21.83	52.61	15476		809.7	<b>339.6</b>	21.61	38.01	C00-96
All sites except C44	14318	100.0	796.0	<b>354.4</b>	17.64	42.81	12103	100.0	633.3	<b>270.0</b>	17.40	30.28	C00-96 exc. C44

† See note following population pyramid

# Italy, Latina

## CONTRIBUTORS

Fabio Pannozzo  
 Simonetta Curatella  
 Leonarda Macci  
 Edvige Bernazza  
 Ester Bugliarello  
 Orsola Valerio  
 Maria Cecilia Cercato  
 Miriana Rossi  
 Silvana Tamburrino  
 Isabella Sperduti



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	46.9	Breast	74.8
Prostate	43.3	Thyroid	29.7
Non-melanoma skin cancer	37.0	Non-melanoma skin cancer	23.5
Bladder	33.0	Colon	15.6
Colon	26.3	Trachea, bronchus, and lung	14.2
Rectum	11.9	Melanoma of skin	12.5
Melanoma of skin	11.6	Corpus uteri	12.4
Stomach	11.1	Rectum	7.7
Non-Hodgkin lymphoma	11.1	Non-Hodgkin lymphoma	6.9
Thyroid	10.3	Ovary	6.8
Kidney	9.3	Stomach	6.6
Liver	8.8	Pancreas	5.4
Pancreas	7.7	Bladder	5.4
Brain and nervous system	6.4	Brain and nervous system	4.6
Testis	6.0	Kidney	4.2
Other and unspecified	5.4	Other and unspecified	4.0
Larynx	5.2	Cervix uteri	3.8
Hodgkin lymphoma	5.2	Lymphoid leukaemia	3.3
Lymphoid leukaemia	4.5	Hodgkin lymphoma	3.3
Myeloid leukaemia	3.5	Liver	3.1
All sites	337.3	All sites	273.7



## Italy, Latina (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	18	0.2	1.3	<b>0.7</b>	0.03	0.09	3	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	35	0.5	2.6	<b>1.5</b>	0.10	0.16	15	0.2	1.1	<b>0.6</b>	0.05	0.07	C01-02
Mouth	27	0.4	2.0	<b>1.1</b>	0.08	0.14	22	0.3	1.6	<b>0.7</b>	0.03	0.09	C03-06
Salivary glands	20	0.3	1.5	<b>0.8</b>	0.03	0.10	10	0.2	0.7	<b>0.4</b>	0.02	0.04	C07-08
Tonsil	15	0.2	1.1	<b>0.6</b>	0.04	0.08	3	0.0	0.2	<b>0.2</b>	0.01	0.01	C09
Other oropharynx	13	0.2	1.0	<b>0.5</b>	0.03	0.08	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	9	0.1	0.7	<b>0.4</b>	0.03	0.05	6	0.1	0.4	<b>0.4</b>	0.03	0.03	C11
Hypopharynx	11	0.1	0.8	<b>0.5</b>	0.03	0.07	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	11	0.1	0.8	<b>0.5</b>	0.03	0.07	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	51	0.7	3.8	<b>2.0</b>	0.12	0.24	17	0.3	1.2	<b>0.5</b>	0.03	0.07	C15
Stomach	322	4.2	23.9	<b>11.1</b>	0.46	1.29	228	3.5	16.3	<b>6.6</b>	0.32	0.75	C16
Small intestine	18	0.2	1.3	<b>0.7</b>	0.04	0.06	17	0.3	1.2	<b>0.6</b>	0.04	0.07	C17
Colon	729	9.5	54.1	<b>26.3</b>	1.13	3.29	514	7.9	36.6	<b>15.6</b>	0.80	1.81	C18
Rectum	321	4.2	23.8	<b>11.9</b>	0.61	1.52	239	3.7	17.0	<b>7.7</b>	0.48	0.90	C19-20
Anus	47	0.6	3.5	<b>2.0</b>	0.13	0.22	36	0.6	2.6	<b>1.1</b>	0.08	0.11	C21
Liver	232	3.0	17.2	<b>8.8</b>	0.49	1.05	110	1.7	7.8	<b>3.1</b>	0.14	0.36	C22
Gallbladder etc.	70	0.9	5.2	<b>2.3</b>	0.08	0.26	105	1.6	7.5	<b>2.6</b>	0.09	0.25	C23-24
Pancreas	208	2.7	15.4	<b>7.7</b>	0.39	0.91	201	3.1	14.3	<b>5.4</b>	0.19	0.60	C25
Nose, sinuses etc.	9	0.1	0.7	<b>0.4</b>	0.02	0.05	8	0.1	0.6	<b>0.3</b>	0.01	0.02	C30-31
Larynx	127	1.6	9.4	<b>5.2</b>	0.34	0.72	15	0.2	1.1	<b>0.6</b>	0.05	0.08	C32
Trachea, bronchus, and lung	1318	17.1	97.9	<b>46.9</b>	2.03	5.84	417	6.4	29.7	<b>14.2</b>	0.88	1.71	C33-34
Other thoracic organs	15	0.2	1.1	<b>0.8</b>	0.04	0.07	20	0.3	1.4	<b>1.0</b>	0.06	0.08	C37-38
Bone	14	0.2	1.0	<b>1.0</b>	0.06	0.08	13	0.2	0.9	<b>0.8</b>	0.05	0.08	C40-41
Melanoma of skin	246	3.2	18.3	<b>11.6</b>	0.81	1.20	263	4.0	18.7	<b>12.5</b>	0.96	1.17	C43
Other skin	1059		78.7	<b>37.0</b>	1.53	4.23	825		58.8	<b>23.5</b>	1.12	2.57	C44
Mesothelioma	30	0.4	2.2	<b>1.1</b>	0.03	0.15	8	0.1	0.6	<b>0.2</b>	0.02	0.02	C45
Kaposi sarcoma	11	0.1	0.8	<b>0.3</b>	0.01	0.01	5	0.1	0.4	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	45	0.6	3.3	<b>2.1</b>	0.12	0.21	27	0.4	1.9	<b>0.9</b>	0.05	0.11	C47+C49
Breast	18	0.2	1.3	<b>0.8</b>	0.06	0.10	1796	27.5	128.0	<b>74.8</b>	5.65	8.40	C50
Vulva							49	0.8	3.5	<b>1.4</b>	0.06	0.14	C51
Vagina							11	0.2	0.8	<b>0.4</b>	0.03	0.04	C52
Cervix uteri							90	1.4	6.4	<b>3.8</b>	0.30	0.42	C53
Corpus uteri							322	4.9	23.0	<b>12.4</b>	1.02	1.51	C54
Uterus unspecified							28	0.4	2.0	<b>0.8</b>	0.05	0.11	C55
Ovary							174	2.7	12.4	<b>6.8</b>	0.49	0.78	C56
Other female genital organs							27	0.4	1.9	<b>1.1</b>	0.09	0.12	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	24	0.3	1.8	<b>1.0</b>	0.05	0.11							C60
Prostate	1183	15.4	87.9	<b>43.3</b>	1.79	6.05							C61
Testis	87	1.1	6.5	<b>6.0</b>	0.45	0.45							C62
Other male genital organs	3	0.0	0.2	<b>0.2</b>	0.02	0.02							C63
Kidney	217	2.8	16.1	<b>9.3</b>	0.65	1.09	121	1.9	8.6	<b>4.2</b>	0.24	0.51	C64
Renal pelvis	19	0.2	1.4	<b>0.7</b>	0.05	0.08	8	0.1	0.6	<b>0.3</b>	0.02	0.04	C65
Ureter	8	0.1	0.6	<b>0.3</b>	0.00	0.04	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C66
†Bladder	919	11.9	68.3	<b>33.0</b>	1.56	4.08	175	2.7	12.5	<b>5.4</b>	0.27	0.62	C67
Other urinary organs	9	0.1	0.7	<b>0.3</b>	0.02	0.05	6	0.1	0.4	<b>0.2</b>	0.01	0.01	C68
Eye	10	0.1	0.7	<b>0.4</b>	0.02	0.05	10	0.2	0.7	<b>0.7</b>	0.03	0.05	C69
Brain and nervous system	136	1.8	10.1	<b>6.4</b>	0.41	0.69	115	1.8	8.2	<b>4.6</b>	0.27	0.47	C70-72
Thyroid	183	2.4	13.6	<b>10.3</b>	0.80	1.03	548	8.4	39.1	<b>29.7</b>	2.40	2.84	C73
Adrenal gland	5	0.1	0.4	<b>0.5</b>	0.03	0.03	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C74
Other endocrine	1	0.0	0.1	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.01	C75
Hodgkin lymphoma	73	0.9	5.4	<b>5.2</b>	0.33	0.44	43	0.7	3.1	<b>3.3</b>	0.23	0.25	C81
Non-Hodgkin lymphoma	231	3.0	17.2	<b>11.1</b>	0.77	1.13	179	2.7	12.8	<b>6.9</b>	0.46	0.77	C82-86,C96
Immunoproliferative diseases	18	0.2	1.3	<b>0.8</b>	0.04	0.09	8	0.1	0.6	<b>0.3</b>	0.02	0.03	C88
Multiple myeloma	99	1.3	7.4	<b>3.4</b>	0.16	0.37	80	1.2	5.7	<b>2.6</b>	0.13	0.30	C90
Lymphoid leukaemia	87	1.1	6.5	<b>4.5</b>	0.21	0.36	59	0.9	4.2	<b>3.3</b>	0.17	0.27	C91
Myeloid leukaemia	79	1.0	5.9	<b>3.5</b>	0.20	0.32	74	1.1	5.3	<b>2.9</b>	0.15	0.31	C92-94
Leukaemia unspecified	5	0.1	0.4	<b>0.1</b>	0.00	0.00	5	0.1	0.4	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	45	0.6	3.3	<b>1.9</b>	0.12	0.21	36	0.6	2.6	<b>1.0</b>	0.04	0.12	MPD
Myelodysplastic syndromes	106	1.4	7.9	<b>3.1</b>	0.08	0.29	88	1.3	6.3	<b>2.3</b>	0.07	0.25	MDS
Other and unspecified	163	2.1	12.1	<b>5.4</b>	0.21	0.52	158	2.4	11.3	<b>4.0</b>	0.17	0.36	O&U
All sites	8759		650.5	<b>337.3</b>	16.86	39.85	7350		524.0	<b>273.7</b>	17.91	29.81	C00-96
All sites except C44	7700	100.0	571.9	<b>300.3</b>	15.33	35.62	6525	100.0	465.2	<b>250.1</b>	16.79	27.24	C00-96 exc. C44

† See note following population pyramid

# Italy, Lecco

## CONTRIBUTORS

Franco Paolo Tortorella  
Antonella Bracchi  
Silvana Mileto  
Piero Castelli



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	78.0	Breast	96.7
Prostate	64.3	Non-melanoma skin cancer	53.9
Trachea, bronchus, and lung	44.5	Colon	19.3
Bladder	34.6	Melanoma of skin	14.1
Colon	29.7	Trachea, bronchus, and lung	13.7
Liver	19.1	Non-Hodgkin lymphoma	13.4
Stomach	16.8	Corpus uteri	12.2
Kidney	15.5	Thyroid	11.9
Non-Hodgkin lymphoma	14.7	Stomach	10.7
Rectum	11.4	Ovary	8.3
Melanoma of skin	11.3	Pancreas	8.2
Pancreas	9.0	Kidney	7.0
Lymphoid leukaemia	7.6	Rectum	5.4
Larynx	6.7	Bladder	5.4
Brain and nervous system	5.8	Other and unspecified	5.1
Multiple myeloma	5.4	Liver	4.9
Testis	5.2	Multiple myeloma	4.8
Myeloid leukaemia	5.0	Brain and nervous system	4.1
Thyroid	5.0	Cervix uteri	3.9
Gallbladder etc.	3.8	Bone	3.1
All sites	426.5	All sites	331.6

## Italy, Lecco (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	2	0.1	0.4	<b>0.1</b>	0.00	0.00	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	11	0.3	2.2	<b>1.2</b>	0.08	0.16	9	0.3	1.8	<b>0.7</b>	0.06	0.06	C01-02
Mouth	19	0.6	3.9	<b>2.1</b>	0.12	0.28	9	0.3	1.8	<b>0.7</b>	0.03	0.06	C03-06
Salivary glands	6	0.2	1.2	<b>0.9</b>	0.06	0.06	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C07-08
Tonsil	11	0.3	2.2	<b>1.2</b>	0.09	0.13	2	0.1	0.4	<b>0.2</b>	0.02	0.04	C09
Other oropharynx	8	0.2	1.6	<b>0.9</b>	0.05	0.15	1	0.0	0.2	<b>0.1</b>	0.02	0.02	C10
Nasopharynx	7	0.2	1.4	<b>0.9</b>	0.05	0.10	3	0.1	0.6	<b>0.4</b>	0.03	0.05	C11
Hypopharynx	7	0.2	1.4	<b>0.8</b>	0.06	0.10	5	0.2	1.0	<b>0.4</b>	0.02	0.05	C12-13
Pharynx unspecified	1	0.0	0.2	<b>0.1</b>	0.00	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	15	0.4	3.1	<b>1.7</b>	0.12	0.20	12	0.4	2.4	<b>1.0</b>	0.08	0.11	C15
Stomach	185	5.4	37.6	<b>16.8</b>	0.75	1.83	159	5.2	31.2	<b>10.7</b>	0.43	1.28	C16
Small intestine	12	0.3	2.4	<b>1.4</b>	0.09	0.17	10	0.3	2.0	<b>0.6</b>	0.03	0.09	C17
Colon	308	9.0	62.6	<b>29.7</b>	1.40	3.57	278	9.1	54.5	<b>19.3</b>	1.00	2.13	C18
Rectum	108	3.1	22.0	<b>11.4</b>	0.68	1.41	71	2.3	13.9	<b>5.4</b>	0.30	0.55	C19-20
Anus	4	0.1	0.8	<b>0.4</b>	0.03	0.05	10	0.3	2.0	<b>0.8</b>	0.03	0.10	C21
Liver	198	5.8	40.3	<b>19.1</b>	0.86	2.28	92	3.0	18.0	<b>4.9</b>	0.14	0.48	C22
Gallbladder etc.	43	1.3	8.7	<b>3.8</b>	0.13	0.41	56	1.8	11.0	<b>2.8</b>	0.07	0.27	C23-24
Pancreas	93	2.7	18.9	<b>9.0</b>	0.38	1.07	124	4.0	24.3	<b>8.2</b>	0.27	0.98	C25
Nose, sinuses etc.	8	0.2	1.6	<b>1.0</b>	0.05	0.13	3	0.1	0.6	<b>0.7</b>	0.05	0.05	C30-31
Larynx	64	1.9	13.0	<b>6.7</b>	0.33	0.86	9	0.3	1.8	<b>0.7</b>	0.04	0.06	C32
Trachea, bronchus, and lung	479	14.0	97.4	<b>44.5</b>	1.83	5.17	175	5.7	34.3	<b>13.7</b>	0.77	1.58	C33-34
Other thoracic organs	13	0.4	2.6	<b>1.7</b>	0.08	0.16	10	0.3	2.0	<b>0.8</b>	0.06	0.06	C37-38
Bone	7	0.2	1.4	<b>1.3</b>	0.09	0.11	13	0.4	2.5	<b>3.1</b>	0.17	0.19	C40-41
Melanoma of skin	95	2.8	19.3	<b>11.3</b>	0.73	1.28	108	3.5	21.2	<b>14.1</b>	1.07	1.41	C43
Other skin	812		165.1	<b>78.0</b>	3.42	9.04	637		124.9	<b>53.9</b>	3.14	6.02	C44
Mesothelioma	14	0.4	2.8	<b>1.4</b>	0.05	0.19	7	0.2	1.4	<b>0.6</b>	0.03	0.09	C45
Kaposi sarcoma	9	0.3	1.8	<b>1.0</b>	0.07	0.09	3	0.1	0.6	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	27	0.8	5.5	<b>2.9</b>	0.18	0.34	14	0.5	2.7	<b>1.6</b>	0.09	0.20	C47+C49
Breast	6	0.2	1.2	<b>0.6</b>	0.03	0.11	935	30.5	183.4	<b>96.7</b>	7.40	10.78	C50
Vulva							19	0.6	3.7	<b>1.4</b>	0.07	0.15	C51
Vagina							2	0.1	0.4	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							31	1.0	6.1	<b>3.9</b>	0.31	0.36	C53
Corpus uteri							125	4.1	24.5	<b>12.2</b>	0.85	1.52	C54
Uterus unspecified							4	0.1	0.8	<b>0.3</b>	0.01	0.03	C55
Ovary							88	2.9	17.3	<b>8.3</b>	0.63	0.92	C56
Other female genital organs							6	0.2	1.2	<b>0.5</b>	0.03	0.06	C57
Placenta							1	0.0	0.2	<b>0.2</b>	0.01	0.01	C58
Penis	9	0.3	1.8	<b>1.0</b>	0.06	0.12							C60
Prostate	666	19.4	135.4	<b>64.3</b>	2.84	8.72							C61
Testis	27	0.8	5.5	<b>5.2</b>	0.36	0.40							C62
Other male genital organs	2	0.1	0.4	<b>0.3</b>	0.03	0.03							C63
Kidney	140	4.1	28.5	<b>15.5</b>	0.96	1.60	86	2.8	16.9	<b>7.0</b>	0.43	0.81	C64
Renal pelvis	8	0.2	1.6	<b>0.7</b>	0.02	0.10	1	0.0	0.2	<b>0.1</b>	0.02	0.02	C65
Ureter	11	0.3	2.2	<b>0.9</b>	0.00	0.13	9	0.3	1.8	<b>0.7</b>	0.05	0.08	C66
†Bladder	355	10.4	72.2	<b>34.6</b>	1.72	4.23	75	2.4	14.7	<b>5.4</b>	0.25	0.58	C67
Other urinary organs	5	0.1	1.0	<b>0.5</b>	0.01	0.10	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C68
Eye	1	0.0	0.2	<b>0.1</b>	0.00	0.02	3	0.1	0.6	<b>0.7</b>	0.04	0.05	C69
Brain and nervous system	51	1.5	10.4	<b>5.8</b>	0.39	0.67	39	1.3	7.6	<b>4.1</b>	0.25	0.45	C70-72
Thyroid	35	1.0	7.1	<b>5.0</b>	0.38	0.53	85	2.8	16.7	<b>11.9</b>	0.98	1.15	C73
Adrenal gland	2	0.1	0.4	<b>0.6</b>	0.03	0.03	2	0.1	0.4	<b>0.5</b>	0.02	0.02	C74
Other endocrine	2	0.1	0.4	<b>0.2</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	15	0.4	3.1	<b>2.8</b>	0.18	0.25	15	0.5	2.9	<b>3.0</b>	0.23	0.23	C81
Non-Hodgkin lymphoma	138	4.0	28.1	<b>14.7</b>	0.85	1.41	141	4.6	27.7	<b>13.4</b>	0.85	1.51	C82-86,C96
Immunoproliferative diseases	7	0.2	1.4	<b>0.9</b>	0.03	0.12	3	0.1	0.6	<b>0.3</b>	0.03	0.05	C88
Multiple myeloma	50	1.5	10.2	<b>5.4</b>	0.35	0.64	58	1.9	11.4	<b>4.8</b>	0.28	0.60	C90
Lymphoid leukaemia	62	1.8	12.6	<b>7.6</b>	0.37	0.86	37	1.2	7.3	<b>3.0</b>	0.11	0.34	C91
Myeloid leukaemia	42	1.2	8.5	<b>5.0</b>	0.22	0.50	29	0.9	5.7	<b>2.3</b>	0.13	0.24	C92-94
Leukaemia unspecified	1	0.0	0.2	<b>0.1</b>	0.00	0.00	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	40	1.2	8.1	<b>3.6</b>	0.15	0.27	84	2.7	16.5	<b>5.1</b>	0.19	0.44	O&U
All sites	4241		862.5	<b>426.5</b>	20.74	50.21	3701		725.9	<b>331.6</b>	21.10	36.36	C00-96
All sites except C44	3429	100.0	697.3	<b>348.5</b>	17.33	41.17	3064	100.0	601.0	<b>277.7</b>	17.96	30.34	C00-96 exc. C44

† See note following population pyramid

# Italy, Lombardy, South, Pavia

## CONTRIBUTORS

Lorenza Boschetti  
 Simona Migliazza  
 Giovanna Tagliabue  
 Paolo Contiero  
 Giulio Barigelletti  
 Andrea Tittarelli  
 Elena Reggiani



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	64.9	Breast	93.5
Prostate	57.4	Non-melanoma skin cancer	39.0
Trachea, bronchus, and lung	53.7	Colon	18.7
Bladder	33.4	Trachea, bronchus, and lung	15.0
Colon	30.4	Corpus uteri	12.1
Liver	18.4	Thyroid	12.1
Stomach	14.1	Non-Hodgkin lymphoma	8.9
Non-Hodgkin lymphoma	13.1	Ovary	8.0
Rectum	12.1	Stomach	7.2
Kidney	11.6	Melanoma of skin	7.1
Pancreas	10.0	Bladder	6.9
Testis	9.0	Rectum	6.9
Larynx	8.5	Cervix uteri	6.2
Melanoma of skin	7.4	Pancreas	5.7
Hodgkin lymphoma	6.7	Liver	5.5
Brain and nervous system	6.4	Kidney	5.1
Other and unspecified	5.7	Other and unspecified	4.8
Lymphoid leukaemia	4.6	Hodgkin lymphoma	4.7
Thyroid	4.2	Brain and nervous system	4.1
Oesophagus	4.1	Myeloid leukaemia	3.2
All sites	418.5	All sites	301.0

## Italy, Lombardy, South, Pavia (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	7	0.1	0.9	<b>0.3</b>	0.01	0.02	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C00
Tongue	36	0.6	4.5	<b>2.3</b>	0.15	0.28	17	0.3	2.0	<b>0.9</b>	0.07	0.11	C01-02
Mouth	43	0.7	5.4	<b>2.9</b>	0.21	0.37	23	0.4	2.7	<b>1.0</b>	0.03	0.14	C03-06
Salivary glands	14	0.2	1.8	<b>0.8</b>	0.04	0.09	13	0.3	1.5	<b>0.6</b>	0.03	0.07	C07-08
Tonsil	19	0.3	2.4	<b>1.3</b>	0.10	0.17	5	0.1	0.6	<b>0.3</b>	0.03	0.04	C09
Other oropharynx	16	0.3	2.0	<b>1.1</b>	0.05	0.14	2	0.0	0.2	<b>0.1</b>	0.02	0.02	C10
Nasopharynx	11	0.2	1.4	<b>0.8</b>	0.07	0.07	5	0.1	0.6	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	26	0.4	3.3	<b>1.5</b>	0.10	0.19	4	0.1	0.5	<b>0.2</b>	0.01	0.04	C12-13
Pharynx unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	64	1.0	8.1	<b>4.1</b>	0.27	0.51	25	0.5	3.0	<b>0.8</b>	0.03	0.08	C15
Stomach	264	4.3	33.2	<b>14.1</b>	0.60	1.71	201	3.9	23.9	<b>7.2</b>	0.32	0.75	C16
Small intestine	25	0.4	3.1	<b>1.5</b>	0.09	0.20	23	0.4	2.7	<b>0.9</b>	0.06	0.10	C17
Colon	580	9.4	73.0	<b>30.4</b>	1.42	3.36	495	9.6	58.8	<b>18.7</b>	0.98	2.17	C18
Rectum	221	3.6	27.8	<b>12.1</b>	0.59	1.52	160	3.1	19.0	<b>6.9</b>	0.36	0.84	C19-20
Anus	13	0.2	1.6	<b>0.8</b>	0.04	0.10	17	0.3	2.0	<b>1.0</b>	0.08	0.12	C21
Liver	334	5.4	42.0	<b>18.4</b>	0.78	2.43	172	3.3	20.4	<b>5.5</b>	0.22	0.62	C22
Gallbladder etc.	59	1.0	7.4	<b>3.0</b>	0.08	0.41	72	1.4	8.6	<b>2.5</b>	0.10	0.29	C23-24
Pancreas	177	2.9	22.3	<b>10.0</b>	0.45	1.27	162	3.1	19.3	<b>5.7</b>	0.26	0.65	C25
Nose, sinuses etc.	11	0.2	1.4	<b>0.5</b>	0.02	0.07	6	0.1	0.7	<b>0.3</b>	0.01	0.03	C30-31
Larynx	143	2.3	18.0	<b>8.5</b>	0.49	1.06	18	0.3	2.1	<b>1.1</b>	0.05	0.14	C32
Trachea, bronchus, and lung	1031	16.8	129.8	<b>53.7</b>	2.15	7.00	342	6.6	40.6	<b>15.0</b>	0.74	1.91	C33-34
Other thoracic organs	13	0.2	1.6	<b>0.7</b>	0.03	0.06	7	0.1	0.8	<b>0.5</b>	0.03	0.07	C37-38
Bone	16	0.3	2.0	<b>2.3</b>	0.15	0.17	18	0.3	2.1	<b>2.1</b>	0.14	0.16	C40-41
Melanoma of skin	109	1.8	13.7	<b>7.4</b>	0.47	0.83	101	2.0	12.0	<b>7.1</b>	0.52	0.67	C43
Other skin	1235		155.5	<b>64.9</b>	2.76	7.36	917		109.0	<b>39.0</b>	2.18	4.25	C44
Mesothelioma	58	0.9	7.3	<b>3.3</b>	0.15	0.45	45	0.9	5.3	<b>2.2</b>	0.11	0.28	C45
Kaposi sarcoma	28	0.5	3.5	<b>1.7</b>	0.11	0.17	3	0.1	0.4	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	29	0.5	3.7	<b>2.2</b>	0.11	0.20	27	0.5	3.2	<b>1.8</b>	0.12	0.18	C47+C49
Breast	15	0.2	1.9	<b>0.8</b>	0.05	0.07	1638	31.7	194.7	<b>93.5</b>	6.77	10.47	C50
Vulva							35	0.7	4.2	<b>1.2</b>	0.07	0.12	C51
Vagina							11	0.2	1.3	<b>0.5</b>	0.04	0.06	C52
Cervix uteri							94	1.8	11.2	<b>6.2</b>	0.51	0.65	C53
Corpus uteri							210	4.1	25.0	<b>12.1</b>	0.91	1.53	C54
Uterus unspecified							24	0.5	2.9	<b>0.9</b>	0.04	0.12	C55
Ovary							134	2.6	15.9	<b>8.0</b>	0.59	0.96	C56
Other female genital organs							10	0.2	1.2	<b>0.5</b>	0.02	0.05	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	9	0.1	1.1	<b>0.6</b>	0.04	0.06							C60
Prostate	1061	17.3	133.6	<b>57.4</b>	2.42	7.78							C61
Testis	70	1.1	8.8	<b>9.0</b>	0.64	0.67							C62
Other male genital organs	5	0.1	0.6	<b>0.3</b>	0.01	0.04							C63
Kidney	193	3.1	24.3	<b>11.6</b>	0.65	1.42	100	1.9	11.9	<b>5.1</b>	0.31	0.52	C64
Renal pelvis	15	0.2	1.9	<b>0.9</b>	0.07	0.09	4	0.1	0.5	<b>0.1</b>	0.01	0.01	C65
Ureter	16	0.3	2.0	<b>0.8</b>	0.01	0.12	4	0.1	0.5	<b>0.1</b>	0.00	0.00	C66
†Bladder	624	10.2	78.5	<b>33.4</b>	1.54	4.06	159	3.1	18.9	<b>6.9</b>	0.38	0.84	C67
Other urinary organs	24	0.4	3.0	<b>1.3</b>	0.07	0.16	11	0.2	1.3	<b>0.4</b>	0.02	0.04	C68
Eye	7	0.1	0.9	<b>0.3</b>	0.00	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C69
Brain and nervous system	85	1.4	10.7	<b>6.4</b>	0.38	0.74	70	1.4	8.3	<b>4.1</b>	0.25	0.46	C70-72
Thyroid	53	0.9	6.7	<b>4.2</b>	0.32	0.45	148	2.9	17.6	<b>12.1</b>	0.97	1.21	C73
Adrenal gland	1	0.0	0.1	<b>0.3</b>	0.01	0.01	6	0.1	0.7	<b>0.4</b>	0.03	0.04	C74
Other endocrine	3	0.0	0.4	<b>0.4</b>	0.02	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	48	0.8	6.0	<b>6.7</b>	0.44	0.49	32	0.6	3.8	<b>4.7</b>	0.32	0.32	C81
Non-Hodgkin lymphoma	216	3.5	27.2	<b>13.1</b>	0.75	1.60	181	3.5	21.5	<b>8.9</b>	0.53	1.04	C82-86,C96
Immunoproliferative diseases	20	0.3	2.5	<b>1.1</b>	0.05	0.16	11	0.2	1.3	<b>0.4</b>	0.03	0.04	C88
Multiple myeloma	67	1.1	8.4	<b>3.7</b>	0.21	0.41	59	1.1	7.0	<b>2.5</b>	0.13	0.32	C90
Lymphoid leukaemia	59	1.0	7.4	<b>4.6</b>	0.23	0.39	38	0.7	4.5	<b>1.8</b>	0.09	0.17	C91
Myeloid leukaemia	69	1.1	8.7	<b>3.9</b>	0.19	0.40	53	1.0	6.3	<b>3.2</b>	0.17	0.30	C92-94
Leukaemia unspecified	5	0.1	0.6	<b>0.2</b>	0.00	0.01	6	0.1	0.7	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	18	0.3	2.3	<b>1.2</b>	0.07	0.16	14	0.3	1.7	<b>0.8</b>	0.04	0.11	MPD
Myelodysplastic syndromes	1	0.0	0.1	<b>0.0</b>	0.00	0.00	5	0.1	0.6	<b>0.2</b>	0.01	0.02	MDS
Other and unspecified	116	1.9	14.6	<b>5.7</b>	0.14	0.59	146	2.8	17.4	<b>4.8</b>	0.17	0.45	O&U
All sites	7382		929.2	<b>418.5</b>	19.81	50.16	6084		723.0	<b>301.0</b>	18.91	33.60	C00-96
All sites except C44	6147	100.0	773.8	<b>353.6</b>	17.06	42.80	5167	100.0	614.1	<b>262.0</b>	16.73	29.35	C00-96 exc. C44

† See note following population pyramid

# Italy, Mantua

## CONTRIBUTORS

Paolo Ricci  
Luciana Gatti  
Linda Guarda



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	62.4	Breast	98.7
Trachea, bronchus, and lung	49.5	Thyroid	23.7
Colon	31.6	Colon	17.6
Bladder	28.8	Trachea, bronchus, and lung	14.9
Stomach	14.8	Corpus uteri	14.4
Liver	14.1	Melanoma of skin	11.4
Non-Hodgkin lymphoma	13.9	Non-Hodgkin lymphoma	10.7
Pancreas	11.5	Ovary	7.4
Kidney	10.7	Pancreas	7.3
Melanoma of skin	8.3	Stomach	6.7
Testis	8.3	Kidney	6.3
Larynx	8.2	Bladder	5.3
Rectum	8.0	Rectum	4.8
Thyroid	7.4	Myeloid leukaemia	4.7
Brain and nervous system	6.1	Cervix uteri	4.6
Anus	5.0	Brain and nervous system	4.3
Myeloid leukaemia	5.0	Anus	3.8
Hodgkin lymphoma	4.5	Hodgkin lymphoma	3.7
Multiple myeloma	4.5	Liver	3.5
Lymphoid leukaemia	4.5	Other and unspecified	3.0
All sites	346.4	All sites	284.7

## Italy, Mantua (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	8	0.2	1.4	<b>0.5</b>	0.01	0.07	2	0.1	0.3	<b>0.2</b>	0.01	0.03	C00
Tongue	21	0.5	3.6	<b>2.1</b>	0.14	0.23	11	0.3	1.8	<b>0.9</b>	0.08	0.09	C01-02
Mouth	21	0.5	3.6	<b>1.9</b>	0.12	0.25	15	0.4	2.4	<b>1.2</b>	0.12	0.12	C03-06
Salivary glands	7	0.2	1.2	<b>0.4</b>	0.01	0.05	11	0.3	1.8	<b>0.7</b>	0.04	0.08	C07-08
Tonsil	6	0.1	1.0	<b>0.6</b>	0.04	0.09	3	0.1	0.5	<b>0.3</b>	0.03	0.03	C09
Other oropharynx	9	0.2	1.5	<b>0.8</b>	0.04	0.10	3	0.1	0.5	<b>0.1</b>	0.00	0.01	C10
Nasopharynx	7	0.2	1.2	<b>0.7</b>	0.06	0.08	3	0.1	0.5	<b>0.3</b>	0.01	0.04	C11
Hypopharynx	15	0.4	2.5	<b>1.3</b>	0.07	0.16	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	1	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	48	1.1	8.2	<b>3.7</b>	0.16	0.49	10	0.3	1.6	<b>0.7</b>	0.04	0.08	C15
Stomach	212	5.0	36.0	<b>14.8</b>	0.53	1.74	140	3.6	22.6	<b>6.7</b>	0.28	0.71	C16
Small intestine	15	0.4	2.5	<b>1.2</b>	0.09	0.14	11	0.3	1.8	<b>0.8</b>	0.03	0.06	C17
Colon	426	10.0	72.4	<b>31.6</b>	1.51	3.83	337	8.7	54.4	<b>17.6</b>	0.84	2.04	C18
Rectum	100	2.4	17.0	<b>8.0</b>	0.42	1.05	71	1.8	11.5	<b>4.8</b>	0.33	0.61	C19-20
Anus	67	1.6	11.4	<b>5.0</b>	0.25	0.52	61	1.6	9.8	<b>3.8</b>	0.28	0.42	C21
Liver	176	4.1	29.9	<b>14.1</b>	0.61	1.64	82	2.1	13.2	<b>3.5</b>	0.14	0.36	C22
Gallbladder etc.	38	0.9	6.5	<b>2.6</b>	0.12	0.27	49	1.3	7.9	<b>2.4</b>	0.10	0.27	C23-24
Pancreas	148	3.5	25.2	<b>11.5</b>	0.60	1.45	162	4.2	26.1	<b>7.3</b>	0.36	0.74	C25
Nose, sinuses etc.	6	0.1	1.0	<b>0.6</b>	0.04	0.07	2	0.1	0.3	<b>0.1</b>	0.01	0.01	C30-31
Larynx	98	2.3	16.7	<b>8.2</b>	0.52	1.03	10	0.3	1.6	<b>0.6</b>	0.04	0.08	C32
Trachea, bronchus, and lung	690	16.2	117.3	<b>49.5</b>	2.26	5.79	247	6.4	39.8	<b>14.9</b>	0.87	1.75	C33-34
Other thoracic organs	8	0.2	1.4	<b>1.0</b>	0.07	0.12	7	0.2	1.1	<b>0.4</b>	0.00	0.09	C37-38
Bone	11	0.3	1.9	<b>1.4</b>	0.07	0.12	7	0.2	1.1	<b>1.0</b>	0.06	0.09	C40-41
Melanoma of skin	76	1.8	12.9	<b>8.3</b>	0.64	0.91	110	2.8	17.7	<b>11.4</b>	0.80	1.11	C43
Other skin	3		0.5	<b>0.3</b>	0.01	0.05	1		0.2	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	26	0.6	4.4	<b>2.0</b>	0.08	0.25	12	0.3	1.9	<b>0.8</b>	0.04	0.09	C45
Kaposi sarcoma	16	0.4	2.7	<b>1.5</b>	0.11	0.14	5	0.1	0.8	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	25	0.6	4.2	<b>2.2</b>	0.12	0.24	24	0.6	3.9	<b>2.0</b>	0.11	0.26	C47+C49
Breast	18	0.4	3.1	<b>1.2</b>	0.07	0.12	1185	30.6	191.2	<b>98.7</b>	7.39	10.81	C50
Vulva							26	0.7	4.2	<b>1.2</b>	0.05	0.10	C51
Vagina							2	0.1	0.3	<b>0.1</b>	0.01	0.01	C52
Cervix uteri							44	1.1	7.1	<b>4.6</b>	0.38	0.46	C53
Corpus uteri							182	4.7	29.4	<b>14.4</b>	1.13	1.83	C54
Uterus unspecified							11	0.3	1.8	<b>0.9</b>	0.07	0.09	C55
Ovary							93	2.4	15.0	<b>7.4</b>	0.45	0.86	C56
Other female genital organs							43	1.1	6.9	<b>2.9</b>	0.18	0.32	C57
Placenta							1	0.0	0.2	<b>0.2</b>	0.01	0.01	C58
Penis	8	0.2	1.4	<b>0.5</b>	0.03	0.03							C60
Prostate	751	17.7	127.6	<b>62.4</b>	3.28	8.85							C61
Testis	49	1.2	8.3	<b>8.3</b>	0.59	0.61							C62
Other male genital organs	4	0.1	0.7	<b>0.6</b>	0.03	0.05							C63
Kidney	124	2.9	21.1	<b>10.7</b>	0.70	1.28	78	2.0	12.6	<b>6.3</b>	0.27	0.73	C64
Renal pelvis	1	0.0	0.2	<b>0.1</b>	0.00	0.02	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C65
Ureter	5	0.1	0.8	<b>0.3</b>	0.01	0.05	2	0.1	0.3	<b>0.1</b>	0.00	0.03	C66
Bladder	385	9.1	65.4	<b>28.8</b>	1.45	3.52	91	2.3	14.7	<b>5.3</b>	0.29	0.64	C67
Other urinary organs	33	0.8	5.6	<b>2.3</b>	0.10	0.22	20	0.5	3.2	<b>1.2</b>	0.07	0.14	C68
Eye	9	0.2	1.5	<b>0.6</b>	0.02	0.06	5	0.1	0.8	<b>0.4</b>	0.04	0.04	C69
Brain and nervous system	61	1.4	10.4	<b>6.1</b>	0.41	0.61	50	1.3	8.1	<b>4.3</b>	0.28	0.42	C70-72
Thyroid	66	1.6	11.2	<b>7.4</b>	0.57	0.79	201	5.2	32.4	<b>23.7</b>	1.95	2.40	C73
Adrenal gland	2	0.0	0.3	<b>0.5</b>	0.02	0.03	3	0.1	0.5	<b>0.3</b>	0.02	0.04	C74
Other endocrine	9	0.2	1.5	<b>1.1</b>	0.09	0.12	4	0.1	0.6	<b>0.3</b>	0.02	0.04	C75
Hodgkin lymphoma	27	0.6	4.6	<b>4.5</b>	0.30	0.33	25	0.6	4.0	<b>3.7</b>	0.24	0.30	C81
Non-Hodgkin lymphoma	157	3.7	26.7	<b>13.9</b>	0.75	1.41	165	4.3	26.6	<b>10.7</b>	0.58	1.27	C82-86,C96
Immunoproliferative diseases	13	0.3	2.2	<b>1.0</b>	0.07	0.08	14	0.4	2.3	<b>0.7</b>	0.04	0.06	C88
Multiple myeloma	59	1.4	10.0	<b>4.5</b>	0.22	0.53	53	1.4	8.6	<b>2.7</b>	0.14	0.31	C90
Lymphoid leukaemia	42	1.0	7.1	<b>4.5</b>	0.22	0.38	24	0.6	3.9	<b>2.3</b>	0.10	0.24	C91
Myeloid leukaemia	62	1.5	10.5	<b>5.0</b>	0.26	0.49	55	1.4	8.9	<b>4.7</b>	0.33	0.45	C92-94
Leukaemia unspecified	6	0.1	1.0	<b>0.4</b>	0.02	0.04	13	0.3	2.1	<b>0.3</b>	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.2	<b>0.1</b>	0.00	0.01	MPD
Myelodysplastic syndromes	18	0.4	3.1	<b>1.4</b>	0.05	0.12	19	0.5	3.1	<b>1.3</b>	0.06	0.18	MDS
Other and unspecified	62	1.5	10.5	<b>4.4</b>	0.21	0.38	68	1.8	11.0	<b>3.0</b>	0.14	0.28	O&U
All sites	4255		723.2	<b>346.4</b>	18.21	41.01	3876		625.3	<b>284.7</b>	18.89	31.27	C00-96
All sites except C44	4252	100.0	722.7	<b>346.1</b>	18.20	40.96	3875	100.0	625.2	<b>284.7</b>	18.89	31.27	C00-96 exc. C44



# Italy, Milan

## CONTRIBUTORS

Antonio Giampiero Russo  
 Midiala Pinon  
 Annamaria Bonini  
 Rosalba Di Stefano  
 Cinzia Giubelli  
 Simona Ghilardi  
 Maria Quattrocchi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	63.6	Breast	96.6
Non-melanoma skin cancer	57.1	Non-melanoma skin cancer	39.5
Trachea, bronchus, and lung	47.6	Colon	19.1
Bladder	31.7	Trachea, bronchus, and lung	17.6
Colon	28.2	Thyroid	12.8
Liver	14.5	Melanoma of skin	12.8
Non-Hodgkin lymphoma	13.5	Corpus uteri	12.4
Melanoma of skin	13.1	Ovary	10.0
Stomach	13.1	Non-Hodgkin lymphoma	8.8
Kidney	12.7	Rectum	7.0
Rectum	12.2	Pancreas	6.9
Pancreas	9.9	Stomach	6.2
Testis	7.3	Bladder	6.0
Brain and nervous system	6.7	Cervix uteri	5.9
Larynx	6.3	Kidney	5.2
Lymphoid leukaemia	5.5	Brain and nervous system	5.0
Myeloid leukaemia	4.8	Liver	4.6
Thyroid	4.5	Lymphoid leukaemia	3.3
Multiple myeloma	4.0	Myeloid leukaemia	3.3
Hodgkin lymphoma	4.0	Hodgkin lymphoma	3.2
All sites	403.6	All sites	317.3

## Italy, Milan (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	45	0.1	0.7	<b>0.3</b>	0.01	0.03	18	0.0	0.3	<b>0.1</b>	0.00	0.00	C00
Tongue	279	0.6	4.2	<b>2.4</b>	0.17	0.29	149	0.3	2.1	<b>0.9</b>	0.05	0.11	C01-02
Mouth	226	0.5	3.4	<b>1.8</b>	0.13	0.22	169	0.4	2.4	<b>0.9</b>	0.06	0.11	C03-06
Salivary glands	104	0.2	1.6	<b>0.9</b>	0.05	0.09	93	0.2	1.3	<b>0.7</b>	0.04	0.07	C07-08
Tonsil	162	0.3	2.5	<b>1.2</b>	0.08	0.17	67	0.2	0.9	<b>0.5</b>	0.04	0.06	C09
Other oropharynx	90	0.2	1.4	<b>0.7</b>	0.05	0.09	27	0.1	0.4	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	93	0.2	1.4	<b>0.9</b>	0.07	0.10	32	0.1	0.4	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	132	0.3	2.0	<b>1.0</b>	0.07	0.14	28	0.1	0.4	<b>0.2</b>	0.01	0.02	C12-13
Pharynx unspecified	26	0.1	0.4	<b>0.2</b>	0.01	0.03	12	0.0	0.2	<b>0.1</b>	0.00	0.01	C14
Oesophagus	411	0.8	6.2	<b>2.8</b>	0.15	0.34	174	0.4	2.4	<b>0.8</b>	0.03	0.10	C15
Stomach	2034	4.2	30.8	<b>13.1</b>	0.57	1.55	1405	3.2	19.6	<b>6.2</b>	0.28	0.68	C16
Small intestine	201	0.4	3.0	<b>1.5</b>	0.09	0.17	129	0.3	1.8	<b>0.7</b>	0.04	0.08	C17
Colon	4283	8.8	64.9	<b>28.2</b>	1.33	3.26	3855	8.8	53.8	<b>19.1</b>	0.99	2.18	C18
Rectum	1777	3.7	26.9	<b>12.2</b>	0.65	1.43	1284	2.9	17.9	<b>7.0</b>	0.41	0.81	C19-20
Anus	120	0.2	1.8	<b>0.9</b>	0.06	0.11	206	0.5	2.9	<b>1.3</b>	0.08	0.15	C21
Liver	2112	4.4	32.0	<b>14.5</b>	0.72	1.72	1060	2.4	14.8	<b>4.6</b>	0.16	0.52	C22
Gallbladder etc.	502	1.0	7.6	<b>3.2</b>	0.14	0.37	659	1.5	9.2	<b>2.9</b>	0.12	0.33	C23-24
Pancreas	1498	3.1	22.7	<b>9.9</b>	0.46	1.17	1618	3.7	22.6	<b>6.9</b>	0.30	0.74	C25
Nose, sinuses etc.	83	0.2	1.3	<b>0.6</b>	0.03	0.07	56	0.1	0.8	<b>0.3</b>	0.01	0.04	C30-31
Larynx	859	1.8	13.0	<b>6.3</b>	0.37	0.81	142	0.3	2.0	<b>0.9</b>	0.06	0.10	C32
Trachea, bronchus, and lung	7384	15.2	111.9	<b>47.6</b>	2.04	5.84	3282	7.5	45.8	<b>17.6</b>	1.00	2.14	C33-34
Other thoracic organs	43	0.1	0.7	<b>0.4</b>	0.04	0.05	46	0.1	0.6	<b>0.3</b>	0.02	0.04	C37-38
Bone	116	0.2	1.8	<b>1.6</b>	0.10	0.13	115	0.3	1.6	<b>1.2</b>	0.08	0.10	C40-41
Melanoma of skin	1533	3.2	23.2	<b>13.1</b>	0.88	1.44	1435	3.3	20.0	<b>12.8</b>	0.96	1.26	C43
Other skin	8788		133.2	<b>57.1</b>	2.44	6.38	7263		101.4	<b>39.5</b>	2.20	4.42	C44
Mesothelioma	318	0.7	4.8	<b>2.1</b>	0.07	0.28	172	0.4	2.4	<b>0.7</b>	0.02	0.10	C45
Kaposi sarcoma	152	0.3	2.3	<b>1.3</b>	0.08	0.13	53	0.1	0.7	<b>0.2</b>	0.01	0.02	C46
Connective and soft tissue	323	0.7	4.9	<b>3.1</b>	0.18	0.30	264	0.6	3.7	<b>2.3</b>	0.15	0.21	C47+C49
Breast	130	0.3	2.0	<b>0.9</b>	0.04	0.11	13622	31.0	190.1	<b>96.6</b>	7.04	10.90	C50
Vulva							231	0.5	3.2	<b>1.1</b>	0.05	0.12	C51
Vagina							71	0.2	1.0	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							698	1.6	9.7	<b>5.9</b>	0.46	0.59	C53
Corpus uteri							1883	4.3	26.3	<b>12.4</b>	0.87	1.56	C54
Uterus unspecified							45	0.1	0.6	<b>0.2</b>	0.01	0.02	C55
Ovary							1435	3.3	20.0	<b>10.0</b>	0.71	1.10	C56
Other female genital organs							91	0.2	1.3	<b>0.5</b>	0.04	0.06	C57
Placenta							7	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	108	0.2	1.6	<b>0.8</b>	0.05	0.10							C60
Prostate	9248	19.1	140.1	<b>63.6</b>	2.88	8.91							C61
Testis	499	1.0	7.6	<b>7.3</b>	0.54	0.56							C62
Other male genital organs	19	0.0	0.3	<b>0.1</b>	0.01	0.01							C63
Kidney	1672	3.4	25.3	<b>12.7</b>	0.74	1.49	865	2.0	12.1	<b>5.2</b>	0.30	0.60	C64
Renal pelvis	137	0.3	2.1	<b>0.8</b>	0.03	0.11	89	0.2	1.2	<b>0.4</b>	0.02	0.04	C65
Ureter	97	0.2	1.5	<b>0.6</b>	0.03	0.08	41	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	4903	10.1	74.3	<b>31.7</b>	1.36	3.78	1266	2.9	17.7	<b>6.0</b>	0.29	0.70	C67
Other urinary organs	132	0.3	2.0	<b>0.9</b>	0.04	0.10	50	0.1	0.7	<b>0.3</b>	0.02	0.03	C68
Eye	50	0.1	0.8	<b>0.4</b>	0.02	0.05	53	0.1	0.7	<b>0.6</b>	0.03	0.04	C69
Brain and nervous system	733	1.5	11.1	<b>6.7</b>	0.40	0.69	643	1.5	9.0	<b>5.0</b>	0.32	0.50	C70-72
Thyroid	431	0.9	6.5	<b>4.5</b>	0.35	0.44	1307	3.0	18.2	<b>12.8</b>	0.99	1.27	C73
Adrenal gland	46	0.1	0.7	<b>0.9</b>	0.04	0.05	34	0.1	0.5	<b>0.6</b>	0.03	0.03	C74
Other endocrine	19	0.0	0.3	<b>0.2</b>	0.01	0.02	21	0.0	0.3	<b>0.3</b>	0.02	0.02	C75
Hodgkin lymphoma	276	0.6	4.2	<b>4.0</b>	0.28	0.32	241	0.5	3.4	<b>3.2</b>	0.21	0.26	C81
Non-Hodgkin lymphoma	1665	3.4	25.2	<b>13.5</b>	0.81	1.48	1445	3.3	20.2	<b>8.8</b>	0.52	0.99	C82-86,C96
Immunoproliferative diseases	95	0.2	1.4	<b>0.7</b>	0.04	0.07	83	0.2	1.2	<b>0.5</b>	0.03	0.06	C88
Multiple myeloma	600	1.2	9.1	<b>4.0</b>	0.19	0.47	595	1.4	8.3	<b>3.1</b>	0.18	0.37	C90
Lymphoid leukaemia	513	1.1	7.8	<b>5.5</b>	0.29	0.50	368	0.8	5.1	<b>3.3</b>	0.17	0.27	C91
Myeloid leukaemia	606	1.3	9.2	<b>4.8</b>	0.25	0.47	487	1.1	6.8	<b>3.3</b>	0.20	0.33	C92-94
Leukaemia unspecified	25	0.1	0.4	<b>0.1</b>	0.00	0.01	40	0.1	0.6	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	401	0.8	6.1	<b>2.9</b>	0.15	0.35	404	0.9	5.6	<b>2.3</b>	0.12	0.24	MPD
Myelodysplastic syndromes	561	1.2	8.5	<b>3.3</b>	0.09	0.30	469	1.1	6.5	<b>1.9</b>	0.07	0.19	MDS
Other and unspecified	594	1.2	9.0	<b>3.7</b>	0.14	0.34	738	1.7	10.3	<b>2.8</b>	0.11	0.23	O&U
All sites	57254		867.6	<b>403.6</b>	19.82	47.50	51135		713.7	<b>317.3</b>	20.01	35.06	C00-96
All sites except C44	48466	100.0	734.4	<b>346.5</b>	17.38	41.12	43872	100.0	612.3	<b>277.9</b>	17.80	30.63	C00-96 exc. C44

† See note following population pyramid

# Italy, Modena

## CONTRIBUTORS

Bianca Caruso  
Giuliano Carrozzì  
Vincenzo Amendola  
Claudia Cirilli  
Katia Valla



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	84.5	Breast	98.9
Prostate	70.7	Non-melanoma skin cancer	60.8
Trachea, bronchus, and lung	43.4	Thyroid	30.8
Bladder	35.1	Colon	20.0
Colon	28.7	Trachea, bronchus, and lung	17.6
Kidney	14.9	Corpus uteri	15.7
Non-Hodgkin lymphoma	12.5	Melanoma of skin	10.7
Liver	12.0	Ovary	9.1
Stomach	12.0	Non-Hodgkin lymphoma	8.9
Melanoma of skin	11.5	Pancreas	7.0
Rectum	10.7	Bladder	7.0
Thyroid	10.6	Stomach	6.8
Pancreas	9.7	Kidney	6.2
Testis	6.7	Rectum	6.1
Brain and nervous system	6.5	Cervix uteri	6.1
Lymphoid leukaemia	6.3	Other and unspecified	5.4
Other and unspecified	5.8	Brain and nervous system	4.1
Larynx	5.7	Multiple myeloma	3.8
Multiple myeloma	5.1	Liver	3.6
Myeloid leukaemia	3.6	Myeloid leukaemia	3.3
All sites	432.2	All sites	357.9

## Italy, Modena (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	11	0.1	0.7	<b>0.3</b>	0.01	0.03	4	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	48	0.4	2.9	<b>1.5</b>	0.10	0.17	31	0.3	1.8	<b>0.8</b>	0.05	0.09	C01-02
Mouth	53	0.4	3.2	<b>1.7</b>	0.10	0.21	35	0.3	2.0	<b>1.0</b>	0.07	0.11	C03-06
Salivary glands	27	0.2	1.6	<b>0.9</b>	0.07	0.10	22	0.2	1.3	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	44	0.4	2.7	<b>1.4</b>	0.10	0.19	16	0.1	0.9	<b>0.5</b>	0.03	0.05	C09
Other oropharynx	8	0.1	0.5	<b>0.3</b>	0.02	0.04	4	0.0	0.2	<b>0.0</b>	0.00	0.01	C10
Nasopharynx	17	0.1	1.0	<b>0.7</b>	0.05	0.06	4	0.0	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	20	0.2	1.2	<b>0.7</b>	0.06	0.09	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	2	0.0	0.1	<b>0.1</b>	0.00	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	77	0.6	4.7	<b>2.2</b>	0.14	0.25	28	0.3	1.6	<b>0.7</b>	0.05	0.07	C15
Stomach	486	4.0	29.4	<b>12.0</b>	0.53	1.32	381	3.5	21.9	<b>6.8</b>	0.29	0.72	C16
Small intestine	64	0.5	3.9	<b>1.9</b>	0.11	0.21	33	0.3	1.9	<b>0.7</b>	0.04	0.07	C17
Colon	1105	9.2	66.9	<b>28.7</b>	1.44	3.29	947	8.7	54.4	<b>20.0</b>	1.09	2.29	C18
Rectum	395	3.3	23.9	<b>10.7</b>	0.53	1.29	265	2.4	15.2	<b>6.1</b>	0.36	0.72	C19-20
Anus	20	0.2	1.2	<b>0.6</b>	0.02	0.07	33	0.3	1.9	<b>0.9</b>	0.05	0.12	C21
Liver	434	3.6	26.3	<b>12.0</b>	0.63	1.43	208	1.9	11.9	<b>3.6</b>	0.11	0.39	C22
Gallbladder etc.	97	0.8	5.9	<b>2.4</b>	0.11	0.24	115	1.1	6.6	<b>2.2</b>	0.09	0.27	C23-24
Pancreas	380	3.2	23.0	<b>9.7</b>	0.44	1.11	377	3.5	21.6	<b>7.0</b>	0.32	0.79	C25
Nose, sinuses etc.	16	0.1	1.0	<b>0.5</b>	0.02	0.06	10	0.1	0.6	<b>0.3</b>	0.01	0.03	C30-31
Larynx	193	1.6	11.7	<b>5.7</b>	0.28	0.76	17	0.2	1.0	<b>0.5</b>	0.04	0.06	C32
Trachea, bronchus, and lung	1731	14.4	104.8	<b>43.4</b>	1.95	5.13	768	7.1	44.1	<b>17.6</b>	0.98	2.16	C33-34
Other thoracic organs	25	0.2	1.5	<b>1.0</b>	0.05	0.10	15	0.1	0.9	<b>0.7</b>	0.04	0.06	C37-38
Bone	19	0.2	1.2	<b>1.1</b>	0.07	0.08	12	0.1	0.7	<b>0.6</b>	0.03	0.06	C40-41
Melanoma of skin	326	2.7	19.7	<b>11.5</b>	0.80	1.21	285	2.6	16.4	<b>10.7</b>	0.84	1.01	C43
Other skin	3201		193.8	<b>84.5</b>	4.10	9.45	2568		147.5	<b>60.8</b>	3.74	6.62	C44
Mesothelioma	59	0.5	3.6	<b>1.6</b>	0.08	0.22	16	0.1	0.9	<b>0.4</b>	0.01	0.05	C45
Kaposi sarcoma	35	0.3	2.1	<b>1.0</b>	0.05	0.09	14	0.1	0.8	<b>0.2</b>	0.00	0.01	C46
Connective and soft tissue	69	0.6	4.2	<b>2.9</b>	0.16	0.27	48	0.4	2.8	<b>1.4</b>	0.08	0.13	C47+C49
Breast	17	0.1	1.0	<b>0.5</b>	0.02	0.04	3219	29.7	184.8	<b>98.9</b>	7.34	11.29	C50
Vulva							57	0.5	3.3	<b>0.9</b>	0.03	0.08	C51
Vagina							16	0.1	0.9	<b>0.3</b>	0.02	0.04	C52
Cervix uteri							166	1.5	9.5	<b>6.1</b>	0.50	0.63	C53
Corpus uteri							553	5.1	31.8	<b>15.7</b>	1.10	1.99	C54
Uterus unspecified							16	0.1	0.9	<b>0.3</b>	0.01	0.03	C55
Ovary							316	2.9	18.1	<b>9.1</b>	0.64	1.03	C56
Other female genital organs							30	0.3	1.7	<b>0.6</b>	0.04	0.08	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	21	0.2	1.3	<b>0.5</b>	0.03	0.06							C60
Prostate	2359	19.6	142.8	<b>70.7</b>	3.59	10.36							C61
Testis	117	1.0	7.1	<b>6.7</b>	0.49	0.51							C62
Other male genital organs	7	0.1	0.4	<b>0.2</b>	0.01	0.03							C63
Kidney	474	3.9	28.7	<b>14.9</b>	0.89	1.81	258	2.4	14.8	<b>6.2</b>	0.37	0.75	C64
Renal pelvis	34	0.3	2.1	<b>0.8</b>	0.04	0.09	24	0.2	1.4	<b>0.5</b>	0.03	0.05	C65
Ureter	32	0.3	1.9	<b>0.8</b>	0.03	0.10	7	0.1	0.4	<b>0.1</b>	0.00	0.01	C66
†Bladder	1337	11.1	80.9	<b>35.1</b>	1.69	4.25	322	3.0	18.5	<b>7.0</b>	0.38	0.82	C67
Other urinary organs	11	0.1	0.7	<b>0.3</b>	0.02	0.03	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	9	0.1	0.5	<b>0.3</b>	0.03	0.04	19	0.2	1.1	<b>0.4</b>	0.03	0.05	C69
Brain and nervous system	191	1.6	11.6	<b>6.5</b>	0.39	0.72	136	1.3	7.8	<b>4.1</b>	0.24	0.45	C70-72
Thyroid	264	2.2	16.0	<b>10.6</b>	0.83	1.15	747	6.9	42.9	<b>30.8</b>	2.59	3.10	C73
Adrenal gland	11	0.1	0.7	<b>0.8</b>	0.04	0.05	9	0.1	0.5	<b>0.8</b>	0.04	0.05	C74
Other endocrine	3	0.0	0.2	<b>0.1</b>	0.01	0.01	5	0.0	0.3	<b>0.2</b>	0.02	0.02	C75
Hodgkin lymphoma	49	0.4	3.0	<b>2.5</b>	0.19	0.21	49	0.5	2.8	<b>2.6</b>	0.18	0.20	C81
Non-Hodgkin lymphoma	393	3.3	23.8	<b>12.5</b>	0.77	1.38	354	3.3	20.3	<b>8.9</b>	0.54	0.98	C82-86,C96
Immunoproliferative diseases	64	0.5	3.9	<b>1.9</b>	0.12	0.21	62	0.6	3.6	<b>1.6</b>	0.09	0.21	C88
Multiple myeloma	176	1.5	10.7	<b>5.1</b>	0.29	0.64	163	1.5	9.4	<b>3.8</b>	0.22	0.46	C90
Lymphoid leukaemia	156	1.3	9.4	<b>6.3</b>	0.35	0.61	76	0.7	4.4	<b>2.9</b>	0.15	0.22	C91
Myeloid leukaemia	123	1.0	7.4	<b>3.6</b>	0.19	0.34	125	1.2	7.2	<b>3.3</b>	0.20	0.32	C92-94
Leukaemia unspecified	11	0.1	0.7	<b>0.4</b>	0.01	0.03	4	0.0	0.2	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	82	0.7	5.0	<b>2.4</b>	0.14	0.27	67	0.6	3.8	<b>1.9</b>	0.13	0.21	MPD
Myelodysplastic syndromes	89	0.7	5.4	<b>1.9</b>	0.04	0.19	55	0.5	3.2	<b>0.9</b>	0.04	0.11	MDS
Other and unspecified	244	2.0	14.8	<b>5.8</b>	0.22	0.55	291	2.7	16.7	<b>5.4</b>	0.26	0.47	O&U
All sites	15236		922.4	<b>432.2</b>	22.46	51.17	13406		769.8	<b>357.9</b>	23.61	39.62	C00-96
All sites except C44	12035	100.0	728.6	<b>347.7</b>	18.35	41.72	10838	100.0	622.3	<b>297.1</b>	19.86	33.00	C00-96 exc. C44

† See note following population pyramid

# Italy, Monza

## CONTRIBUTORS

Luca Cavalieri d'Oro  
Magda Rognoni  
Leonardo Le Rose  
Elisabetta Merlo  
Lina Negrino  
Lucia Pezzuto



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	61.2	Breast	91.9
Prostate	57.6	Non-melanoma skin cancer	37.8
Trachea, bronchus, and lung	43.6	Colon	17.2
Bladder	33.4	Thyroid	14.8
Colon	28.2	Trachea, bronchus, and lung	14.6
Stomach	15.1	Corpus uteri	11.9
Liver	15.0	Melanoma of skin	10.5
Non-Hodgkin lymphoma	13.6	Ovary	8.8
Kidney	13.0	Non-Hodgkin lymphoma	8.6
Rectum	12.1	Stomach	7.5
Melanoma of skin	11.2	Pancreas	7.5
Pancreas	9.5	Rectum	7.4
Testis	7.1	Bladder	6.4
Brain and nervous system	6.4	Kidney	5.8
Larynx	6.2	Cervix uteri	4.7
Thyroid	5.3	Brain and nervous system	4.5
Myeloid leukaemia	4.6	Liver	4.5
Lymphoid leukaemia	4.3	Myeloid leukaemia	4.1
Other and unspecified	4.0	Hodgkin lymphoma	3.4
Multiple myeloma	3.8	Lymphoid leukaemia	3.0
All sites	392.0	All sites	302.1

## Italy, Monza (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	3	0.0	0.1	<b>0.1</b>	0.00	0.00	5	0.0	0.2	<b>0.1</b>	0.00	0.01	C00
Tongue	67	0.5	3.3	<b>1.8</b>	0.12	0.22	27	0.2	1.3	<b>0.4</b>	0.02	0.04	C01-02
Mouth	48	0.4	2.3	<b>1.3</b>	0.08	0.15	43	0.4	2.0	<b>0.9</b>	0.06	0.11	C03-06
Salivary glands	23	0.2	1.1	<b>0.6</b>	0.03	0.06	21	0.2	1.0	<b>0.4</b>	0.02	0.04	C07-08
Tonsil	25	0.2	1.2	<b>0.7</b>	0.06	0.08	7	0.1	0.3	<b>0.2</b>	0.01	0.02	C09
Other oropharynx	17	0.1	0.8	<b>0.4</b>	0.02	0.06	6	0.1	0.3	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	26	0.2	1.3	<b>0.9</b>	0.06	0.10	11	0.1	0.5	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	41	0.3	2.0	<b>0.9</b>	0.05	0.11	7	0.1	0.3	<b>0.2</b>	0.01	0.02	C12-13
Pharynx unspecified	14	0.1	0.7	<b>0.3</b>	0.02	0.04	11	0.1	0.5	<b>0.2</b>	0.01	0.02	C14
Oesophagus	123	0.9	6.0	<b>3.0</b>	0.17	0.36	43	0.4	2.0	<b>0.7</b>	0.03	0.10	C15
Stomach	685	5.1	33.4	<b>15.1</b>	0.56	1.79	457	3.9	21.4	<b>7.5</b>	0.35	0.77	C16
Small intestine	59	0.4	2.9	<b>1.5</b>	0.07	0.19	47	0.4	2.2	<b>1.1</b>	0.07	0.12	C17
Colon	1222	9.0	59.6	<b>28.2</b>	1.35	3.17	976	8.3	45.7	<b>17.2</b>	0.86	1.94	C18
Rectum	506	3.7	24.7	<b>12.1</b>	0.62	1.48	384	3.2	18.0	<b>7.4</b>	0.42	0.82	C19-20
Anus	25	0.2	1.2	<b>0.5</b>	0.02	0.06	35	0.3	1.6	<b>0.6</b>	0.04	0.07	C21
Liver	640	4.7	31.2	<b>15.0</b>	0.70	1.77	310	2.6	14.5	<b>4.5</b>	0.15	0.45	C22
Gallbladder etc.	125	0.9	6.1	<b>2.7</b>	0.09	0.34	175	1.5	8.2	<b>2.8</b>	0.10	0.33	C23-24
Pancreas	411	3.0	20.0	<b>9.5</b>	0.46	1.17	469	4.0	22.0	<b>7.5</b>	0.28	0.85	C25
Nose, sinuses etc.	23	0.2	1.1	<b>0.6</b>	0.03	0.07	7	0.1	0.3	<b>0.2</b>	0.01	0.02	C30-31
Larynx	255	1.9	12.4	<b>6.2</b>	0.31	0.75	26	0.2	1.2	<b>0.6</b>	0.04	0.07	C32
Trachea, bronchus, and lung	1961	14.5	95.6	<b>43.6</b>	1.79	5.29	750	6.3	35.1	<b>14.6</b>	0.80	1.77	C33-34
Other thoracic organs	27	0.2	1.3	<b>0.7</b>	0.05	0.08	27	0.2	1.3	<b>0.6</b>	0.03	0.06	C37-38
Bone	27	0.2	1.3	<b>1.4</b>	0.08	0.10	21	0.2	1.0	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	382	2.8	18.6	<b>11.2</b>	0.78	1.19	361	3.1	16.9	<b>10.5</b>	0.78	1.03	C43
Other skin	2696		131.5	<b>61.2</b>	2.56	6.89	1900		88.9	<b>37.8</b>	2.08	4.21	C44
Mesothelioma	96	0.7	4.7	<b>2.1</b>	0.07	0.29	54	0.5	2.5	<b>0.9</b>	0.03	0.12	C45
Kaposi sarcoma	38	0.3	1.9	<b>0.8</b>	0.03	0.10	8	0.1	0.4	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	84	0.6	4.1	<b>2.7</b>	0.13	0.23	71	0.6	3.3	<b>2.2</b>	0.14	0.20	C47+C49
Breast	37	0.3	1.8	<b>0.8</b>	0.05	0.10	3715	31.4	173.9	<b>91.9</b>	6.67	10.34	C50
Vulva							79	0.7	3.7	<b>1.4</b>	0.06	0.18	C51
Vagina							18	0.2	0.8	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							162	1.4	7.6	<b>4.7</b>	0.38	0.47	C53
Corpus uteri							517	4.4	24.2	<b>11.9</b>	0.81	1.53	C54
Uterus unspecified							37	0.3	1.7	<b>0.7</b>	0.04	0.07	C55
Ovary							364	3.1	17.0	<b>8.8</b>	0.60	0.98	C56
Other female genital organs							19	0.2	0.9	<b>0.4</b>	0.03	0.05	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	24	0.2	1.2	<b>0.6</b>	0.03	0.07							C60
Prostate	2420	17.9	118.0	<b>57.6</b>	2.61	7.96							C61
Testis	161	1.2	7.9	<b>7.1</b>	0.54	0.55							C62
Other male genital organs	6	0.0	0.3	<b>0.2</b>	0.01	0.03							C63
Kidney	505	3.7	24.6	<b>13.0</b>	0.75	1.54	269	2.3	12.6	<b>5.8</b>	0.33	0.66	C64
Renal pelvis	24	0.2	1.2	<b>0.5</b>	0.02	0.06	20	0.2	0.9	<b>0.3</b>	0.01	0.04	C65
Ureter	31	0.2	1.5	<b>0.7</b>	0.03	0.08	8	0.1	0.4	<b>0.1</b>	0.00	0.01	C66
†Bladder	1450	10.7	70.7	<b>33.4</b>	1.45	3.95	350	3.0	16.4	<b>6.4</b>	0.37	0.73	C67
Other urinary organs	27	0.2	1.3	<b>0.5</b>	0.01	0.05	9	0.1	0.4	<b>0.1</b>	0.00	0.01	C68
Eye	15	0.1	0.7	<b>0.4</b>	0.03	0.04	24	0.2	1.1	<b>0.8</b>	0.04	0.06	C69
Brain and nervous system	210	1.6	10.2	<b>6.4</b>	0.45	0.66	172	1.5	8.1	<b>4.5</b>	0.23	0.45	C70-72
Thyroid	161	1.2	7.9	<b>5.3</b>	0.41	0.56	442	3.7	20.7	<b>14.8</b>	1.17	1.46	C73
Adrenal gland	4	0.0	0.2	<b>0.2</b>	0.01	0.01	5	0.0	0.2	<b>0.2</b>	0.02	0.02	C74
Other endocrine	1	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	77	0.6	3.8	<b>3.6</b>	0.25	0.29	80	0.7	3.7	<b>3.4</b>	0.23	0.28	C81
Non-Hodgkin lymphoma	501	3.7	24.4	<b>13.6</b>	0.83	1.57	378	3.2	17.7	<b>8.6</b>	0.51	0.95	C82-86,C96
Immunoproliferative diseases	31	0.2	1.5	<b>0.8</b>	0.04	0.10	26	0.2	1.2	<b>0.6</b>	0.03	0.09	C88
Multiple myeloma	164	1.2	8.0	<b>3.8</b>	0.17	0.42	147	1.2	6.9	<b>2.6</b>	0.11	0.31	C90
Lymphoid leukaemia	123	0.9	6.0	<b>4.3</b>	0.24	0.40	88	0.7	4.1	<b>3.0</b>	0.17	0.24	C91
Myeloid leukaemia	174	1.3	8.5	<b>4.6</b>	0.25	0.49	157	1.3	7.3	<b>4.1</b>	0.26	0.41	C92-94
Leukaemia unspecified	17	0.1	0.8	<b>0.4</b>	0.01	0.03	24	0.2	1.1	<b>0.3</b>	0.01	0.03	C95
Myeloproliferative disorders	93	0.7	4.5	<b>2.4</b>	0.11	0.27	61	0.5	2.9	<b>1.3</b>	0.08	0.15	MPD
Myelodysplastic syndromes	109	0.8	5.3	<b>2.4</b>	0.10	0.23	80	0.7	3.7	<b>1.7</b>	0.07	0.15	MDS
Other and unspecified	193	1.4	9.4	<b>4.0</b>	0.12	0.30	207	1.8	9.7	<b>2.9</b>	0.10	0.27	O&U
All sites	16207		790.4	<b>392.0</b>	18.85	45.86	13720		642.2	<b>302.1</b>	18.76	33.32	C00-96
All sites except C44	13511	100.0	658.9	<b>330.8</b>	16.29	38.97	11820	100.0	553.3	<b>264.3</b>	16.68	29.11	C00-96 exc. C44

† See note following population pyramid

# Italy, Naples

## CONTRIBUTORS

Mario Fusco  
 Maria Francesca Vitale  
 Valerio Ciullo  
 Caterina Bellatalla  
 Maria Fusco  
 Margherita Panico  
 Carmela Perrotta  
 Maddalena Di Buono



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	55.7	Breast	68.9
Non-melanoma skin cancer	44.9	Non-melanoma skin cancer	28.9
Bladder	44.6	Colon	16.1
Prostate	44.0	Thyroid	15.7
Colon	26.5	Corpus uteri	13.1
Liver	25.9	Trachea, bronchus, and lung	11.8
Stomach	13.5	Liver	10.0
Rectum	12.6	Ovary	8.6
Non-Hodgkin lymphoma	10.9	Bladder	8.2
Larynx	9.2	Non-Hodgkin lymphoma	8.0
Kidney	7.0	Rectum	7.8
Brain and nervous system	6.9	Stomach	6.7
Pancreas	6.8	Melanoma of skin	6.4
Thyroid	6.7	Brain and nervous system	6.2
Melanoma of skin	6.5	Pancreas	5.7
Testis	6.2	Other and unspecified	4.5
Other and unspecified	5.3	Cervix uteri	4.3
Hodgkin lymphoma	4.1	Kidney	4.1
Multiple myeloma	3.8	Myeloid leukaemia	3.7
Lymphoid leukaemia	3.7	Gallbladder etc.	3.5
All sites	383.4	All sites	270.1



## Italy, Naples (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	17	0.2	1.2	<b>0.7</b>	0.02	0.10	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C00
Tongue	25	0.4	1.8	<b>1.3</b>	0.09	0.14	6	0.1	0.4	<b>0.2</b>	0.01	0.04	C01-02
Mouth	26	0.4	1.9	<b>1.4</b>	0.11	0.18	20	0.4	1.4	<b>0.8</b>	0.05	0.08	C03-06
Salivary glands	15	0.2	1.1	<b>0.8</b>	0.06	0.08	11	0.2	0.8	<b>0.6</b>	0.05	0.07	C07-08
Tonsil	5	0.1	0.4	<b>0.3</b>	0.02	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C09
Other oropharynx	3	0.0	0.2	<b>0.2</b>	0.01	0.02	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	21	0.3	1.5	<b>1.1</b>	0.11	0.12	5	0.1	0.3	<b>0.3</b>	0.03	0.03	C11
Hypopharynx	9	0.1	0.7	<b>0.4</b>	0.04	0.04	1	0.0	0.1	<b>0.0</b>	0.00	0.01	C12-13
Pharynx unspecified	3	0.0	0.2	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	30	0.4	2.2	<b>1.4</b>	0.08	0.14	20	0.4	1.4	<b>0.7</b>	0.03	0.07	C15
Stomach	285	4.1	20.7	<b>13.5</b>	0.63	1.62	181	3.4	12.5	<b>6.7</b>	0.33	0.77	C16
Small intestine	16	0.2	1.2	<b>0.8</b>	0.05	0.07	23	0.4	1.6	<b>0.9</b>	0.05	0.09	C17
Colon	557	8.1	40.4	<b>26.5</b>	1.29	3.15	403	7.5	27.9	<b>16.1</b>	0.85	1.97	C18
Rectum	265	3.8	19.2	<b>12.6</b>	0.70	1.65	191	3.5	13.2	<b>7.8</b>	0.45	1.01	C19-20
Anus	9	0.1	0.7	<b>0.4</b>	0.02	0.05	12	0.2	0.8	<b>0.5</b>	0.03	0.05	C21
Liver	554	8.0	40.1	<b>25.9</b>	1.03	3.26	281	5.2	19.4	<b>10.0</b>	0.32	1.28	C22
Gallbladder etc.	77	1.1	5.6	<b>3.7</b>	0.15	0.52	102	1.9	7.1	<b>3.5</b>	0.10	0.38	C23-24
Pancreas	144	2.1	10.4	<b>6.8</b>	0.39	0.80	153	2.8	10.6	<b>5.7</b>	0.25	0.66	C25
Nose, sinuses etc.	13	0.2	0.9	<b>0.7</b>	0.06	0.08	9	0.2	0.6	<b>0.5</b>	0.04	0.06	C30-31
Larynx	180	2.6	13.0	<b>9.2</b>	0.67	1.15	21	0.4	1.5	<b>0.9</b>	0.07	0.10	C32
Trachea, bronchus, and lung	1188	17.2	86.1	<b>55.7</b>	2.48	6.89	271	5.0	18.7	<b>11.8</b>	0.81	1.45	C33-34
Other thoracic organs	21	0.3	1.5	<b>1.0</b>	0.05	0.08	9	0.2	0.6	<b>0.4</b>	0.02	0.04	C37-38
Bone	24	0.3	1.7	<b>1.7</b>	0.11	0.14	19	0.4	1.3	<b>1.3</b>	0.08	0.08	C40-41
Melanoma of skin	122	1.8	8.8	<b>6.5</b>	0.45	0.69	121	2.2	8.4	<b>6.4</b>	0.47	0.63	C43
Other skin	935		67.7	<b>44.9</b>	2.23	5.42	724		50.1	<b>28.9</b>	1.56	3.29	C44
Mesothelioma	40	0.6	2.9	<b>2.0</b>	0.14	0.26	10	0.2	0.7	<b>0.5</b>	0.02	0.07	C45
Kaposi sarcoma	35	0.5	2.5	<b>1.7</b>	0.11	0.18	20	0.4	1.4	<b>0.7</b>	0.03	0.07	C46
Connective and soft tissue	35	0.5	2.5	<b>2.0</b>	0.11	0.18	36	0.7	2.5	<b>1.6</b>	0.11	0.16	C47+C49
Breast	16	0.2	1.2	<b>0.8</b>	0.04	0.11	1494	27.7	103.3	<b>68.9</b>	5.19	7.49	C50
Vulva							44	0.8	3.0	<b>1.4</b>	0.06	0.15	C51
Vagina							5	0.1	0.3	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							92	1.7	6.4	<b>4.3</b>	0.34	0.43	C53
Corpus uteri							290	5.4	20.1	<b>13.1</b>	1.01	1.60	C54
Uterus unspecified							14	0.3	1.0	<b>0.5</b>	0.03	0.03	C55
Ovary							180	3.3	12.4	<b>8.6</b>	0.63	0.95	C56
Other female genital organs							9	0.2	0.6	<b>0.4</b>	0.02	0.06	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	20	0.3	1.4	<b>1.0</b>	0.06	0.13							C60
Prostate	965	13.9	69.9	<b>44.0</b>	1.48	5.98							C61
Testis	95	1.4	6.9	<b>6.2</b>	0.47	0.47							C62
Other male genital organs	2	0.0	0.1	<b>0.1</b>	0.01	0.01							C63
Kidney	131	1.9	9.5	<b>7.0</b>	0.48	0.86	93	1.7	6.4	<b>4.1</b>	0.30	0.45	C64
Renal pelvis	24	0.3	1.7	<b>1.1</b>	0.05	0.14	5	0.1	0.3	<b>0.2</b>	0.02	0.02	C65
Ureter	15	0.2	1.1	<b>0.7</b>	0.05	0.10	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C66
†Bladder	938	13.6	68.0	<b>44.6</b>	2.22	5.34	198	3.7	13.7	<b>8.2</b>	0.49	0.96	C67
Other urinary organs	10	0.1	0.7	<b>0.5</b>	0.04	0.06	1	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	5	0.1	0.4	<b>0.4</b>	0.01	0.05	11	0.2	0.8	<b>0.9</b>	0.05	0.07	C69
Brain and nervous system	118	1.7	8.6	<b>6.9</b>	0.40	0.72	107	2.0	7.4	<b>6.2</b>	0.43	0.59	C70-72
Thyroid	111	1.6	8.0	<b>6.7</b>	0.53	0.65	265	4.9	18.3	<b>15.7</b>	1.24	1.36	C73
Adrenal gland	11	0.2	0.8	<b>0.8</b>	0.05	0.06	6	0.1	0.4	<b>0.5</b>	0.03	0.04	C74
Other endocrine	2	0.0	0.1	<b>0.1</b>	0.00	0.02	3	0.1	0.2	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	57	0.8	4.1	<b>4.1</b>	0.26	0.30	43	0.8	3.0	<b>3.0</b>	0.19	0.23	C81
Non-Hodgkin lymphoma	213	3.1	15.4	<b>10.9</b>	0.68	1.26	177	3.3	12.2	<b>8.0</b>	0.50	0.88	C82-86,C96
Immunoproliferative diseases	18	0.3	1.3	<b>0.9</b>	0.06	0.11	11	0.2	0.8	<b>0.5</b>	0.04	0.06	C88
Multiple myeloma	79	1.1	5.7	<b>3.8</b>	0.19	0.43	72	1.3	5.0	<b>2.8</b>	0.15	0.33	C90
Lymphoid leukaemia	57	0.8	4.1	<b>3.7</b>	0.20	0.33	33	0.6	2.3	<b>2.4</b>	0.13	0.16	C91
Myeloid leukaemia	60	0.9	4.3	<b>3.3</b>	0.16	0.31	66	1.2	4.6	<b>3.7</b>	0.22	0.34	C92-94
Leukaemia unspecified	22	0.3	1.6	<b>1.1</b>	0.05	0.10	18	0.3	1.2	<b>0.6</b>	0.02	0.07	C95
Myeloproliferative disorders	67	1.0	4.9	<b>3.5</b>	0.26	0.36	46	0.9	3.2	<b>2.2</b>	0.15	0.26	MPD
Myelodysplastic syndromes	52	0.8	3.8	<b>2.3</b>	0.08	0.24	46	0.9	3.2	<b>1.9</b>	0.07	0.26	MDS
Other and unspecified	111	1.6	8.0	<b>5.3</b>	0.25	0.56	131	2.4	9.1	<b>4.5</b>	0.22	0.43	O&U
All sites	7853		569.0	<b>383.4</b>	19.29	45.71	6117		423.0	<b>270.1</b>	17.28	29.77	C00-96
All sites except C44	6918	100.0	501.3	<b>338.5</b>	17.06	40.29	5393	100.0	372.9	<b>241.1</b>	15.73	26.48	C00-96 exc. C44

† See note following population pyramid

# Italy, Nuoro

## CONTRIBUTORS

Mario Usala  
 Filomena Pala  
 Giovanna Maria Sini  
 Nicolina Pintori  
 Luisa Canu  
 Giuliana Demurtas  
 Nina Doa



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	55.7	Breast	77.7
Prostate	41.3	Non-melanoma skin cancer	40.1
Trachea, bronchus, and lung	35.7	Thyroid	38.5
Colon	25.9	Colon	14.2
Bladder	23.6	Corpus uteri	11.4
Liver	20.8	Non-Hodgkin lymphoma	10.8
Non-Hodgkin lymphoma	16.8	Trachea, bronchus, and lung	7.7
Rectum	16.4	Ovary	6.7
Pancreas	12.9	Rectum	6.3
Stomach	11.2	Stomach	5.7
Thyroid	10.3	Pancreas	5.6
Kidney	8.4	Liver	5.2
Larynx	8.1	Bladder	4.8
Testis	5.9	Melanoma of skin	4.6
Hodgkin lymphoma	5.0	Hodgkin lymphoma	4.6
Other and unspecified	5.0	Brain and nervous system	4.3
Brain and nervous system	4.9	Myeloid leukaemia	4.2
Oesophagus	4.8	Kidney	3.9
Lymphoid leukaemia	4.7	Lymphoid leukaemia	3.7
Myeloid leukaemia	4.2	Cervix uteri	3.5
All sites	367.2	All sites	287.2

## Italy, Nuoro (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	8	0.2	1.5	<b>0.8</b>	0.04	0.11	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	22	0.7	4.1	<b>2.5</b>	0.22	0.30	6	0.2	1.1	<b>0.5</b>	0.04	0.06	C01-02
Mouth	39	1.2	7.3	<b>4.2</b>	0.33	0.51	5	0.2	0.9	<b>0.4</b>	0.03	0.03	C03-06
Salivary glands	9	0.3	1.7	<b>0.9</b>	0.06	0.08	8	0.3	1.4	<b>0.8</b>	0.05	0.06	C07-08
Tonsil	19	0.6	3.6	<b>2.0</b>	0.14	0.27	2	0.1	0.4	<b>0.1</b>	0.00	0.00	C09
Other oropharynx	12	0.4	2.2	<b>1.3</b>	0.08	0.17	1	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	2	0.1	0.4	<b>0.2</b>	0.01	0.03	1	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	32	1.0	6.0	<b>3.3</b>	0.28	0.40	4	0.1	0.7	<b>0.2</b>	0.00	0.03	C12-13
Pharynx unspecified	7	0.2	1.3	<b>0.7</b>	0.04	0.10	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	44	1.3	8.2	<b>4.8</b>	0.34	0.63	9	0.3	1.6	<b>0.6</b>	0.04	0.06	C15
Stomach	139	4.2	26.0	<b>11.2</b>	0.51	1.23	92	3.4	16.6	<b>5.7</b>	0.25	0.69	C16
Small intestine	22	0.7	4.1	<b>2.4</b>	0.19	0.30	10	0.4	1.8	<b>1.1</b>	0.06	0.13	C17
Colon	297	9.0	55.5	<b>25.9</b>	1.10	3.34	199	7.3	35.9	<b>14.2</b>	0.80	1.69	C18
Rectum	180	5.4	33.6	<b>16.4</b>	0.82	2.06	87	3.2	15.7	<b>6.3</b>	0.29	0.72	C19-20
Anus	2	0.1	0.4	<b>0.1</b>	0.00	0.00	5	0.2	0.9	<b>0.2</b>	0.02	0.02	C21
Liver	227	6.9	42.4	<b>20.8</b>	1.29	2.63	97	3.6	17.5	<b>5.2</b>	0.13	0.60	C22
Gallbladder etc.	44	1.3	8.2	<b>3.6</b>	0.14	0.42	51	1.9	9.2	<b>3.1</b>	0.11	0.42	C23-24
Pancreas	141	4.3	26.4	<b>12.9</b>	0.67	1.53	98	3.6	17.7	<b>5.6</b>	0.17	0.69	C25
Nose, sinuses etc.	3	0.1	0.6	<b>0.2</b>	0.00	0.04	2	0.1	0.4	<b>0.1</b>	0.00	0.02	C30-31
Larynx	75	2.3	14.0	<b>8.1</b>	0.54	1.12	5	0.2	0.9	<b>0.3</b>	0.01	0.05	C32
Trachea, bronchus, and lung	388	11.7	72.5	<b>35.7</b>	1.99	4.66	98	3.6	17.7	<b>7.7</b>	0.60	0.85	C33-34
Other thoracic organs	11	0.3	2.1	<b>1.0</b>	0.07	0.09	1	0.0	0.2	<b>0.1</b>	0.01	0.01	C37-38
Bone	8	0.2	1.5	<b>1.4</b>	0.08	0.10	7	0.3	1.3	<b>1.1</b>	0.06	0.09	C40-41
Melanoma of skin	31	0.9	5.8	<b>3.6</b>	0.25	0.43	37	1.4	6.7	<b>4.6</b>	0.38	0.46	C43
Other skin	656		122.6	<b>55.7</b>	2.59	6.33	545		98.4	<b>40.1</b>	2.25	4.30	C44
Mesothelioma	4	0.1	0.7	<b>0.3</b>	0.02	0.06	2	0.1	0.4	<b>0.1</b>	0.02	0.02	C45
Kaposi sarcoma	12	0.4	2.2	<b>0.8</b>	0.03	0.05	6	0.2	1.1	<b>0.3</b>	0.02	0.05	C46
Connective and soft tissue	18	0.5	3.4	<b>1.8</b>	0.09	0.23	15	0.5	2.7	<b>1.2</b>	0.07	0.17	C47+C49
Breast	9	0.3	1.7	<b>0.9</b>	0.03	0.09	791	29.0	142.9	<b>77.7</b>	5.85	8.73	C50
Vulva							11	0.4	2.0	<b>1.0</b>	0.07	0.11	C51
Vagina							1	0.0	0.2	<b>0.0</b>	0.00	0.00	C52
Cervix uteri							27	1.0	4.9	<b>3.5</b>	0.30	0.32	C53
Corpus uteri							144	5.3	26.0	<b>11.4</b>	0.71	1.41	C54
Uterus unspecified							3	0.1	0.5	<b>0.1</b>	0.00	0.00	C55
Ovary							86	3.1	15.5	<b>6.7</b>	0.41	0.76	C56
Other female genital organs							2	0.1	0.4	<b>0.1</b>	0.01	0.01	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	3	0.1	0.6	<b>0.2</b>	0.02	0.04							C60
Prostate	496	15.0	92.7	<b>41.3</b>	1.56	5.58							C61
Testis	34	1.0	6.4	<b>5.9</b>	0.45	0.45							C62
Other male genital organs	1	0.0	0.2	<b>0.1</b>	0.00	0.00							C63
Kidney	91	2.8	17.0	<b>8.4</b>	0.43	0.97	52	1.9	9.4	<b>3.9</b>	0.23	0.45	C64
Renal pelvis	8	0.2	1.5	<b>0.7</b>	0.03	0.09	1	0.0	0.2	<b>0.1</b>	0.02	0.02	C65
Ureter	7	0.2	1.3	<b>0.6</b>	0.03	0.07	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C66
†Bladder	270	8.2	50.5	<b>23.6</b>	1.10	3.03	66	2.4	11.9	<b>4.8</b>	0.27	0.62	C67
Other urinary organs	3	0.1	0.6	<b>0.1</b>	0.00	0.00	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C68
Eye	4	0.1	0.7	<b>0.3</b>	0.02	0.04	4	0.1	0.7	<b>0.4</b>	0.03	0.06	C69
Brain and nervous system	46	1.4	8.6	<b>4.9</b>	0.24	0.57	48	1.8	8.7	<b>4.3</b>	0.22	0.46	C70-72
Thyroid	79	2.4	14.8	<b>10.3</b>	0.90	1.06	290	10.6	52.4	<b>38.5</b>	3.19	3.87	C73
Adrenal gland	2	0.1	0.4	<b>0.2</b>	0.03	0.03	5	0.2	0.9	<b>1.2</b>	0.08	0.08	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	2	0.1	0.4	<b>0.3</b>	0.03	0.03	C75
Hodgkin lymphoma	24	0.7	4.5	<b>5.0</b>	0.31	0.35	25	0.9	4.5	<b>4.6</b>	0.28	0.33	C81
Non-Hodgkin lymphoma	140	4.2	26.2	<b>16.8</b>	1.12	1.81	112	4.1	20.2	<b>10.8</b>	0.64	1.17	C82-86,C96
Immunoproliferative diseases	9	0.3	1.7	<b>0.6</b>	0.01	0.05	7	0.3	1.3	<b>0.5</b>	0.03	0.08	C88
Multiple myeloma	49	1.5	9.2	<b>4.0</b>	0.20	0.46	31	1.1	5.6	<b>2.1</b>	0.10	0.26	C90
Lymphoid leukaemia	42	1.3	7.8	<b>4.7</b>	0.20	0.51	33	1.2	6.0	<b>3.7</b>	0.23	0.29	C91
Myeloid leukaemia	54	1.6	10.1	<b>4.2</b>	0.20	0.40	32	1.2	5.8	<b>4.2</b>	0.24	0.32	C92-94
Leukaemia unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	3	0.1	0.5	<b>0.1</b>	0.00	0.02	C95
Myeloproliferative disorders	40	1.2	7.5	<b>3.9</b>	0.24	0.51	40	1.5	7.2	<b>3.1</b>	0.17	0.33	MPD
Myelodysplastic syndromes	40	1.2	7.5	<b>2.8</b>	0.06	0.25	19	0.7	3.4	<b>1.1</b>	0.05	0.12	MDS
Other and unspecified	58	1.8	10.8	<b>5.0</b>	0.24	0.50	46	1.7	8.3	<b>2.6</b>	0.14	0.19	O&U
All sites	3961		740.3	<b>367.2</b>	19.34	44.07	3277		592.0	<b>287.2</b>	18.72	31.29	C00-96
All sites except C44	3305	100.0	617.7	<b>311.5</b>	16.75	37.73	2732	100.0	493.5	<b>247.0</b>	16.47	26.98	C00-96 exc. C44

† See note following population pyramid

# Italy, Palermo

## CONTRIBUTORS

Walter Mazzucco  
 Rosanna Cusimano  
 Giuseppa Rudisi  
 Maria Antonietta Cascio  
 Rosalba Amodio  
 Barbara Ravazzolo  
 Rita Mannino  
 Rosalia Valenti  
 Maurizio Zarcone  
 Sergio Mazzola  
 Francesco Vitale  
 Maria Angela Brucculeri



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	46.5	Breast	70.8
Prostate	45.7	Non-melanoma skin cancer	24.4
Trachea, bronchus, and lung	44.1	Colon	18.7
Bladder	37.9	Thyroid	18.4
Colon	23.9	Corpus uteri	11.8
Liver	12.6	Trachea, bronchus, and lung	11.5
Rectum	12.3	Ovary	8.0
Non-Hodgkin lymphoma	11.0	Non-Hodgkin lymphoma	7.4
Stomach	8.6	Rectum	7.4
Pancreas	8.4	Pancreas	6.2
Kidney	8.1	Bladder	6.0
Brain and nervous system	6.8	Liver	5.6
Larynx	6.4	Melanoma of skin	5.5
Testis	6.2	Brain and nervous system	4.8
Melanoma of skin	5.8	Stomach	4.6
Thyroid	5.8	Cervix uteri	4.4
Lymphoid leukaemia	5.4	Other and unspecified	4.0
Other and unspecified	5.0	Kidney	3.9
Myeloid leukaemia	4.6	Lymphoid leukaemia	3.4
Multiple myeloma	4.2	Myeloid leukaemia	3.2
All sites	344.5	All sites	255.7

## Italy, Palermo (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	72	0.4	2.4	<b>1.1</b>	0.05	0.12	9	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	88	0.5	2.9	<b>1.8</b>	0.14	0.21	37	0.3	1.1	<b>0.6</b>	0.04	0.06	C01-02
Mouth	69	0.4	2.3	<b>1.3</b>	0.08	0.16	56	0.4	1.7	<b>0.8</b>	0.05	0.09	C03-06
Salivary glands	51	0.3	1.7	<b>0.8</b>	0.03	0.09	27	0.2	0.8	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	26	0.2	0.9	<b>0.5</b>	0.03	0.07	7	0.1	0.2	<b>0.1</b>	0.00	0.01	C09
Other oropharynx	16	0.1	0.5	<b>0.3</b>	0.02	0.04	3	0.0	0.1	<b>0.0</b>	0.00	0.01	C10
Nasopharynx	76	0.5	2.5	<b>1.8</b>	0.14	0.20	28	0.2	0.9	<b>0.6</b>	0.05	0.06	C11
Hypopharynx	19	0.1	0.6	<b>0.4</b>	0.04	0.05	3	0.0	0.1	<b>0.0</b>	0.00	0.01	C12-13
Pharynx unspecified	12	0.1	0.4	<b>0.2</b>	0.01	0.03	4	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	77	0.5	2.6	<b>1.3</b>	0.07	0.17	28	0.2	0.9	<b>0.3</b>	0.01	0.05	C15
Stomach	516	3.1	17.2	<b>8.6</b>	0.40	1.02	333	2.4	10.3	<b>4.6</b>	0.26	0.50	C16
Small intestine	62	0.4	2.1	<b>1.1</b>	0.06	0.13	56	0.4	1.7	<b>0.8</b>	0.04	0.11	C17
Colon	1463	8.8	48.8	<b>23.9</b>	1.13	2.91	1447	10.4	44.8	<b>18.7</b>	0.89	2.20	C18
Rectum	721	4.4	24.1	<b>12.3</b>	0.63	1.51	526	3.8	16.3	<b>7.4</b>	0.39	0.89	C19-20
Anus	33	0.2	1.1	<b>0.6</b>	0.03	0.07	44	0.3	1.4	<b>0.6</b>	0.03	0.07	C21
Liver	733	4.4	24.5	<b>12.6</b>	0.57	1.61	445	3.2	13.8	<b>5.6</b>	0.21	0.75	C22
Gallbladder etc.	202	1.2	6.7	<b>3.3</b>	0.15	0.39	259	1.9	8.0	<b>3.1</b>	0.12	0.37	C23-24
Pancreas	476	2.9	15.9	<b>8.4</b>	0.46	1.06	500	3.6	15.5	<b>6.2</b>	0.29	0.71	C25
Nose, sinuses etc.	38	0.2	1.3	<b>0.7</b>	0.04	0.08	13	0.1	0.4	<b>0.2</b>	0.01	0.02	C30-31
Larynx	347	2.1	11.6	<b>6.4</b>	0.41	0.83	55	0.4	1.7	<b>1.0</b>	0.08	0.12	C32
Trachea, bronchus, and lung	2611	15.8	87.1	<b>44.1</b>	2.16	5.64	758	5.4	23.5	<b>11.5</b>	0.71	1.40	C33-34
Other thoracic organs	44	0.3	1.5	<b>0.8</b>	0.04	0.10	29	0.2	0.9	<b>0.5</b>	0.02	0.05	C37-38
Bone	38	0.2	1.3	<b>1.3</b>	0.08	0.10	28	0.2	0.9	<b>0.6</b>	0.04	0.05	C40-41
Melanoma of skin	271	1.6	9.0	<b>5.8</b>	0.40	0.60	259	1.9	8.0	<b>5.5</b>	0.40	0.55	C43
Other skin	2794		93.2	<b>46.5</b>	2.24	5.40	1670		51.7	<b>24.4</b>	1.44	2.79	C44
Mesothelioma	90	0.5	3.0	<b>1.6</b>	0.08	0.24	26	0.2	0.8	<b>0.4</b>	0.02	0.04	C45
Kaposi sarcoma	50	0.3	1.7	<b>0.9</b>	0.04	0.10	24	0.2	0.7	<b>0.3</b>	0.01	0.03	C46
Connective and soft tissue	98	0.6	3.3	<b>2.1</b>	0.12	0.21	75	0.5	2.3	<b>1.4</b>	0.08	0.12	C47+C49
Breast	25	0.2	0.8	<b>0.4</b>	0.02	0.06	3889	27.8	120.4	<b>70.8</b>	5.38	7.82	C50
Vulva							107	0.8	3.3	<b>1.3</b>	0.06	0.14	C51
Vagina							13	0.1	0.4	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							213	1.5	6.6	<b>4.4</b>	0.35	0.48	C53
Corpus uteri							686	4.9	21.2	<b>11.8</b>	0.81	1.53	C54
Uterus unspecified							85	0.6	2.6	<b>1.2</b>	0.07	0.14	C55
Ovary							453	3.2	14.0	<b>8.0</b>	0.58	0.91	C56
Other female genital organs							39	0.3	1.2	<b>0.5</b>	0.03	0.05	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	58	0.4	1.9	<b>1.1</b>	0.06	0.14							C60
Prostate	2747	16.6	91.6	<b>45.7</b>	1.83	6.28							C61
Testis	192	1.2	6.4	<b>6.2</b>	0.45	0.46							C62
Other male genital organs	5	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	395	2.4	13.2	<b>8.1</b>	0.54	0.92	224	1.6	6.9	<b>3.9</b>	0.24	0.45	C64
Renal pelvis	44	0.3	1.5	<b>0.7</b>	0.03	0.09	17	0.1	0.5	<b>0.2</b>	0.01	0.02	C65
Ureter	44	0.3	1.5	<b>0.7</b>	0.03	0.09	11	0.1	0.3	<b>0.1</b>	0.01	0.02	C66
†Bladder	2243	13.5	74.8	<b>37.9</b>	1.84	4.64	440	3.1	13.6	<b>6.0</b>	0.31	0.70	C67
Other urinary organs	28	0.2	0.9	<b>0.4</b>	0.01	0.05	9	0.1	0.3	<b>0.1</b>	0.00	0.00	C68
Eye	25	0.2	0.8	<b>0.6</b>	0.04	0.07	20	0.1	0.6	<b>0.4</b>	0.03	0.05	C69
Brain and nervous system	282	1.7	9.4	<b>6.8</b>	0.47	0.65	250	1.8	7.7	<b>4.8</b>	0.33	0.46	C70-72
Thyroid	230	1.4	7.7	<b>5.8</b>	0.46	0.58	747	5.3	23.1	<b>18.4</b>	1.48	1.75	C73
Adrenal gland	16	0.1	0.5	<b>0.6</b>	0.03	0.04	19	0.1	0.6	<b>0.7</b>	0.04	0.05	C74
Other endocrine	2	0.0	0.1	<b>0.0</b>	0.00	0.01	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	124	0.7	4.1	<b>3.7</b>	0.25	0.30	82	0.6	2.5	<b>2.5</b>	0.16	0.20	C81
Non-Hodgkin lymphoma	525	3.2	17.5	<b>11.0</b>	0.74	1.18	432	3.1	13.4	<b>7.4</b>	0.49	0.80	C82-86,C96
Immunoproliferative diseases	29	0.2	1.0	<b>0.6</b>	0.03	0.08	35	0.3	1.1	<b>0.5</b>	0.03	0.07	C88
Multiple myeloma	249	1.5	8.3	<b>4.2</b>	0.21	0.53	204	1.5	6.3	<b>2.8</b>	0.16	0.32	C90
Lymphoid leukaemia	215	1.3	7.2	<b>5.4</b>	0.32	0.51	159	1.1	4.9	<b>3.4</b>	0.18	0.30	C91
Myeloid leukaemia	231	1.4	7.7	<b>4.6</b>	0.26	0.47	193	1.4	6.0	<b>3.2</b>	0.18	0.34	C92-94
Leukaemia unspecified	42	0.3	1.4	<b>0.6</b>	0.02	0.05	33	0.2	1.0	<b>0.3</b>	0.00	0.03	C95
Myeloproliferative disorders	86	0.5	2.9	<b>2.0</b>	0.14	0.21	106	0.8	3.3	<b>1.9</b>	0.12	0.20	MPD
Myelodysplastic syndromes	105	0.6	3.5	<b>1.6</b>	0.05	0.19	79	0.6	2.4	<b>0.9</b>	0.03	0.10	MDS
Other and unspecified	322	1.9	10.7	<b>5.0</b>	0.22	0.50	347	2.5	10.7	<b>4.0</b>	0.18	0.36	O&U
All sites	19357		645.8	<b>344.5</b>	17.73	41.22	15645		484.5	<b>255.7</b>	16.57	28.44	C00-96
All sites except C44	16563	100.0	552.6	<b>298.0</b>	15.49	35.82	13975	100.0	432.8	<b>231.3</b>	15.13	25.64	C00-96 exc. C44

† See note following population pyramid

# Italy, Parma

## CONTRIBUTORS

Maria Michiara  
 Francesco Bozzani  
 Paolo Sgargi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	61.4	Breast	92.3
Non-melanoma skin cancer	47.7	Thyroid	31.2
Trachea, bronchus, and lung	44.3	Non-melanoma skin cancer	28.8
Bladder	29.1	Colon	21.6
Colon	26.8	Corpus uteri	17.3
Liver	16.0	Trachea, bronchus, and lung	17.0
Melanoma of skin	15.8	Melanoma of skin	13.8
Non-Hodgkin lymphoma	15.7	Non-Hodgkin lymphoma	11.9
Stomach	14.8	Ovary	10.3
Kidney	13.7	Pancreas	8.3
Pancreas	11.5	Stomach	7.9
Rectum	11.1	Liver	6.8
Thyroid	8.8	Kidney	6.5
Testis	7.2	Bladder	6.1
Brain and nervous system	7.0	Rectum	6.0
Larynx	6.2	Brain and nervous system	4.5
Other and unspecified	5.2	Cervix uteri	4.3
Multiple myeloma	5.1	Hodgkin lymphoma	4.2
Lymphoid leukaemia	4.8	Other and unspecified	4.0
Myeloid leukaemia	4.6	Multiple myeloma	4.0
All sites	396.4	All sites	336.1

## Italy, Parma (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	9	0.1	0.9	<b>0.4</b>	0.02	0.04	3	0.0	0.3	<b>0.0</b>	0.00	0.00	C00
Tongue	42	0.5	4.1	<b>2.3</b>	0.15	0.26	27	0.3	2.5	<b>1.2</b>	0.09	0.13	C01-02
Mouth	23	0.3	2.2	<b>1.2</b>	0.09	0.13	23	0.3	2.1	<b>0.8</b>	0.06	0.10	C03-06
Salivary glands	9	0.1	0.9	<b>0.6</b>	0.05	0.06	10	0.1	0.9	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	31	0.4	3.0	<b>1.6</b>	0.12	0.20	4	0.1	0.4	<b>0.2</b>	0.01	0.02	C09
Other oropharynx	10	0.1	1.0	<b>0.5</b>	0.03	0.07	2	0.0	0.2	<b>0.1</b>	0.00	0.01	C10
Nasopharynx	13	0.2	1.3	<b>0.7</b>	0.06	0.08	6	0.1	0.5	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	14	0.2	1.4	<b>0.8</b>	0.04	0.11	5	0.1	0.5	<b>0.2</b>	0.01	0.03	C12-13
Pharynx unspecified	3	0.0	0.3	<b>0.2</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	71	0.9	6.9	<b>3.2</b>	0.20	0.40	31	0.4	2.8	<b>0.9</b>	0.04	0.11	C15
Stomach	437	5.4	42.5	<b>14.8</b>	0.49	1.65	334	4.3	30.3	<b>7.9</b>	0.26	0.86	C16
Small intestine	27	0.3	2.6	<b>1.2</b>	0.07	0.12	30	0.4	2.7	<b>0.9</b>	0.04	0.10	C17
Colon	684	8.4	66.6	<b>26.8</b>	1.31	3.01	752	9.6	68.3	<b>21.6</b>	1.11	2.40	C18
Rectum	262	3.2	25.5	<b>11.1</b>	0.66	1.29	181	2.3	16.4	<b>6.0</b>	0.34	0.69	C19-20
Anus	15	0.2	1.5	<b>0.9</b>	0.07	0.11	36	0.5	3.3	<b>1.4</b>	0.10	0.14	C21
Liver	416	5.1	40.5	<b>16.0</b>	0.70	1.89	265	3.4	24.1	<b>6.8</b>	0.23	0.80	C22
Gallbladder etc.	88	1.1	8.6	<b>3.2</b>	0.10	0.40	84	1.1	7.6	<b>1.8</b>	0.06	0.17	C23-24
Pancreas	285	3.5	27.7	<b>11.5</b>	0.52	1.39	325	4.2	29.5	<b>8.3</b>	0.36	0.92	C25
Nose, sinuses etc.	12	0.1	1.2	<b>0.4</b>	0.02	0.05	18	0.2	1.6	<b>0.7</b>	0.05	0.08	C30-31
Larynx	125	1.5	12.2	<b>6.2</b>	0.45	0.80	18	0.2	1.6	<b>0.6</b>	0.03	0.08	C32
Trachea, bronchus, and lung	1175	14.5	114.4	<b>44.3</b>	1.76	5.42	521	6.7	47.3	<b>17.0</b>	1.01	1.99	C33-34
Other thoracic organs	20	0.2	1.9	<b>0.8</b>	0.04	0.08	16	0.2	1.5	<b>0.4</b>	0.02	0.04	C37-38
Bone	18	0.2	1.8	<b>2.0</b>	0.12	0.15	17	0.2	1.5	<b>1.1</b>	0.08	0.08	C40-41
Melanoma of skin	276	3.4	26.9	<b>15.8</b>	1.08	1.59	251	3.2	22.8	<b>13.8</b>	1.01	1.37	C43
Other skin	1193		116.2	<b>47.7</b>	2.29	5.37	861		78.2	<b>28.8</b>	1.75	2.90	C44
Mesothelioma	43	0.5	4.2	<b>1.6</b>	0.05	0.24	27	0.3	2.5	<b>0.8</b>	0.03	0.08	C45
Kaposi sarcoma	18	0.2	1.8	<b>0.8</b>	0.05	0.09	5	0.1	0.5	<b>0.2</b>	0.01	0.01	C46
Connective and soft tissue	37	0.5	3.6	<b>1.9</b>	0.10	0.17	40	0.5	3.6	<b>1.9</b>	0.13	0.17	C47+C49
Breast	22	0.3	2.1	<b>1.1</b>	0.08	0.12	2008	25.6	182.5	<b>92.3</b>	6.52	10.46	C50
Vulva							41	0.5	3.7	<b>1.0</b>	0.03	0.12	C51
Vagina							6	0.1	0.5	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							81	1.0	7.4	<b>4.3</b>	0.33	0.42	C53
Corpus uteri							410	5.2	37.3	<b>17.3</b>	1.21	2.19	C54
Uterus unspecified							1	0.0	0.1	<b>0.0</b>	0.00	0.00	C55
Ovary							247	3.2	22.4	<b>10.3</b>	0.73	1.14	C56
Other female genital organs							10	0.1	0.9	<b>0.3</b>	0.01	0.03	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	13	0.2	1.3	<b>0.6</b>	0.04	0.08							C60
Prostate	1480	18.2	144.1	<b>61.4</b>	2.91	8.29							C61
Testis	74	0.9	7.2	<b>7.2</b>	0.51	0.53							C62
Other male genital organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	291	3.6	28.3	<b>13.7</b>	0.87	1.67	190	2.4	17.3	<b>6.5</b>	0.40	0.77	C64
Renal pelvis	20	0.2	1.9	<b>0.7</b>	0.03	0.08	12	0.2	1.1	<b>0.2</b>	0.01	0.02	C65
Ureter	20	0.2	1.9	<b>0.9</b>	0.06	0.11	8	0.1	0.7	<b>0.3</b>	0.02	0.04	C66
†Bladder	767	9.4	74.7	<b>29.1</b>	1.13	3.42	216	2.8	19.6	<b>6.1</b>	0.29	0.67	C67
Other urinary organs	3	0.0	0.3	<b>0.1</b>	0.00	0.00	2	0.0	0.2	<b>0.1</b>	0.01	0.01	C68
Eye	10	0.1	1.0	<b>0.6</b>	0.04	0.07	12	0.2	1.1	<b>0.5</b>	0.03	0.04	C69
Brain and nervous system	132	1.6	12.9	<b>7.0</b>	0.48	0.74	101	1.3	9.2	<b>4.5</b>	0.25	0.46	C70-72
Thyroid	135	1.7	13.1	<b>8.8</b>	0.69	0.91	469	6.0	42.6	<b>31.2</b>	2.53	3.01	C73
Adrenal gland	5	0.1	0.5	<b>0.4</b>	0.02	0.03	3	0.0	0.3	<b>0.1</b>	0.01	0.01	C74
Other endocrine	3	0.0	0.3	<b>0.4</b>	0.02	0.02	2	0.0	0.2	<b>0.1</b>	0.01	0.02	C75
Hodgkin lymphoma	37	0.5	3.6	<b>3.4</b>	0.22	0.29	48	0.6	4.4	<b>4.2</b>	0.30	0.34	C81
Non-Hodgkin lymphoma	307	3.8	29.9	<b>15.7</b>	0.90	1.72	286	3.7	26.0	<b>11.9</b>	0.75	1.27	C82-86,C96
Immunoproliferative diseases	17	0.2	1.7	<b>0.9</b>	0.07	0.11	26	0.3	2.4	<b>1.1</b>	0.07	0.13	C88
Multiple myeloma	135	1.7	13.1	<b>5.1</b>	0.26	0.54	114	1.5	10.4	<b>4.0</b>	0.23	0.51	C90
Lymphoid leukaemia	86	1.1	8.4	<b>4.8</b>	0.23	0.41	76	1.0	6.9	<b>2.7</b>	0.14	0.23	C91
Myeloid leukaemia	109	1.3	10.6	<b>4.6</b>	0.27	0.44	101	1.3	9.2	<b>3.5</b>	0.19	0.36	C92-94
Leukaemia unspecified	2	0.0	0.2	<b>0.1</b>	0.00	0.01	6	0.1	0.5	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	87	1.1	8.5	<b>3.9</b>	0.17	0.43	101	1.3	9.2	<b>3.8</b>	0.21	0.39	MPD
Myelodysplastic syndromes	73	0.9	7.1	<b>2.2</b>	0.05	0.22	65	0.8	5.9	<b>1.4</b>	0.04	0.14	MDS
Other and unspecified	126	1.6	12.3	<b>5.2</b>	0.27	0.58	155	2.0	14.1	<b>4.0</b>	0.14	0.37	O&U
All sites	9310		906.4	<b>396.4</b>	20.00	45.99	8690		789.6	<b>336.1</b>	21.40	36.57	C00-96
All sites except C44	8117	100.0	790.3	<b>348.8</b>	17.71	40.62	7829	100.0	711.4	<b>307.3</b>	19.65	33.67	C00-96 exc. C44


† See note following population pyramid



# Italy, Piacenza

## CONTRIBUTORS

Elisabetta Borciani  
Pietro Seghini  
Rita Prazzoli  
Fabio Faccini



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	71.8	Breast	93.6
Prostate	54.3	Non-melanoma skin cancer	50.1
Trachea, bronchus, and lung	45.3	Trachea, bronchus, and lung	17.6
Bladder	31.9	Colon	16.6
Colon	26.6	Corpus uteri	14.2
Stomach	17.1	Thyroid	13.1
Liver	14.6	Non-Hodgkin lymphoma	11.1
Kidney	13.5	Stomach	9.0
Non-Hodgkin lymphoma	11.8	Ovary	8.9
Rectum	11.5	Melanoma of skin	8.8
Pancreas	10.7	Pancreas	8.1
Melanoma of skin	9.7	Bladder	7.0
Other and unspecified	8.6	Kidney	6.5
Larynx	7.1	Other and unspecified	6.2
Lymphoid leukaemia	7.1	Liver	5.1
Brain and nervous system	6.4	Rectum	4.7
Hodgkin lymphoma	6.0	Lymphoid leukaemia	4.6
Myeloproliferative disorders	5.4	Myeloproliferative disorders	4.5
Multiple myeloma	5.2	Cervix uteri	4.5
Thyroid	5.2	Brain and nervous system	4.2
All sites	411.3	All sites	329.7

## Italy, Piacenza (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	10	0.2	1.8	<b>0.7</b>	0.01	0.08	3	0.1	0.5	<b>0.2</b>	0.01	0.01	C00
Tongue	21	0.5	3.8	<b>2.0</b>	0.13	0.23	15	0.4	2.6	<b>1.1</b>	0.08	0.12	C01-02
Mouth	23	0.5	4.1	<b>2.0</b>	0.16	0.19	10	0.3	1.7	<b>0.5</b>	0.03	0.06	C03-06
Salivary glands	7	0.2	1.3	<b>0.7</b>	0.04	0.08	7	0.2	1.2	<b>0.9</b>	0.06	0.07	C07-08
Tonsil	19	0.4	3.4	<b>1.8</b>	0.13	0.21	4	0.1	0.7	<b>0.4</b>	0.04	0.06	C09
Other oropharynx	1	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	7	0.2	1.3	<b>0.9</b>	0.04	0.09	1	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	6	0.1	1.1	<b>0.6</b>	0.04	0.07	2	0.1	0.3	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	10	0.2	1.8	<b>1.0</b>	0.08	0.12	1	0.0	0.2	<b>0.1</b>	0.00	0.01	C14
Oesophagus	44	1.0	7.9	<b>3.4</b>	0.16	0.40	18	0.5	3.1	<b>0.7</b>	0.01	0.08	C15
Stomach	249	5.7	44.6	<b>17.1</b>	0.79	2.00	187	4.9	31.8	<b>9.0</b>	0.39	0.99	C16
Small intestine	16	0.4	2.9	<b>1.0</b>	0.04	0.14	8	0.2	1.4	<b>0.6</b>	0.05	0.07	C17
Colon	382	8.7	68.5	<b>26.6</b>	1.18	3.19	293	7.7	49.8	<b>16.6</b>	0.89	1.92	C18
Rectum	153	3.5	27.4	<b>11.5</b>	0.65	1.28	81	2.1	13.8	<b>4.7</b>	0.27	0.54	C19-20
Anus	12	0.3	2.2	<b>0.9</b>	0.04	0.09	11	0.3	1.9	<b>0.6</b>	0.02	0.09	C21
Liver	202	4.6	36.2	<b>14.6</b>	0.68	1.79	122	3.2	20.7	<b>5.1</b>	0.16	0.55	C22
Gallbladder etc.	31	0.7	5.6	<b>1.6</b>	0.00	0.18	48	1.3	8.2	<b>2.2</b>	0.07	0.27	C23-24
Pancreas	151	3.4	27.1	<b>10.7</b>	0.47	1.25	155	4.1	26.4	<b>8.1</b>	0.40	0.92	C25
Nose, sinuses etc.	8	0.2	1.4	<b>0.7</b>	0.05	0.07	6	0.2	1.0	<b>0.2</b>	0.01	0.03	C30-31
Larynx	85	1.9	15.2	<b>7.1</b>	0.43	0.93	11	0.3	1.9	<b>0.8</b>	0.05	0.10	C32
Trachea, bronchus, and lung	662	15.1	118.6	<b>45.3</b>	1.84	5.86	276	7.2	46.9	<b>17.6</b>	1.04	2.10	C33-34
Other thoracic organs	16	0.4	2.9	<b>1.0</b>	0.01	0.13	13	0.3	2.2	<b>0.9</b>	0.05	0.11	C37-38
Bone	8	0.2	1.4	<b>2.0</b>	0.11	0.14	7	0.2	1.2	<b>0.9</b>	0.06	0.08	C40-41
Melanoma of skin	96	2.2	17.2	<b>9.7</b>	0.72	1.00	92	2.4	15.6	<b>8.8</b>	0.63	0.90	C43
Other skin	1014		181.7	<b>71.8</b>	3.36	8.29	812		138.1	<b>50.1</b>	2.97	5.60	C44
Mesothelioma	21	0.5	3.8	<b>1.4</b>	0.04	0.17	8	0.2	1.4	<b>0.4</b>	0.01	0.04	C45
Kaposi sarcoma	7	0.2	1.3	<b>0.4</b>	0.01	0.04	4	0.1	0.7	<b>0.2</b>	0.01	0.01	C46
Connective and soft tissue	20	0.5	3.6	<b>1.5</b>	0.09	0.22	21	0.5	3.6	<b>2.4</b>	0.15	0.19	C47+C49
Breast	11	0.3	2.0	<b>1.0</b>	0.04	0.13	1092	28.6	185.7	<b>93.6</b>	7.04	10.18	C50
Vulva							27	0.7	4.6	<b>1.3</b>	0.04	0.15	C51
Vagina							5	0.1	0.9	<b>0.4</b>	0.03	0.04	C52
Cervix uteri							48	1.3	8.2	<b>4.5</b>	0.32	0.49	C53
Corpus uteri							169	4.4	28.7	<b>14.2</b>	1.07	1.74	C54
Uterus unspecified							10	0.3	1.7	<b>0.7</b>	0.06	0.08	C55
Ovary							104	2.7	17.7	<b>8.9</b>	0.58	1.07	C56
Other female genital organs							5	0.1	0.9	<b>0.5</b>	0.04	0.07	C57
Placenta							2	0.1	0.3	<b>0.3</b>	0.02	0.02	C58
Penis	8	0.2	1.4	<b>0.8</b>	0.03	0.10							C60
Prostate	738	16.8	132.3	<b>54.3</b>	2.07	7.61							C61
Testis	29	0.7	5.2	<b>4.7</b>	0.32	0.35							C62
Other male genital organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	159	3.6	28.5	<b>13.5</b>	0.71	1.65	93	2.4	15.8	<b>6.5</b>	0.38	0.78	C64
Renal pelvis	3	0.1	0.5	<b>0.3</b>	0.03	0.03	7	0.2	1.2	<b>0.5</b>	0.01	0.06	C65
Ureter	8	0.2	1.4	<b>0.7</b>	0.06	0.07	4	0.1	0.7	<b>0.1</b>	0.00	0.00	C66
†Bladder	458	10.4	82.1	<b>31.9</b>	1.54	3.77	115	3.0	19.6	<b>7.0</b>	0.42	0.89	C67
Other urinary organs	4	0.1	0.7	<b>0.3</b>	0.01	0.03	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C68
Eye	2	0.0	0.4	<b>0.1</b>	0.00	0.02	7	0.2	1.2	<b>0.6</b>	0.04	0.07	C69
Brain and nervous system	59	1.3	10.6	<b>6.4</b>	0.36	0.72	55	1.4	9.4	<b>4.2</b>	0.26	0.48	C70-72
Thyroid	37	0.8	6.6	<b>5.2</b>	0.41	0.49	108	2.8	18.4	<b>13.1</b>	1.06	1.35	C73
Adrenal gland	1	0.0	0.2	<b>0.1</b>	0.00	0.02	3	0.1	0.5	<b>0.3</b>	0.02	0.02	C74
Other endocrine	4	0.1	0.7	<b>1.0</b>	0.05	0.05	2	0.1	0.3	<b>0.3</b>	0.02	0.02	C75
Hodgkin lymphoma	31	0.7	5.6	<b>6.0</b>	0.39	0.47	20	0.5	3.4	<b>4.1</b>	0.28	0.31	C81
Non-Hodgkin lymphoma	132	3.0	23.7	<b>11.8</b>	0.68	1.23	156	4.1	26.5	<b>11.1</b>	0.67	1.29	C82-86,C96
Immunoproliferative diseases	16	0.4	2.9	<b>1.1</b>	0.04	0.10	11	0.3	1.9	<b>0.7</b>	0.03	0.11	C88
Multiple myeloma	68	1.6	12.2	<b>5.2</b>	0.26	0.65	66	1.7	11.2	<b>3.7</b>	0.26	0.38	C90
Lymphoid leukaemia	67	1.5	12.0	<b>7.1</b>	0.36	0.73	49	1.3	8.3	<b>4.6</b>	0.24	0.41	C91
Myeloid leukaemia	51	1.2	9.1	<b>4.5</b>	0.22	0.43	34	0.9	5.8	<b>2.6</b>	0.14	0.26	C92-94
Leukaemia unspecified	3	0.1	0.5	<b>0.2</b>	0.01	0.01	4	0.1	0.7	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	59	1.3	10.6	<b>5.4</b>	0.35	0.73	57	1.5	9.7	<b>4.5</b>	0.31	0.49	MPD
Myelodysplastic syndromes	57	1.3	10.2	<b>3.2</b>	0.08	0.30	30	0.8	5.1	<b>1.9</b>	0.11	0.17	MDS
Other and unspecified	114	2.6	20.4	<b>8.6</b>	0.41	0.86	133	3.5	22.6	<b>6.2</b>	0.33	0.67	O&U
All sites	5400		967.7	<b>411.3</b>	19.78	48.78	4634		787.9	<b>329.7</b>	21.29	36.55	C00-96
All sites except C44	4386	100.0	786.0	<b>339.4</b>	16.42	40.49	3822	100.0	649.8	<b>279.6</b>	18.32	30.95	C00-96 exc. C44

† See note following population pyramid

# Italy, Ragusa and Caltanissetta

## CONTRIBUTORS

Rosario Tumino  
Giuseppe Cascone  
Graziella Frasca  
Maria Concetta Giurdanella  
Caterina Martorana  
Carmela Nicita  
Patrizia Concetta Rollo  
Eugenia Spata



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	56.2	Breast	68.4
Trachea, bronchus, and lung	39.7	Non-melanoma skin cancer	26.5
Prostate	39.7	Colon	17.9
Bladder	29.7	Thyroid	16.9
Colon	24.6	Corpus uteri	12.9
Rectum	11.9	Ovary	9.2
Liver	11.3	Trachea, bronchus, and lung	7.7
Non-Hodgkin lymphoma	10.0	Rectum	7.5
Stomach	8.8	Non-Hodgkin lymphoma	7.0
Pancreas	7.9	Melanoma of skin	6.5
Kidney	6.7	Pancreas	5.1
Brain and nervous system	6.4	Bladder	4.9
Testis	5.8	Brain and nervous system	4.6
Larynx	5.8	Cervix uteri	4.5
Melanoma of skin	5.7	Liver	4.5
Other and unspecified	5.3	Stomach	4.3
Thyroid	4.8	Other and unspecified	4.2
Lymphoid leukaemia	4.7	Gallbladder etc.	3.6
Gallbladder etc.	4.6	Hodgkin lymphoma	3.5
Hodgkin lymphoma	4.3	Kidney	3.2
All sites	327.8	All sites	248.0

## Italy, Ragusa and Caltanissetta (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	16	0.2	1.1	<b>0.6</b>	0.04	0.07	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C00
Tongue	33	0.5	2.3	<b>1.3</b>	0.08	0.16	18	0.3	1.2	<b>0.5</b>	0.01	0.05	C01-02
Mouth	32	0.4	2.3	<b>1.3</b>	0.08	0.18	16	0.3	1.1	<b>0.5</b>	0.03	0.06	C03-06
Salivary glands	25	0.3	1.8	<b>0.8</b>	0.05	0.07	11	0.2	0.7	<b>0.3</b>	0.02	0.04	C07-08
Tonsil	17	0.2	1.2	<b>0.8</b>	0.07	0.09	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	6	0.1	0.4	<b>0.3</b>	0.02	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	21	0.3	1.5	<b>1.1</b>	0.11	0.12	13	0.2	0.9	<b>0.8</b>	0.06	0.06	C11
Hypopharynx	3	0.0	0.2	<b>0.1</b>	0.01	0.02	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	3	0.0	0.2	<b>0.1</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	36	0.5	2.5	<b>1.1</b>	0.06	0.11	12	0.2	0.8	<b>0.4</b>	0.02	0.04	C15
Stomach	267	3.7	18.9	<b>8.8</b>	0.45	0.99	163	2.7	10.9	<b>4.3</b>	0.22	0.41	C16
Small intestine	19	0.3	1.3	<b>0.8</b>	0.05	0.09	12	0.2	0.8	<b>0.4</b>	0.02	0.05	C17
Colon	708	9.7	50.1	<b>24.6</b>	1.18	3.04	633	10.3	42.3	<b>17.9</b>	0.90	2.13	C18
Rectum	327	4.5	23.1	<b>11.9</b>	0.64	1.49	236	3.9	15.8	<b>7.5</b>	0.50	0.94	C19-20
Anus	15	0.2	1.1	<b>0.5</b>	0.03	0.06	15	0.2	1.0	<b>0.4</b>	0.02	0.04	C21
Liver	319	4.4	22.6	<b>11.3</b>	0.56	1.41	162	2.6	10.8	<b>4.5</b>	0.20	0.51	C22
Gallbladder etc.	142	1.9	10.0	<b>4.6</b>	0.20	0.56	148	2.4	9.9	<b>3.6</b>	0.13	0.41	C23-24
Pancreas	226	3.1	16.0	<b>7.9</b>	0.35	0.92	201	3.3	13.4	<b>5.1</b>	0.23	0.58	C25
Nose, sinuses etc.	10	0.1	0.7	<b>0.4</b>	0.03	0.03	5	0.1	0.3	<b>0.3</b>	0.03	0.03	C30-31
Larynx	143	2.0	10.1	<b>5.8</b>	0.38	0.73	9	0.1	0.6	<b>0.3</b>	0.02	0.02	C32
Trachea, bronchus, and lung	1132	15.5	80.1	<b>39.7</b>	1.85	5.14	248	4.1	16.6	<b>7.7</b>	0.46	0.89	C33-34
Other thoracic organs	23	0.3	1.6	<b>0.8</b>	0.04	0.10	13	0.2	0.9	<b>0.4</b>	0.03	0.05	C37-38
Bone	21	0.3	1.5	<b>1.2</b>	0.08	0.10	10	0.2	0.7	<b>0.6</b>	0.03	0.06	C40-41
Melanoma of skin	132	1.8	9.3	<b>5.7</b>	0.41	0.58	142	2.3	9.5	<b>6.5</b>	0.50	0.66	C43
Other skin	1686		119.3	<b>56.2</b>	2.61	6.52	923		61.7	<b>26.5</b>	1.41	2.94	C44
Mesothelioma	42	0.6	3.0	<b>1.7</b>	0.09	0.25	14	0.2	0.9	<b>0.4</b>	0.03	0.05	C45
Kaposi sarcoma	25	0.3	1.8	<b>0.8</b>	0.03	0.07	10	0.2	0.7	<b>0.2</b>	0.01	0.03	C46
Connective and soft tissue	49	0.7	3.5	<b>2.4</b>	0.16	0.24	34	0.6	2.3	<b>1.3</b>	0.07	0.15	C47+C49
Breast	13	0.2	0.9	<b>0.5</b>	0.02	0.06	1735	28.3	116.1	<b>68.4</b>	5.15	7.69	C50
Vulva							49	0.8	3.3	<b>1.6</b>	0.07	0.22	C51
Vagina							7	0.1	0.5	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							97	1.6	6.5	<b>4.5</b>	0.36	0.47	C53
Corpus uteri							343	5.6	22.9	<b>12.9</b>	0.90	1.61	C54
Uterus unspecified							54	0.9	3.6	<b>1.5</b>	0.11	0.16	C55
Ovary							234	3.8	15.7	<b>9.2</b>	0.65	1.04	C56
Other female genital organs							9	0.1	0.6	<b>0.4</b>	0.03	0.04	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	27	0.4	1.9	<b>1.0</b>	0.05	0.12							C60
Prostate	1173	16.1	83.0	<b>39.7</b>	1.52	5.41							C61
Testis	86	1.2	6.1	<b>5.8</b>	0.43	0.43							C62
Other male genital organs	3	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	159	2.2	11.2	<b>6.7</b>	0.45	0.79	81	1.3	5.4	<b>3.2</b>	0.24	0.35	C64
Renal pelvis	22	0.3	1.6	<b>0.8</b>	0.02	0.09	9	0.1	0.6	<b>0.2</b>	0.01	0.03	C65
Ureter	12	0.2	0.8	<b>0.5</b>	0.03	0.06	5	0.1	0.3	<b>0.1</b>	0.00	0.01	C66
†Bladder	850	11.7	60.1	<b>29.7</b>	1.45	3.67	172	2.8	11.5	<b>4.9</b>	0.29	0.54	C67
Other urinary organs	12	0.2	0.8	<b>0.4</b>	0.01	0.07	3	0.0	0.2	<b>0.0</b>	0.00	0.00	C68
Eye	9	0.1	0.6	<b>0.5</b>	0.03	0.05	6	0.1	0.4	<b>0.4</b>	0.02	0.03	C69
Brain and nervous system	127	1.7	9.0	<b>6.4</b>	0.35	0.62	105	1.7	7.0	<b>4.6</b>	0.26	0.48	C70-72
Thyroid	99	1.4	7.0	<b>4.8</b>	0.37	0.52	318	5.2	21.3	<b>16.9</b>	1.34	1.57	C73
Adrenal gland	3	0.0	0.2	<b>0.1</b>	0.01	0.02	11	0.2	0.7	<b>0.7</b>	0.05	0.05	C74
Other endocrine	4	0.1	0.3	<b>0.3</b>	0.01	0.02	4	0.1	0.3	<b>0.2</b>	0.01	0.01	C75
Hodgkin lymphoma	60	0.8	4.2	<b>4.3</b>	0.28	0.33	56	0.9	3.7	<b>3.5</b>	0.23	0.28	C81
Non-Hodgkin lymphoma	226	3.1	16.0	<b>10.0</b>	0.64	1.11	172	2.8	11.5	<b>7.0</b>	0.44	0.79	C82-86,C96
Immunoproliferative diseases	17	0.2	1.2	<b>0.6</b>	0.02	0.08	10	0.2	0.7	<b>0.5</b>	0.04	0.05	C88
Multiple myeloma	118	1.6	8.3	<b>4.1</b>	0.22	0.47	83	1.4	5.6	<b>2.5</b>	0.16	0.28	C90
Lymphoid leukaemia	102	1.4	7.2	<b>4.7</b>	0.22	0.47	61	1.0	4.1	<b>2.5</b>	0.14	0.22	C91
Myeloid leukaemia	73	1.0	5.2	<b>2.9</b>	0.19	0.29	69	1.1	4.6	<b>2.6</b>	0.17	0.25	C92-94
Leukaemia unspecified	22	0.3	1.6	<b>0.9</b>	0.05	0.05	25	0.4	1.7	<b>0.6</b>	0.03	0.07	C95
Myeloproliferative disorders	73	1.0	5.2	<b>3.3</b>	0.22	0.37	71	1.2	4.7	<b>2.7</b>	0.16	0.29	MPD
Myelodysplastic syndromes	47	0.6	3.3	<b>1.7</b>	0.07	0.24	43	0.7	2.9	<b>1.4</b>	0.07	0.15	MDS
Other and unspecified	155	2.1	11.0	<b>5.3</b>	0.25	0.61	156	2.5	10.4	<b>4.2</b>	0.21	0.42	O&U
All sites	8970		634.5	<b>327.8</b>	16.56	39.20	7043		471.2	<b>248.0</b>	16.12	27.32	C00-96
All sites except C44	7284	100.0	515.3	<b>271.6</b>	13.95	32.68	6120	100.0	409.4	<b>221.5</b>	14.71	24.37	C00-96 exc. C44

† See note following population pyramid

# Italy, Reggio Emilia

## CONTRIBUTORS

Lucia Mangone  
Massimo Vicentini  
Pamela Mancuso  
Annamaria Pezzarossi  
Francesca Ferrari  
Francesca Roncaglia  
Claudio Sacchetti  
Paolo Giorgi Rossi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	80.9	Breast	92.0
Prostate	57.0	Non-melanoma skin cancer	53.5
Trachea, bronchus, and lung	40.1	Thyroid	27.8
Bladder	29.3	Colon	16.6
Colon	22.7	Trachea, bronchus, and lung	15.9
Non-Hodgkin lymphoma	13.9	Corpus uteri	14.7
Kidney	13.2	Melanoma of skin	11.4
Stomach	12.6	Non-Hodgkin lymphoma	9.5
Melanoma of skin	11.4	Ovary	7.3
Liver	10.9	Pancreas	6.7
Rectum	10.1	Bladder	6.7
Pancreas	9.7	Stomach	6.6
Thyroid	9.2	Kidney	5.8
Brain and nervous system	6.8	Rectum	5.7
Testis	6.7	Brain and nervous system	5.0
Lymphoid leukaemia	6.4	Lymphoid leukaemia	4.1
Hodgkin lymphoma	5.2	Cervix uteri	3.8
Larynx	5.2	Myeloproliferative disorders	3.8
Myeloid leukaemia	4.9	Other and unspecified	3.7
Multiple myeloma	4.5	Liver	3.0
All sites	400.4	All sites	328.8

## Italy, Reggio Emilia (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	18	0.2	1.4	<b>0.5</b>	0.01	0.04	6	0.1	0.4	<b>0.1</b>	0.00	0.02	C00
Tongue	43	0.5	3.3	<b>2.0</b>	0.13	0.24	16	0.2	1.2	<b>0.6</b>	0.03	0.07	C01-02
Mouth	40	0.5	3.1	<b>1.7</b>	0.11	0.23	20	0.3	1.5	<b>0.6</b>	0.04	0.07	C03-06
Salivary glands	11	0.1	0.8	<b>0.4</b>	0.01	0.05	12	0.2	0.9	<b>0.3</b>	0.02	0.03	C07-08
Tonsil	21	0.3	1.6	<b>1.1</b>	0.09	0.14	9	0.1	0.7	<b>0.4</b>	0.04	0.04	C09
Other oropharynx	16	0.2	1.2	<b>0.7</b>	0.04	0.11	3	0.0	0.2	<b>0.1</b>	0.00	0.02	C10
Nasopharynx	21	0.3	1.6	<b>1.0</b>	0.08	0.11	5	0.1	0.4	<b>0.1</b>	0.01	0.02	C11
Hypopharynx	21	0.3	1.6	<b>1.0</b>	0.08	0.12	3	0.0	0.2	<b>0.1</b>	0.00	0.02	C12-13
Pharynx unspecified	3	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	57	0.7	4.4	<b>2.2</b>	0.14	0.29	13	0.2	1.0	<b>0.4</b>	0.03	0.05	C15
Stomach	388	4.7	29.8	<b>12.6</b>	0.50	1.35	272	3.6	20.2	<b>6.6</b>	0.31	0.71	C16
Small intestine	42	0.5	3.2	<b>1.7</b>	0.07	0.21	24	0.3	1.8	<b>0.6</b>	0.03	0.07	C17
Colon	642	7.8	49.3	<b>22.7</b>	1.14	2.55	563	7.5	41.9	<b>16.6</b>	0.97	1.80	C18
Rectum	268	3.2	20.6	<b>10.1</b>	0.54	1.15	186	2.5	13.8	<b>5.7</b>	0.32	0.68	C19-20
Anus	17	0.2	1.3	<b>0.7</b>	0.05	0.07	20	0.3	1.5	<b>0.8</b>	0.07	0.08	C21
Liver	286	3.5	22.0	<b>10.9</b>	0.61	1.18	123	1.6	9.2	<b>3.0</b>	0.13	0.35	C22
Gallbladder etc.	73	0.9	5.6	<b>2.2</b>	0.07	0.20	90	1.2	6.7	<b>2.0</b>	0.05	0.22	C23-24
Pancreas	287	3.5	22.0	<b>9.7</b>	0.38	1.23	277	3.7	20.6	<b>6.7</b>	0.28	0.73	C25
Nose, sinuses etc.	12	0.1	0.9	<b>0.5</b>	0.03	0.05	7	0.1	0.5	<b>0.2</b>	0.01	0.03	C30-31
Larynx	133	1.6	10.2	<b>5.2</b>	0.33	0.63	16	0.2	1.2	<b>0.6</b>	0.04	0.08	C32
Trachea, bronchus, and lung	1190	14.4	91.4	<b>40.1</b>	1.67	4.77	502	6.7	37.4	<b>15.9</b>	0.85	1.98	C33-34
Other thoracic organs	23	0.3	1.8	<b>1.1</b>	0.06	0.10	23	0.3	1.7	<b>0.9</b>	0.07	0.11	C37-38
Bone	15	0.2	1.2	<b>1.2</b>	0.07	0.08	11	0.1	0.8	<b>0.7</b>	0.05	0.06	C40-41
Melanoma of skin	233	2.8	17.9	<b>11.4</b>	0.82	1.16	227	3.0	16.9	<b>11.4</b>	0.88	1.07	C43
Other skin	2266		174.1	<b>80.9</b>	3.91	9.28	1745		129.9	<b>53.5</b>	3.05	5.83	C44
Mesothelioma	73	0.9	5.6	<b>2.6</b>	0.11	0.32	19	0.3	1.4	<b>0.5</b>	0.02	0.08	C45
Kaposi sarcoma	35	0.4	2.7	<b>1.2</b>	0.06	0.11	14	0.2	1.0	<b>0.2</b>	0.00	0.03	C46
Connective and soft tissue	47	0.6	3.6	<b>2.4</b>	0.11	0.22	31	0.4	2.3	<b>1.3</b>	0.09	0.13	C47+C49
Breast	15	0.2	1.2	<b>0.5</b>	0.02	0.06	2286	30.5	170.2	<b>92.0</b>	6.65	10.54	C50
Vulva							47	0.6	3.5	<b>1.1</b>	0.03	0.12	C51
Vagina							6	0.1	0.4	<b>0.2</b>	0.02	0.02	C52
Cervix uteri							82	1.1	6.1	<b>3.8</b>	0.32	0.38	C53
Corpus uteri							380	5.1	28.3	<b>14.7</b>	1.04	1.89	C54
Uterus unspecified							8	0.1	0.6	<b>0.2</b>	0.01	0.02	C55
Ovary							202	2.7	15.0	<b>7.3</b>	0.51	0.80	C56
Other female genital organs							16	0.2	1.2	<b>0.5</b>	0.03	0.06	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	17	0.2	1.3	<b>0.7</b>	0.05	0.09							C60
Prostate	1472	17.8	113.1	<b>57.0</b>	2.79	8.08							C61
Testis	90	1.1	6.9	<b>6.7</b>	0.48	0.52							C62
Other male genital organs	5	0.1	0.4	<b>0.2</b>	0.01	0.03							C63
Kidney	330	4.0	25.3	<b>13.2</b>	0.77	1.65	167	2.2	12.4	<b>5.8</b>	0.34	0.63	C64
Renal pelvis	15	0.2	1.2	<b>0.5</b>	0.02	0.05	7	0.1	0.5	<b>0.2</b>	0.01	0.03	C65
Ureter	13	0.2	1.0	<b>0.4</b>	0.01	0.05	5	0.1	0.4	<b>0.1</b>	0.00	0.01	C66
†Bladder	840	10.2	64.5	<b>29.3</b>	1.33	3.57	232	3.1	17.3	<b>6.7</b>	0.33	0.82	C67
Other urinary organs	13	0.2	1.0	<b>0.4</b>	0.01	0.04	6	0.1	0.4	<b>0.1</b>	0.00	0.02	C68
Eye	14	0.2	1.1	<b>0.7</b>	0.04	0.06	9	0.1	0.7	<b>0.4</b>	0.01	0.05	C69
Brain and nervous system	143	1.7	11.0	<b>6.8</b>	0.45	0.76	120	1.6	8.9	<b>5.0</b>	0.31	0.53	C70-72
Thyroid	172	2.1	13.2	<b>9.2</b>	0.72	0.94	502	6.7	37.4	<b>27.8</b>	2.24	2.80	C73
Adrenal gland	2	0.0	0.2	<b>0.2</b>	0.01	0.01	6	0.1	0.4	<b>0.6</b>	0.03	0.03	C74
Other endocrine	2	0.0	0.2	<b>0.2</b>	0.01	0.01	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	71	0.9	5.5	<b>5.2</b>	0.36	0.40	36	0.5	2.7	<b>2.3</b>	0.16	0.19	C81
Non-Hodgkin lymphoma	322	3.9	24.7	<b>13.9</b>	0.82	1.55	247	3.3	18.4	<b>9.5</b>	0.60	1.01	C82-86,C96
Immunoproliferative diseases	30	0.4	2.3	<b>1.4</b>	0.10	0.15	30	0.4	2.2	<b>1.1</b>	0.07	0.13	C88
Multiple myeloma	123	1.5	9.4	<b>4.5</b>	0.28	0.50	101	1.3	7.5	<b>3.0</b>	0.14	0.35	C90
Lymphoid leukaemia	136	1.6	10.4	<b>6.4</b>	0.35	0.68	88	1.2	6.6	<b>4.1</b>	0.22	0.37	C91
Myeloid leukaemia	109	1.3	8.4	<b>4.9</b>	0.29	0.52	66	0.9	4.9	<b>2.8</b>	0.16	0.25	C92-94
Leukaemia unspecified	1	0.0	0.1	<b>0.0</b>	0.00	0.00	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	96	1.2	7.4	<b>4.2</b>	0.25	0.45	89	1.2	6.6	<b>3.8</b>	0.25	0.41	MPD
Myelodysplastic syndromes	84	1.0	6.5	<b>2.3</b>	0.05	0.23	83	1.1	6.2	<b>1.9</b>	0.05	0.18	MDS
Other and unspecified	137	1.7	10.5	<b>3.9</b>	0.13	0.38	177	2.4	13.2	<b>3.7</b>	0.15	0.34	O&U
All sites	10533		809.1	<b>400.4</b>	20.61	46.79	9240		687.9	<b>328.8</b>	21.10	36.37	C00-96
All sites except C44	8267	100.0	635.0	<b>319.5</b>	16.70	37.51	7495	100.0	558.0	<b>275.4</b>	18.05	30.54	C00-96 exc. C44

† See note following population pyramid

# Italy, Romagna

## CONTRIBUTORS

Fabio Falcini  
 Lauro Bucchi  
 Emanuele Crocetti  
 Rosa Vattiato  
 Stefania Giorgetti  
 Monica Palumbo  
 Alessandra Ravaioli  
 Orietta Giuliani  
 Silvia Mancini  
 Flavia Baldacchini



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	95.7	Breast	97.2
Prostate	73.4	Non-melanoma skin cancer	69.4
Trachea, bronchus, and lung	43.6	Thyroid	30.0
Bladder	34.4	Colon	20.5
Colon	26.6	Trachea, bronchus, and lung	18.9
Stomach	16.0	Corpus uteri	13.0
Kidney	15.9	Melanoma of skin	12.6
Melanoma of skin	13.7	Non-Hodgkin lymphoma	9.7
Non-Hodgkin lymphoma	13.6	Stomach	9.2
Rectum	11.7	Ovary	8.3
Thyroid	10.3	Bladder	7.4
Pancreas	9.8	Rectum	7.1
Liver	9.1	Pancreas	7.1
Brain and nervous system	7.9	Kidney	7.0
Testis	6.3	Cervix uteri	5.0
Larynx	5.6	Brain and nervous system	5.0
Lymphoid leukaemia	5.3	Other and unspecified	4.5
Other and unspecified	4.8	Myeloproliferative disorders	3.7
Multiple myeloma	4.6	Hodgkin lymphoma	3.7
Myelodysplastic syndromes	4.1	Myeloid leukaemia	3.5
All sites	454.1	All sites	372.8



## Italy, Romagna (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	38	0.2	1.3	<b>0.5</b>	0.02	0.05	14	0.1	0.4	<b>0.2</b>	0.01	0.02	C00
Tongue	104	0.4	3.5	<b>1.8</b>	0.11	0.20	56	0.3	1.8	<b>0.7</b>	0.05	0.07	C01-02
Mouth	101	0.4	3.4	<b>1.8</b>	0.13	0.22	66	0.3	2.1	<b>0.8</b>	0.04	0.09	C03-06
Salivary glands	46	0.2	1.5	<b>0.7</b>	0.05	0.06	39	0.2	1.2	<b>0.7</b>	0.05	0.08	C07-08
Tonsil	104	0.4	3.5	<b>1.8</b>	0.13	0.24	33	0.2	1.0	<b>0.5</b>	0.04	0.07	C09
Other oropharynx	12	0.0	0.4	<b>0.2</b>	0.01	0.03	6	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	56	0.2	1.9	<b>1.1</b>	0.09	0.13	13	0.1	0.4	<b>0.3</b>	0.03	0.03	C11
Hypopharynx	33	0.1	1.1	<b>0.6</b>	0.05	0.07	5	0.0	0.2	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	10	0.0	0.3	<b>0.2</b>	0.01	0.02	4	0.0	0.1	<b>0.1</b>	0.00	0.01	C14
Oesophagus	115	0.5	3.8	<b>1.6</b>	0.08	0.20	32	0.2	1.0	<b>0.3</b>	0.03	0.04	C15
Stomach	1327	5.5	44.4	<b>16.0</b>	0.58	1.74	1003	4.7	31.8	<b>9.2</b>	0.40	0.95	C16
Small intestine	101	0.4	3.4	<b>1.5</b>	0.09	0.19	72	0.3	2.3	<b>0.9</b>	0.05	0.11	C17
Colon	1956	8.1	65.5	<b>26.6</b>	1.21	3.08	1848	8.8	58.6	<b>20.5</b>	1.11	2.28	C18
Rectum	817	3.4	27.3	<b>11.7</b>	0.60	1.45	609	2.9	19.3	<b>7.1</b>	0.41	0.82	C19-20
Anus	47	0.2	1.6	<b>0.8</b>	0.05	0.09	80	0.4	2.5	<b>1.2</b>	0.10	0.14	C21
Liver	595	2.5	19.9	<b>9.1</b>	0.49	1.08	247	1.2	7.8	<b>2.8</b>	0.15	0.31	C22
Gallbladder etc.	218	0.9	7.3	<b>2.7</b>	0.12	0.26	232	1.1	7.4	<b>2.4</b>	0.11	0.28	C23-24
Pancreas	709	2.9	23.7	<b>9.8</b>	0.47	1.16	766	3.6	24.3	<b>7.1</b>	0.30	0.79	C25
Nose, sinuses etc.	42	0.2	1.4	<b>0.7</b>	0.05	0.07	16	0.1	0.5	<b>0.1</b>	0.00	0.01	C30-31
Larynx	358	1.5	12.0	<b>5.6</b>	0.32	0.72	66	0.3	2.1	<b>0.9</b>	0.06	0.12	C32
Trachea, bronchus, and lung	3348	13.8	112.0	<b>43.6</b>	1.84	5.19	1479	7.0	46.9	<b>18.9</b>	1.10	2.33	C33-34
Other thoracic organs	42	0.2	1.4	<b>0.6</b>	0.03	0.05	29	0.1	0.9	<b>0.4</b>	0.02	0.04	C37-38
Bone	50	0.2	1.7	<b>1.4</b>	0.09	0.11	35	0.2	1.1	<b>1.0</b>	0.06	0.09	C40-41
Melanoma of skin	750	3.1	25.1	<b>13.7</b>	0.95	1.47	680	3.2	21.6	<b>12.6</b>	0.95	1.26	C43
Other skin	7074		236.7	<b>95.7</b>	4.50	10.66	5395		171.2	<b>69.4</b>	4.25	7.45	C44
Mesothelioma	145	0.6	4.9	<b>2.1</b>	0.09	0.29	31	0.1	1.0	<b>0.4</b>	0.02	0.05	C45
Kaposi sarcoma	82	0.3	2.7	<b>1.6</b>	0.11	0.15	25	0.1	0.8	<b>0.2</b>	0.01	0.01	C46
Connective and soft tissue	115	0.5	3.8	<b>2.3</b>	0.13	0.22	87	0.4	2.8	<b>1.6</b>	0.10	0.15	C47+C49
Breast	51	0.2	1.7	<b>0.7</b>	0.04	0.07	5912	28.0	187.6	<b>97.2</b>	7.11	11.15	C50
Vulva							140	0.7	4.4	<b>1.4</b>	0.06	0.14	C51
Vagina							31	0.1	1.0	<b>0.4</b>	0.03	0.04	C52
Cervix uteri							271	1.3	8.6	<b>5.0</b>	0.40	0.49	C53
Corpus uteri							856	4.1	27.2	<b>13.0</b>	0.92	1.66	C54
Uterus unspecified							39	0.2	1.2	<b>0.4</b>	0.02	0.04	C55
Ovary							542	2.6	17.2	<b>8.3</b>	0.56	0.95	C56
Other female genital organs							31	0.1	1.0	<b>0.3</b>	0.02	0.04	C57
Placenta							1	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	56	0.2	1.9	<b>0.8</b>	0.05	0.11							C60
Prostate	5081	21.0	170.0	<b>73.4</b>	3.19	10.27							C61
Testis	202	0.8	6.8	<b>6.3</b>	0.47	0.50							C62
Other male genital organs	13	0.1	0.4	<b>0.2</b>	0.01	0.02							C63
Kidney	985	4.1	33.0	<b>15.9</b>	0.95	1.87	531	2.5	16.8	<b>7.0</b>	0.40	0.84	C64
Renal pelvis	67	0.3	2.2	<b>0.8</b>	0.03	0.10	30	0.1	1.0	<b>0.3</b>	0.01	0.05	C65
Ureter	65	0.3	2.2	<b>0.8</b>	0.03	0.10	18	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	2509	10.4	84.0	<b>34.4</b>	1.62	4.12	659	3.1	20.9	<b>7.4</b>	0.39	0.88	C67
Other urinary organs	37	0.2	1.2	<b>0.5</b>	0.01	0.07	18	0.1	0.6	<b>0.1</b>	0.00	0.01	C68
Eye	38	0.2	1.3	<b>0.7</b>	0.05	0.07	21	0.1	0.7	<b>0.3</b>	0.02	0.03	C69
Brain and nervous system	387	1.6	13.0	<b>7.9</b>	0.50	0.82	338	1.6	10.7	<b>5.0</b>	0.30	0.53	C70-72
Thyroid	479	2.0	16.0	<b>10.3</b>	0.80	1.07	1305	6.2	41.4	<b>30.0</b>	2.37	2.93	C73
Adrenal gland	11	0.0	0.4	<b>0.3</b>	0.01	0.02	13	0.1	0.4	<b>0.6</b>	0.03	0.04	C74
Other endocrine	7	0.0	0.2	<b>0.2</b>	0.01	0.02	5	0.0	0.2	<b>0.2</b>	0.01	0.01	C75
Hodgkin lymphoma	120	0.5	4.0	<b>3.7</b>	0.25	0.30	101	0.5	3.2	<b>3.7</b>	0.24	0.27	C81
Non-Hodgkin lymphoma	792	3.3	26.5	<b>13.6</b>	0.81	1.45	664	3.1	21.1	<b>9.7</b>	0.61	1.08	C82-86,C96
Immunoproliferative diseases	50	0.2	1.7	<b>0.8</b>	0.05	0.08	42	0.2	1.3	<b>0.6</b>	0.04	0.06	C88
Multiple myeloma	359	1.5	12.0	<b>4.6</b>	0.20	0.52	341	1.6	10.8	<b>3.5</b>	0.17	0.42	C90
Lymphoid leukaemia	285	1.2	9.5	<b>5.3</b>	0.26	0.49	190	0.9	6.0	<b>2.9</b>	0.15	0.29	C91
Myeloid leukaemia	250	1.0	8.4	<b>3.7</b>	0.18	0.41	245	1.2	7.8	<b>3.5</b>	0.21	0.34	C92-94
Leukaemia unspecified	36	0.1	1.2	<b>0.6</b>	0.02	0.04	46	0.2	1.5	<b>0.4</b>	0.01	0.03	C95
Myeloproliferative disorders	245	1.0	8.2	<b>4.0</b>	0.24	0.43	256	1.2	8.1	<b>3.7</b>	0.22	0.43	MPD
Myelodysplastic syndromes	344	1.4	11.5	<b>4.1</b>	0.15	0.35	361	1.7	11.5	<b>2.6</b>	0.09	0.23	MDS
Other and unspecified	390	1.6	13.1	<b>4.8</b>	0.18	0.52	540	2.6	17.1	<b>4.5</b>	0.20	0.41	O&U
All sites	31254		1046.0	<b>454.1</b>	22.56	52.97	26515		841.3	<b>372.8</b>	24.02	41.01	C00-96
All sites except C44	24180	100.0	809.2	<b>358.3</b>	18.05	42.32	21120	100.0	670.1	<b>303.3</b>	19.77	33.57	C00-96 exc. C44

† See note following population pyramid

# Italy, Sassari

## CONTRIBUTORS

Rosaria Cesaraccio  
Daniela Pirino  
Antonio Cossu  
Giuseppe Palmieri  
Francesco Tanda  
Mario Budroni  
Ornelia Sechi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	57.1	Breast	86.8
Prostate	44.0	Non-melanoma skin cancer	41.3
Trachea, bronchus, and lung	40.6	Thyroid	25.0
Bladder	27.7	Colon	16.0
Colon	24.5	Corpus uteri	14.0
Liver	14.5	Trachea, bronchus, and lung	11.4
Rectum	12.8	Non-Hodgkin lymphoma	8.3
Non-Hodgkin lymphoma	12.1	Ovary	7.3
Pancreas	8.6	Pancreas	6.7
Stomach	8.3	Bladder	5.9
Larynx	8.0	Rectum	5.5
Kidney	7.5	Melanoma of skin	5.4
Thyroid	7.0	Brain and nervous system	5.0
Testis	6.9	Other and unspecified	4.6
Brain and nervous system	6.3	Cervix uteri	4.5
Lymphoid leukaemia	6.1	Liver	4.0
Other and unspecified	6.0	Stomach	3.8
Melanoma of skin	5.3	Gallbladder etc.	3.3
Hodgkin lymphoma	4.4	Lymphoid leukaemia	3.0
Oesophagus	4.2	Hodgkin lymphoma	2.9
All sites	355.0	All sites	287.4

## Italy, Sassari (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	34	0.6	3.5	<b>1.8</b>	0.08	0.22	2	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	52	0.9	5.4	<b>3.1</b>	0.19	0.36	18	0.4	1.8	<b>1.0</b>	0.07	0.13	C01-02
Mouth	56	1.0	5.8	<b>3.5</b>	0.28	0.45	16	0.3	1.6	<b>0.9</b>	0.08	0.11	C03-06
Salivary glands	11	0.2	1.1	<b>0.6</b>	0.04	0.07	9	0.2	0.9	<b>0.4</b>	0.02	0.07	C07-08
Tonsil	19	0.3	2.0	<b>1.2</b>	0.12	0.16	5	0.1	0.5	<b>0.4</b>	0.03	0.03	C09
Other oropharynx	12	0.2	1.3	<b>0.7</b>	0.05	0.10	2	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	8	0.1	0.8	<b>0.5</b>	0.04	0.04	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	25	0.4	2.6	<b>1.5</b>	0.11	0.18	2	0.0	0.2	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	10	0.2	1.0	<b>0.6</b>	0.06	0.07	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	78	1.4	8.1	<b>4.2</b>	0.25	0.52	15	0.3	1.5	<b>0.6</b>	0.05	0.05	C15
Stomach	164	2.9	17.1	<b>8.3</b>	0.43	0.92	95	2.0	9.5	<b>3.8</b>	0.20	0.39	C16
Small intestine	16	0.3	1.7	<b>1.0</b>	0.07	0.14	16	0.3	1.6	<b>0.8</b>	0.06	0.11	C17
Colon	512	9.1	53.3	<b>24.5</b>	1.09	3.01	413	8.5	41.4	<b>16.0</b>	0.77	1.86	C18
Rectum	251	4.4	26.2	<b>12.8</b>	0.67	1.66	127	2.6	12.7	<b>5.5</b>	0.29	0.65	C19-20
Anus	11	0.2	1.1	<b>0.6</b>	0.05	0.07	15	0.3	1.5	<b>0.7</b>	0.04	0.06	C21
Liver	278	4.9	29.0	<b>14.5</b>	0.76	1.79	134	2.8	13.4	<b>4.0</b>	0.10	0.38	C22
Gallbladder etc.	74	1.3	7.7	<b>3.4</b>	0.10	0.45	88	1.8	8.8	<b>3.3</b>	0.12	0.35	C23-24
Pancreas	175	3.1	18.2	<b>8.6</b>	0.41	1.06	183	3.8	18.4	<b>6.7</b>	0.32	0.79	C25
Nose, sinuses etc.	9	0.2	0.9	<b>0.5</b>	0.03	0.05	5	0.1	0.5	<b>0.2</b>	0.01	0.02	C30-31
Larynx	142	2.5	14.8	<b>8.0</b>	0.54	1.05	12	0.2	1.2	<b>0.5</b>	0.05	0.06	C32
Trachea, bronchus, and lung	840	14.9	87.5	<b>40.6</b>	1.79	5.00	240	4.9	24.1	<b>11.4</b>	0.74	1.31	C33-34
Other thoracic organs	12	0.2	1.3	<b>0.7</b>	0.05	0.09	10	0.2	1.0	<b>0.5</b>	0.03	0.06	C37-38
Bone	5	0.1	0.5	<b>0.4</b>	0.03	0.03	12	0.2	1.2	<b>0.9</b>	0.06	0.08	C40-41
Melanoma of skin	87	1.5	9.1	<b>5.3</b>	0.37	0.58	87	1.8	8.7	<b>5.4</b>	0.43	0.53	C43
Other skin	1171		122.0	<b>57.1</b>	2.75	6.39	880		88.3	<b>41.3</b>	2.51	4.65	C44
Mesothelioma	23	0.4	2.4	<b>1.2</b>	0.07	0.19	2	0.0	0.2	<b>0.1</b>	0.01	0.02	C45
Kaposi sarcoma	26	0.5	2.7	<b>1.2</b>	0.04	0.13	15	0.3	1.5	<b>0.5</b>	0.02	0.04	C46
Connective and soft tissue	31	0.5	3.2	<b>2.2</b>	0.12	0.20	24	0.5	2.4	<b>1.6</b>	0.12	0.16	C47+C49
Breast	23	0.4	2.4	<b>1.2</b>	0.07	0.13	1555	32.0	156.0	<b>86.8</b>	6.52	9.72	C50
Vulva							17	0.4	1.7	<b>0.8</b>	0.05	0.10	C51
Vagina							3	0.1	0.3	<b>0.2</b>	0.02	0.03	C52
Cervix uteri							68	1.4	6.8	<b>4.5</b>	0.37	0.47	C53
Corpus uteri							269	5.5	27.0	<b>14.0</b>	1.00	1.80	C54
Uterus unspecified							19	0.4	1.9	<b>0.6</b>	0.02	0.04	C55
Ovary							138	2.8	13.8	<b>7.3</b>	0.51	0.86	C56
Other female genital organs							7	0.1	0.7	<b>0.3</b>	0.01	0.02	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	16	0.3	1.7	<b>0.9</b>	0.06	0.14							C60
Prostate	928	16.4	96.7	<b>44.0</b>	1.45	6.04							C61
Testis	70	1.2	7.3	<b>6.9</b>	0.50	0.50							C62
Other male genital organs	4	0.1	0.4	<b>0.2</b>	0.01	0.02							C63
Kidney	141	2.5	14.7	<b>7.5</b>	0.42	0.88	58	1.2	5.8	<b>2.8</b>	0.15	0.31	C64
Renal pelvis	22	0.4	2.3	<b>1.2</b>	0.07	0.13	7	0.1	0.7	<b>0.2</b>	0.01	0.03	C65
Ureter	6	0.1	0.6	<b>0.2</b>	0.01	0.03	4	0.1	0.4	<b>0.2</b>	0.01	0.02	C66
†Bladder	565	10.0	58.9	<b>27.7</b>	1.28	3.44	147	3.0	14.7	<b>5.9</b>	0.31	0.66	C67
Other urinary organs	16	0.3	1.7	<b>0.8</b>	0.03	0.11	2	0.0	0.2	<b>0.1</b>	0.01	0.01	C68
Eye	7	0.1	0.7	<b>0.7</b>	0.06	0.06	7	0.1	0.7	<b>0.4</b>	0.03	0.06	C69
Brain and nervous system	106	1.9	11.0	<b>6.3</b>	0.42	0.70	97	2.0	9.7	<b>5.0</b>	0.29	0.49	C70-72
Thyroid	102	1.8	10.6	<b>7.0</b>	0.52	0.72	345	7.1	34.6	<b>25.0</b>	1.98	2.47	C73
Adrenal gland	10	0.2	1.0	<b>0.9</b>	0.05	0.07	5	0.1	0.5	<b>0.2</b>	0.02	0.03	C74
Other endocrine	5	0.1	0.5	<b>0.6</b>	0.03	0.04	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	52	0.9	5.4	<b>4.4</b>	0.32	0.36	32	0.7	3.2	<b>2.9</b>	0.21	0.25	C81
Non-Hodgkin lymphoma	180	3.2	18.8	<b>12.1</b>	0.74	1.29	152	3.1	15.2	<b>8.3</b>	0.51	0.93	C82-86,C96
Immunoproliferative diseases	24	0.4	2.5	<b>1.3</b>	0.08	0.16	15	0.3	1.5	<b>0.7</b>	0.04	0.07	C88
Multiple myeloma	61	1.1	6.4	<b>2.9</b>	0.16	0.32	70	1.4	7.0	<b>2.8</b>	0.15	0.31	C90
Lymphoid leukaemia	80	1.4	8.3	<b>6.1</b>	0.28	0.51	45	0.9	4.5	<b>3.0</b>	0.15	0.25	C91
Myeloid leukaemia	72	1.3	7.5	<b>4.1</b>	0.22	0.37	54	1.1	5.4	<b>2.5</b>	0.18	0.24	C92-94
Leukaemia unspecified	2	0.0	0.2	<b>0.1</b>	0.00	0.01	2	0.0	0.2	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	36	0.6	3.8	<b>1.7</b>	0.09	0.17	16	0.3	1.6	<b>0.8</b>	0.06	0.08	MPD
Myelodysplastic syndromes	42	0.7	4.4	<b>1.7</b>	0.04	0.16	22	0.5	2.2	<b>0.5</b>	0.01	0.05	MDS
Other and unspecified	124	2.2	12.9	<b>6.0</b>	0.23	0.54	149	3.1	14.9	<b>4.6</b>	0.19	0.43	O&U
All sites	6826		711.2	<b>355.0</b>	17.72	41.88	5734		575.1	<b>287.4</b>	18.97	31.68	C00-96
All sites except C44	5655	100.0	589.2	<b>297.9</b>	14.97	35.50	4854	100.0	486.8	<b>246.1</b>	16.46	27.02	C00-96 exc. C44

† See note following population pyramid

# Italy, Sondrio

## CONTRIBUTORS

Anna Clara Fanetti  
Ivan Cometti  
Sergio Maspero  
Lorella Cecconami  
Anna Maria Cioccarelli



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	77.6	Breast	84.2
Trachea, bronchus, and lung	56.4	Non-melanoma skin cancer	42.3
Non-melanoma skin cancer	54.8	Trachea, bronchus, and lung	17.4
Bladder	33.9	Colon	16.7
Colon	25.7	Corpus uteri	14.3
Liver	21.6	Melanoma of skin	10.3
Stomach	16.9	Pancreas	9.0
Kidney	14.9	Thyroid	8.6
Non-Hodgkin lymphoma	13.9	Non-Hodgkin lymphoma	8.4
Pancreas	12.0	Ovary	7.5
Rectum	11.6	Stomach	7.2
Brain and nervous system	8.2	Kidney	6.9
Testis	7.9	Bladder	6.8
Melanoma of skin	7.9	Rectum	6.6
Larynx	7.5	Cervix uteri	6.1
Lymphoid leukaemia	5.7	Multiple myeloma	5.5
Oesophagus	5.3	Other and unspecified	4.8
Other and unspecified	5.3	Liver	4.4
Multiple myeloma	5.2	Brain and nervous system	4.3
Myeloid leukaemia	4.3	Lymphoid leukaemia	3.3
All sites	435.1	All sites	304.8

## Italy, Sondrio (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	10	0.3	2.2	<b>1.0</b>	0.03	0.15	5	0.2	1.1	<b>0.3</b>	0.02	0.02	C00
Tongue	27	0.8	6.1	<b>3.3</b>	0.22	0.40	7	0.3	1.5	<b>0.7</b>	0.03	0.11	C01-02
Mouth	15	0.4	3.4	<b>1.9</b>	0.12	0.19	5	0.2	1.1	<b>0.5</b>	0.03	0.05	C03-06
Salivary glands	8	0.2	1.8	<b>0.8</b>	0.04	0.10	3	0.1	0.6	<b>0.4</b>	0.05	0.05	C07-08
Tonsil	9	0.3	2.0	<b>1.1</b>	0.08	0.10	2	0.1	0.4	<b>0.1</b>	0.00	0.00	C09
Other oropharynx	6	0.2	1.3	<b>0.9</b>	0.06	0.11	4	0.2	0.9	<b>0.5</b>	0.03	0.07	C10
Nasopharynx	3	0.1	0.7	<b>0.5</b>	0.05	0.05	2	0.1	0.4	<b>0.4</b>	0.02	0.02	C11
Hypopharynx	20	0.6	4.5	<b>2.5</b>	0.18	0.32	2	0.1	0.4	<b>0.2</b>	0.02	0.04	C12-13
Pharynx unspecified	2	0.1	0.4	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	48	1.4	10.8	<b>5.3</b>	0.27	0.72	13	0.5	2.8	<b>1.0</b>	0.04	0.14	C15
Stomach	162	4.7	36.4	<b>16.9</b>	0.75	2.09	108	4.1	23.2	<b>7.2</b>	0.26	0.83	C16
Small intestine	9	0.3	2.0	<b>1.0</b>	0.05	0.14	6	0.2	1.3	<b>0.6</b>	0.04	0.12	C17
Colon	246	7.1	55.2	<b>25.7</b>	1.34	2.94	212	8.0	45.6	<b>16.7</b>	0.91	1.96	C18
Rectum	105	3.0	23.6	<b>11.6</b>	0.70	1.45	80	3.0	17.2	<b>6.6</b>	0.33	0.79	C19-20
Anus	3	0.1	0.7	<b>0.3</b>	0.00	0.04	9	0.3	1.9	<b>1.1</b>	0.08	0.15	C21
Liver	209	6.0	46.9	<b>21.6</b>	1.06	2.67	65	2.4	14.0	<b>4.4</b>	0.29	0.41	C22
Gallbladder etc.	30	0.9	6.7	<b>2.7</b>	0.07	0.34	38	1.4	8.2	<b>2.9</b>	0.13	0.38	C23-24
Pancreas	117	3.4	26.3	<b>12.0</b>	0.55	1.29	122	4.6	26.3	<b>9.0</b>	0.33	1.18	C25
Nose, sinuses etc.	8	0.2	1.8	<b>0.9</b>	0.06	0.11	8	0.3	1.7	<b>0.7</b>	0.06	0.06	C30-31
Larynx	64	1.8	14.4	<b>7.5</b>	0.44	0.93	10	0.4	2.2	<b>1.0</b>	0.10	0.10	C32
Trachea, bronchus, and lung	550	15.9	123.5	<b>56.4</b>	2.42	7.20	198	7.4	42.6	<b>17.4</b>	1.07	2.16	C33-34
Other thoracic organs	5	0.1	1.1	<b>0.5</b>	0.01	0.11	5	0.2	1.1	<b>0.6</b>	0.05	0.07	C37-38
Bone	9	0.3	2.0	<b>2.2</b>	0.15	0.17	6	0.2	1.3	<b>1.0</b>	0.07	0.09	C40-41
Melanoma of skin	60	1.7	13.5	<b>7.9</b>	0.52	0.87	84	3.2	18.1	<b>10.3</b>	0.68	1.04	C43
Other skin	561		126.0	<b>54.8</b>	2.27	6.24	494		106.3	<b>42.3</b>	2.44	4.82	C44
Mesothelioma	23	0.7	5.2	<b>2.2</b>	0.06	0.27	19	0.7	4.1	<b>1.1</b>	0.03	0.09	C45
Kaposi sarcoma	5	0.1	1.1	<b>0.4</b>	0.00	0.04	5	0.2	1.1	<b>0.2</b>	0.00	0.00	C46
Connective and soft tissue	9	0.3	2.0	<b>1.2</b>	0.07	0.12	16	0.6	3.4	<b>2.0</b>	0.13	0.19	C47+C49
Breast	5	0.1	1.1	<b>0.4</b>	0.02	0.06	739	27.8	159.0	<b>84.2</b>	6.31	9.29	C50
Vulva							22	0.8	4.7	<b>1.5</b>	0.07	0.16	C51
Vagina							6	0.2	1.3	<b>0.6</b>	0.01	0.09	C52
Cervix uteri							44	1.7	9.5	<b>6.1</b>	0.50	0.64	C53
Corpus uteri							130	4.9	28.0	<b>14.3</b>	1.06	1.70	C54
Uterus unspecified							4	0.2	0.9	<b>0.2</b>	0.01	0.01	C55
Ovary							73	2.7	15.7	<b>7.5</b>	0.60	0.78	C56
Other female genital organs							3	0.1	0.6	<b>0.3</b>	0.02	0.06	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	5	0.1	1.1	<b>0.5</b>	0.02	0.04							C60
Prostate	737	21.3	165.5	<b>77.6</b>	3.32	10.72							C61
Testis	38	1.1	8.5	<b>7.9</b>	0.60	0.62							C62
Other male genital organs	3	0.1	0.7	<b>0.2</b>	0.00	0.00							C63
Kidney	123	3.6	27.6	<b>14.9</b>	0.97	1.82	76	2.9	16.4	<b>6.9</b>	0.43	0.83	C64
Renal pelvis	7	0.2	1.6	<b>0.6</b>	0.00	0.07	8	0.3	1.7	<b>0.5</b>	0.02	0.08	C65
Ureter	7	0.2	1.6	<b>0.7</b>	0.02	0.08	5	0.2	1.1	<b>0.5</b>	0.05	0.05	C66
†Bladder	336	9.7	75.4	<b>33.9</b>	1.30	3.93	85	3.2	18.3	<b>6.8</b>	0.34	0.68	C67
Other urinary organs	1	0.0	0.2	<b>0.1</b>	0.00	0.02	2	0.1	0.4	<b>0.2</b>	0.02	0.02	C68
Eye	5	0.1	1.1	<b>0.6</b>	0.03	0.08	4	0.2	0.9	<b>0.5</b>	0.04	0.04	C69
Brain and nervous system	55	1.6	12.3	<b>8.2</b>	0.42	0.88	39	1.5	8.4	<b>4.3</b>	0.31	0.47	C70-72
Thyroid	19	0.5	4.3	<b>2.5</b>	0.17	0.30	59	2.2	12.7	<b>8.6</b>	0.68	0.85	C73
Adrenal gland	1	0.0	0.2	<b>0.1</b>	0.00	0.02	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	18	0.5	4.0	<b>2.9</b>	0.20	0.23	12	0.5	2.6	<b>2.2</b>	0.15	0.17	C81
Non-Hodgkin lymphoma	104	3.0	23.4	<b>13.9</b>	0.92	1.43	77	2.9	16.6	<b>8.4</b>	0.53	0.98	C82-86,C96
Immunoproliferative diseases	12	0.3	2.7	<b>1.3</b>	0.08	0.17	5	0.2	1.1	<b>0.3</b>	0.00	0.06	C88
Multiple myeloma	47	1.4	10.6	<b>5.2</b>	0.24	0.64	54	2.0	11.6	<b>5.5</b>	0.41	0.65	C90
Lymphoid leukaemia	36	1.0	8.1	<b>5.7</b>	0.25	0.44	23	0.9	4.9	<b>3.3</b>	0.20	0.24	C91
Myeloid leukaemia	42	1.2	9.4	<b>4.3</b>	0.23	0.37	35	1.3	7.5	<b>2.9</b>	0.16	0.24	C92-94
Leukaemia unspecified	1	0.0	0.2	<b>0.1</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	30	0.9	6.7	<b>3.7</b>	0.23	0.49	26	1.0	5.6	<b>3.1</b>	0.21	0.35	MPD
Myelodysplastic syndromes	13	0.4	2.9	<b>1.4</b>	0.07	0.16	20	0.8	4.3	<b>1.8</b>	0.09	0.17	MDS
Other and unspecified	55	1.6	12.3	<b>5.3</b>	0.19	0.57	72	2.7	15.5	<b>4.8</b>	0.19	0.51	O&U
All sites	4023		903.3	<b>435.1</b>	20.90	52.31	3153		678.5	<b>304.8</b>	19.65	34.05	C00-96
All sites except C44	3462	100.0	777.3	<b>380.3</b>	18.62	46.07	2659	100.0	572.2	<b>262.5</b>	17.21	29.22	C00-96 exc. C44

† See note following population pyramid

# Italy, South Tyrol

## CONTRIBUTORS

Guido Mazzoleni  
 Andreas Klaus Bulatko  
 Elena DeVigili  
 Esther Hanspeter  
 Tomas Dal Cappello  
 Markus Falk  
 Fabio Vittadello  
 Paolo Vian  
 Bruno Genetti  
 Reinhard Kluge



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	78.2	Breast	73.8
Trachea, bronchus, and lung	33.3	Colon	17.8
Bladder	29.0	Melanoma of skin	17.2
Colon	23.3	Trachea, bronchus, and lung	15.2
Non-melanoma skin cancer	18.4	Corpus uteri	13.3
Melanoma of skin	16.1	Non-melanoma skin cancer	11.5
Rectum	13.9	Ovary	7.7
Stomach	13.8	Pancreas	7.4
Liver	13.1	Bladder	7.3
Kidney	11.9	Stomach	7.2
Non-Hodgkin lymphoma	11.1	Thyroid	7.2
Pancreas	10.1	Rectum	6.6
Testis	8.9	Non-Hodgkin lymphoma	6.4
Brain and nervous system	6.7	Kidney	5.4
Larynx	5.1	Cervix uteri	5.2
Other and unspecified	4.5	Brain and nervous system	4.7
Oesophagus	4.4	Lymphoid leukaemia	3.7
Lymphoid leukaemia	4.0	Gallbladder etc.	3.6
Myeloid leukaemia	4.0	Other and unspecified	3.5
Gallbladder etc.	3.6	Hodgkin lymphoma	3.3
All sites	352.0	All sites	250.4

## Italy, South Tyrol (2008–2010)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	11	0.2	1.5	<b>0.8</b>	0.03	0.09	6	0.2	0.8	<b>0.3</b>	0.00	0.04	C00
Tongue	28	0.6	3.8	<b>2.5</b>	0.21	0.29	11	0.3	1.4	<b>0.6</b>	0.02	0.09	C01-02
Mouth	26	0.6	3.5	<b>2.1</b>	0.14	0.25	22	0.6	2.9	<b>1.4</b>	0.09	0.17	C03-06
Salivary glands	6	0.1	0.8	<b>0.5</b>	0.04	0.06	7	0.2	0.9	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	22	0.5	3.0	<b>1.8</b>	0.15	0.24	10	0.3	1.3	<b>0.7</b>	0.05	0.10	C09
Other oropharynx	18	0.4	2.4	<b>1.6</b>	0.13	0.22	2	0.1	0.3	<b>0.1</b>	0.00	0.01	C10
Nasopharynx	9	0.2	1.2	<b>0.7</b>	0.06	0.11	2	0.1	0.3	<b>0.0</b>	0.00	0.00	C11
Hypopharynx	31	0.7	4.2	<b>2.5</b>	0.20	0.30	5	0.1	0.7	<b>0.4</b>	0.02	0.05	C12-13
Pharynx unspecified	3	0.1	0.4	<b>0.2</b>	0.01	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	57	1.3	7.7	<b>4.4</b>	0.27	0.57	14	0.4	1.8	<b>0.6</b>	0.02	0.06	C15
Stomach	210	4.7	28.2	<b>13.8</b>	0.52	1.65	143	3.9	18.7	<b>7.2</b>	0.34	0.81	C16
Small intestine	14	0.3	1.9	<b>1.1</b>	0.08	0.12	12	0.3	1.6	<b>0.7</b>	0.03	0.09	C17
Colon	337	7.6	45.3	<b>23.3</b>	1.06	2.89	335	9.2	43.9	<b>17.8</b>	0.84	2.02	C18
Rectum	192	4.3	25.8	<b>13.9</b>	0.63	1.81	112	3.1	14.7	<b>6.6</b>	0.40	0.75	C19-20
Anus	5	0.1	0.7	<b>0.3</b>	0.01	0.03	12	0.3	1.6	<b>0.5</b>	0.02	0.05	C21
Liver	181	4.1	24.3	<b>13.1</b>	0.65	1.67	53	1.5	6.9	<b>2.5</b>	0.12	0.26	C22
Gallbladder etc.	52	1.2	7.0	<b>3.6</b>	0.12	0.51	88	2.4	11.5	<b>3.6</b>	0.11	0.31	C23-24
Pancreas	147	3.3	19.8	<b>10.1</b>	0.50	1.18	148	4.1	19.4	<b>7.4</b>	0.29	0.86	C25
Nose, sinuses etc.	9	0.2	1.2	<b>0.7</b>	0.03	0.09	5	0.1	0.7	<b>0.2</b>	0.01	0.03	C30-31
Larynx	64	1.4	8.6	<b>5.1</b>	0.34	0.65	8	0.2	1.0	<b>0.7</b>	0.05	0.08	C32
Trachea, bronchus, and lung	488	10.9	65.6	<b>33.3</b>	1.49	3.98	243	6.7	31.8	<b>15.2</b>	0.97	1.81	C33-34
Other thoracic organs	5	0.1	0.7	<b>0.3</b>	0.01	0.02	3	0.1	0.4	<b>0.1</b>	0.00	0.00	C37-38
Bone	13	0.3	1.7	<b>1.8</b>	0.12	0.14	3	0.1	0.4	<b>0.3</b>	0.03	0.03	C40-41
Melanoma of skin	186	4.2	25.0	<b>16.1</b>	1.17	1.72	211	5.8	27.6	<b>17.2</b>	1.29	1.78	C43
Other skin	310		41.7	<b>18.4</b>	0.55	1.77	281		36.8	<b>11.5</b>	0.38	1.17	C44
Mesothelioma	15	0.3	2.0	<b>1.2</b>	0.06	0.16	4	0.1	0.5	<b>0.2</b>	0.02	0.02	C45
Kaposi sarcoma	7	0.2	0.9	<b>0.6</b>	0.03	0.06	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	24	0.5	3.2	<b>2.6</b>	0.15	0.24	11	0.3	1.4	<b>1.4</b>	0.09	0.11	C47+C49
Breast	10	0.2	1.3	<b>0.7</b>	0.02	0.10	1010	27.7	132.3	<b>73.8</b>	5.38	8.38	C50
Vulva							8	0.2	1.0	<b>0.3</b>	0.00	0.03	C51
Vagina							7	0.2	0.9	<b>0.3</b>	0.01	0.02	C52
Cervix uteri							58	1.6	7.6	<b>5.2</b>	0.39	0.53	C53
Corpus uteri							191	5.2	25.0	<b>13.3</b>	0.95	1.70	C54
Uterus unspecified							4	0.1	0.5	<b>0.2</b>	0.01	0.01	C55
Ovary							114	3.1	14.9	<b>7.7</b>	0.53	0.94	C56
Other female genital organs							8	0.2	1.0	<b>0.6</b>	0.05	0.08	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	12	0.3	1.6	<b>0.9</b>	0.06	0.09							C60
Prostate	1041	23.3	139.9	<b>78.2</b>	3.87	10.86							C61
Testis	75	1.7	10.1	<b>8.9</b>	0.69	0.70							C62
Other male genital organs	2	0.0	0.3	<b>0.2</b>	0.01	0.03							C63
Kidney	149	3.3	20.0	<b>11.9</b>	0.72	1.36	90	2.5	11.8	<b>5.4</b>	0.30	0.63	C64
Renal pelvis	7	0.2	0.9	<b>0.5</b>	0.02	0.05	4	0.1	0.5	<b>0.2</b>	0.00	0.03	C65
Ureter	2	0.0	0.3	<b>0.2</b>	0.01	0.03	3	0.1	0.4	<b>0.1</b>	0.00	0.00	C66
†Bladder	429	9.6	57.6	<b>29.0</b>	1.17	3.62	129	3.5	16.9	<b>7.3</b>	0.36	0.85	C67
Other urinary organs	6	0.1	0.8	<b>0.4</b>	0.02	0.02	4	0.1	0.5	<b>0.2</b>	0.01	0.03	C68
Eye	7	0.2	0.9	<b>0.6</b>	0.04	0.06	3	0.1	0.4	<b>0.1</b>	0.00	0.00	C69
Brain and nervous system	70	1.6	9.4	<b>6.7</b>	0.40	0.68	64	1.8	8.4	<b>4.7</b>	0.27	0.56	C70-72
Thyroid	33	0.7	4.4	<b>2.9</b>	0.20	0.33	75	2.1	9.8	<b>7.2</b>	0.63	0.69	C73
Adrenal gland	3	0.1	0.4	<b>0.3</b>	0.01	0.01	6	0.2	0.8	<b>1.0</b>	0.05	0.07	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	22	0.5	3.0	<b>2.5</b>	0.16	0.18	24	0.7	3.1	<b>3.3</b>	0.22	0.25	C81
Non-Hodgkin lymphoma	149	3.3	20.0	<b>11.1</b>	0.64	1.10	95	2.6	12.4	<b>6.4</b>	0.35	0.77	C82-86,C96
Immunoproliferative diseases	18	0.4	2.4	<b>1.3</b>	0.05	0.20	12	0.3	1.6	<b>0.6</b>	0.02	0.08	C88
Multiple myeloma	49	1.1	6.6	<b>3.3</b>	0.14	0.40	46	1.3	6.0	<b>2.5</b>	0.17	0.26	C90
Lymphoid leukaemia	35	0.8	4.7	<b>4.0</b>	0.20	0.35	46	1.3	6.0	<b>3.7</b>	0.18	0.31	C91
Myeloid leukaemia	53	1.2	7.1	<b>4.0</b>	0.21	0.40	26	0.7	3.4	<b>1.8</b>	0.09	0.17	C92-94
Leukaemia unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	3	0.1	0.4	<b>0.3</b>	0.01	0.01	C95
Myeloproliferative disorders	20	0.4	2.7	<b>1.4</b>	0.05	0.18	27	0.7	3.5	<b>2.0</b>	0.11	0.26	MPD
Myelodysplastic syndromes	40	0.9	5.4	<b>2.2</b>	0.03	0.24	27	0.7	3.5	<b>1.0</b>	0.01	0.11	MDS
Other and unspecified	67	1.5	9.0	<b>4.5</b>	0.13	0.43	84	2.3	11.0	<b>3.5</b>	0.13	0.32	O&U
All sites	4769		640.8	<b>352.0</b>	17.62	42.28	3921		513.6	<b>250.4</b>	15.50	27.81	C00-96
All sites except C44	4459	100.0	599.1	<b>333.6</b>	17.07	40.50	3640	100.0	476.8	<b>238.9</b>	15.12	26.65	C00-96 exc. C44


† See note following population pyramid



# Italy, Syracuse

## CONTRIBUTORS

Anselmo Madeddu  
Salvatore Sciacca  
Maria Lia Contrino  
Francesco Tisano  
Antonino Colanino Ziino  
Angela Muni  
Margherita Mizzi  
Paoletta Aletta  
Ylenia Dinaro  
Gina Enza Sciacca



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	59.3	Breast	72.2
Prostate	45.1	Non-melanoma skin cancer	28.9
Trachea, bronchus, and lung	41.1	Thyroid	18.5
Bladder	30.8	Colon	15.9
Colon	24.8	Trachea, bronchus, and lung	10.5
Rectum	11.4	Corpus uteri	10.4
Liver	11.1	Ovary	9.4
Non-Hodgkin lymphoma	9.6	Non-Hodgkin lymphoma	6.9
Testis	8.7	Rectum	6.4
Stomach	8.4	Pancreas	6.0
Pancreas	7.0	Cervix uteri	5.6
Brain and nervous system	6.9	Bladder	5.1
Kidney	6.1	Stomach	4.9
Other and unspecified	6.1	Melanoma of skin	4.9
Melanoma of skin	6.0	Liver	4.4
Thyroid	5.2	Brain and nervous system	4.3
Larynx	5.0	Other and unspecified	3.6
Multiple myeloma	3.4	Kidney	3.4
Lymphoid leukaemia	3.3	Gallbladder etc.	2.6
Hodgkin lymphoma	2.9	Lymphoid leukaemia	2.4
All sites	331.8	All sites	250.2

## Italy, Syracuse (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	6	0.1	0.6	<b>0.3</b>	0.01	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C00
Tongue	28	0.5	2.9	<b>1.7</b>	0.14	0.19	13	0.3	1.3	<b>0.5</b>	0.02	0.05	C01-02
Mouth	13	0.3	1.3	<b>0.7</b>	0.04	0.08	22	0.5	2.2	<b>1.0</b>	0.06	0.14	C03-06
Salivary glands	15	0.3	1.5	<b>0.8</b>	0.05	0.09	9	0.2	0.9	<b>0.7</b>	0.04	0.05	C07-08
Tonsil	10	0.2	1.0	<b>0.6</b>	0.05	0.07	4	0.1	0.4	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	2	0.0	0.2	<b>0.1</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	12	0.2	1.2	<b>0.9</b>	0.07	0.10	3	0.1	0.3	<b>0.3</b>	0.02	0.02	C11
Hypopharynx	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	4	0.1	0.4	<b>0.2</b>	0.01	0.02	3	0.1	0.3	<b>0.3</b>	0.02	0.02	C14
Oesophagus	20	0.4	2.0	<b>1.1</b>	0.08	0.13	3	0.1	0.3	<b>0.1</b>	0.01	0.01	C15
Stomach	167	3.3	17.0	<b>8.4</b>	0.39	1.06	114	2.7	11.2	<b>4.9</b>	0.29	0.58	C16
Small intestine	17	0.3	1.7	<b>0.9</b>	0.06	0.12	13	0.3	1.3	<b>0.7</b>	0.04	0.11	C17
Colon	504	9.8	51.5	<b>24.8</b>	1.03	3.02	393	9.3	38.6	<b>15.9</b>	0.76	1.88	C18
Rectum	220	4.3	22.5	<b>11.4</b>	0.55	1.47	149	3.5	14.6	<b>6.4</b>	0.31	0.76	C19-20
Anus	8	0.2	0.8	<b>0.4</b>	0.03	0.04	5	0.1	0.5	<b>0.2</b>	0.01	0.03	C21
Liver	220	4.3	22.5	<b>11.1</b>	0.52	1.40	119	2.8	11.7	<b>4.4</b>	0.16	0.56	C22
Gallbladder etc.	55	1.1	5.6	<b>2.4</b>	0.08	0.26	72	1.7	7.1	<b>2.6</b>	0.13	0.29	C23-24
Pancreas	144	2.8	14.7	<b>7.0</b>	0.31	0.83	151	3.6	14.8	<b>6.0</b>	0.33	0.64	C25
Nose, sinuses etc.	8	0.2	0.8	<b>0.4</b>	0.02	0.05	3	0.1	0.3	<b>0.1</b>	0.00	0.02	C30-31
Larynx	90	1.8	9.2	<b>5.0</b>	0.30	0.63	15	0.4	1.5	<b>0.8</b>	0.04	0.09	C32
Trachea, bronchus, and lung	817	15.9	83.4	<b>41.1</b>	2.02	5.36	217	5.1	21.3	<b>10.5</b>	0.66	1.26	C33-34
Other thoracic organs	22	0.4	2.2	<b>1.2</b>	0.07	0.15	5	0.1	0.5	<b>0.1</b>	0.00	0.01	C37-38
Bone	10	0.2	1.0	<b>1.0</b>	0.06	0.09	11	0.3	1.1	<b>0.9</b>	0.06	0.06	C40-41
Melanoma of skin	90	1.8	9.2	<b>6.0</b>	0.42	0.64	77	1.8	7.6	<b>4.9</b>	0.35	0.48	C43
Other skin	1186		121.1	<b>59.3</b>	2.84	6.90	632		62.1	<b>28.9</b>	1.70	3.27	C44
Mesothelioma	43	0.8	4.4	<b>2.4</b>	0.11	0.37	11	0.3	1.1	<b>0.6</b>	0.03	0.09	C45
Kaposi sarcoma	14	0.3	1.4	<b>0.8</b>	0.06	0.07	6	0.1	0.6	<b>0.2</b>	0.01	0.02	C46
Connective and soft tissue	33	0.6	3.4	<b>1.9</b>	0.11	0.21	24	0.6	2.4	<b>1.6</b>	0.11	0.16	C47+C49
Breast	18	0.4	1.8	<b>1.1</b>	0.06	0.13	1288	30.4	126.5	<b>72.2</b>	5.31	8.30	C50
Vulva							32	0.8	3.1	<b>1.4</b>	0.07	0.16	C51
Vagina							4	0.1	0.4	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							89	2.1	8.7	<b>5.6</b>	0.43	0.56	C53
Corpus uteri							189	4.5	18.6	<b>10.4</b>	0.76	1.29	C54
Uterus unspecified							42	1.0	4.1	<b>2.2</b>	0.13	0.25	C55
Ovary							167	3.9	16.4	<b>9.4</b>	0.77	1.01	C56
Other female genital organs							12	0.3	1.2	<b>0.5</b>	0.02	0.08	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	18	0.4	1.8	<b>0.9</b>	0.03	0.13							C60
Prostate	950	18.5	97.0	<b>45.1</b>	1.53	5.92							C61
Testis	91	1.8	9.3	<b>8.7</b>	0.63	0.65							C62
Other male genital organs	1	0.0	0.1	<b>0.1</b>	0.00	0.01							C63
Kidney	104	2.0	10.6	<b>6.1</b>	0.38	0.74	57	1.3	5.6	<b>3.4</b>	0.22	0.37	C64
Renal pelvis	13	0.3	1.3	<b>0.6</b>	0.04	0.08	4	0.1	0.4	<b>0.3</b>	0.02	0.03	C65
Ureter	5	0.1	0.5	<b>0.3</b>	0.02	0.04	2	0.0	0.2	<b>0.1</b>	0.00	0.02	C66
†Bladder	619	12.1	63.2	<b>30.8</b>	1.47	3.77	126	3.0	12.4	<b>5.1</b>	0.27	0.58	C67
Other urinary organs	7	0.1	0.7	<b>0.4</b>	0.02	0.05	3	0.1	0.3	<b>0.1</b>	0.01	0.01	C68
Eye	7	0.1	0.7	<b>1.0</b>	0.04	0.05	10	0.2	1.0	<b>0.7</b>	0.05	0.07	C69
Brain and nervous system	108	2.1	11.0	<b>6.9</b>	0.44	0.74	83	2.0	8.2	<b>4.3</b>	0.23	0.43	C70-72
Thyroid	69	1.3	7.0	<b>5.2</b>	0.41	0.55	242	5.7	23.8	<b>18.5</b>	1.51	1.79	C73
Adrenal gland	1	0.0	0.1	<b>0.1</b>	0.01	0.01	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C74
Other endocrine	2	0.0	0.2	<b>0.1</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	34	0.7	3.5	<b>2.9</b>	0.21	0.24	24	0.6	2.4	<b>2.4</b>	0.17	0.18	C81
Non-Hodgkin lymphoma	154	3.0	15.7	<b>9.6</b>	0.64	1.13	126	3.0	12.4	<b>6.9</b>	0.45	0.79	C82-86,C96
Immunoproliferative diseases	7	0.1	0.7	<b>0.4</b>	0.03	0.05	7	0.2	0.7	<b>0.2</b>	0.00	0.01	C88
Multiple myeloma	66	1.3	6.7	<b>3.4</b>	0.18	0.41	50	1.2	4.9	<b>2.3</b>	0.14	0.29	C90
Lymphoid leukaemia	35	0.7	3.6	<b>3.3</b>	0.16	0.25	27	0.6	2.7	<b>2.4</b>	0.15	0.19	C91
Myeloid leukaemia	39	0.8	4.0	<b>2.5</b>	0.16	0.29	27	0.6	2.7	<b>2.0</b>	0.14	0.18	C92-94
Leukaemia unspecified	34	0.7	3.5	<b>1.7</b>	0.09	0.17	40	0.9	3.9	<b>1.5</b>	0.07	0.12	C95
Myeloproliferative disorders	22	0.4	2.2	<b>1.2</b>	0.08	0.15	16	0.4	1.6	<b>1.0</b>	0.07	0.11	MPD
Myelodysplastic syndromes	26	0.5	2.7	<b>1.2</b>	0.05	0.15	18	0.4	1.8	<b>0.7</b>	0.02	0.11	MDS
Other and unspecified	129	2.5	13.2	<b>6.1</b>	0.20	0.67	105	2.5	10.3	<b>3.6</b>	0.12	0.38	O&U
All sites	6317		644.9	<b>331.8</b>	16.33	39.80	4865		477.8	<b>250.2</b>	16.33	27.96	C00-96
All sites except C44	5131	100.0	523.8	<b>272.4</b>	13.49	32.89	4233	100.0	415.7	<b>221.3</b>	14.63	24.70	C00-96 exc. C44

† See note following population pyramid

# Italy, Taranto

## CONTRIBUTORS

Sante Minerba  
 Antonia Mincuzzi  
 Simona Carone  
 Margherita Tanzarella  
 Claudia Galluzzo



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	68.5	Breast	80.3
Trachea, bronchus, and lung	46.6	Non-melanoma skin cancer	40.9
Prostate	43.9	Thyroid	29.5
Bladder	37.0	Colon	17.6
Colon	21.9	Corpus uteri	13.2
Liver	13.8	Melanoma of skin	8.7
Non-Hodgkin lymphoma	10.2	Ovary	8.5
Rectum	9.9	Trachea, bronchus, and lung	8.4
Stomach	9.9	Non-Hodgkin lymphoma	7.1
Thyroid	9.2	Rectum	5.1
Melanoma of skin	7.8	Bladder	5.0
Kidney	7.4	Brain and nervous system	4.8
Pancreas	7.1	Pancreas	4.7
Testis	7.0	Stomach	4.6
Brain and nervous system	6.4	Other and unspecified	4.2
Larynx	6.1	Cervix uteri	4.0
Lymphoid leukaemia	5.0	Liver	4.0
Other and unspecified	4.6	Kidney	4.0
Myeloid leukaemia	4.5	Lymphoid leukaemia	3.9
Hodgkin lymphoma	3.7	Hodgkin lymphoma	3.9
All sites	369.1	All sites	289.4

## Italy, Taranto (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	15	0.2	1.3	<b>0.6</b>	0.03	0.05	3	0.1	0.2	<b>0.1</b>	0.01	0.01	C00
Tongue	28	0.4	2.5	<b>1.5</b>	0.12	0.16	14	0.2	1.2	<b>0.6</b>	0.03	0.06	C01-02
Mouth	37	0.6	3.3	<b>2.0</b>	0.16	0.24	14	0.2	1.2	<b>0.6</b>	0.04	0.07	C03-06
Salivary glands	18	0.3	1.6	<b>0.9</b>	0.06	0.08	7	0.1	0.6	<b>0.2</b>	0.01	0.04	C07-08
Tonsil	17	0.3	1.5	<b>1.0</b>	0.07	0.12	3	0.1	0.2	<b>0.2</b>	0.01	0.02	C09
Other oropharynx	7	0.1	0.6	<b>0.3</b>	0.03	0.04	1	0.0	0.1	<b>0.0</b>	0.00	0.01	C10
Nasopharynx	19	0.3	1.7	<b>1.1</b>	0.10	0.12	6	0.1	0.5	<b>0.3</b>	0.03	0.03	C11
Hypopharynx	10	0.2	0.9	<b>0.5</b>	0.04	0.07	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	8	0.1	0.7	<b>0.4</b>	0.03	0.05	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	36	0.5	3.2	<b>1.8</b>	0.11	0.21	7	0.1	0.6	<b>0.2</b>	0.01	0.02	C15
Stomach	237	3.6	20.9	<b>9.9</b>	0.50	1.18	143	2.5	11.9	<b>4.6</b>	0.22	0.48	C16
Small intestine	20	0.3	1.8	<b>0.8</b>	0.03	0.10	10	0.2	0.8	<b>0.4</b>	0.02	0.03	C17
Colon	539	8.1	47.5	<b>21.9</b>	0.81	2.70	517	9.2	42.9	<b>17.6</b>	0.96	1.99	C18
Rectum	231	3.5	20.4	<b>9.9</b>	0.54	1.08	150	2.7	12.4	<b>5.1</b>	0.27	0.59	C19-20
Anus	10	0.2	0.9	<b>0.5</b>	0.02	0.06	22	0.4	1.8	<b>1.0</b>	0.07	0.12	C21
Liver	323	4.9	28.5	<b>13.8</b>	0.68	1.68	140	2.5	11.6	<b>4.0</b>	0.13	0.44	C22
Gallbladder etc.	81	1.2	7.1	<b>3.2</b>	0.15	0.37	119	2.1	9.9	<b>3.6</b>	0.14	0.43	C23-24
Pancreas	163	2.5	14.4	<b>7.1</b>	0.37	0.80	156	2.8	12.9	<b>4.7</b>	0.17	0.52	C25
Nose, sinuses etc.	9	0.1	0.8	<b>0.4</b>	0.03	0.05	4	0.1	0.3	<b>0.2</b>	0.02	0.02	C30-31
Larynx	124	1.9	10.9	<b>6.1</b>	0.39	0.75	10	0.2	0.8	<b>0.4</b>	0.03	0.05	C32
Trachea, bronchus, and lung	1124	16.9	99.1	<b>46.6</b>	2.06	5.78	217	3.9	18.0	<b>8.4</b>	0.52	1.04	C33-34
Other thoracic organs	24	0.4	2.1	<b>1.0</b>	0.05	0.11	17	0.3	1.4	<b>0.7</b>	0.03	0.08	C37-38
Bone	15	0.2	1.3	<b>1.0</b>	0.06	0.09	9	0.2	0.7	<b>0.5</b>	0.03	0.03	C40-41
Melanoma of skin	143	2.1	12.6	<b>7.8</b>	0.49	0.82	157	2.8	13.0	<b>8.7</b>	0.63	0.83	C43
Other skin	1585		139.7	<b>68.5</b>	3.24	7.94	1066		88.5	<b>40.9</b>	2.42	4.58	C44
Mesothelioma	63	0.9	5.6	<b>2.6</b>	0.10	0.36	13	0.2	1.1	<b>0.5</b>	0.02	0.06	C45
Kaposi sarcoma	49	0.7	4.3	<b>2.2</b>	0.11	0.24	27	0.5	2.2	<b>0.5</b>	0.00	0.05	C46
Connective and soft tissue	32	0.5	2.8	<b>1.7</b>	0.11	0.15	32	0.6	2.7	<b>1.6</b>	0.10	0.16	C47+C49
Breast	14	0.2	1.2	<b>0.7</b>	0.03	0.08	1702	30.2	141.2	<b>80.3</b>	5.78	9.16	C50
Vulva							31	0.6	2.6	<b>1.2</b>	0.06	0.10	C51
Vagina							6	0.1	0.5	<b>0.3</b>	0.01	0.04	C52
Cervix uteri							79	1.4	6.6	<b>4.0</b>	0.32	0.43	C53
Corpus uteri							294	5.2	24.4	<b>13.2</b>	0.96	1.64	C54
Uterus unspecified							21	0.4	1.7	<b>0.7</b>	0.04	0.06	C55
Ovary							180	3.2	14.9	<b>8.5</b>	0.58	0.93	C56
Other female genital organs							23	0.4	1.9	<b>0.9</b>	0.06	0.09	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	21	0.3	1.9	<b>0.9</b>	0.04	0.06							C60
Prostate	1057	15.9	93.2	<b>43.9</b>	1.82	5.97							C61
Testis	81	1.2	7.1	<b>7.0</b>	0.50	0.51							C62
Other male genital organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	155	2.3	13.7	<b>7.4</b>	0.44	0.88	93	1.7	7.7	<b>4.0</b>	0.23	0.41	C64
Renal pelvis	16	0.2	1.4	<b>0.6</b>	0.03	0.07	8	0.1	0.7	<b>0.3</b>	0.01	0.05	C65
Ureter	11	0.2	1.0	<b>0.5</b>	0.03	0.05	4	0.1	0.3	<b>0.2</b>	0.01	0.02	C66
†Bladder	874	13.1	77.0	<b>37.0</b>	1.83	4.35	151	2.7	12.5	<b>5.0</b>	0.27	0.59	C67
Other urinary organs	8	0.1	0.7	<b>0.3</b>	0.01	0.04	2	0.0	0.2	<b>0.0</b>	0.00	0.00	C68
Eye	8	0.1	0.7	<b>0.6</b>	0.03	0.05	15	0.3	1.2	<b>1.5</b>	0.08	0.10	C69
Brain and nervous system	107	1.6	9.4	<b>6.4</b>	0.41	0.64	103	1.8	8.5	<b>4.8</b>	0.30	0.45	C70-72
Thyroid	142	2.1	12.5	<b>9.2</b>	0.74	0.90	447	7.9	37.1	<b>29.5</b>	2.36	2.70	C73
Adrenal gland	3	0.0	0.3	<b>0.3</b>	0.01	0.02	7	0.1	0.6	<b>0.6</b>	0.04	0.04	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	2	0.0	0.2	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	45	0.7	4.0	<b>3.7</b>	0.26	0.30	43	0.8	3.6	<b>3.9</b>	0.27	0.28	C81
Non-Hodgkin lymphoma	179	2.7	15.8	<b>10.2</b>	0.69	1.07	150	2.7	12.4	<b>7.1</b>	0.45	0.75	C82-86,C96
Immunoproliferative diseases	24	0.4	2.1	<b>1.2</b>	0.06	0.12	15	0.3	1.2	<b>0.6</b>	0.03	0.07	C88
Multiple myeloma	76	1.1	6.7	<b>3.2</b>	0.15	0.36	80	1.4	6.6	<b>2.6</b>	0.15	0.27	C90
Lymphoid leukaemia	92	1.4	8.1	<b>5.0</b>	0.24	0.50	62	1.1	5.1	<b>3.9</b>	0.19	0.31	C91
Myeloid leukaemia	84	1.3	7.4	<b>4.5</b>	0.27	0.47	62	1.1	5.1	<b>3.0</b>	0.18	0.29	C92-94
Leukaemia unspecified	10	0.2	0.9	<b>0.3</b>	0.00	0.03	5	0.1	0.4	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	69	1.0	6.1	<b>3.3</b>	0.18	0.34	43	0.8	3.6	<b>1.9</b>	0.14	0.20	MPD
Myelodysplastic syndromes	81	1.2	7.1	<b>3.1</b>	0.08	0.28	64	1.1	5.3	<b>1.5</b>	0.04	0.14	MDS
Other and unspecified	113	1.7	10.0	<b>4.6</b>	0.19	0.42	140	2.5	11.6	<b>4.2</b>	0.18	0.42	O&U
All sites	8237		726.1	<b>369.1</b>	18.53	42.90	6697		555.7	<b>289.4</b>	18.69	31.34	C00-96
All sites except C44	6652	100.0	586.4	<b>300.6</b>	15.29	34.96	5631	100.0	467.2	<b>248.5</b>	16.27	26.76	C00-96 exc. C44

† See note following population pyramid

# Italy, Trento

## CONTRIBUTORS

Silvano Piffer  
Roberto Rizzello  
Lucia Bombarda  
Maria Gentilini  
Mariangela Pedron  
Elena Clivati



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	74.7	Breast	81.4
Prostate	50.6	Non-melanoma skin cancer	54.0
Colon	31.7	Colon	20.6
Trachea, bronchus, and lung	31.2	Thyroid	13.0
Bladder	23.3	Corpus uteri	12.8
Liver	14.2	Melanoma of skin	11.2
Rectum	13.1	Trachea, bronchus, and lung	9.5
Stomach	12.1	Ovary	8.6
Non-Hodgkin lymphoma	11.7	Rectum	7.4
Kidney	10.7	Non-Hodgkin lymphoma	7.2
Pancreas	9.5	Stomach	6.5
Melanoma of skin	8.1	Pancreas	5.9
Oesophagus	6.7	Bladder	5.7
Testis	6.1	Kidney	5.2
Larynx	6.0	Cervix uteri	4.3
Brain and nervous system	5.6	Brain and nervous system	3.9
Lymphoid leukaemia	5.3	Other and unspecified	3.9
Other and unspecified	5.1	Liver	2.7
Thyroid	4.4	Multiple myeloma	2.6
Multiple myeloma	3.5	Lymphoid leukaemia	2.5
All sites	371.5	All sites	292.0

## Italy, Trento (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	23	0.5	3.1	<b>1.5</b>	0.06	0.17	14	0.4	1.8	<b>0.8</b>	0.03	0.08	C00
Tongue	28	0.6	3.7	<b>2.1</b>	0.14	0.27	15	0.4	1.9	<b>0.9</b>	0.05	0.13	C01-02
Mouth	34	0.8	4.5	<b>2.8</b>	0.18	0.31	21	0.5	2.7	<b>0.9</b>	0.05	0.07	C03-06
Salivary glands	6	0.1	0.8	<b>0.4</b>	0.03	0.04	8	0.2	1.0	<b>0.5</b>	0.05	0.05	C07-08
Tonsil	18	0.4	2.4	<b>1.4</b>	0.10	0.20	7	0.2	0.9	<b>0.5</b>	0.02	0.07	C09
Other oropharynx	6	0.1	0.8	<b>0.5</b>	0.04	0.06	2	0.1	0.3	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	7	0.2	0.9	<b>0.6</b>	0.05	0.06	4	0.1	0.5	<b>0.3</b>	0.03	0.03	C11
Hypopharynx	24	0.6	3.2	<b>1.7</b>	0.07	0.22	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	4	0.1	0.5	<b>0.3</b>	0.03	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	97	2.3	12.9	<b>6.7</b>	0.35	0.85	19	0.5	2.4	<b>0.9</b>	0.05	0.12	C15
Stomach	192	4.5	25.5	<b>12.1</b>	0.46	1.49	146	3.8	18.5	<b>6.5</b>	0.36	0.65	C16
Small intestine	20	0.5	2.7	<b>1.4</b>	0.09	0.18	11	0.3	1.4	<b>0.6</b>	0.04	0.06	C17
Colon	473	11.0	62.8	<b>31.7</b>	1.60	3.97	371	9.6	47.0	<b>20.6</b>	1.20	2.54	C18
Rectum	201	4.7	26.7	<b>13.1</b>	0.71	1.68	132	3.4	16.7	<b>7.4</b>	0.44	0.93	C19-20
Anus	8	0.2	1.1	<b>0.4</b>	0.01	0.02	10	0.3	1.3	<b>0.4</b>	0.03	0.03	C21
Liver	221	5.1	29.3	<b>14.2</b>	0.71	1.67	71	1.8	9.0	<b>2.7</b>	0.13	0.27	C22
Gallbladder etc.	29	0.7	3.9	<b>1.7</b>	0.07	0.19	60	1.6	7.6	<b>2.3</b>	0.06	0.28	C23-24
Pancreas	150	3.5	19.9	<b>9.5</b>	0.42	1.08	162	4.2	20.5	<b>5.9</b>	0.18	0.58	C25
Nose, sinuses etc.	6	0.1	0.8	<b>0.6</b>	0.04	0.04	5	0.1	0.6	<b>0.2</b>	0.00	0.03	C30-31
Larynx	88	2.0	11.7	<b>6.0</b>	0.35	0.78	19	0.5	2.4	<b>1.3</b>	0.11	0.15	C32
Trachea, bronchus, and lung	487	11.3	64.7	<b>31.2</b>	1.36	3.84	184	4.8	23.3	<b>9.5</b>	0.54	1.11	C33-34
Other thoracic organs	16	0.4	2.1	<b>0.9</b>	0.04	0.12	5	0.1	0.6	<b>0.2</b>	0.01	0.02	C37-38
Bone	8	0.2	1.1	<b>0.9</b>	0.05	0.08	3	0.1	0.4	<b>0.2</b>	0.01	0.01	C40-41
Melanoma of skin	95	2.2	12.6	<b>8.1</b>	0.53	0.90	124	3.2	15.7	<b>11.2</b>	0.85	0.95	C43
Other skin	1126		149.5	<b>74.7</b>	3.87	8.08	1013		128.4	<b>54.0</b>	3.32	5.91	C44
Mesothelioma	15	0.3	2.0	<b>1.0</b>	0.03	0.16	10	0.3	1.3	<b>0.5</b>	0.02	0.07	C45
Kaposi sarcoma	4	0.1	0.5	<b>0.3</b>	0.02	0.05	4	0.1	0.5	<b>0.2</b>	0.01	0.03	C46
Connective and soft tissue	21	0.5	2.8	<b>2.0</b>	0.13	0.17	15	0.4	1.9	<b>1.1</b>	0.06	0.09	C47+C49
Breast	14	0.3	1.9	<b>0.9</b>	0.03	0.12	1195	30.9	151.4	<b>81.4</b>	6.11	9.02	C50
Vulva							31	0.8	3.9	<b>1.8</b>	0.10	0.22	C51
Vagina							7	0.2	0.9	<b>0.6</b>	0.03	0.05	C52
Cervix uteri							50	1.3	6.3	<b>4.3</b>	0.36	0.44	C53
Corpus uteri							189	4.9	23.9	<b>12.8</b>	0.95	1.58	C54
Uterus unspecified							2	0.1	0.3	<b>0.1</b>	0.01	0.01	C55
Ovary							122	3.2	15.5	<b>8.6</b>	0.64	0.96	C56
Other female genital organs							12	0.3	1.5	<b>0.8</b>	0.07	0.08	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	13	0.3	1.7	<b>0.8</b>	0.05	0.10							C60
Prostate	769	17.8	102.1	<b>50.6</b>	2.28	6.99							C61
Testis	48	1.1	6.4	<b>6.1</b>	0.45	0.45							C62
Other male genital organs	4	0.1	0.5	<b>0.5</b>	0.02	0.05							C63
Kidney	150	3.5	19.9	<b>10.7</b>	0.58	1.39	93	2.4	11.8	<b>5.2</b>	0.29	0.67	C64
Renal pelvis	5	0.1	0.7	<b>0.3</b>	0.01	0.03	5	0.1	0.6	<b>0.2</b>	0.01	0.01	C65
Ureter	6	0.1	0.8	<b>0.4</b>	0.01	0.07	3	0.1	0.4	<b>0.2</b>	0.00	0.02	C66
†Bladder	377	8.7	50.1	<b>23.3</b>	1.03	2.84	120	3.1	15.2	<b>5.7</b>	0.29	0.69	C67
Other urinary organs	23	0.5	3.1	<b>1.6</b>	0.06	0.22	8	0.2	1.0	<b>0.2</b>	0.00	0.03	C68
Eye	5	0.1	0.7	<b>0.5</b>	0.02	0.03	7	0.2	0.9	<b>0.6</b>	0.03	0.05	C69
Brain and nervous system	58	1.3	7.7	<b>5.6</b>	0.33	0.52	51	1.3	6.5	<b>3.9</b>	0.22	0.35	C70-72
Thyroid	48	1.1	6.4	<b>4.4</b>	0.33	0.45	138	3.6	17.5	<b>13.0</b>	1.05	1.20	C73
Adrenal gland	1	0.0	0.1	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C74
Other endocrine	2	0.0	0.3	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	27	0.6	3.6	<b>3.4</b>	0.22	0.28	22	0.6	2.8	<b>2.2</b>	0.14	0.20	C81
Non-Hodgkin lymphoma	150	3.5	19.9	<b>11.7</b>	0.74	1.26	121	3.1	15.3	<b>7.2</b>	0.46	0.73	C82-86,C96
Immunoproliferative diseases	12	0.3	1.6	<b>0.8</b>	0.02	0.10	9	0.2	1.1	<b>0.6</b>	0.05	0.07	C88
Multiple myeloma	58	1.3	7.7	<b>3.5</b>	0.14	0.40	55	1.4	7.0	<b>2.6</b>	0.13	0.30	C90
Lymphoid leukaemia	59	1.4	7.8	<b>5.3</b>	0.23	0.48	23	0.6	2.9	<b>2.5</b>	0.13	0.16	C91
Myeloid leukaemia	52	1.2	6.9	<b>3.5</b>	0.22	0.41	38	1.0	4.8	<b>1.8</b>	0.06	0.19	C92-94
Leukaemia unspecified	6	0.1	0.8	<b>0.3</b>	0.02	0.02	5	0.1	0.6	<b>0.6</b>	0.03	0.04	C95
Myeloproliferative disorders	29	0.7	3.9	<b>2.8</b>	0.16	0.25	19	0.5	2.4	<b>1.3</b>	0.07	0.13	MPD
Myelodysplastic syndromes	22	0.5	2.9	<b>1.3</b>	0.06	0.14	8	0.2	1.0	<b>0.2</b>	0.01	0.01	MDS
Other and unspecified	91	2.1	12.1	<b>5.1</b>	0.21	0.47	108	2.8	13.7	<b>3.9</b>	0.14	0.40	O&U
All sites	5436		721.8	<b>371.5</b>	18.78	43.79	4879		618.2	<b>292.0</b>	19.06	31.88	C00-96
All sites except C44	4310	100.0	572.3	<b>296.8</b>	14.91	35.71	3866	100.0	489.8	<b>237.9</b>	15.74	25.98	C00-96 exc. C44

† See note following population pyramid

# Italy, Turin

## CONTRIBUTORS

Roberto Zanetti  
Stefano Rosso  
Silvia Patriarca  
Rossana Prandi  
Paola Busso  
Irene Sobrato  
Franca Gilardi  
Lidia Sacchetto



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	67.6	Breast	86.8
Trachea, bronchus, and lung	42.8	Colon	20.8
Bladder	38.9	Trachea, bronchus, and lung	13.7
Colon	31.0	Corpus uteri	12.5
Non-Hodgkin lymphoma	13.9	Thyroid	11.6
Stomach	10.7	Non-Hodgkin lymphoma	10.0
Rectum	10.4	Ovary	9.7
Kidney	9.9	Melanoma of skin	8.8
Liver	9.9	Bladder	7.6
Melanoma of skin	8.8	Rectum	6.6
Pancreas	7.4	Stomach	5.4
Brain and nervous system	7.3	Pancreas	5.2
Testis	6.7	Brain and nervous system	5.1
Larynx	6.6	Other and unspecified	5.0
Other and unspecified	5.4	Cervix uteri	4.8
Myeloid leukaemia	4.5	Kidney	4.0
Multiple myeloma	4.2	Liver	3.6
Thyroid	3.9	Myeloid leukaemia	3.3
Lymphoid leukaemia	3.8	Gallbladder etc.	3.2
Hodgkin lymphoma	3.2	Hodgkin lymphoma	3.1
All sites	332.7	All sites	256.0



## Italy, Turin (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	33	0.1	0.6	<b>0.3</b>	0.01	0.03	8	0.0	0.1	<b>0.0</b>	0.00	0.00	C00
Tongue	183	0.5	3.4	<b>1.7</b>	0.12	0.20	96	0.3	1.7	<b>0.8</b>	0.04	0.08	C01-02
Mouth	306	0.8	5.7	<b>2.9</b>	0.20	0.34	194	0.6	3.3	<b>1.3</b>	0.07	0.15	C03-06
Salivary glands	131	0.3	2.4	<b>1.2</b>	0.07	0.11	87	0.3	1.5	<b>0.6</b>	0.04	0.07	C07-08
Tonsil	99	0.2	1.8	<b>0.9</b>	0.07	0.12	31	0.1	0.5	<b>0.3</b>	0.02	0.03	C09
Other oropharynx	78	0.2	1.4	<b>0.7</b>	0.06	0.08	15	0.0	0.3	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	77	0.2	1.4	<b>0.9</b>	0.07	0.10	27	0.1	0.5	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	94	0.2	1.7	<b>0.9</b>	0.07	0.09	23	0.1	0.4	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	13	0.0	0.2	<b>0.1</b>	0.01	0.02	6	0.0	0.1	<b>0.1</b>	0.00	0.01	C14
Oesophagus	386	1.0	7.1	<b>3.2</b>	0.19	0.38	130	0.4	2.2	<b>0.8</b>	0.04	0.10	C15
Stomach	1439	3.5	26.6	<b>10.7</b>	0.46	1.26	891	2.7	15.3	<b>5.4</b>	0.30	0.60	C16
Small intestine	176	0.4	3.3	<b>1.5</b>	0.09	0.19	145	0.4	2.5	<b>1.0</b>	0.05	0.12	C17
Colon	4124	10.2	76.3	<b>31.0</b>	1.48	3.70	3430	10.3	59.0	<b>20.8</b>	1.09	2.47	C18
Rectum	1358	3.3	25.1	<b>10.4</b>	0.51	1.23	1010	3.0	17.4	<b>6.6</b>	0.38	0.79	C19-20
Anus	110	0.3	2.0	<b>0.9</b>	0.05	0.09	117	0.4	2.0	<b>0.8</b>	0.05	0.10	C21
Liver	1249	3.1	23.1	<b>9.9</b>	0.51	1.18	593	1.8	10.2	<b>3.6</b>	0.18	0.40	C22
Gallbladder etc.	459	1.1	8.5	<b>3.1</b>	0.10	0.35	648	2.0	11.1	<b>3.2</b>	0.15	0.33	C23-24
Pancreas	956	2.4	17.7	<b>7.4</b>	0.37	0.89	993	3.0	17.1	<b>5.2</b>	0.21	0.62	C25
Nose, sinuses etc.	84	0.2	1.6	<b>0.7</b>	0.04	0.08	40	0.1	0.7	<b>0.3</b>	0.02	0.04	C30-31
Larynx	771	1.9	14.3	<b>6.6</b>	0.38	0.85	93	0.3	1.6	<b>0.8</b>	0.05	0.09	C32
Trachea, bronchus, and lung	5787	14.3	107.1	<b>42.8</b>	1.94	5.26	2090	6.3	35.9	<b>13.7</b>	0.80	1.64	C33-34
Other thoracic organs	129	0.3	2.4	<b>1.1</b>	0.06	0.13	126	0.4	2.2	<b>0.9</b>	0.05	0.11	C37-38
Bone	64	0.2	1.2	<b>1.1</b>	0.07	0.08	53	0.2	0.9	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	879	2.2	16.3	<b>8.8</b>	0.58	0.99	865	2.6	14.9	<b>8.8</b>	0.65	0.89	C43
Other skin	159		2.9	<b>1.6</b>	0.10	0.16	153		2.6	<b>1.2</b>	0.08	0.13	C44
Mesothelioma	241	0.6	4.5	<b>1.7</b>	0.05	0.19	161	0.5	2.8	<b>0.9</b>	0.03	0.11	C45
Kaposi sarcoma	119	0.3	2.2	<b>1.0</b>	0.06	0.10	37	0.1	0.6	<b>0.2</b>	0.01	0.02	C46
Connective and soft tissue	204	0.5	3.8	<b>2.1</b>	0.11	0.21	157	0.5	2.7	<b>1.8</b>	0.10	0.16	C47+C49
Breast	97	0.2	1.8	<b>0.8</b>	0.05	0.10	10118	30.5	174.0	<b>86.8</b>	6.36	9.59	C50
Vulva							194	0.6	3.3	<b>1.0</b>	0.04	0.11	C51
Vagina							78	0.2	1.3	<b>0.5</b>	0.03	0.05	C52
Cervix uteri							498	1.5	8.6	<b>4.8</b>	0.38	0.49	C53
Corpus uteri							1603	4.8	27.6	<b>12.5</b>	0.90	1.56	C54
Uterus unspecified							56	0.2	1.0	<b>0.3</b>	0.01	0.02	C55
Ovary							1165	3.5	20.0	<b>9.7</b>	0.67	1.09	C56
Other female genital organs							69	0.2	1.2	<b>0.6</b>	0.04	0.07	C57
Placenta							2	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	71	0.2	1.3	<b>0.5</b>	0.03	0.06							C60
Prostate	8654	21.3	160.2	<b>67.6</b>	3.12	9.41							C61
Testis	368	0.9	6.8	<b>6.7</b>	0.49	0.51							C62
Other male genital organs	10	0.0	0.2	<b>0.1</b>	0.00	0.01							C63
Kidney	1109	2.7	20.5	<b>9.9</b>	0.58	1.19	542	1.6	9.3	<b>4.0</b>	0.23	0.44	C64
Renal pelvis	120	0.3	2.2	<b>0.9</b>	0.04	0.10	50	0.2	0.9	<b>0.3</b>	0.01	0.03	C65
Ureter	98	0.2	1.8	<b>0.7</b>	0.03	0.09	38	0.1	0.7	<b>0.2</b>	0.01	0.02	C66
†Bladder	5167	12.7	95.6	<b>38.9</b>	1.75	4.64	1246	3.8	21.4	<b>7.6</b>	0.40	0.91	C67
Other urinary organs	58	0.1	1.1	<b>0.4</b>	0.01	0.05	35	0.1	0.6	<b>0.2</b>	0.01	0.02	C68
Eye	30	0.1	0.6	<b>0.4</b>	0.01	0.03	29	0.1	0.5	<b>0.3</b>	0.02	0.03	C69
Brain and nervous system	625	1.5	11.6	<b>7.3</b>	0.44	0.71	560	1.7	9.6	<b>5.1</b>	0.34	0.53	C70-72
Thyroid	317	0.8	5.9	<b>3.9</b>	0.29	0.39	917	2.8	15.8	<b>11.6</b>	0.91	1.11	C73
Adrenal gland	36	0.1	0.7	<b>0.7</b>	0.04	0.05	32	0.1	0.6	<b>0.5</b>	0.03	0.04	C74
Other endocrine	37	0.1	0.7	<b>0.5</b>	0.03	0.04	50	0.2	0.9	<b>0.6</b>	0.04	0.06	C75
Hodgkin lymphoma	184	0.5	3.4	<b>3.2</b>	0.21	0.25	163	0.5	2.8	<b>3.1</b>	0.21	0.23	C81
Non-Hodgkin lymphoma	1448	3.6	26.8	<b>13.9</b>	0.85	1.55	1240	3.7	21.3	<b>10.0</b>	0.62	1.09	C82-86,C96
Immunoproliferative diseases	38	0.1	0.7	<b>0.3</b>	0.02	0.04	31	0.1	0.5	<b>0.2</b>	0.01	0.03	C88
Multiple myeloma	537	1.3	9.9	<b>4.2</b>	0.21	0.51	493	1.5	8.5	<b>2.9</b>	0.15	0.35	C90
Lymphoid leukaemia	350	0.9	6.5	<b>3.8</b>	0.21	0.35	305	0.9	5.2	<b>2.5</b>	0.12	0.24	C91
Myeloid leukaemia	513	1.3	9.5	<b>4.5</b>	0.23	0.44	425	1.3	7.3	<b>3.3</b>	0.19	0.31	C92-94
Leukaemia unspecified	48	0.1	0.9	<b>0.3</b>	0.01	0.03	49	0.1	0.8	<b>0.3</b>	0.01	0.02	C95
Myeloproliferative disorders	167	0.4	3.1	<b>1.5</b>	0.08	0.18	135	0.4	2.3	<b>1.0</b>	0.07	0.12	MPD
Myelodysplastic syndromes	225	0.6	4.2	<b>1.4</b>	0.04	0.15	134	0.4	2.3	<b>0.8</b>	0.03	0.10	MDS
Other and unspecified	727	1.8	13.5	<b>5.4</b>	0.28	0.57	886	2.7	15.2	<b>5.0</b>	0.26	0.49	O&U
All sites	40742		754.0	<b>332.7</b>	16.88	39.85	33362		573.6	<b>256.0</b>	16.61	28.36	C00-96
All sites except C44	40583	100.0	751.1	<b>331.1</b>	16.78	39.69	33209	100.0	571.0	<b>254.8</b>	16.53	28.22	C00-96 exc. C44

† See note following population pyramid

# Italy, Umbria

## CONTRIBUTORS

Fabrizio Stracci  
 Fortunato Bianconi  
 Anna Maria Petrinelli  
 Silvia Leite  
 Chiara Lupi  
 Valerio Brunori  
 Daniela Mogini  
 Manuela Margaritelli  
 Loredana Guida  
 Carmela Ignozza



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	63.5	Breast	85.2
Non-melanoma skin cancer	56.9	Non-melanoma skin cancer	35.5
Trachea, bronchus, and lung	39.9	Colon	20.2
Colon	34.0	Thyroid	19.5
Bladder	19.4	Trachea, bronchus, and lung	14.5
Stomach	17.0	Corpus uteri	13.0
Rectum	16.5	Melanoma of skin	10.1
Kidney	15.5	Non-Hodgkin lymphoma	9.6
Non-Hodgkin lymphoma	13.1	Ovary	9.5
Liver	10.9	Stomach	9.5
Melanoma of skin	10.2	Rectum	8.9
Pancreas	8.6	Pancreas	6.5
Brain and nervous system	7.3	Kidney	6.4
Thyroid	7.0	Brain and nervous system	5.8
Testis	7.0	Cervix uteri	5.5
Lymphoid leukaemia	6.1	Myeloid leukaemia	4.0
Larynx	5.8	Lymphoid leukaemia	4.0
Myeloid leukaemia	4.4	Hodgkin lymphoma	3.9
Multiple myeloma	4.4	Bladder	3.8
Hodgkin lymphoma	3.8	Liver	3.2
All sites	385.1	All sites	304.5


## Italy, Umbria (2008–2011)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	8	0.1	0.5	<b>0.2</b>	0.01	0.02	9	0.1	0.5	<b>0.1</b>	0.00	0.01	C00
Tongue	57	0.4	3.4	<b>1.8</b>	0.14	0.23	25	0.2	1.4	<b>0.6</b>	0.04	0.07	C01-02
Mouth	48	0.4	2.8	<b>1.4</b>	0.09	0.17	28	0.3	1.5	<b>0.5</b>	0.03	0.06	C03-06
Salivary glands	40	0.3	2.4	<b>0.9</b>	0.05	0.08	32	0.3	1.8	<b>0.9</b>	0.05	0.09	C07-08
Tonsil	20	0.2	1.2	<b>0.6</b>	0.06	0.07	6	0.1	0.3	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	12	0.1	0.7	<b>0.4</b>	0.03	0.04	4	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	12	0.1	0.7	<b>0.5</b>	0.03	0.04	12	0.1	0.7	<b>0.4</b>	0.03	0.04	C11
Hypopharynx	20	0.2	1.2	<b>0.5</b>	0.03	0.06	7	0.1	0.4	<b>0.3</b>	0.03	0.03	C12-13
Pharynx unspecified	7	0.1	0.4	<b>0.2</b>	0.01	0.02	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	53	0.4	3.1	<b>1.3</b>	0.08	0.15	36	0.3	2.0	<b>0.6</b>	0.04	0.06	C15
Stomach	760	5.9	45.1	<b>17.0</b>	0.82	1.86	574	5.2	31.5	<b>9.5</b>	0.45	1.01	C16
Small intestine	53	0.4	3.1	<b>1.4</b>	0.10	0.16	39	0.4	2.1	<b>0.8</b>	0.03	0.12	C17
Colon	1406	10.9	83.4	<b>34.0</b>	1.74	4.16	1101	10.1	60.5	<b>20.2</b>	1.00	2.44	C18
Rectum	653	5.1	38.7	<b>16.5</b>	0.94	2.03	453	4.1	24.9	<b>8.9</b>	0.48	1.06	C19-20
Anus	27	0.2	1.6	<b>0.7</b>	0.04	0.07	39	0.4	2.1	<b>0.9</b>	0.06	0.11	C21
Liver	435	3.4	25.8	<b>10.9</b>	0.56	1.33	224	2.0	12.3	<b>3.2</b>	0.11	0.31	C22
Gallbladder etc.	123	1.0	7.3	<b>2.2</b>	0.06	0.21	177	1.6	9.7	<b>2.7</b>	0.12	0.30	C23-24
Pancreas	360	2.8	21.4	<b>8.6</b>	0.43	1.06	396	3.6	21.8	<b>6.5</b>	0.30	0.73	C25
Nose, sinuses etc.	20	0.2	1.2	<b>0.6</b>	0.04	0.07	11	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	218	1.7	12.9	<b>5.8</b>	0.37	0.74	22	0.2	1.2	<b>0.5</b>	0.03	0.07	C32
Trachea, bronchus, and lung	1762	13.7	104.5	<b>39.9</b>	1.71	5.01	659	6.0	36.2	<b>14.5</b>	0.93	1.73	C33-34
Other thoracic organs	22	0.2	1.3	<b>0.6</b>	0.04	0.05	10	0.1	0.5	<b>0.2</b>	0.01	0.03	C37-38
Bone	30	0.2	1.8	<b>1.1</b>	0.05	0.10	15	0.1	0.8	<b>0.6</b>	0.04	0.04	C40-41
Melanoma of skin	309	2.4	18.3	<b>10.2</b>	0.71	1.05	277	2.5	15.2	<b>10.1</b>	0.79	0.95	C43
Other skin	2569		152.4	<b>56.9</b>	2.45	6.19	1920		105.5	<b>35.5</b>	1.89	3.74	C44
Mesothelioma	65	0.5	3.9	<b>1.6</b>	0.09	0.21	7	0.1	0.4	<b>0.2</b>	0.01	0.02	C45
Kaposi sarcoma	13	0.1	0.8	<b>0.5</b>	0.02	0.04	3	0.0	0.2	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	66	0.5	3.9	<b>1.9</b>	0.11	0.19	40	0.4	2.2	<b>1.1</b>	0.07	0.10	C47+C49
Breast	28	0.2	1.7	<b>0.7</b>	0.02	0.09	2959	27.0	162.6	<b>85.2</b>	6.50	9.36	C50
Vulva							98	0.9	5.4	<b>1.5</b>	0.04	0.16	C51
Vagina							9	0.1	0.5	<b>0.1</b>	0.00	0.01	C52
Cervix uteri							165	1.5	9.1	<b>5.5</b>	0.44	0.54	C53
Corpus uteri							513	4.7	28.2	<b>13.0</b>	0.92	1.63	C54
Uterus unspecified							22	0.2	1.2	<b>0.3</b>	0.02	0.02	C55
Ovary							357	3.3	19.6	<b>9.5</b>	0.67	1.02	C56
Other female genital organs							12	0.1	0.7	<b>0.3</b>	0.02	0.03	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	31	0.2	1.8	<b>0.7</b>	0.04	0.08							C60
Prostate	2643	20.5	156.8	<b>63.5</b>	2.63	8.92							C61
Testis	118	0.9	7.0	<b>7.0</b>	0.51	0.53							C62
Other male genital organs	6	0.0	0.4	<b>0.2</b>	0.01	0.02							C63
Kidney	537	4.2	31.9	<b>15.5</b>	0.98	1.90	272	2.5	14.9	<b>6.4</b>	0.36	0.72	C64
Renal pelvis	32	0.2	1.9	<b>0.7</b>	0.03	0.09	21	0.2	1.2	<b>0.4</b>	0.02	0.05	C65
Ureter	28	0.2	1.7	<b>0.6</b>	0.04	0.07	11	0.1	0.6	<b>0.2</b>	0.00	0.02	C66
Bladder	907	7.0	53.8	<b>19.4</b>	0.75	2.19	228	2.1	12.5	<b>3.8</b>	0.17	0.43	C67
Other urinary organs	22	0.2	1.3	<b>0.5</b>	0.02	0.04	3	0.0	0.2	<b>0.0</b>	0.00	0.00	C68
Eye	10	0.1	0.6	<b>0.4</b>	0.03	0.04	15	0.1	0.8	<b>0.8</b>	0.04	0.05	C69
Brain and nervous system	206	1.6	12.2	<b>7.3</b>	0.48	0.70	186	1.7	10.2	<b>5.8</b>	0.34	0.53	C70-72
Thyroid	171	1.3	10.1	<b>7.0</b>	0.51	0.74	469	4.3	25.8	<b>19.5</b>	1.56	1.87	C73
Adrenal gland	8	0.1	0.5	<b>0.6</b>	0.03	0.03	15	0.1	0.8	<b>0.8</b>	0.05	0.06	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	74	0.6	4.4	<b>3.8</b>	0.25	0.31	68	0.6	3.7	<b>3.9</b>	0.26	0.29	C81
Non-Hodgkin lymphoma	427	3.3	25.3	<b>13.1</b>	0.82	1.42	366	3.3	20.1	<b>9.6</b>	0.61	1.05	C82-86,C96
Immunoproliferative diseases	28	0.2	1.7	<b>0.8</b>	0.04	0.10	28	0.3	1.5	<b>0.7</b>	0.05	0.07	C88
Multiple myeloma	182	1.4	10.8	<b>4.4</b>	0.23	0.49	145	1.3	8.0	<b>2.4</b>	0.11	0.27	C90
Lymphoid leukaemia	184	1.4	10.9	<b>6.1</b>	0.33	0.58	122	1.1	6.7	<b>4.0</b>	0.21	0.32	C91
Myeloid leukaemia	178	1.4	10.6	<b>4.4</b>	0.21	0.46	158	1.4	8.7	<b>4.0</b>	0.24	0.37	C92-94
Leukaemia unspecified	7	0.1	0.4	<b>0.1</b>	0.00	0.02	12	0.1	0.7	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	116	0.9	6.9	<b>3.2</b>	0.18	0.30	117	1.1	6.4	<b>2.3</b>	0.13	0.24	MPD
Myelodysplastic syndromes	187	1.5	11.1	<b>3.6</b>	0.11	0.37	165	1.5	9.1	<b>2.2</b>	0.08	0.17	MDS
Other and unspecified	139	1.1	8.2	<b>3.1</b>	0.15	0.26	194	1.8	10.7	<b>2.7</b>	0.12	0.25	O&U
All sites	15437		915.9	<b>385.1</b>	19.23	45.17	12861		706.6	<b>304.5</b>	19.60	32.73	C00-96
All sites except C44	12868	100.0	763.5	<b>328.2</b>	16.78	38.98	10941	100.0	601.1	<b>268.9</b>	17.71	28.99	C00-96 exc. C44

# Italy, Varese

## CONTRIBUTORS

Giovanna Tagliabue  
Paolo Contiero  
Andrea Tittarelli  
Sabrina Fabiano  
Anna Maghini  
Tiziana Codazzi  
Giulio Barigelletti  
Emanuela Frassoldi  
Daniela Gada  
Laura Di Grazia



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	76.8	Breast	91.4
Non-melanoma skin cancer	68.2	Non-melanoma skin cancer	44.4
Trachea, bronchus, and lung	44.1	Colon	18.5
Colon	27.4	Trachea, bronchus, and lung	13.5
Bladder	22.4	Corpus uteri	12.2
Non-Hodgkin lymphoma	14.1	Thyroid	12.1
Stomach	13.3	Melanoma of skin	10.4
Kidney	12.9	Ovary	8.9
Liver	11.9	Non-Hodgkin lymphoma	8.8
Rectum	11.8	Stomach	6.7
Melanoma of skin	11.1	Pancreas	6.6
Pancreas	8.5	Rectum	6.5
Brain and nervous system	7.3	Kidney	6.5
Testis	6.8	Cervix uteri	5.4
Other and unspecified	5.9	Other and unspecified	4.8
Larynx	5.6	Brain and nervous system	4.3
Myeloid leukaemia	5.5	Bladder	4.0
Lymphoid leukaemia	4.8	Hodgkin lymphoma	3.9
Multiple myeloma	4.7	Multiple myeloma	3.6
Thyroid	4.3	Liver	3.2
All sites	404.0	All sites	300.1

## Italy, Varese (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	29	0.2	1.4	<b>0.6</b>	0.01	0.04	4	0.0	0.2	<b>0.0</b>	0.00	0.00	C00
Tongue	71	0.5	3.4	<b>1.8</b>	0.12	0.24	50	0.4	2.2	<b>1.1</b>	0.07	0.12	C01-02
Mouth	82	0.6	3.9	<b>2.2</b>	0.16	0.26	41	0.3	1.8	<b>0.8</b>	0.05	0.09	C03-06
Salivary glands	32	0.2	1.5	<b>0.7</b>	0.04	0.08	26	0.2	1.2	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	42	0.3	2.0	<b>1.1</b>	0.09	0.14	8	0.1	0.4	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	39	0.3	1.9	<b>1.0</b>	0.07	0.14	8	0.1	0.4	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	25	0.2	1.2	<b>0.7</b>	0.06	0.08	9	0.1	0.4	<b>0.2</b>	0.01	0.03	C11
Hypopharynx	60	0.4	2.9	<b>1.5</b>	0.11	0.19	7	0.1	0.3	<b>0.2</b>	0.01	0.01	C12-13
Pharynx unspecified	4	0.0	0.2	<b>0.1</b>	0.01	0.02	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	154	1.0	7.4	<b>3.5</b>	0.19	0.40	58	0.5	2.6	<b>0.9</b>	0.05	0.10	C15
Stomach	676	4.6	32.3	<b>13.3</b>	0.51	1.45	453	3.7	20.4	<b>6.7</b>	0.33	0.72	C16
Small intestine	56	0.4	2.7	<b>1.3</b>	0.07	0.13	45	0.4	2.0	<b>0.8</b>	0.04	0.09	C17
Colon	1302	8.9	62.2	<b>27.4</b>	1.19	3.25	1151	9.4	51.8	<b>18.5</b>	0.94	2.13	C18
Rectum	528	3.6	25.2	<b>11.8</b>	0.61	1.45	371	3.0	16.7	<b>6.5</b>	0.36	0.77	C19-20
Anus	18	0.1	0.9	<b>0.5</b>	0.04	0.06	55	0.4	2.5	<b>1.0</b>	0.05	0.12	C21
Liver	524	3.6	25.0	<b>11.9</b>	0.59	1.47	232	1.9	10.4	<b>3.2</b>	0.12	0.34	C22
Gallbladder etc.	167	1.1	8.0	<b>3.6</b>	0.17	0.41	198	1.6	8.9	<b>2.9</b>	0.12	0.33	C23-24
Pancreas	398	2.7	19.0	<b>8.5</b>	0.38	1.00	425	3.5	19.1	<b>6.6</b>	0.32	0.77	C25
Nose, sinuses etc.	23	0.2	1.1	<b>0.5</b>	0.03	0.07	15	0.1	0.7	<b>0.3</b>	0.02	0.03	C30-31
Larynx	243	1.7	11.6	<b>5.6</b>	0.28	0.72	21	0.2	0.9	<b>0.3</b>	0.01	0.04	C32
Trachea, bronchus, and lung	2127	14.5	101.5	<b>44.1</b>	1.90	5.39	770	6.3	34.6	<b>13.5</b>	0.77	1.62	C33-34
Other thoracic organs	24	0.2	1.1	<b>0.8</b>	0.05	0.07	12	0.1	0.5	<b>0.1</b>	0.00	0.01	C37-38
Bone	24	0.2	1.1	<b>1.1</b>	0.07	0.09	21	0.2	0.9	<b>0.9</b>	0.06	0.07	C40-41
Melanoma of skin	428	2.9	20.4	<b>11.1</b>	0.71	1.24	375	3.1	16.9	<b>10.4</b>	0.80	1.02	C43
Other skin	3159		150.8	<b>68.2</b>	3.19	7.81	2450		110.2	<b>44.4</b>	2.63	4.79	C44
Mesothelioma	131	0.9	6.3	<b>2.8</b>	0.10	0.39	61	0.5	2.7	<b>0.9</b>	0.04	0.11	C45
Kaposi sarcoma	38	0.3	1.8	<b>1.0</b>	0.06	0.13	11	0.1	0.5	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	94	0.6	4.5	<b>2.6</b>	0.17	0.27	70	0.6	3.1	<b>1.9</b>	0.11	0.18	C47+C49
Breast	32	0.2	1.5	<b>0.7</b>	0.04	0.07	3907	31.9	175.7	<b>91.4</b>	6.77	10.19	C50
Vulva							79	0.6	3.6	<b>1.0</b>	0.05	0.09	C51
Vagina							9	0.1	0.4	<b>0.2</b>	0.01	0.01	C52
Cervix uteri							179	1.5	8.1	<b>5.4</b>	0.42	0.52	C53
Corpus uteri							563	4.6	25.3	<b>12.2</b>	0.83	1.54	C54
Uterus unspecified							6	0.0	0.3	<b>0.1</b>	0.00	0.00	C55
Ovary							387	3.2	17.4	<b>8.9</b>	0.67	1.02	C56
Other female genital organs							34	0.3	1.5	<b>0.7</b>	0.04	0.09	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	15	0.1	0.7	<b>0.3</b>	0.01	0.05							C60
Prostate	3547	24.2	169.3	<b>76.8</b>	3.29	10.44							C61
Testis	155	1.1	7.4	<b>6.8</b>	0.51	0.52							C62
Other male genital organs	12	0.1	0.6	<b>0.3</b>	0.02	0.03							C63
Kidney	546	3.7	26.1	<b>12.9</b>	0.74	1.56	315	2.6	14.2	<b>6.5</b>	0.34	0.68	C64
Renal pelvis	29	0.2	1.4	<b>0.6</b>	0.02	0.06	23	0.2	1.0	<b>0.3</b>	0.01	0.03	C65
Ureter	37	0.3	1.8	<b>0.8</b>	0.05	0.08	21	0.2	0.9	<b>0.3</b>	0.02	0.03	C66
†Bladder	1063	7.2	50.7	<b>22.4</b>	1.02	2.59	268	2.2	12.1	<b>4.0</b>	0.19	0.46	C67
Other urinary organs	29	0.2	1.4	<b>0.6</b>	0.02	0.07	17	0.1	0.8	<b>0.3</b>	0.01	0.04	C68
Eye	11	0.1	0.5	<b>0.5</b>	0.03	0.03	15	0.1	0.7	<b>0.5</b>	0.03	0.04	C69
Brain and nervous system	238	1.6	11.4	<b>7.3</b>	0.46	0.77	186	1.5	8.4	<b>4.3</b>	0.28	0.45	C70-72
Thyroid	125	0.9	6.0	<b>4.3</b>	0.33	0.40	386	3.2	17.4	<b>12.1</b>	0.93	1.22	C73
Adrenal gland	11	0.1	0.5	<b>0.6</b>	0.04	0.04	5	0.0	0.2	<b>0.3</b>	0.02	0.02	C74
Other endocrine	2	0.0	0.1	<b>0.2</b>	0.01	0.01	1	0.0	0.0	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	82	0.6	3.9	<b>3.9</b>	0.25	0.29	84	0.7	3.8	<b>3.9</b>	0.26	0.28	C81
Non-Hodgkin lymphoma	519	3.5	24.8	<b>14.1</b>	0.84	1.53	436	3.6	19.6	<b>8.8</b>	0.51	0.94	C82-86,C96
Immunoproliferative diseases	27	0.2	1.3	<b>0.7</b>	0.04	0.07	21	0.2	0.9	<b>0.4</b>	0.03	0.05	C88
Multiple myeloma	216	1.5	10.3	<b>4.7</b>	0.24	0.55	203	1.7	9.1	<b>3.6</b>	0.21	0.43	C90
Lymphoid leukaemia	142	1.0	6.8	<b>4.8</b>	0.27	0.46	89	0.7	4.0	<b>3.1</b>	0.18	0.23	C91
Myeloid leukaemia	209	1.4	10.0	<b>5.5</b>	0.29	0.57	149	1.2	6.7	<b>3.0</b>	0.16	0.31	C92-94
Leukaemia unspecified	12	0.1	0.6	<b>0.3</b>	0.02	0.03	18	0.1	0.8	<b>0.3</b>	0.01	0.03	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	283	1.9	13.5	<b>5.9</b>	0.27	0.59	334	2.7	15.0	<b>4.8</b>	0.22	0.48	O&U
All sites	17840		851.6	<b>404.0</b>	19.77	47.79	14685		660.6	<b>300.1</b>	19.20	32.81	C00-96
All sites except C44	14681	100.0	700.8	<b>335.9</b>	16.58	39.98	12235	100.0	550.4	<b>255.7</b>	16.57	28.02	C00-96 exc. C44

† See note following population pyramid

# Italy, Veneto

## CONTRIBUTORS

Massimo Ruggè  
 Manuel Zorzi  
 Maddalena Baracco  
 Emanuela Bovo  
 Antonella Dal Cin  
 Anna Rita Fiore  
 Alessandra Greco  
 Stefano Guzzinati  
 Carmen Fiorella Stocco  
 Sandro Tognazzo



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	91.0	Breast	93.1
Prostate	71.4	Non-melanoma skin cancer	63.8
Trachea, bronchus, and lung	40.5	Colon	21.0
Colon	31.7	Thyroid	14.5
Bladder	30.3	Melanoma of skin	13.6
Liver	15.4	Trachea, bronchus, and lung	13.5
Melanoma of skin	14.0	Corpus uteri	11.3
Kidney	13.7	Non-Hodgkin lymphoma	9.1
Non-Hodgkin lymphoma	12.7	Ovary	7.8
Rectum	12.0	Rectum	6.9
Stomach	10.2	Pancreas	6.6
Pancreas	9.4	Bladder	6.3
Larynx	7.1	Kidney	5.5
Testis	7.1	Stomach	5.5
Brain and nervous system	6.6	Cervix uteri	5.0
Thyroid	5.8	Brain and nervous system	4.5
Lymphoid leukaemia	5.2	Liver	4.3
Other and unspecified	5.0	Hodgkin lymphoma	3.6
Oesophagus	4.7	Other and unspecified	3.2
Hodgkin lymphoma	4.2	Lymphoid leukaemia	3.0
All sites	437.6	All sites	331.3

## Italy, Veneto (2008–2010)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	80	0.3	2.1	<b>0.9</b>	0.03	0.11	32	0.1	0.8	<b>0.2</b>	0.01	0.02	C00
Tongue	162	0.6	4.3	<b>2.4</b>	0.16	0.28	79	0.3	2.0	<b>0.8</b>	0.04	0.11	C01-02
Mouth	156	0.6	4.2	<b>2.2</b>	0.15	0.28	124	0.5	3.1	<b>1.2</b>	0.07	0.15	C03-06
Salivary glands	71	0.3	1.9	<b>1.0</b>	0.06	0.09	32	0.1	0.8	<b>0.3</b>	0.02	0.04	C07-08
Tonsil	95	0.4	2.5	<b>1.4</b>	0.10	0.18	30	0.1	0.8	<b>0.5</b>	0.04	0.05	C09
Other oropharynx	24	0.1	0.6	<b>0.3</b>	0.02	0.04	3	0.0	0.1	<b>0.0</b>	0.00	0.01	C10
Nasopharynx	28	0.1	0.7	<b>0.4</b>	0.02	0.04	13	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	79	0.3	2.1	<b>1.1</b>	0.06	0.14	17	0.1	0.4	<b>0.2</b>	0.02	0.03	C12-13
Pharynx unspecified	57	0.2	1.5	<b>0.8</b>	0.06	0.10	14	0.1	0.4	<b>0.2</b>	0.02	0.03	C14
Oesophagus	365	1.4	9.8	<b>4.7</b>	0.24	0.58	121	0.5	3.1	<b>1.1</b>	0.06	0.13	C15
Stomach	878	3.3	23.5	<b>10.2</b>	0.39	1.18	636	2.8	16.1	<b>5.5</b>	0.26	0.62	C16
Small intestine	90	0.3	2.4	<b>1.2</b>	0.06	0.15	60	0.3	1.5	<b>0.7</b>	0.04	0.08	C17
Colon	2586	9.7	69.3	<b>31.7</b>	1.60	3.76	2183	9.7	55.2	<b>21.0</b>	1.20	2.43	C18
Rectum	939	3.5	25.1	<b>12.0</b>	0.67	1.45	650	2.9	16.4	<b>6.9</b>	0.44	0.81	C19-20
Anus	40	0.2	1.1	<b>0.5</b>	0.02	0.07	64	0.3	1.6	<b>0.7</b>	0.05	0.08	C21
Liver	1249	4.7	33.5	<b>15.4</b>	0.77	1.89	543	2.4	13.7	<b>4.3</b>	0.17	0.48	C22
Gallbladder etc.	216	0.8	5.8	<b>2.3</b>	0.08	0.25	283	1.3	7.2	<b>2.2</b>	0.09	0.25	C23-24
Pancreas	826	3.1	22.1	<b>9.4</b>	0.38	1.11	877	3.9	22.2	<b>6.6</b>	0.27	0.71	C25
Nose, sinuses etc.	60	0.2	1.6	<b>0.8</b>	0.04	0.10	30	0.1	0.8	<b>0.3</b>	0.02	0.03	C30-31
Larynx	519	2.0	13.9	<b>7.1</b>	0.46	0.89	74	0.3	1.9	<b>0.9</b>	0.07	0.10	C32
Trachea, bronchus, and lung	3551	13.4	95.1	<b>40.5</b>	1.61	4.79	1443	6.4	36.5	<b>13.5</b>	0.77	1.58	C33-34
Other thoracic organs	57	0.2	1.5	<b>0.8</b>	0.04	0.08	38	0.2	1.0	<b>0.4</b>	0.02	0.04	C37-38
Bone	45	0.2	1.2	<b>1.1</b>	0.07	0.10	36	0.2	0.9	<b>0.8</b>	0.04	0.06	C40-41
Melanoma of skin	879	3.3	23.5	<b>14.0</b>	0.96	1.56	845	3.7	21.3	<b>13.6</b>	1.05	1.33	C43
Other skin	7409		198.4	<b>91.0</b>	4.42	10.28	6162		155.7	<b>63.8</b>	3.80	7.01	C44
Mesothelioma	121	0.5	3.2	<b>1.5</b>	0.06	0.23	55	0.2	1.4	<b>0.6</b>	0.03	0.08	C45
Kaposi sarcoma	47	0.2	1.3	<b>0.7</b>	0.05	0.07	10	0.0	0.3	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	187	0.7	5.0	<b>3.2</b>	0.21	0.32	151	0.7	3.8	<b>2.1</b>	0.13	0.22	C47+C49
Breast	63	0.2	1.7	<b>0.8</b>	0.05	0.10	7022	31.1	177.4	<b>93.1</b>	6.84	10.45	C50
Vulva							176	0.8	4.4	<b>1.6</b>	0.08	0.20	C51
Vagina							32	0.1	0.8	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							307	1.4	7.8	<b>5.0</b>	0.40	0.48	C53
Corpus uteri							925	4.1	23.4	<b>11.3</b>	0.82	1.42	C54
Uterus unspecified							156	0.7	3.9	<b>2.0</b>	0.14	0.22	C55
Ovary							650	2.9	16.4	<b>7.8</b>	0.53	0.87	C56
Other female genital organs							90	0.4	2.3	<b>1.1</b>	0.08	0.13	C57
Placenta							6	0.0	0.2	<b>0.1</b>	0.01	0.01	C58
Penis	43	0.2	1.2	<b>0.6</b>	0.04	0.06							C60
Prostate	5596	21.1	149.9	<b>71.4</b>	3.31	10.06							C61
Testis	282	1.1	7.6	<b>7.1</b>	0.53	0.54							C62
Other male genital organs	12	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	987	3.7	26.4	<b>13.7</b>	0.87	1.66	529	2.3	13.4	<b>5.5</b>	0.32	0.67	C64
Renal pelvis	26	0.1	0.7	<b>0.3</b>	0.01	0.05	21	0.1	0.5	<b>0.2</b>	0.01	0.03	C65
Ureter	40	0.2	1.1	<b>0.5</b>	0.02	0.06	23	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	2540	9.6	68.0	<b>30.3</b>	1.39	3.51	653	2.9	16.5	<b>6.3</b>	0.34	0.73	C67
Other urinary organs	72	0.3	1.9	<b>0.8</b>	0.03	0.08	26	0.1	0.7	<b>0.2</b>	0.01	0.02	C68
Eye	36	0.1	1.0	<b>0.5</b>	0.03	0.06	36	0.2	0.9	<b>0.6</b>	0.03	0.05	C69
Brain and nervous system	408	1.5	10.9	<b>6.6</b>	0.37	0.72	335	1.5	8.5	<b>4.5</b>	0.27	0.46	C70-72
Thyroid	314	1.2	8.4	<b>5.8</b>	0.44	0.59	812	3.6	20.5	<b>14.5</b>	1.16	1.45	C73
Adrenal gland	17	0.1	0.5	<b>0.5</b>	0.02	0.03	16	0.1	0.4	<b>0.4</b>	0.02	0.03	C74
Other endocrine	4	0.0	0.1	<b>0.1</b>	0.01	0.01	4	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	175	0.7	4.7	<b>4.2</b>	0.29	0.34	134	0.6	3.4	<b>3.6</b>	0.24	0.27	C81
Non-Hodgkin lymphoma	864	3.3	23.1	<b>12.7</b>	0.76	1.44	740	3.3	18.7	<b>9.1</b>	0.55	0.98	C82-86,C96
Immunoproliferative diseases	35	0.1	0.9	<b>0.5</b>	0.03	0.06	21	0.1	0.5	<b>0.2</b>	0.01	0.02	C88
Multiple myeloma	326	1.2	8.7	<b>4.1</b>	0.22	0.49	281	1.2	7.1	<b>2.7</b>	0.13	0.32	C90
Lymphoid leukaemia	271	1.0	7.3	<b>5.2</b>	0.26	0.48	187	0.8	4.7	<b>3.0</b>	0.15	0.22	C91
Myeloid leukaemia	259	1.0	6.9	<b>3.6</b>	0.19	0.36	210	0.9	5.3	<b>2.7</b>	0.16	0.25	C92-94
Leukaemia unspecified	18	0.1	0.5	<b>0.2</b>	0.01	0.02	16	0.1	0.4	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	202	0.8	5.4	<b>2.8</b>	0.16	0.34	185	0.8	4.7	<b>2.4</b>	0.15	0.27	MPD
Myelodysplastic syndromes	156	0.6	4.2	<b>1.6</b>	0.05	0.16	103	0.5	2.6	<b>0.7</b>	0.02	0.07	MDS
Other and unspecified	425	1.6	11.4	<b>5.0</b>	0.22	0.46	476	2.1	12.0	<b>3.2</b>	0.12	0.31	O&U
All sites	33987		910.2	<b>437.6</b>	22.09	51.84	28777		727.1	<b>331.3</b>	21.36	36.53	C00-96
All sites except C44	26578	100.0	711.8	<b>346.6</b>	17.68	41.56	22615	100.0	571.4	<b>267.5</b>	17.56	29.52	C00-96 exc. C44


† See note following population pyramid



# Latvia

## CONTRIBUTORS

Anita Mauriņa  
Elina Liepiņa  
Santa Pildava  
Santa Raudiņa



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	63.4	Breast	54.4
Trachea, bronchus, and lung	55.5	Non-melanoma skin cancer	23.2
Non-melanoma skin cancer	25.9	Corpus uteri	17.0
Bladder	19.4	Cervix uteri	16.2
Stomach	19.2	Ovary	14.1
Kidney	17.7	Colon	11.5
Colon	17.2	Thyroid	10.2
Rectum	14.8	Trachea, bronchus, and lung	9.4
Other and unspecified	13.7	Rectum	9.3
Pancreas	12.2	Stomach	8.9
Brain and nervous system	9.0	Kidney	8.5
Oesophagus	7.9	Other and unspecified	8.1
Larynx	7.8	Brain and nervous system	7.9
Lymphoid leukaemia	7.0	Pancreas	6.4
Non-Hodgkin lymphoma	6.9	Melanoma of skin	5.7
Melanoma of skin	5.1	Non-Hodgkin lymphoma	5.4
Liver	4.8	Bladder	3.7
Testis	3.4	Lymphoid leukaemia	3.5
Myeloid leukaemia	3.3	Liver	2.5
Hodgkin lymphoma	3.1	Multiple myeloma	2.0
All sites	349.4	All sites	246.9

## Latvia (2010–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	42	0.3	1.5	<b>0.8</b>	0.02	0.11	22	0.1	0.7	<b>0.2</b>	0.00	0.02	C00
Tongue	120	0.8	4.2	<b>2.8</b>	0.19	0.35	34	0.2	1.0	<b>0.5</b>	0.04	0.05	C01-02
Mouth	124	0.8	4.4	<b>2.9</b>	0.24	0.37	36	0.2	1.1	<b>0.5</b>	0.03	0.06	C03-06
Salivary glands	41	0.3	1.4	<b>1.0</b>	0.06	0.11	40	0.3	1.2	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	57	0.4	2.0	<b>1.3</b>	0.11	0.16	16	0.1	0.5	<b>0.2</b>	0.02	0.03	C09
Other oropharynx	42	0.3	1.5	<b>1.0</b>	0.06	0.14	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	19	0.1	0.7	<b>0.5</b>	0.03	0.06	7	0.0	0.2	<b>0.2</b>	0.01	0.01	C11
Hypopharynx	119	0.8	4.2	<b>2.7</b>	0.19	0.36	12	0.1	0.4	<b>0.2</b>	0.02	0.03	C12-13
Pharynx unspecified	13	0.1	0.5	<b>0.3</b>	0.03	0.03	4	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	351	2.3	12.4	<b>7.9</b>	0.54	1.02	48	0.3	1.4	<b>0.5</b>	0.03	0.07	C15
Stomach	916	6.1	32.4	<b>19.2</b>	1.01	2.32	754	4.9	22.4	<b>8.9</b>	0.49	1.00	C16
Small intestine	27	0.2	1.0	<b>0.6</b>	0.04	0.07	27	0.2	0.8	<b>0.4</b>	0.02	0.05	C17
Colon	875	5.8	30.9	<b>17.2</b>	0.65	2.08	1064	7.0	31.7	<b>11.5</b>	0.54	1.38	C18
Rectum	732	4.9	25.9	<b>14.8</b>	0.64	1.80	790	5.2	23.5	<b>9.3</b>	0.49	1.16	C19-20
Anus	14	0.1	0.5	<b>0.3</b>	0.01	0.03	53	0.3	1.6	<b>0.7</b>	0.05	0.07	C21
Liver	227	1.5	8.0	<b>4.8</b>	0.25	0.61	212	1.4	6.3	<b>2.5</b>	0.14	0.29	C22
Gallbladder etc.	57	0.4	2.0	<b>1.2</b>	0.06	0.15	89	0.6	2.6	<b>0.9</b>	0.04	0.12	C23-24
Pancreas	575	3.8	20.3	<b>12.2</b>	0.71	1.45	604	3.9	18.0	<b>6.4</b>	0.30	0.74	C25
Nose, sinuses etc.	40	0.3	1.4	<b>0.9</b>	0.06	0.10	32	0.2	1.0	<b>0.6</b>	0.03	0.05	C30-31
Larynx	344	2.3	12.1	<b>7.8</b>	0.57	0.99	20	0.1	0.6	<b>0.3</b>	0.02	0.04	C32
Trachea, bronchus, and lung	2629	17.5	92.8	<b>55.5</b>	2.97	7.11	743	4.9	22.1	<b>9.4</b>	0.58	1.12	C33-34
Other thoracic organs	28	0.2	1.0	<b>0.7</b>	0.05	0.08	26	0.2	0.8	<b>0.5</b>	0.04	0.05	C37-38
Bone	60	0.4	2.1	<b>1.7</b>	0.12	0.16	48	0.3	1.4	<b>1.0</b>	0.08	0.09	C40-41
Melanoma of skin	232	1.5	8.2	<b>5.1</b>	0.33	0.57	367	2.4	10.9	<b>5.7</b>	0.39	0.59	C43
Other skin	1321		46.7	<b>25.9</b>	0.92	2.77	2113		62.9	<b>23.2</b>	1.12	2.73	C44
Mesothelioma	12	0.1	0.4	<b>0.3</b>	0.02	0.03	8	0.1	0.2	<b>0.1</b>	0.00	0.02	C45
Kaposi sarcoma	4	0.0	0.1	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	67	0.4	2.4	<b>1.9</b>	0.09	0.16	96	0.6	2.9	<b>1.8</b>	0.11	0.16	C47+C49
Breast	22	0.1	0.8	<b>0.5</b>	0.02	0.06	3385	22.1	100.7	<b>54.4</b>	4.08	6.26	C50
Vulva							114	0.7	3.4	<b>1.2</b>	0.05	0.15	C51
Vagina							27	0.2	0.8	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							751	4.9	22.4	<b>16.2</b>	1.32	1.58	C53
Corpus uteri							1127	7.4	33.5	<b>17.0</b>	1.24	2.10	C54
Uterus unspecified							45	0.3	1.3	<b>0.5</b>	0.03	0.07	C55
Ovary							879	5.7	26.2	<b>14.1</b>	1.04	1.53	C56
Other female genital organs							35	0.2	1.0	<b>0.6</b>	0.05	0.07	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	46	0.3	1.6	<b>1.0</b>	0.05	0.12							C60
Prostate	3122	20.8	110.3	<b>63.4</b>	2.61	8.40							C61
Testis	114	0.8	4.0	<b>3.4</b>	0.25	0.28							C62
Other male genital organs	5	0.0	0.2	<b>0.2</b>	0.01	0.01							C63
Kidney	792	5.3	28.0	<b>17.7</b>	1.11	2.14	643	4.2	19.1	<b>8.5</b>	0.52	1.00	C64
Renal pelvis	22	0.1	0.8	<b>0.5</b>	0.02	0.06	28	0.2	0.8	<b>0.3</b>	0.01	0.03	C65
Ureter	15	0.1	0.5	<b>0.3</b>	0.01	0.04	12	0.1	0.4	<b>0.1</b>	0.00	0.01	C66
†Bladder	941	6.3	33.2	<b>19.4</b>	0.86	2.29	319	2.1	9.5	<b>3.7</b>	0.18	0.42	C67
Other urinary organs	4	0.0	0.1	<b>0.1</b>	0.00	0.01	5	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	18	0.1	0.6	<b>0.5</b>	0.03	0.05	37	0.2	1.1	<b>0.6</b>	0.04	0.06	C69
Brain and nervous system	334	2.2	11.8	<b>9.0</b>	0.60	0.86	418	2.7	12.4	<b>7.9</b>	0.54	0.82	C70-72
Thyroid	92	0.6	3.2	<b>2.3</b>	0.18	0.25	511	3.3	15.2	<b>10.2</b>	0.79	1.05	C73
Adrenal gland	21	0.1	0.7	<b>0.5</b>	0.04	0.05	17	0.1	0.5	<b>0.5</b>	0.03	0.03	C74
Other endocrine	3	0.0	0.1	<b>0.1</b>	0.00	0.00	6	0.0	0.2	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	98	0.7	3.5	<b>3.1</b>	0.21	0.26	72	0.5	2.1	<b>1.9</b>	0.14	0.15	C81
Non-Hodgkin lymphoma	271	1.8	9.6	<b>6.9</b>	0.44	0.71	337	2.2	10.0	<b>5.4</b>	0.34	0.60	C82-86,C96
Immunoproliferative diseases	11	0.1	0.4	<b>0.2</b>	0.01	0.03	9	0.1	0.3	<b>0.1</b>	0.01	0.01	C88
Multiple myeloma	130	0.9	4.6	<b>2.8</b>	0.13	0.35	159	1.0	4.7	<b>2.0</b>	0.11	0.27	C90
Lymphoid leukaemia	285	1.9	10.1	<b>7.0</b>	0.35	0.77	247	1.6	7.4	<b>3.5</b>	0.17	0.38	C91
Myeloid leukaemia	144	1.0	5.1	<b>3.3</b>	0.18	0.35	133	0.9	4.0	<b>2.0</b>	0.14	0.22	C92-94
Leukaemia unspecified	10	0.1	0.4	<b>0.2</b>	0.01	0.03	9	0.1	0.3	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	80	0.5	2.8	<b>1.8</b>	0.12	0.22	78	0.5	2.3	<b>1.1</b>	0.07	0.14	MPD
Myelodysplastic syndromes	9	0.1	0.3	<b>0.2</b>	0.01	0.01	8	0.1	0.2	<b>0.1</b>	0.00	0.01	MDS
Other and unspecified	650	4.3	23.0	<b>13.7</b>	0.65	1.59	733	4.8	21.8	<b>8.1</b>	0.39	0.91	O&U
All sites	16327		576.6	<b>349.4</b>	17.89	42.15	17411		518.2	<b>246.9</b>	15.96	27.97	C00-96
All sites except C44	15006	100.0	530.0	<b>323.5</b>	16.97	39.38	15298	100.0	455.3	<b>223.7</b>	14.84	25.24	C00-96 exc. C44

† See note following population pyramid

# Lithuania

## CONTRIBUTORS

Giedre Smailyte  
Nadezda Lipunova  
Auguste Kaceniene  
Ieva Vincerzevskiene  
Arvydas Laurinavicius



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	128.6	Breast	52.3
Trachea, bronchus, and lung	53.5	Non-melanoma skin cancer	38.5
Non-melanoma skin cancer	36.1	Cervix uteri	20.4
Stomach	22.6	Corpus uteri	19.1
Kidney	18.7	Ovary	14.3
Colon	17.6	Thyroid	13.5
Rectum	16.5	Colon	11.8
Bladder	16.3	Stomach	10.0
Other and unspecified	11.0	Kidney	9.0
Pancreas	10.6	Rectum	8.8
Larynx	8.7	Trachea, bronchus, and lung	7.3
Oesophagus	7.6	Melanoma of skin	6.5
Brain and nervous system	7.6	Brain and nervous system	6.4
Non-Hodgkin lymphoma	7.3	Pancreas	5.6
Lymphoid leukaemia	6.7	Other and unspecified	5.5
Melanoma of skin	5.4	Non-Hodgkin lymphoma	5.3
Liver	5.0	Lymphoid leukaemia	4.1
Myeloproliferative disorders	3.8	Myeloproliferative disorders	3.7
Myeloid leukaemia	3.7	Bladder	3.2
Hypopharynx	3.2	Myeloid leukaemia	3.0
All sites	427.3	All sites	271.3

## Lithuania (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	139	0.3	1.9	<b>1.1</b>	0.04	0.14	55	0.1	0.7	<b>0.2</b>	0.00	0.02	C00
Tongue	249	0.6	3.5	<b>2.5</b>	0.22	0.30	66	0.2	0.8	<b>0.4</b>	0.03	0.05	C01-02
Mouth	315	0.7	4.4	<b>3.1</b>	0.26	0.37	81	0.2	1.0	<b>0.6</b>	0.05	0.06	C03-06
Salivary glands	98	0.2	1.4	<b>0.9</b>	0.06	0.09	68	0.2	0.8	<b>0.4</b>	0.02	0.04	C07-08
Tonsil	121	0.3	1.7	<b>1.2</b>	0.10	0.15	22	0.1	0.3	<b>0.2</b>	0.01	0.02	C09
Other oropharynx	184	0.4	2.6	<b>1.8</b>	0.16	0.23	22	0.1	0.3	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	35	0.1	0.5	<b>0.3</b>	0.02	0.04	24	0.1	0.3	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	329	0.7	4.6	<b>3.2</b>	0.26	0.41	19	0.1	0.2	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	37	0.1	0.5	<b>0.4</b>	0.03	0.05	3	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	811	1.8	11.4	<b>7.6</b>	0.55	0.99	146	0.4	1.8	<b>0.8</b>	0.06	0.09	C15
Stomach	2651	6.0	37.1	<b>22.6</b>	1.22	2.67	1982	5.3	23.8	<b>10.0</b>	0.56	1.12	C16
Small intestine	63	0.1	0.9	<b>0.6</b>	0.03	0.07	90	0.2	1.1	<b>0.5</b>	0.03	0.06	C17
Colon	2129	4.8	29.8	<b>17.6</b>	0.79	2.21	2417	6.5	29.0	<b>11.8</b>	0.64	1.41	C18
Rectum	1958	4.4	27.4	<b>16.5</b>	0.79	2.03	1750	4.7	21.0	<b>8.8</b>	0.50	1.05	C19-20
Anus	35	0.1	0.5	<b>0.3</b>	0.02	0.04	65	0.2	0.8	<b>0.4</b>	0.03	0.04	C21
Liver	575	1.3	8.1	<b>5.0</b>	0.27	0.61	417	1.1	5.0	<b>2.0</b>	0.10	0.23	C22
Gallbladder etc.	175	0.4	2.5	<b>1.4</b>	0.06	0.16	359	1.0	4.3	<b>1.6</b>	0.07	0.18	C23-24
Pancreas	1217	2.8	17.0	<b>10.6</b>	0.60	1.31	1219	3.3	14.6	<b>5.6</b>	0.27	0.65	C25
Nose, sinuses etc.	96	0.2	1.3	<b>0.9</b>	0.06	0.11	54	0.1	0.6	<b>0.3</b>	0.02	0.03	C30-31
Larynx	929	2.1	13.0	<b>8.7</b>	0.64	1.16	47	0.1	0.6	<b>0.3</b>	0.03	0.04	C32
Trachea, bronchus, and lung	6162	13.9	86.3	<b>53.5</b>	2.94	6.99	1424	3.8	17.1	<b>7.3</b>	0.45	0.82	C33-34
Other thoracic organs	67	0.2	0.9	<b>0.7</b>	0.04	0.07	44	0.1	0.5	<b>0.3</b>	0.02	0.02	C37-38
Bone	84	0.2	1.2	<b>1.0</b>	0.07	0.09	82	0.2	1.0	<b>0.7</b>	0.05	0.07	C40-41
Melanoma of skin	585	1.3	8.2	<b>5.4</b>	0.34	0.59	975	2.6	11.7	<b>6.5</b>	0.46	0.72	C43
Other skin	4423		61.9	<b>36.1</b>	1.59	4.12	7440		89.3	<b>38.5</b>	2.14	4.56	C44
Mesothelioma	25	0.1	0.4	<b>0.2</b>	0.01	0.03	27	0.1	0.3	<b>0.2</b>	0.01	0.02	C45
Kaposi sarcoma	24	0.1	0.3	<b>0.2</b>	0.01	0.01	9	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	201	0.5	2.8	<b>2.1</b>	0.13	0.19	208	0.6	2.5	<b>1.5</b>	0.10	0.14	C47+C49
Breast	70	0.2	1.0	<b>0.6</b>	0.04	0.07	7596	20.4	91.2	<b>52.3</b>	4.02	5.92	C50
Vulva							296	0.8	3.6	<b>1.4</b>	0.06	0.16	C51
Vagina							54	0.1	0.6	<b>0.3</b>	0.03	0.04	C52
Cervix uteri							2424	6.5	29.1	<b>20.4</b>	1.67	2.03	C53
Corpus uteri							2996	8.1	36.0	<b>19.1</b>	1.40	2.37	C54
Uterus unspecified							99	0.3	1.2	<b>0.6</b>	0.04	0.07	C55
Ovary							2126	5.7	25.5	<b>14.3</b>	1.04	1.58	C56
Other female genital organs							77	0.2	0.9	<b>0.5</b>	0.03	0.06	C57
Placenta							11	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	123	0.3	1.7	<b>1.0</b>	0.06	0.13							C60
Prostate	14629	33.1	204.8	<b>128.6</b>	6.86	17.84							C61
Testis	221	0.5	3.1	<b>2.8</b>	0.20	0.21							C62
Other male genital organs	9	0.0	0.1	<b>0.1</b>	0.00	0.01							C63
Kidney	2063	4.7	28.9	<b>18.7</b>	1.20	2.25	1498	4.0	18.0	<b>9.0</b>	0.58	1.08	C64
Renal pelvis	54	0.1	0.8	<b>0.4</b>	0.02	0.06	51	0.1	0.6	<b>0.3</b>	0.01	0.03	C65
Ureter	18	0.0	0.3	<b>0.2</b>	0.01	0.02	15	0.0	0.2	<b>0.1</b>	0.00	0.01	C66
†Bladder	2024	4.6	28.3	<b>16.3</b>	0.70	1.86	711	1.9	8.5	<b>3.2</b>	0.15	0.36	C67
Other urinary organs	13	0.0	0.2	<b>0.1</b>	0.01	0.01	7	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	56	0.1	0.8	<b>0.6</b>	0.03	0.06	80	0.2	1.0	<b>0.6</b>	0.04	0.07	C69
Brain and nervous system	743	1.7	10.4	<b>7.6</b>	0.47	0.80	920	2.5	11.0	<b>6.4</b>	0.40	0.66	C70-72
Thyroid	281	0.6	3.9	<b>2.9</b>	0.23	0.31	1594	4.3	19.1	<b>13.5</b>	1.10	1.43	C73
Adrenal gland	39	0.1	0.5	<b>0.5</b>	0.03	0.04	45	0.1	0.5	<b>0.4</b>	0.02	0.03	C74
Other endocrine	7	0.0	0.1	<b>0.1</b>	0.00	0.01	11	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	156	0.4	2.2	<b>1.9</b>	0.13	0.15	188	0.5	2.3	<b>2.2</b>	0.15	0.17	C81
Non-Hodgkin lymphoma	783	1.8	11.0	<b>7.3</b>	0.43	0.78	905	2.4	10.9	<b>5.3</b>	0.31	0.57	C82-86,C96
Immunoproliferative diseases	65	0.1	0.9	<b>0.6</b>	0.04	0.07	76	0.2	0.9	<b>0.5</b>	0.03	0.05	C88
Multiple myeloma	339	0.8	4.7	<b>3.0</b>	0.17	0.37	412	1.1	4.9	<b>2.3</b>	0.14	0.29	C90
Lymphoid leukaemia	652	1.5	9.1	<b>6.7</b>	0.32	0.68	534	1.4	6.4	<b>4.1</b>	0.21	0.38	C91
Myeloid leukaemia	397	0.9	5.6	<b>3.7</b>	0.21	0.39	445	1.2	5.3	<b>3.0</b>	0.19	0.30	C92-94
Leukaemia unspecified	137	0.3	1.9	<b>1.0</b>	0.03	0.10	210	0.6	2.5	<b>0.8</b>	0.02	0.08	C95
Myeloproliferative disorders	421	1.0	5.9	<b>3.8</b>	0.23	0.47	577	1.6	6.9	<b>3.7</b>	0.25	0.43	MPD
Myelodysplastic syndromes	309	0.7	4.3	<b>2.5</b>	0.10	0.29	356	1.0	4.3	<b>2.0</b>	0.11	0.22	MDS
Other and unspecified	1293	2.9	18.1	<b>11.0</b>	0.59	1.25	1176	3.2	14.1	<b>5.5</b>	0.26	0.57	O&U
All sites	48619		680.7	<b>427.3</b>	23.41	53.46	44605		535.4	<b>271.3</b>	17.99	30.47	C00-96
All sites except C44	44196	100.0	618.8	<b>391.2</b>	21.82	49.33	37165	100.0	446.1	<b>232.8</b>	15.84	25.91	C00-96 exc. C44

† See note following population pyramid

# Malta

## CONTRIBUTORS

Dominic Agius  
Neville Calleja



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	47.2	Breast	81.2
Trachea, bronchus, and lung	35.4	Corpus uteri	15.9
Bladder	24.5	Colon	15.0
Colon	20.0	Thyroid	11.6
Non-Hodgkin lymphoma	11.2	Ovary	11.0
Rectum	11.0	Trachea, bronchus, and lung	10.9
Kidney	10.8	Non-Hodgkin lymphoma	10.5
Pancreas	10.1	Melanoma of skin	9.4
Stomach	9.2	Pancreas	7.0
Melanoma of skin	6.9	Rectum	6.9
Other and unspecified	6.1	Other and unspecified	6.4
Brain and nervous system	6.1	Kidney	6.0
Testis	5.6	Bladder	5.3
Larynx	5.2	Stomach	3.9
Liver	4.3	Brain and nervous system	3.9
Thyroid	4.1	Cervix uteri	3.6
Oesophagus	3.4	Hodgkin lymphoma	2.5
Myeloid leukaemia	3.3	Myeloid leukaemia	2.4
Multiple myeloma	3.2	Myeloproliferative disorders	2.4
Hodgkin lymphoma	3.1	Vulva	2.0
All sites	259.7	All sites	237.5

## Malta (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	7	0.1	0.7	<b>0.5</b>	0.02	0.06	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C00
Tongue	26	0.5	2.5	<b>1.5</b>	0.08	0.22	20	0.4	1.9	<b>0.8</b>	0.03	0.10	C01-02
Mouth	31	0.7	3.0	<b>1.8</b>	0.09	0.22	20	0.4	1.9	<b>1.0</b>	0.05	0.12	C03-06
Salivary glands	13	0.3	1.3	<b>0.6</b>	0.04	0.06	15	0.3	1.4	<b>1.0</b>	0.08	0.08	C07-08
Tonsil	19	0.4	1.8	<b>1.2</b>	0.07	0.18	3	0.1	0.3	<b>0.1</b>	0.01	0.02	C09
Other oropharynx	2	0.0	0.2	<b>0.1</b>	0.01	0.01	2	0.0	0.2	<b>0.1</b>	0.00	0.02	C10
Nasopharynx	29	0.6	2.8	<b>1.8</b>	0.13	0.20	9	0.2	0.9	<b>0.6</b>	0.05	0.06	C11
Hypopharynx	16	0.3	1.5	<b>0.9</b>	0.08	0.12	3	0.1	0.3	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	5	0.1	0.5	<b>0.3</b>	0.01	0.05	2	0.0	0.2	<b>0.2</b>	0.01	0.01	C14
Oesophagus	66	1.4	6.4	<b>3.4</b>	0.14	0.40	22	0.5	2.1	<b>0.8</b>	0.02	0.09	C15
Stomach	176	3.7	17.0	<b>9.2</b>	0.31	1.10	93	2.0	8.9	<b>3.9</b>	0.18	0.46	C16
Small intestine	23	0.5	2.2	<b>1.3</b>	0.05	0.16	8	0.2	0.8	<b>0.3</b>	0.01	0.04	C17
Colon	381	8.0	36.8	<b>20.0</b>	0.93	2.44	338	7.3	32.4	<b>15.0</b>	0.76	1.77	C18
Rectum	211	4.4	20.4	<b>11.0</b>	0.50	1.32	156	3.4	14.9	<b>6.9</b>	0.35	0.81	C19-20
Anus	18	0.4	1.7	<b>1.1</b>	0.05	0.14	7	0.2	0.7	<b>0.4</b>	0.01	0.04	C21
Liver	76	1.6	7.3	<b>4.3</b>	0.24	0.50	27	0.6	2.6	<b>0.9</b>	0.03	0.09	C22
Gallbladder etc.	31	0.7	3.0	<b>1.6</b>	0.06	0.17	21	0.5	2.0	<b>0.8</b>	0.03	0.08	C23-24
Pancreas	196	4.1	19.0	<b>10.1</b>	0.55	1.18	174	3.8	16.7	<b>7.0</b>	0.35	0.73	C25
Nose, sinuses etc.	6	0.1	0.6	<b>0.3</b>	0.01	0.06	8	0.2	0.8	<b>0.4</b>	0.01	0.05	C30-31
Larynx	96	2.0	9.3	<b>5.2</b>	0.29	0.65	22	0.5	2.1	<b>1.0</b>	0.05	0.12	C32
Trachea, bronchus, and lung	703	14.8	68.0	<b>35.4</b>	1.34	4.15	231	5.0	22.1	<b>10.9</b>	0.66	1.28	C33-34
Other thoracic organs	7	0.1	0.7	<b>0.4</b>	0.02	0.06	2	0.0	0.2	<b>0.1</b>	0.00	0.02	C37-38
Bone	15	0.3	1.5	<b>1.1</b>	0.06	0.08	8	0.2	0.8	<b>0.7</b>	0.05	0.06	C40-41
Melanoma of skin	111	2.3	10.7	<b>6.9</b>	0.43	0.72	140	3.0	13.4	<b>9.4</b>	0.73	0.91	C43
Other skin	1		0.1	<b>0.1</b>	0.00	0.01	1		0.1	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	37	0.8	3.6	<b>1.9</b>	0.05	0.22	8	0.2	0.8	<b>0.3</b>	0.01	0.04	C45
Kaposi sarcoma	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	29	0.6	2.8	<b>1.7</b>	0.09	0.18	14	0.3	1.3	<b>1.3</b>	0.08	0.09	C47+C49
Breast	10	0.2	1.0	<b>0.6</b>	0.05	0.08	1508	32.7	144.4	<b>81.2</b>	5.93	9.14	C50
Vulva							47	1.0	4.5	<b>2.0</b>	0.12	0.23	C51
Vagina							9	0.2	0.9	<b>0.6</b>	0.04	0.06	C52
Cervix uteri							54	1.2	5.2	<b>3.6</b>	0.28	0.35	C53
Corpus uteri							326	7.1	31.2	<b>15.9</b>	1.07	2.15	C54
Uterus unspecified							22	0.5	2.1	<b>1.1</b>	0.06	0.14	C55
Ovary							214	4.6	20.5	<b>11.0</b>	0.73	1.26	C56
Other female genital organs							5	0.1	0.5	<b>0.3</b>	0.03	0.03	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	13	0.3	1.3	<b>0.7</b>	0.03	0.09							C60
Prostate	930	19.6	89.9	<b>47.2</b>	1.64	6.08							C61
Testis	66	1.4	6.4	<b>5.6</b>	0.43	0.44							C62
Other male genital organs	2	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	181	3.8	17.5	<b>10.8</b>	0.66	1.24	105	2.3	10.1	<b>6.0</b>	0.40	0.70	C64
Renal pelvis	5	0.1	0.5	<b>0.3</b>	0.01	0.02	5	0.1	0.5	<b>0.2</b>	0.00	0.01	C65
Ureter	3	0.1	0.3	<b>0.1</b>	0.00	0.01	3	0.1	0.3	<b>0.1</b>	0.01	0.02	C66
†Bladder	471	9.9	45.5	<b>24.5</b>	1.02	3.09	129	2.8	12.4	<b>5.3</b>	0.26	0.58	C67
Other urinary organs	3	0.1	0.3	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	10	0.2	1.0	<b>0.6</b>	0.04	0.07	5	0.1	0.5	<b>0.5</b>	0.02	0.03	C69
Brain and nervous system	91	1.9	8.8	<b>6.1</b>	0.41	0.61	67	1.5	6.4	<b>3.9</b>	0.25	0.34	C70-72
Thyroid	57	1.2	5.5	<b>4.1</b>	0.32	0.39	163	3.5	15.6	<b>11.6</b>	0.94	1.07	C73
Adrenal gland	2	0.0	0.2	<b>0.1</b>	0.01	0.01	5	0.1	0.5	<b>0.5</b>	0.03	0.04	C74
Other endocrine	3	0.1	0.3	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	37	0.8	3.6	<b>3.1</b>	0.21	0.27	31	0.7	3.0	<b>2.5</b>	0.16	0.21	C81
Non-Hodgkin lymphoma	178	3.7	17.2	<b>11.2</b>	0.70	1.19	195	4.2	18.7	<b>10.5</b>	0.67	1.11	C82-86,C96
Immunoproliferative diseases	6	0.1	0.6	<b>0.3</b>	0.01	0.03	11	0.2	1.1	<b>0.5</b>	0.03	0.07	C88
Multiple myeloma	57	1.2	5.5	<b>3.2</b>	0.15	0.33	40	0.9	3.8	<b>1.8</b>	0.08	0.22	C90
Lymphoid leukaemia	40	0.8	3.9	<b>3.0</b>	0.17	0.24	24	0.5	2.3	<b>2.0</b>	0.11	0.14	C91
Myeloid leukaemia	55	1.2	5.3	<b>3.3</b>	0.17	0.32	49	1.1	4.7	<b>2.4</b>	0.13	0.21	C92-94
Leukaemia unspecified	5	0.1	0.5	<b>0.5</b>	0.03	0.04	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	36	0.8	3.5	<b>1.9</b>	0.08	0.21	49	1.1	4.7	<b>2.4</b>	0.10	0.31	MPD
Myelodysplastic syndromes	45	0.9	4.4	<b>2.3</b>	0.13	0.23	27	0.6	2.6	<b>1.2</b>	0.04	0.11	MDS
Other and unspecified	117	2.5	11.3	<b>6.1</b>	0.23	0.59	156	3.4	14.9	<b>6.4</b>	0.27	0.68	O&U
All sites	4754		459.6	<b>259.7</b>	12.22	30.32	4606		441.0	<b>237.5</b>	15.31	26.32	C00-96
All sites except C44	4753	100.0	459.5	<b>259.7</b>	12.22	30.31	4605	100.0	440.9	<b>237.5</b>	15.31	26.32	C00-96 exc. C44

† See note following population pyramid

# The Netherlands

## CONTRIBUTORS

O.J. Visser  
K.C.A.A. Timmermans  
B.M.M.E. Spaetgens



## NOTES ON THE DATA

\*No DCO registrations. †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	70.6	Breast	99.0
Trachea, bronchus, and lung	46.3	Trachea, bronchus, and lung	29.5
Colon	28.9	Colon	23.1
Bladder	28.5	Melanoma of skin	20.6
Non-melanoma skin cancer	26.6	Non-melanoma skin cancer	17.1
Melanoma of skin	17.2	Corpus uteri	11.8
Rectum	17.0	Rectum	9.7
Non-Hodgkin lymphoma	11.9	Non-Hodgkin lymphoma	8.0
Oesophagus	9.8	Bladder	7.4
Kidney	9.7	Cervix uteri	6.3
Testis	8.5	Other and unspecified	6.3
Stomach	8.2	Ovary	6.2
Pancreas	7.4	Pancreas	6.1
Other and unspecified	7.0	Kidney	5.1
Brain and nervous system	6.3	Brain and nervous system	4.5
Lymphoid leukaemia	5.5	Stomach	4.0
Multiple myeloma	4.3	Thyroid	3.6
Larynx	4.0	Lymphoid leukaemia	3.3
Myeloid leukaemia	3.9	Oesophagus	2.9
Mesothelioma	2.8	Myeloid leukaemia	2.8
All sites	360.7	All sites	305.8



## \*The Netherlands (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	663	0.3	1.6	<b>0.8</b>	0.03	0.09	454	0.2	1.1	<b>0.5</b>	0.02	0.05	C00
Tongue	1392	0.6	3.4	<b>2.1</b>	0.16	0.25	862	0.4	2.1	<b>1.1</b>	0.08	0.14	C01-02
Mouth	1652	0.7	4.0	<b>2.4</b>	0.16	0.29	1207	0.6	2.9	<b>1.5</b>	0.10	0.18	C03-06
Salivary glands	447	0.2	1.1	<b>0.7</b>	0.04	0.07	367	0.2	0.9	<b>0.5</b>	0.04	0.06	C07-08
Tonsil	752	0.3	1.8	<b>1.1</b>	0.09	0.14	394	0.2	0.9	<b>0.6</b>	0.04	0.07	C09
Other oropharynx	483	0.2	1.2	<b>0.7</b>	0.06	0.09	211	0.1	0.5	<b>0.3</b>	0.03	0.04	C10
Nasopharynx	262	0.1	0.6	<b>0.4</b>	0.03	0.05	112	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	847	0.3	2.1	<b>1.2</b>	0.09	0.16	227	0.1	0.5	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	22	0.0	0.1	<b>0.0</b>	0.00	0.00	6	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	7272	3.0	17.7	<b>9.8</b>	0.53	1.21	2648	1.2	6.3	<b>2.9</b>	0.16	0.36	C15
Stomach	6419	2.6	15.6	<b>8.2</b>	0.35	0.94	3690	1.7	8.8	<b>4.0</b>	0.20	0.45	C16
Small intestine	908	0.4	2.2	<b>1.3</b>	0.07	0.15	807	0.4	1.9	<b>1.0</b>	0.06	0.12	C17
Colon	22609	9.2	55.0	<b>28.9</b>	1.18	3.41	21521	9.8	51.3	<b>23.1</b>	1.08	2.70	C18
Rectum	12607	5.2	30.7	<b>17.0</b>	0.86	2.11	8239	3.8	19.6	<b>9.7</b>	0.54	1.17	C19-20
Anus	409	0.2	1.0	<b>0.6</b>	0.04	0.07	497	0.2	1.2	<b>0.7</b>	0.05	0.08	C21
Liver	1872	0.8	4.6	<b>2.7</b>	0.15	0.32	803	0.4	1.9	<b>1.0</b>	0.06	0.12	C22
Gallbladder etc.	1693	0.7	4.1	<b>2.2</b>	0.09	0.25	1774	0.8	4.2	<b>1.8</b>	0.08	0.21	C23-24
Pancreas	5586	2.3	13.6	<b>7.4</b>	0.36	0.91	5559	2.5	13.3	<b>6.1</b>	0.29	0.76	C25
Nose, sinuses etc.	475	0.2	1.2	<b>0.7</b>	0.04	0.08	340	0.2	0.8	<b>0.5</b>	0.03	0.06	C30-31
Larynx	2944	1.2	7.2	<b>4.0</b>	0.23	0.51	679	0.3	1.6	<b>0.9</b>	0.07	0.12	C32
Trachea, bronchus, and lung	36046	14.7	87.7	<b>46.3</b>	2.00	5.71	22960	10.5	54.7	<b>29.5</b>	1.89	3.78	C33-34
Other thoracic organs	308	0.1	0.7	<b>0.5</b>	0.03	0.05	154	0.1	0.4	<b>0.2</b>	0.02	0.03	C37-38
Bone	512	0.2	1.2	<b>1.2</b>	0.07	0.09	388	0.2	0.9	<b>0.9</b>	0.06	0.07	C40-41
Melanoma of skin	11070	4.5	26.9	<b>17.2</b>	1.15	1.90	12950	5.9	30.9	<b>20.6</b>	1.52	2.11	C43
Other skin	22370		54.4	<b>26.6</b>	0.73	2.66	17889		42.7	<b>17.1</b>	0.66	1.85	C44
Mesothelioma	2248	0.9	5.5	<b>2.8</b>	0.10	0.37	339	0.2	0.8	<b>0.4</b>	0.02	0.05	C45
Kaposi sarcoma	259	0.1	0.6	<b>0.5</b>	0.03	0.05	26	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	1545	0.6	3.8	<b>2.5</b>	0.14	0.24	1167	0.5	2.8	<b>1.8</b>	0.11	0.17	C47+C49
Breast	456	0.2	1.1	<b>0.6</b>	0.03	0.07	69501	31.8	165.7	<b>99.0</b>	7.28	11.40	C50
Vulva							1853	0.8	4.4	<b>2.1</b>	0.11	0.23	C51
Vagina							275	0.1	0.7	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							3656	1.7	8.7	<b>6.3</b>	0.49	0.59	C53
Corpus uteri							9527	4.4	22.7	<b>11.8</b>	0.74	1.53	C54
Uterus unspecified							8	0.0	0.0	<b>0.0</b>	0.00	0.00	C55
Ovary							4727	2.2	11.3	<b>6.2</b>	0.40	0.71	C56
Other female genital organs							209	0.1	0.5	<b>0.3</b>	0.02	0.04	C57
Placenta							47	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	706	0.3	1.7	<b>0.9</b>	0.05	0.11							C60
Prostate	54001	22.1	131.4	<b>70.6</b>	2.93	9.63							C61
Testis	3522	1.4	8.6	<b>8.5</b>	0.63	0.64							C62
Other male genital organs	117	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	6886	2.8	16.8	<b>9.7</b>	0.56	1.18	4072	1.9	9.7	<b>5.1</b>	0.29	0.61	C64
Renal pelvis	605	0.2	1.5	<b>0.8</b>	0.03	0.09	391	0.2	0.9	<b>0.4</b>	0.02	0.05	C65
Ureter	471	0.2	1.1	<b>0.6</b>	0.02	0.06	248	0.1	0.6	<b>0.2</b>	0.01	0.03	C66
†Bladder	22477	9.2	54.7	<b>28.5</b>	1.14	3.35	6617	3.0	15.8	<b>7.4</b>	0.38	0.89	C67
Other urinary organs	106	0.0	0.3	<b>0.1</b>	0.00	0.02	31	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	569	0.2	1.4	<b>0.9</b>	0.06	0.10	544	0.2	1.3	<b>0.8</b>	0.05	0.09	C69
Brain and nervous system	3673	1.5	8.9	<b>6.3</b>	0.41	0.66	2695	1.2	6.4	<b>4.5</b>	0.29	0.45	C70-72
Thyroid	856	0.3	2.1	<b>1.5</b>	0.10	0.15	2043	0.9	4.9	<b>3.6</b>	0.26	0.34	C73
Adrenal gland	116	0.0	0.3	<b>0.3</b>	0.02	0.02	132	0.1	0.3	<b>0.4</b>	0.02	0.02	C74
Other endocrine	57	0.0	0.1	<b>0.2</b>	0.01	0.01	49	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	1222	0.5	3.0	<b>2.7</b>	0.18	0.22	947	0.4	2.3	<b>2.2</b>	0.15	0.17	C81
Non-Hodgkin lymphoma	8045	3.3	19.6	<b>11.9</b>	0.67	1.30	6345	2.9	15.1	<b>8.0</b>	0.47	0.92	C82-86,C96
Immunoproliferative diseases	685	0.3	1.7	<b>0.9</b>	0.05	0.11	623	0.3	1.5	<b>0.8</b>	0.05	0.09	C88
Multiple myeloma	3289	1.3	8.0	<b>4.3</b>	0.21	0.52	2538	1.2	6.1	<b>2.8</b>	0.14	0.34	C90
Lymphoid leukaemia	3293	1.3	8.0	<b>5.5</b>	0.29	0.55	2042	0.9	4.9	<b>3.3</b>	0.17	0.30	C91
Myeloid leukaemia	2600	1.1	6.3	<b>3.9</b>	0.20	0.41	2055	0.9	4.9	<b>2.8</b>	0.16	0.29	C92-94
Leukaemia unspecified	43	0.0	0.1	<b>0.1</b>	0.00	0.00	31	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	1733	0.7	4.2	<b>2.4</b>	0.14	0.28	1652	0.8	3.9	<b>2.1</b>	0.12	0.24	MPD
Myelodysplastic syndromes	2268	0.9	5.5	<b>2.8</b>	0.08	0.29	1471	0.7	3.5	<b>1.4</b>	0.05	0.15	MDS
Other and unspecified	5515	2.3	13.4	<b>7.0</b>	0.30	0.75	6141	2.8	14.6	<b>6.3</b>	0.30	0.68	O&U
All sites	266983		649.7	<b>360.7</b>	16.93	42.70	236740		564.4	<b>305.8</b>	19.25	34.99	C00-96
All sites except C44	244613	100.0	595.2	<b>334.1</b>	16.20	40.03	218851	100.0	521.8	<b>288.7</b>	18.59	33.14	C00-96 exc. C44

†\*See note following population pyramid

# Norway

## CONTRIBUTORS

Giske Ursin  
Tom Børge Johannesen  
Johanne Gulbrandsen



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	108.4	Breast	75.6
Trachea, bronchus, and lung	35.3	Trachea, bronchus, and lung	25.7
Colon	27.2	Colon	24.3
Melanoma of skin	20.0	Melanoma of skin	20.3
Bladder	19.6	Corpus uteri	16.2
Rectum	16.9	Rectum	10.4
Non-melanoma skin cancer	15.4	Non-melanoma skin cancer	10.4
Non-Hodgkin lymphoma	12.2	Ovary	10.3
Kidney	12.2	Cervix uteri	9.5
Testis	11.5	Non-Hodgkin lymphoma	8.7
Pancreas	7.8	Pancreas	6.5
Brain and nervous system	6.9	Thyroid	6.4
Stomach	6.6	Bladder	5.7
Lymphoid leukaemia	5.9	Kidney	5.7
Other and unspecified	5.1	Other and unspecified	5.1
Multiple myeloma	4.9	Brain and nervous system	5.0
Oesophagus	4.0	Lymphoid leukaemia	4.0
Myeloid leukaemia	3.8	Stomach	3.4
Hodgkin lymphoma	2.9	Multiple myeloma	3.2
Liver	2.8	Myeloid leukaemia	2.8
All sites	363.0	All sites	285.7

## Norway (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	329	0.5	2.7	<b>1.5</b>	0.06	0.17	182	0.3	1.5	<b>0.6</b>	0.03	0.07	C00
Tongue	338	0.5	2.8	<b>1.8</b>	0.11	0.23	185	0.3	1.5	<b>0.8</b>	0.06	0.09	C01-02
Mouth	284	0.4	2.3	<b>1.4</b>	0.08	0.17	236	0.4	1.9	<b>0.9</b>	0.05	0.11	C03-06
Salivary glands	111	0.2	0.9	<b>0.6</b>	0.03	0.06	112	0.2	0.9	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	306	0.4	2.5	<b>1.7</b>	0.14	0.20	121	0.2	1.0	<b>0.7</b>	0.06	0.08	C09
Other oropharynx	77	0.1	0.6	<b>0.4</b>	0.03	0.06	32	0.1	0.3	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	49	0.1	0.4	<b>0.3</b>	0.02	0.03	21	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	89	0.1	0.7	<b>0.4</b>	0.03	0.05	28	0.0	0.2	<b>0.1</b>	0.00	0.02	C12-13
Pharynx unspecified	8	0.0	0.1	<b>0.0</b>	0.00	0.00	8	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	851	1.2	7.0	<b>4.0</b>	0.21	0.50	309	0.5	2.5	<b>1.2</b>	0.05	0.14	C15
Stomach	1462	2.0	12.0	<b>6.6</b>	0.29	0.74	981	1.6	8.0	<b>3.4</b>	0.15	0.37	C16
Small intestine	401	0.6	3.3	<b>2.0</b>	0.11	0.25	305	0.5	2.5	<b>1.3</b>	0.08	0.16	C17
Colon	6146	8.5	50.3	<b>27.2</b>	1.06	3.15	6736	11.2	55.1	<b>24.3</b>	1.02	2.84	C18
Rectum	3600	5.0	29.4	<b>16.9</b>	0.79	2.09	2589	4.3	21.2	<b>10.4</b>	0.58	1.23	C19-20
Anus	118	0.2	1.0	<b>0.6</b>	0.04	0.07	226	0.4	1.8	<b>1.0</b>	0.07	0.12	C21
Liver	581	0.8	4.8	<b>2.8</b>	0.16	0.31	358	0.6	2.9	<b>1.4</b>	0.07	0.13	C22
Gallbladder etc.	360	0.5	2.9	<b>1.6</b>	0.08	0.18	424	0.7	3.5	<b>1.6</b>	0.08	0.19	C23-24
Pancreas	1731	2.4	14.2	<b>7.8</b>	0.32	0.93	1802	3.0	14.7	<b>6.5</b>	0.29	0.76	C25
Nose, sinuses etc.	119	0.2	1.0	<b>0.6</b>	0.03	0.08	83	0.1	0.7	<b>0.4</b>	0.02	0.04	C30-31
Larynx	507	0.7	4.1	<b>2.4</b>	0.13	0.30	97	0.2	0.8	<b>0.5</b>	0.03	0.06	C32
Trachea, bronchus, and lung	7771	10.8	63.5	<b>35.3</b>	1.49	4.42	6045	10.0	49.4	<b>25.7</b>	1.33	3.34	C33-34
Other thoracic organs	49	0.1	0.4	<b>0.3</b>	0.02	0.03	34	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	159	0.2	1.3	<b>1.2</b>	0.07	0.10	123	0.2	1.0	<b>0.9</b>	0.05	0.07	C40-41
Melanoma of skin	3930	5.5	32.1	<b>20.0</b>	1.19	2.31	3956	6.6	32.4	<b>20.3</b>	1.40	2.20	C43
Other skin	4000		32.7	<b>15.4</b>	0.37	1.43	3560		29.1	<b>10.4</b>	0.34	1.02	C44
Mesothelioma	342	0.5	2.8	<b>1.5</b>	0.05	0.19	65	0.1	0.5	<b>0.3</b>	0.01	0.03	C45
Kaposi sarcoma	31	0.0	0.3	<b>0.2</b>	0.01	0.02	14	0.0	0.1	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	473	0.7	3.9	<b>2.7</b>	0.14	0.27	354	0.6	2.9	<b>1.9</b>	0.12	0.18	C47+C49
Breast	105	0.1	0.9	<b>0.5</b>	0.03	0.07	14669	24.4	120.0	<b>75.6</b>	5.69	8.58	C50
Vulva							404	0.7	3.3	<b>1.6</b>	0.09	0.18	C51
Vagina							76	0.1	0.6	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							1497	2.5	12.2	<b>9.5</b>	0.75	0.87	C53
Corpus uteri							3578	5.9	29.3	<b>16.2</b>	0.99	2.08	C54
Uterus unspecified							36	0.1	0.3	<b>0.1</b>	0.01	0.01	C55
Ovary							2140	3.6	17.5	<b>10.3</b>	0.69	1.18	C56
Other female genital organs							160	0.3	1.3	<b>0.7</b>	0.05	0.09	C57
Placenta							13	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	203	0.3	1.7	<b>1.0</b>	0.06	0.11							C60
Prostate	22999	31.9	188.1	<b>108.4</b>	4.92	14.53							C61
Testis	1506	2.1	12.3	<b>11.5</b>	0.86	0.89							C62
Other male genital organs	25	0.0	0.2	<b>0.1</b>	0.01	0.02							C63
Kidney	2381	3.3	19.5	<b>12.2</b>	0.72	1.49	1258	2.1	10.3	<b>5.7</b>	0.32	0.67	C64
Renal pelvis	178	0.2	1.5	<b>0.8</b>	0.03	0.09	133	0.2	1.1	<b>0.5</b>	0.02	0.06	C65
Ureter	109	0.2	0.9	<b>0.5</b>	0.02	0.05	65	0.1	0.5	<b>0.2</b>	0.01	0.03	C66
†Bladder	4496	6.2	36.8	<b>19.6</b>	0.78	2.22	1570	2.6	12.8	<b>5.7</b>	0.26	0.69	C67
Other urinary organs	36	0.0	0.3	<b>0.2</b>	0.01	0.02	17	0.0	0.1	<b>0.1</b>	0.01	0.01	C68
Eye	158	0.2	1.3	<b>0.9</b>	0.05	0.09	163	0.3	1.3	<b>0.9</b>	0.05	0.09	C69
Brain and nervous system	1155	1.6	9.4	<b>6.9</b>	0.45	0.70	851	1.4	7.0	<b>5.0</b>	0.32	0.50	C70-72
Thyroid	375	0.5	3.1	<b>2.2</b>	0.15	0.22	1015	1.7	8.3	<b>6.4</b>	0.50	0.62	C73
Adrenal gland	36	0.0	0.3	<b>0.3</b>	0.01	0.02	53	0.1	0.4	<b>0.4</b>	0.03	0.03	C74
Other endocrine	16	0.0	0.1	<b>0.1</b>	0.01	0.01	11	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	395	0.5	3.2	<b>2.9</b>	0.19	0.24	283	0.5	2.3	<b>2.1</b>	0.14	0.17	C81
Non-Hodgkin lymphoma	2385	3.3	19.5	<b>12.2</b>	0.68	1.38	1901	3.2	15.5	<b>8.7</b>	0.51	1.01	C82-86,C96
Immunoproliferative diseases	240	0.3	2.0	<b>1.1</b>	0.05	0.13	248	0.4	2.0	<b>1.1</b>	0.06	0.13	C88
Multiple myeloma	1086	1.5	8.9	<b>4.9</b>	0.23	0.57	832	1.4	6.8	<b>3.2</b>	0.17	0.36	C90
Lymphoid leukaemia	1041	1.4	8.5	<b>5.9</b>	0.32	0.63	781	1.3	6.4	<b>4.0</b>	0.20	0.39	C91
Myeloid leukaemia	716	1.0	5.9	<b>3.8</b>	0.20	0.38	574	1.0	4.7	<b>2.8</b>	0.15	0.28	C92-94
Leukaemia unspecified	24	0.0	0.2	<b>0.1</b>	0.00	0.01	19	0.0	0.2	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	555	0.8	4.5	<b>2.7</b>	0.15	0.31	595	1.0	4.9	<b>2.6</b>	0.14	0.30	MPD
Myelodysplastic syndromes	470	0.7	3.8	<b>1.9</b>	0.06	0.19	317	0.5	2.6	<b>1.0</b>	0.03	0.10	MDS
Other and unspecified	1175	1.6	9.6	<b>5.1</b>	0.20	0.56	1497	2.5	12.2	<b>5.1</b>	0.25	0.53	O&U
All sites	76087		622.2	<b>363.0</b>	17.25	43.28	63742		521.3	<b>285.7</b>	17.42	32.39	C00-96
All sites except C44	72087	100.0	589.5	<b>347.6</b>	16.88	41.85	60182	100.0	492.1	<b>275.3</b>	17.08	31.37	C00-96 exc. C44

† See note following population pyramid

# Poland, Greater Poland

## CONTRIBUTORS

Maciej Trojanowski  
 Anna Kubiak  
 Wiesława Olenderczyk  
 Agata Plucinska  
 Beata Szczech  
 Łukasz Taraszkiewicz  
 Teresa Wosicka  
 Agnieszka Dyzmann-Sroka



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	56.6	Breast	56.7
Prostate	40.9	Non-melanoma skin cancer	20.1
Non-melanoma skin cancer	26.9	Trachea, bronchus, and lung	18.3
Colon	20.8	Corpus uteri	15.5
Bladder	20.7	Colon	13.0
Rectum	15.0	Ovary	12.4
Stomach	14.0	Cervix uteri	9.4
Kidney	11.6	Thyroid	8.2
Other and unspecified	10.1	Rectum	7.4
Larynx	8.6	Other and unspecified	6.7
Pancreas	7.4	Kidney	6.1
Brain and nervous system	7.2	Brain and nervous system	6.0
Testis	6.6	Pancreas	5.3
Non-Hodgkin lymphoma	6.1	Stomach	5.2
Lymphoid leukaemia	5.4	Non-Hodgkin lymphoma	4.6
Melanoma of skin	4.8	Melanoma of skin	4.5
Oesophagus	4.2	Bladder	4.0
Liver	3.7	Gallbladder etc.	3.1
Myeloid leukaemia	2.8	Lymphoid leukaemia	2.9
Multiple myeloma	2.4	Liver	2.3
All sites	301.6	All sites	230.0

## Poland, Greater Poland (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	145	0.5	1.7	<b>1.2</b>	0.04	0.15	30	0.1	0.3	<b>0.2</b>	0.01	0.02	C00
Tongue	196	0.6	2.4	<b>1.7</b>	0.13	0.19	73	0.2	0.8	<b>0.5</b>	0.03	0.06	C01-02
Mouth	265	0.8	3.2	<b>2.2</b>	0.19	0.26	102	0.3	1.2	<b>0.7</b>	0.05	0.08	C03-06
Salivary glands	105	0.3	1.3	<b>0.9</b>	0.05	0.10	66	0.2	0.7	<b>0.4</b>	0.03	0.04	C07-08
Tonsil	202	0.6	2.4	<b>1.7</b>	0.13	0.23	74	0.2	0.8	<b>0.5</b>	0.04	0.07	C09
Other oropharynx	33	0.1	0.4	<b>0.3</b>	0.03	0.03	11	0.0	0.1	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	66	0.2	0.8	<b>0.6</b>	0.05	0.07	25	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	121	0.4	1.5	<b>1.0</b>	0.08	0.14	16	0.1	0.2	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	59	0.2	0.7	<b>0.5</b>	0.04	0.07	14	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	505	1.6	6.1	<b>4.2</b>	0.29	0.52	129	0.4	1.5	<b>0.8</b>	0.04	0.09	C15
Stomach	1680	5.3	20.2	<b>14.0</b>	0.69	1.72	888	2.9	10.1	<b>5.2</b>	0.26	0.60	C16
Small intestine	58	0.2	0.7	<b>0.5</b>	0.03	0.06	51	0.2	0.6	<b>0.4</b>	0.02	0.05	C17
Colon	2475	7.7	29.7	<b>20.8</b>	0.92	2.54	2211	7.3	25.1	<b>13.0</b>	0.68	1.56	C18
Rectum	1791	5.6	21.5	<b>15.0</b>	0.74	1.94	1221	4.0	13.9	<b>7.4</b>	0.40	0.90	C19-20
Anus	23	0.1	0.3	<b>0.2</b>	0.01	0.02	59	0.2	0.7	<b>0.4</b>	0.03	0.05	C21
Liver	442	1.4	5.3	<b>3.7</b>	0.20	0.46	377	1.2	4.3	<b>2.3</b>	0.10	0.28	C22
Gallbladder etc.	224	0.7	2.7	<b>1.8</b>	0.08	0.22	554	1.8	6.3	<b>3.1</b>	0.15	0.38	C23-24
Pancreas	888	2.8	10.7	<b>7.4</b>	0.41	0.90	897	3.0	10.2	<b>5.3</b>	0.27	0.64	C25
Nose, sinuses etc.	60	0.2	0.7	<b>0.5</b>	0.04	0.06	48	0.2	0.5	<b>0.4</b>	0.03	0.04	C30-31
Larynx	1014	3.2	12.2	<b>8.6</b>	0.63	1.13	147	0.5	1.7	<b>1.0</b>	0.09	0.13	C32
Trachea, bronchus, and lung	6698	21.0	80.4	<b>56.6</b>	3.10	7.51	2742	9.0	31.1	<b>18.3</b>	1.27	2.35	C33-34
Other thoracic organs	90	0.3	1.1	<b>0.8</b>	0.04	0.09	64	0.2	0.7	<b>0.4</b>	0.03	0.05	C37-38
Bone	89	0.3	1.1	<b>1.0</b>	0.06	0.08	79	0.3	0.9	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	557	1.7	6.7	<b>4.8</b>	0.29	0.54	615	2.0	7.0	<b>4.5</b>	0.32	0.48	C43
Other skin	3279		39.4	<b>26.9</b>	1.08	3.08	3400		38.6	<b>20.1</b>	1.08	2.28	C44
Mesothelioma	37	0.1	0.4	<b>0.3</b>	0.02	0.04	21	0.1	0.2	<b>0.1</b>	0.01	0.01	C45
Kaposi sarcoma	4	0.0	0.0	<b>0.0</b>	0.00	0.00	8	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	167	0.5	2.0	<b>1.8</b>	0.11	0.16	149	0.5	1.7	<b>1.4</b>	0.09	0.12	C47+C49
Breast	54	0.2	0.6	<b>0.5</b>	0.02	0.05	7710	25.4	87.5	<b>56.7</b>	4.34	6.46	C50
Vulva							182	0.6	2.1	<b>1.0</b>	0.05	0.10	C51
Vagina							32	0.1	0.4	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							1205	4.0	13.7	<b>9.4</b>	0.76	1.03	C53
Corpus uteri							2247	7.4	25.5	<b>15.5</b>	1.10	1.97	C54
Uterus unspecified							43	0.1	0.5	<b>0.2</b>	0.02	0.03	C55
Ovary							1681	5.5	19.1	<b>12.4</b>	0.93	1.40	C56
Other female genital organs							44	0.1	0.5	<b>0.3</b>	0.01	0.04	C57
Placenta							3	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	106	0.3	1.3	<b>0.9</b>	0.05	0.12							C60
Prostate	4870	15.2	58.5	<b>40.9</b>	1.38	5.35							C61
Testis	636	2.0	7.6	<b>6.6</b>	0.48	0.50							C62
Other male genital organs	11	0.0	0.1	<b>0.1</b>	0.00	0.01							C63
Kidney	1349	4.2	16.2	<b>11.6</b>	0.72	1.43	896	3.0	10.2	<b>6.1</b>	0.36	0.77	C64
Renal pelvis	84	0.3	1.0	<b>0.7</b>	0.04	0.09	58	0.2	0.7	<b>0.3</b>	0.02	0.04	C65
Ureter	17	0.1	0.2	<b>0.2</b>	0.01	0.02	10	0.0	0.1	<b>0.1</b>	0.00	0.01	C66
†Bladder	2485	7.8	29.8	<b>20.7</b>	0.90	2.57	663	2.2	7.5	<b>4.0</b>	0.23	0.50	C67
Other urinary organs	6	0.0	0.1	<b>0.1</b>	0.00	0.01	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	88	0.3	1.1	<b>0.8</b>	0.04	0.10	82	0.3	0.9	<b>0.8</b>	0.04	0.07	C69
Brain and nervous system	729	2.3	8.8	<b>7.2</b>	0.46	0.74	736	2.4	8.4	<b>6.0</b>	0.37	0.60	C70-72
Thyroid	213	0.7	2.6	<b>2.0</b>	0.14	0.22	940	3.1	10.7	<b>8.2</b>	0.64	0.81	C73
Adrenal gland	35	0.1	0.4	<b>0.5</b>	0.02	0.04	34	0.1	0.4	<b>0.4</b>	0.02	0.02	C74
Other endocrine	16	0.1	0.2	<b>0.2</b>	0.01	0.02	17	0.1	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	182	0.6	2.2	<b>2.0</b>	0.13	0.17	194	0.6	2.2	<b>2.1</b>	0.14	0.16	C81
Non-Hodgkin lymphoma	683	2.1	8.2	<b>6.1</b>	0.35	0.65	666	2.2	7.6	<b>4.6</b>	0.28	0.51	C82-86,C96
Immunoproliferative diseases	17	0.1	0.2	<b>0.1</b>	0.01	0.01	23	0.1	0.3	<b>0.1</b>	0.01	0.02	C88
Multiple myeloma	293	0.9	3.5	<b>2.4</b>	0.12	0.30	315	1.0	3.6	<b>1.9</b>	0.11	0.23	C90
Lymphoid leukaemia	543	1.7	6.5	<b>5.4</b>	0.27	0.53	346	1.1	3.9	<b>2.9</b>	0.15	0.25	C91
Myeloid leukaemia	295	0.9	3.5	<b>2.8</b>	0.15	0.28	266	0.9	3.0	<b>2.1</b>	0.11	0.22	C92-94
Leukaemia unspecified	26	0.1	0.3	<b>0.2</b>	0.01	0.03	34	0.1	0.4	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	6	0.0	0.1	<b>0.0</b>	0.00	0.00	8	0.0	0.1	<b>0.1</b>	0.00	0.01	MPD
Myelodysplastic syndromes	1	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1208	3.8	14.5	<b>10.1</b>	0.50	1.14	1225	4.0	13.9	<b>6.7</b>	0.33	0.69	O&U
All sites	35226		423.1	<b>301.6</b>	15.28	36.68	33733		382.8	<b>230.0</b>	15.18	26.42	C00-96
All sites except C44	31947	100.0	383.7	<b>274.7</b>	14.20	33.60	30333	100.0	344.3	<b>209.9</b>	14.10	24.14	C00-96 exc. C44

† See note following population pyramid

# Poland, Kielce

## CONTRIBUTORS

Stanislaw Gózdź  
 Urszula Siudowska  
 Ryszard Mężyk  
 Łukasz Fortuna  
 Teresa Karpacz  
 Dorota Stępień  
 Anna Giemza  
 Edyta Pokrzepa



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	58.1	Breast	43.4
Prostate	33.0	Corpus uteri	15.7
Bladder	20.3	Non-melanoma skin cancer	14.2
Colon	18.7	Trachea, bronchus, and lung	13.4
Non-melanoma skin cancer	17.4	Thyroid	11.2
Rectum	15.1	Colon	10.9
Stomach	12.9	Ovary	10.3
Kidney	11.5	Cervix uteri	9.5
Larynx	8.2	Rectum	7.4
Brain and nervous system	7.8	Kidney	5.8
Lymphoid leukaemia	6.7	Brain and nervous system	5.7
Other and unspecified	6.7	Stomach	5.3
Pancreas	6.7	Melanoma of skin	4.6
Non-Hodgkin lymphoma	6.4	Pancreas	4.3
Melanoma of skin	4.3	Lymphoid leukaemia	4.1
Testis	4.3	Bladder	4.0
Oesophagus	3.9	Non-Hodgkin lymphoma	3.9
Liver	3.0	Gallbladder etc.	3.8
Myeloid leukaemia	3.0	Other and unspecified	3.7
Multiple myeloma	2.2	Myeloid leukaemia	2.3
All sites	275.1	All sites	200.4

## Poland, Kielce (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	106	0.8	3.4	<b>2.0</b>	0.08	0.24	33	0.3	1.0	<b>0.3</b>	0.01	0.03	C00
Tongue	47	0.4	1.5	<b>1.0</b>	0.08	0.13	17	0.2	0.5	<b>0.3</b>	0.02	0.03	C01-02
Mouth	89	0.7	2.9	<b>2.0</b>	0.16	0.23	33	0.3	1.0	<b>0.5</b>	0.03	0.05	C03-06
Salivary glands	41	0.3	1.3	<b>0.9</b>	0.06	0.09	20	0.2	0.6	<b>0.3</b>	0.02	0.03	C07-08
Tonsil	18	0.1	0.6	<b>0.4</b>	0.04	0.05	13	0.1	0.4	<b>0.2</b>	0.02	0.03	C09
Other oropharynx	74	0.6	2.4	<b>1.6</b>	0.15	0.20	13	0.1	0.4	<b>0.2</b>	0.02	0.03	C10
Nasopharynx	31	0.2	1.0	<b>0.6</b>	0.04	0.08	7	0.1	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	54	0.4	1.7	<b>1.1</b>	0.09	0.14	7	0.1	0.2	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	20	0.2	0.6	<b>0.4</b>	0.04	0.04	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	194	1.5	6.2	<b>3.9</b>	0.25	0.51	29	0.3	0.9	<b>0.4</b>	0.02	0.05	C15
Stomach	656	5.1	21.0	<b>12.9</b>	0.63	1.58	365	3.3	11.1	<b>5.3</b>	0.30	0.58	C16
Small intestine	27	0.2	0.9	<b>0.6</b>	0.05	0.06	22	0.2	0.7	<b>0.4</b>	0.03	0.04	C17
Colon	961	7.5	30.8	<b>18.7</b>	0.88	2.34	776	7.1	23.7	<b>10.9</b>	0.54	1.35	C18
Rectum	777	6.1	24.9	<b>15.1</b>	0.81	1.86	524	4.8	16.0	<b>7.4</b>	0.42	0.87	C19-20
Anus	12	0.1	0.4	<b>0.2</b>	0.01	0.02	20	0.2	0.6	<b>0.3</b>	0.03	0.04	C21
Liver	156	1.2	5.0	<b>3.0</b>	0.13	0.32	124	1.1	3.8	<b>1.5</b>	0.06	0.16	C22
Gallbladder etc.	99	0.8	3.2	<b>1.9</b>	0.10	0.22	282	2.6	8.6	<b>3.8</b>	0.18	0.48	C23-24
Pancreas	337	2.6	10.8	<b>6.7</b>	0.39	0.86	334	3.0	10.2	<b>4.3</b>	0.21	0.51	C25
Nose, sinuses etc.	15	0.1	0.5	<b>0.3</b>	0.02	0.04	15	0.1	0.5	<b>0.2</b>	0.01	0.02	C30-31
Larynx	395	3.1	12.7	<b>8.2</b>	0.56	1.08	35	0.3	1.1	<b>0.6</b>	0.06	0.07	C32
Trachea, bronchus, and lung	2938	23.0	94.1	<b>58.1</b>	3.20	7.64	853	7.8	26.0	<b>13.4</b>	0.95	1.70	C33-34
Other thoracic organs	29	0.2	0.9	<b>0.6</b>	0.04	0.07	13	0.1	0.4	<b>0.2</b>	0.01	0.02	C37-38
Bone	42	0.3	1.3	<b>1.0</b>	0.06	0.11	38	0.3	1.2	<b>1.1</b>	0.07	0.09	C40-41
Melanoma of skin	203	1.6	6.5	<b>4.3</b>	0.26	0.49	260	2.4	7.9	<b>4.6</b>	0.30	0.49	C43
Other skin	916		29.4	<b>17.4</b>	0.75	1.99	1045		31.9	<b>14.2</b>	0.77	1.66	C44
Mesothelioma	37	0.3	1.2	<b>0.8</b>	0.06	0.08	27	0.2	0.8	<b>0.5</b>	0.04	0.06	C45
Kaposi sarcoma	2	0.0	0.1	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	71	0.6	2.3	<b>1.9</b>	0.11	0.15	67	0.6	2.0	<b>1.9</b>	0.11	0.15	C47+C49
Breast	15	0.1	0.5	<b>0.3</b>	0.01	0.04	2311	21.1	70.5	<b>43.4</b>	3.46	4.90	C50
Vulva							80	0.7	2.4	<b>1.0</b>	0.04	0.12	C51
Vagina							5	0.0	0.2	<b>0.1</b>	0.01	0.01	C52
Cervix uteri							467	4.3	14.2	<b>9.5</b>	0.81	1.02	C53
Corpus uteri							920	8.4	28.1	<b>15.7</b>	1.13	1.99	C54
Uterus unspecified							13	0.1	0.4	<b>0.2</b>	0.01	0.01	C55
Ovary							566	5.2	17.3	<b>10.3</b>	0.80	1.12	C56
Other female genital organs							23	0.2	0.7	<b>0.4</b>	0.02	0.05	C57
Placenta							1	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	29	0.2	0.9	<b>0.6</b>	0.04	0.07							C60
Prostate	1735	13.6	55.6	<b>33.0</b>	1.21	4.36							C61
Testis	148	1.2	4.7	<b>4.3</b>	0.31	0.31							C62
Other male genital organs	3	0.0	0.1	<b>0.1</b>	0.00	0.00							C63
Kidney	548	4.3	17.6	<b>11.5</b>	0.74	1.51	363	3.3	11.1	<b>5.8</b>	0.36	0.73	C64
Renal pelvis	33	0.3	1.1	<b>0.7</b>	0.04	0.10	14	0.1	0.4	<b>0.2</b>	0.01	0.03	C65
Ureter	5	0.0	0.2	<b>0.1</b>	0.00	0.01	5	0.0	0.2	<b>0.1</b>	0.01	0.01	C66
†Bladder	1071	8.4	34.3	<b>20.3</b>	0.96	2.55	256	2.3	7.8	<b>4.0</b>	0.26	0.48	C67
Other urinary organs	3	0.0	0.1	<b>0.1</b>	0.00	0.01	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	23	0.2	0.7	<b>0.5</b>	0.03	0.06	32	0.3	1.0	<b>0.8</b>	0.04	0.08	C69
Brain and nervous system	327	2.6	10.5	<b>7.8</b>	0.49	0.83	308	2.8	9.4	<b>5.7</b>	0.35	0.61	C70-72
Thyroid	89	0.7	2.9	<b>2.2</b>	0.16	0.24	487	4.4	14.9	<b>11.2</b>	0.88	1.15	C73
Adrenal gland	5	0.0	0.2	<b>0.1</b>	0.00	0.01	16	0.1	0.5	<b>0.3</b>	0.02	0.03	C74
Other endocrine	6	0.0	0.2	<b>0.1</b>	0.01	0.02	6	0.1	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	61	0.5	2.0	<b>1.7</b>	0.13	0.13	60	0.5	1.8	<b>1.6</b>	0.12	0.12	C81
Non-Hodgkin lymphoma	298	2.3	9.5	<b>6.4</b>	0.35	0.70	240	2.2	7.3	<b>3.9</b>	0.24	0.41	C82-86,C96
Immunoproliferative diseases	11	0.1	0.4	<b>0.2</b>	0.01	0.03	15	0.1	0.5	<b>0.3</b>	0.02	0.03	C88
Multiple myeloma	110	0.9	3.5	<b>2.2</b>	0.13	0.27	162	1.5	4.9	<b>2.2</b>	0.11	0.27	C90
Lymphoid leukaemia	268	2.1	8.6	<b>6.7</b>	0.33	0.66	212	1.9	6.5	<b>4.1</b>	0.20	0.39	C91
Myeloid leukaemia	143	1.1	4.6	<b>3.0</b>	0.14	0.33	141	1.3	4.3	<b>2.3</b>	0.12	0.26	C92-94
Leukaemia unspecified	9	0.1	0.3	<b>0.1</b>	0.00	0.01	7	0.1	0.2	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	42	0.3	1.3	<b>0.9</b>	0.06	0.12	45	0.4	1.4	<b>0.7</b>	0.04	0.07	MPD
Myelodysplastic syndromes	1	0.0	0.0	<b>0.0</b>	0.00	0.00	2	0.0	0.1	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	345	2.7	11.1	<b>6.7</b>	0.37	0.78	289	2.6	8.8	<b>3.7</b>	0.18	0.39	O&U
All sites	13675		438.2	<b>275.1</b>	14.60	33.77	12021		366.7	<b>200.4</b>	13.50	22.89	C00-96
All sites except C44	12759	100.0	408.9	<b>257.7</b>	13.84	31.78	10976	100.0	334.8	<b>186.2</b>	12.73	21.23	C00-96 exc. C44


† See note following population pyramid



# Poland, Lower Silesia

## CONTRIBUTORS

Jerzy Blaszczyk  
 Piotr Hudziec  
 Adam Maciejczyk  
 Marek Bebenek  
 Kamila Kepska  
 Helena Jurewicz  
 Elzbieta Chwieralska  
 Elzbieta Lipska  
 Malgorzata Modrzejewska  
 Dawid Blaszczyk



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	57.4	Breast	55.0
Prostate	32.4	Trachea, bronchus, and lung	20.4
Bladder	23.4	Corpus uteri	15.0
Colon	20.0	Non-melanoma skin cancer	13.8
Non-melanoma skin cancer	18.9	Colon	12.7
Rectum	15.0	Cervix uteri	10.8
Stomach	13.3	Ovary	10.8
Kidney	11.7	Rectum	7.7
Other and unspecified	9.6	Other and unspecified	6.6
Larynx	8.2	Kidney	5.9
Brain and nervous system	7.4	Brain and nervous system	5.8
Pancreas	7.0	Stomach	5.5
Liver	5.6	Bladder	5.0
Testis	5.6	Pancreas	4.8
Lymphoid leukaemia	5.0	Thyroid	4.5
Melanoma of skin	4.8	Melanoma of skin	4.2
Non-Hodgkin lymphoma	4.7	Non-Hodgkin lymphoma	3.6
Oesophagus	4.1	Liver	2.9
Mouth	2.4	Gallbladder etc.	2.8
Myeloid leukaemia	2.3	Lymphoid leukaemia	2.2
All sites	282.3	All sites	217.5

## Poland, Lower Silesia (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	76	0.3	1.1	<b>0.6</b>	0.03	0.07	13	0.0	0.2	<b>0.1</b>	0.00	0.01	C00
Tongue	209	0.7	3.0	<b>1.9</b>	0.16	0.23	60	0.2	0.8	<b>0.5</b>	0.03	0.06	C01-02
Mouth	255	0.9	3.7	<b>2.4</b>	0.18	0.30	114	0.4	1.5	<b>0.8</b>	0.07	0.09	C03-06
Salivary glands	56	0.2	0.8	<b>0.5</b>	0.03	0.06	63	0.2	0.8	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	194	0.7	2.8	<b>1.8</b>	0.15	0.23	39	0.1	0.5	<b>0.3</b>	0.03	0.04	C09
Other oropharynx	42	0.2	0.6	<b>0.4</b>	0.03	0.05	18	0.1	0.2	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	58	0.2	0.8	<b>0.6</b>	0.05	0.07	31	0.1	0.4	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	139	0.5	2.0	<b>1.3</b>	0.10	0.16	23	0.1	0.3	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	64	0.2	0.9	<b>0.6</b>	0.05	0.08	13	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	450	1.6	6.5	<b>4.1</b>	0.29	0.50	111	0.4	1.5	<b>0.7</b>	0.05	0.09	C15
Stomach	1459	5.2	21.0	<b>13.3</b>	0.67	1.65	875	3.1	11.6	<b>5.5</b>	0.28	0.62	C16
Small intestine	55	0.2	0.8	<b>0.5</b>	0.03	0.06	67	0.2	0.9	<b>0.5</b>	0.02	0.06	C17
Colon	2163	7.7	31.1	<b>20.0</b>	0.83	2.57	2030	7.3	26.9	<b>12.7</b>	0.65	1.54	C18
Rectum	1627	5.8	23.4	<b>15.0</b>	0.73	1.86	1198	4.3	15.9	<b>7.7</b>	0.43	0.96	C19-20
Anus	32	0.1	0.5	<b>0.3</b>	0.02	0.03	85	0.3	1.1	<b>0.5</b>	0.03	0.06	C21
Liver	588	2.1	8.4	<b>5.6</b>	0.27	0.68	498	1.8	6.6	<b>2.9</b>	0.14	0.33	C22
Gallbladder etc.	222	0.8	3.2	<b>2.0</b>	0.10	0.26	491	1.8	6.5	<b>2.8</b>	0.13	0.35	C23-24
Pancreas	751	2.7	10.8	<b>7.0</b>	0.41	0.86	776	2.8	10.3	<b>4.8</b>	0.24	0.57	C25
Nose, sinuses etc.	54	0.2	0.8	<b>0.5</b>	0.03	0.06	27	0.1	0.4	<b>0.2</b>	0.01	0.02	C30-31
Larynx	891	3.2	12.8	<b>8.2</b>	0.60	1.04	126	0.5	1.7	<b>1.0</b>	0.08	0.12	C32
Trachea, bronchus, and lung	6202	22.2	89.1	<b>57.4</b>	3.02	7.60	2981	10.7	39.6	<b>20.4</b>	1.36	2.59	C33-34
Other thoracic organs	81	0.3	1.2	<b>0.8</b>	0.04	0.07	62	0.2	0.8	<b>0.4</b>	0.02	0.05	C37-38
Bone	130	0.5	1.9	<b>1.5</b>	0.08	0.15	99	0.4	1.3	<b>0.9</b>	0.05	0.08	C40-41
Melanoma of skin	502	1.8	7.2	<b>4.8</b>	0.29	0.53	528	1.9	7.0	<b>4.2</b>	0.30	0.43	C43
Other skin	2133		30.6	<b>18.9</b>	0.73	2.07	2320		30.8	<b>13.8</b>	0.65	1.56	C44
Mesothelioma	37	0.1	0.5	<b>0.3</b>	0.02	0.05	17	0.1	0.2	<b>0.1</b>	0.01	0.02	C45
Kaposi sarcoma	3	0.0	0.0	<b>0.0</b>	0.00	0.00	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	149	0.5	2.1	<b>1.6</b>	0.10	0.14	148	0.5	2.0	<b>1.3</b>	0.08	0.13	C47+C49
Breast	51	0.2	0.7	<b>0.5</b>	0.03	0.05	6851	24.5	90.9	<b>55.0</b>	4.23	6.34	C50
Vulva							212	0.8	2.8	<b>1.2</b>	0.05	0.14	C51
Vagina							40	0.1	0.5	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							1273	4.6	16.9	<b>10.8</b>	0.88	1.16	C53
Corpus uteri							2066	7.4	27.4	<b>15.0</b>	1.08	1.91	C54
Uterus unspecified							45	0.2	0.6	<b>0.3</b>	0.01	0.03	C55
Ovary							1367	4.9	18.1	<b>10.8</b>	0.79	1.22	C56
Other female genital organs							68	0.2	0.9	<b>0.4</b>	0.03	0.05	C57
Placenta							2	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	89	0.3	1.3	<b>0.8</b>	0.05	0.10							C60
Prostate	3533	12.6	50.7	<b>32.4</b>	1.20	4.23							C61
Testis	453	1.6	6.5	<b>5.6</b>	0.40	0.42							C62
Other male genital organs	11	0.0	0.2	<b>0.1</b>	0.00	0.01							C63
Kidney	1222	4.4	17.6	<b>11.7</b>	0.68	1.48	814	2.9	10.8	<b>5.9</b>	0.36	0.71	C64
Renal pelvis	47	0.2	0.7	<b>0.4</b>	0.02	0.06	32	0.1	0.4	<b>0.2</b>	0.01	0.03	C65
Ureter	14	0.1	0.2	<b>0.1</b>	0.01	0.01	13	0.0	0.2	<b>0.1</b>	0.01	0.01	C66
†Bladder	2574	9.2	37.0	<b>23.4</b>	1.06	2.94	792	2.8	10.5	<b>5.0</b>	0.28	0.64	C67
Other urinary organs	11	0.0	0.2	<b>0.1</b>	0.00	0.01	8	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	48	0.2	0.7	<b>0.5</b>	0.03	0.05	69	0.2	0.9	<b>0.7</b>	0.04	0.07	C69
Brain and nervous system	705	2.5	10.1	<b>7.4</b>	0.45	0.80	703	2.5	9.3	<b>5.8</b>	0.36	0.61	C70-72
Thyroid	112	0.4	1.6	<b>1.1</b>	0.08	0.12	490	1.8	6.5	<b>4.5</b>	0.34	0.47	C73
Adrenal gland	30	0.1	0.4	<b>0.4</b>	0.02	0.03	32	0.1	0.4	<b>0.4</b>	0.02	0.03	C74
Other endocrine	12	0.0	0.2	<b>0.1</b>	0.01	0.01	12	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	124	0.4	1.8	<b>1.5</b>	0.11	0.13	111	0.4	1.5	<b>1.5</b>	0.10	0.11	C81
Non-Hodgkin lymphoma	483	1.7	6.9	<b>4.7</b>	0.27	0.54	507	1.8	6.7	<b>3.6</b>	0.24	0.40	C82-86,C96
Immunoproliferative diseases	15	0.1	0.2	<b>0.1</b>	0.01	0.02	8	0.0	0.1	<b>0.0</b>	0.00	0.01	C88
Multiple myeloma	223	0.8	3.2	<b>2.0</b>	0.11	0.23	286	1.0	3.8	<b>1.9</b>	0.11	0.25	C90
Lymphoid leukaemia	418	1.5	6.0	<b>5.0</b>	0.26	0.48	256	0.9	3.4	<b>2.2</b>	0.11	0.21	C91
Myeloid leukaemia	223	0.8	3.2	<b>2.3</b>	0.11	0.25	206	0.7	2.7	<b>1.6</b>	0.09	0.17	C92-94
Leukaemia unspecified	24	0.1	0.3	<b>0.2</b>	0.01	0.01	24	0.1	0.3	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1045	3.7	15.0	<b>9.6</b>	0.44	1.15	1158	4.1	15.4	<b>6.6</b>	0.31	0.66	O&U
All sites	30089		432.1	<b>282.3</b>	14.40	34.59	30260		401.7	<b>217.5</b>	14.24	25.17	C00-96
All sites except C44	27956	100.0	401.5	<b>263.5</b>	13.67	32.52	27940	100.0	370.9	<b>203.7</b>	13.58	23.60	C00-96 exc. C44

† See note following population pyramid

# Poland, Lublin

## CONTRIBUTORS

Beata Koscianska  
Justyna Nieweglowska  
Monika Malec  
Tadeusz Rogalewski



## NOTES ON THE DATA

\*No DCO registrations. †C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	55.7	Breast	47.1
Prostate	34.4	Non-melanoma skin cancer	15.4
Bladder	18.8	Corpus uteri	15.1
Non-melanoma skin cancer	18.5	Trachea, bronchus, and lung	13.9
Colon	16.0	Ovary	12.2
Rectum	14.1	Colon	10.4
Kidney	11.5	Cervix uteri	10.3
Stomach	10.8	Kidney	6.5
Other and unspecified	9.6	Rectum	6.4
Larynx	8.6	Other and unspecified	5.7
Brain and nervous system	7.1	Brain and nervous system	5.3
Lymphoid leukaemia	6.1	Thyroid	4.8
Pancreas	5.6	Stomach	4.2
Non-Hodgkin lymphoma	5.4	Lymphoid leukaemia	4.0
Testis	4.1	Pancreas	3.7
Melanoma of skin	3.8	Non-Hodgkin lymphoma	3.7
Myeloid leukaemia	3.1	Bladder	3.6
Oesophagus	3.0	Melanoma of skin	3.2
Liver	2.5	Gallbladder etc.	2.3
Multiple myeloma	2.2	Multiple myeloma	2.2
All sites	264.3	All sites	195.7

## \*Poland, Lublin (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	153	0.8	2.9	<b>1.8</b>	0.08	0.21	54	0.3	1.0	<b>0.4</b>	0.01	0.04	C00
Tongue	106	0.5	2.0	<b>1.4</b>	0.12	0.18	29	0.2	0.5	<b>0.3</b>	0.01	0.03	C01-02
Mouth	129	0.7	2.5	<b>1.7</b>	0.15	0.21	61	0.4	1.1	<b>0.7</b>	0.06	0.07	C03-06
Salivary glands	62	0.3	1.2	<b>0.8</b>	0.05	0.09	58	0.3	1.0	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	51	0.3	1.0	<b>0.7</b>	0.06	0.09	22	0.1	0.4	<b>0.2</b>	0.02	0.03	C09
Other oropharynx	144	0.7	2.7	<b>1.9</b>	0.16	0.24	17	0.1	0.3	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	27	0.1	0.5	<b>0.4</b>	0.03	0.05	14	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	69	0.4	1.3	<b>0.9</b>	0.07	0.12	11	0.1	0.2	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	24	0.1	0.5	<b>0.3</b>	0.02	0.04	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	233	1.2	4.4	<b>3.0</b>	0.21	0.40	44	0.3	0.8	<b>0.4</b>	0.02	0.05	C15
Stomach	881	4.5	16.7	<b>10.8</b>	0.60	1.32	475	2.7	8.5	<b>4.2</b>	0.25	0.48	C16
Small intestine	49	0.3	0.9	<b>0.6</b>	0.03	0.07	48	0.3	0.9	<b>0.5</b>	0.03	0.06	C17
Colon	1341	6.9	25.5	<b>16.0</b>	0.72	1.95	1179	6.8	21.1	<b>10.4</b>	0.55	1.30	C18
Rectum	1148	5.9	21.8	<b>14.1</b>	0.77	1.81	740	4.3	13.2	<b>6.4</b>	0.35	0.83	C19-20
Anus	26	0.1	0.5	<b>0.3</b>	0.01	0.03	36	0.2	0.6	<b>0.3</b>	0.02	0.04	C21
Liver	202	1.0	3.8	<b>2.5</b>	0.14	0.29	147	0.9	2.6	<b>1.3</b>	0.08	0.14	C22
Gallbladder etc.	109	0.6	2.1	<b>1.2</b>	0.06	0.15	299	1.7	5.3	<b>2.3</b>	0.12	0.26	C23-24
Pancreas	464	2.4	8.8	<b>5.6</b>	0.32	0.67	444	2.6	7.9	<b>3.7</b>	0.18	0.45	C25
Nose, sinuses etc.	42	0.2	0.8	<b>0.6</b>	0.04	0.07	28	0.2	0.5	<b>0.3</b>	0.02	0.02	C30-31
Larynx	656	3.4	12.5	<b>8.6</b>	0.67	1.10	58	0.3	1.0	<b>0.6</b>	0.06	0.08	C32
Trachea, bronchus, and lung	4488	22.9	85.3	<b>55.7</b>	3.13	7.34	1396	8.1	25.0	<b>13.9</b>	0.98	1.77	C33-34
Other thoracic organs	44	0.2	0.8	<b>0.5</b>	0.03	0.07	14	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	64	0.3	1.2	<b>1.1</b>	0.07	0.09	38	0.2	0.7	<b>0.7</b>	0.04	0.05	C40-41
Melanoma of skin	293	1.5	5.6	<b>3.8</b>	0.23	0.47	310	1.8	5.5	<b>3.2</b>	0.21	0.35	C43
Other skin	1578		30.0	<b>18.5</b>	0.72	2.15	2034		36.4	<b>15.4</b>	0.70	1.77	C44
Mesothelioma	33	0.2	0.6	<b>0.5</b>	0.04	0.05	28	0.2	0.5	<b>0.3</b>	0.02	0.04	C45
Kaposi sarcoma	4	0.0	0.1	<b>0.1</b>	0.00	0.00	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	114	0.6	2.2	<b>1.8</b>	0.11	0.18	107	0.6	1.9	<b>1.5</b>	0.10	0.14	C47+C49
Breast	40	0.2	0.8	<b>0.5</b>	0.03	0.06	4163	24.1	74.4	<b>47.1</b>	3.65	5.40	C50
Vulva							139	0.8	2.5	<b>1.2</b>	0.07	0.13	C51
Vagina							26	0.2	0.5	<b>0.2</b>	0.02	0.03	C52
Cervix uteri							850	4.9	15.2	<b>10.3</b>	0.86	1.12	C53
Corpus uteri							1450	8.4	25.9	<b>15.1</b>	1.10	1.95	C54
Uterus unspecified							10	0.1	0.2	<b>0.1</b>	0.00	0.01	C55
Ovary							1065	6.2	19.0	<b>12.2</b>	0.93	1.37	C56
Other female genital organs							33	0.2	0.6	<b>0.3</b>	0.02	0.04	C57
Placenta							3	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	58	0.3	1.1	<b>0.8</b>	0.04	0.08							C60
Prostate	2929	15.0	55.6	<b>34.4</b>	1.22	4.41							C61
Testis	246	1.3	4.7	<b>4.1</b>	0.29	0.31							C62
Other male genital organs	11	0.1	0.2	<b>0.2</b>	0.01	0.02							C63
Kidney	883	4.5	16.8	<b>11.5</b>	0.73	1.42	608	3.5	10.9	<b>6.5</b>	0.44	0.75	C64
Renal pelvis	37	0.2	0.7	<b>0.4</b>	0.03	0.05	13	0.1	0.2	<b>0.1</b>	0.01	0.01	C65
Ureter	18	0.1	0.3	<b>0.2</b>	0.01	0.03	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C66
†Bladder	1588	8.1	30.2	<b>18.8</b>	0.83	2.26	405	2.3	7.2	<b>3.6</b>	0.24	0.45	C67
Other urinary organs	10	0.1	0.2	<b>0.1</b>	0.00	0.01	4	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	42	0.2	0.8	<b>0.7</b>	0.04	0.07	45	0.3	0.8	<b>0.6</b>	0.03	0.06	C69
Brain and nervous system	498	2.5	9.5	<b>7.1</b>	0.46	0.76	442	2.6	7.9	<b>5.3</b>	0.33	0.56	C70-72
Thyroid	78	0.4	1.5	<b>1.1</b>	0.08	0.12	357	2.1	6.4	<b>4.8</b>	0.37	0.48	C73
Adrenal gland	18	0.1	0.3	<b>0.3</b>	0.02	0.03	26	0.2	0.5	<b>0.4</b>	0.03	0.04	C74
Other endocrine	16	0.1	0.3	<b>0.2</b>	0.01	0.02	9	0.1	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	96	0.5	1.8	<b>1.6</b>	0.11	0.12	119	0.7	2.1	<b>2.0</b>	0.14	0.15	C81
Non-Hodgkin lymphoma	396	2.0	7.5	<b>5.4</b>	0.30	0.62	384	2.2	6.9	<b>3.7</b>	0.20	0.43	C82-86,C96
Immunoproliferative diseases	23	0.1	0.4	<b>0.3</b>	0.02	0.04	21	0.1	0.4	<b>0.2</b>	0.01	0.02	C88
Multiple myeloma	177	0.9	3.4	<b>2.2</b>	0.11	0.30	234	1.4	4.2	<b>2.2</b>	0.13	0.29	C90
Lymphoid leukaemia	405	2.1	7.7	<b>6.1</b>	0.31	0.62	330	1.9	5.9	<b>4.0</b>	0.21	0.36	C91
Myeloid leukaemia	215	1.1	4.1	<b>3.1</b>	0.15	0.33	164	0.9	2.9	<b>1.9</b>	0.12	0.19	C92-94
Leukaemia unspecified	10	0.1	0.2	<b>0.1</b>	0.00	0.02	10	0.1	0.2	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	19	0.1	0.4	<b>0.3</b>	0.02	0.03	18	0.1	0.3	<b>0.2</b>	0.01	0.02	MPD
Myelodysplastic syndromes	2	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	791	4.0	15.0	<b>9.6</b>	0.49	1.16	694	4.0	12.4	<b>5.7</b>	0.31	0.65	O&U
All sites	21140		401.6	<b>264.3</b>	13.95	32.33	19318		345.3	<b>195.7</b>	13.12	22.67	C00-96
All sites except C44	19562	100.0	371.6	<b>245.8</b>	13.23	30.18	17284	100.0	308.9	<b>180.3</b>	12.42	20.90	C00-96 exc. C44

†\*See note following population pyramid

# Poland, Podkarpackie

## CONTRIBUTORS

Monika Grądalska-Lampart  
Aneta Radziszewska



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	50.9	Breast	41.2
Prostate	37.6	Corpus uteri	17.0
Bladder	19.1	Trachea, bronchus, and lung	11.7
Colon	15.5	Non-melanoma skin cancer	11.6
Non-melanoma skin cancer	15.5	Ovary	10.8
Rectum	15.2	Colon	10.0
Kidney	14.1	Cervix uteri	8.1
Stomach	14.0	Rectum	7.3
Other and unspecified	8.4	Thyroid	7.1
Pancreas	7.6	Kidney	6.7
Brain and nervous system	7.3	Brain and nervous system	6.6
Larynx	6.9	Stomach	5.0
Non-Hodgkin lymphoma	6.1	Other and unspecified	4.9
Lymphoid leukaemia	6.0	Pancreas	4.8
Melanoma of skin	4.7	Non-Hodgkin lymphoma	4.0
Oesophagus	3.3	Melanoma of skin	3.8
Testis	3.3	Lymphoid leukaemia	3.8
Liver	3.0	Bladder	3.4
Multiple myeloma	2.8	Gallbladder etc.	3.4
Myeloid leukaemia	2.7	Multiple myeloma	2.5
All sites	270.2	All sites	189.8

## Poland, Podkarpackie (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	121	0.6	2.3	1.5	0.05	0.14	43	0.3	0.8	0.3	0.01	0.02	C00
Tongue	126	0.7	2.4	1.8	0.15	0.22	21	0.1	0.4	0.2	0.01	0.02	C01-02
Mouth	143	0.8	2.8	2.0	0.15	0.26	35	0.2	0.6	0.4	0.02	0.04	C03-06
Salivary glands	44	0.2	0.8	0.6	0.04	0.06	35	0.2	0.6	0.4	0.02	0.04	C07-08
Tonsil	75	0.4	1.4	1.0	0.09	0.13	13	0.1	0.2	0.1	0.01	0.02	C09
Other oropharynx	70	0.4	1.4	1.0	0.09	0.12	16	0.1	0.3	0.2	0.02	0.02	C10
Nasopharynx	50	0.3	1.0	0.8	0.05	0.09	12	0.1	0.2	0.1	0.01	0.02	C11
Hypopharynx	103	0.5	2.0	1.4	0.13	0.18	8	0.0	0.1	0.1	0.01	0.01	C12-13
Pharynx unspecified	53	0.3	1.0	0.7	0.05	0.09	6	0.0	0.1	0.1	0.00	0.01	C14
Oesophagus	240	1.3	4.6	3.3	0.24	0.40	64	0.4	1.2	0.6	0.03	0.08	C15
Stomach	1079	5.7	20.8	14.0	0.72	1.66	564	3.5	10.4	5.0	0.26	0.55	C16
Small intestine	44	0.2	0.8	0.6	0.04	0.07	29	0.2	0.5	0.3	0.01	0.05	C17
Colon	1183	6.3	22.8	15.5	0.73	1.93	1044	6.5	19.3	10.0	0.54	1.21	C18
Rectum	1153	6.1	22.2	15.2	0.77	1.86	740	4.6	13.7	7.3	0.39	0.90	C19-20
Anus	25	0.1	0.5	0.4	0.02	0.04	37	0.2	0.7	0.3	0.02	0.04	C21
Liver	216	1.1	4.2	3.0	0.14	0.36	155	1.0	2.9	1.5	0.07	0.16	C22
Gallbladder etc.	150	0.8	2.9	1.9	0.09	0.19	368	2.3	6.8	3.4	0.17	0.42	C23-24
Pancreas	573	3.0	11.1	7.6	0.44	0.92	526	3.3	9.7	4.8	0.25	0.56	C25
Nose, sinuses etc.	40	0.2	0.8	0.5	0.03	0.06	17	0.1	0.3	0.2	0.01	0.02	C30-31
Larynx	509	2.7	9.8	6.9	0.49	0.90	45	0.3	0.8	0.5	0.03	0.07	C32
Trachea, bronchus, and lung	3839	20.4	74.0	50.9	2.57	6.55	1122	7.0	20.7	11.7	0.78	1.44	C33-34
Other thoracic organs	49	0.3	0.9	0.7	0.03	0.08	41	0.3	0.8	0.5	0.03	0.05	C37-38
Bone	68	0.4	1.3	1.1	0.06	0.10	53	0.3	1.0	0.7	0.04	0.06	C40-41
Melanoma of skin	338	1.8	6.5	4.7	0.29	0.53	340	2.1	6.3	3.8	0.27	0.43	C43
Other skin	1234		23.8	15.5	0.61	1.70	1328		24.5	11.6	0.51	1.29	C44
Mesothelioma	39	0.2	0.8	0.6	0.02	0.08	20	0.1	0.4	0.3	0.02	0.03	C45
Kaposi sarcoma	1	0.0	0.0	0.0	0.00	0.00	6	0.0	0.1	0.1	0.00	0.01	C46
Connective and soft tissue	104	0.6	2.0	1.6	0.10	0.15	126	0.8	2.3	1.6	0.11	0.16	C47+C49
Breast	40	0.2	0.8	0.5	0.03	0.07	3408	21.3	62.9	41.2	3.16	4.72	C50
Vulva							122	0.8	2.3	1.1	0.05	0.13	C51
Vagina							29	0.2	0.5	0.3	0.02	0.04	C52
Cervix uteri							645	4.0	11.9	8.1	0.64	0.90	C53
Corpus uteri							1504	9.4	27.8	17.0	1.22	2.17	C54
Uterus unspecified							15	0.1	0.3	0.1	0.01	0.01	C55
Ovary							910	5.7	16.8	10.8	0.78	1.26	C56
Other female genital organs							30	0.2	0.6	0.3	0.01	0.03	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	55	0.3	1.1	0.8	0.04	0.09							C60
Prostate	2881	15.3	55.6	37.6	1.37	4.81							C61
Testis	196	1.0	3.8	3.3	0.23	0.25							C62
Other male genital organs	6	0.0	0.1	0.1	0.00	0.01							C63
Kidney	1005	5.3	19.4	14.1	0.84	1.79	596	3.7	11.0	6.7	0.40	0.79	C64
Renal pelvis	34	0.2	0.7	0.5	0.02	0.07	19	0.1	0.4	0.2	0.01	0.03	C65
Ureter	18	0.1	0.3	0.2	0.01	0.03	12	0.1	0.2	0.1	0.01	0.01	C66
†Bladder	1471	7.8	28.4	19.1	0.85	2.30	329	2.1	6.1	3.4	0.20	0.40	C67
Other urinary organs	2	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.0	0.00	0.01	C68
Eye	32	0.2	0.6	0.6	0.03	0.05	30	0.2	0.6	0.4	0.02	0.04	C69
Brain and nervous system	459	2.4	8.9	7.3	0.44	0.74	506	3.2	9.3	6.6	0.38	0.65	C70-72
Thyroid	122	0.6	2.4	1.8	0.12	0.20	499	3.1	9.2	7.1	0.56	0.71	C73
Adrenal gland	21	0.1	0.4	0.4	0.01	0.03	20	0.1	0.4	0.3	0.02	0.03	C74
Other endocrine	15	0.1	0.3	0.2	0.01	0.03	14	0.1	0.3	0.2	0.01	0.02	C75
Hodgkin lymphoma	110	0.6	2.1	1.9	0.12	0.16	106	0.7	2.0	1.8	0.13	0.14	C81
Non-Hodgkin lymphoma	433	2.3	8.4	6.1	0.33	0.70	365	2.3	6.7	4.0	0.24	0.46	C82-86,C96
Immunoproliferative diseases	11	0.1	0.2	0.1	0.01	0.01	6	0.0	0.1	0.1	0.00	0.01	C88
Multiple myeloma	223	1.2	4.3	2.8	0.16	0.34	258	1.6	4.8	2.5	0.11	0.33	C90
Lymphoid leukaemia	385	2.0	7.4	6.0	0.29	0.64	305	1.9	5.6	3.8	0.16	0.34	C91
Myeloid leukaemia	188	1.0	3.6	2.7	0.14	0.28	187	1.2	3.5	2.0	0.12	0.21	C92-94
Leukaemia unspecified	25	0.1	0.5	0.3	0.01	0.03	27	0.2	0.5	0.4	0.02	0.03	C95
Myeloproliferative disorders	31	0.2	0.6	0.4	0.03	0.05	34	0.2	0.6	0.4	0.02	0.05	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MDS
Other and unspecified	639	3.4	12.3	8.4	0.40	0.96	570	3.6	10.5	4.9	0.22	0.51	O&U
All sites	20071		387.1	270.2	13.69	32.51	17364		320.7	189.8	12.19	21.74	C00-96
All sites except C44	18837	100.0	363.3	254.7	13.08	30.81	16036	100.0	296.2	178.2	11.68	20.45	C00-96 exc. C44

† See note following population pyramid

# Portugal, Azores

## CONTRIBUTORS

Goncalo Forjaz  
Diana Mendonca  
Jose Cabral  
Jorge Camara  
Vitor Rodrigues  
Raul Rego



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	82.8	Breast	67.1
Non-melanoma skin cancer	74.1	Non-melanoma skin cancer	42.2
Trachea, bronchus, and lung	69.8	Corpus uteri	14.7
Colon	22.1	Colon	13.4
Stomach	21.5	Thyroid	11.2
Bladder	18.6	Trachea, bronchus, and lung	8.5
Larynx	17.3	Stomach	8.2
Non-Hodgkin lymphoma	12.8	Cervix uteri	8.0
Rectum	10.7	Ovary	7.8
Other and unspecified	10.2	Non-Hodgkin lymphoma	7.7
Pancreas	9.1	Rectum	5.6
Kidney	8.8	Melanoma of skin	5.2
Melanoma of skin	6.7	Other and unspecified	4.8
Oesophagus	6.7	Pancreas	4.6
Tongue	6.4	Gallbladder etc.	4.1
Mouth	6.0	Myeloid leukaemia	3.3
Testis	5.8	Kidney	3.3
Liver	5.7	Myelodysplastic syndromes	3.1
Brain and nervous system	5.4	Brain and nervous system	3.1
Lip	4.8	Hodgkin lymphoma	3.1
All sites	456.2	All sites	251.5




## Portugal, Azores (2008–2011)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	35	1.4	7.2	<b>4.8</b>	0.29	0.47	12	0.7	2.4	<b>1.3</b>	0.05	0.18	C00
Tongue	39	1.5	8.0	<b>6.4</b>	0.57	0.77	7	0.4	1.4	<b>0.9</b>	0.05	0.10	C01-02
Mouth	37	1.5	7.6	<b>6.0</b>	0.45	0.75	11	0.7	2.2	<b>1.5</b>	0.10	0.13	C03-06
Salivary glands	6	0.2	1.2	<b>1.0</b>	0.05	0.16	2	0.1	0.4	<b>0.2</b>	0.00	0.03	C07-08
Tonsil	28	1.1	5.8	<b>4.6</b>	0.48	0.54	2	0.1	0.4	<b>0.2</b>	0.00	0.03	C09
Other oropharynx	10	0.4	2.1	<b>1.6</b>	0.17	0.17	2	0.1	0.4	<b>0.2</b>	0.02	0.02	C10
Nasopharynx	14	0.6	2.9	<b>2.2</b>	0.18	0.24	1	0.1	0.2	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	26	1.0	5.3	<b>4.1</b>	0.40	0.49	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	3	0.1	0.6	<b>0.4</b>	0.03	0.03	2	0.1	0.4	<b>0.2</b>	0.02	0.02	C14
Oesophagus	44	1.7	9.0	<b>6.7</b>	0.40	0.83	2	0.1	0.4	<b>0.3</b>	0.01	0.01	C15
Stomach	137	5.4	28.1	<b>21.5</b>	1.22	2.63	75	4.5	15.0	<b>8.2</b>	0.48	0.85	C16
Small intestine	5	0.2	1.0	<b>0.8</b>	0.07	0.07	3	0.2	0.6	<b>0.3</b>	0.01	0.01	C17
Colon	153	6.1	31.4	<b>22.1</b>	1.01	2.89	120	7.2	24.0	<b>13.4</b>	0.78	1.41	C18
Rectum	70	2.8	14.4	<b>10.7</b>	0.70	1.28	48	2.9	9.6	<b>5.6</b>	0.42	0.70	C19-20
Anus	3	0.1	0.6	<b>0.4</b>	0.04	0.04	4	0.2	0.8	<b>0.5</b>	0.03	0.06	C21
Liver	35	1.4	7.2	<b>5.7</b>	0.33	0.75	8	0.5	1.6	<b>0.9</b>	0.09	0.09	C22
Gallbladder etc.	28	1.1	5.8	<b>4.0</b>	0.15	0.46	38	2.3	7.6	<b>4.1</b>	0.24	0.48	C23-24
Pancreas	61	2.4	12.5	<b>9.1</b>	0.61	1.17	42	2.5	8.4	<b>4.6</b>	0.24	0.53	C25
Nose, sinuses etc.	6	0.2	1.2	<b>0.9</b>	0.06	0.10	3	0.2	0.6	<b>0.4</b>	0.03	0.03	C30-31
Larynx	107	4.2	22.0	<b>17.3</b>	1.29	2.29	6	0.4	1.2	<b>0.9</b>	0.08	0.11	C32
Trachea, bronchus, and lung	459	18.2	94.3	<b>69.8</b>	3.99	9.23	71	4.3	14.2	<b>8.5</b>	0.53	1.03	C33-34
Other thoracic organs	3	0.1	0.6	<b>0.5</b>	0.04	0.07	1	0.1	0.2	<b>0.2</b>	0.01	0.01	C37-38
Bone	7	0.3	1.4	<b>1.1</b>	0.07	0.07	2	0.1	0.4	<b>0.5</b>	0.03	0.03	C40-41
Melanoma of skin	43	1.7	8.8	<b>6.7</b>	0.44	0.70	38	2.3	7.6	<b>5.2</b>	0.36	0.54	C43
Other skin	520		106.8	<b>74.1</b>	3.07	8.87	376		75.1	<b>42.2</b>	2.46	4.80	C44
Mesothelioma	1	0.0	0.2	<b>0.1</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C45
Kaposi sarcoma	3	0.1	0.6	<b>0.4</b>	0.01	0.01	6	0.4	1.2	<b>0.5</b>	0.00	0.05	C46
Connective and soft tissue	11	0.4	2.3	<b>2.2</b>	0.11	0.15	9	0.5	1.8	<b>1.2</b>	0.08	0.14	C47+C49
Breast	5	0.2	1.0	<b>0.7</b>	0.00	0.10	493	29.8	98.4	<b>67.1</b>	4.85	7.65	C50
Vulva							10	0.6	2.0	<b>1.1</b>	0.06	0.17	C51
Vagina							3	0.2	0.6	<b>0.4</b>	0.04	0.04	C52
Cervix uteri							56	3.4	11.2	<b>8.0</b>	0.56	0.87	C53
Corpus uteri							119	7.2	23.8	<b>14.7</b>	0.77	1.97	C54
Uterus unspecified							2	0.1	0.4	<b>0.1</b>	0.00	0.00	C55
Ovary							61	3.7	12.2	<b>7.8</b>	0.42	0.87	C56
Other female genital organs							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	7	0.3	1.4	<b>1.2</b>	0.06	0.15							C60
Prostate	563	22.3	115.7	<b>82.8</b>	3.68	11.00							C61
Testis	32	1.3	6.6	<b>5.8</b>	0.42	0.42							C62
Other male genital organs	3	0.1	0.6	<b>0.4</b>	0.02	0.05							C63
Kidney	60	2.4	12.3	<b>8.8</b>	0.48	1.07	32	1.9	6.4	<b>3.3</b>	0.17	0.35	C64
Renal pelvis	6	0.2	1.2	<b>0.9</b>	0.07	0.11	1	0.1	0.2	<b>0.1</b>	0.00	0.00	C65
Ureter	3	0.1	0.6	<b>0.4</b>	0.02	0.06	1	0.1	0.2	<b>0.1</b>	0.00	0.03	C66
Bladder	136	5.4	27.9	<b>18.6</b>	0.73	1.89	13	0.8	2.6	<b>1.6</b>	0.11	0.17	C67
Other urinary organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	6	0.2	1.2	<b>1.2</b>	0.07	0.11	1	0.1	0.2	<b>0.2</b>	0.01	0.01	C69
Brain and nervous system	36	1.4	7.4	<b>5.4</b>	0.34	0.48	26	1.6	5.2	<b>3.1</b>	0.12	0.35	C70-72
Thyroid	9	0.4	1.8	<b>1.6</b>	0.12	0.12	70	4.2	14.0	<b>11.2</b>	0.84	1.15	C73
Adrenal gland	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.1	0.2	<b>0.2</b>	0.01	0.01	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.1	0.2	<b>0.2</b>	0.01	0.01	C75
Hodgkin lymphoma	21	0.8	4.3	<b>3.7</b>	0.26	0.26	16	1.0	3.2	<b>3.1</b>	0.19	0.21	C81
Non-Hodgkin lymphoma	83	3.3	17.1	<b>12.8</b>	0.71	1.54	60	3.6	12.0	<b>7.7</b>	0.47	0.89	C82-86,C96
Immunoproliferative diseases	7	0.3	1.4	<b>1.0</b>	0.07	0.07	6	0.4	1.2	<b>0.6</b>	0.04	0.07	C88
Multiple myeloma	18	0.7	3.7	<b>2.5</b>	0.16	0.27	21	1.3	4.2	<b>2.6</b>	0.16	0.35	C90
Lymphoid leukaemia	24	1.0	4.9	<b>3.8</b>	0.17	0.47	22	1.3	4.4	<b>2.7</b>	0.16	0.32	C91
Myeloid leukaemia	20	0.8	4.1	<b>3.2</b>	0.18	0.36	26	1.6	5.2	<b>3.3</b>	0.21	0.34	C92-94
Leukaemia unspecified	3	0.1	0.6	<b>0.7</b>	0.03	0.03	2	0.1	0.4	<b>0.5</b>	0.02	0.02	C95
Myeloproliferative disorders	11	0.4	2.3	<b>1.6</b>	0.08	0.22	20	1.2	4.0	<b>2.0</b>	0.09	0.17	MPD
Myelodysplastic syndromes	25	1.0	5.1	<b>3.5</b>	0.15	0.41	28	1.7	5.6	<b>3.1</b>	0.19	0.37	MDS
Other and unspecified	72	2.9	14.8	<b>10.2</b>	0.62	1.03	50	3.0	10.0	<b>4.8</b>	0.29	0.48	O&U
All sites	3044		625.4	<b>456.2</b>	24.71	55.43	2032		405.8	<b>251.5</b>	15.94	28.29	C00-96
All sites except C44	2524	100.0	518.5	<b>382.0</b>	21.63	46.56	1656	100.0	330.7	<b>209.3</b>	13.48	23.49	C00-96 exc. C44

# Russian Federation, Arkhangelsk

## CONTRIBUTORS

Mikhail Valkov  
Elena Potekhina  
Alexandra Pankratieva  
Dmitry Korotov



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	66.2	Breast	39.3
Stomach	36.5	Non-melanoma skin cancer	22.3
Prostate	34.0	Stomach	16.1
Non-melanoma skin cancer	24.5	Colon	15.6
Colon	19.9	Cervix uteri	15.2
Rectum	16.4	Corpus uteri	13.0
Bladder	14.3	Rectum	9.2
Kidney	14.3	Ovary	8.6
Oesophagus	12.8	Kidney	7.8
Pancreas	9.9	Trachea, bronchus, and lung	6.4
Other and unspecified	9.6	Other and unspecified	6.1
Larynx	6.7	Thyroid	5.8
Liver	5.8	Melanoma of skin	5.7
Non-Hodgkin lymphoma	5.5	Pancreas	5.5
Brain and nervous system	5.0	Brain and nervous system	5.0
Lymphoid leukaemia	4.3	Non-Hodgkin lymphoma	3.2
Melanoma of skin	4.2	Oesophagus	2.7
Mouth	3.4	Lymphoid leukaemia	2.7
Lip	3.0	Bladder	2.4
Hypopharynx	3.0	Liver	2.3
All sites	326.8	All sites	214.0


## Russian Federation, Arkhangelsk (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	
Lip	114	1.1	4.0	<b>3.0</b>	0.13	0.37	38	0.3	1.2	<b>0.5</b>	0.01	0.05	C00
Tongue	69	0.6	2.4	<b>2.0</b>	0.14	0.25	35	0.3	1.1	<b>0.6</b>	0.04	0.07	C01-02
Mouth	123	1.2	4.3	<b>3.4</b>	0.28	0.39	39	0.3	1.2	<b>0.6</b>	0.05	0.07	C03-06
Salivary glands	26	0.2	0.9	<b>0.7</b>	0.05	0.07	27	0.2	0.8	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	23	0.2	0.8	<b>0.7</b>	0.05	0.07	13	0.1	0.4	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	94	0.9	3.3	<b>2.5</b>	0.20	0.32	17	0.2	0.5	<b>0.3</b>	0.03	0.04	C10
Nasopharynx	10	0.1	0.3	<b>0.3</b>	0.01	0.04	7	0.1	0.2	<b>0.1</b>	0.01	0.02	C11
Hypopharynx	116	1.1	4.0	<b>3.0</b>	0.21	0.41	12	0.1	0.4	<b>0.2</b>	0.01	0.03	C12-13
Pharynx unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	462	4.3	16.0	<b>12.8</b>	0.74	1.59	208	1.9	6.3	<b>2.7</b>	0.11	0.28	C15
Stomach	1317	12.3	45.7	<b>36.5</b>	1.98	4.37	1124	10.1	34.1	<b>16.1</b>	0.74	1.82	C16
Small intestine	29	0.3	1.0	<b>0.8</b>	0.04	0.08	31	0.3	0.9	<b>0.4</b>	0.03	0.05	C17
Colon	695	6.5	24.1	<b>19.9</b>	0.78	2.33	1088	9.7	33.0	<b>15.6</b>	0.75	1.86	C18
Rectum	595	5.6	20.6	<b>16.4</b>	0.82	2.15	607	5.4	18.4	<b>9.2</b>	0.52	1.12	C19-20
Anus	8	0.1	0.3	<b>0.2</b>	0.02	0.03	18	0.2	0.5	<b>0.3</b>	0.03	0.04	C21
Liver	193	1.8	6.7	<b>5.8</b>	0.31	0.68	165	1.5	5.0	<b>2.3</b>	0.10	0.23	C22
Gallbladder etc.	49	0.5	1.7	<b>1.5</b>	0.05	0.20	132	1.2	4.0	<b>1.8</b>	0.08	0.22	C23-24
Pancreas	349	3.3	12.1	<b>9.9</b>	0.54	1.14	392	3.5	11.9	<b>5.5</b>	0.25	0.64	C25
Nose, sinuses etc.	34	0.3	1.2	<b>0.9</b>	0.08	0.10	21	0.2	0.6	<b>0.4</b>	0.03	0.04	C30-31
Larynx	245	2.3	8.5	<b>6.7</b>	0.48	0.85	18	0.2	0.5	<b>0.3</b>	0.02	0.04	C32
Trachea, bronchus, and lung	2363	22.2	81.9	<b>66.2</b>	3.70	8.41	426	3.8	12.9	<b>6.4</b>	0.39	0.75	C33-34
Other thoracic organs	26	0.2	0.9	<b>0.7</b>	0.07	0.07	17	0.2	0.5	<b>0.3</b>	0.02	0.03	C37-38
Bone	28	0.3	1.0	<b>0.8</b>	0.05	0.08	30	0.3	0.9	<b>0.6</b>	0.03	0.05	C40-41
Melanoma of skin	154	1.4	5.3	<b>4.2</b>	0.28	0.42	298	2.7	9.0	<b>5.7</b>	0.39	0.65	C43
Other skin	830		28.8	<b>24.5</b>	1.04	2.69	1476		44.8	<b>22.3</b>	1.17	2.64	C44
Mesothelioma	21	0.2	0.7	<b>0.6</b>	0.02	0.07	16	0.1	0.5	<b>0.2</b>	0.01	0.03	C45
Kaposi sarcoma	1	0.0	0.0	<b>0.0</b>	0.00	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	59	0.6	2.0	<b>1.9</b>	0.11	0.18	82	0.7	2.5	<b>1.6</b>	0.10	0.15	C47+C49
Breast	11	0.1	0.4	<b>0.4</b>	0.02	0.04	2163	19.3	65.6	<b>39.3</b>	3.02	4.53	C50
Vulva							84	0.8	2.5	<b>1.2</b>	0.05	0.13	C51
Vagina							12	0.1	0.4	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							680	6.1	20.6	<b>15.2</b>	1.19	1.40	C53
Corpus uteri							728	6.5	22.1	<b>13.0</b>	1.04	1.58	C54
Uterus unspecified							33	0.3	1.0	<b>0.5</b>	0.04	0.06	C55
Ovary							461	4.1	14.0	<b>8.6</b>	0.63	0.96	C56
Other female genital organs							9	0.1	0.3	<b>0.1</b>	0.01	0.01	C57
Placenta							2	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	29	0.3	1.0	<b>0.9</b>	0.05	0.11							C60
Prostate	1162	10.9	40.3	<b>34.0</b>	1.08	4.20							C61
Testis	81	0.8	2.8	<b>2.3</b>	0.17	0.19							C62
Other male genital organs	5	0.0	0.2	<b>0.1</b>	0.00	0.00							C63
Kidney	496	4.6	17.2	<b>14.3</b>	0.88	1.60	448	4.0	13.6	<b>7.8</b>	0.52	0.91	C64
Renal pelvis	15	0.1	0.5	<b>0.4</b>	0.03	0.06	5	0.0	0.2	<b>0.1</b>	0.00	0.01	C65
Ureter	5	0.0	0.2	<b>0.1</b>	0.00	0.01	5	0.0	0.2	<b>0.1</b>	0.00	0.02	C66
Bladder	500	4.7	17.3	<b>14.3</b>	0.71	1.76	161	1.4	4.9	<b>2.4</b>	0.11	0.29	C67
Other urinary organs	1	0.0	0.0	<b>0.0</b>	0.00	0.01	3	0.0	0.1	<b>0.1</b>	0.01	0.01	C68
Eye	25	0.2	0.9	<b>0.9</b>	0.05	0.08	32	0.3	1.0	<b>0.7</b>	0.03	0.09	C69
Brain and nervous system	175	1.6	6.1	<b>5.0</b>	0.36	0.49	240	2.1	7.3	<b>5.0</b>	0.34	0.52	C70-72
Thyroid	67	0.6	2.3	<b>1.9</b>	0.13	0.20	268	2.4	8.1	<b>5.8</b>	0.47	0.58	C73
Adrenal gland	18	0.2	0.6	<b>0.6</b>	0.03	0.07	18	0.2	0.5	<b>0.5</b>	0.03	0.04	C74
Other endocrine	2	0.0	0.1	<b>0.1</b>	0.00	0.01	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	54	0.5	1.9	<b>1.6</b>	0.10	0.13	58	0.5	1.8	<b>1.7</b>	0.11	0.12	C81
Non-Hodgkin lymphoma	191	1.8	6.6	<b>5.5</b>	0.36	0.63	185	1.7	5.6	<b>3.2</b>	0.18	0.35	C82-86,C96
Immunoproliferative diseases	10	0.1	0.3	<b>0.2</b>	0.02	0.03	10	0.1	0.3	<b>0.2</b>	0.01	0.03	C88
Multiple myeloma	54	0.5	1.9	<b>1.5</b>	0.11	0.17	91	0.8	2.8	<b>1.6</b>	0.11	0.22	C90
Lymphoid leukaemia	136	1.3	4.7	<b>4.3</b>	0.23	0.42	112	1.0	3.4	<b>2.7</b>	0.13	0.24	C91
Myeloid leukaemia	71	0.7	2.5	<b>2.2</b>	0.12	0.18	108	1.0	3.3	<b>2.2</b>	0.14	0.25	C92-94
Leukaemia unspecified	19	0.2	0.7	<b>0.6</b>	0.03	0.05	26	0.2	0.8	<b>0.5</b>	0.04	0.05	C95
Myeloproliferative disorders	4	0.0	0.1	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	334	3.1	11.6	<b>9.6</b>	0.60	1.07	374	3.3	11.3	<b>6.1</b>	0.37	0.73	O&U
All sites	11498		398.7	<b>326.8</b>	17.30	38.88	12655		384.0	<b>214.0</b>	13.58	24.10	C00-96
All sites except C44	10668	100.0	369.9	<b>302.3</b>	16.26	36.19	11179	100.0	339.2	<b>191.7</b>	12.42	21.46	C00-96 exc. C44

# Russian Federation, Chelyabinsk

## CONTRIBUTORS

Andrey V. Vazhenin  
 Alla S. Domozhirova  
 Irina A. Aksenova  
 Tatyana S. Novikova  
 Svetlana V. Pshichenko  
 Vakhtang M. Merabishvili  
 Tatyana L. Tsvetkova



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	60.9	Breast	47.6
Prostate	36.7	Non-melanoma skin cancer	31.0
Non-melanoma skin cancer	32.4	Corpus uteri	17.2
Stomach	25.5	Colon	14.7
Colon	17.8	Cervix uteri	14.2
Rectum	16.2	Stomach	11.8
Kidney	14.6	Ovary	10.6
Bladder	13.1	Rectum	9.8
Other and unspecified	10.4	Trachea, bronchus, and lung	8.7
Pancreas	9.4	Kidney	7.9
Larynx	8.6	Other and unspecified	5.4
Oesophagus	6.2	Pancreas	5.3
Brain and nervous system	5.8	Brain and nervous system	5.2
Non-Hodgkin lymphoma	5.1	Thyroid	5.1
Lymphoid leukaemia	4.4	Melanoma of skin	4.0
Liver	4.1	Non-Hodgkin lymphoma	4.0
Melanoma of skin	3.4	Lymphoid leukaemia	3.2
Lip	2.8	Hodgkin lymphoma	2.2
Mouth	2.6	Bladder	2.0
Connective and soft tissue	2.3	Connective and soft tissue	1.8
All sites	305.9	All sites	228.6

## Russian Federation, Chelyabinsk (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	309	1.1	3.9	<b>2.8</b>	0.13	0.37	115	0.4	1.2	<b>0.5</b>	0.01	0.06	C00
Tongue	207	0.7	2.6	<b>2.0</b>	0.14	0.23	99	0.3	1.0	<b>0.6</b>	0.04	0.07	C01-02
Mouth	286	1.0	3.6	<b>2.6</b>	0.20	0.31	99	0.3	1.0	<b>0.6</b>	0.04	0.07	C03-06
Salivary glands	68	0.2	0.9	<b>0.7</b>	0.04	0.08	77	0.2	0.8	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	28	0.1	0.4	<b>0.3</b>	0.02	0.03	3	0.0	0.0	<b>0.0</b>	0.00	0.00	C09
Other oropharynx	160	0.6	2.0	<b>1.5</b>	0.12	0.19	34	0.1	0.4	<b>0.2</b>	0.02	0.03	C10
Nasopharynx	41	0.1	0.5	<b>0.4</b>	0.03	0.04	21	0.1	0.2	<b>0.1</b>	0.01	0.02	C11
Hypopharynx	18	0.1	0.2	<b>0.2</b>	0.01	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	16	0.1	0.2	<b>0.1</b>	0.01	0.02	3	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	644	2.2	8.1	<b>6.2</b>	0.36	0.76	204	0.6	2.2	<b>0.9</b>	0.04	0.10	C15
Stomach	2729	9.4	34.3	<b>25.5</b>	1.42	3.14	2266	7.0	24.0	<b>11.8</b>	0.61	1.41	C16
Small intestine	74	0.3	0.9	<b>0.7</b>	0.04	0.09	74	0.2	0.8	<b>0.5</b>	0.03	0.05	C17
Colon	1888	6.5	23.7	<b>17.8</b>	0.82	2.13	2787	8.7	29.5	<b>14.7</b>	0.84	1.79	C18
Rectum	1739	6.0	21.8	<b>16.2</b>	0.84	2.00	1788	5.6	18.9	<b>9.8</b>	0.60	1.23	C19-20
Anus	45	0.2	0.6	<b>0.4</b>	0.03	0.05	92	0.3	1.0	<b>0.6</b>	0.04	0.07	C21
Liver	438	1.5	5.5	<b>4.1</b>	0.21	0.50	338	1.0	3.6	<b>1.7</b>	0.08	0.19	C22
Gallbladder etc.	159	0.6	2.0	<b>1.5</b>	0.07	0.17	298	0.9	3.2	<b>1.5</b>	0.06	0.18	C23-24
Pancreas	993	3.4	12.5	<b>9.4</b>	0.56	1.13	1049	3.3	11.1	<b>5.3</b>	0.27	0.65	C25
Nose, sinuses etc.	63	0.2	0.8	<b>0.6</b>	0.04	0.06	44	0.1	0.5	<b>0.3</b>	0.02	0.03	C30-31
Larynx	892	3.1	11.2	<b>8.6</b>	0.59	1.11	86	0.3	0.9	<b>0.6</b>	0.04	0.06	C32
Trachea, bronchus, and lung	6558	22.7	82.3	<b>60.9</b>	3.58	7.92	1643	5.1	17.4	<b>8.7</b>	0.50	1.05	C33-34
Other thoracic organs	70	0.2	0.9	<b>0.7</b>	0.04	0.09	53	0.2	0.6	<b>0.3</b>	0.02	0.03	C37-38
Bone	108	0.4	1.4	<b>1.2</b>	0.07	0.12	91	0.3	1.0	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	353	1.2	4.4	<b>3.4</b>	0.23	0.38	625	1.9	6.6	<b>4.0</b>	0.29	0.44	C43
Other skin	3378		42.4	<b>32.4</b>	1.42	3.55	6142		65.0	<b>31.0</b>	1.56	3.70	C44
Mesothelioma	34	0.1	0.4	<b>0.3</b>	0.02	0.04	39	0.1	0.4	<b>0.2</b>	0.01	0.03	C45
Kaposi sarcoma	27	0.1	0.3	<b>0.2</b>	0.01	0.03	21	0.1	0.2	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	221	0.8	2.8	<b>2.3</b>	0.14	0.25	254	0.8	2.7	<b>1.8</b>	0.13	0.17	C47+C49
Breast	45	0.2	0.6	<b>0.4</b>	0.03	0.05	7453	23.1	78.9	<b>47.6</b>	3.65	5.50	C50
Vulva							263	0.8	2.8	<b>1.3</b>	0.06	0.15	C51
Vagina							44	0.1	0.5	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							1872	5.8	19.8	<b>14.2</b>	1.14	1.39	C53
Corpus uteri							2736	8.5	29.0	<b>17.2</b>	1.36	2.11	C54
Uterus unspecified							2	0.0	0.0	<b>0.0</b>	0.00	0.00	C55
Ovary							1626	5.0	17.2	<b>10.6</b>	0.79	1.22	C56
Other female genital organs							40	0.1	0.4	<b>0.3</b>	0.02	0.03	C57
Placenta							12	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	68	0.2	0.9	<b>0.6</b>	0.04	0.08							C60
Prostate	3976	13.8	49.9	<b>36.7</b>	1.37	4.72							C61
Testis	184	0.6	2.3	<b>1.9</b>	0.14	0.15							C62
Other male genital organs	12	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	1523	5.3	19.1	<b>14.6</b>	1.02	1.72	1288	4.0	13.6	<b>7.9</b>	0.54	0.96	C64
Renal pelvis	27	0.1	0.3	<b>0.3</b>	0.02	0.03	17	0.1	0.2	<b>0.1</b>	0.01	0.01	C65
Ureter	12	0.0	0.2	<b>0.1</b>	0.01	0.01	8	0.0	0.1	<b>0.0</b>	0.00	0.00	C66
†Bladder	1397	4.8	17.5	<b>13.1</b>	0.62	1.58	389	1.2	4.1	<b>2.0</b>	0.11	0.23	C67
Other urinary organs	4	0.0	0.1	<b>0.0</b>	0.00	0.00	8	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	81	0.3	1.0	<b>0.8</b>	0.05	0.08	119	0.4	1.3	<b>0.9</b>	0.05	0.09	C69
Brain and nervous system	538	1.9	6.8	<b>5.8</b>	0.43	0.58	654	2.0	6.9	<b>5.2</b>	0.37	0.51	C70-72
Thyroid	123	0.4	1.5	<b>1.2</b>	0.10	0.13	679	2.1	7.2	<b>5.1</b>	0.40	0.52	C73
Adrenal gland	33	0.1	0.4	<b>0.4</b>	0.02	0.04	31	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	4	0.0	0.1	<b>0.0</b>	0.00	0.00	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	194	0.7	2.4	<b>2.2</b>	0.15	0.18	221	0.7	2.3	<b>2.2</b>	0.15	0.17	C81
Non-Hodgkin lymphoma	523	1.8	6.6	<b>5.1</b>	0.34	0.57	575	1.8	6.1	<b>4.0</b>	0.28	0.42	C82-86,C96
Immunoproliferative diseases	2	0.0	0.0	<b>0.0</b>	0.00	0.00	7	0.0	0.1	<b>0.0</b>	0.00	0.00	C88
Multiple myeloma	160	0.6	2.0	<b>1.6</b>	0.10	0.21	210	0.7	2.2	<b>1.3</b>	0.09	0.16	C90
Lymphoid leukaemia	391	1.4	4.9	<b>4.4</b>	0.23	0.43	394	1.2	4.2	<b>3.2</b>	0.17	0.29	C91
Myeloid leukaemia	179	0.6	2.2	<b>2.0</b>	0.13	0.20	212	0.7	2.2	<b>1.8</b>	0.12	0.17	C92-94
Leukaemia unspecified	65	0.2	0.8	<b>0.6</b>	0.03	0.07	83	0.3	0.9	<b>0.4</b>	0.02	0.06	C95
Myeloproliferative disorders	71	0.2	0.9	<b>0.7</b>	0.05	0.09	56	0.2	0.6	<b>0.3</b>	0.02	0.04	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1100	3.8	13.8	<b>10.4</b>	0.57	1.30	1008	3.1	10.7	<b>5.4</b>	0.28	0.63	O&U
All sites	32258		404.9	<b>305.9</b>	16.65	37.07	38354		406.1	<b>228.6</b>	15.08	26.30	C00-96
All sites except C44	28880	100.0	362.5	<b>273.5</b>	15.23	33.52	32212	100.0	341.1	<b>197.6</b>	13.52	22.60	C00-96 exc. C44

† See note following population pyramid

# Russian Federation, Karelia

## CONTRIBUTORS

Lubov Gusenkova  
Vakhtang Merabishvili  
Vyacheslav Lashin  
Olga Lasarevich



## NOTES ON THE DATA

\*Low levels of specificity of morphological diagnoses (high proportion of cases with unspecified morphology).

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	65.5	Breast	44.7
Stomach	37.5	Cervix uteri	29.3
Prostate	33.8	Corpus uteri	15.8
Colon	19.2	Colon	15.7
Rectum	17.7	Stomach	15.2
Non-melanoma skin cancer	17.1	Non-melanoma skin cancer	13.6
Other and unspecified	13.9	Ovary	12.8
Bladder	13.3	Rectum	10.0
Kidney	13.2	Thyroid	9.5
Pancreas	11.2	Kidney	8.8
Oesophagus	11.2	Trachea, bronchus, and lung	6.8
Larynx	6.2	Other and unspecified	6.4
Brain and nervous system	5.4	Pancreas	6.0
Melanoma of skin	4.5	Melanoma of skin	5.4
Lymphoid leukaemia	4.4	Brain and nervous system	5.1
Liver	4.3	Non-Hodgkin lymphoma	3.1
Non-Hodgkin lymphoma	3.7	Oesophagus	2.6
Mouth	3.2	Myeloid leukaemia	2.4
Connective and soft tissue	2.9	Connective and soft tissue	2.3
Hodgkin lymphoma	2.8	Lymphoid leukaemia	2.0
All sites	317.9	All sites	234.3

## \*Russia Federation, Karelia (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	35	0.6	2.3	2.1	0.06	0.28	16	0.2	0.9	0.3	0.01	0.03	C00
Tongue	33	0.6	2.2	1.6	0.14	0.20	24	0.4	1.3	0.8	0.06	0.09	C01-02
Mouth	64	1.1	4.3	3.2	0.26	0.39	15	0.2	0.8	0.3	0.02	0.05	C03-06
Salivary glands	12	0.2	0.8	0.6	0.03	0.08	16	0.2	0.9	0.5	0.04	0.06	C07-08
Tonsil	2	0.0	0.1	0.1	0.01	0.01	3	0.0	0.2	0.1	0.01	0.01	C09
Other oropharynx	55	1.0	3.7	2.6	0.23	0.35	12	0.2	0.7	0.4	0.03	0.06	C10
Nasopharynx	11	0.2	0.7	0.5	0.03	0.05	5	0.1	0.3	0.2	0.02	0.02	C11
Hypopharynx	47	0.8	3.1	2.4	0.18	0.29	10	0.1	0.6	0.3	0.02	0.04	C12-13
Pharynx unspecified	1	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C14
Oesophagus	214	3.8	14.3	11.2	0.82	1.28	108	1.6	6.1	2.6	0.15	0.27	C15
Stomach	722	12.8	48.2	37.5	1.92	4.40	558	8.3	31.3	15.2	0.81	1.81	C16
Small intestine	7	0.1	0.5	0.4	0.03	0.04	7	0.1	0.4	0.2	0.01	0.03	C17
Colon	352	6.2	23.5	19.2	0.83	2.24	576	8.6	32.3	15.7	0.87	1.95	C18
Rectum	335	5.9	22.4	17.7	0.82	2.17	361	5.4	20.2	10.0	0.56	1.23	C19-20
Anus	2	0.0	0.1	0.1	0.01	0.01	9	0.1	0.5	0.2	0.01	0.03	C21
Liver	82	1.5	5.5	4.3	0.24	0.56	55	0.8	3.1	1.6	0.09	0.21	C22
Gallbladder etc.	30	0.5	2.0	1.8	0.09	0.19	59	0.9	3.3	1.5	0.08	0.16	C23-24
Pancreas	209	3.7	14.0	11.2	0.69	1.34	225	3.4	12.6	6.0	0.32	0.71	C25
Nose, sinuses etc.	13	0.2	0.9	0.7	0.04	0.10	11	0.2	0.6	0.4	0.02	0.05	C30-31
Larynx	121	2.1	8.1	6.2	0.49	0.84	12	0.2	0.7	0.4	0.02	0.04	C32
Trachea, bronchus, and lung	1253	22.2	83.7	65.5	3.90	8.74	229	3.4	12.8	6.8	0.42	0.85	C33-34
Other thoracic organs	13	0.2	0.9	0.7	0.04	0.06	17	0.3	1.0	0.6	0.04	0.07	C37-38
Bone	20	0.4	1.3	1.2	0.09	0.14	10	0.1	0.6	0.4	0.03	0.04	C40-41
Melanoma of skin	89	1.6	5.9	4.5	0.30	0.47	158	2.4	8.9	5.4	0.36	0.59	C43
Other skin	317		21.2	17.1	0.67	1.90	521		29.2	13.6	0.72	1.54	C44
Mesothelioma	4	0.1	0.3	0.2	0.02	0.02	5	0.1	0.3	0.1	0.01	0.01	C45
Kaposi sarcoma	1	0.0	0.1	0.1	0.01	0.01	3	0.0	0.2	0.1	0.00	0.00	C46
Connective and soft tissue	50	0.9	3.3	2.9	0.19	0.33	62	0.9	3.5	2.3	0.15	0.25	C47+C49
Breast	7	0.1	0.5	0.4	0.02	0.04	1328	19.8	74.5	44.7	3.43	5.16	C50
Vulva							45	0.7	2.5	1.2	0.05	0.13	C51
Vagina							8	0.1	0.4	0.2	0.02	0.03	C52
Cervix uteri							654	9.8	36.7	29.3	2.32	2.53	C53
Corpus uteri							464	6.9	26.0	15.8	1.29	1.90	C54
Uterus unspecified							1	0.0	0.1	0.0	0.00	0.00	C55
Ovary							373	5.6	20.9	12.8	1.02	1.42	C56
Other female genital organs							11	0.2	0.6	0.4	0.03	0.06	C57
Placenta							2	0.0	0.1	0.1	0.01	0.01	C58
Penis	12	0.2	0.8	0.7	0.02	0.07							C60
Prostate	620	11.0	41.4	33.8	1.29	4.45							C61
Testis	48	0.9	3.2	2.5	0.20	0.20							C62
Other male genital organs	1	0.0	0.1	0.0	0.00	0.01							C63
Kidney	256	4.5	17.1	13.2	0.86	1.57	268	4.0	15.0	8.8	0.59	1.00	C64
Renal pelvis	7	0.1	0.5	0.4	0.02	0.06	8	0.1	0.4	0.2	0.01	0.02	C65
Ureter	2	0.0	0.1	0.1	0.01	0.01	0	0.0	0.0	0.0	0.00	0.00	C66
Bladder	245	4.3	16.4	13.3	0.64	1.49	73	1.1	4.1	1.9	0.08	0.22	C67
Other urinary organs	1	0.0	0.1	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	C68
Eye	8	0.1	0.5	0.5	0.02	0.08	14	0.2	0.8	0.5	0.04	0.06	C69
Brain and nervous system	94	1.7	6.3	5.4	0.38	0.60	115	1.7	6.5	5.1	0.39	0.47	C70-72
Thyroid	38	0.7	2.5	2.1	0.14	0.22	236	3.5	13.2	9.5	0.78	0.93	C73
Adrenal gland	14	0.2	0.9	0.9	0.06	0.09	15	0.2	0.8	0.7	0.03	0.06	C74
Other endocrine	1	0.0	0.1	0.0	0.00	0.00	4	0.1	0.2	0.1	0.01	0.01	C75
Hodgkin lymphoma	45	0.8	3.0	2.8	0.19	0.21	29	0.4	1.6	1.5	0.11	0.11	C81
Non-Hodgkin lymphoma	66	1.2	4.4	3.7	0.21	0.38	87	1.3	4.9	3.1	0.21	0.33	C82-86,C96
Immunoproliferative diseases	2	0.0	0.1	0.1	0.00	0.00	1	0.0	0.1	0.0	0.00	0.01	C88
Multiple myeloma	20	0.4	1.3	1.0	0.05	0.14	49	0.7	2.7	1.3	0.09	0.19	C90
Lymphoid leukaemia	71	1.3	4.7	4.4	0.21	0.47	47	0.7	2.6	2.0	0.09	0.13	C91
Myeloid leukaemia	51	0.9	3.4	2.8	0.14	0.35	80	1.2	4.5	2.4	0.16	0.24	C92-94
Leukaemia unspecified	1	0.0	0.1	0.1	0.00	0.01	4	0.1	0.2	0.1	0.01	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	0.0	0.00	0.00	0	0.0	0.0	0.0	0.00	0.00	MDS
Other and unspecified	254	4.5	17.0	13.9	0.67	1.63	220	3.3	12.3	6.4	0.34	0.74	O&U
All sites	5958		398.1	317.9	17.29	38.57	7224		405.2	234.3	15.96	25.97	C00-96
All sites except C44	5641	100.0	376.9	300.8	16.61	36.66	6703	100.0	376.0	220.7	15.24	24.43	C00-96 exc. C44


\*See note following population pyramid



# Russian Federation, Samara

## CONTRIBUTORS

Orlov Andrey Evgen'evich  
 Egorova Alla Gennad'evna  
 Vozdvizhenskiy Mikhail Olegovich  
 Kozlov Sergey Vasil'evich  
 Somov Aleksey Nikolaevich  
 Popova Tat'yana Filippovna  
 Frolov Aleksandr Sergeevich  
 Ershov Aleksandr Anatol'evich  
 Lutkovskiy Aleksandr Viktorovich



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	58.2	Breast	51.8
Prostate	43.5	Non-melanoma skin cancer	38.6
Non-melanoma skin cancer	40.9	Corpus uteri	17.9
Stomach	25.7	Colon	15.9
Colon	19.3	Cervix uteri	12.3
Rectum	16.7	Ovary	12.0
Bladder	15.4	Stomach	11.7
Kidney	14.1	Rectum	9.6
Pancreas	9.6	Thyroid	7.9
Other and unspecified	9.6	Kidney	7.3
Larynx	7.9	Trachea, bronchus, and lung	7.2
Brain and nervous system	6.9	Melanoma of skin	5.2
Oesophagus	6.1	Pancreas	4.9
Lymphoid leukaemia	5.9	Brain and nervous system	4.8
Non-Hodgkin lymphoma	5.1	Other and unspecified	4.4
Melanoma of skin	4.7	Lymphoid leukaemia	3.6
Liver	4.4	Non-Hodgkin lymphoma	3.3
Myeloid leukaemia	3.4	Hodgkin lymphoma	2.6
Lip	3.0	Myeloid leukaemia	2.6
Connective and soft tissue	2.8	Bladder	2.4
All sites	331.7	All sites	242.5


## Russian Federation, Samara (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	308	1.1	4.2	<b>3.0</b>	0.14	0.40	117	0.4	1.4	<b>0.5</b>	0.01	0.06	C00
Tongue	229	0.8	3.1	<b>2.3</b>	0.17	0.30	58	0.2	0.7	<b>0.4</b>	0.03	0.05	C01-02
Mouth	257	0.9	3.5	<b>2.5</b>	0.21	0.31	84	0.3	1.0	<b>0.6</b>	0.04	0.06	C03-06
Salivary glands	76	0.3	1.0	<b>0.8</b>	0.06	0.09	81	0.3	0.9	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	44	0.2	0.6	<b>0.4</b>	0.04	0.05	10	0.0	0.1	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	205	0.7	2.8	<b>2.0</b>	0.16	0.26	18	0.1	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	51	0.2	0.7	<b>0.5</b>	0.05	0.06	21	0.1	0.2	<b>0.1</b>	0.01	0.02	C11
Hypopharynx	207	0.7	2.8	<b>2.1</b>	0.17	0.28	11	0.0	0.1	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	6	0.0	0.1	<b>0.1</b>	0.00	0.01	2	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	608	2.1	8.3	<b>6.1</b>	0.39	0.81	146	0.5	1.7	<b>0.7</b>	0.04	0.08	C15
Stomach	2581	9.0	35.3	<b>25.7</b>	1.44	3.25	2053	6.7	23.8	<b>11.7</b>	0.64	1.40	C16
Small intestine	57	0.2	0.8	<b>0.5</b>	0.04	0.06	77	0.2	0.9	<b>0.5</b>	0.04	0.06	C17
Colon	1954	6.8	26.8	<b>19.3</b>	0.89	2.43	2817	9.1	32.6	<b>15.9</b>	0.89	2.01	C18
Rectum	1679	5.8	23.0	<b>16.7</b>	0.89	2.18	1647	5.3	19.1	<b>9.6</b>	0.58	1.20	C19-20
Anus	42	0.1	0.6	<b>0.4</b>	0.03	0.05	70	0.2	0.8	<b>0.5</b>	0.04	0.05	C21
Liver	430	1.5	5.9	<b>4.4</b>	0.25	0.54	339	1.1	3.9	<b>2.0</b>	0.10	0.23	C22
Gallbladder etc.	132	0.5	1.8	<b>1.3</b>	0.06	0.16	262	0.8	3.0	<b>1.3</b>	0.07	0.17	C23-24
Pancreas	961	3.3	13.2	<b>9.6</b>	0.58	1.20	913	3.0	10.6	<b>4.9</b>	0.24	0.61	C25
Nose, sinuses etc.	66	0.2	0.9	<b>0.7</b>	0.05	0.08	37	0.1	0.4	<b>0.3</b>	0.01	0.03	C30-31
Larynx	797	2.8	10.9	<b>7.9</b>	0.58	1.03	31	0.1	0.4	<b>0.2</b>	0.02	0.02	C32
Trachea, bronchus, and lung	5838	20.3	79.9	<b>58.2</b>	3.49	7.68	1224	4.0	14.2	<b>7.2</b>	0.44	0.86	C33-34
Other thoracic organs	131	0.5	1.8	<b>1.3</b>	0.09	0.15	90	0.3	1.0	<b>0.6</b>	0.03	0.07	C37-38
Bone	89	0.3	1.2	<b>1.1</b>	0.07	0.10	95	0.3	1.1	<b>0.9</b>	0.06	0.08	C40-41
Melanoma of skin	470	1.6	6.4	<b>4.7</b>	0.33	0.53	739	2.4	8.6	<b>5.2</b>	0.36	0.55	C43
Other skin	4094		56.1	<b>40.9</b>	1.86	4.76	7121		82.4	<b>38.6</b>	2.01	4.66	C44
Mesothelioma	77	0.3	1.1	<b>0.8</b>	0.05	0.10	97	0.3	1.1	<b>0.5</b>	0.03	0.08	C45
Kaposi sarcoma	32	0.1	0.4	<b>0.3</b>	0.02	0.04	8	0.0	0.1	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	233	0.8	3.2	<b>2.8</b>	0.18	0.26	206	0.7	2.4	<b>1.8</b>	0.12	0.16	C47+C49
Breast	45	0.2	0.6	<b>0.4</b>	0.03	0.05	7597	24.6	87.9	<b>51.8</b>	3.94	5.99	C50
Vulva							224	0.7	2.6	<b>1.2</b>	0.06	0.15	C51
Vagina							53	0.2	0.6	<b>0.3</b>	0.02	0.04	C52
Cervix uteri							1546	5.0	17.9	<b>12.3</b>	0.98	1.25	C53
Corpus uteri							2762	9.0	32.0	<b>17.9</b>	1.37	2.25	C54
Uterus unspecified							4	0.0	0.0	<b>0.0</b>	0.00	0.00	C55
Ovary							1696	5.5	19.6	<b>12.0</b>	0.91	1.33	C56
Other female genital organs							49	0.2	0.6	<b>0.4</b>	0.03	0.04	C57
Placenta							12	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	59	0.2	0.8	<b>0.6</b>	0.03	0.07							C60
Prostate	4437	15.4	60.8	<b>43.5</b>	1.60	5.77							C61
Testis	146	0.5	2.0	<b>1.6</b>	0.12	0.14							C62
Other male genital organs	8	0.0	0.1	<b>0.1</b>	0.00	0.01							C63
Kidney	1393	4.8	19.1	<b>14.1</b>	1.04	1.68	1062	3.4	12.3	<b>7.3</b>	0.51	0.84	C64
Renal pelvis	41	0.1	0.6	<b>0.4</b>	0.02	0.06	23	0.1	0.3	<b>0.1</b>	0.01	0.02	C65
Ureter	20	0.1	0.3	<b>0.2</b>	0.01	0.02	14	0.0	0.2	<b>0.1</b>	0.00	0.01	C66
Bladder	1545	5.4	21.2	<b>15.4</b>	0.73	1.98	416	1.3	4.8	<b>2.4</b>	0.14	0.29	C67
Other urinary organs	3	0.0	0.0	<b>0.0</b>	0.00	0.00	4	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	49	0.2	0.7	<b>0.6</b>	0.04	0.06	72	0.2	0.8	<b>0.5</b>	0.04	0.05	C69
Brain and nervous system	574	2.0	7.9	<b>6.9</b>	0.48	0.65	528	1.7	6.1	<b>4.8</b>	0.33	0.46	C70-72
Thyroid	158	0.5	2.2	<b>1.6</b>	0.11	0.17	1008	3.3	11.7	<b>7.9</b>	0.65	0.83	C73
Adrenal gland	53	0.2	0.7	<b>0.5</b>	0.04	0.07	45	0.1	0.5	<b>0.5</b>	0.02	0.04	C74
Other endocrine	4	0.0	0.1	<b>0.1</b>	0.00	0.00	4	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	233	0.8	3.2	<b>2.7</b>	0.19	0.23	242	0.8	2.8	<b>2.6</b>	0.18	0.20	C81
Non-Hodgkin lymphoma	465	1.6	6.4	<b>5.1</b>	0.32	0.55	462	1.5	5.3	<b>3.3</b>	0.21	0.37	C82-86,C96
Immunoproliferative diseases	10	0.0	0.1	<b>0.1</b>	0.01	0.01	8	0.0	0.1	<b>0.0</b>	0.00	0.01	C88
Multiple myeloma	164	0.6	2.2	<b>1.7</b>	0.11	0.22	202	0.7	2.3	<b>1.3</b>	0.09	0.18	C90
Lymphoid leukaemia	493	1.7	6.8	<b>5.9</b>	0.35	0.62	445	1.4	5.1	<b>3.6</b>	0.20	0.37	C91
Myeloid leukaemia	318	1.1	4.4	<b>3.4</b>	0.21	0.34	361	1.2	4.2	<b>2.6</b>	0.17	0.28	C92-94
Leukaemia unspecified	12	0.0	0.2	<b>0.1</b>	0.01	0.01	13	0.0	0.2	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	4	0.0	0.1	<b>0.0</b>	0.00	0.00	6	0.0	0.1	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	949	3.3	13.0	<b>9.6</b>	0.61	1.16	734	2.4	8.5	<b>4.4</b>	0.25	0.52	O&U
All sites	32837		449.7	<b>331.7</b>	18.36	41.04	37966		439.4	<b>242.5</b>	15.97	28.11	C00-96
All sites except C44	28743	100.0	393.6	<b>290.8</b>	16.51	36.28	30845	100.0	357.0	<b>203.9</b>	13.96	23.45	C00-96 exc. C44

# Slovakia

## CONTRIBUTORS

Chakameh Safaei Diba  
Juraj Adamcik



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	63.1	Breast	60.4
Trachea, bronchus, and lung	54.1	Non-melanoma skin cancer	49.5
Prostate	50.8	Corpus uteri	19.4
Colon	33.3	Colon	18.9
Rectum	27.0	Cervix uteri	15.7
Bladder	18.8	Trachea, bronchus, and lung	13.1
Kidney	17.7	Rectum	11.8
Stomach	15.5	Ovary	11.6
Pancreas	11.8	Kidney	9.1
Melanoma of skin	9.9	Thyroid	9.0
Testis	8.6	Melanoma of skin	7.8
Larynx	8.5	Pancreas	7.6
Brain and nervous system	8.3	Stomach	7.2
Liver	7.7	Non-Hodgkin lymphoma	5.8
Non-Hodgkin lymphoma	7.5	Brain and nervous system	5.6
Oesophagus	7.4	Bladder	5.3
Lymphoid leukaemia	7.4	Gallbladder etc.	4.6
Other and unspecified	6.6	Other and unspecified	4.2
Tongue	4.7	Lymphoid leukaemia	3.6
Hypopharynx	4.3	Multiple myeloma	3.1
All sites	421.2	All sites	299.8

## Slovakia (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	163	0.4	2.1	<b>1.5</b>	0.05	0.19	95	0.3	1.1	<b>0.5</b>	0.01	0.05	C00
Tongue	499	1.3	6.3	<b>4.7</b>	0.38	0.57	84	0.2	1.0	<b>0.6</b>	0.05	0.07	C01-02
Mouth	459	1.2	5.8	<b>4.3</b>	0.34	0.55	97	0.3	1.2	<b>0.7</b>	0.05	0.08	C03-06
Salivary glands	112	0.3	1.4	<b>1.0</b>	0.06	0.11	76	0.2	0.9	<b>0.6</b>	0.04	0.05	C07-08
Tonsil	344	0.9	4.4	<b>3.2</b>	0.28	0.39	61	0.2	0.7	<b>0.5</b>	0.04	0.05	C09
Other oropharynx	329	0.9	4.2	<b>3.0</b>	0.26	0.37	35	0.1	0.4	<b>0.3</b>	0.02	0.03	C10
Nasopharynx	82	0.2	1.0	<b>0.8</b>	0.06	0.09	20	0.1	0.2	<b>0.1</b>	0.01	0.02	C11
Hypopharynx	468	1.2	5.9	<b>4.3</b>	0.35	0.55	27	0.1	0.3	<b>0.2</b>	0.01	0.02	C12-13
Pharynx unspecified	31	0.1	0.4	<b>0.3</b>	0.03	0.04	6	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	802	2.1	10.2	<b>7.4</b>	0.56	0.95	100	0.3	1.2	<b>0.7</b>	0.04	0.08	C15
Stomach	1703	4.4	21.6	<b>15.5</b>	0.72	1.83	1183	3.4	14.2	<b>7.2</b>	0.34	0.81	C16
Small intestine	123	0.3	1.6	<b>1.2</b>	0.07	0.15	121	0.3	1.4	<b>0.9</b>	0.06	0.10	C17
Colon	3633	9.5	46.0	<b>33.3</b>	1.46	4.13	3002	8.5	35.9	<b>18.9</b>	0.98	2.23	C18
Rectum	2915	7.6	36.9	<b>27.0</b>	1.35	3.42	1832	5.2	21.9	<b>11.8</b>	0.66	1.38	C19-20
Anus	65	0.2	0.8	<b>0.6</b>	0.04	0.07	72	0.2	0.9	<b>0.5</b>	0.03	0.06	C21
Liver	818	2.1	10.4	<b>7.7</b>	0.35	0.99	448	1.3	5.4	<b>2.8</b>	0.13	0.32	C22
Gallbladder etc.	402	1.0	5.1	<b>3.6</b>	0.14	0.44	803	2.3	9.6	<b>4.6</b>	0.18	0.53	C23-24
Pancreas	1291	3.4	16.3	<b>11.8</b>	0.64	1.44	1262	3.6	15.1	<b>7.6</b>	0.34	0.89	C25
Nose, sinuses etc.	62	0.2	0.8	<b>0.6</b>	0.04	0.06	34	0.1	0.4	<b>0.2</b>	0.02	0.03	C30-31
Larynx	912	2.4	11.5	<b>8.5</b>	0.65	1.07	60	0.2	0.7	<b>0.4</b>	0.04	0.06	C32
Trachea, bronchus, and lung	5866	15.3	74.3	<b>54.1</b>	2.88	7.05	1953	5.6	23.4	<b>13.1</b>	0.82	1.60	C33-34
Other thoracic organs	56	0.1	0.7	<b>0.6</b>	0.03	0.06	38	0.1	0.5	<b>0.3</b>	0.02	0.04	C37-38
Bone	106	0.3	1.3	<b>1.3</b>	0.08	0.10	68	0.2	0.8	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	1057	2.8	13.4	<b>9.9</b>	0.59	1.15	1047	3.0	12.5	<b>7.8</b>	0.53	0.86	C43
Other skin	7008		88.7	<b>63.1</b>	2.55	7.29	7813		93.5	<b>49.5</b>	2.53	5.70	C44
Mesothelioma	69	0.2	0.9	<b>0.7</b>	0.04	0.09	32	0.1	0.4	<b>0.2</b>	0.02	0.02	C45
Kaposi sarcoma	11	0.0	0.1	<b>0.1</b>	0.00	0.01	4	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	272	0.7	3.4	<b>2.8</b>	0.16	0.28	218	0.6	2.6	<b>1.9</b>	0.11	0.18	C47+C49
Breast	75	0.2	0.9	<b>0.7</b>	0.04	0.08	8100	23.1	96.9	<b>60.4</b>	4.30	7.01	C50
Vulva							244	0.7	2.9	<b>1.5</b>	0.07	0.18	C51
Vagina							66	0.2	0.8	<b>0.5</b>	0.03	0.05	C52
Cervix uteri							1839	5.2	22.0	<b>15.7</b>	1.27	1.63	C53
Corpus uteri							2678	7.6	32.0	<b>19.4</b>	1.35	2.45	C54
Uterus unspecified							35	0.1	0.4	<b>0.2</b>	0.00	0.02	C55
Ovary							1552	4.4	18.6	<b>11.6</b>	0.80	1.32	C56
Other female genital organs							82	0.2	1.0	<b>0.5</b>	0.03	0.06	C57
Placenta							4	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	120	0.3	1.5	<b>1.1</b>	0.06	0.12							C60
Prostate	5601	14.6	70.9	<b>50.8</b>	1.84	6.28							C61
Testis	813	2.1	10.3	<b>8.6</b>	0.63	0.65							C62
Other male genital organs	20	0.1	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	1886	4.9	23.9	<b>17.7</b>	1.12	2.17	1284	3.7	15.4	<b>9.1</b>	0.54	1.11	C64
Renal pelvis	89	0.2	1.1	<b>0.8</b>	0.03	0.10	97	0.3	1.2	<b>0.6</b>	0.03	0.07	C65
Ureter	43	0.1	0.5	<b>0.4</b>	0.02	0.05	26	0.1	0.3	<b>0.2</b>	0.01	0.02	C66
†Bladder	2062	5.4	26.1	<b>18.8</b>	0.75	2.33	835	2.4	10.0	<b>5.3</b>	0.28	0.65	C67
Other urinary organs	7	0.0	0.1	<b>0.1</b>	0.01	0.01	4	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	78	0.2	1.0	<b>0.9</b>	0.05	0.09	92	0.3	1.1	<b>0.8</b>	0.05	0.08	C69
Brain and nervous system	770	2.0	9.7	<b>8.3</b>	0.50	0.82	684	1.9	8.2	<b>5.6</b>	0.34	0.55	C70-72
Thyroid	261	0.7	3.3	<b>2.5</b>	0.20	0.26	1022	2.9	12.2	<b>9.0</b>	0.74	0.93	C73
Adrenal gland	31	0.1	0.4	<b>0.4</b>	0.02	0.03	39	0.1	0.5	<b>0.3</b>	0.02	0.03	C74
Other endocrine	18	0.0	0.2	<b>0.2</b>	0.01	0.02	11	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	244	0.6	3.1	<b>2.7</b>	0.18	0.22	218	0.6	2.6	<b>2.3</b>	0.16	0.18	C81
Non-Hodgkin lymphoma	776	2.0	9.8	<b>7.5</b>	0.41	0.85	794	2.3	9.5	<b>5.8</b>	0.37	0.65	C82-86,C96
Immunoproliferative diseases	51	0.1	0.6	<b>0.4</b>	0.02	0.05	53	0.2	0.6	<b>0.4</b>	0.02	0.04	C88
Multiple myeloma	410	1.1	5.2	<b>3.8</b>	0.18	0.48	489	1.4	5.9	<b>3.1</b>	0.16	0.38	C90
Lymphoid leukaemia	694	1.8	8.8	<b>7.4</b>	0.35	0.79	462	1.3	5.5	<b>3.6</b>	0.17	0.39	C91
Myeloid leukaemia	378	1.0	4.8	<b>3.7</b>	0.20	0.42	332	0.9	4.0	<b>2.6</b>	0.15	0.26	C92-94
Leukaemia unspecified	17	0.0	0.2	<b>0.1</b>	0.00	0.01	21	0.1	0.3	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	305	0.8	3.9	<b>2.8</b>	0.15	0.32	346	1.0	4.1	<b>2.4</b>	0.14	0.27	MPD
Myelodysplastic syndromes	243	0.6	3.1	<b>2.2</b>	0.07	0.22	266	0.8	3.2	<b>1.5</b>	0.05	0.16	MDS
Other and unspecified	694	1.8	8.8	<b>6.6</b>	0.33	0.74	675	1.9	8.1	<b>4.2</b>	0.16	0.44	O&U
All sites	45344		574.0	<b>421.2</b>	21.33	50.54	42941		513.9	<b>299.8</b>	18.37	34.31	C00-96
All sites except C44	38336	100.0	485.3	<b>358.2</b>	18.78	43.25	35128	100.0	420.4	<b>250.3</b>	15.84	28.61	C00-96 exc. C44

† See note following population pyramid

# Slovenia

## CONTRIBUTORS

Maja Primic Žakelj  
Tina Žagar  
Vesna Zadnik



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	77.9	Breast	65.5
Non-melanoma skin cancer	57.4	Non-melanoma skin cancer	44.7
Trachea, bronchus, and lung	48.2	Trachea, bronchus, and lung	17.1
Colon	29.1	Colon	17.0
Rectum	23.4	Corpus uteri	15.0
Bladder	17.9	Melanoma of skin	14.8
Stomach	15.9	Rectum	10.6
Melanoma of skin	15.0	Ovary	9.3
Kidney	12.9	Cervix uteri	8.7
Pancreas	9.3	Thyroid	8.3
Testis	8.9	Stomach	7.1
Non-Hodgkin lymphoma	8.4	Pancreas	6.5
Other and unspecified	7.8	Non-Hodgkin lymphoma	6.4
Liver	6.9	Other and unspecified	6.3
Brain and nervous system	5.8	Kidney	5.0
Larynx	5.4	Bladder	4.5
Lymphoid leukaemia	5.1	Brain and nervous system	4.2
Oesophagus	3.9	Gallbladder etc.	3.4
Multiple myeloma	3.6	Lymphoid leukaemia	3.0
Mouth	3.6	Myeloid leukaemia	2.5
All sites	404.8	All sites	283.3

## Slovenia (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	87	0.3	1.7	<b>0.9</b>	0.05	0.09	41	0.2	0.8	<b>0.2</b>	0.01	0.03	C00
Tongue	188	0.6	3.7	<b>2.3</b>	0.17	0.28	48	0.2	0.9	<b>0.5</b>	0.03	0.06	C01-02
Mouth	292	1.0	5.8	<b>3.6</b>	0.29	0.43	101	0.4	2.0	<b>1.1</b>	0.09	0.12	C03-06
Salivary glands	49	0.2	1.0	<b>0.6</b>	0.04	0.06	35	0.1	0.7	<b>0.4</b>	0.02	0.04	C07-08
Tonsil	190	0.6	3.8	<b>2.3</b>	0.19	0.28	48	0.2	0.9	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	244	0.8	4.8	<b>3.0</b>	0.25	0.37	39	0.2	0.8	<b>0.4</b>	0.03	0.05	C10
Nasopharynx	39	0.1	0.8	<b>0.5</b>	0.04	0.06	14	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	248	0.8	4.9	<b>3.0</b>	0.22	0.39	19	0.1	0.4	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	1	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	337	1.1	6.7	<b>3.9</b>	0.24	0.50	83	0.3	1.6	<b>0.7</b>	0.03	0.08	C15
Stomach	1466	4.9	29.0	<b>15.9</b>	0.70	1.80	921	3.8	17.8	<b>7.1</b>	0.36	0.75	C16
Small intestine	93	0.3	1.8	<b>1.1</b>	0.07	0.15	73	0.3	1.4	<b>0.7</b>	0.04	0.07	C17
Colon	2637	8.7	52.2	<b>29.1</b>	1.37	3.58	2000	8.3	38.7	<b>17.0</b>	0.92	2.03	C18
Rectum	2068	6.9	40.9	<b>23.4</b>	1.24	2.92	1224	5.1	23.7	<b>10.6</b>	0.60	1.25	C19-20
Anus	26	0.1	0.5	<b>0.3</b>	0.02	0.04	45	0.2	0.9	<b>0.4</b>	0.02	0.04	C21
Liver	613	2.0	12.1	<b>6.9</b>	0.35	0.90	220	0.9	4.3	<b>1.7</b>	0.07	0.21	C22
Gallbladder etc.	342	1.1	6.8	<b>3.5</b>	0.12	0.37	507	2.1	9.8	<b>3.4</b>	0.13	0.38	C23-24
Pancreas	843	2.8	16.7	<b>9.3</b>	0.42	1.14	901	3.7	17.4	<b>6.5</b>	0.30	0.71	C25
Nose, sinuses etc.	54	0.2	1.1	<b>0.6</b>	0.05	0.06	35	0.1	0.7	<b>0.3</b>	0.02	0.04	C30-31
Larynx	458	1.5	9.1	<b>5.4</b>	0.37	0.68	56	0.2	1.1	<b>0.6</b>	0.05	0.07	C32
Trachea, bronchus, and lung	4313	14.3	85.3	<b>48.2</b>	2.71	6.14	1830	7.6	35.4	<b>17.1</b>	1.14	2.07	C33-34
Other thoracic organs	26	0.1	0.5	<b>0.4</b>	0.02	0.04	17	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	44	0.1	0.9	<b>0.8</b>	0.06	0.07	41	0.2	0.8	<b>0.7</b>	0.05	0.06	C40-41
Melanoma of skin	1205	4.0	23.8	<b>15.0</b>	0.94	1.67	1252	5.2	24.2	<b>14.8</b>	1.07	1.52	C43
Other skin	5309		105.0	<b>57.4</b>	2.39	6.47	5499		106.4	<b>44.7</b>	2.37	4.96	C44
Mesothelioma	135	0.4	2.7	<b>1.5</b>	0.08	0.20	46	0.2	0.9	<b>0.5</b>	0.03	0.06	C45
Kaposi sarcoma	9	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	125	0.4	2.5	<b>1.6</b>	0.10	0.16	117	0.5	2.3	<b>1.3</b>	0.08	0.13	C47+C49
Breast	61	0.2	1.2	<b>0.7</b>	0.04	0.09	6036	25.0	116.8	<b>65.5</b>	4.90	7.42	C50
Vulva							220	0.9	4.3	<b>1.7</b>	0.08	0.18	C51
Vagina							44	0.2	0.9	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							662	2.7	12.8	<b>8.7</b>	0.70	0.87	C53
Corpus uteri							1521	6.3	29.4	<b>15.0</b>	1.03	1.87	C54
Uterus unspecified							63	0.3	1.2	<b>0.6</b>	0.04	0.06	C55
Ovary							832	3.4	16.1	<b>9.3</b>	0.70	1.02	C56
Other female genital organs							39	0.2	0.8	<b>0.4</b>	0.03	0.05	C57
Placenta							1	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	61	0.2	1.2	<b>0.7</b>	0.04	0.08							C60
Prostate	7012	23.2	138.7	<b>77.9</b>	3.47	10.78							C61
Testis	518	1.7	10.2	<b>8.9</b>	0.66	0.69							C62
Other male genital organs	10	0.0	0.2	<b>0.1</b>	0.00	0.01							C63
Kidney	1092	3.6	21.6	<b>12.9</b>	0.81	1.57	525	2.2	10.2	<b>5.0</b>	0.31	0.56	C64
Renal pelvis	55	0.2	1.1	<b>0.6</b>	0.02	0.07	54	0.2	1.0	<b>0.4</b>	0.01	0.05	C65
Ureter	36	0.1	0.7	<b>0.4</b>	0.01	0.05	20	0.1	0.4	<b>0.1</b>	0.01	0.02	C66
†Bladder	1666	5.5	32.9	<b>17.9</b>	0.81	2.08	568	2.4	11.0	<b>4.5</b>	0.25	0.52	C67
Other urinary organs	2	0.0	0.0	<b>0.0</b>	0.00	0.00	5	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	54	0.2	1.1	<b>0.9</b>	0.05	0.08	50	0.2	1.0	<b>0.6</b>	0.05	0.06	C69
Brain and nervous system	389	1.3	7.7	<b>5.8</b>	0.37	0.58	322	1.3	6.2	<b>4.2</b>	0.26	0.44	C70-72
Thyroid	192	0.6	3.8	<b>2.6</b>	0.19	0.26	580	2.4	11.2	<b>8.3</b>	0.65	0.79	C73
Adrenal gland	17	0.1	0.3	<b>0.3</b>	0.02	0.02	9	0.0	0.2	<b>0.1</b>	0.01	0.01	C74
Other endocrine	3	0.0	0.1	<b>0.1</b>	0.00	0.01	3	0.0	0.1	<b>0.1</b>	0.00	0.00	C75
Hodgkin lymphoma	116	0.4	2.3	<b>2.1</b>	0.14	0.17	126	0.5	2.4	<b>2.2</b>	0.15	0.17	C81
Non-Hodgkin lymphoma	701	2.3	13.9	<b>8.4</b>	0.47	0.90	696	2.9	13.5	<b>6.4</b>	0.39	0.70	C82-86,C96
Immunoproliferative diseases	52	0.2	1.0	<b>0.6</b>	0.05	0.07	61	0.3	1.2	<b>0.6</b>	0.03	0.07	C88
Multiple myeloma	326	1.1	6.4	<b>3.6</b>	0.18	0.42	288	1.2	5.6	<b>2.4</b>	0.12	0.28	C90
Lymphoid leukaemia	362	1.2	7.2	<b>5.1</b>	0.25	0.49	251	1.0	4.9	<b>3.0</b>	0.15	0.26	C91
Myeloid leukaemia	274	0.9	5.4	<b>3.4</b>	0.17	0.34	233	1.0	4.5	<b>2.5</b>	0.16	0.25	C92-94
Leukaemia unspecified	8	0.0	0.2	<b>0.1</b>	0.00	0.00	14	0.1	0.3	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	148	0.5	2.9	<b>1.7</b>	0.11	0.20	208	0.9	4.0	<b>2.2</b>	0.13	0.21	MPD
Myelodysplastic syndromes	174	0.6	3.4	<b>1.7</b>	0.04	0.15	137	0.6	2.7	<b>0.9</b>	0.03	0.08	MDS
Other and unspecified	712	2.4	14.1	<b>7.8</b>	0.36	0.88	886	3.7	17.1	<b>6.3</b>	0.30	0.62	O&U
All sites	35482		701.7	<b>404.8</b>	20.78	48.86	29667		574.2	<b>283.3</b>	18.06	31.46	C00-96
All sites except C44	30173	100.0	596.7	<b>347.4</b>	18.39	42.39	24168	100.0	467.8	<b>238.6</b>	15.69	26.50	C00-96 exc. C44

† See note following population pyramid

# Spain, Albacete

## CONTRIBUTORS

Enrique Almar Marqués  
 Antonio Mateos Ramos  
 Cristina Ramírez Córcoles  
 José Angélica Gómez Martínez  
 Isidro de Cruz de Julián  
 Carlos Navarro Honrubia  
 Manuel Atiénzar Tobarra  
 Roberto Vera Berón  
 Juan Carlos Gómez García  
 Gonzalo Gutiérrez Ávila



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	53.0	Breast	58.4
Trachea, bronchus, and lung	44.0	Corpus uteri	11.8
Bladder	27.7	Colon	11.6
Colon	24.5	Rectum	7.2
Rectum	14.0	Thyroid	7.0
Stomach	10.2	Ovary	6.9
Liver	9.3	Non-Hodgkin lymphoma	6.2
Non-Hodgkin lymphoma	7.6	Stomach	5.7
Pancreas	7.2	Trachea, bronchus, and lung	5.6
Kidney	6.9	Melanoma of skin	5.1
Larynx	6.7	Brain and nervous system	5.1
Lip	6.5	Pancreas	4.9
Brain and nervous system	6.1	Cervix uteri	4.7
Lymphoid leukaemia	5.8	Bladder	4.3
Other and unspecified	5.7	Liver	3.7
Melanoma of skin	5.5	Kidney	3.6
Oesophagus	4.9	Myeloid leukaemia	3.5
Testis	4.1	Multiple myeloma	2.9
Myeloid leukaemia	3.5	Lymphoid leukaemia	2.5
Multiple myeloma	3.2	Other and unspecified	2.4
All sites	286.7	All sites	182.7



## Spain, Albacete (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	70	2.3	11.7	<b>6.5</b>	0.39	0.77	13	0.7	2.2	<b>0.6</b>	0.00	0.08	C00
Tongue	23	0.8	3.8	<b>2.8</b>	0.21	0.40	8	0.4	1.3	<b>0.7</b>	0.05	0.10	C01-02
Mouth	26	0.9	4.3	<b>2.8</b>	0.16	0.38	9	0.5	1.5	<b>0.7</b>	0.05	0.06	C03-06
Salivary glands	5	0.2	0.8	<b>0.5</b>	0.02	0.06	3	0.2	0.5	<b>0.4</b>	0.03	0.05	C07-08
Tonsil	7	0.2	1.2	<b>0.7</b>	0.06	0.09	1	0.1	0.2	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	7	0.2	1.2	<b>0.8</b>	0.05	0.12	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	7	0.2	1.2	<b>0.9</b>	0.07	0.13	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C11
Hypopharynx	16	0.5	2.7	<b>2.0</b>	0.16	0.25	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	1	0.0	0.2	<b>0.1</b>	0.00	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	48	1.6	8.0	<b>4.9</b>	0.31	0.59	9	0.5	1.5	<b>0.9</b>	0.06	0.12	C15
Stomach	109	3.6	18.2	<b>10.2</b>	0.57	1.28	68	3.4	11.4	<b>5.7</b>	0.43	0.62	C16
Small intestine	7	0.2	1.2	<b>0.4</b>	0.00	0.04	5	0.3	0.8	<b>0.5</b>	0.03	0.05	C17
Colon	282	9.3	47.0	<b>24.5</b>	1.12	2.99	172	8.6	28.9	<b>11.6</b>	0.54	1.30	C18
Rectum	167	5.5	27.9	<b>14.0</b>	0.59	1.66	87	4.4	14.6	<b>7.2</b>	0.45	0.79	C19-20
Anus	4	0.1	0.7	<b>0.4</b>	0.03	0.05	5	0.3	0.8	<b>0.5</b>	0.05	0.05	C21
Liver	94	3.1	15.7	<b>9.3</b>	0.56	1.08	52	2.6	8.7	<b>3.7</b>	0.18	0.37	C22
Gallbladder etc.	25	0.8	4.2	<b>2.0</b>	0.03	0.27	32	1.6	5.4	<b>2.1</b>	0.10	0.23	C23-24
Pancreas	72	2.4	12.0	<b>7.2</b>	0.44	0.91	72	3.6	12.1	<b>4.9</b>	0.24	0.57	C25
Nose, sinuses etc.	6	0.2	1.0	<b>0.6</b>	0.03	0.10	3	0.2	0.5	<b>0.2</b>	0.00	0.02	C30-31
Larynx	60	2.0	10.0	<b>6.7</b>	0.53	0.81	1	0.1	0.2	<b>0.1</b>	0.02	0.02	C32
Trachea, bronchus, and lung	471	15.5	78.6	<b>44.0</b>	2.48	5.57	64	3.2	10.8	<b>5.6</b>	0.40	0.67	C33-34
Other thoracic organs	5	0.2	0.8	<b>0.6</b>	0.04	0.08	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C37-38
Bone	3	0.1	0.5	<b>0.5</b>	0.02	0.02	4	0.2	0.7	<b>0.8</b>	0.05	0.07	C40-41
Melanoma of skin	52	1.7	8.7	<b>5.5</b>	0.41	0.56	50	2.5	8.4	<b>5.1</b>	0.32	0.53	C43
Other skin	10		1.7	<b>0.8</b>	0.04	0.06	7		1.2	<b>0.8</b>	0.06	0.06	C44
Mesothelioma	3	0.1	0.5	<b>0.3</b>	0.00	0.06	2	0.1	0.3	<b>0.2</b>	0.00	0.04	C45
Kaposi sarcoma	8	0.3	1.3	<b>0.7</b>	0.01	0.10	5	0.3	0.8	<b>0.3</b>	0.00	0.04	C46
Connective and soft tissue	13	0.4	2.2	<b>1.5</b>	0.10	0.14	13	0.7	2.2	<b>1.1</b>	0.04	0.11	C47+C49
Breast	7	0.2	1.2	<b>0.7</b>	0.06	0.08	570	28.5	95.7	<b>58.4</b>	4.45	6.29	C50
Vulva							23	1.2	3.9	<b>1.1</b>	0.02	0.11	C51
Vagina							1	0.1	0.2	<b>0.0</b>	0.00	0.00	C52
Cervix uteri							39	2.0	6.6	<b>4.7</b>	0.37	0.48	C53
Corpus uteri							123	6.2	20.7	<b>11.8</b>	0.86	1.43	C54
Uterus unspecified							6	0.3	1.0	<b>0.5</b>	0.04	0.05	C55
Ovary							66	3.3	11.1	<b>6.9</b>	0.57	0.72	C56
Other female genital organs							7	0.4	1.2	<b>0.4</b>	0.04	0.04	C57
Placenta							2	0.1	0.3	<b>0.3</b>	0.02	0.02	C58
Penis	11	0.4	1.8	<b>1.1</b>	0.07	0.13							C60
Prostate	595	19.6	99.2	<b>53.0</b>	2.30	6.90							C61
Testis	30	1.0	5.0	<b>4.1</b>	0.31	0.31							C62
Other male genital organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	66	2.2	11.0	<b>6.9</b>	0.47	0.79	35	1.8	5.9	<b>3.6</b>	0.20	0.36	C64
Renal pelvis	2	0.1	0.3	<b>0.2</b>	0.00	0.02	1	0.1	0.2	<b>0.0</b>	0.00	0.00	C65
Ureter	3	0.1	0.5	<b>0.3</b>	0.00	0.04	3	0.2	0.5	<b>0.3</b>	0.02	0.06	C66
†Bladder	311	10.2	51.9	<b>27.7</b>	1.49	3.34	53	2.7	8.9	<b>4.3</b>	0.30	0.48	C67
Other urinary organs	1	0.0	0.2	<b>0.1</b>	0.00	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	3	0.1	0.5	<b>0.3</b>	0.01	0.03	9	0.5	1.5	<b>0.9</b>	0.05	0.07	C69
Brain and nervous system	48	1.6	8.0	<b>6.1</b>	0.37	0.63	41	2.1	6.9	<b>5.1</b>	0.30	0.45	C70-72
Thyroid	14	0.5	2.3	<b>1.8</b>	0.14	0.16	56	2.8	9.4	<b>7.0</b>	0.55	0.64	C73
Adrenal gland	4	0.1	0.7	<b>0.8</b>	0.04	0.06	7	0.4	1.2	<b>0.8</b>	0.05	0.05	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.1	0.2	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	21	0.7	3.5	<b>2.5</b>	0.16	0.21	9	0.5	1.5	<b>1.2</b>	0.07	0.11	C81
Non-Hodgkin lymphoma	71	2.3	11.8	<b>7.6</b>	0.44	0.76	64	3.2	10.8	<b>6.2</b>	0.39	0.58	C82-86,C96
Immunoproliferative diseases	11	0.4	1.8	<b>0.9</b>	0.07	0.09	6	0.3	1.0	<b>0.6</b>	0.02	0.06	C88
Multiple myeloma	43	1.4	7.2	<b>3.2</b>	0.13	0.35	43	2.2	7.2	<b>2.9</b>	0.15	0.30	C90
Lymphoid leukaemia	46	1.5	7.7	<b>5.8</b>	0.29	0.46	24	1.2	4.0	<b>2.5</b>	0.15	0.26	C91
Myeloid leukaemia	34	1.1	5.7	<b>3.5</b>	0.20	0.35	36	1.8	6.0	<b>3.5</b>	0.26	0.33	C92-94
Leukaemia unspecified	3	0.1	0.5	<b>0.2</b>	0.00	0.02	2	0.1	0.3	<b>0.2</b>	0.02	0.02	C95
Myeloproliferative disorders	17	0.6	2.8	<b>1.3</b>	0.04	0.11	19	1.0	3.2	<b>2.0</b>	0.13	0.19	MPD
Myelodysplastic syndromes	30	1.0	5.0	<b>1.9</b>	0.02	0.21	28	1.4	4.7	<b>1.4</b>	0.05	0.12	MDS
Other and unspecified	74	2.4	12.3	<b>5.7</b>	0.22	0.63	46	2.3	7.7	<b>2.4</b>	0.08	0.21	O&U
All sites	3046		508.0	<b>286.7</b>	15.26	34.31	2005		336.8	<b>182.7</b>	12.21	19.40	C00-96
All sites except C44	3036	100.0	506.3	<b>286.0</b>	15.22	34.24	1998	100.0	335.6	<b>181.9</b>	12.15	19.34	C00-96 exc. C44

† See note following population pyramid

# Spain, Asturias

## CONTRIBUTORS

J. Ramón Quirós  
 Marcial V. Argüelles  
 Virginia Menéndez  
 Soledad Sánchez



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	72.1	Breast	64.2
Trachea, bronchus, and lung	55.6	Corpus uteri	15.8
Bladder	33.6	Colon	14.7
Colon	27.8	Trachea, bronchus, and lung	12.7
Rectum	19.9	Ovary	9.6
Stomach	12.5	Rectum	8.3
Kidney	12.2	Non-Hodgkin lymphoma	7.6
Non-Hodgkin lymphoma	11.1	Cervix uteri	5.8
Liver	10.6	Melanoma of skin	5.4
Larynx	10.5	Other and unspecified	5.4
Other and unspecified	9.8	Stomach	5.2
Pancreas	7.8	Brain and nervous system	5.2
Brain and nervous system	6.4	Kidney	4.9
Testis	6.1	Bladder	4.9
Oesophagus	5.5	Thyroid	4.8
Lymphoid leukaemia	5.3	Pancreas	4.6
Hodgkin lymphoma	3.8	Multiple myeloma	2.7
Myeloid leukaemia	3.6	Myeloid leukaemia	2.7
Melanoma of skin	3.6	Liver	2.6
Multiple myeloma	3.4	Hodgkin lymphoma	2.4
All sites	361.7	All sites	211.0

## Spain, Asturias (2008–2010)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	52	0.4	3.4	<b>1.3</b>	0.05	0.14	16	0.2	1.0	<b>0.2</b>	0.00	0.01	C00
Tongue	89	0.8	5.9	<b>3.1</b>	0.23	0.41	42	0.5	2.5	<b>1.0</b>	0.07	0.12	C01-02
Mouth	89	0.8	5.9	<b>3.1</b>	0.22	0.38	37	0.5	2.2	<b>0.8</b>	0.05	0.08	C03-06
Salivary glands	21	0.2	1.4	<b>0.5</b>	0.02	0.05	13	0.2	0.8	<b>0.3</b>	0.03	0.03	C07-08
Tonsil	36	0.3	2.4	<b>1.2</b>	0.11	0.13	4	0.1	0.2	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	45	0.4	3.0	<b>1.6</b>	0.15	0.20	8	0.1	0.5	<b>0.2</b>	0.03	0.03	C10
Nasopharynx	22	0.2	1.5	<b>0.8</b>	0.07	0.10	8	0.1	0.5	<b>0.3</b>	0.03	0.03	C11
Hypopharynx	74	0.6	4.9	<b>2.7</b>	0.18	0.34	4	0.1	0.2	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	12	0.1	0.8	<b>0.4</b>	0.03	0.04	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C14
Oesophagus	176	1.5	11.6	<b>5.5</b>	0.32	0.69	32	0.4	1.9	<b>0.6</b>	0.02	0.07	C15
Stomach	461	4.0	30.4	<b>12.5</b>	0.63	1.43	303	3.9	18.3	<b>5.2</b>	0.24	0.53	C16
Small intestine	50	0.4	3.3	<b>1.5</b>	0.10	0.15	38	0.5	2.3	<b>0.8</b>	0.04	0.08	C17
Colon	1043	9.0	68.8	<b>27.8</b>	1.23	3.33	736	9.4	44.4	<b>14.7</b>	0.77	1.66	C18
Rectum	706	6.1	46.5	<b>19.9</b>	1.05	2.46	379	4.8	22.9	<b>8.3</b>	0.50	0.98	C19-20
Anus	19	0.2	1.3	<b>0.7</b>	0.04	0.08	23	0.3	1.4	<b>0.6</b>	0.04	0.07	C21
Liver	339	2.9	22.3	<b>10.6</b>	0.64	1.31	129	1.6	7.8	<b>2.6</b>	0.14	0.29	C22
Gallbladder etc.	70	0.6	4.6	<b>1.8</b>	0.06	0.21	73	0.9	4.4	<b>1.3</b>	0.05	0.14	C23-24
Pancreas	258	2.2	17.0	<b>7.8</b>	0.43	0.96	245	3.1	14.8	<b>4.6</b>	0.21	0.48	C25
Nose, sinuses etc.	48	0.4	3.2	<b>1.7</b>	0.11	0.21	23	0.3	1.4	<b>0.7</b>	0.05	0.07	C30-31
Larynx	301	2.6	19.8	<b>10.5</b>	0.78	1.31	26	0.3	1.6	<b>0.8</b>	0.06	0.09	C32
Trachea, bronchus, and lung	1843	15.9	121.5	<b>55.6</b>	3.30	6.87	432	5.5	26.1	<b>12.7</b>	0.95	1.47	C33-34
Other thoracic organs	24	0.2	1.6	<b>1.2</b>	0.07	0.10	11	0.1	0.7	<b>0.3</b>	0.02	0.03	C37-38
Bone	23	0.2	1.5	<b>1.5</b>	0.10	0.11	16	0.2	1.0	<b>0.6</b>	0.05	0.05	C40-41
Melanoma of skin	107	0.9	7.1	<b>3.6</b>	0.22	0.40	192	2.4	11.6	<b>5.4</b>	0.35	0.60	C43
Other skin	12		0.8	<b>0.6</b>	0.03	0.05	21		1.3	<b>0.8</b>	0.05	0.07	C44
Mesothelioma	28	0.2	1.8	<b>0.9</b>	0.04	0.12	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C45
Kaposi sarcoma	19	0.2	1.3	<b>0.8</b>	0.05	0.07	5	0.1	0.3	<b>0.2</b>	0.01	0.01	C46
Connective and soft tissue	54	0.5	3.6	<b>2.0</b>	0.13	0.20	44	0.6	2.7	<b>1.8</b>	0.11	0.18	C47+C49
Breast	20	0.2	1.3	<b>0.5</b>	0.04	0.06	2057	26.2	124.2	<b>64.2</b>	4.92	6.89	C50
Vulva							66	0.8	4.0	<b>1.3</b>	0.07	0.13	C51
Vagina							18	0.2	1.1	<b>0.4</b>	0.02	0.05	C52
Cervix uteri							162	2.1	9.8	<b>5.8</b>	0.43	0.60	C53
Corpus uteri							557	7.1	33.6	<b>15.8</b>	1.17	1.98	C54
Uterus unspecified							22	0.3	1.3	<b>0.6</b>	0.04	0.06	C55
Ovary							306	3.9	18.5	<b>9.6</b>	0.68	1.06	C56
Other female genital organs							14	0.2	0.8	<b>0.3</b>	0.02	0.04	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	35	0.3	2.3	<b>1.0</b>	0.04	0.13							C60
Prostate	2341	20.1	154.3	<b>72.1</b>	3.43	10.27							C61
Testis	96	0.8	6.3	<b>6.1</b>	0.43	0.43							C62
Other male genital organs	3	0.0	0.2	<b>0.1</b>	0.00	0.01							C63
Kidney	364	3.1	24.0	<b>12.2</b>	0.76	1.48	178	2.3	10.7	<b>4.9</b>	0.34	0.57	C64
Renal pelvis	20	0.2	1.3	<b>0.6</b>	0.04	0.07	7	0.1	0.4	<b>0.2</b>	0.01	0.02	C65
Ureter	24	0.2	1.6	<b>0.7</b>	0.03	0.09	4	0.1	0.2	<b>0.1</b>	0.00	0.01	C66
†Bladder	1139	9.8	75.1	<b>33.6</b>	1.87	4.10	239	3.0	14.4	<b>4.9</b>	0.24	0.56	C67
Other urinary organs	91	0.8	6.0	<b>2.4</b>	0.12	0.23	22	0.3	1.3	<b>0.4</b>	0.03	0.04	C68
Eye	9	0.1	0.6	<b>0.6</b>	0.03	0.04	10	0.1	0.6	<b>0.4</b>	0.01	0.03	C69
Brain and nervous system	174	1.5	11.5	<b>6.4</b>	0.39	0.66	159	2.0	9.6	<b>5.2</b>	0.34	0.56	C70-72
Thyroid	41	0.4	2.7	<b>1.8</b>	0.12	0.18	128	1.6	7.7	<b>4.8</b>	0.38	0.46	C73
Adrenal gland	13	0.1	0.9	<b>0.6</b>	0.04	0.06	9	0.1	0.5	<b>0.5</b>	0.04	0.04	C74
Other endocrine	2	0.0	0.1	<b>0.1</b>	0.01	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	62	0.5	4.1	<b>3.8</b>	0.25	0.30	38	0.5	2.3	<b>2.4</b>	0.15	0.16	C81
Non-Hodgkin lymphoma	326	2.8	21.5	<b>11.1</b>	0.68	1.17	300	3.8	18.1	<b>7.6</b>	0.47	0.84	C82-86,C96
Immunoproliferative diseases	28	0.2	1.8	<b>0.8</b>	0.04	0.07	20	0.3	1.2	<b>0.6</b>	0.06	0.07	C88
Multiple myeloma	125	1.1	8.2	<b>3.4</b>	0.14	0.42	122	1.6	7.4	<b>2.7</b>	0.15	0.33	C90
Lymphoid leukaemia	117	1.0	7.7	<b>5.3</b>	0.28	0.49	72	0.9	4.3	<b>2.1</b>	0.12	0.20	C91
Myeloid leukaemia	101	0.9	6.7	<b>3.6</b>	0.18	0.38	81	1.0	4.9	<b>2.7</b>	0.14	0.27	C92-94
Leukaemia unspecified	8	0.1	0.5	<b>0.3</b>	0.01	0.03	12	0.2	0.7	<b>0.3</b>	0.02	0.03	C95
Myeloproliferative disorders	75	0.6	4.9	<b>2.5</b>	0.14	0.28	71	0.9	4.3	<b>2.1</b>	0.14	0.21	MPD
Myelodysplastic syndromes	55	0.5	3.6	<b>1.2</b>	0.03	0.13	41	0.5	2.5	<b>0.7</b>	0.03	0.08	MDS
Other and unspecified	346	3.0	22.8	<b>9.8</b>	0.53	1.03	295	3.8	17.8	<b>5.4</b>	0.28	0.53	O&U
All sites	11636		767.1	<b>361.7</b>	20.07	43.97	7876		475.5	<b>211.0</b>	14.21	23.06	C00-96
All sites except C44	11624	100.0	766.3	<b>361.0</b>	20.04	43.92	7855	100.0	474.2	<b>210.2</b>	14.16	22.99	C00-96 exc. C44


§Includes 1 case of unknown age

† See note following population pyramid

# Spain, Basque Country

## CONTRIBUTORS

Manuel Errezola  
 Arantza Lopez de Munain  
 Marta De la Cruz  
 Joseba Bidaurrezaga  
 Nerea Larrañaga  
 M. Cres Tobalina  
 M. Jesus Michelena  
 Enrique Peiró  
 M<sup>a</sup> Luisa Iruretagoyena  
 Isabel Izarzugaza



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	76.7	Breast	69.7
Trachea, bronchus, and lung	51.8	Colon	19.3
Colon	39.0	Trachea, bronchus, and lung	13.9
Bladder	35.1	Corpus uteri	13.4
Rectum	20.1	Thyroid	11.2
Stomach	14.2	Rectum	8.4
Kidney	12.9	Non-Hodgkin lymphoma	7.8
Liver	12.4	Ovary	7.7
Larynx	10.5	Melanoma of skin	7.5
Non-Hodgkin lymphoma	10.0	Bladder	6.8
Pancreas	8.7	Stomach	6.1
Other and unspecified	7.4	Pancreas	5.1
Brain and nervous system	6.9	Kidney	5.0
Oesophagus	6.4	Cervix uteri	4.8
Melanoma of skin	6.1	Brain and nervous system	4.3
Lymphoid leukaemia	5.5	Other and unspecified	4.1
Testis	5.2	Lymphoid leukaemia	3.0
Myeloid leukaemia	4.1	Myeloid leukaemia	3.0
Mouth	3.6	Hodgkin lymphoma	2.6
Hodgkin lymphoma	3.5	Liver	2.5
All sites	383.7	All sites	230.5

## Spain, Basque Country (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	168	0.4	3.2	<b>1.4</b>	0.04	0.17	49	0.2	0.9	<b>0.2</b>	0.00	0.02	C00
Tongue	304	0.8	5.7	<b>3.2</b>	0.23	0.39	129	0.5	2.3	<b>1.0</b>	0.07	0.12	C01-02
Mouth	343	0.9	6.5	<b>3.6</b>	0.28	0.45	154	0.6	2.8	<b>1.3</b>	0.10	0.13	C03-06
Salivary glands	58	0.1	1.1	<b>0.6</b>	0.04	0.06	48	0.2	0.9	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	125	0.3	2.4	<b>1.4</b>	0.10	0.18	29	0.1	0.5	<b>0.3</b>	0.03	0.04	C09
Other oropharynx	104	0.3	2.0	<b>1.2</b>	0.11	0.15	24	0.1	0.4	<b>0.3</b>	0.03	0.03	C10
Nasopharynx	121	0.3	2.3	<b>1.4</b>	0.11	0.14	26	0.1	0.5	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	284	0.7	5.4	<b>3.0</b>	0.21	0.37	36	0.1	0.6	<b>0.4</b>	0.04	0.04	C12-13
Pharynx unspecified	97	0.2	1.8	<b>1.1</b>	0.09	0.15	10	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	645	1.6	12.2	<b>6.4</b>	0.43	0.80	144	0.5	2.6	<b>1.1</b>	0.08	0.13	C15
Stomach	1639	4.1	31.0	<b>14.2</b>	0.65	1.68	980	3.7	17.6	<b>6.1</b>	0.29	0.65	C16
Small intestine	128	0.3	2.4	<b>1.2</b>	0.07	0.14	73	0.3	1.3	<b>0.5</b>	0.03	0.06	C17
Colon	4422	11.1	83.5	<b>39.0</b>	1.93	4.74	2685	10.2	48.3	<b>19.3</b>	1.10	2.28	C18
Rectum	2177	5.4	41.1	<b>20.1</b>	1.04	2.55	1101	4.2	19.8	<b>8.4</b>	0.52	1.02	C19-20
Anus	52	0.1	1.0	<b>0.5</b>	0.03	0.05	53	0.2	1.0	<b>0.4</b>	0.03	0.05	C21
Liver	1254	3.1	23.7	<b>12.4</b>	0.76	1.50	419	1.6	7.5	<b>2.5</b>	0.10	0.27	C22
Gallbladder etc.	388	1.0	7.3	<b>3.1</b>	0.11	0.35	399	1.5	7.2	<b>2.1</b>	0.08	0.20	C23-24
Pancreas	961	2.4	18.2	<b>8.7</b>	0.45	1.06	859	3.3	15.5	<b>5.1</b>	0.24	0.57	C25
Nose, sinuses etc.	68	0.2	1.3	<b>0.7</b>	0.04	0.07	29	0.1	0.5	<b>0.3</b>	0.02	0.03	C30-31
Larynx	1011	2.5	19.1	<b>10.5</b>	0.77	1.32	89	0.3	1.6	<b>1.0</b>	0.08	0.11	C32
Trachea, bronchus, and lung	5464	13.7	103.2	<b>51.8</b>	3.06	6.49	1480	5.6	26.6	<b>13.9</b>	1.09	1.64	C33-34
Other thoracic organs	61	0.2	1.2	<b>0.6</b>	0.03	0.06	30	0.1	0.5	<b>0.3</b>	0.02	0.03	C37-38
Bone	71	0.2	1.3	<b>1.5</b>	0.09	0.11	55	0.2	1.0	<b>0.7</b>	0.05	0.06	C40-41
Melanoma of skin	573	1.4	10.8	<b>6.1</b>	0.39	0.65	715	2.7	12.9	<b>7.5</b>	0.55	0.79	C43
Other skin	73		1.4	<b>0.7</b>	0.05	0.08	91		1.6	<b>0.9</b>	0.06	0.10	C44
Mesothelioma	143	0.4	2.7	<b>1.2</b>	0.05	0.16	37	0.1	0.7	<b>0.3</b>	0.01	0.05	C45
Kaposi sarcoma	61	0.2	1.2	<b>0.7</b>	0.05	0.08	11	0.0	0.2	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	220	0.5	4.2	<b>2.6</b>	0.16	0.26	168	0.6	3.0	<b>1.7</b>	0.12	0.16	C47+C49
Breast	80	0.2	1.5	<b>0.8</b>	0.05	0.10	6978	26.4	125.6	<b>69.7</b>	5.44	7.54	C50
Vulva							211	0.8	3.8	<b>1.4</b>	0.07	0.15	C51
Vagina							34	0.1	0.6	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							447	1.7	8.0	<b>4.8</b>	0.38	0.50	C53
Corpus uteri							1498	5.7	27.0	<b>13.4</b>	0.95	1.68	C54
Uterus unspecified							71	0.3	1.3	<b>0.5</b>	0.02	0.05	C55
Ovary							832	3.2	15.0	<b>7.7</b>	0.55	0.89	C56
Other female genital organs							38	0.1	0.7	<b>0.3</b>	0.01	0.03	C57
Placenta							1	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	97	0.2	1.8	<b>0.8</b>	0.04	0.09							C60
Prostate	8172	20.4	154.3	<b>76.7</b>	3.48	10.99							C61
Testis	306	0.8	5.8	<b>5.2</b>	0.38	0.39							C62
Other male genital organs	16	0.0	0.3	<b>0.1</b>	0.01	0.01							C63
Kidney	1332	3.3	25.2	<b>12.9</b>	0.77	1.54	588	2.2	10.6	<b>5.0</b>	0.29	0.54	C64
Renal pelvis	110	0.3	2.1	<b>1.0</b>	0.06	0.12	64	0.2	1.2	<b>0.4</b>	0.02	0.05	C65
Ureter	77	0.2	1.5	<b>0.7</b>	0.04	0.08	16	0.1	0.3	<b>0.1</b>	0.00	0.01	C66
†Bladder	3931	9.8	74.2	<b>35.1</b>	1.81	4.22	947	3.6	17.0	<b>6.8</b>	0.41	0.77	C67
Other urinary organs	54	0.1	1.0	<b>0.5</b>	0.02	0.06	26	0.1	0.5	<b>0.2</b>	0.01	0.02	C68
Eye	36	0.1	0.7	<b>0.4</b>	0.02	0.04	33	0.1	0.6	<b>0.3</b>	0.01	0.02	C69
Brain and nervous system	596	1.5	11.3	<b>6.9</b>	0.44	0.73	492	1.9	8.9	<b>4.3</b>	0.25	0.48	C70-72
Thyroid	220	0.5	4.2	<b>2.8</b>	0.21	0.29	900	3.4	16.2	<b>11.2</b>	0.88	1.10	C73
Adrenal gland	17	0.0	0.3	<b>0.3</b>	0.02	0.02	22	0.1	0.4	<b>0.5</b>	0.03	0.03	C74
Other endocrine	9	0.0	0.2	<b>0.2</b>	0.01	0.01	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	201	0.5	3.8	<b>3.5</b>	0.25	0.27	129	0.5	2.3	<b>2.6</b>	0.17	0.18	C81
Non-Hodgkin lymphoma	965	2.4	18.2	<b>10.0</b>	0.63	1.10	930	3.5	16.7	<b>7.8</b>	0.48	0.85	C82-86,C96
Immunoproliferative diseases	114	0.3	2.2	<b>1.1</b>	0.06	0.11	93	0.4	1.7	<b>0.9</b>	0.06	0.10	C88
Multiple myeloma	396	1.0	7.5	<b>3.4</b>	0.17	0.42	353	1.3	6.4	<b>2.4</b>	0.13	0.28	C90
Lymphoid leukaemia	428	1.1	8.1	<b>5.5</b>	0.26	0.51	285	1.1	5.1	<b>3.0</b>	0.16	0.27	C91
Myeloid leukaemia	382	1.0	7.2	<b>4.1</b>	0.22	0.42	316	1.2	5.7	<b>3.0</b>	0.19	0.28	C92-94
Leukaemia unspecified	47	0.1	0.9	<b>0.3</b>	0.01	0.03	40	0.2	0.7	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	251	0.6	4.7	<b>2.4</b>	0.13	0.28	252	1.0	4.5	<b>1.9</b>	0.11	0.20	MPD
Myelodysplastic syndromes	372	0.9	7.0	<b>2.8</b>	0.09	0.28	261	1.0	4.7	<b>1.4</b>	0.04	0.15	MDS
Other and unspecified	852	2.1	16.1	<b>7.4</b>	0.36	0.78	721	2.7	13.0	<b>4.1</b>	0.18	0.39	O&U
All sites	40076		756.9	<b>383.7</b>	20.90	47.09	26502		477.1	<b>230.5</b>	15.69	25.30	C00-96
All sites except C44	40003	100.0	755.6	<b>383.0</b>	20.85	47.01	26411	100.0	475.5	<b>229.6</b>	15.62	25.20	C00-96 exc. C44

† See note following population pyramid

# Spain, Canary Islands

## CONTRIBUTORS

Araceli Alemán Herrera  
María Dolores Rojas Martín  
Emilio de Miguel Ruiz



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	64.8	Breast	62.7
Trachea, bronchus, and lung	44.4	Colon	15.4
Bladder	27.4	Trachea, bronchus, and lung	12.0
Colon	25.5	Corpus uteri	11.6
Rectum	15.2	Thyroid	10.6
Non-Hodgkin lymphoma	11.9	Non-Hodgkin lymphoma	8.4
Liver	8.8	Cervix uteri	6.9
Stomach	8.2	Rectum	6.8
Larynx	8.0	Ovary	6.4
Other and unspecified	7.5	Melanoma of skin	6.2
Pancreas	6.9	Bladder	4.6
Kidney	6.0	Pancreas	4.4
Melanoma of skin	5.9	Other and unspecified	4.3
Brain and nervous system	5.7	Brain and nervous system	3.8
Oesophagus	5.4	Stomach	3.6
Myeloid leukaemia	4.0	Myeloid leukaemia	2.7
Lymphoid leukaemia	3.7	Hodgkin lymphoma	2.5
Testis	3.6	Liver	2.4
Tongue	3.4	Multiple myeloma	2.4
Mouth	3.4	Kidney	2.4
All sites	306.7	All sites	200.4

## Spain, Canary Islands (2008–2011)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	145	0.9	4.2	<b>2.5</b>	0.12	0.27	36	0.3	1.0	<b>0.4</b>	0.02	0.03	C00
Tongue	173	1.1	5.0	<b>3.4</b>	0.24	0.42	60	0.5	1.7	<b>1.0</b>	0.06	0.11	C01-02
Mouth	173	1.1	5.0	<b>3.4</b>	0.23	0.41	59	0.5	1.7	<b>1.0</b>	0.06	0.11	C03-06
Salivary glands	36	0.2	1.0	<b>0.7</b>	0.04	0.07	25	0.2	0.7	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	61	0.4	1.8	<b>1.2</b>	0.09	0.15	10	0.1	0.3	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	53	0.3	1.5	<b>1.1</b>	0.09	0.15	3	0.0	0.1	<b>0.1</b>	0.00	0.01	C10
Nasopharynx	29	0.2	0.8	<b>0.6</b>	0.04	0.06	16	0.1	0.5	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	151	0.9	4.4	<b>3.0</b>	0.21	0.37	7	0.1	0.2	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	112	0.7	3.2	<b>2.3</b>	0.15	0.31	6	0.1	0.2	<b>0.1</b>	0.01	0.02	C14
Oesophagus	284	1.7	8.2	<b>5.4</b>	0.33	0.70	66	0.6	1.9	<b>1.1</b>	0.07	0.13	C15
Stomach	453	2.8	13.1	<b>8.2</b>	0.46	0.95	252	2.2	7.2	<b>3.6</b>	0.18	0.38	C16
Small intestine	43	0.3	1.2	<b>0.8</b>	0.03	0.10	30	0.3	0.9	<b>0.5</b>	0.04	0.06	C17
Colon	1434	8.8	41.4	<b>25.5</b>	1.21	3.15	1034	8.9	29.4	<b>15.4</b>	0.80	1.80	C18
Rectum	833	5.1	24.0	<b>15.2</b>	0.83	1.88	429	3.7	12.2	<b>6.8</b>	0.42	0.78	C19-20
Anus	51	0.3	1.5	<b>0.9</b>	0.06	0.09	31	0.3	0.9	<b>0.5</b>	0.03	0.07	C21
Liver	472	2.9	13.6	<b>8.8</b>	0.49	1.06	172	1.5	4.9	<b>2.4</b>	0.10	0.26	C22
Gallbladder etc.	134	0.8	3.9	<b>2.2</b>	0.08	0.25	169	1.4	4.8	<b>2.3</b>	0.08	0.27	C23-24
Pancreas	385	2.4	11.1	<b>6.9</b>	0.32	0.84	320	2.7	9.1	<b>4.4</b>	0.18	0.51	C25
Nose, sinuses etc.	30	0.2	0.9	<b>0.6</b>	0.04	0.05	8	0.1	0.2	<b>0.1</b>	0.01	0.02	C30-31
Larynx	405	2.5	11.7	<b>8.0</b>	0.55	1.01	33	0.3	0.9	<b>0.7</b>	0.05	0.08	C32
Trachea, bronchus, and lung	2429	14.8	70.1	<b>44.4</b>	2.45	5.50	690	5.9	19.6	<b>12.0</b>	0.87	1.40	C33-34
Other thoracic organs	21	0.1	0.6	<b>0.4</b>	0.03	0.04	11	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	27	0.2	0.8	<b>0.7</b>	0.05	0.06	20	0.2	0.6	<b>0.6</b>	0.03	0.05	C40-41
Melanoma of skin	300	1.8	8.7	<b>5.9</b>	0.40	0.64	344	2.9	9.8	<b>6.2</b>	0.45	0.62	C43
Other skin	33		1.0	<b>0.6</b>	0.04	0.07	48		1.4	<b>0.8</b>	0.05	0.09	C44
Mesothelioma	24	0.1	0.7	<b>0.5</b>	0.02	0.06	2	0.0	0.1	<b>0.0</b>	0.00	0.01	C45
Kaposi sarcoma	36	0.2	1.0	<b>0.7</b>	0.05	0.07	3	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	89	0.5	2.6	<b>1.8</b>	0.12	0.16	74	0.6	2.1	<b>1.4</b>	0.09	0.14	C47+C49
Breast	24	0.1	0.7	<b>0.4</b>	0.02	0.05	3455	29.6	98.3	<b>62.7</b>	4.62	7.03	C50
Vulva							82	0.7	2.3	<b>1.2</b>	0.05	0.14	C51
Vagina							13	0.1	0.4	<b>0.2</b>	0.01	0.01	C52
Cervix uteri							356	3.0	10.1	<b>6.9</b>	0.55	0.68	C53
Corpus uteri							677	5.8	19.3	<b>11.6</b>	0.77	1.46	C54
Uterus unspecified							26	0.2	0.7	<b>0.4</b>	0.04	0.04	C55
Ovary							369	3.2	10.5	<b>6.4</b>	0.42	0.72	C56
Other female genital organs							35	0.3	1.0	<b>0.5</b>	0.02	0.05	C57
Placenta							3	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	53	0.3	1.5	<b>1.0</b>	0.05	0.11							C60
Prostate	3455	21.1	99.7	<b>64.8</b>	3.22	9.00							C61
Testis	153	0.9	4.4	<b>3.6</b>	0.26	0.26							C62
Other male genital organs	1	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	309	1.9	8.9	<b>6.0</b>	0.38	0.72	140	1.2	4.0	<b>2.4</b>	0.15	0.28	C64
Renal pelvis	32	0.2	0.9	<b>0.5</b>	0.02	0.06	13	0.1	0.4	<b>0.2</b>	0.01	0.02	C65
Ureter	18	0.1	0.5	<b>0.3</b>	0.01	0.03	6	0.1	0.2	<b>0.1</b>	0.00	0.01	C66
†Bladder	1564	9.6	45.1	<b>27.4</b>	1.20	3.32	333	2.9	9.5	<b>4.6</b>	0.20	0.49	C67
Other urinary organs	41	0.3	1.2	<b>0.7</b>	0.03	0.08	8	0.1	0.2	<b>0.1</b>	0.00	0.01	C68
Eye	27	0.2	0.8	<b>0.7</b>	0.05	0.07	11	0.1	0.3	<b>0.2</b>	0.01	0.02	C69
Brain and nervous system	270	1.6	7.8	<b>5.7</b>	0.42	0.57	196	1.7	5.6	<b>3.8</b>	0.23	0.42	C70-72
Thyroid	138	0.8	4.0	<b>2.8</b>	0.21	0.29	524	4.5	14.9	<b>10.6</b>	0.85	1.08	C73
Adrenal gland	7	0.0	0.2	<b>0.3</b>	0.02	0.02	13	0.1	0.4	<b>0.4</b>	0.03	0.04	C74
Other endocrine	5	0.0	0.1	<b>0.2</b>	0.01	0.01	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	110	0.7	3.2	<b>2.8</b>	0.19	0.23	85	0.7	2.4	<b>2.5</b>	0.17	0.18	C81
Non-Hodgkin lymphoma	610	3.7	17.6	<b>11.9</b>	0.72	1.32	502	4.3	14.3	<b>8.4</b>	0.52	0.95	C82-86,C96
Immunoproliferative diseases	58	0.4	1.7	<b>1.1</b>	0.07	0.10	46	0.4	1.3	<b>0.8</b>	0.04	0.10	C88
Multiple myeloma	163	1.0	4.7	<b>2.9</b>	0.17	0.34	163	1.4	4.6	<b>2.4</b>	0.13	0.29	C90
Lymphoid leukaemia	149	0.9	4.3	<b>3.7</b>	0.19	0.34	93	0.8	2.6	<b>2.3</b>	0.12	0.21	C91
Myeloid leukaemia	210	1.3	6.1	<b>4.0</b>	0.20	0.40	135	1.2	3.8	<b>2.7</b>	0.16	0.27	C92-94
Leukaemia unspecified	9	0.1	0.3	<b>0.1</b>	0.00	0.01	12	0.1	0.3	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	107	0.7	3.1	<b>2.0</b>	0.10	0.23	73	0.6	2.1	<b>1.2</b>	0.08	0.12	MPD
Myelodysplastic syndromes	56	0.3	1.6	<b>0.8</b>	0.02	0.08	54	0.5	1.5	<b>0.7</b>	0.02	0.06	MDS
Other and unspecified	421	2.6	12.1	<b>7.5</b>	0.38	0.78	341	2.9	9.7	<b>4.3</b>	0.17	0.42	O&U
All sites	16406		473.2	<b>306.7</b>	16.75	37.32	11724		333.6	<b>200.4</b>	13.11	22.16	C00-96
All sites except C44	16373	100.0	472.3	<b>306.0</b>	16.71	37.25	11676	100.0	332.3	<b>199.6</b>	13.05	22.08	C00-96 exc. C44


† See note following population pyramid



# Spain, Castellón

## CONTRIBUTORS

Ana Torrella Ramos  
 Consol Sabater Gregori  
 Carmen Alberich Martí  
 Maria Luisa Vicente Raneda  
 Javier Peñalver Herrero



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	66.9	Breast	61.0
Trachea, bronchus, and lung	50.9	Colon	16.1
Bladder	34.0	Corpus uteri	11.6
Colon	29.5	Rectum	9.3
Rectum	16.8	Trachea, bronchus, and lung	8.3
Stomach	11.2	Ovary	7.6
Non-Hodgkin lymphoma	9.6	Thyroid	6.3
Larynx	9.2	Cervix uteri	5.3
Kidney	7.4	Non-Hodgkin lymphoma	5.1
Pancreas	7.2	Bladder	4.9
Liver	7.2	Melanoma of skin	4.5
Melanoma of skin	6.1	Stomach	4.3
Brain and nervous system	5.8	Pancreas	3.9
Oesophagus	5.7	Brain and nervous system	3.7
Testis	3.9	Kidney	2.8
Other and unspecified	3.5	Hodgkin lymphoma	2.7
Myeloid leukaemia	3.5	Myeloid leukaemia	2.6
Multiple myeloma	3.2	Other and unspecified	2.6
Hodgkin lymphoma	2.8	Liver	2.3
Tongue	2.8	Lymphoid leukaemia	2.3
All sites	317.4	All sites	186.1

## Spain, Castellón (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	66	0.8	4.4	<b>2.2</b>	0.08	0.24	13	0.3	0.9	<b>0.4</b>	0.02	0.05	C00
Tongue	62	0.8	4.1	<b>2.8</b>	0.23	0.30	21	0.4	1.4	<b>0.7</b>	0.05	0.07	C01-02
Mouth	54	0.7	3.6	<b>2.3</b>	0.16	0.26	27	0.5	1.8	<b>1.0</b>	0.07	0.13	C03-06
Salivary glands	22	0.3	1.5	<b>0.8</b>	0.04	0.09	14	0.3	0.9	<b>0.4</b>	0.04	0.04	C07-08
Tonsil	14	0.2	0.9	<b>0.6</b>	0.06	0.07	6	0.1	0.4	<b>0.3</b>	0.03	0.03	C09
Other oropharynx	17	0.2	1.1	<b>0.8</b>	0.06	0.11	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	21	0.3	1.4	<b>1.0</b>	0.08	0.10	8	0.2	0.5	<b>0.4</b>	0.03	0.03	C11
Hypopharynx	19	0.2	1.3	<b>0.9</b>	0.07	0.10	3	0.1	0.2	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	11	0.1	0.7	<b>0.5</b>	0.05	0.06	3	0.1	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	138	1.7	9.1	<b>5.7</b>	0.42	0.66	16	0.3	1.1	<b>0.6</b>	0.05	0.06	C15
Stomach	316	3.9	20.9	<b>11.2</b>	0.54	1.27	158	3.1	10.5	<b>4.3</b>	0.18	0.47	C16
Small intestine	20	0.2	1.3	<b>0.7</b>	0.03	0.07	12	0.2	0.8	<b>0.4</b>	0.03	0.04	C17
Colon	814	10.1	53.8	<b>29.5</b>	1.44	3.55	563	11.2	37.6	<b>16.1</b>	0.75	1.89	C18
Rectum	450	5.6	29.8	<b>16.8</b>	0.93	2.01	285	5.7	19.0	<b>9.3</b>	0.53	1.09	C19-20
Anus	10	0.1	0.7	<b>0.5</b>	0.04	0.06	13	0.3	0.9	<b>0.5</b>	0.04	0.06	C21
Liver	180	2.2	11.9	<b>7.2</b>	0.45	0.83	88	1.8	5.9	<b>2.3</b>	0.09	0.28	C22
Gallbladder etc.	57	0.7	3.8	<b>1.8</b>	0.05	0.18	63	1.3	4.2	<b>1.5</b>	0.07	0.14	C23-24
Pancreas	178	2.2	11.8	<b>7.2</b>	0.40	0.94	139	2.8	9.3	<b>3.9</b>	0.19	0.45	C25
Nose, sinuses etc.	12	0.1	0.8	<b>0.5</b>	0.04	0.04	10	0.2	0.7	<b>0.4</b>	0.03	0.05	C30-31
Larynx	211	2.6	13.9	<b>9.2</b>	0.63	1.17	8	0.2	0.5	<b>0.4</b>	0.04	0.04	C32
Trachea, bronchus, and lung	1290	16.0	85.3	<b>50.9</b>	2.90	6.53	213	4.2	14.2	<b>8.3</b>	0.62	0.97	C33-34
Other thoracic organs	15	0.2	1.0	<b>0.6</b>	0.03	0.06	7	0.1	0.5	<b>0.2</b>	0.01	0.03	C37-38
Bone	16	0.2	1.1	<b>1.3</b>	0.09	0.09	20	0.4	1.3	<b>1.4</b>	0.10	0.10	C40-41
Melanoma of skin	145	1.8	9.6	<b>6.1</b>	0.39	0.69	113	2.3	7.5	<b>4.5</b>	0.32	0.49	C43
Other skin	9		0.6	<b>0.3</b>	0.00	0.04	3		0.2	<b>0.1</b>	0.00	0.01	C44
Mesothelioma	20	0.2	1.3	<b>0.9</b>	0.07	0.09	6	0.1	0.4	<b>0.3</b>	0.03	0.03	C45
Kaposi sarcoma	9	0.1	0.6	<b>0.4</b>	0.03	0.05	1	0.0	0.1	<b>0.0</b>	0.00	0.01	C46
Connective and soft tissue	43	0.5	2.8	<b>2.0</b>	0.15	0.17	25	0.5	1.7	<b>1.3</b>	0.07	0.11	C47+C49
Breast	13	0.2	0.9	<b>0.4</b>	0.01	0.04	1442	28.7	96.3	<b>61.0</b>	4.68	6.66	C50
Vulva							46	0.9	3.1	<b>1.3</b>	0.06	0.15	C51
Vagina							10	0.2	0.7	<b>0.4</b>	0.02	0.03	C52
Cervix uteri							117	2.3	7.8	<b>5.3</b>	0.41	0.53	C53
Corpus uteri							320	6.4	21.4	<b>11.6</b>	0.73	1.46	C54
Uterus unspecified							11	0.2	0.7	<b>0.3</b>	0.01	0.04	C55
Ovary							195	3.9	13.0	<b>7.6</b>	0.55	0.87	C56
Other female genital organs							12	0.2	0.8	<b>0.5</b>	0.04	0.06	C57
Placenta							1	0.0	0.1	<b>0.0</b>	0.00	0.00	C58
Penis	49	0.6	3.2	<b>1.6</b>	0.07	0.18							C60
Prostate	1690	21.0	111.7	<b>66.9</b>	2.88	9.62							C61
Testis	72	0.9	4.8	<b>3.9</b>	0.27	0.29							C62
Other male genital organs	2	0.0	0.1	<b>0.1</b>	0.01	0.01							C63
Kidney	184	2.3	12.2	<b>7.4</b>	0.42	0.86	83	1.7	5.5	<b>2.8</b>	0.18	0.32	C64
Renal pelvis	18	0.2	1.2	<b>0.7</b>	0.03	0.07	7	0.1	0.5	<b>0.2</b>	0.02	0.02	C65
Ureter	9	0.1	0.6	<b>0.3</b>	0.01	0.02	4	0.1	0.3	<b>0.2</b>	0.01	0.02	C66
†Bladder	918	11.4	60.7	<b>34.0</b>	1.72	4.11	159	3.2	10.6	<b>4.9</b>	0.28	0.55	C67
Other urinary organs	5	0.1	0.3	<b>0.2</b>	0.01	0.03	2	0.0	0.1	<b>0.1</b>	0.00	0.02	C68
Eye	10	0.1	0.7	<b>0.6</b>	0.04	0.05	6	0.1	0.4	<b>0.2</b>	0.02	0.02	C69
Brain and nervous system	119	1.5	7.9	<b>5.8</b>	0.38	0.57	84	1.7	5.6	<b>3.7</b>	0.24	0.37	C70-72
Thyroid	38	0.5	2.5	<b>1.8</b>	0.14	0.20	130	2.6	8.7	<b>6.3</b>	0.50	0.64	C73
Adrenal gland	4	0.0	0.3	<b>0.2</b>	0.00	0.03	5	0.1	0.3	<b>0.4</b>	0.02	0.02	C74
Other endocrine	4	0.0	0.3	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	49	0.6	3.2	<b>2.8</b>	0.18	0.22	40	0.8	2.7	<b>2.7</b>	0.19	0.21	C81
Non-Hodgkin lymphoma	211	2.6	13.9	<b>9.6</b>	0.63	1.02	143	2.8	9.5	<b>5.1</b>	0.29	0.57	C82-86,C96
Immunoproliferative diseases	4	0.0	0.3	<b>0.1</b>	0.00	0.02	3	0.1	0.2	<b>0.2</b>	0.01	0.01	C88
Multiple myeloma	96	1.2	6.3	<b>3.2</b>	0.11	0.37	57	1.1	3.8	<b>1.7</b>	0.10	0.19	C90
Lymphoid leukaemia	56	0.7	3.7	<b>2.7</b>	0.15	0.28	45	0.9	3.0	<b>2.3</b>	0.13	0.19	C91
Myeloid leukaemia	86	1.1	5.7	<b>3.5</b>	0.15	0.39	72	1.4	4.8	<b>2.6</b>	0.13	0.29	C92-94
Leukaemia unspecified	7	0.1	0.5	<b>0.3</b>	0.01	0.02	8	0.2	0.5	<b>0.3</b>	0.02	0.03	C95
Myeloproliferative disorders	27	0.3	1.8	<b>0.9</b>	0.04	0.10	32	0.6	2.1	<b>1.0</b>	0.07	0.09	MPD
Myelodysplastic syndromes	75	0.9	5.0	<b>2.3</b>	0.08	0.21	54	1.1	3.6	<b>1.2</b>	0.05	0.11	MDS
Other and unspecified	103	1.3	6.8	<b>3.5</b>	0.16	0.39	94	1.9	6.3	<b>2.6</b>	0.12	0.31	O&U
All sites	8068		533.4	<b>317.4</b>	16.99	38.97	5022		335.3	<b>186.1</b>	12.31	20.46	C00-96
All sites except C44	8059	100.0	532.8	<b>317.2</b>	16.99	38.93	5019	100.0	335.1	<b>186.0</b>	12.30	20.45	C00-96 exc. C44

† See note following population pyramid

# Spain, Ciudad Real

## CONTRIBUTORS

Matilde Chico Mena  
María Ripoll Morales  
Cristina Díaz del Campo Jiménez



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

Male		Female	
Prostate	55.6	Breast	60.6
Trachea, bronchus, and lung	51.3	Thyroid	14.6
Bladder	31.3	Colon	14.2
Colon	23.1	Corpus uteri	12.1
Rectum	12.5	Ovary	7.3
Stomach	11.9	Non-Hodgkin lymphoma	7.2
Larynx	10.6	Trachea, bronchus, and lung	7.1
Non-Hodgkin lymphoma	9.3	Rectum	6.6
Liver	8.2	Stomach	6.0
Kidney	8.0	Bladder	5.5
Pancreas	6.8	Cervix uteri	5.1
Other and unspecified	6.4	Brain and nervous system	4.9
Brain and nervous system	6.0	Pancreas	4.9
Testis	5.1	Melanoma of skin	4.7
Melanoma of skin	4.4	Kidney	4.1
Multiple myeloma	4.0	Other and unspecified	3.5
Thyroid	3.9	Lymphoid leukaemia	3.3
Lymphoid leukaemia	3.4	Gallbladder etc.	2.8
Gallbladder etc.	2.8	Hodgkin lymphoma	2.4
Oesophagus	2.7	Liver	2.2
All sites	297.1	All sites	198.3

## Spain, Ciudad Real (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	49	0.9	4.7	<b>2.1</b>	0.09	0.24	5	0.1	0.5	<b>0.1</b>	0.00	0.00	C00
Tongue	28	0.5	2.7	<b>1.8</b>	0.13	0.23	25	0.6	2.4	<b>0.8</b>	0.05	0.09	C01-02
Mouth	34	0.6	3.2	<b>2.0</b>	0.16	0.22	18	0.5	1.7	<b>0.8</b>	0.06	0.08	C03-06
Salivary glands	16	0.3	1.5	<b>0.8</b>	0.04	0.08	12	0.3	1.1	<b>0.7</b>	0.05	0.06	C07-08
Tonsil	10	0.2	1.0	<b>0.7</b>	0.07	0.09	2	0.1	0.2	<b>0.1</b>	0.01	0.02	C09
Other oropharynx	7	0.1	0.7	<b>0.4</b>	0.03	0.06	2	0.1	0.2	<b>0.2</b>	0.02	0.02	C10
Nasopharynx	17	0.3	1.6	<b>1.2</b>	0.12	0.12	4	0.1	0.4	<b>0.3</b>	0.02	0.02	C11
Hypopharynx	10	0.2	1.0	<b>0.7</b>	0.05	0.09	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	3	0.1	0.3	<b>0.2</b>	0.02	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	52	0.9	5.0	<b>2.7</b>	0.15	0.33	13	0.3	1.2	<b>0.5</b>	0.03	0.06	C15
Stomach	255	4.5	24.4	<b>11.9</b>	0.54	1.47	149	3.8	14.2	<b>6.0</b>	0.30	0.70	C16
Small intestine	8	0.1	0.8	<b>0.5</b>	0.02	0.06	9	0.2	0.9	<b>0.3</b>	0.02	0.04	C17
Colon	513	9.0	49.0	<b>23.1</b>	0.99	2.70	396	10.1	37.6	<b>14.2</b>	0.70	1.59	C18
Rectum	258	4.5	24.7	<b>12.5</b>	0.56	1.58	161	4.1	15.3	<b>6.6</b>	0.38	0.75	C19-20
Anus	5	0.1	0.5	<b>0.2</b>	0.01	0.03	7	0.2	0.7	<b>0.3</b>	0.02	0.02	C21
Liver	164	2.9	15.7	<b>8.2</b>	0.43	1.01	62	1.6	5.9	<b>2.2</b>	0.10	0.26	C22
Gallbladder etc.	62	1.1	5.9	<b>2.8</b>	0.14	0.34	74	1.9	7.0	<b>2.8</b>	0.14	0.32	C23-24
Pancreas	137	2.4	13.1	<b>6.8</b>	0.39	0.78	123	3.1	11.7	<b>4.9</b>	0.25	0.58	C25
Nose, sinuses etc.	5	0.1	0.5	<b>0.3</b>	0.01	0.04	4	0.1	0.4	<b>0.4</b>	0.03	0.03	C30-31
Larynx	172	3.0	16.4	<b>10.6</b>	0.82	1.32	13	0.3	1.2	<b>0.7</b>	0.04	0.08	C32
Trachea, bronchus, and lung	996	17.5	95.2	<b>51.3</b>	2.88	6.48	141	3.6	13.4	<b>7.1</b>	0.51	0.79	C33-34
Other thoracic organs	11	0.2	1.1	<b>0.6</b>	0.03	0.05	8	0.2	0.8	<b>0.6</b>	0.03	0.04	C37-38
Bone	13	0.2	1.2	<b>0.8</b>	0.04	0.06	7	0.2	0.7	<b>0.5</b>	0.04	0.06	C40-41
Melanoma of skin	77	1.4	7.4	<b>4.4</b>	0.29	0.43	87	2.2	8.3	<b>4.7</b>	0.31	0.45	C43
Other skin	18		1.7	<b>1.2</b>	0.06	0.14	9		0.9	<b>0.6</b>	0.05	0.05	C44
Mesothelioma	13	0.2	1.2	<b>0.6</b>	0.01	0.11	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C45
Kaposi sarcoma	26	0.5	2.5	<b>1.2</b>	0.06	0.10	15	0.4	1.4	<b>0.4</b>	0.01	0.03	C46
Connective and soft tissue	27	0.5	2.6	<b>1.7</b>	0.09	0.14	20	0.5	1.9	<b>1.6</b>	0.10	0.13	C47+C49
Breast	5	0.1	0.5	<b>0.3</b>	0.02	0.03	1037	26.5	98.6	<b>60.6</b>	4.61	6.70	C50
Vulva							37	0.9	3.5	<b>1.2</b>	0.06	0.12	C51
Vagina							7	0.2	0.7	<b>0.2</b>	0.01	0.01	C52
Cervix uteri							74	1.9	7.0	<b>5.1</b>	0.42	0.48	C53
Corpus uteri							221	5.6	21.0	<b>12.1</b>	0.95	1.50	C54
Uterus unspecified							22	0.6	2.1	<b>1.2</b>	0.09	0.13	C55
Ovary							144	3.7	13.7	<b>7.3</b>	0.49	0.78	C56
Other female genital organs							7	0.2	0.7	<b>0.1</b>	0.00	0.01	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	16	0.3	1.5	<b>0.5</b>	0.01	0.04							C60
Prostate	1092	19.2	104.4	<b>55.6</b>	2.44	7.35							C61
Testis	59	1.0	5.6	<b>5.1</b>	0.36	0.39							C62
Other male genital organs	3	0.1	0.3	<b>0.1</b>	0.01	0.02							C63
Kidney	131	2.3	12.5	<b>8.0</b>	0.56	0.98	80	2.0	7.6	<b>4.1</b>	0.24	0.44	C64
Renal pelvis	7	0.1	0.7	<b>0.4</b>	0.01	0.06	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C65
Ureter	6	0.1	0.6	<b>0.4</b>	0.01	0.06	4	0.1	0.4	<b>0.2</b>	0.02	0.02	C66
†Bladder	629	11.1	60.1	<b>31.3</b>	1.65	3.68	127	3.2	12.1	<b>5.5</b>	0.31	0.63	C67
Other urinary organs	2	0.0	0.2	<b>0.1</b>	0.00	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	1	0.0	0.1	<b>0.0</b>	0.00	0.00	10	0.3	1.0	<b>0.4</b>	0.01	0.05	C69
Brain and nervous system	83	1.5	7.9	<b>6.0</b>	0.40	0.67	81	2.1	7.7	<b>4.9</b>	0.30	0.48	C70-72
Thyroid	52	0.9	5.0	<b>3.9</b>	0.30	0.39	195	5.0	18.5	<b>14.6</b>	1.18	1.44	C73
Adrenal gland	2	0.0	0.2	<b>0.1</b>	0.01	0.01	2	0.1	0.2	<b>0.1</b>	0.01	0.01	C74
Other endocrine	2	0.0	0.2	<b>0.1</b>	0.00	0.01	2	0.1	0.2	<b>0.1</b>	0.01	0.02	C75
Hodgkin lymphoma	35	0.6	3.3	<b>2.7</b>	0.16	0.25	27	0.7	2.6	<b>2.4</b>	0.15	0.18	C81
Non-Hodgkin lymphoma	149	2.6	14.2	<b>9.3</b>	0.58	1.00	131	3.3	12.5	<b>7.2</b>	0.44	0.82	C82-86,C96
Immunoproliferative diseases	13	0.2	1.2	<b>0.8</b>	0.05	0.08	11	0.3	1.0	<b>0.6</b>	0.03	0.06	C88
Multiple myeloma	73	1.3	7.0	<b>4.0</b>	0.23	0.53	47	1.2	4.5	<b>1.8</b>	0.09	0.21	C90
Lymphoid leukaemia	64	1.1	6.1	<b>3.4</b>	0.16	0.38	56	1.4	5.3	<b>3.3</b>	0.19	0.27	C91
Myeloid leukaemia	56	1.0	5.4	<b>2.3</b>	0.07	0.25	38	1.0	3.6	<b>1.6</b>	0.07	0.17	C92-94
Leukaemia unspecified	7	0.1	0.7	<b>0.6</b>	0.03	0.04	11	0.3	1.0	<b>0.7</b>	0.03	0.04	C95
Myeloproliferative disorders	35	0.6	3.3	<b>2.0</b>	0.11	0.22	28	0.7	2.7	<b>1.3</b>	0.09	0.12	MPD
Myelodysplastic syndromes	66	1.2	6.3	<b>2.4</b>	0.08	0.20	41	1.0	3.9	<b>0.9</b>	0.01	0.08	MDS
Other and unspecified	129	2.3	12.3	<b>6.4</b>	0.33	0.76	115	2.9	10.9	<b>3.5</b>	0.10	0.32	O&U
All sites	5703		545.1	<b>297.1</b>	15.80	35.72	3922		372.9	<b>198.3</b>	13.16	21.36	C00-96
All sites except C44	5685	100.0	543.3	<b>295.9</b>	15.74	35.59	3913	100.0	372.0	<b>197.8</b>	13.11	21.32	C00-96 exc. C44

† See note following population pyramid

# Spain, Cuenca

## CONTRIBUTORS

Jose M<sup>a</sup> Diaz Garcia  
 Rosario Jiménez Chillarón  
 Ana Isabel Marcos Navarro  
 Amparo Chumillas Martínez  
 Alejandra García López  
 Begoña Montoya Chafé  
 Gonzalo Gutiérrez Ávila  
 Jose M<sup>a</sup> Peñas Herrero



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	56.0	Breast	53.4
Trachea, bronchus, and lung	42.4	Corpus uteri	13.7
Bladder	25.2	Colon	13.5
Colon	23.8	Thyroid	7.8
Stomach	12.9	Ovary	7.7
Rectum	11.0	Stomach	7.4
Kidney	8.5	Rectum	7.1
Larynx	8.5	Trachea, bronchus, and lung	6.0
Liver	7.9	Cervix uteri	5.5
Brain and nervous system	7.1	Brain and nervous system	5.2
Non-Hodgkin lymphoma	6.5	Pancreas	4.3
Pancreas	6.5	Non-Hodgkin lymphoma	4.1
Testis	5.1	Kidney	4.0
Lip	4.9	Melanoma of skin	3.4
Other and unspecified	4.9	Multiple myeloma	3.3
Melanoma of skin	4.8	Bladder	2.9
Myelodysplastic syndromes	3.5	Myeloid leukaemia	2.8
Oesophagus	3.3	Other and unspecified	2.8
Myeloid leukaemia	3.2	Hodgkin lymphoma	2.7
Myeloproliferative disorders	2.9	Myeloproliferative disorders	2.6
All sites	281.2	All sites	178.5

## Spain, Cuenca (2008–2011)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	52	1.9	11.9	<b>4.9</b>	0.29	0.57	5	0.3	1.2	<b>0.4</b>	0.02	0.04	C00
Tongue	12	0.4	2.7	<b>1.8</b>	0.16	0.23	10	0.6	2.3	<b>1.0</b>	0.02	0.13	C01-02
Mouth	12	0.4	2.7	<b>2.0</b>	0.16	0.26	11	0.7	2.6	<b>1.4</b>	0.12	0.14	C03-06
Salivary glands	11	0.4	2.5	<b>1.4</b>	0.11	0.14	5	0.3	1.2	<b>0.1</b>	0.00	0.00	C07-08
Tonsil	7	0.3	1.6	<b>1.1</b>	0.09	0.11	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C09
Other oropharynx	1	0.0	0.2	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	10	0.4	2.3	<b>1.8</b>	0.16	0.18	2	0.1	0.5	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	8	0.3	1.8	<b>1.2</b>	0.12	0.14	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	29	1.1	6.6	<b>3.3</b>	0.25	0.35	3	0.2	0.7	<b>0.4</b>	0.04	0.04	C15
Stomach	133	5.0	30.4	<b>12.9</b>	0.67	1.48	89	5.5	20.9	<b>7.4</b>	0.42	0.75	C16
Small intestine	4	0.1	0.9	<b>0.3</b>	0.02	0.02	5	0.3	1.2	<b>0.4</b>	0.02	0.04	C17
Colon	255	9.5	58.2	<b>23.8</b>	1.22	2.73	164	10.1	38.5	<b>13.5</b>	0.66	1.61	C18
Rectum	116	4.3	26.5	<b>11.0</b>	0.61	1.24	66	4.1	15.5	<b>7.1</b>	0.50	0.83	C19-20
Anus	5	0.2	1.1	<b>0.5</b>	0.02	0.07	3	0.2	0.7	<b>0.2</b>	0.02	0.02	C21
Liver	70	2.6	16.0	<b>7.9</b>	0.49	1.02	35	2.2	8.2	<b>2.2</b>	0.08	0.21	C22
Gallbladder etc.	31	1.2	7.1	<b>2.3</b>	0.04	0.29	28	1.7	6.6	<b>2.1</b>	0.09	0.24	C23-24
Pancreas	63	2.3	14.4	<b>6.5</b>	0.33	0.81	61	3.8	14.3	<b>4.3</b>	0.13	0.53	C25
Nose, sinuses etc.	6	0.2	1.4	<b>0.7</b>	0.03	0.06	2	0.1	0.5	<b>0.1</b>	0.00	0.00	C30-31
Larynx	69	2.6	15.8	<b>8.5</b>	0.60	1.03	2	0.1	0.5	<b>0.4</b>	0.05	0.05	C32
Trachea, bronchus, and lung	400	14.9	91.3	<b>42.4</b>	2.34	5.61	51	3.2	12.0	<b>6.0</b>	0.46	0.68	C33-34
Other thoracic organs	3	0.1	0.7	<b>0.5</b>	0.04	0.06	2	0.1	0.5	<b>0.3</b>	0.02	0.05	C37-38
Bone	3	0.1	0.7	<b>0.7</b>	0.06	0.06	4	0.2	0.9	<b>1.0</b>	0.06	0.06	C40-41
Melanoma of skin	51	1.9	11.6	<b>4.8</b>	0.25	0.47	29	1.8	6.8	<b>3.4</b>	0.21	0.38	C43
Other skin	8		1.8	<b>1.5</b>	0.12	0.17	4		0.9	<b>0.7</b>	0.06	0.06	C44
Mesothelioma	8	0.3	1.8	<b>1.0</b>	0.04	0.12	3	0.2	0.7	<b>0.1</b>	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.2	<b>0.1</b>	0.00	0.02	1	0.1	0.2	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	12	0.4	2.7	<b>1.7</b>	0.14	0.14	8	0.5	1.9	<b>0.9</b>	0.07	0.11	C47+C49
Breast	7	0.3	1.6	<b>0.5</b>	0.01	0.04	394	24.4	92.5	<b>53.4</b>	4.09	5.58	C50
Vulva							17	1.1	4.0	<b>1.3</b>	0.04	0.18	C51
Vagina							2	0.1	0.5	<b>0.0</b>	0.00	0.00	C52
Cervix uteri							31	1.9	7.3	<b>5.5</b>	0.48	0.52	C53
Corpus uteri							118	7.3	27.7	<b>13.7</b>	0.98	1.67	C54
Uterus unspecified							2	0.1	0.5	<b>0.1</b>	0.00	0.02	C55
Ovary							61	3.8	14.3	<b>7.7</b>	0.56	0.79	C56
Other female genital organs							4	0.2	0.9	<b>0.3</b>	0.02	0.02	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	4	0.1	0.9	<b>0.3</b>	0.00	0.05							C60
Prostate	584	21.8	133.3	<b>56.0</b>	2.39	7.53							C61
Testis	26	1.0	5.9	<b>5.1</b>	0.41	0.41							C62
Other male genital organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00							C63
Kidney	64	2.4	14.6	<b>8.5</b>	0.59	0.99	28	1.7	6.6	<b>4.0</b>	0.21	0.37	C64
Renal pelvis	9	0.3	2.1	<b>0.8</b>	0.02	0.10	5	0.3	1.2	<b>0.2</b>	0.00	0.00	C65
Ureter	7	0.3	1.6	<b>0.7</b>	0.05	0.12	1	0.1	0.2	<b>0.1</b>	0.00	0.02	C66
†Bladder	246	9.2	56.2	<b>25.2</b>	1.49	3.05	44	2.7	10.3	<b>2.9</b>	0.17	0.27	C67
Other urinary organs	2	0.1	0.5	<b>0.2</b>	0.00	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	8	0.3	1.8	<b>0.9</b>	0.07	0.15	2	0.1	0.5	<b>0.0</b>	0.00	0.00	C69
Brain and nervous system	49	1.8	11.2	<b>7.1</b>	0.53	0.73	34	2.1	8.0	<b>5.2</b>	0.29	0.45	C70-72
Thyroid	12	0.4	2.7	<b>1.7</b>	0.12	0.22	38	2.4	8.9	<b>7.8</b>	0.60	0.71	C73
Adrenal gland	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.1	0.2	<b>0.7</b>	0.03	0.03	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	11	0.4	2.5	<b>2.3</b>	0.15	0.18	11	0.7	2.6	<b>2.7</b>	0.17	0.17	C81
Non-Hodgkin lymphoma	55	2.0	12.6	<b>6.5</b>	0.40	0.70	34	2.1	8.0	<b>4.1</b>	0.23	0.37	C82-86,C96
Immunoproliferative diseases	6	0.2	1.4	<b>0.6</b>	0.02	0.08	3	0.2	0.7	<b>0.2</b>	0.00	0.04	C88
Multiple myeloma	34	1.3	7.8	<b>2.4</b>	0.09	0.22	36	2.2	8.5	<b>3.3</b>	0.20	0.40	C90
Lymphoid leukaemia	22	0.8	5.0	<b>2.4</b>	0.09	0.24	21	1.3	4.9	<b>1.6</b>	0.07	0.18	C91
Myeloid leukaemia	30	1.1	6.8	<b>3.2</b>	0.18	0.31	24	1.5	5.6	<b>2.8</b>	0.16	0.29	C92-94
Leukaemia unspecified	4	0.1	0.9	<b>0.7</b>	0.03	0.05	4	0.2	0.9	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	30	1.1	6.8	<b>2.9</b>	0.16	0.34	21	1.3	4.9	<b>2.6</b>	0.20	0.22	MPD
Myelodysplastic syndromes	45	1.7	10.3	<b>3.5</b>	0.16	0.31	45	2.8	10.6	<b>2.0</b>	0.00	0.18	MDS
Other and unspecified	57	2.1	13.0	<b>4.9</b>	0.23	0.51	46	2.8	10.8	<b>2.8</b>	0.12	0.27	O&U
All sites	2692		614.6	<b>281.2</b>	15.53	33.73	1620		380.5	<b>178.5</b>	11.66	18.74	C00-96
All sites except C44	2684	100.0	612.8	<b>279.7</b>	15.41	33.57	1616	100.0	379.5	<b>177.8</b>	11.60	18.68	C00-96 exc. C44

† See note following population pyramid

# Spain, Girona

## CONTRIBUTORS

Josep Maria Borrás  
 Angel Izquierdo  
 Loreto Vilardell  
 Rafael Marcos-Gragera  
 Josepa Ribes  
 Jordi Galvez  
 Laura Esteban



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	71.2	Breast	66.6
Prostate	66.5	Non-melanoma skin cancer	55.3
Trachea, bronchus, and lung	46.8	Colon	19.0
Bladder	36.6	Corpus uteri	11.7
Colon	30.3	Trachea, bronchus, and lung	9.9
Rectum	15.6	Thyroid	8.1
Liver	11.0	Rectum	7.8
Non-Hodgkin lymphoma	10.8	Non-Hodgkin lymphoma	6.6
Kidney	10.2	Melanoma of skin	6.4
Stomach	10.1	Ovary	6.1
Pancreas	7.6	Stomach	5.2
Other and unspecified	7.1	Bladder	5.1
Larynx	6.5	Other and unspecified	4.6
Melanoma of skin	6.1	Cervix uteri	4.4
Brain and nervous system	6.0	Kidney	4.3
Oesophagus	5.7	Pancreas	4.2
Lymphoid leukaemia	5.0	Brain and nervous system	4.1
Testis	4.2	Lymphoid leukaemia	3.8
Myeloid leukaemia	4.2	Myeloid leukaemia	3.2
Multiple myeloma	3.9	Myeloproliferative disorders	3.1
All sites	406.5	All sites	263.4



## Spain, Girona (2008–2012)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	62	0.6	3.3	1.5	0.07	0.14	18	0.3	1.0	0.3	0.01	0.03	C00
Tongue	73	0.7	3.9	2.5	0.19	0.29	32	0.5	1.7	0.8	0.05	0.10	C01-02
Mouth	83	0.8	4.4	2.8	0.21	0.33	26	0.4	1.4	0.6	0.04	0.06	C03-06
Salivary glands	19	0.2	1.0	0.6	0.03	0.06	11	0.2	0.6	0.2	0.02	0.02	C07-08
Tonsil	35	0.3	1.9	1.2	0.09	0.15	6	0.1	0.3	0.2	0.03	0.03	C09
Other oropharynx	26	0.2	1.4	0.9	0.06	0.13	8	0.1	0.4	0.3	0.02	0.04	C10
Nasopharynx	23	0.2	1.2	0.8	0.07	0.11	8	0.1	0.4	0.3	0.03	0.03	C11
Hypopharynx	58	0.5	3.1	2.1	0.18	0.25	1	0.0	0.1	0.0	0.00	0.00	C12-13
Pharynx unspecified	8	0.1	0.4	0.3	0.02	0.03	0	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	170	1.6	9.0	5.7	0.33	0.75	35	0.5	1.9	0.9	0.08	0.10	C15
Stomach	343	3.2	18.3	10.1	0.48	1.19	233	3.3	12.7	5.2	0.25	0.55	C16
Small intestine	38	0.4	2.0	1.2	0.06	0.14	26	0.4	1.4	0.7	0.04	0.08	C17
Colon	1039	9.7	55.3	30.3	1.45	3.64	758	10.9	41.3	19.0	1.03	2.22	C18
Rectum	497	4.6	26.5	15.6	0.84	1.99	294	4.2	16.0	7.8	0.47	0.88	C19-20
Anus	15	0.1	0.8	0.5	0.04	0.05	12	0.2	0.7	0.4	0.03	0.04	C21
Liver	342	3.2	18.2	11.0	0.67	1.27	107	1.5	5.8	2.4	0.09	0.31	C22
Gallbladder etc.	87	0.8	4.6	2.6	0.11	0.33	93	1.3	5.1	2.2	0.08	0.26	C23-24
Pancreas	243	2.3	12.9	7.6	0.41	0.95	193	2.8	10.5	4.2	0.19	0.47	C25
Nose, sinuses etc.	22	0.2	1.2	0.8	0.05	0.10	8	0.1	0.4	0.1	0.00	0.01	C30-31
Larynx	193	1.8	10.3	6.5	0.46	0.75	20	0.3	1.1	0.8	0.07	0.09	C32
Trachea, bronchus, and lung	1520	14.2	80.9	46.8	2.40	5.94	313	4.5	17.1	9.9	0.71	1.16	C33-34
Other thoracic organs	15	0.1	0.8	0.6	0.05	0.06	4	0.1	0.2	0.1	0.01	0.01	C37-38
Bone	19	0.2	1.0	1.0	0.05	0.08	17	0.2	0.9	0.8	0.06	0.07	C40-41
Melanoma of skin	186	1.7	9.9	6.1	0.39	0.63	194	2.8	10.6	6.4	0.44	0.68	C43
Other skin	2613		139.1	71.2	2.82	7.81	2186		119.2	55.3	3.11	6.13	C44
Mesothelioma	32	0.3	1.7	0.9	0.05	0.11	14	0.2	0.8	0.4	0.01	0.05	C45
Kaposi sarcoma	13	0.1	0.7	0.5	0.03	0.05	0	0.0	0.0	0.0	0.00	0.00	C46
Connective and soft tissue	65	0.6	3.5	2.7	0.16	0.26	41	0.6	2.2	1.4	0.10	0.15	C47+C49
Breast	20	0.2	1.1	0.7	0.05	0.08	1982	28.4	108.1	66.6	5.08	7.24	C50
Vulva							52	0.7	2.8	1.1	0.05	0.09	C51
Vagina							5	0.1	0.3	0.1	0.00	0.00	C52
Cervix uteri							115	1.6	6.3	4.4	0.35	0.45	C53
Corpus uteri							375	5.4	20.4	11.7	0.84	1.47	C54
Uterus unspecified							17	0.2	0.9	0.4	0.02	0.05	C55
Ovary							189	2.7	10.3	6.1	0.41	0.69	C56
Other female genital organs							19	0.3	1.0	0.6	0.04	0.07	C57
Placenta							1	0.0	0.1	0.0	0.00	0.00	C58
Penis	37	0.3	2.0	1.1	0.04	0.12							C60
Prostate	2169	20.3	115.4	66.5	3.03	8.94							C61
Testis	96	0.9	5.1	4.2	0.31	0.32							C62
Other male genital organs	4	0.0	0.2	0.1	0.01	0.01							C63
Kidney	316	3.0	16.8	10.2	0.58	1.13	136	1.9	7.4	4.3	0.28	0.50	C64
Renal pelvis	21	0.2	1.1	0.6	0.03	0.09	12	0.2	0.7	0.2	0.01	0.02	C65
Ureter	15	0.1	0.8	0.5	0.03	0.05	7	0.1	0.4	0.1	0.00	0.01	C66
†Bladder	1235	11.5	65.7	36.6	1.87	4.36	217	3.1	11.8	5.1	0.26	0.59	C67
Other urinary organs	14	0.1	0.7	0.4	0.02	0.04	6	0.1	0.3	0.1	0.01	0.01	C68
Eye	13	0.1	0.7	0.6	0.03	0.05	9	0.1	0.5	0.4	0.02	0.04	C69
Brain and nervous system	160	1.5	8.5	6.0	0.34	0.56	116	1.7	6.3	4.1	0.27	0.44	C70-72
Thyroid	46	0.4	2.4	1.8	0.14	0.18	194	2.8	10.6	8.1	0.65	0.77	C73
Adrenal gland	6	0.1	0.3	0.5	0.02	0.03	6	0.1	0.3	0.3	0.01	0.02	C74
Other endocrine	2	0.0	0.1	0.1	0.01	0.01	1	0.0	0.1	0.1	0.01	0.01	C75
Hodgkin lymphoma	61	0.6	3.2	2.7	0.18	0.23	44	0.6	2.4	1.8	0.13	0.15	C81
Non-Hodgkin lymphoma	305	2.8	16.2	10.8	0.66	1.23	208	3.0	11.3	6.6	0.47	0.70	C82-86,C96
Immunoproliferative diseases	39	0.4	2.1	1.3	0.09	0.12	36	0.5	2.0	1.0	0.05	0.12	C88
Multiple myeloma	128	1.2	6.8	3.9	0.19	0.48	115	1.6	6.3	2.8	0.12	0.35	C90
Lymphoid leukaemia	140	1.3	7.5	5.0	0.26	0.47	103	1.5	5.6	3.8	0.20	0.31	C91
Myeloid leukaemia	129	1.2	6.9	4.2	0.20	0.41	92	1.3	5.0	3.2	0.19	0.28	C92-94
Leukaemia unspecified	10	0.1	0.5	0.4	0.01	0.05	6	0.1	0.3	0.1	0.00	0.00	C95
Myeloproliferative disorders	123	1.1	6.5	3.9	0.20	0.43	110	1.6	6.0	3.1	0.20	0.32	MPD
Myelodysplastic syndromes	139	1.3	7.4	3.1	0.07	0.23	87	1.2	4.7	1.6	0.06	0.14	MDS
Other and unspecified	255	2.4	13.6	7.1	0.31	0.75	247	3.5	13.5	4.6	0.18	0.41	O&U
All sites	13322		709.0	406.5	20.45	47.96	9165		499.8	263.4	16.89	28.81	C00-96
All sites except C44	10709	100.0	570.0	335.3	17.63	40.15	6979	100.0	380.6	208.1	13.77	22.68	C00-96 exc. C44

§Includes 5 cases of unknown age


§Includes 8 cases of unknown age

† See note following population pyramid

# Spain, Granada

## CONTRIBUTORS

María José Sánchez-Pérez  
 Elena Molina-Portillo  
 Daysi Yoe Ling Chang-Chan  
 Carmen Ruiz-Baena  
 Carmen Estévez-Estévez  
 Victoria Barragán-Sánchez  
 Maribel Antoniles-Moreno  
 Daniel Redondo-Sánchez  
 Adriano Calzas-Urrutia  
 Emilio Sánchez-Cantalejo Ramírez



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	81.4	Breast	61.7
Prostate	61.4	Non-melanoma skin cancer	60.7
Trachea, bronchus, and lung	41.5	Colon	14.9
Bladder	32.8	Corpus uteri	14.6
Colon	25.6	Thyroid	9.1
Rectum	15.1	Ovary	8.1
Stomach	10.0	Melanoma of skin	7.9
Non-Hodgkin lymphoma	9.5	Rectum	7.5
Kidney	8.1	Trachea, bronchus, and lung	7.0
Melanoma of skin	8.0	Non-Hodgkin lymphoma	6.6
Larynx	8.0	Cervix uteri	5.9
Other and unspecified	7.6	Brain and nervous system	5.3
Liver	7.5	Other and unspecified	5.1
Pancreas	6.6	Stomach	4.9
Brain and nervous system	5.9	Bladder	4.5
Lip	5.5	Pancreas	4.3
Testis	4.9	Kidney	4.1
Lymphoid leukaemia	3.6	Hodgkin lymphoma	3.0
Thyroid	3.3	Liver	2.6
Myeloid leukaemia	3.2	Gallbladder etc.	2.5
All sites	384.9	All sites	261.9

## Spain, Granada (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	220	1.9	9.7	<b>5.5</b>	0.28	0.65	32	0.4	1.4	<b>0.5</b>	0.02	0.06	C00
Tongue	85	0.7	3.7	<b>2.5</b>	0.13	0.34	40	0.5	1.7	<b>0.8</b>	0.05	0.09	C01-02
Mouth	53	0.5	2.3	<b>1.5</b>	0.11	0.19	52	0.6	2.3	<b>1.0</b>	0.06	0.12	C03-06
Salivary glands	31	0.3	1.4	<b>0.8</b>	0.06	0.08	13	0.2	0.6	<b>0.4</b>	0.02	0.03	C07-08
Tonsil	37	0.3	1.6	<b>1.1</b>	0.09	0.15	5	0.1	0.2	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	13	0.1	0.6	<b>0.4</b>	0.03	0.05	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	42	0.4	1.9	<b>1.3</b>	0.10	0.15	17	0.2	0.7	<b>0.6</b>	0.05	0.05	C11
Hypopharynx	41	0.4	1.8	<b>1.3</b>	0.10	0.16	3	0.0	0.1	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	3	0.0	0.1	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	99	0.9	4.4	<b>2.4</b>	0.13	0.29	20	0.2	0.9	<b>0.4</b>	0.02	0.05	C15
Stomach	400	3.5	17.6	<b>10.0</b>	0.52	1.19	248	3.1	10.7	<b>4.9</b>	0.26	0.55	C16
Small intestine	38	0.3	1.7	<b>1.0</b>	0.06	0.10	32	0.4	1.4	<b>0.6</b>	0.04	0.07	C17
Colon	1054	9.2	46.4	<b>25.6</b>	1.22	3.05	748	9.3	32.4	<b>14.9</b>	0.81	1.75	C18
Rectum	582	5.1	25.6	<b>15.1</b>	0.80	1.84	350	4.3	15.2	<b>7.5</b>	0.42	0.89	C19-20
Anus	15	0.1	0.7	<b>0.4</b>	0.03	0.04	9	0.1	0.4	<b>0.1</b>	0.00	0.01	C21
Liver	301	2.6	13.3	<b>7.5</b>	0.40	0.88	137	1.7	5.9	<b>2.6</b>	0.12	0.29	C22
Gallbladder etc.	101	0.9	4.4	<b>2.2</b>	0.08	0.26	143	1.8	6.2	<b>2.5</b>	0.13	0.26	C23-24
Pancreas	253	2.2	11.1	<b>6.6</b>	0.36	0.83	231	2.9	10.0	<b>4.3</b>	0.19	0.51	C25
Nose, sinuses etc.	12	0.1	0.5	<b>0.4</b>	0.03	0.05	13	0.2	0.6	<b>0.4</b>	0.02	0.04	C30-31
Larynx	281	2.4	12.4	<b>8.0</b>	0.52	1.04	14	0.2	0.6	<b>0.4</b>	0.03	0.05	C32
Trachea, bronchus, and lung	1655	14.4	72.9	<b>41.5</b>	2.06	5.13	280	3.5	12.1	<b>7.0</b>	0.56	0.76	C33-34
Other thoracic organs	24	0.2	1.1	<b>0.8</b>	0.06	0.08	15	0.2	0.7	<b>0.5</b>	0.03	0.06	C37-38
Bone	27	0.2	1.2	<b>1.3</b>	0.08	0.11	30	0.4	1.3	<b>1.3</b>	0.09	0.10	C40-41
Melanoma of skin	266	2.3	11.7	<b>8.0</b>	0.56	0.88	277	3.4	12.0	<b>7.9</b>	0.57	0.79	C43
Other skin	3293		145.1	<b>81.4</b>	4.16	9.23	2803		121.5	<b>60.7</b>	3.46	6.92	C44
Mesothelioma	17	0.1	0.7	<b>0.5</b>	0.03	0.07	7	0.1	0.3	<b>0.2</b>	0.01	0.03	C45
Kaposi sarcoma	24	0.2	1.1	<b>0.7</b>	0.05	0.07	4	0.0	0.2	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	76	0.7	3.3	<b>2.3</b>	0.12	0.21	66	0.8	2.9	<b>1.9</b>	0.13	0.17	C47+C49
Breast	24	0.2	1.1	<b>0.7</b>	0.05	0.09	2213	27.5	95.9	<b>61.7</b>	4.86	6.75	C50
Vulva							68	0.8	2.9	<b>1.2</b>	0.05	0.13	C51
Vagina							9	0.1	0.4	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							193	2.4	8.4	<b>5.9</b>	0.48	0.63	C53
Corpus uteri							579	7.2	25.1	<b>14.6</b>	1.06	1.77	C54
Uterus unspecified							3	0.0	0.1	<b>0.0</b>	0.00	0.00	C55
Ovary							291	3.6	12.6	<b>8.1</b>	0.64	0.85	C56
Other female genital organs							8	0.1	0.3	<b>0.2</b>	0.01	0.02	C57
Placenta							3	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	48	0.4	2.1	<b>1.2</b>	0.07	0.14							C60
Prostate	2355	20.5	103.7	<b>61.4</b>	2.73	8.59							C61
Testis	129	1.1	5.7	<b>4.9</b>	0.36	0.37							C62
Other male genital organs	6	0.1	0.3	<b>0.1</b>	0.00	0.02							C63
Kidney	291	2.5	12.8	<b>8.1</b>	0.50	0.97	171	2.1	7.4	<b>4.1</b>	0.23	0.47	C64
Renal pelvis	51	0.4	2.2	<b>1.2</b>	0.05	0.14	30	0.4	1.3	<b>0.6</b>	0.02	0.09	C65
Ureter	24	0.2	1.1	<b>0.6</b>	0.03	0.08	4	0.0	0.2	<b>0.1</b>	0.01	0.01	C66
†Bladder	1317	11.4	58.0	<b>32.8</b>	1.66	3.94	230	2.9	10.0	<b>4.5</b>	0.25	0.53	C67
Other urinary organs	3	0.0	0.1	<b>0.1</b>	0.00	0.01	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	20	0.2	0.9	<b>0.6</b>	0.04	0.07	14	0.2	0.6	<b>0.5</b>	0.03	0.04	C69
Brain and nervous system	183	1.6	8.1	<b>5.9</b>	0.36	0.63	170	2.1	7.4	<b>5.3</b>	0.35	0.51	C70-72
Thyroid	97	0.8	4.3	<b>3.3</b>	0.25	0.33	274	3.4	11.9	<b>9.1</b>	0.73	0.92	C73
Adrenal gland	9	0.1	0.4	<b>0.4</b>	0.02	0.02	10	0.1	0.4	<b>0.5</b>	0.02	0.03	C74
Other endocrine	10	0.1	0.4	<b>0.2</b>	0.01	0.03	7	0.1	0.3	<b>0.2</b>	0.02	0.02	C75
Hodgkin lymphoma	69	0.6	3.0	<b>2.7</b>	0.19	0.23	68	0.8	2.9	<b>3.0</b>	0.20	0.22	C81
Non-Hodgkin lymphoma	314	2.7	13.8	<b>9.5</b>	0.59	0.97	248	3.1	10.7	<b>6.6</b>	0.48	0.74	C82-86,C96
Immunoproliferative diseases	24	0.2	1.1	<b>0.7</b>	0.05	0.08	13	0.2	0.6	<b>0.3</b>	0.02	0.05	C88
Multiple myeloma	103	0.9	4.5	<b>2.7</b>	0.14	0.32	96	1.2	4.2	<b>1.9</b>	0.09	0.24	C90
Lymphoid leukaemia	101	0.9	4.4	<b>3.6</b>	0.17	0.28	70	0.9	3.0	<b>2.3</b>	0.12	0.17	C91
Myeloid leukaemia	119	1.0	5.2	<b>3.2</b>	0.16	0.33	85	1.1	3.7	<b>2.1</b>	0.12	0.19	C92-94
Leukaemia unspecified	8	0.1	0.4	<b>0.2</b>	0.01	0.02	4	0.0	0.2	<b>0.0</b>	0.00	0.01	C95
Myeloproliferative disorders	55	0.5	2.4	<b>1.5</b>	0.08	0.17	44	0.5	1.9	<b>0.9</b>	0.05	0.09	MPD
Myelodysplastic syndromes	66	0.6	2.9	<b>1.5</b>	0.06	0.15	51	0.6	2.2	<b>0.8</b>	0.03	0.10	MDS
Other and unspecified	337	2.9	14.8	<b>7.6</b>	0.32	0.75	312	3.9	13.5	<b>5.1</b>	0.22	0.46	O&U
All sites	14806		652.2	<b>384.9</b>	20.08	45.86	10860		470.6	<b>261.9</b>	17.20	28.78	C00-96
All sites except C44	11513	100.0	507.1	<b>303.5</b>	15.92	36.63	8057	100.0	349.2	<b>201.3</b>	13.74	21.86	C00-96 exc. C44

† See note following population pyramid

# Spain, La Rioja

## CONTRIBUTORS

Josefina Perucha González  
Natividad Izco Goñi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	78.7	Breast	67.6
Trachea, bronchus, and lung	44.0	Colon	15.9
Bladder	34.5	Corpus uteri	12.5
Colon	30.5	Trachea, bronchus, and lung	7.9
Rectum	19.2	Rectum	7.6
Stomach	13.6	Ovary	7.4
Larynx	10.2	Non-Hodgkin lymphoma	6.0
Kidney	10.0	Bladder	5.8
Pancreas	9.1	Stomach	5.8
Liver	9.1	Brain and nervous system	5.7
Non-Hodgkin lymphoma	8.5	Thyroid	5.7
Other and unspecified	6.5	Kidney	5.4
Brain and nervous system	5.9	Cervix uteri	5.1
Testis	5.1	Pancreas	4.8
Oesophagus	4.8	Other and unspecified	4.1
Melanoma of skin	4.8	Melanoma of skin	3.9
Myeloid leukaemia	3.4	Multiple myeloma	3.2
Hodgkin lymphoma	3.2	Liver	2.7
Myelodysplastic syndromes	3.0	Lymphoid leukaemia	2.4
Mouth	3.0	Gallbladder etc.	2.3
All sites	338.4	All sites	199.4

## Spain, La Rioja (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	12	0.2	1.5	<b>0.6</b>	0.02	0.05	3	0.1	0.4	<b>0.0</b>	0.00	0.00	C00
Tongue	13	0.3	1.6	<b>0.7</b>	0.03	0.07	9	0.3	1.1	<b>0.5</b>	0.03	0.06	C01-02
Mouth	38	0.7	4.7	<b>3.0</b>	0.23	0.34	13	0.4	1.6	<b>0.7</b>	0.05	0.06	C03-06
Salivary glands	11	0.2	1.4	<b>0.5</b>	0.01	0.02	6	0.2	0.8	<b>0.3</b>	0.03	0.03	C07-08
Tonsil	8	0.2	1.0	<b>0.6</b>	0.03	0.08	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C09
Other oropharynx	16	0.3	2.0	<b>1.3</b>	0.08	0.15	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	9	0.2	1.1	<b>0.9</b>	0.06	0.08	4	0.1	0.5	<b>0.4</b>	0.03	0.03	C11
Hypopharynx	37	0.7	4.6	<b>2.7</b>	0.16	0.41	4	0.1	0.5	<b>0.4</b>	0.02	0.05	C12-13
Pharynx unspecified	5	0.1	0.6	<b>0.4</b>	0.03	0.05	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	66	1.3	8.2	<b>4.8</b>	0.28	0.72	5	0.2	0.6	<b>0.3</b>	0.01	0.04	C15
Stomach	222	4.3	27.7	<b>13.6</b>	0.73	1.52	133	4.1	16.7	<b>5.8</b>	0.27	0.62	C16
Small intestine	15	0.3	1.9	<b>0.9</b>	0.05	0.07	4	0.1	0.5	<b>0.3</b>	0.04	0.04	C17
Colon	515	10.0	64.2	<b>30.5</b>	1.43	3.73	330	10.3	41.4	<b>15.9</b>	0.81	1.89	C18
Rectum	295	5.7	36.8	<b>19.2</b>	1.19	2.34	136	4.2	17.1	<b>7.6</b>	0.47	0.95	C19-20
Anus	3	0.1	0.4	<b>0.3</b>	0.01	0.04	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C21
Liver	135	2.6	16.8	<b>9.1</b>	0.52	1.19	60	1.9	7.5	<b>2.7</b>	0.11	0.34	C22
Gallbladder etc.	53	1.0	6.6	<b>2.8</b>	0.13	0.28	60	1.9	7.5	<b>2.3</b>	0.05	0.25	C23-24
Pancreas	140	2.7	17.5	<b>9.1</b>	0.52	1.09	110	3.4	13.8	<b>4.8</b>	0.22	0.54	C25
Nose, sinuses etc.	2	0.0	0.2	<b>0.2</b>	0.00	0.03	3	0.1	0.4	<b>0.1</b>	0.01	0.01	C30-31
Larynx	136	2.6	17.0	<b>10.2</b>	0.66	1.35	7	0.2	0.9	<b>0.5</b>	0.05	0.07	C32
Trachea, bronchus, and lung	668	13.0	83.3	<b>44.0</b>	2.48	5.51	130	4.0	16.3	<b>7.9</b>	0.55	0.92	C33-34
Other thoracic organs	8	0.2	1.0	<b>0.5</b>	0.05	0.05	3	0.1	0.4	<b>0.2</b>	0.02	0.02	C37-38
Bone	8	0.2	1.0	<b>1.0</b>	0.06	0.07	6	0.2	0.8	<b>0.4</b>	0.02	0.05	C40-41
Melanoma of skin	66	1.3	8.2	<b>4.8</b>	0.27	0.57	59	1.8	7.4	<b>3.9</b>	0.26	0.42	C43
Other skin	11		1.4	<b>0.7</b>	0.03	0.08	12		1.5	<b>0.9</b>	0.07	0.09	C44
Mesothelioma	9	0.2	1.1	<b>0.6</b>	0.04	0.10	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C45
Kaposi sarcoma	5	0.1	0.6	<b>0.4</b>	0.03	0.04	1	0.0	0.1	<b>0.1</b>	0.00	0.02	C46
Connective and soft tissue	27	0.5	3.4	<b>1.8</b>	0.13	0.15	28	0.9	3.5	<b>2.1</b>	0.14	0.22	C47+C49
Breast	6	0.1	0.7	<b>0.3</b>	0.02	0.02	936	29.1	117.5	<b>67.6</b>	5.11	7.48	C50
Vulva							20	0.6	2.5	<b>0.8</b>	0.01	0.10	C51
Vagina							3	0.1	0.4	<b>0.2</b>	0.02	0.02	C52
Cervix uteri							61	1.9	7.7	<b>5.1</b>	0.41	0.53	C53
Corpus uteri							193	6.0	24.2	<b>12.5</b>	0.81	1.56	C54
Uterus unspecified							6	0.2	0.8	<b>0.3</b>	0.01	0.02	C55
Ovary							100	3.1	12.5	<b>7.4</b>	0.54	0.80	C56
Other female genital organs							13	0.4	1.6	<b>0.5</b>	0.03	0.04	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	10	0.2	1.2	<b>0.5</b>	0.01	0.06							C60
Prostate	1167	22.7	145.5	<b>78.7</b>	3.65	11.15							C61
Testis	48	0.9	6.0	<b>5.1</b>	0.38	0.38							C62
Other male genital organs	1	0.0	0.1	<b>0.1</b>	0.00	0.02							C63
Kidney	154	3.0	19.2	<b>10.0</b>	0.63	1.14	75	2.3	9.4	<b>5.4</b>	0.36	0.58	C64
Renal pelvis	8	0.2	1.0	<b>0.6</b>	0.03	0.07	5	0.2	0.6	<b>0.3</b>	0.02	0.04	C65
Ureter	9	0.2	1.1	<b>0.7</b>	0.04	0.10	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C66
†Bladder	565	11.0	70.5	<b>34.5</b>	1.73	4.11	121	3.8	15.2	<b>5.8</b>	0.33	0.60	C67
Other urinary organs	9	0.2	1.1	<b>0.5</b>	0.01	0.06	3	0.1	0.4	<b>0.1</b>	0.00	0.02	C68
Eye	5	0.1	0.6	<b>0.3</b>	0.02	0.04	2	0.1	0.3	<b>0.0</b>	0.00	0.00	C69
Brain and nervous system	77	1.5	9.6	<b>5.9</b>	0.36	0.65	74	2.3	9.3	<b>5.7</b>	0.30	0.63	C70-72
Thyroid	25	0.5	3.1	<b>2.1</b>	0.17	0.21	62	1.9	7.8	<b>5.7</b>	0.45	0.52	C73
Adrenal gland	2	0.0	0.2	<b>0.2</b>	0.01	0.02	2	0.1	0.3	<b>0.5</b>	0.03	0.03	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	34	0.7	4.2	<b>3.2</b>	0.22	0.31	17	0.5	2.1	<b>1.9</b>	0.13	0.15	C81
Non-Hodgkin lymphoma	113	2.2	14.1	<b>8.5</b>	0.58	0.95	89	2.8	11.2	<b>6.0</b>	0.36	0.68	C82-86,C96
Immunoproliferative diseases	16	0.3	2.0	<b>1.0</b>	0.04	0.14	9	0.3	1.1	<b>0.5</b>	0.03	0.06	C88
Multiple myeloma	52	1.0	6.5	<b>3.0</b>	0.08	0.43	58	1.8	7.3	<b>3.2</b>	0.16	0.37	C90
Lymphoid leukaemia	46	0.9	5.7	<b>3.0</b>	0.17	0.30	36	1.1	4.5	<b>2.4</b>	0.11	0.27	C91
Myeloid leukaemia	50	1.0	6.2	<b>3.4</b>	0.12	0.41	34	1.1	4.3	<b>2.1</b>	0.12	0.19	C92-94
Leukaemia unspecified	1	0.0	0.1	<b>0.0</b>	0.00	0.00	3	0.1	0.4	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	36	0.7	4.5	<b>2.3</b>	0.11	0.29	25	0.8	3.1	<b>1.6</b>	0.09	0.20	MPD
Myelodysplastic syndromes	66	1.3	8.2	<b>3.0</b>	0.09	0.27	36	1.1	4.5	<b>1.0</b>	0.02	0.07	MDS
Other and unspecified	116	2.3	14.5	<b>6.5</b>	0.32	0.71	113	3.5	14.2	<b>4.1</b>	0.18	0.34	O&U
All sites	5149		642.1	<b>338.4</b>	18.06	42.02	3227		404.9	<b>199.4</b>	12.84	22.02	C00-96
All sites except C44	5138	100.0	640.8	<b>337.6</b>	18.03	41.94	3215	100.0	403.4	<b>198.5</b>	12.78	21.94	C00-96 exc. C44

† See note following population pyramid

# Spain, Mallorca

## CONTRIBUTORS

Paula Franch  
 Maria Ramos  
 Maria Zaforteza  
 Lynn Fieraert



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	83.4	Breast	63.3
Trachea, bronchus, and lung	53.4	Colon	17.7
Bladder	40.4	Trachea, bronchus, and lung	13.2
Colon	26.2	Corpus uteri	11.0
Rectum	15.5	Cervix uteri	7.2
Liver	10.8	Thyroid	7.1
Larynx	9.6	Ovary	7.1
Non-Hodgkin lymphoma	9.4	Non-Hodgkin lymphoma	6.9
Kidney	9.2	Rectum	6.9
Stomach	9.0	Melanoma of skin	5.4
Pancreas	7.3	Bladder	5.4
Melanoma of skin	6.2	Pancreas	4.5
Brain and nervous system	6.2	Stomach	4.2
Oesophagus	4.8	Brain and nervous system	3.7
Testis	4.5	Kidney	3.3
Myeloid leukaemia	4.3	Myeloproliferative disorders	3.3
Lymphoid leukaemia	4.1	Liver	2.9
Other and unspecified	3.9	Other and unspecified	2.6
Multiple myeloma	3.3	Hodgkin lymphoma	2.4
Gallbladder etc.	3.1	Multiple myeloma	2.0
All sites	348.6	All sites	201.6

## Spain, Mallorca (2008–2011)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	49	0.5	2.9	<b>1.8</b>	0.10	0.23	8	0.1	0.5	<b>0.2</b>	0.01	0.02	C00
Tongue	74	0.8	4.3	<b>3.0</b>	0.20	0.38	25	0.4	1.5	<b>0.8</b>	0.04	0.08	C01-02
Mouth	66	0.7	3.8	<b>2.7</b>	0.23	0.31	32	0.5	1.9	<b>1.0</b>	0.07	0.10	C03-06
Salivary glands	18	0.2	1.0	<b>0.6</b>	0.03	0.06	10	0.2	0.6	<b>0.3</b>	0.01	0.03	C07-08
Tonsil	22	0.2	1.3	<b>1.0</b>	0.10	0.12	6	0.1	0.3	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	19	0.2	1.1	<b>0.8</b>	0.06	0.09	4	0.1	0.2	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	11	0.1	0.6	<b>0.5</b>	0.03	0.06	4	0.1	0.2	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	29	0.3	1.7	<b>1.2</b>	0.10	0.15	4	0.1	0.2	<b>0.1</b>	0.01	0.01	C12-13
Pharynx unspecified	8	0.1	0.5	<b>0.4</b>	0.03	0.05	4	0.1	0.2	<b>0.2</b>	0.02	0.02	C14
Oesophagus	124	1.4	7.2	<b>4.8</b>	0.28	0.60	19	0.3	1.1	<b>0.7</b>	0.05	0.08	C15
Stomach	248	2.7	14.5	<b>9.0</b>	0.47	1.05	156	2.6	9.1	<b>4.2</b>	0.23	0.42	C16
Small intestine	19	0.2	1.1	<b>0.8</b>	0.04	0.10	20	0.3	1.2	<b>0.6</b>	0.03	0.08	C17
Colon	762	8.3	44.4	<b>26.2</b>	1.25	2.99	631	10.7	36.7	<b>17.7</b>	0.89	2.07	C18
Rectum	426	4.6	24.8	<b>15.5</b>	0.79	1.91	237	4.0	13.8	<b>6.9</b>	0.34	0.85	C19-20
Anus	24	0.3	1.4	<b>1.0</b>	0.07	0.13	18	0.3	1.0	<b>0.6</b>	0.03	0.08	C21
Liver	282	3.1	16.4	<b>10.8</b>	0.66	1.31	101	1.7	5.9	<b>2.9</b>	0.12	0.36	C22
Gallbladder etc.	96	1.0	5.6	<b>3.1</b>	0.16	0.32	86	1.5	5.0	<b>1.7</b>	0.05	0.16	C23-24
Pancreas	197	2.1	11.5	<b>7.3</b>	0.40	0.88	161	2.7	9.4	<b>4.5</b>	0.24	0.53	C25
Nose, sinuses etc.	10	0.1	0.6	<b>0.4</b>	0.02	0.04	7	0.1	0.4	<b>0.3</b>	0.03	0.03	C30-31
Larynx	241	2.6	14.1	<b>9.6</b>	0.65	1.21	19	0.3	1.1	<b>0.8</b>	0.08	0.10	C32
Trachea, bronchus, and lung	1424	15.5	83.0	<b>53.4</b>	2.99	6.60	380	6.4	22.1	<b>13.2</b>	0.98	1.53	C33-34
Other thoracic organs	10	0.1	0.6	<b>0.4</b>	0.03	0.03	9	0.2	0.5	<b>0.5</b>	0.03	0.03	C37-38
Bone	19	0.2	1.1	<b>1.3</b>	0.07	0.11	19	0.3	1.1	<b>1.3</b>	0.08	0.09	C40-41
Melanoma of skin	168	1.8	9.8	<b>6.2</b>	0.37	0.66	146	2.5	8.5	<b>5.4</b>	0.40	0.57	C43
Other skin	21		1.2	<b>0.9</b>	0.06	0.10	15		0.9	<b>0.4</b>	0.03	0.03	C44
Mesothelioma	9	0.1	0.5	<b>0.2</b>	0.01	0.02	6	0.1	0.3	<b>0.2</b>	0.02	0.03	C45
Kaposi sarcoma	17	0.2	1.0	<b>0.7</b>	0.05	0.08	1	0.0	0.1	<b>0.0</b>	0.00	0.01	C46
Connective and soft tissue	33	0.4	1.9	<b>1.3</b>	0.07	0.13	25	0.4	1.5	<b>1.2</b>	0.07	0.09	C47+C49
Breast	22	0.2	1.3	<b>0.8</b>	0.04	0.08	1685	28.6	98.0	<b>63.3</b>	4.95	6.92	C50
Vulva							53	0.9	3.1	<b>1.5</b>	0.07	0.15	C51
Vagina							12	0.2	0.7	<b>0.4</b>	0.03	0.04	C52
Cervix uteri							186	3.2	10.8	<b>7.2</b>	0.57	0.69	C53
Corpus uteri							319	5.4	18.6	<b>11.0</b>	0.72	1.42	C54
Uterus unspecified							10	0.2	0.6	<b>0.3</b>	0.02	0.03	C55
Ovary							197	3.3	11.5	<b>7.1</b>	0.49	0.77	C56
Other female genital organs							10	0.2	0.6	<b>0.3</b>	0.00	0.03	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	29	0.3	1.7	<b>1.0</b>	0.03	0.11							C60
Prostate	2164	23.6	126.2	<b>83.4</b>	4.15	11.71							C61
Testis	94	1.0	5.5	<b>4.5</b>	0.33	0.33							C62
Other male genital organs	5	0.1	0.3	<b>0.2</b>	0.02	0.02							C63
Kidney	226	2.5	13.2	<b>9.2</b>	0.57	1.12	95	1.6	5.5	<b>3.3</b>	0.23	0.37	C64
Renal pelvis	35	0.4	2.0	<b>1.4</b>	0.09	0.19	9	0.2	0.5	<b>0.2</b>	0.01	0.02	C65
Ureter	6	0.1	0.3	<b>0.2</b>	0.01	0.02	5	0.1	0.3	<b>0.1</b>	0.00	0.02	C66
†Bladder	1124	12.3	65.5	<b>40.4</b>	2.02	4.92	184	3.1	10.7	<b>5.4</b>	0.29	0.65	C67
Other urinary organs	13	0.1	0.8	<b>0.4</b>	0.01	0.05	10	0.2	0.6	<b>0.2</b>	0.01	0.02	C68
Eye	15	0.2	0.9	<b>0.7</b>	0.04	0.08	13	0.2	0.8	<b>0.9</b>	0.04	0.05	C69
Brain and nervous system	138	1.5	8.0	<b>6.2</b>	0.41	0.64	94	1.6	5.5	<b>3.7</b>	0.24	0.38	C70-72
Thyroid	40	0.4	2.3	<b>1.7</b>	0.11	0.19	155	2.6	9.0	<b>7.1</b>	0.57	0.66	C73
Adrenal gland	4	0.0	0.2	<b>0.2</b>	0.01	0.01	4	0.1	0.2	<b>0.2</b>	0.01	0.02	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.01	0.01	C75
Hodgkin lymphoma	61	0.7	3.6	<b>3.0</b>	0.22	0.23	39	0.7	2.3	<b>2.4</b>	0.14	0.17	C81
Non-Hodgkin lymphoma	235	2.6	13.7	<b>9.4</b>	0.56	1.05	208	3.5	12.1	<b>6.9</b>	0.40	0.77	C82-86,C96
Immunoproliferative diseases	27	0.3	1.6	<b>1.2</b>	0.08	0.14	20	0.3	1.2	<b>0.8</b>	0.06	0.09	C88
Multiple myeloma	91	1.0	5.3	<b>3.3</b>	0.17	0.39	68	1.2	4.0	<b>2.0</b>	0.09	0.24	C90
Lymphoid leukaemia	92	1.0	5.4	<b>4.1</b>	0.20	0.39	47	0.8	2.7	<b>1.8</b>	0.07	0.17	C91
Myeloid leukaemia	107	1.2	6.2	<b>4.3</b>	0.22	0.39	55	0.9	3.2	<b>1.9</b>	0.11	0.19	C92-94
Leukaemia unspecified	4	0.0	0.2	<b>0.1</b>	0.01	0.01	8	0.1	0.5	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	72	0.8	4.2	<b>2.6</b>	0.15	0.30	100	1.7	5.8	<b>3.3</b>	0.22	0.34	MPD
Myelodysplastic syndromes	52	0.6	3.0	<b>1.4</b>	0.04	0.12	57	1.0	3.3	<b>1.2</b>	0.03	0.09	MDS
Other and unspecified	110	1.2	6.4	<b>3.9</b>	0.19	0.46	113	1.9	6.6	<b>2.6</b>	0.12	0.21	O&U
All sites	9192		536.0	<b>348.6</b>	18.97	42.69	5911		343.8	<b>201.6</b>	13.44	22.01	C00-96
All sites except C44	9171	100.0	534.7	<b>347.8</b>	18.92	42.59	5896	100.0	343.0	<b>201.1</b>	13.41	21.99	C00-96 exc. C44

§Includes 4 cases of unknown age

§Includes 5 cases of unknown age


† See note following population pyramid



# Spain, Murcia

## CONTRIBUTORS

Carmen Navarro Sánchez  
 M<sup>a</sup> Dolores Chirlaque López  
 Jacinta Tortosa Martínez  
 Isabel Valera Niñirola  
 Mercedes Expósito Castro  
 Sandra Garrido Gallego  
 M<sup>a</sup> José Sánchez Lucas  
 Diego Salmerón Martínez



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

Male		Female	
Prostate	73.3	Breast	64.7
Trachea, bronchus, and lung	52.0	Colon	18.1
Bladder	41.1	Corpus uteri	15.3
Colon	27.7	Thyroid	11.5
Rectum	15.8	Melanoma of skin	8.6
Stomach	10.5	Ovary	8.5
Larynx	9.4	Non-Hodgkin lymphoma	7.9
Liver	9.4	Rectum	7.8
Non-Hodgkin lymphoma	9.3	Cervix uteri	7.4
Pancreas	7.4	Trachea, bronchus, and lung	7.0
Other and unspecified	7.0	Brain and nervous system	5.4
Melanoma of skin	6.9	Pancreas	5.4
Kidney	6.8	Bladder	5.2
Brain and nervous system	6.4	Stomach	4.5
Testis	4.1	Other and unspecified	4.1
Lymphoid leukaemia	3.9	Kidney	3.1
Multiple myeloma	3.7	Lymphoid leukaemia	3.0
Oesophagus	3.6	Multiple myeloma	2.9
Myeloid leukaemia	3.3	Myeloid leukaemia	2.7
Thyroid	2.9	Liver	2.3
All sites	337.7	All sites	213.9

## Spain, Murcia (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	81	0.7	3.7	<b>2.4</b>	0.13	0.26	9	0.1	0.4	<b>0.1</b>	0.00	0.01	C00
Tongue	72	0.7	3.3	<b>2.5</b>	0.19	0.33	40	0.5	1.9	<b>1.1</b>	0.05	0.14	C01-02
Mouth	81	0.7	3.7	<b>2.8</b>	0.20	0.38	33	0.5	1.5	<b>0.8</b>	0.05	0.09	C03-06
Salivary glands	21	0.2	1.0	<b>0.6</b>	0.03	0.05	21	0.3	1.0	<b>0.6</b>	0.03	0.05	C07-08
Tonsil	12	0.1	0.5	<b>0.4</b>	0.04	0.06	4	0.1	0.2	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	12	0.1	0.5	<b>0.4</b>	0.02	0.05	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C10
Nasopharynx	32	0.3	1.5	<b>1.1</b>	0.08	0.11	8	0.1	0.4	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	36	0.3	1.6	<b>1.3</b>	0.11	0.17	5	0.1	0.2	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	13	0.1	0.6	<b>0.5</b>	0.05	0.05	3	0.0	0.1	<b>0.1</b>	0.01	0.01	C14
Oesophagus	110	1.0	5.0	<b>3.6</b>	0.22	0.48	20	0.3	0.9	<b>0.6</b>	0.03	0.07	C15
Stomach	360	3.3	16.3	<b>10.5</b>	0.47	1.26	191	2.6	8.9	<b>4.5</b>	0.22	0.51	C16
Small intestine	30	0.3	1.4	<b>0.9</b>	0.06	0.10	21	0.3	1.0	<b>0.6</b>	0.03	0.09	C17
Colon	990	9.1	44.9	<b>27.7</b>	1.18	3.22	754	10.3	35.0	<b>18.1</b>	0.88	2.14	C18
Rectum	522	4.8	23.7	<b>15.8</b>	0.89	1.93	304	4.2	14.1	<b>7.8</b>	0.42	0.94	C19-20
Anus	8	0.1	0.4	<b>0.2</b>	0.01	0.03	6	0.1	0.3	<b>0.1</b>	0.01	0.01	C21
Liver	298	2.7	13.5	<b>9.4</b>	0.54	1.15	101	1.4	4.7	<b>2.3</b>	0.12	0.25	C22
Gallbladder etc.	66	0.6	3.0	<b>1.8</b>	0.06	0.22	67	0.9	3.1	<b>1.3</b>	0.05	0.13	C23-24
Pancreas	242	2.2	11.0	<b>7.4</b>	0.42	0.90	214	2.9	9.9	<b>5.4</b>	0.27	0.65	C25
Nose, sinuses etc.	10	0.1	0.5	<b>0.3</b>	0.02	0.03	6	0.1	0.3	<b>0.2</b>	0.02	0.02	C30-31
Larynx	279	2.6	12.7	<b>9.4</b>	0.64	1.25	19	0.3	0.9	<b>0.5</b>	0.04	0.06	C32
Trachea, bronchus, and lung	1661	15.2	75.4	<b>52.0</b>	2.88	6.72	245	3.3	11.4	<b>7.0</b>	0.48	0.83	C33-34
Other thoracic organs	12	0.1	0.5	<b>0.4</b>	0.03	0.04	6	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	32	0.3	1.5	<b>1.4</b>	0.09	0.10	22	0.3	1.0	<b>1.1</b>	0.07	0.07	C40-41
Melanoma of skin	214	2.0	9.7	<b>6.9</b>	0.47	0.73	259	3.5	12.0	<b>8.6</b>	0.63	0.87	C43
Other skin	0		0.0	<b>0.0</b>	0.00	0.00	0		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	42	0.4	1.9	<b>1.3</b>	0.07	0.16	12	0.2	0.6	<b>0.3</b>	0.02	0.03	C45
Kaposi sarcoma	14	0.1	0.6	<b>0.4</b>	0.03	0.04	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	64	0.6	2.9	<b>2.3</b>	0.13	0.22	54	0.7	2.5	<b>1.8</b>	0.11	0.13	C47+C49
Breast	22	0.2	1.0	<b>0.7</b>	0.05	0.08	2032	27.8	94.3	<b>64.7</b>	5.01	7.02	C50
Vulva							41	0.6	1.9	<b>0.9</b>	0.02	0.10	C51
Vagina							7	0.1	0.3	<b>0.2</b>	0.01	0.02	C52
Cervix uteri							217	3.0	10.1	<b>7.4</b>	0.60	0.74	C53
Corpus uteri							510	7.0	23.7	<b>15.3</b>	1.01	1.98	C54
Uterus unspecified							10	0.1	0.5	<b>0.2</b>	0.01	0.03	C55
Ovary							268	3.7	12.4	<b>8.5</b>	0.63	0.96	C56
Other female genital organs							14	0.2	0.6	<b>0.3</b>	0.01	0.03	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	31	0.3	1.4	<b>0.9</b>	0.04	0.11							C60
Prostate	2353	21.6	106.8	<b>73.3</b>	3.46	10.03							C61
Testis	111	1.0	5.0	<b>4.1</b>	0.30	0.30							C62
Other male genital organs	2	0.0	0.1	<b>0.0</b>	0.00	0.01							C63
Kidney	204	1.9	9.3	<b>6.8</b>	0.43	0.81	102	1.4	4.7	<b>3.1</b>	0.21	0.33	C64
Renal pelvis	21	0.2	1.0	<b>0.7</b>	0.06	0.09	20	0.3	0.9	<b>0.5</b>	0.02	0.06	C65
Ureter	21	0.2	1.0	<b>0.6</b>	0.03	0.06	6	0.1	0.3	<b>0.2</b>	0.01	0.02	C66
†Bladder	1385	12.7	62.9	<b>41.1</b>	2.01	5.01	224	3.1	10.4	<b>5.2</b>	0.29	0.56	C67
Other urinary organs	8	0.1	0.4	<b>0.3</b>	0.01	0.03	7	0.1	0.3	<b>0.2</b>	0.01	0.01	C68
Eye	14	0.1	0.6	<b>0.5</b>	0.03	0.05	10	0.1	0.5	<b>0.4</b>	0.02	0.04	C69
Brain and nervous system	180	1.7	8.2	<b>6.4</b>	0.35	0.58	159	2.2	7.4	<b>5.4</b>	0.33	0.57	C70-72
Thyroid	81	0.7	3.7	<b>2.9</b>	0.24	0.29	312	4.3	14.5	<b>11.5</b>	0.94	1.08	C73
Adrenal gland	8	0.1	0.4	<b>0.4</b>	0.02	0.04	7	0.1	0.3	<b>0.4</b>	0.02	0.03	C74
Other endocrine	3	0.0	0.1	<b>0.1</b>	0.01	0.01	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	70	0.6	3.2	<b>2.9</b>	0.20	0.26	48	0.7	2.2	<b>1.9</b>	0.13	0.15	C81
Non-Hodgkin lymphoma	286	2.6	13.0	<b>9.3</b>	0.54	0.96	259	3.5	12.0	<b>7.9</b>	0.48	0.87	C82-86,C96
Immunoproliferative diseases	25	0.2	1.1	<b>0.8</b>	0.05	0.09	16	0.2	0.7	<b>0.4</b>	0.02	0.04	C88
Multiple myeloma	133	1.2	6.0	<b>3.7</b>	0.17	0.43	118	1.6	5.5	<b>2.9</b>	0.16	0.35	C90
Lymphoid leukaemia	107	1.0	4.9	<b>3.9</b>	0.23	0.34	83	1.1	3.9	<b>3.0</b>	0.13	0.25	C91
Myeloid leukaemia	113	1.0	5.1	<b>3.3</b>	0.16	0.30	92	1.3	4.3	<b>2.7</b>	0.15	0.29	C92-94
Leukaemia unspecified	5	0.0	0.2	<b>0.1</b>	0.00	0.01	13	0.2	0.6	<b>0.3</b>	0.01	0.02	C95
Myeloproliferative disorders	56	0.5	2.5	<b>1.7</b>	0.10	0.16	50	0.7	2.3	<b>1.1</b>	0.04	0.13	MPD
Myelodysplastic syndromes	101	0.9	4.6	<b>2.5</b>	0.05	0.27	74	1.0	3.4	<b>1.4</b>	0.02	0.15	MDS
Other and unspecified	250	2.3	11.4	<b>7.0</b>	0.34	0.78	193	2.6	9.0	<b>4.1</b>	0.18	0.39	O&U
All sites	10904		495.1	<b>337.7</b>	17.92	41.12	7321		339.9	<b>213.9</b>	14.09	23.38	C00-96
All sites except C44	10904	100.0	495.1	<b>337.7</b>	17.92	41.12	7321	100.0	339.9	<b>213.9</b>	14.09	23.38	C00-96 exc. C44

† See note following population pyramid

# Spain, Navarra

## CONTRIBUTORS

Eva Ardanaz  
 Rosana Burgui  
 M<sup>a</sup> Josefa Urbina  
 Erkuden San Román  
 Conchi Moreno-Iribas  
 Marcela Guevara



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	103.0	Non-melanoma skin cancer	88.4
Prostate	75.6	Breast	68.8
Trachea, bronchus, and lung	51.3	Colon	16.6
Bladder	43.4	Corpus uteri	14.8
Colon	31.3	Trachea, bronchus, and lung	12.7
Rectum	18.9	Thyroid	12.3
Stomach	12.6	Melanoma of skin	10.1
Kidney	10.6	Bladder	8.5
Non-Hodgkin lymphoma	10.5	Ovary	8.0
Liver	9.1	Rectum	7.5
Brain and nervous system	8.6	Non-Hodgkin lymphoma	6.6
Pancreas	8.4	Brain and nervous system	6.3
Larynx	8.2	Stomach	6.2
Melanoma of skin	7.6	Pancreas	5.9
Oesophagus	5.5	Kidney	5.3
Thyroid	5.1	Cervix uteri	4.3
Other and unspecified	4.2	Other and unspecified	3.3
Lymphoid leukaemia	4.2	Lymphoid leukaemia	3.1
Hodgkin lymphoma	4.0	Myeloid leukaemia	2.8
Connective and soft tissue	3.9	Connective and soft tissue	2.5
<b>All sites</b>	<b>463.9</b>	<b>All sites</b>	<b>317.2</b>

## Spain, Navarra (2008–2010)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	24	0.4	2.5	1.2	0.06	0.13	6	0.1	0.6	0.2	0.01	0.02	C00
Tongue	26	0.4	2.8	1.6	0.06	0.22	15	0.4	1.6	0.7	0.04	0.10	C01-02
Mouth	33	0.5	3.5	2.5	0.20	0.28	27	0.7	2.9	1.4	0.10	0.15	C03-06
Salivary glands	10	0.2	1.1	0.6	0.04	0.08	6	0.1	0.6	0.4	0.02	0.04	C07-08
Tonsil	12	0.2	1.3	0.8	0.05	0.11	1	0.0	0.1	0.1	0.00	0.01	C09
Other oropharynx	8	0.1	0.8	0.6	0.04	0.08	3	0.1	0.3	0.2	0.02	0.03	C10
Nasopharynx	9	0.1	1.0	0.7	0.06	0.06	1	0.0	0.1	0.1	0.01	0.01	C11
Hypopharynx	25	0.4	2.6	1.7	0.12	0.22	4	0.1	0.4	0.3	0.02	0.02	C12-13
Pharynx unspecified	8	0.1	0.8	0.5	0.05	0.05	2	0.0	0.2	0.1	0.00	0.01	C14
Oesophagus	87	1.4	9.2	5.5	0.40	0.68	13	0.3	1.4	0.7	0.05	0.09	C15
Stomach	232	3.9	24.6	12.6	0.59	1.44	157	3.9	16.6	6.2	0.29	0.61	C16
Small intestine	19	0.3	2.0	1.3	0.08	0.18	15	0.4	1.6	0.6	0.02	0.08	C17
Colon	586	9.7	62.1	31.3	1.40	3.69	385	9.6	40.8	16.6	0.81	1.94	C18
Rectum	332	5.5	35.2	18.9	1.09	2.33	156	3.9	16.5	7.5	0.42	0.89	C19-20
Anus	6	0.1	0.6	0.3	0.02	0.02	7	0.2	0.7	0.4	0.03	0.07	C21
Liver	152	2.5	16.1	9.1	0.61	1.08	49	1.2	5.2	2.0	0.09	0.25	C22
Gallbladder etc.	66	1.1	7.0	3.2	0.11	0.34	68	1.7	7.2	2.1	0.07	0.20	C23-24
Pancreas	149	2.5	15.8	8.4	0.41	1.03	148	3.7	15.7	5.9	0.24	0.68	C25
Nose, sinuses etc.	12	0.2	1.3	0.8	0.08	0.10	6	0.1	0.6	0.3	0.02	0.03	C30-31
Larynx	119	2.0	12.6	8.2	0.62	1.01	10	0.2	1.1	0.6	0.06	0.08	C32
Trachea, bronchus, and lung	883	14.7	93.5	51.3	2.85	6.33	206	5.1	21.8	12.7	1.06	1.41	C33-34
Other thoracic organs	8	0.1	0.8	0.5	0.05	0.05	2	0.0	0.2	0.3	0.01	0.02	C37-38
Bone	9	0.1	1.0	0.8	0.07	0.08	12	0.3	1.3	1.2	0.08	0.11	C40-41
Melanoma of skin	110	1.8	11.7	7.6	0.51	0.83	141	3.5	14.9	10.1	0.73	1.06	C43
Other skin	1937		205.1	103.0	4.57	11.55	1785		189.2	88.4	5.31	9.98	C44
Mesothelioma	22	0.4	2.3	1.3	0.08	0.15	10	0.2	1.1	0.4	0.02	0.04	C45
Kaposi sarcoma	7	0.1	0.7	0.4	0.02	0.04	2	0.0	0.2	0.0	0.00	0.00	C46
Connective and soft tissue	47	0.8	5.0	3.9	0.20	0.28	37	0.9	3.9	2.5	0.16	0.25	C47+C49
Breast	10	0.2	1.1	0.6	0.04	0.08	1058	26.4	112.1	68.8	5.30	7.28	C50
Vulva							34	0.8	3.6	1.4	0.07	0.13	C51
Vagina							5	0.1	0.5	0.3	0.03	0.03	C52
Cervix uteri							63	1.6	6.7	4.3	0.32	0.41	C53
Corpus uteri							250	6.2	26.5	14.8	1.02	1.78	C54
Uterus unspecified							3	0.1	0.3	0.0	0.00	0.00	C55
Ovary							132	3.3	14.0	8.0	0.56	0.88	C56
Other female genital organs							11	0.3	1.2	0.5	0.03	0.05	C57
Placenta							0	0.0	0.0	0.0	0.00	0.00	C58
Penis	17	0.3	1.8	1.0	0.07	0.11							C60
Prostate	1268	21.1	134.3	75.6	3.60	10.70							C61
Testis	37	0.6	3.9	3.2	0.24	0.24							C62
Other male genital organs	3	0.0	0.3	0.2	0.01	0.02							C63
Kidney	169	2.8	17.9	10.6	0.65	1.26	86	2.1	9.1	5.3	0.33	0.53	C64
Renal pelvis	21	0.3	2.2	1.1	0.05	0.13	5	0.1	0.5	0.3	0.02	0.02	C65
Ureter	5	0.1	0.5	0.2	0.00	0.03	1	0.0	0.1	0.0	0.00	0.00	C66
†Bladder	735	12.2	77.8	43.4	2.50	5.36	171	4.3	18.1	8.5	0.57	0.96	C67
Other urinary organs	6	0.1	0.6	0.3	0.00	0.03	7	0.2	0.7	0.2	0.01	0.01	C68
Eye	12	0.2	1.3	0.9	0.04	0.08	3	0.1	0.3	0.2	0.01	0.01	C69
Brain and nervous system	124	2.1	13.1	8.6	0.54	1.02	104	2.6	11.0	6.3	0.38	0.67	C70-72
Thyroid	69	1.1	7.3	5.1	0.43	0.50	162	4.0	17.2	12.3	0.95	1.25	C73
Adrenal gland	4	0.1	0.4	0.5	0.03	0.03	3	0.1	0.3	0.5	0.03	0.03	C74
Other endocrine	1	0.0	0.1	0.2	0.01	0.01	1	0.0	0.1	0.0	0.00	0.00	C75
Hodgkin lymphoma	43	0.7	4.6	4.0	0.24	0.34	24	0.6	2.5	2.1	0.15	0.19	C81
Non-Hodgkin lymphoma	155	2.6	16.4	10.5	0.65	1.09	113	2.8	12.0	6.6	0.41	0.73	C82-86,C96
Immunoproliferative diseases	20	0.3	2.1	1.1	0.06	0.11	15	0.4	1.6	1.0	0.05	0.13	C88
Multiple myeloma	58	1.0	6.1	3.4	0.17	0.40	41	1.0	4.3	2.0	0.12	0.27	C90
Lymphoid leukaemia	49	0.8	5.2	4.2	0.21	0.35	33	0.8	3.5	3.1	0.18	0.23	C91
Myeloid leukaemia	50	0.8	5.3	3.0	0.17	0.35	41	1.0	4.3	2.8	0.15	0.31	C92-94
Leukaemia unspecified	4	0.1	0.4	0.1	0.00	0.00	7	0.2	0.7	0.2	0.01	0.01	C95
Myeloproliferative disorders	30	0.5	3.2	1.3	0.07	0.10	29	0.7	3.1	1.5	0.08	0.13	MPD
Myelodysplastic syndromes	47	0.8	5.0	2.1	0.08	0.19	25	0.6	2.6	0.8	0.02	0.08	MDS
Other and unspecified	84	1.4	8.9	4.2	0.19	0.40	92	2.3	9.7	3.3	0.14	0.30	O&U
All sites	7959		842.9	463.9	24.46	55.33	5793		613.9	317.2	20.64	34.59	C00-96
All sites except C44	6022	100.0	637.8	360.9	19.89	43.78	4008	100.0	424.7	228.7	15.33	24.62	C00-96 exc. C44

† See note following population pyramid

# Spain, Tarragona

## CONTRIBUTORS

Jaume Galceran  
 Marià Carulla  
 Alberto Ameijide  
 Araceli Jiménez  
 Laia Llauredó  
 Sandra Mateu  
 Josefina Rion  
 Jàmnicia Bigorra  
 Xavier Cardó  
 Xavier Collado



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	112.2	Non-melanoma skin cancer	88.3
Prostate	70.9	Breast	71.8
Trachea, bronchus, and lung	49.6	Colon	21.3
Bladder	40.7	Corpus uteri	13.0
Colon	33.3	Trachea, bronchus, and lung	9.9
Rectum	16.3	Thyroid	7.9
Non-Hodgkin lymphoma	10.0	Ovary	7.4
Liver	9.9	Rectum	7.3
Stomach	9.6	Cervix uteri	6.8
Larynx	9.4	Melanoma of skin	6.8
Kidney	8.4	Non-Hodgkin lymphoma	6.6
Pancreas	8.3	Pancreas	5.5
Melanoma of skin	7.1	Bladder	4.9
Brain and nervous system	6.7	Other and unspecified	4.7
Other and unspecified	6.5	Brain and nervous system	4.7
Testis	5.2	Kidney	4.7
Oesophagus	4.7	Stomach	4.1
Myeloid leukaemia	4.2	Lymphoid leukaemia	2.7
Lymphoid leukaemia	3.8	Myeloid leukaemia	2.7
Mouth	3.1	Hodgkin lymphoma	2.6
All sites	458.5	All sites	308.1

## Spain, Tarragona (2008–2012)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates (%)		§No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates (%)		
Lip	87	0.7	4.3	<b>2.1</b>	0.11	0.23	20	0.3	1.0	<b>0.4</b>	0.02	0.03	C00
Tongue	89	0.7	4.4	<b>2.9</b>	0.23	0.34	38	0.5	1.9	<b>1.2</b>	0.08	0.15	C01-02
Mouth	98	0.8	4.8	<b>3.1</b>	0.24	0.36	43	0.5	2.2	<b>1.1</b>	0.06	0.12	C03-06
Salivary glands	25	0.2	1.2	<b>0.6</b>	0.03	0.05	16	0.2	0.8	<b>0.5</b>	0.03	0.04	C07-08
Tonsil	51	0.4	2.5	<b>1.7</b>	0.13	0.20	6	0.1	0.3	<b>0.2</b>	0.02	0.02	C09
Other oropharynx	31	0.3	1.5	<b>1.1</b>	0.08	0.13	6	0.1	0.3	<b>0.2</b>	0.01	0.03	C10
Nasopharynx	17	0.1	0.8	<b>0.6</b>	0.04	0.05	9	0.1	0.5	<b>0.5</b>	0.03	0.04	C11
Hypopharynx	51	0.4	2.5	<b>1.7</b>	0.14	0.21	2	0.0	0.1	<b>0.0</b>	0.00	0.01	C12-13
Pharynx unspecified	6	0.0	0.3	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	151	1.2	7.5	<b>4.7</b>	0.32	0.60	21	0.3	1.1	<b>0.4</b>	0.03	0.04	C15
Stomach	345	2.9	17.0	<b>9.6</b>	0.50	1.15	179	2.3	9.1	<b>4.1</b>	0.21	0.45	C16
Small intestine	28	0.2	1.4	<b>0.8</b>	0.04	0.08	21	0.3	1.1	<b>0.4</b>	0.03	0.04	C17
Colon	1268	10.5	62.7	<b>33.3</b>	1.53	3.87	896	11.4	45.4	<b>21.3</b>	1.14	2.52	C18
Rectum	584	4.8	28.9	<b>16.3</b>	0.91	1.94	309	3.9	15.7	<b>7.3</b>	0.37	0.84	C19-20
Anus	35	0.3	1.7	<b>1.0</b>	0.07	0.12	30	0.4	1.5	<b>0.8</b>	0.06	0.08	C21
Liver	331	2.7	16.4	<b>9.9</b>	0.57	1.21	127	1.6	6.4	<b>2.4</b>	0.09	0.26	C22
Gallbladder etc.	87	0.7	4.3	<b>2.2</b>	0.07	0.26	82	1.0	4.2	<b>1.6</b>	0.09	0.16	C23-24
Pancreas	304	2.5	15.0	<b>8.3</b>	0.40	1.00	270	3.4	13.7	<b>5.5</b>	0.25	0.62	C25
Nose, sinuses etc.	21	0.2	1.0	<b>0.7</b>	0.03	0.07	11	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	285	2.4	14.1	<b>9.4</b>	0.70	1.19	22	0.3	1.1	<b>0.7</b>	0.05	0.08	C32
Trachea, bronchus, and lung	1729	14.3	85.4	<b>49.6</b>	2.75	6.31	353	4.5	17.9	<b>9.9</b>	0.71	1.14	C33-34
Other thoracic organs	24	0.2	1.2	<b>0.8</b>	0.04	0.07	9	0.1	0.5	<b>0.2</b>	0.01	0.02	C37-38
Bone	17	0.1	0.8	<b>0.9</b>	0.05	0.06	11	0.1	0.6	<b>0.5</b>	0.04	0.04	C40-41
Melanoma of skin	237	2.0	11.7	<b>7.1</b>	0.42	0.80	214	2.7	10.8	<b>6.8</b>	0.48	0.76	C43
Other skin	4321		213.5	<b>112.2</b>	4.98	12.75	3582		181.6	<b>88.3</b>	5.01	9.80	C44
Mesothelioma	27	0.2	1.3	<b>0.8</b>	0.03	0.11	15	0.2	0.8	<b>0.4</b>	0.02	0.05	C45
Kaposi sarcoma	15	0.1	0.7	<b>0.5</b>	0.03	0.05	3	0.0	0.2	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	49	0.4	2.4	<b>1.7</b>	0.09	0.16	54	0.7	2.7	<b>2.0</b>	0.10	0.16	C47+C49
Breast	15	0.1	0.7	<b>0.4</b>	0.02	0.05	2270	28.9	115.1	<b>71.8</b>	5.45	7.84	C50
Vulva							63	0.8	3.2	<b>1.4</b>	0.06	0.16	C51
Vagina							10	0.1	0.5	<b>0.2</b>	0.00	0.02	C52
Cervix uteri							192	2.4	9.7	<b>6.8</b>	0.56	0.70	C53
Corpus uteri							438	5.6	22.2	<b>13.0</b>	0.92	1.66	C54
Uterus unspecified							26	0.3	1.3	<b>0.6</b>	0.04	0.06	C55
Ovary							235	3.0	11.9	<b>7.4</b>	0.51	0.80	C56
Other female genital organs							28	0.4	1.4	<b>0.7</b>	0.05	0.08	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	37	0.3	1.8	<b>1.0</b>	0.06	0.10							C60
Prostate	2521	20.8	124.6	<b>70.9</b>	3.03	9.68							C61
Testis	120	1.0	5.9	<b>5.2</b>	0.37	0.39							C62
Other male genital organs	4	0.0	0.2	<b>0.2</b>	0.01	0.02							C63
Kidney	283	2.3	14.0	<b>8.4</b>	0.44	1.00	159	2.0	8.1	<b>4.7</b>	0.28	0.56	C64
Renal pelvis	44	0.4	2.2	<b>1.2</b>	0.04	0.16	7	0.1	0.4	<b>0.1</b>	0.00	0.02	C65
Ureter	39	0.3	1.9	<b>1.0</b>	0.05	0.13	6	0.1	0.3	<b>0.1</b>	0.00	0.00	C66
†Bladder	1527	12.6	75.4	<b>40.7</b>	2.00	4.87	246	3.1	12.5	<b>4.9</b>	0.20	0.53	C67
Other urinary organs	27	0.2	1.3	<b>0.7</b>	0.04	0.10	2	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	16	0.1	0.8	<b>0.7</b>	0.03	0.06	13	0.2	0.7	<b>0.4</b>	0.01	0.04	C69
Brain and nervous system	198	1.6	9.8	<b>6.7</b>	0.43	0.65	144	1.8	7.3	<b>4.7</b>	0.28	0.48	C70-72
Thyroid	64	0.5	3.2	<b>2.2</b>	0.17	0.23	204	2.6	10.3	<b>7.9</b>	0.60	0.75	C73
Adrenal gland	5	0.0	0.2	<b>0.3</b>	0.02	0.02	6	0.1	0.3	<b>0.2</b>	0.01	0.02	C74
Other endocrine	5	0.0	0.2	<b>0.3</b>	0.02	0.02	10	0.1	0.5	<b>0.4</b>	0.03	0.03	C75
Hodgkin lymphoma	55	0.5	2.7	<b>2.6</b>	0.19	0.19	49	0.6	2.5	<b>2.6</b>	0.18	0.18	C81
Non-Hodgkin lymphoma	313	2.6	15.5	<b>10.0</b>	0.56	1.09	239	3.0	12.1	<b>6.6</b>	0.39	0.70	C82-86,C96
Immunoproliferative diseases	37	0.3	1.8	<b>1.1</b>	0.06	0.14	26	0.3	1.3	<b>0.7</b>	0.05	0.07	C88
Multiple myeloma	119	1.0	5.9	<b>3.0</b>	0.10	0.36	105	1.3	5.3	<b>2.5</b>	0.11	0.32	C90
Lymphoid leukaemia	114	0.9	5.6	<b>3.8</b>	0.18	0.39	86	1.1	4.4	<b>2.7</b>	0.14	0.25	C91
Myeloid leukaemia	144	1.2	7.1	<b>4.2</b>	0.24	0.38	107	1.4	5.4	<b>2.7</b>	0.16	0.29	C92-94
Leukaemia unspecified	6	0.0	0.3	<b>0.1</b>	0.00	0.01	9	0.1	0.5	<b>0.2</b>	0.01	0.01	C95
Myeloproliferative disorders	69	0.6	3.4	<b>1.7</b>	0.08	0.17	90	1.1	4.6	<b>2.0</b>	0.10	0.21	MPD
Myelodysplastic syndromes	93	0.8	4.6	<b>2.0</b>	0.06	0.19	82	1.0	4.2	<b>1.3</b>	0.03	0.13	MDS
Other and unspecified	258	2.1	12.7	<b>6.5</b>	0.30	0.66	233	3.0	11.8	<b>4.7</b>	0.21	0.41	O&U
All sites	16426		811.6	<b>458.5</b>	23.01	54.47	11434		579.7	<b>308.1</b>	19.33	33.87	C00-96
All sites except C44	12105	100.0	598.1	<b>346.3</b>	18.03	41.71	7852	100.0	398.1	<b>219.8</b>	14.32	24.07	C00-96 exc. C44

§Includes 19 cases of unknown age


§Includes 24 cases of unknown age

† See note following population pyramid

# Switzerland, Fribourg

## CONTRIBUTORS

Bertrand Camey



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	133.7	Non-melanoma skin cancer	112.0
Prostate	99.8	Breast	90.7
Trachea, bronchus, and lung	38.3	Trachea, bronchus, and lung	23.4
Bladder	25.6	Melanoma of skin	19.8
Colon	21.2	Colon	13.5
Melanoma of skin	18.9	Thyroid	12.2
Rectum	13.5	Corpus uteri	10.0
Non-Hodgkin lymphoma	12.6	Ovary	8.3
Kidney	10.3	Non-Hodgkin lymphoma	7.4
Liver	8.8	Rectum	6.9
Pancreas	8.8	Pancreas	6.7
Brain and nervous system	7.9	Bladder	5.5
Stomach	7.8	Brain and nervous system	5.1
Testis	7.7	Lymphoid leukaemia	3.8
Oesophagus	6.7	Kidney	3.6
Lymphoid leukaemia	5.8	Myeloid leukaemia	3.2
Other and unspecified	4.0	Hodgkin lymphoma	3.1
Myeloid leukaemia	3.9	Other and unspecified	2.9
Multiple myeloma	3.6	Stomach	2.9
Larynx	3.5	Connective and soft tissue	2.5
All sites	480.0	All sites	370.3



## Switzerland, Fribourg (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	2	0.1	0.3	<b>0.2</b>	0.00	0.02	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C00
Tongue	33	0.9	4.8	<b>3.3</b>	0.25	0.40	9	0.3	1.3	<b>1.0</b>	0.05	0.07	C01-02
Mouth	18	0.5	2.6	<b>1.8</b>	0.15	0.24	9	0.3	1.3	<b>0.9</b>	0.05	0.13	C03-06
Salivary glands	4	0.1	0.6	<b>0.4</b>	0.02	0.05	6	0.2	0.9	<b>0.5</b>	0.04	0.06	C07-08
Tonsil	16	0.4	2.3	<b>1.5</b>	0.11	0.22	9	0.3	1.3	<b>0.9</b>	0.07	0.13	C09
Other oropharynx	23	0.6	3.3	<b>2.1</b>	0.14	0.29	2	0.1	0.3	<b>0.2</b>	0.00	0.04	C10
Nasopharynx	3	0.1	0.4	<b>0.3</b>	0.02	0.02	1	0.0	0.1	<b>0.1</b>	0.00	0.00	C11
Hypopharynx	23	0.6	3.3	<b>2.3</b>	0.20	0.29	5	0.2	0.7	<b>0.5</b>	0.05	0.05	C12-13
Pharynx unspecified	1	0.0	0.1	<b>0.1</b>	0.00	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	73	1.9	10.6	<b>6.7</b>	0.43	0.83	15	0.5	2.2	<b>0.9</b>	0.05	0.07	C15
Stomach	88	2.3	12.8	<b>7.8</b>	0.43	0.89	42	1.4	6.0	<b>2.9</b>	0.16	0.29	C16
Small intestine	20	0.5	2.9	<b>1.8</b>	0.12	0.19	15	0.5	2.2	<b>1.4</b>	0.09	0.18	C17
Colon	249	6.6	36.2	<b>21.2</b>	0.94	2.32	187	6.4	26.9	<b>13.5</b>	0.55	1.55	C18
Rectum	154	4.1	22.4	<b>13.5</b>	0.71	1.63	86	3.0	12.4	<b>6.9</b>	0.40	0.83	C19-20
Anus	8	0.2	1.2	<b>0.8</b>	0.05	0.09	20	0.7	2.9	<b>1.6</b>	0.11	0.19	C21
Liver	98	2.6	14.2	<b>8.8</b>	0.41	1.13	24	0.8	3.5	<b>1.7</b>	0.10	0.19	C22
Gallbladder etc.	14	0.4	2.0	<b>1.1</b>	0.04	0.12	23	0.8	3.3	<b>1.6</b>	0.07	0.20	C23-24
Pancreas	102	2.7	14.8	<b>8.8</b>	0.41	1.02	87	3.0	12.5	<b>6.7</b>	0.31	0.83	C25
Nose, sinuses etc.	8	0.2	1.2	<b>0.8</b>	0.08	0.10	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C30-31
Larynx	37	1.0	5.4	<b>3.5</b>	0.29	0.42	6	0.2	0.9	<b>0.6</b>	0.03	0.08	C32
Trachea, bronchus, and lung	424	11.3	61.6	<b>38.3</b>	2.15	4.99	266	9.2	38.3	<b>23.4</b>	1.68	2.96	C33-34
Other thoracic organs	8	0.2	1.2	<b>0.8</b>	0.05	0.08	2	0.1	0.3	<b>0.2</b>	0.03	0.03	C37-38
Bone	8	0.2	1.2	<b>1.0</b>	0.06	0.06	5	0.2	0.7	<b>0.6</b>	0.04	0.04	C40-41
Melanoma of skin	195	5.2	28.4	<b>18.9</b>	1.16	2.28	204	7.0	29.4	<b>19.8</b>	1.49	2.01	C43
Other skin	1579		229.6	<b>133.7</b>	5.80	14.95	1509		217.3	<b>112.0</b>	6.17	12.60	C44
Mesothelioma	20	0.5	2.9	<b>1.7</b>	0.10	0.20	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C45
Kaposi sarcoma	1	0.0	0.1	<b>0.1</b>	0.01	0.01	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	15	0.4	2.2	<b>1.5</b>	0.09	0.17	20	0.7	2.9	<b>2.5</b>	0.17	0.18	C47+C49
Breast	5	0.1	0.7	<b>0.4</b>	0.02	0.04	977	33.6	140.7	<b>90.7</b>	6.59	10.31	C50
Vulva							22	0.8	3.2	<b>1.9</b>	0.09	0.31	C51
Vagina							4	0.1	0.6	<b>0.3</b>	0.01	0.03	C52
Cervix uteri							26	0.9	3.7	<b>2.3</b>	0.17	0.22	C53
Corpus uteri							115	4.0	16.6	<b>10.0</b>	0.69	1.27	C54
Uterus unspecified							7	0.2	1.0	<b>0.5</b>	0.04	0.06	C55
Ovary							95	3.3	13.7	<b>8.3</b>	0.53	1.00	C56
Other female genital organs							7	0.2	1.0	<b>0.6</b>	0.04	0.09	C57
Placenta							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	17	0.5	2.5	<b>1.5</b>	0.06	0.17							C60
Prostate	1111	29.5	161.5	<b>99.8</b>	4.35	14.21							C61
Testis	57	1.5	8.3	<b>7.7</b>	0.57	0.59							C62
Other male genital organs	5	0.1	0.7	<b>0.4</b>	0.00	0.04							C63
Kidney	113	3.0	16.4	<b>10.3</b>	0.63	1.27	41	1.4	5.9	<b>3.6</b>	0.17	0.40	C64
Renal pelvis	8	0.2	1.2	<b>0.7</b>	0.03	0.07	3	0.1	0.4	<b>0.2</b>	0.01	0.01	C65
Ureter	2	0.1	0.3	<b>0.2</b>	0.00	0.04	1	0.0	0.1	<b>0.1</b>	0.00	0.00	C66
†Bladder	298	7.9	43.3	<b>25.6</b>	1.10	3.05	74	2.5	10.7	<b>5.5</b>	0.30	0.68	C67
Other urinary organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	4	0.1	0.6	<b>0.4</b>	0.02	0.04	1	0.0	0.1	<b>0.3</b>	0.01	0.01	C69
Brain and nervous system	68	1.8	9.9	<b>7.9</b>	0.58	0.75	53	1.8	7.6	<b>5.1</b>	0.29	0.53	C70-72
Thyroid	31	0.8	4.5	<b>3.5</b>	0.26	0.34	115	4.0	16.6	<b>12.2</b>	0.93	1.23	C73
Adrenal gland	3	0.1	0.4	<b>0.5</b>	0.04	0.04	4	0.1	0.6	<b>0.6</b>	0.03	0.05	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	23	0.6	3.3	<b>3.2</b>	0.21	0.25	23	0.8	3.3	<b>3.1</b>	0.20	0.24	C81
Non-Hodgkin lymphoma	130	3.5	18.9	<b>12.6</b>	0.73	1.40	90	3.1	13.0	<b>7.4</b>	0.30	0.92	C82-86,C96
Immunoproliferative diseases	7	0.2	1.0	<b>0.6</b>	0.03	0.09	6	0.2	0.9	<b>0.5</b>	0.01	0.06	C88
Multiple myeloma	40	1.1	5.8	<b>3.6</b>	0.20	0.45	27	0.9	3.9	<b>2.2</b>	0.15	0.26	C90
Lymphoid leukaemia	56	1.5	8.1	<b>5.8</b>	0.21	0.50	33	1.1	4.8	<b>3.8</b>	0.24	0.33	C91
Myeloid leukaemia	37	1.0	5.4	<b>3.9</b>	0.22	0.45	28	1.0	4.0	<b>3.2</b>	0.17	0.35	C92-94
Leukaemia unspecified	1	0.0	0.1	<b>0.2</b>	0.01	0.01	2	0.1	0.3	<b>0.1</b>	0.00	0.02	C95
Myeloproliferative disorders	24	0.6	3.5	<b>2.3</b>	0.11	0.29	25	0.9	3.6	<b>2.0</b>	0.08	0.28	MPD
Myelodysplastic syndromes	30	0.8	4.4	<b>2.3</b>	0.05	0.24	32	1.1	4.6	<b>2.1</b>	0.05	0.28	MDS
Other and unspecified	51	1.4	7.4	<b>4.0</b>	0.14	0.41	47	1.6	6.8	<b>2.9</b>	0.08	0.28	O&U
All sites	5345		777.1	<b>480.0</b>	23.82	57.78	4413		635.6	<b>370.3</b>	22.92	41.97	C00-96
All sites except C44	3766	100.0	547.5	<b>346.4</b>	18.01	42.83	2904	100.0	418.2	<b>258.3</b>	16.75	29.37	C00-96 exc. C44

† See note following population pyramid

# Switzerland, Geneva

## CONTRIBUTORS

Christine Bouchardy  
Isabelle Neyroud-Caspar  
Hyma Schubert  
Elisabetta Rapiti  
Robin Schaffar  
Massimo Usel  
Gérald Fioretta



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	83.8	Breast	91.9
Non-melanoma skin cancer	56.8	Non-melanoma skin cancer	38.3
Trachea, bronchus, and lung	39.1	Trachea, bronchus, and lung	20.9
Bladder	28.3	Melanoma of skin	19.6
Melanoma of skin	21.9	Thyroid	17.6
Colon	19.6	Colon	15.6
Non-Hodgkin lymphoma	13.2	Corpus uteri	12.0
Liver	11.0	Non-Hodgkin lymphoma	8.7
Rectum	10.3	Ovary	8.4
Kidney	10.2	Rectum	6.2
Pancreas	9.9	Pancreas	6.1
Testis	8.0	Bladder	5.5
Stomach	6.9	Lymphoid leukaemia	4.9
Lymphoid leukaemia	6.9	Other and unspecified	4.2
Brain and nervous system	6.0	Stomach	3.9
Oesophagus	5.6	Hodgkin lymphoma	3.4
Larynx	5.1	Brain and nervous system	3.4
Myeloid leukaemia	4.9	Myeloid leukaemia	3.3
Other and unspecified	4.6	Kidney	3.2
Thyroid	4.1	Anus	3.2
All sites	401.1	All sites	308.2

## Switzerland, Geneva (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	8	0.1	0.7	<b>0.4</b>	0.03	0.03	5	0.1	0.4	<b>0.2</b>	0.01	0.03	C00
Tongue	60	0.9	5.5	<b>3.5</b>	0.21	0.42	29	0.5	2.5	<b>1.4</b>	0.11	0.17	C01-02
Mouth	51	0.8	4.7	<b>3.1</b>	0.22	0.40	34	0.6	2.9	<b>1.7</b>	0.10	0.23	C03-06
Salivary glands	18	0.3	1.6	<b>0.9</b>	0.05	0.09	15	0.3	1.3	<b>0.8</b>	0.04	0.08	C07-08
Tonsil	39	0.6	3.6	<b>2.3</b>	0.16	0.29	13	0.2	1.1	<b>0.7</b>	0.05	0.07	C09
Other oropharynx	50	0.8	4.6	<b>3.1</b>	0.23	0.40	9	0.2	0.8	<b>0.5</b>	0.02	0.07	C10
Nasopharynx	8	0.1	0.7	<b>0.7</b>	0.04	0.06	4	0.1	0.3	<b>0.2</b>	0.01	0.01	C11
Hypopharynx	38	0.6	3.5	<b>2.4</b>	0.18	0.32	11	0.2	0.9	<b>0.6</b>	0.05	0.07	C12-13
Pharynx unspecified	10	0.2	0.9	<b>0.6</b>	0.04	0.07	3	0.1	0.3	<b>0.1</b>	0.00	0.02	C14
Oesophagus	105	1.7	9.6	<b>5.6</b>	0.25	0.68	41	0.7	3.5	<b>1.4</b>	0.07	0.14	C15
Stomach	133	2.1	12.2	<b>6.9</b>	0.36	0.83	92	1.6	7.8	<b>3.9</b>	0.22	0.43	C16
Small intestine	28	0.4	2.6	<b>1.6</b>	0.11	0.22	20	0.3	1.7	<b>0.8</b>	0.03	0.12	C17
Colon	399	6.3	36.5	<b>19.6</b>	0.87	2.16	410	7.1	34.9	<b>15.6</b>	0.77	1.66	C18
Rectum	198	3.1	18.1	<b>10.3</b>	0.51	1.22	153	2.6	13.0	<b>6.2</b>	0.32	0.71	C19-20
Anus	22	0.3	2.0	<b>1.2</b>	0.06	0.12	64	1.1	5.4	<b>3.2</b>	0.24	0.38	C21
Liver	202	3.2	18.5	<b>11.0</b>	0.59	1.44	71	1.2	6.0	<b>3.0</b>	0.18	0.34	C22
Gallbladder etc.	31	0.5	2.8	<b>1.6</b>	0.06	0.19	34	0.6	2.9	<b>1.0</b>	0.03	0.10	C23-24
Pancreas	189	3.0	17.3	<b>9.9</b>	0.46	1.25	196	3.4	16.7	<b>6.1</b>	0.19	0.68	C25
Nose, sinuses etc.	15	0.2	1.4	<b>0.8</b>	0.04	0.08	6	0.1	0.5	<b>0.4</b>	0.02	0.04	C30-31
Larynx	91	1.4	8.3	<b>5.1</b>	0.36	0.63	19	0.3	1.6	<b>0.9</b>	0.06	0.14	C32
Trachea, bronchus, and lung	741	11.7	67.8	<b>39.1</b>	1.88	4.98	489	8.5	41.6	<b>20.9</b>	1.12	2.64	C33-34
Other thoracic organs	9	0.1	0.8	<b>0.6</b>	0.03	0.07	6	0.1	0.5	<b>0.4</b>	0.02	0.04	C37-38
Bone	13	0.2	1.2	<b>0.8</b>	0.05	0.10	12	0.2	1.0	<b>1.0</b>	0.06	0.08	C40-41
Melanoma of skin	379	6.0	34.7	<b>21.9</b>	1.37	2.48	352	6.1	29.9	<b>19.6</b>	1.34	2.02	C43
Other skin	1240		113.5	<b>56.8</b>	1.87	5.94	1168		99.3	<b>38.3</b>	1.37	4.41	C44
Mesothelioma	14	0.2	1.3	<b>0.7</b>	0.01	0.07	7	0.1	0.6	<b>0.3</b>	0.01	0.04	C45
Kaposi sarcoma	26	0.4	2.4	<b>1.7</b>	0.14	0.16	4	0.1	0.3	<b>0.2</b>	0.02	0.02	C46
Connective and soft tissue	45	0.7	4.1	<b>2.9</b>	0.17	0.25	33	0.6	2.8	<b>1.8</b>	0.12	0.17	C47+C49
Breast	16	0.3	1.5	<b>0.9</b>	0.06	0.12	1822	31.5	155.0	<b>91.9</b>	6.42	10.82	C50
Vulva							31	0.5	2.6	<b>1.1</b>	0.04	0.13	C51
Vagina							8	0.1	0.7	<b>0.2</b>	0.01	0.03	C52
Cervix uteri							50	0.9	4.3	<b>2.3</b>	0.16	0.22	C53
Corpus uteri							264	4.6	22.5	<b>12.0</b>	0.74	1.47	C54
Uterus unspecified							4	0.1	0.3	<b>0.1</b>	0.01	0.01	C55
Ovary							185	3.2	15.7	<b>8.4</b>	0.50	1.03	C56
Other female genital organs							16	0.3	1.4	<b>0.6</b>	0.03	0.06	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	17	0.3	1.6	<b>0.9</b>	0.05	0.09							C60
Prostate	1546	24.4	141.5	<b>83.8</b>	4.24	11.27							C61
Testis	97	1.5	8.9	<b>8.0</b>	0.58	0.63							C62
Other male genital organs	4	0.1	0.4	<b>0.2</b>	0.00	0.03							C63
Kidney	183	2.9	16.8	<b>10.2</b>	0.53	1.30	75	1.3	6.4	<b>3.2</b>	0.18	0.38	C64
Renal pelvis	13	0.2	1.2	<b>0.7</b>	0.02	0.11	8	0.1	0.7	<b>0.2</b>	0.01	0.02	C65
Ureter	11	0.2	1.0	<b>0.5</b>	0.01	0.05	2	0.0	0.2	<b>0.1</b>	0.00	0.01	C66
†Bladder	571	9.0	52.3	<b>28.3</b>	1.06	3.35	139	2.4	11.8	<b>5.5</b>	0.29	0.65	C67
Other urinary organs	3	0.0	0.3	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	5	0.1	0.5	<b>0.3</b>	0.03	0.03	7	0.1	0.6	<b>0.2</b>	0.01	0.02	C69
Brain and nervous system	92	1.5	8.4	<b>6.0</b>	0.45	0.59	68	1.2	5.8	<b>3.4</b>	0.23	0.33	C70-72
Thyroid	64	1.0	5.9	<b>4.1</b>	0.29	0.45	279	4.8	23.7	<b>17.6</b>	1.41	1.82	C73
Adrenal gland	6	0.1	0.5	<b>0.6</b>	0.04	0.04	7	0.1	0.6	<b>0.7</b>	0.04	0.04	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	35	0.6	3.2	<b>2.8</b>	0.21	0.22	39	0.7	3.3	<b>3.4</b>	0.21	0.27	C81
Non-Hodgkin lymphoma	242	3.8	22.2	<b>13.2</b>	0.70	1.37	200	3.5	17.0	<b>8.7</b>	0.49	0.94	C82-86,C96
Immunoproliferative diseases	21	0.3	1.9	<b>1.1</b>	0.05	0.12	23	0.4	2.0	<b>0.9</b>	0.06	0.07	C88
Multiple myeloma	72	1.1	6.6	<b>3.4</b>	0.18	0.35	49	0.8	4.2	<b>1.8</b>	0.08	0.22	C90
Lymphoid leukaemia	120	1.9	11.0	<b>6.9</b>	0.32	0.79	90	1.6	7.7	<b>4.9</b>	0.25	0.48	C91
Myeloid leukaemia	85	1.3	7.8	<b>4.9</b>	0.25	0.45	70	1.2	6.0	<b>3.3</b>	0.21	0.33	C92-94
Leukaemia unspecified	3	0.0	0.3	<b>0.1</b>	0.00	0.01	2	0.0	0.2	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	47	0.7	4.3	<b>2.3</b>	0.11	0.28	42	0.7	3.6	<b>1.4</b>	0.05	0.13	MPD
Myelodysplastic syndromes	51	0.8	4.7	<b>2.2</b>	0.06	0.20	31	0.5	2.6	<b>1.0</b>	0.04	0.12	MDS
Other and unspecified	100	1.6	9.2	<b>4.6</b>	0.18	0.40	137	2.4	11.7	<b>4.2</b>	0.20	0.39	O&U
All sites	7566		692.6	<b>401.1</b>	19.76	47.22	6949		591.0	<b>308.2</b>	18.26	34.89	C00-96
All sites except C44	6326	100.0	579.1	<b>344.3</b>	17.89	41.28	5781	100.0	491.7	<b>269.9</b>	16.89	30.48	C00-96 exc. C44

† See note following population pyramid

# Switzerland, Graubünden and Glarus

## CONTRIBUTORS

Harald Frick  
 Silvia Ess  
 Sonja Buchli  
 Petra Müller  
 Esther Walser Domjan  
 Christian Herrmann



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	117.3	Breast	72.3
Trachea, bronchus, and lung	37.9	Melanoma of skin	17.2
Non-melanoma skin cancer	27.4	Trachea, bronchus, and lung	16.3
Bladder	26.2	Non-melanoma skin cancer	16.2
Colon	18.0	Colon	14.2
Melanoma of skin	16.7	Corpus uteri	10.7
Rectum	12.6	Thyroid	7.6
Testis	10.5	Bladder	7.2
Non-Hodgkin lymphoma	10.2	Non-Hodgkin lymphoma	6.9
Kidney	9.0	Rectum	6.3
Pancreas	8.4	Ovary	6.2
Stomach	8.0	Pancreas	5.9
Brain and nervous system	7.4	Cervix uteri	5.2
Oesophagus	6.7	Other and unspecified	4.2
Liver	5.6	Stomach	4.1
Lymphoid leukaemia	5.4	Kidney	3.5
Multiple myeloma	4.8	Myeloid leukaemia	3.3
Myeloid leukaemia	4.4	Brain and nervous system	3.1
Other and unspecified	4.2	Lymphoid leukaemia	2.9
Hodgkin lymphoma	3.7	Multiple myeloma	2.7
All sites	381.3	All sites	244.2

## Switzerland, Graubünden and Glarus (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	8	0.2	1.4	<b>0.7</b>	0.01	0.11	7	0.3	1.2	<b>0.6</b>	0.02	0.06	C00
Tongue	21	0.5	3.7	<b>1.9</b>	0.14	0.22	8	0.3	1.4	<b>0.8</b>	0.04	0.10	C01-02
Mouth	21	0.5	3.7	<b>2.1</b>	0.16	0.25	15	0.6	2.6	<b>1.4</b>	0.10	0.17	C03-06
Salivary glands	8	0.2	1.4	<b>0.8</b>	0.05	0.09	4	0.2	0.7	<b>0.2</b>	0.01	0.01	C07-08
Tonsil	12	0.3	2.1	<b>1.2</b>	0.07	0.16	2	0.1	0.3	<b>0.2</b>	0.01	0.01	C09
Other oropharynx	12	0.3	2.1	<b>1.2</b>	0.08	0.16	1	0.0	0.2	<b>0.1</b>	0.00	0.02	C10
Nasopharynx	4	0.1	0.7	<b>0.3</b>	0.00	0.06	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C11
Hypopharynx	16	0.4	2.8	<b>1.6</b>	0.08	0.27	3	0.1	0.5	<b>0.3</b>	0.03	0.04	C12-13
Pharynx unspecified	1	0.0	0.2	<b>0.2</b>	0.01	0.01	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C14
Oesophagus	75	1.9	13.1	<b>6.7</b>	0.34	0.85	8	0.3	1.4	<b>0.6</b>	0.01	0.06	C15
Stomach	89	2.3	15.5	<b>8.0</b>	0.49	0.82	54	2.0	9.3	<b>4.1</b>	0.23	0.48	C16
Small intestine	18	0.5	3.1	<b>1.7</b>	0.11	0.24	17	0.6	2.9	<b>1.6</b>	0.12	0.19	C17
Colon	204	5.3	35.6	<b>18.0</b>	0.93	2.11	188	7.1	32.4	<b>14.2</b>	0.66	1.61	C18
Rectum	143	3.7	24.9	<b>12.6</b>	0.69	1.50	83	3.1	14.3	<b>6.3</b>	0.37	0.64	C19-20
Anus	6	0.2	1.0	<b>0.6</b>	0.02	0.08	16	0.6	2.8	<b>1.4</b>	0.11	0.20	C21
Liver	66	1.7	11.5	<b>5.6</b>	0.25	0.75	21	0.8	3.6	<b>1.8</b>	0.14	0.20	C22
Gallbladder etc.	29	0.7	5.1	<b>2.2</b>	0.07	0.25	25	0.9	4.3	<b>1.6</b>	0.07	0.20	C23-24
Pancreas	97	2.5	16.9	<b>8.4</b>	0.38	1.05	95	3.6	16.4	<b>5.9</b>	0.27	0.62	C25
Nose, sinuses etc.	7	0.2	1.2	<b>0.7</b>	0.04	0.09	6	0.2	1.0	<b>0.8</b>	0.05	0.09	C30-31
Larynx	32	0.8	5.6	<b>2.8</b>	0.14	0.36	11	0.4	1.9	<b>1.0</b>	0.09	0.13	C32
Trachea, bronchus, and lung	427	11.0	74.4	<b>37.9</b>	1.86	4.68	193	7.3	33.3	<b>16.3</b>	0.96	2.03	C33-34
Other thoracic organs	4	0.1	0.7	<b>0.4</b>	0.02	0.05	4	0.2	0.7	<b>0.3</b>	0.01	0.03	C37-38
Bone	6	0.2	1.0	<b>0.9</b>	0.05	0.05	7	0.3	1.2	<b>1.1</b>	0.08	0.10	C40-41
Melanoma of skin	169	4.4	29.5	<b>16.7</b>	1.05	2.07	175	6.6	30.2	<b>17.2</b>	1.09	1.86	C43
Other skin	369		64.3	<b>27.4</b>	0.73	2.68	305		52.6	<b>16.2</b>	0.53	1.50	C44
Mesothelioma	38	1.0	6.6	<b>3.2</b>	0.16	0.40	9	0.3	1.6	<b>0.5</b>	0.01	0.05	C45
Kaposi sarcoma	1	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.2	<b>0.2</b>	0.01	0.01	C46
Connective and soft tissue	25	0.6	4.4	<b>2.6</b>	0.16	0.26	28	1.1	4.8	<b>2.6</b>	0.15	0.29	C47+C49
Breast	6	0.2	1.0	<b>0.5</b>	0.01	0.05	795	30.1	137.0	<b>72.3</b>	4.97	8.59	C50
Vulva							24	0.9	4.1	<b>1.5</b>	0.06	0.15	C51
Vagina							7	0.3	1.2	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							43	1.6	7.4	<b>5.2</b>	0.39	0.51	C53
Corpus uteri							124	4.7	21.4	<b>10.7</b>	0.79	1.24	C54
Uterus unspecified							6	0.2	1.0	<b>0.6</b>	0.05	0.07	C55
Ovary							73	2.8	12.6	<b>6.2</b>	0.42	0.72	C56
Other female genital organs							6	0.2	1.0	<b>0.7</b>	0.06	0.07	C57
Placenta							1	0.0	0.2	<b>0.2</b>	0.01	0.01	C58
Penis	8	0.2	1.4	<b>0.8</b>	0.06	0.10							C60
Prostate	1348	34.9	235.0	<b>117.3</b>	5.30	16.13							C61
Testis	68	1.8	11.9	<b>10.5</b>	0.82	0.84							C62
Other male genital organs	5	0.1	0.9	<b>0.6</b>	0.02	0.04							C63
Kidney	88	2.3	15.3	<b>9.0</b>	0.52	1.00	39	1.5	6.7	<b>3.5</b>	0.19	0.35	C64
Renal pelvis	9	0.2	1.6	<b>0.9</b>	0.07	0.11	4	0.2	0.7	<b>0.3</b>	0.01	0.05	C65
Ureter	2	0.1	0.3	<b>0.1</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C66
†Bladder	310	8.0	54.0	<b>26.2</b>	1.16	3.12	92	3.5	15.9	<b>7.2</b>	0.42	0.85	C67
Other urinary organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	5	0.1	0.9	<b>0.9</b>	0.06	0.06	3	0.1	0.5	<b>0.3</b>	0.03	0.05	C69
Brain and nervous system	65	1.7	11.3	<b>7.4</b>	0.49	0.76	35	1.3	6.0	<b>3.1</b>	0.25	0.36	C70-72
Thyroid	15	0.4	2.6	<b>1.7</b>	0.11	0.17	59	2.2	10.2	<b>7.6</b>	0.56	0.71	C73
Adrenal gland	3	0.1	0.5	<b>0.3</b>	0.01	0.03	1	0.0	0.2	<b>0.1</b>	0.01	0.01	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	24	0.6	4.2	<b>3.7</b>	0.25	0.31	18	0.7	3.1	<b>2.6</b>	0.19	0.22	C81
Non-Hodgkin lymphoma	105	2.7	18.3	<b>10.2</b>	0.61	1.12	85	3.2	14.7	<b>6.9</b>	0.38	0.82	C82-86,C96
Immunoproliferative diseases	9	0.2	1.6	<b>0.8</b>	0.06	0.06	12	0.5	2.1	<b>0.7</b>	0.04	0.06	C88
Multiple myeloma	55	1.4	9.6	<b>4.8</b>	0.27	0.52	40	1.5	6.9	<b>2.7</b>	0.11	0.35	C90
Lymphoid leukaemia	42	1.1	7.3	<b>5.4</b>	0.29	0.48	34	1.3	5.9	<b>2.9</b>	0.14	0.34	C91
Myeloid leukaemia	42	1.1	7.3	<b>4.4</b>	0.17	0.40	35	1.3	6.0	<b>3.3</b>	0.23	0.35	C92-94
Leukaemia unspecified	3	0.1	0.5	<b>0.2</b>	0.00	0.02	4	0.2	0.7	<b>0.3</b>	0.01	0.01	C95
Myeloproliferative disorders	28	0.7	4.9	<b>2.5</b>	0.11	0.31	25	0.9	4.3	<b>1.8</b>	0.10	0.17	MPD
Myelodysplastic syndromes	33	0.9	5.8	<b>2.3</b>	0.06	0.23	24	0.9	4.1	<b>1.4</b>	0.04	0.17	MDS
Other and unspecified	56	1.4	9.8	<b>4.2</b>	0.15	0.43	69	2.6	11.9	<b>4.2</b>	0.18	0.38	O&U
All sites	4237		738.7	<b>381.3</b>	18.69	45.89	2945		507.6	<b>244.2</b>	14.86	27.37	C00-96
All sites except C44	3868	100.0	674.4	<b>353.9</b>	17.96	43.22	2640	100.0	455.1	<b>228.0</b>	14.33	25.87	C00-96 exc. C44

† See note following population pyramid

# Switzerland, Neuchâtel

## CONTRIBUTORS

Manuela Maspoli Conconi  
Roland Choffat  
Lalao Randimbison  
Fabio Levi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	111.7	Non-melanoma skin cancer	101.2
Prostate	72.7	Breast	87.3
Trachea, bronchus, and lung	42.1	Trachea, bronchus, and lung	25.3
Bladder	30.6	Colon	16.9
Colon	21.3	Melanoma of skin	14.3
Melanoma of skin	18.0	Corpus uteri	12.1
Rectum	12.1	Thyroid	9.8
Non-Hodgkin lymphoma	11.6	Ovary	8.8
Testis	11.1	Rectum	8.2
Pancreas	9.2	Non-Hodgkin lymphoma	8.1
Liver	9.1	Bladder	7.3
Stomach	8.2	Pancreas	6.0
Kidney	7.5	Kidney	4.1
Other and unspecified	7.3	Stomach	3.8
Oesophagus	6.3	Hodgkin lymphoma	3.7
Larynx	5.5	Brain and nervous system	3.6
Hodgkin lymphoma	4.7	Other and unspecified	3.3
Myeloid leukaemia	4.3	Cervix uteri	2.9
Lymphoid leukaemia	3.9	Lymphoid leukaemia	2.9
Mouth	3.9	Myeloid leukaemia	2.4
All sites	439.7	All sites	357.5

## Switzerland, Neuchâtel (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	4	0.2	1.0	<b>0.5</b>	0.02	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C00
Tongue	18	0.7	4.3	<b>2.6</b>	0.12	0.33	7	0.3	1.6	<b>0.9</b>	0.09	0.09	C01-02
Mouth	26	1.0	6.2	<b>3.9</b>	0.37	0.47	12	0.5	2.7	<b>1.4</b>	0.10	0.13	C03-06
Salivary glands	5	0.2	1.2	<b>0.5</b>	0.04	0.04	4	0.2	0.9	<b>0.5</b>	0.04	0.04	C07-08
Tonsil	24	0.9	5.7	<b>3.3</b>	0.24	0.35	15	0.7	3.4	<b>2.0</b>	0.18	0.26	C09
Other oropharynx	11	0.4	2.6	<b>1.5</b>	0.12	0.21	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	2	0.1	0.5	<b>0.3</b>	0.04	0.04	2	0.1	0.5	<b>0.4</b>	0.03	0.03	C11
Hypopharynx	15	0.6	3.6	<b>2.2</b>	0.20	0.29	2	0.1	0.5	<b>0.2</b>	0.00	0.03	C12-13
Pharynx unspecified	2	0.1	0.5	<b>0.2</b>	0.00	0.02	1	0.0	0.2	<b>0.2</b>	0.01	0.01	C14
Oesophagus	47	1.9	11.2	<b>6.3</b>	0.46	0.76	25	1.1	5.7	<b>2.1</b>	0.13	0.22	C15
Stomach	62	2.4	14.8	<b>8.2</b>	0.48	0.97	30	1.3	6.8	<b>3.8</b>	0.26	0.48	C16
Small intestine	12	0.5	2.9	<b>1.3</b>	0.08	0.11	11	0.5	2.5	<b>1.3</b>	0.09	0.16	C17
Colon	186	7.3	44.5	<b>21.3</b>	0.88	2.58	171	7.6	38.7	<b>16.9</b>	0.89	2.00	C18
Rectum	99	3.9	23.7	<b>12.1</b>	0.69	1.43	79	3.5	17.9	<b>8.2</b>	0.50	0.89	C19-20
Anus	10	0.4	2.4	<b>1.3</b>	0.08	0.19	19	0.8	4.3	<b>1.9</b>	0.10	0.19	C21
Liver	75	3.0	17.9	<b>9.1</b>	0.41	1.10	16	0.7	3.6	<b>1.7</b>	0.07	0.25	C22
Gallbladder etc.	16	0.6	3.8	<b>1.7</b>	0.05	0.18	20	0.9	4.5	<b>0.9</b>	0.00	0.08	C23-24
Pancreas	75	3.0	17.9	<b>9.2</b>	0.47	1.18	75	3.4	17.0	<b>6.0</b>	0.22	0.63	C25
Nose, sinuses etc.	7	0.3	1.7	<b>1.2</b>	0.07	0.15	4	0.2	0.9	<b>0.3</b>	0.02	0.05	C30-31
Larynx	44	1.7	10.5	<b>5.5</b>	0.27	0.70	5	0.2	1.1	<b>0.4</b>	0.02	0.05	C32
Trachea, bronchus, and lung	333	13.2	79.7	<b>42.1</b>	2.10	5.48	224	10.0	50.7	<b>25.3</b>	1.48	3.40	C33-34
Other thoracic organs	3	0.1	0.7	<b>0.5</b>	0.04	0.04	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C37-38
Bone	4	0.2	1.0	<b>1.0</b>	0.04	0.07	4	0.2	0.9	<b>0.7</b>	0.05	0.05	C40-41
Melanoma of skin	130	5.1	31.1	<b>18.0</b>	1.06	2.14	107	4.8	24.2	<b>14.3</b>	1.02	1.55	C43
Other skin	969		231.9	<b>111.7</b>	4.71	12.63	1071		242.3	<b>101.2</b>	5.40	11.63	C44
Mesothelioma	9	0.4	2.2	<b>1.2</b>	0.04	0.17	1	0.0	0.2	<b>0.2</b>	0.02	0.02	C45
Kaposi sarcoma	1	0.0	0.2	<b>0.3</b>	0.02	0.02	2	0.1	0.5	<b>0.4</b>	0.03	0.03	C46
Connective and soft tissue	18	0.7	4.3	<b>2.6</b>	0.17	0.26	11	0.5	2.5	<b>1.6</b>	0.11	0.17	C47+C49
Breast	4	0.2	1.0	<b>0.3</b>	0.00	0.03	696	31.1	157.5	<b>87.3</b>	6.17	9.84	C50
Vulva							15	0.7	3.4	<b>1.3</b>	0.09	0.12	C51
Vagina							4	0.2	0.9	<b>0.3</b>	0.02	0.02	C52
Cervix uteri							17	0.8	3.8	<b>2.9</b>	0.24	0.26	C53
Corpus uteri							119	5.3	26.9	<b>12.1</b>	0.65	1.53	C54
Uterus unspecified							3	0.1	0.7	<b>0.2</b>	0.00	0.05	C55
Ovary							85	3.8	19.2	<b>8.8</b>	0.52	1.00	C56
Other female genital organs							11	0.5	2.5	<b>1.0</b>	0.06	0.11	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	5	0.2	1.2	<b>0.6</b>	0.02	0.07							C60
Prostate	582	23.0	139.3	<b>72.7</b>	3.37	10.05							C61
Testis	49	1.9	11.7	<b>11.1</b>	0.85	0.88							C62
Other male genital organs	1	0.0	0.2	<b>0.2</b>	0.02	0.02							C63
Kidney	55	2.2	13.2	<b>7.5</b>	0.48	0.90	32	1.4	7.2	<b>4.1</b>	0.20	0.53	C64
Renal pelvis	5	0.2	1.2	<b>0.6</b>	0.04	0.07	5	0.2	1.1	<b>0.6</b>	0.05	0.08	C65
Ureter	1	0.0	0.2	<b>0.1</b>	0.00	0.00	2	0.1	0.5	<b>0.2</b>	0.00	0.03	C66
†Bladder	263	10.4	62.9	<b>30.6</b>	1.28	3.79	82	3.7	18.6	<b>7.3</b>	0.33	0.82	C67
Other urinary organs	2	0.1	0.5	<b>0.2</b>	0.00	0.03	1	0.0	0.2	<b>0.1</b>	0.00	0.00	C68
Eye	2	0.1	0.5	<b>0.2</b>	0.00	0.03	3	0.1	0.7	<b>0.2</b>	0.02	0.02	C69
Brain and nervous system	26	1.0	6.2	<b>3.6</b>	0.23	0.43	26	1.2	5.9	<b>3.6</b>	0.24	0.40	C70-72
Thyroid	17	0.7	4.1	<b>3.0</b>	0.22	0.29	59	2.6	13.3	<b>9.8</b>	0.80	0.96	C73
Adrenal gland	1	0.0	0.2	<b>0.2</b>	0.01	0.01	1	0.0	0.2	<b>0.4</b>	0.02	0.02	C74
Other endocrine	2	0.1	0.5	<b>0.5</b>	0.03	0.03	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	21	0.8	5.0	<b>4.7</b>	0.27	0.39	17	0.8	3.8	<b>3.7</b>	0.24	0.29	C81
Non-Hodgkin lymphoma	77	3.0	18.4	<b>11.6</b>	0.67	1.23	88	3.9	19.9	<b>8.1</b>	0.35	0.87	C82-86,C96
Immunoproliferative diseases	7	0.3	1.7	<b>0.5</b>	0.00	0.02	5	0.2	1.1	<b>0.4</b>	0.02	0.04	C88
Multiple myeloma	32	1.3	7.7	<b>3.6</b>	0.13	0.40	18	0.8	4.1	<b>1.9</b>	0.09	0.24	C90
Lymphoid leukaemia	20	0.8	4.8	<b>3.9</b>	0.20	0.34	17	0.8	3.8	<b>2.9</b>	0.11	0.24	C91
Myeloid leukaemia	34	1.3	8.1	<b>4.3</b>	0.18	0.51	22	1.0	5.0	<b>2.4</b>	0.18	0.22	C92-94
Leukaemia unspecified	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.2	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	5	0.2	1.2	<b>0.6</b>	0.04	0.07	9	0.4	2.0	<b>0.9</b>	0.07	0.10	MPD
Myelodysplastic syndromes	20	0.8	4.8	<b>1.9</b>	0.06	0.22	10	0.4	2.3	<b>0.9</b>	0.03	0.11	MDS
Other and unspecified	63	2.5	15.1	<b>7.3</b>	0.38	0.86	41	1.8	9.3	<b>3.3</b>	0.14	0.39	O&U
All sites	3501		837.9	<b>439.7</b>	21.73	52.65	3308		748.3	<b>357.5</b>	21.50	40.71	C00-96
All sites except C44	2532	100.0	606.0	<b>328.0</b>	17.02	40.02	2237	100.0	506.1	<b>256.3</b>	16.10	29.07	C00-96 exc. C44


† See note following population pyramid



# Switzerland, St Gall-Appenzell

## CONTRIBUTORS

Silvia Ess  
 Christian Herrmann  
 Harald Frick  
 Barbara Herde  
 Tania Markiewicz  
 Petra Bodenmüller  
 Elke Mattasits



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	87.9	Breast	70.8
Non-melanoma skin cancer	84.3	Non-melanoma skin cancer	59.8
Trachea, bronchus, and lung	34.2	Trachea, bronchus, and lung	16.8
Bladder	21.9	Melanoma of skin	16.1
Colon	19.8	Colon	13.6
Melanoma of skin	16.1	Corpus uteri	11.5
Rectum	14.1	Ovary	8.1
Non-Hodgkin lymphoma	9.5	Non-Hodgkin lymphoma	7.8
Testis	9.4	Pancreas	7.1
Kidney	8.8	Thyroid	6.9
Pancreas	8.5	Rectum	6.9
Stomach	7.4	Cervix uteri	6.3
Liver	6.6	Bladder	6.1
Brain and nervous system	5.9	Brain and nervous system	3.8
Lymphoid leukaemia	5.5	Stomach	3.6
Oesophagus	5.3	Myeloid leukaemia	3.2
Other and unspecified	4.3	Kidney	3.0
Hodgkin lymphoma	4.0	Other and unspecified	3.0
Multiple myeloma	3.8	Multiple myeloma	3.0
Myeloid leukaemia	3.7	Liver	2.1
All sites	400.0	All sites	284.6

## Switzerland, St Gall-Appenzell (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	11	0.1	0.8	<b>0.4</b>	0.03	0.05	3	0.1	0.2	<b>0.1</b>	0.00	0.01	C00
Tongue	61	0.8	4.5	<b>2.9</b>	0.24	0.38	28	0.5	2.0	<b>1.1</b>	0.07	0.12	C01-02
Mouth	34	0.5	2.5	<b>1.5</b>	0.12	0.16	24	0.4	1.8	<b>1.0</b>	0.06	0.13	C03-06
Salivary glands	17	0.2	1.3	<b>0.6</b>	0.04	0.05	12	0.2	0.9	<b>0.6</b>	0.05	0.06	C07-08
Tonsil	35	0.5	2.6	<b>1.6</b>	0.13	0.20	9	0.2	0.7	<b>0.4</b>	0.03	0.04	C09
Other oropharynx	28	0.4	2.1	<b>1.3</b>	0.11	0.17	11	0.2	0.8	<b>0.5</b>	0.05	0.06	C10
Nasopharynx	8	0.1	0.6	<b>0.4</b>	0.03	0.04	7	0.1	0.5	<b>0.4</b>	0.03	0.04	C11
Hypopharynx	28	0.4	2.1	<b>1.3</b>	0.09	0.18	4	0.1	0.3	<b>0.2</b>	0.02	0.02	C12-13
Pharynx unspecified	2	0.0	0.1	<b>0.1</b>	0.01	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	128	1.7	9.4	<b>5.3</b>	0.32	0.65	38	0.7	2.8	<b>1.2</b>	0.06	0.16	C15
Stomach	183	2.4	13.5	<b>7.4</b>	0.31	0.94	110	1.9	8.0	<b>3.6</b>	0.20	0.41	C16
Small intestine	36	0.5	2.7	<b>1.5</b>	0.08	0.18	21	0.4	1.5	<b>0.8</b>	0.06	0.10	C17
Colon	506	6.7	37.3	<b>19.8</b>	0.90	2.31	407	7.1	29.7	<b>13.6</b>	0.71	1.51	C18
Rectum	342	4.5	25.2	<b>14.1</b>	0.75	1.74	201	3.5	14.7	<b>6.9</b>	0.39	0.80	C19-20
Anus	13	0.2	1.0	<b>0.6</b>	0.04	0.06	35	0.6	2.6	<b>1.3</b>	0.08	0.14	C21
Liver	157	2.1	11.6	<b>6.6</b>	0.33	0.87	58	1.0	4.2	<b>2.1</b>	0.13	0.23	C22
Gallbladder etc.	50	0.7	3.7	<b>1.9</b>	0.06	0.27	62	1.1	4.5	<b>1.8</b>	0.07	0.20	C23-24
Pancreas	209	2.8	15.4	<b>8.5</b>	0.50	1.03	240	4.2	17.5	<b>7.1</b>	0.35	0.74	C25
Nose, sinuses etc.	15	0.2	1.1	<b>0.6</b>	0.03	0.07	6	0.1	0.4	<b>0.2</b>	0.01	0.02	C30-31
Larynx	81	1.1	6.0	<b>3.5</b>	0.22	0.46	11	0.2	0.8	<b>0.5</b>	0.03	0.06	C32
Trachea, bronchus, and lung	855	11.3	63.0	<b>34.2</b>	1.70	4.27	431	7.5	31.4	<b>16.8</b>	1.00	2.16	C33-34
Other thoracic organs	8	0.1	0.6	<b>0.4</b>	0.02	0.03	6	0.1	0.4	<b>0.3</b>	0.02	0.03	C37-38
Bone	27	0.4	2.0	<b>1.6</b>	0.09	0.13	11	0.2	0.8	<b>0.8</b>	0.06	0.06	C40-41
Melanoma of skin	381	5.1	28.1	<b>16.1</b>	0.93	1.79	353	6.1	25.8	<b>16.1</b>	1.09	1.70	C43
Other skin	2259		166.5	<b>84.3</b>	3.59	9.15	1869		136.4	<b>59.8</b>	3.02	6.79	C44
Mesothelioma	90	1.2	6.6	<b>3.5</b>	0.12	0.49	6	0.1	0.4	<b>0.2</b>	0.01	0.02	C45
Kaposi sarcoma	5	0.1	0.4	<b>0.2</b>	0.01	0.02	2	0.0	0.1	<b>0.1</b>	0.01	0.02	C46
Connective and soft tissue	58	0.8	4.3	<b>2.7</b>	0.17	0.27	33	0.6	2.4	<b>1.1</b>	0.05	0.11	C47+C49
Breast	12	0.2	0.9	<b>0.4</b>	0.02	0.04	1694	29.4	123.6	<b>70.8</b>	4.82	8.52	C50
Vulva							44	0.8	3.2	<b>1.2</b>	0.07	0.12	C51
Vagina							12	0.2	0.9	<b>0.4</b>	0.02	0.05	C52
Cervix uteri							125	2.2	9.1	<b>6.3</b>	0.49	0.60	C53
Corpus uteri							303	5.3	22.1	<b>11.5</b>	0.67	1.50	C54
Uterus unspecified							1	0.0	0.1	<b>0.1</b>	0.01	0.01	C55
Ovary							207	3.6	15.1	<b>8.1</b>	0.48	0.93	C56
Other female genital organs							24	0.4	1.8	<b>0.9</b>	0.06	0.14	C57
Placenta							1	0.0	0.1	<b>0.0</b>	0.01	0.01	C58
Penis	23	0.3	1.7	<b>0.8</b>	0.04	0.06							C60
Prostate	2181	28.9	160.8	<b>87.9</b>	3.90	11.87							C61
Testis	144	1.9	10.6	<b>9.4</b>	0.71	0.76							C62
Other male genital organs	2	0.0	0.1	<b>0.1</b>	0.01	0.01							C63
Kidney	201	2.7	14.8	<b>8.8</b>	0.48	1.03	92	1.6	6.7	<b>3.0</b>	0.16	0.36	C64
Renal pelvis	26	0.3	1.9	<b>1.1</b>	0.05	0.14	18	0.3	1.3	<b>0.5</b>	0.01	0.05	C65
Ureter	11	0.1	0.8	<b>0.5</b>	0.02	0.06	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C66
†Bladder	568	7.5	41.9	<b>21.9</b>	0.92	2.55	181	3.1	13.2	<b>6.1</b>	0.34	0.73	C67
Other urinary organs	4	0.1	0.3	<b>0.1</b>	0.00	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C68
Eye	12	0.2	0.9	<b>0.8</b>	0.05	0.07	18	0.3	1.3	<b>0.9</b>	0.07	0.10	C69
Brain and nervous system	116	1.5	8.6	<b>5.9</b>	0.35	0.59	83	1.4	6.1	<b>3.8</b>	0.22	0.40	C70-72
Thyroid	48	0.6	3.5	<b>2.5</b>	0.16	0.29	129	2.2	9.4	<b>6.9</b>	0.53	0.66	C73
Adrenal gland	4	0.1	0.3	<b>0.2</b>	0.02	0.02	2	0.0	0.1	<b>0.2</b>	0.01	0.02	C74
Other endocrine	3	0.0	0.2	<b>0.3</b>	0.02	0.02	5	0.1	0.4	<b>0.4</b>	0.03	0.03	C75
Hodgkin lymphoma	62	0.8	4.6	<b>4.0</b>	0.26	0.36	27	0.5	2.0	<b>2.0</b>	0.13	0.16	C81
Non-Hodgkin lymphoma	215	2.9	15.8	<b>9.5</b>	0.59	0.96	203	3.5	14.8	<b>7.8</b>	0.44	0.86	C82-86,C96
Immunoproliferative diseases	28	0.4	2.1	<b>1.0</b>	0.03	0.09	25	0.4	1.8	<b>0.9</b>	0.04	0.11	C88
Multiple myeloma	92	1.2	6.8	<b>3.8</b>	0.21	0.48	91	1.6	6.6	<b>3.0</b>	0.12	0.36	C90
Lymphoid leukaemia	102	1.4	7.5	<b>5.5</b>	0.30	0.52	48	0.8	3.5	<b>2.1</b>	0.08	0.19	C91
Myeloid leukaemia	82	1.1	6.0	<b>3.7</b>	0.24	0.34	82	1.4	6.0	<b>3.2</b>	0.18	0.35	C92-94
Leukaemia unspecified	2	0.0	0.1	<b>0.2</b>	0.01	0.02	3	0.1	0.2	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	49	0.6	3.6	<b>2.0</b>	0.08	0.23	38	0.7	2.8	<b>1.5</b>	0.08	0.18	MPD
Myelodysplastic syndromes	66	0.9	4.9	<b>2.3</b>	0.05	0.23	46	0.8	3.4	<b>1.5</b>	0.08	0.14	MDS
Other and unspecified	119	1.6	8.8	<b>4.3</b>	0.16	0.45	120	2.1	8.8	<b>3.0</b>	0.14	0.28	O&U
All sites	9799		722.4	<b>400.0</b>	19.64	47.17	7622		556.1	<b>284.6</b>	16.95	32.60	C00-96
All sites except C44	7540	100.0	555.8	<b>315.7</b>	16.05	38.01	5753	100.0	419.7	<b>224.8</b>	13.94	25.80	C00-96 exc. C44

† See note following population pyramid

# Switzerland, Ticino

## CONTRIBUTORS

Andrea Bordoni  
 Laura Ortelli  
 Alessandra Spitale  
 Paola Mazzola  
 Simona Peverelli



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	68.2	Breast	90.1
Trachea, bronchus, and lung	38.2	Trachea, bronchus, and lung	22.3
Colon	22.4	Colon	16.1
Melanoma of skin	17.7	Melanoma of skin	14.1
Liver	15.6	Thyroid	13.6
Bladder	14.3	Corpus uteri	9.5
Rectum	12.0	Ovary	8.4
Non-Hodgkin lymphoma	11.3	Non-Hodgkin lymphoma	8.3
Kidney	10.9	Rectum	6.5
Testis	10.1	Pancreas	6.2
Stomach	8.9	Stomach	5.5
Pancreas	8.3	Brain and nervous system	5.3
Lymphoid leukaemia	6.1	Kidney	4.5
Oesophagus	5.9	Cervix uteri	4.3
Brain and nervous system	5.4	Bladder	3.7
Larynx	4.8	Hodgkin lymphoma	3.6
Myeloid leukaemia	4.7	Lymphoid leukaemia	3.3
Multiple myeloma	4.6	Liver	3.2
Other and unspecified	4.0	Multiple myeloma	3.2
Thyroid	3.2	Myeloproliferative disorders	2.7
All sites	311.3	All sites	263.1

## Switzerland, Ticino (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	4	0.1	0.5	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C00
Tongue	48	0.9	5.9	<b>3.2</b>	0.23	0.40	14	0.3	1.6	<b>0.9</b>	0.06	0.11	C01-02
Mouth	31	0.6	3.8	<b>2.1</b>	0.13	0.26	29	0.6	3.3	<b>1.5</b>	0.10	0.17	C03-06
Salivary glands	16	0.3	2.0	<b>0.9</b>	0.04	0.10	11	0.2	1.3	<b>0.7</b>	0.04	0.08	C07-08
Tonsil	28	0.5	3.4	<b>1.9</b>	0.15	0.23	12	0.2	1.4	<b>0.7</b>	0.04	0.10	C09
Other oropharynx	16	0.3	2.0	<b>1.1</b>	0.09	0.14	7	0.1	0.8	<b>0.4</b>	0.03	0.04	C10
Nasopharynx	11	0.2	1.4	<b>0.8</b>	0.06	0.08	4	0.1	0.5	<b>0.2</b>	0.02	0.03	C11
Hypopharynx	23	0.4	2.8	<b>1.6</b>	0.11	0.21	4	0.1	0.5	<b>0.2</b>	0.03	0.03	C12-13
Pharynx unspecified	5	0.1	0.6	<b>0.2</b>	0.01	0.02	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	103	2.0	12.7	<b>5.9</b>	0.30	0.77	32	0.7	3.7	<b>1.4</b>	0.08	0.17	C15
Stomach	166	3.2	20.4	<b>8.9</b>	0.35	1.11	136	2.8	15.7	<b>5.5</b>	0.30	0.57	C16
Small intestine	25	0.5	3.1	<b>1.5</b>	0.07	0.16	20	0.4	2.3	<b>0.9</b>	0.05	0.10	C17
Colon	409	7.8	50.3	<b>22.4</b>	1.02	2.70	382	7.9	44.0	<b>16.1</b>	0.80	1.85	C18
Rectum	210	4.0	25.8	<b>12.0</b>	0.63	1.44	140	2.9	16.1	<b>6.5</b>	0.42	0.78	C19-20
Anus	12	0.2	1.5	<b>0.7</b>	0.05	0.08	33	0.7	3.8	<b>1.8</b>	0.12	0.21	C21
Liver	263	5.0	32.4	<b>15.6</b>	0.93	1.91	78	1.6	9.0	<b>3.2</b>	0.14	0.33	C22
Gallbladder etc.	47	0.9	5.8	<b>2.4</b>	0.06	0.33	68	1.4	7.8	<b>2.5</b>	0.10	0.26	C23-24
Pancreas	153	2.9	18.8	<b>8.3</b>	0.38	0.98	164	3.4	18.9	<b>6.2</b>	0.27	0.72	C25
Nose, sinuses etc.	14	0.3	1.7	<b>0.8</b>	0.04	0.10	4	0.1	0.5	<b>0.2</b>	0.01	0.03	C30-31
Larynx	78	1.5	9.6	<b>4.8</b>	0.29	0.63	11	0.2	1.3	<b>0.6</b>	0.03	0.09	C32
Trachea, bronchus, and lung	693	13.2	85.3	<b>38.2</b>	1.65	4.79	432	8.9	49.8	<b>22.3</b>	1.35	2.85	C33-34
Other thoracic organs	6	0.1	0.7	<b>0.4</b>	0.03	0.06	5	0.1	0.6	<b>0.2</b>	0.01	0.03	C37-38
Bone	10	0.2	1.2	<b>1.1</b>	0.07	0.08	7	0.1	0.8	<b>0.9</b>	0.05	0.06	C40-41
Melanoma of skin	270	5.2	33.2	<b>17.7</b>	1.05	1.89	211	4.3	24.3	<b>14.1</b>	1.05	1.51	C43
Other skin	14		1.7	<b>1.0</b>	0.06	0.11	11		1.3	<b>0.5</b>	0.02	0.04	C44
Mesothelioma	24	0.5	3.0	<b>1.2</b>	0.04	0.15	9	0.2	1.0	<b>0.3</b>	0.00	0.04	C45
Kaposi sarcoma	11	0.2	1.4	<b>0.9</b>	0.07	0.07	5	0.1	0.6	<b>0.3</b>	0.02	0.03	C46
Connective and soft tissue	23	0.4	2.8	<b>1.3</b>	0.05	0.18	20	0.4	2.3	<b>1.7</b>	0.12	0.12	C47+C49
Breast	12	0.2	1.5	<b>0.7</b>	0.03	0.08	1535	31.6	176.8	<b>90.1</b>	6.38	10.26	C50
Vulva							28	0.6	3.2	<b>1.1</b>	0.05	0.14	C51
Vagina							7	0.1	0.8	<b>0.2</b>	0.01	0.01	C52
Cervix uteri							65	1.3	7.5	<b>4.3</b>	0.33	0.43	C53
Corpus uteri							169	3.5	19.5	<b>9.5</b>	0.68	1.16	C54
Uterus unspecified							38	0.8	4.4	<b>2.0</b>	0.18	0.22	C55
Ovary							151	3.1	17.4	<b>8.4</b>	0.51	1.00	C56
Other female genital organs							23	0.5	2.6	<b>1.4</b>	0.12	0.16	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	15	0.3	1.8	<b>0.7</b>	0.02	0.07							C60
Prostate	1222	23.3	150.4	<b>68.2</b>	3.08	9.09							C61
Testis	86	1.6	10.6	<b>10.1</b>	0.74	0.79							C62
Other male genital organs	3	0.1	0.4	<b>0.2</b>	0.02	0.03							C63
Kidney	180	3.4	22.1	<b>10.9</b>	0.57	1.25	91	1.9	10.5	<b>4.5</b>	0.22	0.45	C64
Renal pelvis	16	0.3	2.0	<b>0.7</b>	0.02	0.07	18	0.4	2.1	<b>0.6</b>	0.01	0.07	C65
Ureter	5	0.1	0.6	<b>0.2</b>	0.00	0.02	6	0.1	0.7	<b>0.2</b>	0.02	0.02	C66
†Bladder	283	5.4	34.8	<b>14.3</b>	0.51	1.61	98	2.0	11.3	<b>3.7</b>	0.15	0.44	C67
Other urinary organs	4	0.1	0.5	<b>0.2</b>	0.00	0.01	2	0.0	0.2	<b>0.1</b>	0.01	0.01	C68
Eye	3	0.1	0.4	<b>0.2</b>	0.01	0.03	2	0.0	0.2	<b>0.1</b>	0.01	0.01	C69
Brain and nervous system	66	1.3	8.1	<b>5.4</b>	0.33	0.56	74	1.5	8.5	<b>5.3</b>	0.31	0.47	C70-72
Thyroid	41	0.8	5.0	<b>3.2</b>	0.27	0.33	152	3.1	17.5	<b>13.6</b>	1.04	1.21	C73
Adrenal gland	5	0.1	0.6	<b>0.6</b>	0.04	0.04	4	0.1	0.5	<b>0.8</b>	0.03	0.03	C74
Other endocrine	2	0.0	0.2	<b>0.3</b>	0.02	0.02	1	0.0	0.1	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	21	0.4	2.6	<b>1.8</b>	0.13	0.15	26	0.5	3.0	<b>3.6</b>	0.23	0.24	C81
Non-Hodgkin lymphoma	181	3.5	22.3	<b>11.3</b>	0.60	1.20	173	3.6	19.9	<b>8.3</b>	0.48	0.93	C82-86,C96
Immunoproliferative diseases	15	0.3	1.8	<b>1.0</b>	0.08	0.11	22	0.5	2.5	<b>0.7</b>	0.02	0.07	C88
Multiple myeloma	79	1.5	9.7	<b>4.6</b>	0.24	0.57	69	1.4	7.9	<b>3.2</b>	0.19	0.37	C90
Lymphoid leukaemia	76	1.4	9.4	<b>6.1</b>	0.31	0.55	56	1.2	6.5	<b>3.3</b>	0.14	0.30	C91
Myeloid leukaemia	63	1.2	7.8	<b>4.7</b>	0.29	0.46	39	0.8	4.5	<b>1.8</b>	0.10	0.19	C92-94
Leukaemia unspecified	3	0.1	0.4	<b>0.1</b>	0.01	0.01	2	0.0	0.2	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	40	0.8	4.9	<b>2.3</b>	0.13	0.27	46	0.9	5.3	<b>2.7</b>	0.20	0.30	MPD
Myelodysplastic syndromes	48	0.9	5.9	<b>2.3</b>	0.08	0.29	36	0.7	4.1	<b>1.2</b>	0.03	0.16	MDS
Other and unspecified	74	1.4	9.1	<b>4.0</b>	0.22	0.43	82	1.7	9.4	<b>2.6</b>	0.12	0.23	O&U
All sites	5256		646.7	<b>311.3</b>	15.71	37.03	4864		560.3	<b>263.1</b>	16.83	29.23	C00-96
All sites except C44	5242	100.0	645.0	<b>310.3</b>	15.65	36.92	4853	100.0	559.1	<b>262.7</b>	16.81	29.19	C00-96 exc. C44

† See note following population pyramid

# Switzerland, Valais

## CONTRIBUTORS

Isabelle Konzelmann



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	122.4	Non-melanoma skin cancer	98.9
Prostate	96.2	Breast	87.6
Trachea, bronchus, and lung	35.9	Trachea, bronchus, and lung	21.6
Bladder	29.1	Melanoma of skin	19.3
Colon	20.3	Colon	11.7
Melanoma of skin	16.5	Thyroid	10.5
Liver	13.2	Corpus uteri	10.2
Kidney	11.8	Ovary	9.5
Rectum	10.6	Bladder	7.9
Non-Hodgkin lymphoma	9.2	Non-Hodgkin lymphoma	7.8
Stomach	8.3	Pancreas	6.1
Pancreas	7.5	Rectum	5.6
Brain and nervous system	7.5	Stomach	4.3
Lymphoid leukaemia	7.4	Brain and nervous system	4.1
Testis	7.4	Lymphoid leukaemia	3.8
Oesophagus	6.4	Other and unspecified	3.3
Other and unspecified	4.7	Cervix uteri	3.1
Larynx	4.6	Kidney	3.0
Mouth	4.0	Multiple myeloma	2.9
Multiple myeloma	3.9	Myeloproliferative disorders	2.8
All sites	472.9	All sites	353.4

## Switzerland, Valais (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	4	0.1	0.5	<b>0.3</b>	0.02	0.04	4	0.1	0.5	<b>0.2</b>	0.01	0.03	C00
Tongue	47	0.9	6.1	<b>3.6</b>	0.26	0.43	18	0.5	2.3	<b>1.2</b>	0.10	0.14	C01-02
Mouth	53	1.0	6.9	<b>4.0</b>	0.31	0.50	20	0.5	2.5	<b>1.4</b>	0.09	0.17	C03-06
Salivary glands	13	0.3	1.7	<b>0.9</b>	0.05	0.08	7	0.2	0.9	<b>0.6</b>	0.05	0.05	C07-08
Tonsil	33	0.7	4.3	<b>2.5</b>	0.18	0.33	9	0.2	1.1	<b>0.7</b>	0.07	0.07	C09
Other oropharynx	22	0.4	2.8	<b>1.6</b>	0.10	0.20	7	0.2	0.9	<b>0.5</b>	0.03	0.07	C10
Nasopharynx	7	0.1	0.9	<b>0.4</b>	0.03	0.03	3	0.1	0.4	<b>0.3</b>	0.02	0.02	C11
Hypopharynx	42	0.8	5.4	<b>3.1</b>	0.24	0.45	5	0.1	0.6	<b>0.4</b>	0.05	0.05	C12-13
Pharynx unspecified	7	0.1	0.9	<b>0.6</b>	0.05	0.06	2	0.1	0.3	<b>0.2</b>	0.02	0.02	C14
Oesophagus	92	1.8	11.9	<b>6.4</b>	0.36	0.82	43	1.1	5.4	<b>2.4</b>	0.13	0.29	C15
Stomach	127	2.5	16.4	<b>8.3</b>	0.47	0.87	72	1.9	9.1	<b>4.3</b>	0.28	0.49	C16
Small intestine	28	0.6	3.6	<b>2.1</b>	0.06	0.29	18	0.5	2.3	<b>1.1</b>	0.06	0.15	C17
Colon	317	6.3	41.1	<b>20.3</b>	0.87	2.36	230	6.0	29.1	<b>11.7</b>	0.51	1.28	C18
Rectum	164	3.2	21.2	<b>10.6</b>	0.56	1.16	84	2.2	10.6	<b>5.6</b>	0.36	0.73	C19-20
Anus	3	0.1	0.4	<b>0.2</b>	0.01	0.01	23	0.6	2.9	<b>1.6</b>	0.10	0.23	C21
Liver	198	3.9	25.6	<b>13.2</b>	0.61	1.72	37	1.0	4.7	<b>2.1</b>	0.08	0.26	C22
Gallbladder etc.	29	0.6	3.8	<b>1.6</b>	0.04	0.14	29	0.8	3.7	<b>1.4</b>	0.05	0.16	C23-24
Pancreas	115	2.3	14.9	<b>7.5</b>	0.35	0.86	120	3.1	15.2	<b>6.1</b>	0.26	0.74	C25
Nose, sinuses etc.	12	0.2	1.6	<b>0.8</b>	0.03	0.10	3	0.1	0.4	<b>0.1</b>	0.01	0.01	C30-31
Larynx	64	1.3	8.3	<b>4.6</b>	0.30	0.62	19	0.5	2.4	<b>1.3</b>	0.08	0.16	C32
Trachea, bronchus, and lung	556	11.0	72.0	<b>35.9</b>	1.61	4.21	357	9.3	45.2	<b>21.6</b>	1.27	2.77	C33-34
Other thoracic organs	12	0.2	1.6	<b>0.8</b>	0.05	0.08	5	0.1	0.6	<b>0.2</b>	0.01	0.02	C37-38
Bone	7	0.1	0.9	<b>1.2</b>	0.06	0.08	12	0.3	1.5	<b>1.6</b>	0.10	0.13	C40-41
Melanoma of skin	205	4.1	26.6	<b>16.5</b>	1.13	1.81	240	6.3	30.4	<b>19.3</b>	1.40	1.97	C43
Other skin	1926		249.4	<b>122.4</b>	4.93	13.64	1789		226.5	<b>98.9</b>	5.17	11.06	C44
Mesothelioma	26	0.5	3.4	<b>1.7</b>	0.09	0.18	5	0.1	0.6	<b>0.2</b>	0.00	0.02	C45
Kaposi sarcoma	5	0.1	0.6	<b>0.3</b>	0.00	0.06	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	19	0.4	2.5	<b>1.4</b>	0.07	0.14	12	0.3	1.5	<b>1.0</b>	0.05	0.11	C47+C49
Breast	11	0.2	1.4	<b>0.8</b>	0.06	0.08	1217	31.7	154.1	<b>87.6</b>	6.48	10.15	C50
Vulva							23	0.6	2.9	<b>1.0</b>	0.05	0.10	C51
Vagina							1	0.0	0.1	<b>0.0</b>	0.00	0.00	C52
Cervix uteri							39	1.0	4.9	<b>3.1</b>	0.24	0.28	C53
Corpus uteri							157	4.1	19.9	<b>10.2</b>	0.63	1.34	C54
Uterus unspecified							5	0.1	0.6	<b>0.3</b>	0.01	0.04	C55
Ovary							141	3.7	17.8	<b>9.5</b>	0.62	1.12	C56
Other female genital organs							14	0.4	1.8	<b>0.7</b>	0.04	0.06	C57
Placenta							1	0.0	0.1	<b>0.2</b>	0.01	0.01	C58
Penis	16	0.3	2.1	<b>1.0</b>	0.02	0.14							C60
Prostate	1448	28.6	187.5	<b>96.2</b>	4.14	12.82							C61
Testis	62	1.2	8.0	<b>7.4</b>	0.56	0.57							C62
Other male genital organs	3	0.1	0.4	<b>0.2</b>	0.00	0.03							C63
Kidney	164	3.2	21.2	<b>11.8</b>	0.62	1.35	52	1.4	6.6	<b>3.0</b>	0.17	0.36	C64
Renal pelvis	8	0.2	1.0	<b>0.5</b>	0.03	0.05	7	0.2	0.9	<b>0.3</b>	0.01	0.04	C65
Ureter	7	0.1	0.9	<b>0.4</b>	0.01	0.07	6	0.2	0.8	<b>0.3</b>	0.01	0.04	C66
†Bladder	452	8.9	58.5	<b>29.1</b>	1.36	3.39	147	3.8	18.6	<b>7.9</b>	0.40	0.95	C67
Other urinary organs	9	0.2	1.2	<b>0.5</b>	0.00	0.02	4	0.1	0.5	<b>0.1</b>	0.00	0.00	C68
Eye	8	0.2	1.0	<b>0.6</b>	0.05	0.05	7	0.2	0.9	<b>0.7</b>	0.05	0.08	C69
Brain and nervous system	78	1.5	10.1	<b>7.5</b>	0.55	0.72	52	1.4	6.6	<b>4.1</b>	0.26	0.38	C70-72
Thyroid	46	0.9	6.0	<b>3.7</b>	0.29	0.41	114	3.0	14.4	<b>10.5</b>	0.83	1.06	C73
Adrenal gland	1	0.0	0.1	<b>0.1</b>	0.01	0.01	3	0.1	0.4	<b>0.2</b>	0.01	0.03	C74
Other endocrine	1	0.0	0.1	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	30	0.6	3.9	<b>3.4</b>	0.23	0.28	15	0.4	1.9	<b>1.6</b>	0.11	0.13	C81
Non-Hodgkin lymphoma	131	2.6	17.0	<b>9.2</b>	0.51	1.00	124	3.2	15.7	<b>7.8</b>	0.42	0.87	C82-86,C96
Immunoproliferative diseases	34	0.7	4.4	<b>2.5</b>	0.14	0.30	22	0.6	2.8	<b>1.2</b>	0.09	0.14	C88
Multiple myeloma	58	1.1	7.5	<b>3.9</b>	0.17	0.49	53	1.4	6.7	<b>2.9</b>	0.12	0.36	C90
Lymphoid leukaemia	77	1.5	10.0	<b>7.4</b>	0.34	0.75	58	1.5	7.3	<b>3.8</b>	0.15	0.44	C91
Myeloid leukaemia	48	0.9	6.2	<b>3.7</b>	0.20	0.38	33	0.9	4.2	<b>2.5</b>	0.14	0.22	C92-94
Leukaemia unspecified	4	0.1	0.5	<b>0.3</b>	0.01	0.01	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	39	0.8	5.1	<b>2.8</b>	0.16	0.27	46	1.2	5.8	<b>2.8</b>	0.12	0.32	MPD
Myelodysplastic syndromes	43	0.8	5.6	<b>2.4</b>	0.07	0.25	32	0.8	4.1	<b>1.5</b>	0.07	0.18	MDS
Other and unspecified	75	1.5	9.7	<b>4.7</b>	0.18	0.44	74	1.9	9.4	<b>3.3</b>	0.12	0.30	O&U
All sites	6986		904.8	<b>472.9</b>	22.55	55.16	5623		711.8	<b>353.4</b>	21.51	40.20	C00-96
All sites except C44	5060	100.0	655.3	<b>350.5</b>	17.62	41.52	3834	100.0	485.3	<b>254.5</b>	16.35	29.14	C00-96 exc. C44

† See note following population pyramid

# Switzerland, Vaud

## CONTRIBUTORS

Rafael Blanc Moya  
Van-Cong Te  
Lalao Randimbison  
Roland Choffat  
Fabio Levi



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	152.6	Non-melanoma skin cancer	120.8
Prostate	87.3	Breast	96.1
Trachea, bronchus, and lung	37.1	Trachea, bronchus, and lung	21.5
Bladder	29.3	Melanoma of skin	19.4
Melanoma of skin	23.5	Colon	13.6
Colon	21.3	Corpus uteri	11.1
Rectum	12.9	Ovary	7.9
Non-Hodgkin lymphoma	12.8	Non-Hodgkin lymphoma	7.5
Liver	10.6	Thyroid	7.2
Kidney	9.3	Bladder	7.1
Testis	9.0	Rectum	6.7
Pancreas	8.0	Pancreas	6.2
Oesophagus	7.6	Brain and nervous system	3.8
Stomach	7.2	Cervix uteri	3.7
Brain and nervous system	5.8	Other and unspecified	3.6
Larynx	4.5	Kidney	3.4
Other and unspecified	4.3	Lymphoid leukaemia	3.3
Tongue	4.1	Myeloid leukaemia	3.1
Lymphoid leukaemia	4.0	Multiple myeloma	2.8
Mouth	3.6	Stomach	2.7
All sites	495.6	All sites	381.0



## Switzerland, Vaud (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	6	0.1	0.3	<b>0.3</b>	0.02	0.03	7	0.1	0.4	<b>0.2</b>	0.01	0.01	C00
Tongue	109	1.1	6.3	<b>4.1</b>	0.30	0.46	43	0.5	2.4	<b>1.4</b>	0.09	0.17	C01-02
Mouth	98	1.0	5.7	<b>3.6</b>	0.24	0.45	42	0.5	2.3	<b>1.1</b>	0.06	0.13	C03-06
Salivary glands	23	0.2	1.3	<b>0.7</b>	0.04	0.08	16	0.2	0.9	<b>0.5</b>	0.04	0.06	C07-08
Tonsil	59	0.6	3.4	<b>2.2</b>	0.17	0.28	27	0.3	1.5	<b>0.9</b>	0.07	0.10	C09
Other oropharynx	44	0.4	2.6	<b>1.7</b>	0.13	0.23	12	0.1	0.7	<b>0.4</b>	0.03	0.06	C10
Nasopharynx	16	0.2	0.9	<b>0.6</b>	0.05	0.08	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	87	0.9	5.1	<b>3.2</b>	0.23	0.41	25	0.3	1.4	<b>0.9</b>	0.07	0.11	C12-13
Pharynx unspecified	26	0.3	1.5	<b>0.9</b>	0.04	0.13	10	0.1	0.6	<b>0.4</b>	0.03	0.05	C14
Oesophagus	217	2.2	12.6	<b>7.6</b>	0.44	0.99	96	1.1	5.3	<b>2.5</b>	0.12	0.32	C15
Stomach	209	2.1	12.1	<b>7.2</b>	0.37	0.90	109	1.3	6.0	<b>2.7</b>	0.14	0.28	C16
Small intestine	33	0.3	1.9	<b>1.0</b>	0.03	0.08	25	0.3	1.4	<b>0.8</b>	0.05	0.09	C17
Colon	676	6.8	39.3	<b>21.3</b>	0.94	2.35	545	6.4	30.1	<b>13.6</b>	0.64	1.46	C18
Rectum	381	3.8	22.1	<b>12.9</b>	0.64	1.60	245	2.9	13.5	<b>6.7</b>	0.38	0.75	C19-20
Anus	33	0.3	1.9	<b>1.1</b>	0.06	0.13	86	1.0	4.7	<b>2.4</b>	0.16	0.28	C21
Liver	310	3.1	18.0	<b>10.6</b>	0.52	1.33	95	1.1	5.2	<b>2.3</b>	0.13	0.24	C22
Gallbladder etc.	66	0.7	3.8	<b>2.0</b>	0.10	0.21	73	0.9	4.0	<b>1.7</b>	0.07	0.19	C23-24
Pancreas	248	2.5	14.4	<b>8.0</b>	0.35	0.92	291	3.4	16.1	<b>6.2</b>	0.23	0.69	C25
Nose, sinuses etc.	17	0.2	1.0	<b>0.6</b>	0.03	0.05	16	0.2	0.9	<b>0.5</b>	0.03	0.04	C30-31
Larynx	125	1.3	7.3	<b>4.5</b>	0.30	0.57	23	0.3	1.3	<b>0.7</b>	0.05	0.10	C32
Trachea, bronchus, and lung	1108	11.2	64.4	<b>37.1</b>	1.89	4.72	748	8.7	41.3	<b>21.5</b>	1.26	2.70	C33-34
Other thoracic organs	21	0.2	1.2	<b>0.7</b>	0.04	0.07	10	0.1	0.6	<b>0.3</b>	0.01	0.02	C37-38
Bone	18	0.2	1.0	<b>1.0</b>	0.07	0.07	15	0.2	0.8	<b>0.7</b>	0.05	0.05	C40-41
Melanoma of skin	652	6.6	37.9	<b>23.5</b>	1.38	2.65	552	6.5	30.5	<b>19.4</b>	1.40	2.07	C43
Other skin	4838		281.1	<b>152.6</b>	6.76	16.99	4717		260.5	<b>120.8</b>	6.46	13.62	C44
Mesothelioma	48	0.5	2.8	<b>1.5</b>	0.07	0.19	6	0.1	0.3	<b>0.2</b>	0.01	0.02	C45
Kaposi sarcoma	12	0.1	0.7	<b>0.5</b>	0.04	0.06	6	0.1	0.3	<b>0.3</b>	0.02	0.03	C46
Connective and soft tissue	69	0.7	4.0	<b>2.7</b>	0.18	0.25	55	0.6	3.0	<b>2.3</b>	0.13	0.23	C47+C49
Breast	19	0.2	1.1	<b>0.6</b>	0.03	0.06	2939	34.3	162.3	<b>96.1</b>	6.75	11.16	C50
Vulva							54	0.6	3.0	<b>1.2</b>	0.06	0.12	C51
Vagina							22	0.3	1.2	<b>0.5</b>	0.03	0.05	C52
Cervix uteri							98	1.1	5.4	<b>3.7</b>	0.27	0.37	C53
Corpus uteri							388	4.5	21.4	<b>11.1</b>	0.63	1.47	C54
Uterus unspecified							4	0.0	0.2	<b>0.1</b>	0.00	0.01	C55
Ovary							267	3.1	14.7	<b>7.9</b>	0.45	0.90	C56
Other female genital organs							31	0.4	1.7	<b>0.7</b>	0.04	0.08	C57
Placenta							5	0.1	0.3	<b>0.3</b>	0.02	0.02	C58
Penis	22	0.2	1.3	<b>0.7</b>	0.04	0.09							C60
Prostate	2584	26.1	150.1	<b>87.3</b>	3.95	11.99							C61
Testis	180	1.8	10.5	<b>9.0</b>	0.72	0.75							C62
Other male genital organs	12	0.1	0.7	<b>0.4</b>	0.01	0.05							C63
Kidney	261	2.6	15.2	<b>9.3</b>	0.51	1.12	111	1.3	6.1	<b>3.4</b>	0.23	0.38	C64
Renal pelvis	14	0.1	0.8	<b>0.5</b>	0.02	0.07	18	0.2	1.0	<b>0.5</b>	0.03	0.05	C65
Ureter	16	0.2	0.9	<b>0.5</b>	0.01	0.06	10	0.1	0.6	<b>0.2</b>	0.00	0.02	C66
†Bladder	900	9.1	52.3	<b>29.3</b>	1.31	3.61	282	3.3	15.6	<b>7.1</b>	0.37	0.84	C67
Other urinary organs	5	0.1	0.3	<b>0.2</b>	0.00	0.02	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	12	0.1	0.7	<b>0.5</b>	0.02	0.05	11	0.1	0.6	<b>0.3</b>	0.02	0.04	C69
Brain and nervous system	154	1.6	8.9	<b>5.8</b>	0.33	0.65	103	1.2	5.7	<b>3.8</b>	0.23	0.36	C70-72
Thyroid	53	0.5	3.1	<b>2.2</b>	0.15	0.21	185	2.2	10.2	<b>7.2</b>	0.56	0.74	C73
Adrenal gland	8	0.1	0.5	<b>0.7</b>	0.03	0.04	3	0.0	0.2	<b>0.3</b>	0.02	0.02	C74
Other endocrine	0	0.0	0.0	<b>0.0</b>	0.00	0.00	1	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	57	0.6	3.3	<b>2.9</b>	0.20	0.24	40	0.5	2.2	<b>1.9</b>	0.11	0.15	C81
Non-Hodgkin lymphoma	348	3.5	20.2	<b>12.8</b>	0.69	1.38	261	3.0	14.4	<b>7.5</b>	0.41	0.85	C82-86,C96
Immunoproliferative diseases	41	0.4	2.4	<b>1.4</b>	0.07	0.17	33	0.4	1.8	<b>0.8</b>	0.04	0.10	C88
Multiple myeloma	108	1.1	6.3	<b>3.4</b>	0.15	0.37	113	1.3	6.2	<b>2.8</b>	0.12	0.35	C90
Lymphoid leukaemia	91	0.9	5.3	<b>4.0</b>	0.20	0.41	61	0.7	3.4	<b>3.3</b>	0.14	0.23	C91
Myeloid leukaemia	88	0.9	5.1	<b>3.2</b>	0.17	0.30	100	1.2	5.5	<b>3.1</b>	0.20	0.34	C92-94
Leukaemia unspecified	6	0.1	0.3	<b>0.1</b>	0.00	0.01	3	0.0	0.2	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	39	0.4	2.3	<b>1.4</b>	0.08	0.14	37	0.4	2.0	<b>1.1</b>	0.06	0.13	MPD
Myelodysplastic syndromes	48	0.5	2.8	<b>1.4</b>	0.03	0.17	36	0.4	2.0	<b>0.9</b>	0.05	0.10	MDS
Other and unspecified	140	1.4	8.1	<b>4.3</b>	0.14	0.48	161	1.9	8.9	<b>3.6</b>	0.20	0.41	O&U
All sites	14755		857.4	<b>495.6</b>	24.27	58.73	13275		733.1	<b>381.0</b>	22.83	43.16	C00-96
All sites except C44	9917	100.0	576.2	<b>343.0</b>	17.51	41.74	8558	100.0	472.6	<b>260.1</b>	16.37	29.54	C00-96 exc. C44

† See note following population pyramid

# Switzerland, Zurich

## CONTRIBUTORS

Silvia Dehler  
Dimitri Korol  
Michela Ceschi  
Marc Heimpel  
Rowena Laue  
Silvia Morf  
Simon Näher  
Julia Prater Sithivinaja  
Zita Schicker  
Tanja Widmer



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	87.9	Breast	85.1
Trachea, bronchus, and lung	32.9	Melanoma of skin	20.3
Bladder	24.7	Trachea, bronchus, and lung	19.8
Melanoma of skin	22.4	Colon	13.7
Colon	18.3	Corpus uteri	11.5
Rectum	11.6	Thyroid	9.5
Non-Hodgkin lymphoma	10.8	Ovary	7.8
Testis	9.9	Non-Hodgkin lymphoma	7.4
Pancreas	8.4	Pancreas	6.5
Kidney	7.6	Rectum	6.5
Brain and nervous system	6.8	Bladder	6.0
Liver	6.8	Brain and nervous system	4.9
Stomach	6.6	Cervix uteri	4.5
Oesophagus	6.1	Other and unspecified	3.7
Lymphoid leukaemia	5.6	Kidney	3.5
Multiple myeloma	4.2	Stomach	3.4
Other and unspecified	4.1	Lymphoid leukaemia	3.3
Hodgkin lymphoma	3.7	Multiple myeloma	3.0
Myeloid leukaemia	3.6	Myeloid leukaemia	3.0
Connective and soft tissue	3.0	Liver	2.5
All sites	322.6	All sites	251.3

## Switzerland, Zurich (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	43	0.2	1.3	<b>0.7</b>	0.02	0.07	16	0.1	0.5	<b>0.2</b>	0.01	0.03	C00
Tongue	147	0.8	4.4	<b>2.8</b>	0.20	0.35	74	0.5	2.1	<b>1.2</b>	0.08	0.15	C01-02
Mouth	115	0.6	3.4	<b>2.1</b>	0.15	0.26	60	0.4	1.7	<b>0.9</b>	0.04	0.11	C03-06
Salivary glands	41	0.2	1.2	<b>0.7</b>	0.05	0.08	39	0.2	1.1	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	71	0.4	2.1	<b>1.4</b>	0.12	0.17	38	0.2	1.1	<b>0.6</b>	0.04	0.09	C09
Other oropharynx	87	0.5	2.6	<b>1.7</b>	0.13	0.22	29	0.2	0.8	<b>0.5</b>	0.04	0.07	C10
Nasopharynx	20	0.1	0.6	<b>0.4</b>	0.03	0.04	14	0.1	0.4	<b>0.3</b>	0.02	0.03	C11
Hypopharynx	78	0.4	2.3	<b>1.4</b>	0.09	0.20	14	0.1	0.4	<b>0.2</b>	0.02	0.03	C12-13
Pharynx unspecified	2	0.0	0.1	<b>0.0</b>	0.00	0.00	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C14
Oesophagus	370	2.0	11.0	<b>6.1</b>	0.29	0.76	121	0.8	3.5	<b>1.6</b>	0.08	0.20	C15
Stomach	407	2.2	12.1	<b>6.6</b>	0.31	0.77	245	1.5	7.1	<b>3.4</b>	0.19	0.38	C16
Small intestine	90	0.5	2.7	<b>1.5</b>	0.08	0.19	52	0.3	1.5	<b>0.8</b>	0.04	0.09	C17
Colon	1172	6.2	34.9	<b>18.3</b>	0.81	2.11	1056	6.6	30.7	<b>13.7</b>	0.68	1.60	C18
Rectum	701	3.7	20.9	<b>11.6</b>	0.58	1.42	475	3.0	13.8	<b>6.5</b>	0.36	0.78	C19-20
Anus	65	0.3	1.9	<b>1.2</b>	0.10	0.13	105	0.7	3.1	<b>1.7</b>	0.11	0.21	C21
Liver	403	2.1	12.0	<b>6.8</b>	0.39	0.80	185	1.2	5.4	<b>2.5</b>	0.12	0.30	C22
Gallbladder etc.	136	0.7	4.0	<b>2.1</b>	0.08	0.25	145	0.9	4.2	<b>1.8</b>	0.08	0.21	C23-24
Pancreas	531	2.8	15.8	<b>8.4</b>	0.38	1.05	560	3.5	16.3	<b>6.5</b>	0.29	0.75	C25
Nose, sinuses etc.	41	0.2	1.2	<b>0.8</b>	0.05	0.09	19	0.1	0.6	<b>0.3</b>	0.01	0.04	C30-31
Larynx	169	0.9	5.0	<b>2.9</b>	0.19	0.39	19	0.1	0.6	<b>0.3</b>	0.03	0.04	C32
Trachea, bronchus, and lung	2021	10.7	60.1	<b>32.9</b>	1.57	4.09	1356	8.4	39.4	<b>19.8</b>	1.18	2.55	C33-34
Other thoracic organs	30	0.2	0.9	<b>0.6</b>	0.03	0.06	25	0.2	0.7	<b>0.4</b>	0.02	0.05	C37-38
Bone	44	0.2	1.3	<b>1.3</b>	0.08	0.10	28	0.2	0.8	<b>0.8</b>	0.06	0.06	C40-41
Melanoma of skin	1307	6.9	38.9	<b>22.4</b>	1.23	2.50	1161	7.2	33.7	<b>20.3</b>	1.43	2.14	C43
Other skin	41		1.2	<b>0.7</b>	0.04	0.07	34		1.0	<b>0.6</b>	0.04	0.05	C44
Mesothelioma	138	0.7	4.1	<b>2.2</b>	0.08	0.27	27	0.2	0.8	<b>0.4</b>	0.03	0.04	C45
Kaposi sarcoma	40	0.2	1.2	<b>0.8</b>	0.06	0.07	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	148	0.8	4.4	<b>3.0</b>	0.17	0.25	87	0.5	2.5	<b>1.8</b>	0.11	0.15	C47+C49
Breast	38	0.2	1.1	<b>0.6</b>	0.03	0.07	5092	31.7	147.9	<b>85.1</b>	5.90	9.93	C50
Vulva							119	0.7	3.5	<b>1.5</b>	0.07	0.18	C51
Vagina							27	0.2	0.8	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							234	1.5	6.8	<b>4.5</b>	0.33	0.43	C53
Corpus uteri							754	4.7	21.9	<b>11.5</b>	0.72	1.43	C54
Uterus unspecified							28	0.2	0.8	<b>0.3</b>	0.02	0.03	C55
Ovary							489	3.0	14.2	<b>7.8</b>	0.51	0.88	C56
Other female genital organs							46	0.3	1.3	<b>0.6</b>	0.04	0.06	C57
Placenta							1	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	44	0.2	1.3	<b>0.7</b>	0.03	0.08							C60
Prostate	5255	27.8	156.3	<b>87.9</b>	4.05	12.01							C61
Testis	398	2.1	11.8	<b>9.9</b>	0.76	0.78							C62
Other male genital organs	3	0.0	0.1	<b>0.1</b>	0.00	0.01							C63
Kidney	445	2.4	13.2	<b>7.6</b>	0.44	0.88	242	1.5	7.0	<b>3.5</b>	0.18	0.40	C64
Renal pelvis	39	0.2	1.2	<b>0.5</b>	0.02	0.06	25	0.2	0.7	<b>0.3</b>	0.01	0.04	C65
Ureter	17	0.1	0.5	<b>0.2</b>	0.01	0.03	10	0.1	0.3	<b>0.1</b>	0.00	0.01	C66
†Bladder	1613	8.5	48.0	<b>24.7</b>	0.99	2.83	475	3.0	13.8	<b>6.0</b>	0.28	0.70	C67
Other urinary organs	8	0.0	0.2	<b>0.1</b>	0.01	0.01	6	0.0	0.2	<b>0.1</b>	0.00	0.01	C68
Eye	25	0.1	0.7	<b>0.5</b>	0.03	0.05	25	0.2	0.7	<b>0.4</b>	0.01	0.04	C69
Brain and nervous system	324	1.7	9.6	<b>6.8</b>	0.44	0.71	236	1.5	6.9	<b>4.9</b>	0.33	0.48	C70-72
Thyroid	143	0.8	4.3	<b>2.9</b>	0.21	0.31	450	2.8	13.1	<b>9.5</b>	0.75	0.90	C73
Adrenal gland	7	0.0	0.2	<b>0.2</b>	0.01	0.02	14	0.1	0.4	<b>0.4</b>	0.02	0.03	C74
Other endocrine	5	0.0	0.1	<b>0.2</b>	0.01	0.01	3	0.0	0.1	<b>0.2</b>	0.01	0.01	C75
Hodgkin lymphoma	144	0.8	4.3	<b>3.7</b>	0.25	0.32	74	0.5	2.1	<b>2.1</b>	0.14	0.16	C81
Non-Hodgkin lymphoma	620	3.3	18.4	<b>10.8</b>	0.58	1.16	504	3.1	14.6	<b>7.4</b>	0.41	0.83	C82-86,C96
Immunoproliferative diseases	79	0.4	2.3	<b>1.3</b>	0.06	0.15	92	0.6	2.7	<b>1.3</b>	0.06	0.19	C88
Multiple myeloma	266	1.4	7.9	<b>4.2</b>	0.20	0.47	241	1.5	7.0	<b>3.0</b>	0.15	0.34	C90
Lymphoid leukaemia	256	1.4	7.6	<b>5.6</b>	0.26	0.49	183	1.1	5.3	<b>3.3</b>	0.17	0.32	C91
Myeloid leukaemia	196	1.0	5.8	<b>3.6</b>	0.18	0.37	180	1.1	5.2	<b>3.0</b>	0.18	0.31	C92-94
Leukaemia unspecified	11	0.1	0.3	<b>0.2</b>	0.01	0.01	11	0.1	0.3	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	110	0.6	3.3	<b>1.9</b>	0.10	0.20	113	0.7	3.3	<b>1.6</b>	0.09	0.17	MPD
Myelodysplastic syndromes	205	1.1	6.1	<b>2.9</b>	0.09	0.26	130	0.8	3.8	<b>1.3</b>	0.04	0.12	MDS
Other and unspecified	260	1.4	7.7	<b>4.1</b>	0.16	0.43	325	2.0	9.4	<b>3.7</b>	0.16	0.42	O&U
All sites	18969		564.2	<b>322.6</b>	16.21	38.45	16116		468.2	<b>251.3</b>	15.75	28.68	C00-96
All sites except C44	18928	100.0	563.0	<b>321.9</b>	16.17	38.37	16082	100.0	467.2	<b>250.7</b>	15.71	28.63	C00-96 exc. C44

† See note following population pyramid

# Ukraine

## CONTRIBUTORS

Zoya Fedorenko  
Anton Ryzhov  
Lyudmila Goulak  
Yevhen Gorokh  
Olena Soumkina  
Lyubov Koutsenko



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Trachea, bronchus, and lung	46.6	Breast	41.9
Non-melanoma skin cancer	25.2	Non-melanoma skin cancer	20.5
Prostate	22.5	Corpus uteri	17.6
Stomach	22.2	Cervix uteri	15.6
Colon	15.5	Colon	11.2
Rectum	15.3	Ovary	11.1
Bladder	13.7	Stomach	9.2
Kidney	11.1	Rectum	8.8
Other and unspecified	9.5	Thyroid	7.5
Pancreas	9.0	Trachea, bronchus, and lung	6.3
Larynx	8.2	Kidney	5.5
Oesophagus	5.4	Other and unspecified	4.9
Brain and nervous system	5.3	Melanoma of skin	4.7
Lymphoid leukaemia	4.6	Pancreas	4.3
Non-Hodgkin lymphoma	4.5	Brain and nervous system	4.1
Melanoma of skin	4.5	Non-Hodgkin lymphoma	2.9
Mouth	3.3	Lymphoid leukaemia	2.7
Liver	3.2	Hodgkin lymphoma	2.4
Hypopharynx	3.0	Myeloid leukaemia	1.9
Tongue	2.7	Bladder	1.9
All sites	263.7	All sites	199.7


## Ukraine (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	3861	1.1	3.7	2.4	0.11	0.31	1454	0.4	1.2	0.4	0.01	0.05	C00
Tongue	3961	1.1	3.8	2.7	0.22	0.34	682	0.2	0.6	0.3	0.02	0.03	C01-02
Mouth	4892	1.4	4.6	3.3	0.28	0.40	886	0.2	0.7	0.4	0.03	0.04	C03-06
Salivary glands	1420	0.4	1.3	0.9	0.07	0.11	949	0.3	0.8	0.4	0.03	0.04	C07-08
Tonsil	2075	0.6	2.0	1.4	0.12	0.17	443	0.1	0.4	0.2	0.02	0.02	C09
Other oropharynx	2399	0.7	2.3	1.6	0.14	0.21	225	0.1	0.2	0.1	0.01	0.01	C10
Nasopharynx	719	0.2	0.7	0.5	0.04	0.06	364	0.1	0.3	0.2	0.02	0.02	C11
Hypopharynx	4317	1.2	4.1	3.0	0.25	0.37	166	0.0	0.1	0.1	0.01	0.01	C12-13
Pharynx unspecified	407	0.1	0.4	0.3	0.02	0.04	37	0.0	0.0	0.0	0.00	0.00	C14
Oesophagus	8093	2.2	7.7	5.4	0.40	0.69	1153	0.3	0.9	0.4	0.02	0.05	C15
Stomach	34718	9.6	32.9	22.2	1.32	2.84	23237	6.1	18.8	9.2	0.54	1.15	C16
Small intestine	653	0.2	0.6	0.4	0.03	0.05	616	0.2	0.5	0.3	0.02	0.03	C17
Colon	24636	6.8	23.3	15.5	0.81	1.99	28466	7.5	23.1	11.2	0.67	1.43	C18
Rectum	24016	6.6	22.7	15.3	0.85	1.99	21760	5.8	17.6	8.8	0.56	1.13	C19-20
Anus	493	0.1	0.5	0.3	0.02	0.04	811	0.2	0.7	0.3	0.02	0.04	C21
Liver	4772	1.3	4.5	3.2	0.20	0.39	3503	0.9	2.8	1.4	0.08	0.17	C22
Gallbladder etc.	2031	0.6	1.9	1.3	0.07	0.16	3665	1.0	3.0	1.3	0.07	0.17	C23-24
Pancreas	13824	3.8	13.1	9.0	0.58	1.12	11678	3.1	9.5	4.3	0.24	0.55	C25
Nose, sinuses etc.	1263	0.3	1.2	0.9	0.07	0.10	797	0.2	0.6	0.4	0.02	0.04	C30-31
Larynx	12157	3.4	11.5	8.2	0.64	1.04	500	0.1	0.4	0.2	0.02	0.03	C32
Trachea, bronchus, and lung	71818	19.8	68.0	46.6	2.94	6.16	15748	4.2	12.8	6.3	0.38	0.77	C33-34
Other thoracic organs	1291	0.4	1.2	1.0	0.06	0.10	775	0.2	0.6	0.4	0.03	0.04	C37-38
Bone	1547	0.4	1.5	1.3	0.08	0.12	1281	0.3	1.0	0.9	0.06	0.08	C40-41
Melanoma of skin	6573	1.8	6.2	4.5	0.30	0.50	9435	2.5	7.6	4.7	0.35	0.50	C43
Other skin	40557		38.4	25.2	1.21	2.96	56363		45.7	20.5	1.08	2.46	C44
Mesothelioma	767	0.2	0.7	0.5	0.04	0.06	649	0.2	0.5	0.3	0.02	0.04	C45
Kaposi sarcoma	171	0.0	0.2	0.1	0.01	0.01	70	0.0	0.1	0.0	0.00	0.00	C46
Connective and soft tissue	2639	0.7	2.5	1.9	0.13	0.20	2953	0.8	2.4	1.6	0.10	0.16	C47+C49
Breast	691	0.2	0.7	0.4	0.03	0.06	86431	22.8	70.0	41.9	3.28	4.81	C50
Vulva							3503	0.9	2.8	1.2	0.06	0.15	C51
Vagina							740	0.2	0.6	0.3	0.02	0.04	C52
Cervix uteri							26703	7.1	21.6	15.6	1.29	1.54	C53
Corpus uteri							36770	9.7	29.8	17.6	1.44	2.16	C54
Uterus unspecified							559	0.1	0.5	0.3	0.02	0.03	C55
Ovary							21442	5.7	17.4	11.1	0.88	1.23	C56
Other female genital organs							491	0.1	0.4	0.2	0.02	0.03	C57
Placenta							197	0.1	0.2	0.2	0.01	0.01	C58
Penis	1076	0.3	1.0	0.7	0.04	0.08							C60
Prostate	37276	10.3	35.3	22.5	0.85	2.98							C61
Testis	2708	0.7	2.6	2.2	0.16	0.17							C62
Other male genital organs	115	0.0	0.1	0.1	0.00	0.01							C63
Kidney	16150	4.5	15.3	11.1	0.82	1.32	11460	3.0	9.3	5.5	0.41	0.65	C64
Renal pelvis	318	0.1	0.3	0.2	0.01	0.03	148	0.0	0.1	0.1	0.00	0.01	C65
Ureter	203	0.1	0.2	0.1	0.01	0.02	109	0.0	0.1	0.0	0.00	0.01	C66
Bladder	21793	6.0	20.6	13.7	0.69	1.74	4948	1.3	4.0	1.9	0.10	0.23	C67
Other urinary organs	37	0.0	0.0	0.0	0.00	0.00	80	0.0	0.1	0.0	0.00	0.00	C68
Eye	714	0.2	0.7	0.6	0.04	0.06	863	0.2	0.7	0.5	0.04	0.05	C69
Brain and nervous system	6756	1.9	6.4	5.3	0.39	0.53	6241	1.6	5.1	4.1	0.30	0.38	C70-72
Thyroid	2617	0.7	2.5	1.9	0.15	0.20	12524	3.3	10.1	7.5	0.62	0.74	C73
Adrenal gland	565	0.2	0.5	0.4	0.03	0.05	449	0.1	0.4	0.3	0.02	0.03	C74
Other endocrine	76	0.0	0.1	0.1	0.00	0.01	82	0.0	0.1	0.1	0.00	0.00	C75
Hodgkin lymphoma	2842	0.8	2.7	2.4	0.17	0.20	3105	0.8	2.5	2.4	0.17	0.18	C81
Non-Hodgkin lymphoma	6109	1.7	5.8	4.5	0.31	0.48	5601	1.5	4.5	2.9	0.20	0.31	C82-86,C96
Immunoproliferative diseases	159	0.0	0.2	0.1	0.01	0.01	168	0.0	0.1	0.1	0.01	0.01	C88
Multiple myeloma	1728	0.5	1.6	1.2	0.08	0.14	2198	0.6	1.8	1.0	0.07	0.13	C90
Lymphoid leukaemia	5640	1.6	5.3	4.6	0.26	0.46	4581	1.2	3.7	2.7	0.15	0.26	C91
Myeloid leukaemia	3155	0.9	3.0	2.3	0.14	0.25	3379	0.9	2.7	1.9	0.13	0.20	C92-94
Leukaemia unspecified	787	0.2	0.7	0.6	0.03	0.06	826	0.2	0.7	0.4	0.03	0.05	C95
Myeloproliferative disorders	648	0.2	0.6	0.5	0.03	0.05	568	0.2	0.5	0.3	0.02	0.04	MPD
Myelodysplastic syndromes	224	0.1	0.2	0.2	0.01	0.02	195	0.1	0.2	0.1	0.01	0.01	MDS
Other and unspecified	14396	4.0	13.6	9.5	0.59	1.18	11598	3.1	9.4	4.9	0.29	0.58	O&U
All sites	402853		381.5	263.7	15.85	32.61	434625		352.2	199.7	14.00	22.93	C00-96
All sites except C44	362296	100.0	343.1	238.6	14.64	29.64	378262	100.0	306.6	179.2	12.92	20.47	C00-96 exc. C44

# UK

## CONTRIBUTORS

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon  
 Anna Gavin  
 Deirdre Fitzpatrick  
 Colin Fox  
 David Brewster  
 Alex Henriquez  
 Lesley Bhatti  
 Andrew Deas  
 Dyfed Wyn Huws  
 Ceri White  
 Janet Warlow  
 Joy McRae



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	70.9	Breast	87.4
Trachea, bronchus, and lung	38.6	Trachea, bronchus, and lung	27.3
Colon	22.8	Colon	16.9
Rectum	15.5	Corpus uteri	13.7
Bladder	12.7	Melanoma of skin	13.0
Non-Hodgkin lymphoma	12.3	Ovary	10.4
Non-melanoma skin cancer	12.2	Non-Hodgkin lymphoma	8.9
Melanoma of skin	12.1	Non-melanoma skin cancer	8.5
Oesophagus	9.8	Rectum	7.9
Kidney	9.8	Cervix uteri	7.7
Other and unspecified	8.0	Other and unspecified	7.6
Stomach	7.6	Pancreas	5.7
Pancreas	7.3	Kidney	5.4
Testis	6.7	Thyroid	4.6
Brain and nervous system	6.4	Brain and nervous system	4.3
Lymphoid leukaemia	5.8	Bladder	3.9
Liver	5.0	Oesophagus	3.5
Multiple myeloma	4.6	Lymphoid leukaemia	3.3
Myeloid leukaemia	4.2	Stomach	3.2
Larynx	3.6	Multiple myeloma	3.0
All sites	307.3	All sites	271.9

## UK (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	1134	0.1	0.7	<b>0.4</b>	0.02	0.04	581	0.1	0.4	<b>0.2</b>	0.01	0.02	C00
Tongue	6685	0.8	4.3	<b>2.8</b>	0.22	0.34	3559	0.4	2.2	<b>1.3</b>	0.09	0.15	C01-02
Mouth	5532	0.7	3.6	<b>2.2</b>	0.16	0.27	3964	0.5	2.5	<b>1.3</b>	0.08	0.15	C03-06
Salivary glands	1913	0.2	1.2	<b>0.7</b>	0.04	0.07	1588	0.2	1.0	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	4314	0.5	2.8	<b>1.9</b>	0.17	0.23	1472	0.2	0.9	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	1134	0.1	0.7	<b>0.5</b>	0.04	0.06	382	0.0	0.2	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	844	0.1	0.5	<b>0.4</b>	0.03	0.04	396	0.0	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	2057	0.2	1.3	<b>0.8</b>	0.05	0.10	677	0.1	0.4	<b>0.2</b>	0.01	0.03	C12-13
Pharynx unspecified	930	0.1	0.6	<b>0.4</b>	0.03	0.05	354	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	28321	3.4	18.4	<b>9.8</b>	0.50	1.19	14078	1.8	8.8	<b>3.5</b>	0.16	0.40	C15
Stomach	24032	2.9	15.6	<b>7.6</b>	0.30	0.85	13045	1.6	8.2	<b>3.2</b>	0.14	0.34	C16
Small intestine	3381	0.4	2.2	<b>1.2</b>	0.07	0.15	2774	0.3	1.7	<b>0.9</b>	0.05	0.10	C17
Colon	69217	8.2	44.9	<b>22.8</b>	0.95	2.66	63089	7.9	39.5	<b>16.9</b>	0.77	1.93	C18
Rectum	44302	5.3	28.8	<b>15.5</b>	0.78	1.91	26857	3.4	16.8	<b>7.9</b>	0.43	0.93	C19-20
Anus	2095	0.2	1.4	<b>0.8</b>	0.05	0.10	3598	0.5	2.3	<b>1.3</b>	0.09	0.15	C21
Liver	14320	1.7	9.3	<b>5.0</b>	0.24	0.59	8315	1.0	5.2	<b>2.2</b>	0.10	0.25	C22
Gallbladder etc.	3714	0.4	2.4	<b>1.2</b>	0.05	0.14	5023	0.6	3.1	<b>1.3</b>	0.06	0.16	C23-24
Pancreas	21839	2.6	14.2	<b>7.3</b>	0.33	0.85	22326	2.8	14.0	<b>5.7</b>	0.24	0.66	C25
Nose, sinuses etc.	1442	0.2	0.9	<b>0.6</b>	0.03	0.07	975	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	9643	1.1	6.3	<b>3.6</b>	0.22	0.46	2145	0.3	1.3	<b>0.7</b>	0.05	0.09	C32
Trachea, bronchus, and lung	119445	14.2	77.5	<b>38.6</b>	1.51	4.64	97893	12.3	61.3	<b>27.3</b>	1.26	3.38	C33-34
Other thoracic organs	914	0.1	0.6	<b>0.4</b>	0.02	0.04	632	0.1	0.4	<b>0.2</b>	0.01	0.02	C37-38
Bone	1842	0.2	1.2	<b>1.1</b>	0.07	0.09	1319	0.2	0.8	<b>0.7</b>	0.05	0.06	C40-41
Melanoma of skin	30544	3.6	19.8	<b>12.1</b>	0.75	1.34	32630	4.1	20.4	<b>13.0</b>	0.93	1.35	C43
Other skin	36601		23.8	<b>12.2</b>	0.55	1.39	29445		18.4	<b>8.5</b>	0.44	0.95	C44
Mesothelioma	10770	1.3	7.0	<b>3.4</b>	0.10	0.41	2268	0.3	1.4	<b>0.6</b>	0.03	0.08	C45
Kaposi sarcoma	624	0.1	0.4	<b>0.3</b>	0.03	0.03	123	0.0	0.1	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	5267	0.6	3.4	<b>2.3</b>	0.14	0.22	4021	0.5	2.5	<b>1.7</b>	0.11	0.16	C47+C49
Breast	1679	0.2	1.1	<b>0.6</b>	0.03	0.07	235789	29.5	147.6	<b>87.4</b>	6.39	9.80	C50
Vulva							5999	0.8	3.8	<b>1.8</b>	0.10	0.19	C51
Vagina							1323	0.2	0.8	<b>0.4</b>	0.03	0.05	C52
Cervix uteri							15526	1.9	9.7	<b>7.7</b>	0.59	0.68	C53
Corpus uteri							39899	5.0	25.0	<b>13.7</b>	0.90	1.77	C54
Uterus unspecified							1573	0.2	1.0	<b>0.5</b>	0.03	0.06	C55
Ovary							30344	3.8	19.0	<b>10.4</b>	0.65	1.21	C56
Other female genital organs							1585	0.2	1.0	<b>0.5</b>	0.03	0.06	C57
Placenta							70	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	2758	0.3	1.8	<b>1.0</b>	0.06	0.12							C60
Prostate	211921	25.2	137.6	<b>70.9</b>	2.89	9.16							C61
Testis	11106	1.3	7.2	<b>6.7</b>	0.51	0.53							C62
Other male genital organs	407	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	26251	3.1	17.0	<b>9.8</b>	0.56	1.14	16705	2.1	10.5	<b>5.4</b>	0.31	0.61	C64
Renal pelvis	1740	0.2	1.1	<b>0.6</b>	0.02	0.07	1222	0.2	0.8	<b>0.3</b>	0.01	0.04	C65
Ureter	1542	0.2	1.0	<b>0.5</b>	0.02	0.05	926	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	41143	4.9	26.7	<b>12.7</b>	0.43	1.42	16087	2.0	10.1	<b>3.9</b>	0.15	0.43	C67
Other urinary organs	565	0.1	0.4	<b>0.2</b>	0.01	0.02	236	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	1563	0.2	1.0	<b>0.7</b>	0.04	0.07	1384	0.2	0.9	<b>0.6</b>	0.04	0.06	C69
Brain and nervous system	14248	1.7	9.2	<b>6.4</b>	0.40	0.66	10589	1.3	6.6	<b>4.3</b>	0.27	0.44	C70-72
Thyroid	3562	0.4	2.3	<b>1.6</b>	0.12	0.17	9552	1.2	6.0	<b>4.6</b>	0.35	0.43	C73
Adrenal gland	499	0.1	0.3	<b>0.3</b>	0.02	0.02	532	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	392	0.0	0.3	<b>0.2</b>	0.01	0.02	286	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	5188	0.6	3.4	<b>2.9</b>	0.20	0.25	3994	0.5	2.5	<b>2.2</b>	0.15	0.18	C81
Non-Hodgkin lymphoma	32218	3.8	20.9	<b>12.3</b>	0.69	1.36	27481	3.4	17.2	<b>8.9</b>	0.51	1.03	C82-86,C96
Immunoproliferative diseases	840	0.1	0.5	<b>0.3</b>	0.01	0.03	602	0.1	0.4	<b>0.2</b>	0.01	0.02	C88
Multiple myeloma	13657	1.6	8.9	<b>4.6</b>	0.21	0.53	10906	1.4	6.8	<b>3.0</b>	0.14	0.36	C90
Lymphoid leukaemia	13915	1.7	9.0	<b>5.8</b>	0.29	0.58	8756	1.1	5.5	<b>3.3</b>	0.16	0.31	C91
Myeloid leukaemia	11226	1.3	7.3	<b>4.2</b>	0.20	0.43	8965	1.1	5.6	<b>3.0</b>	0.16	0.29	C92-94
Leukaemia unspecified	564	0.1	0.4	<b>0.2</b>	0.01	0.02	490	0.1	0.3	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	1107	0.1	0.7	<b>0.4</b>	0.02	0.05	996	0.1	0.6	<b>0.3</b>	0.02	0.04	MPD
Myelodysplastic syndromes	1173	0.1	0.8	<b>0.3</b>	0.01	0.03	991	0.1	0.6	<b>0.2</b>	0.01	0.02	MDS
Other and unspecified	25111	3.0	16.3	<b>8.0</b>	0.33	0.82	31949	4.0	20.0	<b>7.6</b>	0.32	0.79	O&U
All sites	877231		569.4	<b>307.3</b>	14.54	35.92	828286		518.4	<b>271.9</b>	16.61	30.52	C00-96
All sites except C44	840630	100.0	545.7	<b>295.1</b>	13.99	34.54	798841	100.0	500.0	<b>263.5</b>	16.17	29.57	C00-96 exc. C44


† See note following population pyramid



# UK, England

## CONTRIBUTORS

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	71.7	Breast	87.4
Trachea, bronchus, and lung	37.2	Trachea, bronchus, and lung	26.1
Colon	22.2	Colon	16.5
Rectum	15.3	Corpus uteri	13.7
Non-Hodgkin lymphoma	12.5	Melanoma of skin	12.9
Melanoma of skin	12.1	Ovary	10.2
Bladder	11.6	Non-Hodgkin lymphoma	9.0
Oesophagus	9.7	Rectum	7.8
Kidney	9.6	Other and unspecified	7.6
Other and unspecified	8.0	Cervix uteri	7.5
Stomach	7.4	Pancreas	5.7
Pancreas	7.3	Kidney	5.3
Testis	6.6	Thyroid	4.6
Brain and nervous system	6.4	Brain and nervous system	4.3
Lymphoid leukaemia	5.8	Oesophagus	3.4
Liver	4.9	Bladder	3.4
Multiple myeloma	4.6	Lymphoid leukaemia	3.4
Myeloid leukaemia	4.2	Stomach	3.1
Mesothelioma	3.5	Multiple myeloma	3.1
Larynx	3.4	Myeloid leukaemia	3.0
All sites	290.9	All sites	259.8


## UK, England (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	820	0.1	0.6	<b>0.3</b>	0.02	0.04	444	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	5467	0.8	4.2	<b>2.8</b>	0.21	0.33	2906	0.4	2.2	<b>1.3</b>	0.09	0.15	C01-02
Mouth	4506	0.6	3.5	<b>2.2</b>	0.15	0.26	3226	0.5	2.4	<b>1.3</b>	0.08	0.15	C03-06
Salivary glands	1600	0.2	1.2	<b>0.7</b>	0.04	0.07	1331	0.2	1.0	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	3612	0.5	2.8	<b>1.9</b>	0.17	0.23	1214	0.2	0.9	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	832	0.1	0.6	<b>0.4</b>	0.03	0.05	278	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	690	0.1	0.5	<b>0.4</b>	0.03	0.04	335	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	1569	0.2	1.2	<b>0.7</b>	0.05	0.10	526	0.1	0.4	<b>0.2</b>	0.01	0.03	C12-13
Pharynx unspecified	714	0.1	0.6	<b>0.3</b>	0.02	0.04	275	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	23472	3.4	18.1	<b>9.7</b>	0.49	1.17	11446	1.7	8.6	<b>3.4</b>	0.15	0.39	C15
Stomach	19546	2.8	15.1	<b>7.4</b>	0.29	0.82	10443	1.6	7.8	<b>3.1</b>	0.13	0.33	C16
Small intestine	2775	0.4	2.1	<b>1.2</b>	0.07	0.15	2263	0.3	1.7	<b>0.8</b>	0.05	0.10	C17
Colon	56418	8.1	43.6	<b>22.2</b>	0.93	2.58	51565	7.9	38.5	<b>16.5</b>	0.74	1.88	C18
Rectum	36557	5.3	28.2	<b>15.3</b>	0.76	1.88	22159	3.4	16.6	<b>7.8</b>	0.42	0.91	C19-20
Anus	1758	0.3	1.4	<b>0.8</b>	0.05	0.10	2982	0.5	2.2	<b>1.2</b>	0.09	0.15	C21
Liver	11704	1.7	9.0	<b>4.9</b>	0.24	0.57	6999	1.1	5.2	<b>2.2</b>	0.10	0.25	C22
Gallbladder etc.	2969	0.4	2.3	<b>1.2</b>	0.05	0.13	4024	0.6	3.0	<b>1.3</b>	0.06	0.15	C23-24
Pancreas	18254	2.6	14.1	<b>7.3</b>	0.33	0.84	18625	2.8	13.9	<b>5.7</b>	0.24	0.66	C25
Nose, sinuses etc.	1180	0.2	0.9	<b>0.6</b>	0.03	0.06	833	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	7650	1.1	5.9	<b>3.4</b>	0.20	0.43	1645	0.3	1.2	<b>0.7</b>	0.04	0.08	C32
Trachea, bronchus, and lung	96614	13.9	74.7	<b>37.2</b>	1.46	4.46	78003	11.9	58.3	<b>26.1</b>	1.20	3.22	C33-34
Other thoracic organs	785	0.1	0.6	<b>0.4</b>	0.02	0.04	534	0.1	0.4	<b>0.2</b>	0.01	0.03	C37-38
Bone	1573	0.2	1.2	<b>1.1</b>	0.07	0.09	1118	0.2	0.8	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	25513	3.7	19.7	<b>12.1</b>	0.76	1.35	27025	4.1	20.2	<b>12.9</b>	0.92	1.35	C43
Other skin	72		0.1	<b>0.0</b>	0.00	0.00	75		0.1	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	9264	1.3	7.2	<b>3.5</b>	0.11	0.42	1991	0.3	1.5	<b>0.7</b>	0.03	0.08	C45
Kaposi sarcoma	575	0.1	0.4	<b>0.3</b>	0.03	0.03	115	0.0	0.1	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	4305	0.6	3.3	<b>2.3</b>	0.13	0.22	3398	0.5	2.5	<b>1.7</b>	0.11	0.16	C47+C49
Breast	1427	0.2	1.1	<b>0.6</b>	0.03	0.07	196326	29.9	146.7	<b>87.4</b>	6.40	9.78	C50
Vulva							5009	0.8	3.7	<b>1.8</b>	0.10	0.19	C51
Vagina							1081	0.2	0.8	<b>0.4</b>	0.03	0.05	C52
Cervix uteri							12606	1.9	9.4	<b>7.5</b>	0.57	0.66	C53
Corpus uteri							33113	5.1	24.7	<b>13.7</b>	0.90	1.76	C54
Uterus unspecified							1249	0.2	0.9	<b>0.5</b>	0.03	0.05	C55
Ovary							24817	3.8	18.5	<b>10.2</b>	0.64	1.19	C56
Other female genital organs							1363	0.2	1.0	<b>0.5</b>	0.03	0.07	C57
Placenta							55	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	2202	0.3	1.7	<b>1.0</b>	0.06	0.11							C60
Prostate	179223	25.9	138.5	<b>71.7</b>	2.91	9.28							C61
Testis	9166	1.3	7.1	<b>6.6</b>	0.50	0.52							C62
Other male genital organs	338	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	21638	3.1	16.7	<b>9.6</b>	0.55	1.12	13536	2.1	10.1	<b>5.3</b>	0.31	0.59	C64
Renal pelvis	1469	0.2	1.1	<b>0.6</b>	0.02	0.07	1006	0.2	0.8	<b>0.3</b>	0.01	0.04	C65
Ureter	1296	0.2	1.0	<b>0.5</b>	0.02	0.05	766	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
Bladder	31762	4.6	24.5	<b>11.6</b>	0.38	1.28	12157	1.9	9.1	<b>3.4</b>	0.13	0.37	C67
Other urinary organs	478	0.1	0.4	<b>0.2</b>	0.01	0.02	185	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	1234	0.2	1.0	<b>0.7</b>	0.04	0.07	1092	0.2	0.8	<b>0.6</b>	0.04	0.05	C69
Brain and nervous system	11877	1.7	9.2	<b>6.4</b>	0.40	0.66	8893	1.4	6.6	<b>4.3</b>	0.27	0.44	C70-72
Thyroid	3013	0.4	2.3	<b>1.7</b>	0.12	0.17	8118	1.2	6.1	<b>4.6</b>	0.35	0.44	C73
Adrenal gland	395	0.1	0.3	<b>0.3</b>	0.02	0.02	426	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	339	0.0	0.3	<b>0.2</b>	0.01	0.02	246	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	4320	0.6	3.3	<b>2.9</b>	0.20	0.25	3350	0.5	2.5	<b>2.2</b>	0.15	0.18	C81
Non-Hodgkin lymphoma	27443	4.0	21.2	<b>12.5</b>	0.70	1.39	23117	3.5	17.3	<b>9.0</b>	0.51	1.04	C82-86,C96
Immunoproliferative diseases	611	0.1	0.5	<b>0.2</b>	0.01	0.03	379	0.1	0.3	<b>0.1</b>	0.00	0.01	C88
Multiple myeloma	11566	1.7	8.9	<b>4.6</b>	0.21	0.54	9205	1.4	6.9	<b>3.1</b>	0.15	0.36	C90
Lymphoid leukaemia	11722	1.7	9.1	<b>5.8</b>	0.29	0.58	7437	1.1	5.6	<b>3.4</b>	0.16	0.31	C91
Myeloid leukaemia	9502	1.4	7.3	<b>4.2</b>	0.21	0.43	7565	1.2	5.7	<b>3.0</b>	0.16	0.29	C92-94
Leukaemia unspecified	511	0.1	0.4	<b>0.2</b>	0.01	0.02	441	0.1	0.3	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	103	0.0	0.1	<b>0.0</b>	0.00	0.00	92	0.0	0.1	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	20911	3.0	16.2	<b>8.0</b>	0.33	0.82	26219	4.0	19.6	<b>7.6</b>	0.32	0.78	O&U
All sites	693340		535.8	<b>290.9</b>	13.80	34.03	655627		489.8	<b>259.8</b>	15.99	29.11	C00-96
All sites except C44	693268	100.0	535.7	<b>290.8</b>	13.80	34.02	655552	100.0	489.8	<b>259.8</b>	15.99	29.11	C00-96 exc. C44

# UK, England, East

## CONTRIBUTORS

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	75.6	Breast	88.1
Trachea, bronchus, and lung	32.1	Trachea, bronchus, and lung	22.1
Colon	21.1	Colon	16.7
Rectum	15.2	Melanoma of skin	13.7
Melanoma of skin	13.1	Corpus uteri	13.6
Non-Hodgkin lymphoma	13.1	Ovary	10.4
Bladder	11.3	Non-Hodgkin lymphoma	9.2
Kidney	9.8	Rectum	8.2
Oesophagus	8.3	Other and unspecified	7.2
Other and unspecified	7.7	Cervix uteri	6.6
Pancreas	7.3	Pancreas	5.9
Stomach	6.9	Kidney	5.1
Testis	6.5	Thyroid	4.3
Brain and nervous system	6.2	Brain and nervous system	4.1
Lymphoid leukaemia	5.9	Lymphoid leukaemia	3.3
Myeloid leukaemia	4.6	Oesophagus	3.1
Multiple myeloma	4.2	Myeloid leukaemia	3.1
Liver	4.0	Bladder	3.0
Mesothelioma	3.7	Multiple myeloma	2.9
Hodgkin lymphoma	2.8	Stomach	2.6
All sites	283.7	All sites	253.0


## UK, England, East (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	145	0.2	1.0	<b>0.5</b>	0.02	0.04	71	0.1	0.5	<b>0.2</b>	0.01	0.02	C00
Tongue	589	0.7	4.1	<b>2.6</b>	0.20	0.30	309	0.4	2.1	<b>1.1</b>	0.08	0.12	C01-02
Mouth	418	0.5	2.9	<b>1.7</b>	0.12	0.21	333	0.5	2.3	<b>1.0</b>	0.06	0.12	C03-06
Salivary glands	153	0.2	1.1	<b>0.6</b>	0.03	0.06	105	0.1	0.7	<b>0.5</b>	0.03	0.05	C07-08
Tonsil	407	0.5	2.9	<b>1.9</b>	0.17	0.22	126	0.2	0.9	<b>0.6</b>	0.05	0.06	C09
Other oropharynx	59	0.1	0.4	<b>0.3</b>	0.02	0.03	25	0.0	0.2	<b>0.1</b>	0.00	0.01	C10
Nasopharynx	61	0.1	0.4	<b>0.3</b>	0.02	0.03	28	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	134	0.2	0.9	<b>0.5</b>	0.04	0.07	60	0.1	0.4	<b>0.2</b>	0.01	0.02	C12-13
Pharynx unspecified	33	0.0	0.2	<b>0.1</b>	0.01	0.02	10	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	2404	3.0	16.8	<b>8.3</b>	0.41	0.98	1208	1.6	8.2	<b>3.1</b>	0.13	0.36	C15
Stomach	2169	2.7	15.2	<b>6.9</b>	0.27	0.77	1024	1.4	6.9	<b>2.6</b>	0.11	0.27	C16
Small intestine	318	0.4	2.2	<b>1.2</b>	0.07	0.15	248	0.3	1.7	<b>0.8</b>	0.04	0.10	C17
Colon	6387	8.0	44.7	<b>21.1</b>	0.86	2.47	6145	8.3	41.6	<b>16.7</b>	0.74	1.91	C18
Rectum	4354	5.4	30.5	<b>15.2</b>	0.72	1.86	2690	3.7	18.2	<b>8.2</b>	0.43	0.98	C19-20
Anus	210	0.3	1.5	<b>0.8</b>	0.05	0.09	350	0.5	2.4	<b>1.2</b>	0.09	0.15	C21
Liver	1139	1.4	8.0	<b>4.0</b>	0.20	0.46	630	0.9	4.3	<b>1.8</b>	0.08	0.19	C22
Gallbladder etc.	378	0.5	2.6	<b>1.2</b>	0.04	0.14	497	0.7	3.4	<b>1.4</b>	0.07	0.16	C23-24
Pancreas	2165	2.7	15.2	<b>7.3</b>	0.33	0.85	2248	3.1	15.2	<b>5.9</b>	0.24	0.68	C25
Nose, sinuses etc.	138	0.2	1.0	<b>0.6</b>	0.04	0.07	101	0.1	0.7	<b>0.3</b>	0.02	0.04	C30-31
Larynx	734	0.9	5.1	<b>2.7</b>	0.16	0.33	137	0.2	0.9	<b>0.4</b>	0.02	0.06	C32
Trachea, bronchus, and lung	9986	12.5	69.9	<b>32.1</b>	1.27	3.77	7777	10.6	52.7	<b>22.1</b>	1.02	2.72	C33-34
Other thoracic organs	89	0.1	0.6	<b>0.4</b>	0.02	0.04	45	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	143	0.2	1.0	<b>0.9</b>	0.06	0.07	104	0.1	0.7	<b>0.6</b>	0.04	0.05	C40-41
Melanoma of skin	3177	4.0	22.3	<b>13.1</b>	0.84	1.46	3299	4.5	22.4	<b>13.7</b>	0.96	1.44	C43
Other skin	4		0.0	<b>0.0</b>	0.00	0.00	4		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	1176	1.5	8.2	<b>3.7</b>	0.12	0.45	280	0.4	1.9	<b>0.8</b>	0.04	0.10	C45
Kaposi sarcoma	35	0.0	0.2	<b>0.2</b>	0.01	0.02	8	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	371	0.5	2.6	<b>1.7</b>	0.11	0.16	330	0.4	2.2	<b>1.5</b>	0.09	0.14	C47+C49
Breast	187	0.2	1.3	<b>0.6</b>	0.03	0.07	22611	30.7	153.2	<b>88.1</b>	6.48	9.82	C50
Vulva							548	0.7	3.7	<b>1.6</b>	0.09	0.17	C51
Vagina							94	0.1	0.6	<b>0.3</b>	0.02	0.04	C52
Cervix uteri							1229	1.7	8.3	<b>6.6</b>	0.51	0.58	C53
Corpus uteri							3873	5.3	26.2	<b>13.6</b>	0.88	1.79	C54
Uterus unspecified							131	0.2	0.9	<b>0.5</b>	0.03	0.06	C55
Ovary							2935	4.0	19.9	<b>10.4</b>	0.64	1.24	C56
Other female genital organs							107	0.1	0.7	<b>0.4</b>	0.02	0.05	C57
Placenta							2	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	224	0.3	1.6	<b>0.8</b>	0.05	0.10							C60
Prostate	22577	28.2	158.1	<b>75.6</b>	2.99	9.74							C61
Testis	968	1.2	6.8	<b>6.5</b>	0.49	0.51							C62
Other male genital organs	39	0.0	0.3	<b>0.1</b>	0.01	0.02							C63
Kidney	2568	3.2	18.0	<b>9.8</b>	0.55	1.12	1495	2.0	10.1	<b>5.1</b>	0.29	0.55	C64
Renal pelvis	210	0.3	1.5	<b>0.7</b>	0.03	0.07	141	0.2	1.0	<b>0.4</b>	0.01	0.05	C65
Ureter	137	0.2	1.0	<b>0.4</b>	0.01	0.05	73	0.1	0.5	<b>0.2</b>	0.01	0.01	C66
Bladder	3705	4.6	26.0	<b>11.3</b>	0.38	1.26	1251	1.7	8.5	<b>3.0</b>	0.11	0.32	C67
Other urinary organs	35	0.0	0.2	<b>0.1</b>	0.01	0.01	8	0.0	0.1	<b>0.0</b>	0.00	0.00	C68
Eye	133	0.2	0.9	<b>0.7</b>	0.04	0.06	105	0.1	0.7	<b>0.4</b>	0.03	0.04	C69
Brain and nervous system	1323	1.7	9.3	<b>6.2</b>	0.40	0.65	974	1.3	6.6	<b>4.1</b>	0.25	0.41	C70-72
Thyroid	335	0.4	2.3	<b>1.6</b>	0.12	0.17	842	1.1	5.7	<b>4.3</b>	0.33	0.40	C73
Adrenal gland	36	0.0	0.3	<b>0.3</b>	0.01	0.02	42	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	34	0.0	0.2	<b>0.2</b>	0.01	0.02	19	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	459	0.6	3.2	<b>2.8</b>	0.19	0.23	399	0.5	2.7	<b>2.5</b>	0.17	0.20	C81
Non-Hodgkin lymphoma	3413	4.3	23.9	<b>13.1</b>	0.75	1.45	2744	3.7	18.6	<b>9.2</b>	0.52	1.08	C82-86,C96
Immunoproliferative diseases	55	0.1	0.4	<b>0.2</b>	0.01	0.02	45	0.1	0.3	<b>0.1</b>	0.01	0.02	C88
Multiple myeloma	1274	1.6	8.9	<b>4.2</b>	0.19	0.47	1028	1.4	7.0	<b>2.9</b>	0.13	0.34	C90
Lymphoid leukaemia	1372	1.7	9.6	<b>5.9</b>	0.31	0.61	820	1.1	5.6	<b>3.3</b>	0.15	0.32	C91
Myeloid leukaemia	1179	1.5	8.3	<b>4.6</b>	0.23	0.48	885	1.2	6.0	<b>3.1</b>	0.17	0.31	C92-94
Leukaemia unspecified	48	0.1	0.3	<b>0.2</b>	0.01	0.01	31	0.0	0.2	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2470	3.1	17.3	<b>7.7</b>	0.31	0.78	2992	4.1	20.3	<b>7.2</b>	0.29	0.72	O&U
All sites	80157		561.4	<b>283.7</b>	13.32	33.02	73616		498.7	<b>253.0</b>	15.57	28.34	C00-96
All sites except C44	80153	100.0	561.4	<b>283.7</b>	13.32	33.02	73612	100.0	498.7	<b>253.0</b>	15.57	28.33	C00-96 exc. C44

# UK, England, East Midlands

## CONTRIBUTORS

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	68.4	Breast	88.6
Trachea, bronchus, and lung	36.4	Trachea, bronchus, and lung	24.7
Colon	22.4	Colon	16.8
Rectum	15.5	Corpus uteri	15.3
Non-Hodgkin lymphoma	13.4	Melanoma of skin	12.3
Melanoma of skin	11.7	Ovary	10.2
Bladder	11.3	Non-Hodgkin lymphoma	9.4
Oesophagus	10.2	Cervix uteri	8.8
Kidney	9.5	Other and unspecified	8.3
Other and unspecified	8.0	Rectum	7.8
Stomach	8.0	Pancreas	5.7
Pancreas	7.1	Kidney	5.3
Testis	6.6	Brain and nervous system	4.6
Brain and nervous system	6.1	Thyroid	4.4
Lymphoid leukaemia	5.9	Oesophagus	3.7
Multiple myeloma	5.0	Bladder	3.5
Myeloid leukaemia	4.5	Lymphoid leukaemia	3.5
Liver	4.2	Stomach	3.4
Larynx	3.2	Multiple myeloma	3.1
Hodgkin lymphoma	3.0	Myeloid leukaemia	3.0
All sites	286.4	All sites	265.2


## UK, England, East Midlands (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	63	0.1	0.6	<b>0.3</b>	0.02	0.03	35	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	452	0.7	4.1	<b>2.5</b>	0.20	0.29	274	0.5	2.4	<b>1.4</b>	0.11	0.16	C01-02
Mouth	413	0.7	3.7	<b>2.2</b>	0.15	0.26	284	0.5	2.5	<b>1.3</b>	0.08	0.16	C03-06
Salivary glands	137	0.2	1.2	<b>0.7</b>	0.04	0.07	113	0.2	1.0	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	342	0.6	3.1	<b>2.1</b>	0.19	0.23	114	0.2	1.0	<b>0.7</b>	0.05	0.08	C09
Other oropharynx	69	0.1	0.6	<b>0.4</b>	0.02	0.05	22	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	51	0.1	0.5	<b>0.3</b>	0.02	0.03	30	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	135	0.2	1.2	<b>0.7</b>	0.05	0.09	53	0.1	0.5	<b>0.2</b>	0.01	0.03	C12-13
Pharynx unspecified	59	0.1	0.5	<b>0.3</b>	0.02	0.04	24	0.0	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	2225	3.6	20.0	<b>10.2</b>	0.51	1.24	1091	1.9	9.6	<b>3.7</b>	0.16	0.41	C15
Stomach	1902	3.1	17.1	<b>8.0</b>	0.30	0.89	976	1.7	8.5	<b>3.4</b>	0.15	0.37	C16
Small intestine	253	0.4	2.3	<b>1.2</b>	0.07	0.15	199	0.3	1.7	<b>0.8</b>	0.05	0.10	C17
Colon	5103	8.3	46.0	<b>22.4</b>	0.95	2.61	4493	7.7	39.3	<b>16.8</b>	0.78	1.93	C18
Rectum	3363	5.5	30.3	<b>15.5</b>	0.78	1.91	1924	3.3	16.8	<b>7.8</b>	0.44	0.91	C19-20
Anus	152	0.2	1.4	<b>0.7</b>	0.04	0.09	231	0.4	2.0	<b>1.1</b>	0.08	0.13	C21
Liver	907	1.5	8.2	<b>4.2</b>	0.21	0.47	661	1.1	5.8	<b>2.5</b>	0.11	0.27	C22
Gallbladder etc.	292	0.5	2.6	<b>1.2</b>	0.04	0.13	364	0.6	3.2	<b>1.4</b>	0.07	0.15	C23-24
Pancreas	1587	2.6	14.3	<b>7.1</b>	0.32	0.82	1589	2.7	13.9	<b>5.7</b>	0.23	0.66	C25
Nose, sinuses etc.	96	0.2	0.9	<b>0.5</b>	0.03	0.06	67	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	654	1.1	5.9	<b>3.2</b>	0.18	0.41	153	0.3	1.3	<b>0.7</b>	0.05	0.09	C32
Trachea, bronchus, and lung	8523	13.8	76.8	<b>36.4</b>	1.42	4.35	6422	11.0	56.2	<b>24.7</b>	1.16	3.06	C33-34
Other thoracic organs	89	0.1	0.8	<b>0.5</b>	0.03	0.05	69	0.1	0.6	<b>0.3</b>	0.02	0.04	C37-38
Bone	121	0.2	1.1	<b>1.0</b>	0.06	0.08	95	0.2	0.8	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	2161	3.5	19.5	<b>11.7</b>	0.74	1.31	2199	3.8	19.3	<b>12.3</b>	0.90	1.30	C43
Other skin	6		0.1	<b>0.0</b>	0.00	0.00	9		0.1	<b>0.1</b>	0.00	0.01	C44
Mesothelioma	715	1.2	6.4	<b>3.0</b>	0.09	0.38	142	0.2	1.2	<b>0.5</b>	0.02	0.06	C45
Kaposi sarcoma	32	0.1	0.3	<b>0.2</b>	0.02	0.02	6	0.0	0.1	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	379	0.6	3.4	<b>2.3</b>	0.13	0.21	285	0.5	2.5	<b>1.7</b>	0.10	0.16	C47+C49
Breast	113	0.2	1.0	<b>0.5</b>	0.03	0.06	17527	30.1	153.4	<b>88.6</b>	6.45	9.91	C50
Vulva							490	0.8	4.3	<b>2.0</b>	0.12	0.20	C51
Vagina							109	0.2	1.0	<b>0.5</b>	0.03	0.06	C52
Cervix uteri							1218	2.1	10.7	<b>8.8</b>	0.67	0.76	C53
Corpus uteri							3238	5.6	28.3	<b>15.3</b>	1.01	1.97	C54
Uterus unspecified							150	0.3	1.3	<b>0.7</b>	0.05	0.09	C55
Ovary							2169	3.7	19.0	<b>10.2</b>	0.66	1.21	C56
Other female genital organs							116	0.2	1.0	<b>0.5</b>	0.03	0.07	C57
Placenta							6	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	210	0.3	1.9	<b>1.0</b>	0.06	0.12							C60
Prostate	15665	25.4	141.1	<b>68.4</b>	2.67	8.71							C61
Testis	771	1.3	6.9	<b>6.6</b>	0.50	0.52							C62
Other male genital organs	26	0.0	0.2	<b>0.1</b>	0.01	0.02							C63
Kidney	1883	3.1	17.0	<b>9.5</b>	0.55	1.09	1198	2.1	10.5	<b>5.3</b>	0.31	0.59	C64
Renal pelvis	119	0.2	1.1	<b>0.5</b>	0.02	0.06	70	0.1	0.6	<b>0.3</b>	0.01	0.04	C65
Ureter	105	0.2	0.9	<b>0.4</b>	0.01	0.04	72	0.1	0.6	<b>0.2</b>	0.00	0.02	C66
Bladder	2779	4.5	25.0	<b>11.3</b>	0.36	1.28	1064	1.8	9.3	<b>3.5</b>	0.13	0.40	C67
Other urinary organs	41	0.1	0.4	<b>0.2</b>	0.01	0.02	16	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	130	0.2	1.2	<b>0.9</b>	0.05	0.08	124	0.2	1.1	<b>0.7</b>	0.05	0.07	C69
Brain and nervous system	1065	1.7	9.6	<b>6.1</b>	0.38	0.65	852	1.5	7.5	<b>4.6</b>	0.28	0.48	C70-72
Thyroid	245	0.4	2.2	<b>1.5</b>	0.11	0.15	652	1.1	5.7	<b>4.4</b>	0.33	0.41	C73
Adrenal gland	38	0.1	0.3	<b>0.3</b>	0.02	0.03	31	0.1	0.3	<b>0.2</b>	0.01	0.02	C74
Other endocrine	29	0.0	0.3	<b>0.2</b>	0.01	0.02	23	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	380	0.6	3.4	<b>3.0</b>	0.21	0.25	289	0.5	2.5	<b>2.2</b>	0.16	0.18	C81
Non-Hodgkin lymphoma	2623	4.3	23.6	<b>13.4</b>	0.74	1.49	2146	3.7	18.8	<b>9.4</b>	0.52	1.09	C82-86,C96
Immunoproliferative diseases	37	0.1	0.3	<b>0.2</b>	0.01	0.02	26	0.0	0.2	<b>0.1</b>	0.00	0.01	C88
Multiple myeloma	1129	1.8	10.2	<b>5.0</b>	0.21	0.58	822	1.4	7.2	<b>3.1</b>	0.15	0.36	C90
Lymphoid leukaemia	1058	1.7	9.5	<b>5.9</b>	0.30	0.59	682	1.2	6.0	<b>3.5</b>	0.17	0.33	C91
Myeloid leukaemia	916	1.5	8.3	<b>4.5</b>	0.21	0.47	666	1.1	5.8	<b>3.0</b>	0.16	0.29	C92-94
Leukaemia unspecified	31	0.1	0.3	<b>0.1</b>	0.00	0.01	25	0.0	0.2	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1919	3.1	17.3	<b>8.0</b>	0.33	0.82	2486	4.3	21.8	<b>8.3</b>	0.34	0.88	O&U
All sites	61593		554.8	<b>286.4</b>	13.46	33.36	58191		509.5	<b>265.2</b>	16.39	29.76	C00-96
All sites except C44	61587	100.0	554.7	<b>286.4</b>	13.46	33.36	58182	100.0	509.4	<b>265.1</b>	16.39	29.76	C00-96 exc. C44

# UK, England, London

**CONTRIBUTORS**

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



**20 major cancers, ASR (World) per 100 000**

<i>Male</i>		<i>Female</i>	
Prostate	76.9	Breast	84.2
Trachea, bronchus, and lung	37.5	Trachea, bronchus, and lung	24.3
Colon	19.6	Colon	15.0
Rectum	13.6	Corpus uteri	14.1
Non-Hodgkin lymphoma	12.7	Ovary	9.8
Bladder	10.9	Non-Hodgkin lymphoma	9.5
Kidney	9.1	Melanoma of skin	8.0
Melanoma of skin	8.3	Rectum	7.3
Other and unspecified	8.1	Other and unspecified	7.1
Oesophagus	8.0	Pancreas	5.7
Pancreas	7.4	Cervix uteri	5.4
Stomach	7.2	Thyroid	5.0
Liver	6.4	Kidney	4.2
Brain and nervous system	6.0	Brain and nervous system	3.9
Multiple myeloma	5.5	Multiple myeloma	3.8
Lymphoid leukaemia	5.3	Stomach	3.3
Testis	5.0	Bladder	3.2
Myeloid leukaemia	4.1	Lymphoid leukaemia	3.1
Larynx	3.9	Myeloid leukaemia	3.0
Mesothelioma	3.2	Oesophagus	2.8
All sites	287.3	All sites	245.2




## UK, England, London (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	57	0.1	0.3	<b>0.2</b>	0.01	0.02	22	0.0	0.1	<b>0.1</b>	0.00	0.01	C00
Tongue	628	0.8	3.2	<b>2.6</b>	0.20	0.32	348	0.5	1.7	<b>1.2</b>	0.08	0.15	C01-02
Mouth	646	0.9	3.2	<b>2.7</b>	0.18	0.33	414	0.6	2.0	<b>1.4</b>	0.08	0.16	C03-06
Salivary glands	218	0.3	1.1	<b>0.8</b>	0.05	0.09	189	0.3	0.9	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	422	0.6	2.1	<b>1.8</b>	0.15	0.22	145	0.2	0.7	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	115	0.2	0.6	<b>0.5</b>	0.03	0.06	48	0.1	0.2	<b>0.2</b>	0.02	0.02	C10
Nasopharynx	122	0.2	0.6	<b>0.5</b>	0.04	0.05	57	0.1	0.3	<b>0.2</b>	0.02	0.03	C11
Hypopharynx	167	0.2	0.8	<b>0.7</b>	0.05	0.09	63	0.1	0.3	<b>0.2</b>	0.02	0.03	C12-13
Pharynx unspecified	102	0.1	0.5	<b>0.4</b>	0.03	0.05	37	0.1	0.2	<b>0.1</b>	0.01	0.01	C14
Oesophagus	2128	2.8	10.7	<b>8.0</b>	0.39	1.01	1043	1.4	5.1	<b>2.8</b>	0.13	0.31	C15
Stomach	2076	2.7	10.4	<b>7.2</b>	0.28	0.80	1211	1.6	5.9	<b>3.3</b>	0.14	0.35	C16
Small intestine	280	0.4	1.4	<b>1.1</b>	0.06	0.13	264	0.4	1.3	<b>0.8</b>	0.05	0.10	C17
Colon	5445	7.2	27.4	<b>19.6</b>	0.84	2.25	5310	7.2	26.0	<b>15.0</b>	0.67	1.65	C18
Rectum	3586	4.7	18.0	<b>13.6</b>	0.68	1.65	2386	3.2	11.7	<b>7.3</b>	0.39	0.86	C19-20
Anus	225	0.3	1.1	<b>0.9</b>	0.06	0.11	333	0.5	1.6	<b>1.2</b>	0.08	0.15	C21
Liver	1643	2.2	8.3	<b>6.4</b>	0.36	0.78	845	1.1	4.1	<b>2.5</b>	0.12	0.30	C22
Gallbladder etc.	355	0.5	1.8	<b>1.3</b>	0.07	0.15	445	0.6	2.2	<b>1.3</b>	0.06	0.16	C23-24
Pancreas	2034	2.7	10.2	<b>7.4</b>	0.33	0.85	2072	2.8	10.1	<b>5.7</b>	0.25	0.65	C25
Nose, sinuses etc.	143	0.2	0.7	<b>0.6</b>	0.03	0.07	99	0.1	0.5	<b>0.3</b>	0.02	0.03	C30-31
Larynx	951	1.3	4.8	<b>3.9</b>	0.23	0.51	182	0.2	0.9	<b>0.6</b>	0.04	0.08	C32
Trachea, bronchus, and lung	10404	13.7	52.3	<b>37.5</b>	1.50	4.54	8217	11.1	40.2	<b>24.3</b>	1.09	2.93	C33-34
Other thoracic organs	110	0.1	0.6	<b>0.4</b>	0.03	0.04	76	0.1	0.4	<b>0.3</b>	0.02	0.03	C37-38
Bone	246	0.3	1.2	<b>1.2</b>	0.08	0.10	199	0.3	1.0	<b>0.9</b>	0.06	0.08	C40-41
Melanoma of skin	2140	2.8	10.8	<b>8.3</b>	0.50	0.90	2301	3.1	11.3	<b>8.0</b>	0.55	0.83	C43
Other skin	10		0.1	<b>0.0</b>	0.00	0.01	9		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	898	1.2	4.5	<b>3.2</b>	0.10	0.41	255	0.3	1.2	<b>0.7</b>	0.03	0.09	C45
Kaposi sarcoma	267	0.4	1.3	<b>1.0</b>	0.08	0.10	45	0.1	0.2	<b>0.2</b>	0.01	0.01	C46
Connective and soft tissue	505	0.7	2.5	<b>2.2</b>	0.13	0.20	468	0.6	2.3	<b>1.8</b>	0.11	0.17	C47+C49
Breast	165	0.2	0.8	<b>0.6</b>	0.03	0.08	23203	31.5	113.6	<b>84.2</b>	6.10	9.53	C50
Vulva							451	0.6	2.2	<b>1.3</b>	0.07	0.15	C51
Vagina							155	0.2	0.8	<b>0.5</b>	0.03	0.06	C52
Cervix uteri							1470	2.0	7.2	<b>5.4</b>	0.41	0.52	C53
Corpus uteri							3879	5.3	19.0	<b>14.1</b>	0.94	1.81	C54
Uterus unspecified							142	0.2	0.7	<b>0.5</b>	0.03	0.05	C55
Ovary							2796	3.8	13.7	<b>9.8</b>	0.62	1.12	C56
Other female genital organs							180	0.2	0.9	<b>0.6</b>	0.04	0.08	C57
Placenta							17	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	199	0.3	1.0	<b>0.8</b>	0.04	0.09							C60
Prostate	19961	26.4	100.3	<b>76.9</b>	3.42	10.18							C61
Testis	1234	1.6	6.2	<b>5.0</b>	0.38	0.39							C62
Other male genital organs	42	0.1	0.2	<b>0.2</b>	0.01	0.02							C63
Kidney	2280	3.0	11.5	<b>9.1</b>	0.54	1.08	1247	1.7	6.1	<b>4.2</b>	0.22	0.46	C64
Renal pelvis	133	0.2	0.7	<b>0.5</b>	0.03	0.06	82	0.1	0.4	<b>0.2</b>	0.01	0.03	C65
Ureter	125	0.2	0.6	<b>0.4</b>	0.02	0.05	63	0.1	0.3	<b>0.2</b>	0.00	0.02	C66
Bladder	3230	4.3	16.2	<b>10.9</b>	0.38	1.19	1284	1.7	6.3	<b>3.2</b>	0.11	0.33	C67
Other urinary organs	60	0.1	0.3	<b>0.2</b>	0.01	0.02	23	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	109	0.1	0.5	<b>0.5</b>	0.03	0.05	103	0.1	0.5	<b>0.4</b>	0.03	0.04	C69
Brain and nervous system	1403	1.9	7.1	<b>6.0</b>	0.39	0.62	1052	1.4	5.1	<b>3.9</b>	0.23	0.41	C70-72
Thyroid	448	0.6	2.3	<b>1.8</b>	0.12	0.19	1289	1.7	6.3	<b>5.0</b>	0.37	0.48	C73
Adrenal gland	61	0.1	0.3	<b>0.3</b>	0.02	0.02	59	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	78	0.1	0.4	<b>0.3</b>	0.02	0.03	44	0.1	0.2	<b>0.2</b>	0.01	0.02	C75
Hodgkin lymphoma	704	0.9	3.5	<b>3.2</b>	0.21	0.27	510	0.7	2.5	<b>2.1</b>	0.14	0.18	C81
Non-Hodgkin lymphoma	3283	4.3	16.5	<b>12.7</b>	0.73	1.41	2863	3.9	14.0	<b>9.5</b>	0.54	1.06	C82-86,C96
Immunoproliferative diseases	72	0.1	0.4	<b>0.3</b>	0.01	0.03	33	0.0	0.2	<b>0.1</b>	0.00	0.01	C88
Multiple myeloma	1527	2.0	7.7	<b>5.5</b>	0.26	0.63	1209	1.6	5.9	<b>3.8</b>	0.20	0.45	C90
Lymphoid leukaemia	1202	1.6	6.0	<b>5.3</b>	0.26	0.51	770	1.0	3.8	<b>3.1</b>	0.16	0.27	C91
Myeloid leukaemia	1073	1.4	5.4	<b>4.1</b>	0.19	0.44	943	1.3	4.6	<b>3.0</b>	0.17	0.30	C92-94
Leukaemia unspecified	79	0.1	0.4	<b>0.3</b>	0.02	0.03	66	0.1	0.3	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	54	0.1	0.3	<b>0.2</b>	0.01	0.02	45	0.1	0.2	<b>0.1</b>	0.00	0.01	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2295	3.0	11.5	<b>8.1</b>	0.36	0.84	2719	3.7	13.3	<b>7.1</b>	0.30	0.72	O&U
All sites	75740		380.7	<b>287.3</b>	13.98	34.07	73780		361.1	<b>245.2</b>	14.92	27.50	C00-96
All sites except C44	75730	100.0	380.6	<b>287.3</b>	13.97	34.07	73771	100.0	361.0	<b>245.2</b>	14.92	27.50	C00-96 exc. C44

# UK, England, North East

**CONTRIBUTORS**

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



**20 major cancers, ASR (World) per 100 000**

<i>Male</i>		<i>Female</i>	
Prostate	59.0	Breast	84.8
Trachea, bronchus, and lung	49.6	Trachea, bronchus, and lung	39.8
Colon	24.6	Colon	16.4
Rectum	17.7	Melanoma of skin	12.9
Bladder	12.0	Corpus uteri	12.4
Non-Hodgkin lymphoma	11.8	Cervix uteri	10.4
Melanoma of skin	10.5	Other and unspecified	9.3
Kidney	10.5	Ovary	9.3
Oesophagus	10.0	Non-Hodgkin lymphoma	8.7
Other and unspecified	9.6	Rectum	8.0
Stomach	9.3	Kidney	6.2
Pancreas	7.5	Pancreas	5.7
Testis	6.7	Thyroid	5.5
Brain and nervous system	6.5	Brain and nervous system	4.9
Liver	5.8	Stomach	4.2
Lymphoid leukaemia	5.6	Bladder	4.0
Mesothelioma	4.9	Oesophagus	3.6
Larynx	4.5	Lymphoid leukaemia	3.4
Myeloid leukaemia	4.4	Myeloid leukaemia	3.0
Multiple myeloma	4.2	Multiple myeloma	2.7
All sites	303.8	All sites	278.2


## UK, England, North East (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	61	0.2	1.0	<b>0.5</b>	0.02	0.06	34	0.1	0.5	<b>0.2</b>	0.01	0.03	C00
Tongue	330	0.9	5.2	<b>3.2</b>	0.24	0.39	148	0.4	2.2	<b>1.2</b>	0.09	0.15	C01-02
Mouth	277	0.7	4.4	<b>2.5</b>	0.18	0.31	171	0.5	2.6	<b>1.4</b>	0.11	0.17	C03-06
Salivary glands	55	0.1	0.9	<b>0.5</b>	0.02	0.05	70	0.2	1.1	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	200	0.5	3.2	<b>2.1</b>	0.20	0.23	67	0.2	1.0	<b>0.6</b>	0.06	0.08	C09
Other oropharynx	68	0.2	1.1	<b>0.6</b>	0.04	0.07	21	0.1	0.3	<b>0.2</b>	0.02	0.02	C10
Nasopharynx	37	0.1	0.6	<b>0.4</b>	0.03	0.04	18	0.0	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	110	0.3	1.7	<b>1.0</b>	0.06	0.13	32	0.1	0.5	<b>0.2</b>	0.01	0.03	C12-13
Pharynx unspecified	58	0.2	0.9	<b>0.5</b>	0.04	0.07	13	0.0	0.2	<b>0.1</b>	0.00	0.01	C14
Oesophagus	1233	3.3	19.5	<b>10.0</b>	0.53	1.23	596	1.6	9.0	<b>3.6</b>	0.17	0.42	C15
Stomach	1279	3.4	20.3	<b>9.3</b>	0.35	1.01	755	2.1	11.4	<b>4.2</b>	0.17	0.47	C16
Small intestine	138	0.4	2.2	<b>1.2</b>	0.07	0.14	133	0.4	2.0	<b>1.0</b>	0.05	0.13	C17
Colon	3237	8.6	51.3	<b>24.6</b>	1.04	2.87	2674	7.3	40.4	<b>16.4</b>	0.74	1.91	C18
Rectum	2201	5.8	34.9	<b>17.7</b>	0.89	2.17	1193	3.2	18.0	<b>8.0</b>	0.44	0.94	C19-20
Anus	74	0.2	1.2	<b>0.7</b>	0.05	0.09	164	0.4	2.5	<b>1.4</b>	0.11	0.16	C21
Liver	761	2.0	12.0	<b>5.8</b>	0.25	0.69	403	1.1	6.1	<b>2.4</b>	0.10	0.27	C22
Gallbladder etc.	168	0.4	2.7	<b>1.2</b>	0.04	0.14	284	0.8	4.3	<b>1.7</b>	0.07	0.20	C23-24
Pancreas	970	2.6	15.4	<b>7.5</b>	0.36	0.89	965	2.6	14.6	<b>5.7</b>	0.23	0.65	C25
Nose, sinuses etc.	67	0.2	1.1	<b>0.6</b>	0.04	0.08	55	0.1	0.8	<b>0.4</b>	0.02	0.04	C30-31
Larynx	522	1.4	8.3	<b>4.5</b>	0.27	0.60	119	0.3	1.8	<b>0.9</b>	0.06	0.12	C32
Trachea, bronchus, and lung	6718	17.8	106.4	<b>49.6</b>	1.89	5.98	6402	17.4	96.8	<b>39.8</b>	1.79	4.93	C33-34
Other thoracic organs	33	0.1	0.5	<b>0.3</b>	0.02	0.03	16	0.0	0.2	<b>0.1</b>	0.01	0.02	C37-38
Bone	79	0.2	1.3	<b>1.0</b>	0.06	0.08	46	0.1	0.7	<b>0.6</b>	0.04	0.05	C40-41
Melanoma of skin	1099	2.9	17.4	<b>10.5</b>	0.69	1.17	1293	3.5	19.5	<b>12.9</b>	0.96	1.29	C43
Other skin	2		0.0	<b>0.0</b>	0.00	0.00	0		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	683	1.8	10.8	<b>4.9</b>	0.14	0.62	143	0.4	2.2	<b>0.9</b>	0.03	0.11	C45
Kaposi sarcoma	11	0.0	0.2	<b>0.1</b>	0.01	0.01	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	271	0.7	4.3	<b>2.9</b>	0.18	0.27	156	0.4	2.4	<b>1.6</b>	0.10	0.15	C47+C49
Breast	66	0.2	1.0	<b>0.5</b>	0.03	0.07	9852	26.8	148.9	<b>84.8</b>	6.22	9.50	C50
Vulva							278	0.8	4.2	<b>1.9</b>	0.11	0.21	C51
Vagina							36	0.1	0.5	<b>0.3</b>	0.02	0.03	C52
Cervix uteri							810	2.2	12.2	<b>10.4</b>	0.81	0.88	C53
Corpus uteri							1549	4.2	23.4	<b>12.4</b>	0.84	1.60	C54
Uterus unspecified							75	0.2	1.1	<b>0.6</b>	0.04	0.07	C55
Ovary							1181	3.2	17.9	<b>9.3</b>	0.60	1.09	C56
Other female genital organs							68	0.2	1.0	<b>0.5</b>	0.03	0.06	C57
Placenta							0	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	111	0.3	1.8	<b>1.0</b>	0.06	0.11							C60
Prostate	7794	20.7	123.4	<b>59.0</b>	2.34	7.47							C61
Testis	444	1.2	7.0	<b>6.7</b>	0.51	0.53							C62
Other male genital organs	13	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	1210	3.2	19.2	<b>10.5</b>	0.60	1.22	854	2.3	12.9	<b>6.2</b>	0.36	0.69	C64
Renal pelvis	98	0.3	1.6	<b>0.7</b>	0.03	0.08	67	0.2	1.0	<b>0.4</b>	0.01	0.04	C65
Ureter	100	0.3	1.6	<b>0.7</b>	0.03	0.08	63	0.2	1.0	<b>0.3</b>	0.01	0.03	C66
Bladder	1719	4.6	27.2	<b>12.0</b>	0.37	1.29	729	2.0	11.0	<b>4.0</b>	0.14	0.44	C67
Other urinary organs	31	0.1	0.5	<b>0.2</b>	0.01	0.03	10	0.0	0.2	<b>0.0</b>	0.00	0.00	C68
Eye	66	0.2	1.0	<b>0.7</b>	0.05	0.06	44	0.1	0.7	<b>0.4</b>	0.03	0.04	C69
Brain and nervous system	602	1.6	9.5	<b>6.5</b>	0.42	0.63	487	1.3	7.4	<b>4.9</b>	0.29	0.46	C70-72
Thyroid	162	0.4	2.6	<b>1.9</b>	0.14	0.18	469	1.3	7.1	<b>5.5</b>	0.43	0.52	C73
Adrenal gland	14	0.0	0.2	<b>0.3</b>	0.02	0.02	23	0.1	0.3	<b>0.3</b>	0.02	0.02	C74
Other endocrine	22	0.1	0.3	<b>0.3</b>	0.02	0.02	16	0.0	0.2	<b>0.2</b>	0.01	0.02	C75
Hodgkin lymphoma	199	0.5	3.2	<b>2.8</b>	0.20	0.23	146	0.4	2.2	<b>1.9</b>	0.12	0.16	C81
Non-Hodgkin lymphoma	1331	3.5	21.1	<b>11.8</b>	0.68	1.29	1177	3.2	17.8	<b>8.7</b>	0.48	1.02	C82-86,C96
Immunoproliferative diseases	29	0.1	0.5	<b>0.2</b>	0.01	0.02	13	0.0	0.2	<b>0.1</b>	0.00	0.01	C88
Multiple myeloma	526	1.4	8.3	<b>4.2</b>	0.21	0.49	441	1.2	6.7	<b>2.7</b>	0.13	0.30	C90
Lymphoid leukaemia	582	1.5	9.2	<b>5.6</b>	0.28	0.58	355	1.0	5.4	<b>3.4</b>	0.17	0.32	C91
Myeloid leukaemia	502	1.3	7.9	<b>4.4</b>	0.20	0.43	378	1.0	5.7	<b>3.0</b>	0.16	0.29	C92-94
Leukaemia unspecified	14	0.0	0.2	<b>0.1</b>	0.00	0.01	17	0.0	0.3	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1298	3.4	20.6	<b>9.6</b>	0.39	0.99	1634	4.4	24.7	<b>9.3</b>	0.41	0.94	O&U
All sites	37675		596.5	<b>303.8</b>	14.30	35.24	36744		555.5	<b>278.2</b>	16.87	31.18	C00-96
All sites except C44	37673	100.0	596.5	<b>303.8</b>	14.30	35.23	36744	100.0	555.5	<b>278.2</b>	16.87	31.18	C00-96 exc. C44

# UK, England, North West

## CONTRIBUTORS

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	67.2	Breast	86.6
Trachea, bronchus, and lung	45.5	Trachea, bronchus, and lung	33.9
Colon	23.8	Colon	16.7
Rectum	16.1	Melanoma of skin	14.5
Bladder	12.8	Corpus uteri	13.3
Melanoma of skin	12.2	Ovary	10.8
Oesophagus	12.1	Cervix uteri	8.3
Non-Hodgkin lymphoma	11.0	Rectum	7.9
Kidney	9.5	Non-Hodgkin lymphoma	7.7
Other and unspecified	8.3	Other and unspecified	7.7
Stomach	7.8	Pancreas	5.7
Pancreas	7.1	Kidney	5.7
Testis	6.9	Thyroid	5.3
Brain and nervous system	6.5	Brain and nervous system	4.4
Lymphoid leukaemia	6.0	Oesophagus	4.3
Liver	5.9	Bladder	4.2
Multiple myeloma	4.4	Stomach	3.7
Larynx	4.3	Lymphoid leukaemia	3.5
Myeloid leukaemia	4.2	Myeloid leukaemia	3.4
Mesothelioma	3.4	Multiple myeloma	3.0
All sites	304.4	All sites	274.3


## UK, England, North West (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	98	0.1	0.6	<b>0.3</b>	0.02	0.03	58	0.1	0.3	<b>0.1</b>	0.01	0.01	C00
Tongue	864	0.9	5.0	<b>3.2</b>	0.24	0.39	411	0.4	2.3	<b>1.4</b>	0.10	0.16	C01-02
Mouth	717	0.7	4.2	<b>2.6</b>	0.19	0.31	529	0.6	3.0	<b>1.6</b>	0.10	0.19	C03-06
Salivary glands	224	0.2	1.3	<b>0.7</b>	0.04	0.07	169	0.2	0.9	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	544	0.6	3.2	<b>2.1</b>	0.18	0.25	182	0.2	1.0	<b>0.7</b>	0.06	0.08	C09
Other oropharynx	195	0.2	1.1	<b>0.7</b>	0.06	0.09	55	0.1	0.3	<b>0.2</b>	0.01	0.02	C10
Nasopharynx	115	0.1	0.7	<b>0.5</b>	0.04	0.05	37	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	294	0.3	1.7	<b>1.0</b>	0.06	0.14	100	0.1	0.6	<b>0.3</b>	0.02	0.04	C12-13
Pharynx unspecified	131	0.1	0.8	<b>0.5</b>	0.03	0.06	48	0.1	0.3	<b>0.1</b>	0.01	0.02	C14
Oesophagus	3903	4.0	22.6	<b>12.1</b>	0.64	1.46	1883	2.0	10.5	<b>4.3</b>	0.19	0.49	C15
Stomach	2815	2.9	16.3	<b>7.8</b>	0.28	0.87	1706	1.8	9.5	<b>3.7</b>	0.14	0.39	C16
Small intestine	368	0.4	2.1	<b>1.2</b>	0.07	0.14	297	0.3	1.7	<b>0.8</b>	0.05	0.09	C17
Colon	8092	8.3	47.0	<b>23.8</b>	1.02	2.76	7017	7.5	39.3	<b>16.7</b>	0.76	1.91	C18
Rectum	5175	5.3	30.0	<b>16.1</b>	0.81	1.99	3025	3.2	16.9	<b>7.9</b>	0.43	0.90	C19-20
Anus	234	0.2	1.4	<b>0.8</b>	0.06	0.10	399	0.4	2.2	<b>1.2</b>	0.08	0.14	C21
Liver	1928	2.0	11.2	<b>5.9</b>	0.27	0.70	1136	1.2	6.4	<b>2.6</b>	0.12	0.29	C22
Gallbladder etc.	404	0.4	2.3	<b>1.2</b>	0.05	0.15	528	0.6	3.0	<b>1.2</b>	0.05	0.13	C23-24
Pancreas	2394	2.4	13.9	<b>7.1</b>	0.32	0.83	2469	2.6	13.8	<b>5.7</b>	0.25	0.68	C25
Nose, sinuses etc.	163	0.2	0.9	<b>0.6</b>	0.04	0.06	107	0.1	0.6	<b>0.3</b>	0.02	0.04	C30-31
Larynx	1299	1.3	7.5	<b>4.3</b>	0.27	0.54	294	0.3	1.6	<b>0.9</b>	0.06	0.11	C32
Trachea, bronchus, and lung	15815	16.2	91.8	<b>45.5</b>	1.78	5.50	13777	14.7	77.1	<b>33.9</b>	1.55	4.25	C33-34
Other thoracic organs	65	0.1	0.4	<b>0.3</b>	0.01	0.03	45	0.0	0.3	<b>0.1</b>	0.01	0.02	C37-38
Bone	202	0.2	1.2	<b>1.0</b>	0.07	0.08	160	0.2	0.9	<b>0.9</b>	0.05	0.06	C40-41
Melanoma of skin	3392	3.5	19.7	<b>12.2</b>	0.77	1.33	3807	4.1	21.3	<b>14.5</b>	1.06	1.45	C43
Other skin	15		0.1	<b>0.1</b>	0.00	0.01	5		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	1246	1.3	7.2	<b>3.4</b>	0.10	0.41	233	0.2	1.3	<b>0.6</b>	0.03	0.08	C45
Kaposi sarcoma	65	0.1	0.4	<b>0.3</b>	0.02	0.03	9	0.0	0.1	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	560	0.6	3.2	<b>2.3</b>	0.13	0.22	432	0.5	2.4	<b>1.7</b>	0.11	0.15	C47+C49
Breast	202	0.2	1.2	<b>0.6</b>	0.03	0.07	26331	28.1	147.3	<b>86.6</b>	6.36	9.69	C50
Vulva							757	0.8	4.2	<b>2.0</b>	0.12	0.21	C51
Vagina							141	0.2	0.8	<b>0.4</b>	0.03	0.04	C52
Cervix uteri							1842	2.0	10.3	<b>8.3</b>	0.62	0.72	C53
Corpus uteri							4376	4.7	24.5	<b>13.3</b>	0.89	1.70	C54
Uterus unspecified							192	0.2	1.1	<b>0.5</b>	0.03	0.06	C55
Ovary							3517	3.8	19.7	<b>10.8</b>	0.67	1.25	C56
Other female genital organs							176	0.2	1.0	<b>0.5</b>	0.03	0.06	C57
Placenta							7	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	398	0.4	2.3	<b>1.3</b>	0.08	0.15							C60
Prostate	22994	23.5	133.4	<b>67.2</b>	2.66	8.58							C61
Testis	1258	1.3	7.3	<b>6.9</b>	0.52	0.55							C62
Other male genital organs	44	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	2910	3.0	16.9	<b>9.5</b>	0.54	1.09	2024	2.2	11.3	<b>5.7</b>	0.35	0.67	C64
Renal pelvis	186	0.2	1.1	<b>0.5</b>	0.02	0.06	141	0.2	0.8	<b>0.3</b>	0.01	0.04	C65
Ureter	189	0.2	1.1	<b>0.5</b>	0.02	0.06	111	0.1	0.6	<b>0.2</b>	0.01	0.03	C66
Bladder	4683	4.8	27.2	<b>12.8</b>	0.42	1.41	1991	2.1	11.1	<b>4.2</b>	0.16	0.47	C67
Other urinary organs	65	0.1	0.4	<b>0.2</b>	0.01	0.02	28	0.0	0.2	<b>0.1</b>	0.00	0.01	C68
Eye	217	0.2	1.3	<b>0.9</b>	0.06	0.08	221	0.2	1.2	<b>0.9</b>	0.06	0.09	C69
Brain and nervous system	1618	1.7	9.4	<b>6.5</b>	0.41	0.69	1234	1.3	6.9	<b>4.4</b>	0.29	0.46	C70-72
Thyroid	448	0.5	2.6	<b>1.9</b>	0.13	0.18	1216	1.3	6.8	<b>5.3</b>	0.41	0.50	C73
Adrenal gland	48	0.0	0.3	<b>0.3</b>	0.02	0.02	51	0.1	0.3	<b>0.2</b>	0.01	0.02	C74
Other endocrine	36	0.0	0.2	<b>0.2</b>	0.01	0.01	32	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	557	0.6	3.2	<b>2.8</b>	0.19	0.23	467	0.5	2.6	<b>2.3</b>	0.16	0.19	C81
Non-Hodgkin lymphoma	3187	3.3	18.5	<b>11.0</b>	0.64	1.23	2638	2.8	14.8	<b>7.7</b>	0.45	0.90	C82-86,C96
Immunoproliferative diseases	126	0.1	0.7	<b>0.3</b>	0.01	0.04	83	0.1	0.5	<b>0.2</b>	0.01	0.02	C88
Multiple myeloma	1455	1.5	8.4	<b>4.4</b>	0.20	0.53	1226	1.3	6.9	<b>3.0</b>	0.15	0.36	C90
Lymphoid leukaemia	1680	1.7	9.7	<b>6.0</b>	0.29	0.60	1094	1.2	6.1	<b>3.5</b>	0.16	0.32	C91
Myeloid leukaemia	1257	1.3	7.3	<b>4.2</b>	0.20	0.42	1102	1.2	6.2	<b>3.4</b>	0.19	0.33	C92-94
Leukaemia unspecified	111	0.1	0.6	<b>0.4</b>	0.01	0.03	78	0.1	0.4	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2926	3.0	17.0	<b>8.3</b>	0.33	0.84	3645	3.9	20.4	<b>7.7</b>	0.32	0.79	O&U
All sites	97912		568.1	<b>304.4</b>	14.40	35.52	93639		524.0	<b>274.3</b>	16.83	30.76	C00-96
All sites except C44	97897	100.0	568.1	<b>304.3</b>	14.39	35.52	93634	100.0	523.9	<b>274.3</b>	16.83	30.75	C00-96 exc. C44

# UK, England, South East

## CONTRIBUTORS

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	73.2	Breast	90.4
Trachea, bronchus, and lung	31.0	Trachea, bronchus, and lung	21.3
Colon	21.8	Colon	16.9
Melanoma of skin	14.6	Melanoma of skin	14.8
Rectum	14.1	Corpus uteri	12.7
Non-Hodgkin lymphoma	12.6	Ovary	10.2
Bladder	11.3	Non-Hodgkin lymphoma	9.2
Kidney	9.5	Rectum	7.7
Oesophagus	9.1	Other and unspecified	7.0
Other and unspecified	7.7	Cervix uteri	6.3
Pancreas	7.4	Pancreas	5.8
Testis	6.9	Kidney	5.0
Brain and nervous system	6.4	Thyroid	4.5
Stomach	6.0	Brain and nervous system	4.4
Lymphoid leukaemia	5.1	Bladder	3.1
Multiple myeloma	4.4	Oesophagus	3.1
Myeloid leukaemia	4.2	Myeloid leukaemia	3.0
Liver	4.0	Lymphoid leukaemia	3.0
Mesothelioma	3.9	Multiple myeloma	2.9
Hodgkin lymphoma	3.0	Stomach	2.4
All sites	281.7	All sites	254.3

## UK, England, South East (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 0-74 (%)		No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 0-74 (%)		
Lip	149	0.1	0.7	<b>0.3</b>	0.01	0.04	80	0.1	0.4	<b>0.1</b>	0.01	0.01	C00
Tongue	848	0.7	4.0	<b>2.5</b>	0.20	0.31	446	0.4	2.0	<b>1.1</b>	0.08	0.12	C01-02
Mouth	674	0.6	3.2	<b>1.9</b>	0.13	0.22	505	0.5	2.3	<b>1.1</b>	0.06	0.12	C03-06
Salivary glands	292	0.3	1.4	<b>0.8</b>	0.04	0.08	246	0.2	1.1	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	602	0.5	2.9	<b>1.9</b>	0.17	0.23	211	0.2	1.0	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	102	0.1	0.5	<b>0.3</b>	0.02	0.04	28	0.0	0.1	<b>0.1</b>	0.00	0.01	C10
Nasopharynx	96	0.1	0.5	<b>0.3</b>	0.02	0.03	52	0.0	0.2	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	203	0.2	1.0	<b>0.6</b>	0.04	0.07	63	0.1	0.3	<b>0.1</b>	0.01	0.02	C12-13
Pharynx unspecified	102	0.1	0.5	<b>0.3</b>	0.02	0.03	48	0.0	0.2	<b>0.1</b>	0.01	0.02	C14
Oesophagus	3786	3.3	18.0	<b>9.1</b>	0.45	1.08	1799	1.7	8.2	<b>3.1</b>	0.14	0.34	C15
Stomach	2679	2.4	12.7	<b>6.0</b>	0.26	0.67	1351	1.2	6.2	<b>2.4</b>	0.11	0.25	C16
Small intestine	466	0.4	2.2	<b>1.2</b>	0.06	0.14	360	0.3	1.6	<b>0.8</b>	0.04	0.09	C17
Colon	9453	8.4	44.9	<b>21.8</b>	0.91	2.52	9063	8.4	41.5	<b>16.9</b>	0.74	1.93	C18
Rectum	5756	5.1	27.4	<b>14.1</b>	0.70	1.72	3783	3.5	17.3	<b>7.7</b>	0.41	0.90	C19-20
Anus	283	0.3	1.3	<b>0.8</b>	0.05	0.09	512	0.5	2.3	<b>1.3</b>	0.09	0.16	C21
Liver	1633	1.4	7.8	<b>4.0</b>	0.19	0.47	983	0.9	4.5	<b>1.8</b>	0.09	0.20	C22
Gallbladder etc.	424	0.4	2.0	<b>1.0</b>	0.04	0.11	545	0.5	2.5	<b>1.0</b>	0.04	0.11	C23-24
Pancreas	3176	2.8	15.1	<b>7.4</b>	0.34	0.84	3331	3.1	15.3	<b>5.8</b>	0.25	0.67	C25
Nose, sinuses etc.	207	0.2	1.0	<b>0.6</b>	0.03	0.06	128	0.1	0.6	<b>0.3</b>	0.02	0.03	C30-31
Larynx	1031	0.9	4.9	<b>2.7</b>	0.16	0.34	210	0.2	1.0	<b>0.5</b>	0.03	0.06	C32
Trachea, bronchus, and lung	13760	12.2	65.4	<b>31.0</b>	1.22	3.69	10840	10.0	49.7	<b>21.3</b>	1.00	2.63	C33-34
Other thoracic organs	150	0.1	0.7	<b>0.5</b>	0.03	0.05	104	0.1	0.5	<b>0.3</b>	0.02	0.03	C37-38
Bone	278	0.2	1.3	<b>1.1</b>	0.07	0.10	207	0.2	0.9	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	5209	4.6	24.8	<b>14.6</b>	0.89	1.63	5324	4.9	24.4	<b>14.8</b>	1.05	1.58	C43
Other skin	20		0.1	<b>0.1</b>	0.00	0.01	18		0.1	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	1779	1.6	8.5	<b>3.9</b>	0.12	0.47	394	0.4	1.8	<b>0.8</b>	0.04	0.10	C45
Kaposi sarcoma	76	0.1	0.4	<b>0.3</b>	0.02	0.03	17	0.0	0.1	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	783	0.7	3.7	<b>2.5</b>	0.14	0.25	652	0.6	3.0	<b>2.0</b>	0.12	0.18	C47+C49
Breast	236	0.2	1.1	<b>0.6</b>	0.03	0.07	34247	31.6	156.9	<b>90.4</b>	6.60	10.13	C50
Vulva							786	0.7	3.6	<b>1.6</b>	0.09	0.17	C51
Vagina							170	0.2	0.8	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							1733	1.6	7.9	<b>6.3</b>	0.48	0.57	C53
Corpus uteri							5272	4.9	24.2	<b>12.7</b>	0.80	1.65	C54
Uterus unspecified							190	0.2	0.9	<b>0.4</b>	0.02	0.05	C55
Ovary							4304	4.0	19.7	<b>10.2</b>	0.62	1.18	C56
Other female genital organs							253	0.2	1.2	<b>0.6</b>	0.04	0.08	C57
Placenta							7	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	329	0.3	1.6	<b>0.9</b>	0.06	0.09							C60
Prostate	30580	27.0	145.3	<b>73.2</b>	3.02	9.68							C61
Testis	1540	1.4	7.3	<b>6.9</b>	0.52	0.54							C62
Other male genital organs	62	0.1	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	3581	3.2	17.0	<b>9.5</b>	0.56	1.11	2135	2.0	9.8	<b>5.0</b>	0.29	0.57	C64
Renal pelvis	248	0.2	1.2	<b>0.6</b>	0.03	0.07	131	0.1	0.6	<b>0.2</b>	0.01	0.02	C65
Ureter	197	0.2	0.9	<b>0.4</b>	0.02	0.05	110	0.1	0.5	<b>0.2</b>	0.01	0.02	C66
Bladder	5363	4.7	25.5	<b>11.3</b>	0.37	1.24	1960	1.8	9.0	<b>3.1</b>	0.12	0.32	C67
Other urinary organs	78	0.1	0.4	<b>0.2</b>	0.01	0.02	26	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	175	0.2	0.8	<b>0.6</b>	0.03	0.06	157	0.1	0.7	<b>0.5</b>	0.03	0.04	C69
Brain and nervous system	2019	1.8	9.6	<b>6.4</b>	0.40	0.66	1550	1.4	7.1	<b>4.4</b>	0.27	0.45	C70-72
Thyroid	470	0.4	2.2	<b>1.5</b>	0.11	0.16	1299	1.2	6.0	<b>4.5</b>	0.34	0.42	C73
Adrenal gland	70	0.1	0.3	<b>0.3</b>	0.02	0.02	78	0.1	0.4	<b>0.3</b>	0.01	0.02	C74
Other endocrine	48	0.0	0.2	<b>0.2</b>	0.01	0.02	45	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	700	0.6	3.3	<b>3.0</b>	0.20	0.24	557	0.5	2.6	<b>2.3</b>	0.15	0.19	C81
Non-Hodgkin lymphoma	4708	4.2	22.4	<b>12.6</b>	0.70	1.41	3976	3.7	18.2	<b>9.2</b>	0.52	1.07	C82-86,C96
Immunoproliferative diseases	85	0.1	0.4	<b>0.2</b>	0.01	0.02	54	0.0	0.2	<b>0.1</b>	0.00	0.01	C88
Multiple myeloma	1857	1.6	8.8	<b>4.4</b>	0.21	0.52	1456	1.3	6.7	<b>2.9</b>	0.14	0.33	C90
Lymphoid leukaemia	1686	1.5	8.0	<b>5.1</b>	0.25	0.48	1083	1.0	5.0	<b>3.0</b>	0.14	0.26	C91
Myeloid leukaemia	1562	1.4	7.4	<b>4.2</b>	0.21	0.42	1311	1.2	6.0	<b>3.0</b>	0.17	0.30	C92-94
Leukaemia unspecified	82	0.1	0.4	<b>0.2</b>	0.01	0.02	86	0.1	0.4	<b>0.2</b>	0.01	0.01	C95
Myeloproliferative disorders	49	0.0	0.2	<b>0.1</b>	0.01	0.01	47	0.0	0.2	<b>0.1</b>	0.00	0.01	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	3402	3.0	16.2	<b>7.7</b>	0.34	0.78	4212	3.9	19.3	<b>7.0</b>	0.30	0.71	O&U
All sites	113144		537.6	<b>281.7</b>	13.47	33.04	108535		497.2	<b>254.3</b>	15.71	28.44	C00-96
All sites except C44	113124	100.0	537.5	<b>281.7</b>	13.47	33.04	108517	100.0	497.2	<b>254.2</b>	15.71	28.43	C00-96 exc. C44



# UK, England, South West

## CONTRIBUTORS

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	75.7	Breast	90.2
Trachea, bronchus, and lung	31.7	Trachea, bronchus, and lung	20.9
Colon	22.9	Colon	17.8
Melanoma of skin	16.0	Melanoma of skin	16.6
Rectum	15.1	Corpus uteri	14.2
Non-Hodgkin lymphoma	13.2	Ovary	10.4
Bladder	11.3	Non-Hodgkin lymphoma	10.0
Kidney	10.5	Cervix uteri	8.7
Oesophagus	9.0	Rectum	8.0
Testis	7.9	Other and unspecified	6.8
Pancreas	7.2	Kidney	5.6
Brain and nervous system	7.0	Pancreas	5.5
Stomach	6.7	Brain and nervous system	4.7
Other and unspecified	6.6	Thyroid	3.8
Lymphoid leukaemia	6.2	Lymphoid leukaemia	3.5
Liver	4.8	Oesophagus	3.4
Multiple myeloma	4.6	Bladder	3.1
Myeloid leukaemia	4.1	Multiple myeloma	3.1
Mesothelioma	3.6	Myeloid leukaemia	2.9
Larynx	3.0	Stomach	2.5
All sites	294.1	All sites	264.7


## UK, England, South West (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	80	0.1	0.6	<b>0.3</b>	0.01	0.03	40	0.1	0.3	<b>0.1</b>	0.00	0.01	C00
Tongue	613	0.8	4.8	<b>2.8</b>	0.21	0.35	339	0.5	2.5	<b>1.3</b>	0.09	0.15	C01-02
Mouth	461	0.6	3.6	<b>2.0</b>	0.14	0.24	322	0.4	2.4	<b>1.1</b>	0.07	0.13	C03-06
Salivary glands	216	0.3	1.7	<b>0.8</b>	0.04	0.08	186	0.2	1.4	<b>0.8</b>	0.05	0.07	C07-08
Tonsil	379	0.5	2.9	<b>1.9</b>	0.17	0.22	122	0.2	0.9	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	55	0.1	0.4	<b>0.2</b>	0.02	0.03	23	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	65	0.1	0.5	<b>0.3</b>	0.02	0.03	34	0.0	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	132	0.2	1.0	<b>0.5</b>	0.04	0.07	48	0.1	0.4	<b>0.2</b>	0.01	0.02	C12-13
Pharynx unspecified	117	0.1	0.9	<b>0.5</b>	0.04	0.06	43	0.1	0.3	<b>0.1</b>	0.01	0.01	C14
Oesophagus	2596	3.2	20.1	<b>9.0</b>	0.45	1.07	1359	1.8	10.1	<b>3.4</b>	0.15	0.38	C15
Stomach	2034	2.5	15.8	<b>6.7</b>	0.28	0.75	975	1.3	7.3	<b>2.5</b>	0.12	0.25	C16
Small intestine	358	0.4	2.8	<b>1.3</b>	0.07	0.16	294	0.4	2.2	<b>0.9</b>	0.05	0.10	C17
Colon	6815	8.4	52.8	<b>22.9</b>	0.95	2.67	6471	8.6	48.2	<b>17.8</b>	0.80	2.01	C18
Rectum	4126	5.1	32.0	<b>15.1</b>	0.78	1.86	2621	3.5	19.5	<b>8.0</b>	0.44	0.93	C19-20
Anus	198	0.2	1.5	<b>0.8</b>	0.05	0.09	365	0.5	2.7	<b>1.3</b>	0.10	0.15	C21
Liver	1343	1.7	10.4	<b>4.8</b>	0.23	0.57	822	1.1	6.1	<b>2.3</b>	0.12	0.25	C22
Gallbladder etc.	305	0.4	2.4	<b>1.0</b>	0.05	0.11	425	0.6	3.2	<b>1.2</b>	0.05	0.14	C23-24
Pancreas	2149	2.7	16.7	<b>7.2</b>	0.33	0.83	2161	2.9	16.1	<b>5.5</b>	0.23	0.64	C25
Nose, sinuses etc.	140	0.2	1.1	<b>0.6</b>	0.04	0.06	97	0.1	0.7	<b>0.4</b>	0.03	0.04	C30-31
Larynx	776	1.0	6.0	<b>3.0</b>	0.18	0.39	148	0.2	1.1	<b>0.5</b>	0.03	0.06	C32
Trachea, bronchus, and lung	9694	12.0	75.1	<b>31.7</b>	1.26	3.78	7265	9.7	54.1	<b>20.9</b>	1.03	2.54	C33-34
Other thoracic organs	116	0.1	0.9	<b>0.5</b>	0.03	0.05	96	0.1	0.7	<b>0.3</b>	0.02	0.04	C37-38
Bone	175	0.2	1.4	<b>1.2</b>	0.08	0.10	116	0.2	0.9	<b>0.8</b>	0.05	0.06	C40-41
Melanoma of skin	3745	4.6	29.0	<b>16.0</b>	0.99	1.76	3850	5.1	28.7	<b>16.6</b>	1.18	1.77	C43
Other skin	6		0.0	<b>0.0</b>	0.00	0.00	17		0.1	<b>0.1</b>	0.00	0.01	C44
Mesothelioma	1117	1.4	8.7	<b>3.6</b>	0.11	0.45	217	0.3	1.6	<b>0.6</b>	0.03	0.07	C45
Kaposi sarcoma	31	0.0	0.2	<b>0.2</b>	0.01	0.02	10	0.0	0.1	<b>0.1</b>	0.00	0.01	C46
Connective and soft tissue	603	0.7	4.7	<b>2.7</b>	0.16	0.25	447	0.6	3.3	<b>2.1</b>	0.12	0.20	C47+C49
Breast	173	0.2	1.3	<b>0.6</b>	0.03	0.07	22578	30.1	168.1	<b>90.2</b>	6.61	10.01	C50
Vulva							590	0.8	4.4	<b>1.8</b>	0.11	0.18	C51
Vagina							122	0.2	0.9	<b>0.4</b>	0.03	0.05	C52
Cervix uteri							1392	1.9	10.4	<b>8.7</b>	0.66	0.75	C53
Corpus uteri							4005	5.3	29.8	<b>14.2</b>	0.89	1.83	C54
Uterus unspecified							123	0.2	0.9	<b>0.4</b>	0.02	0.04	C55
Ovary							2929	3.9	21.8	<b>10.4</b>	0.64	1.23	C56
Other female genital organs							196	0.3	1.5	<b>0.6</b>	0.03	0.08	C57
Placenta							5	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	255	0.3	2.0	<b>1.0</b>	0.06	0.12							C60
Prostate	22606	27.9	175.2	<b>75.7</b>	2.99	9.67							C61
Testis	1034	1.3	8.0	<b>7.9</b>	0.60	0.62							C62
Other male genital organs	51	0.1	0.4	<b>0.2</b>	0.01	0.02							C63
Kidney	2718	3.4	21.1	<b>10.5</b>	0.58	1.24	1622	2.2	12.1	<b>5.6</b>	0.33	0.63	C64
Renal pelvis	139	0.2	1.1	<b>0.5</b>	0.02	0.06	102	0.1	0.8	<b>0.3</b>	0.01	0.04	C65
Ureter	172	0.2	1.3	<b>0.5</b>	0.02	0.06	92	0.1	0.7	<b>0.2</b>	0.01	0.02	C66
Bladder	3673	4.5	28.5	<b>11.3</b>	0.38	1.24	1319	1.8	9.8	<b>3.1</b>	0.12	0.34	C67
Other urinary organs	84	0.1	0.7	<b>0.3</b>	0.01	0.03	37	0.0	0.3	<b>0.1</b>	0.01	0.01	C68
Eye	152	0.2	1.2	<b>0.8</b>	0.05	0.07	144	0.2	1.1	<b>0.7</b>	0.04	0.06	C69
Brain and nervous system	1407	1.7	10.9	<b>7.0</b>	0.45	0.72	1021	1.4	7.6	<b>4.7</b>	0.30	0.46	C70-72
Thyroid	285	0.4	2.2	<b>1.5</b>	0.11	0.15	691	0.9	5.1	<b>3.8</b>	0.28	0.35	C73
Adrenal gland	54	0.1	0.4	<b>0.4</b>	0.02	0.03	58	0.1	0.4	<b>0.4</b>	0.02	0.03	C74
Other endocrine	39	0.0	0.3	<b>0.2</b>	0.01	0.02	36	0.0	0.3	<b>0.2</b>	0.01	0.02	C75
Hodgkin lymphoma	428	0.5	3.3	<b>2.8</b>	0.19	0.24	344	0.5	2.6	<b>2.3</b>	0.16	0.19	C81
Non-Hodgkin lymphoma	3330	4.1	25.8	<b>13.2</b>	0.73	1.45	2974	4.0	22.1	<b>10.0</b>	0.57	1.16	C82-86,C96
Immunoproliferative diseases	114	0.1	0.9	<b>0.3</b>	0.01	0.04	72	0.1	0.5	<b>0.2</b>	0.01	0.02	C88
Multiple myeloma	1356	1.7	10.5	<b>4.6</b>	0.21	0.53	1109	1.5	8.3	<b>3.1</b>	0.15	0.36	C90
Lymphoid leukaemia	1452	1.8	11.3	<b>6.2</b>	0.29	0.63	960	1.3	7.1	<b>3.5</b>	0.16	0.33	C91
Myeloid leukaemia	1026	1.3	8.0	<b>4.1</b>	0.21	0.41	800	1.1	6.0	<b>2.9</b>	0.16	0.28	C92-94
Leukaemia unspecified	58	0.1	0.4	<b>0.2</b>	0.01	0.02	73	0.1	0.5	<b>0.2</b>	0.01	0.02	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2029	2.5	15.7	<b>6.6</b>	0.28	0.69	2764	3.7	20.6	<b>6.8</b>	0.31	0.71	O&U
All sites	81080		628.5	<b>294.1</b>	14.01	34.21	75071		558.9	<b>264.7</b>	16.51	29.33	C00-96
All sites except C44	81074	100.0	628.4	<b>294.1</b>	14.01	34.21	75054	100.0	558.8	<b>264.6</b>	16.50	29.33	C00-96 exc. C44

# UK, England, West Midlands

**CONTRIBUTORS**

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



**20 major cancers, ASR (World) per 100 000**

<i>Male</i>		<i>Female</i>	
Prostate	72.8	Breast	87.5
Trachea, bronchus, and lung	36.7	Trachea, bronchus, and lung	23.3
Colon	22.5	Colon	16.3
Rectum	15.7	Corpus uteri	14.6
Non-Hodgkin lymphoma	12.0	Melanoma of skin	11.2
Bladder	10.8	Ovary	10.5
Melanoma of skin	10.7	Cervix uteri	8.5
Oesophagus	10.6	Non-Hodgkin lymphoma	8.4
Kidney	8.8	Other and unspecified	7.7
Other and unspecified	8.5	Rectum	7.7
Stomach	8.3	Pancreas	5.7
Pancreas	7.1	Kidney	5.1
Testis	6.7	Thyroid	4.5
Brain and nervous system	6.0	Brain and nervous system	4.0
Lymphoid leukaemia	5.5	Oesophagus	3.6
Multiple myeloma	4.4	Bladder	3.3
Liver	4.3	Stomach	3.2
Myeloid leukaemia	4.0	Lymphoid leukaemia	3.2
Larynx	3.4	Multiple myeloma	2.8
Hodgkin lymphoma	2.9	Myeloid leukaemia	2.6
All sites	286.7	All sites	254.7


## UK, England, West Midlands (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	86	0.1	0.6	<b>0.3</b>	0.02	0.04	48	0.1	0.3	<b>0.2</b>	0.01	0.02	C00
Tongue	545	0.7	4.0	<b>2.5</b>	0.20	0.30	337	0.5	2.4	<b>1.4</b>	0.10	0.16	C01-02
Mouth	465	0.6	3.4	<b>2.1</b>	0.15	0.26	355	0.5	2.5	<b>1.3</b>	0.08	0.15	C03-06
Salivary glands	150	0.2	1.1	<b>0.6</b>	0.04	0.07	114	0.2	0.8	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	356	0.5	2.6	<b>1.8</b>	0.15	0.21	138	0.2	1.0	<b>0.7</b>	0.06	0.08	C09
Other oropharynx	83	0.1	0.6	<b>0.4</b>	0.03	0.05	27	0.0	0.2	<b>0.1</b>	0.01	0.01	C10
Nasopharynx	80	0.1	0.6	<b>0.4</b>	0.03	0.04	33	0.0	0.2	<b>0.2</b>	0.01	0.01	C11
Hypopharynx	204	0.3	1.5	<b>0.9</b>	0.06	0.11	60	0.1	0.4	<b>0.2</b>	0.02	0.03	C12-13
Pharynx unspecified	37	0.1	0.3	<b>0.2</b>	0.01	0.02	16	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	2755	3.7	20.1	<b>10.6</b>	0.55	1.26	1301	1.9	9.2	<b>3.6</b>	0.16	0.41	C15
Stomach	2364	3.2	17.2	<b>8.3</b>	0.33	0.93	1190	1.7	8.4	<b>3.2</b>	0.12	0.34	C16
Small intestine	305	0.4	2.2	<b>1.3</b>	0.07	0.15	247	0.4	1.7	<b>0.9</b>	0.05	0.10	C17
Colon	6161	8.3	44.9	<b>22.5</b>	0.94	2.61	5393	7.9	38.2	<b>16.3</b>	0.75	1.88	C18
Rectum	4086	5.5	29.8	<b>15.7</b>	0.80	1.91	2368	3.5	16.8	<b>7.7</b>	0.42	0.91	C19-20
Anus	155	0.2	1.1	<b>0.7</b>	0.04	0.07	279	0.4	2.0	<b>1.1</b>	0.09	0.13	C21
Liver	1134	1.5	8.3	<b>4.3</b>	0.21	0.49	726	1.1	5.1	<b>2.1</b>	0.08	0.23	C22
Gallbladder etc.	317	0.4	2.3	<b>1.2</b>	0.05	0.13	465	0.7	3.3	<b>1.4</b>	0.06	0.15	C23-24
Pancreas	1914	2.6	13.9	<b>7.1</b>	0.34	0.84	1907	2.8	13.5	<b>5.7</b>	0.26	0.67	C25
Nose, sinuses etc.	99	0.1	0.7	<b>0.4</b>	0.03	0.05	76	0.1	0.5	<b>0.3</b>	0.02	0.03	C30-31
Larynx	822	1.1	6.0	<b>3.4</b>	0.21	0.42	182	0.3	1.3	<b>0.7</b>	0.05	0.09	C32
Trachea, bronchus, and lung	10322	14.0	75.2	<b>36.7</b>	1.47	4.38	7422	10.9	52.6	<b>23.3</b>	1.10	2.89	C33-34
Other thoracic organs	63	0.1	0.5	<b>0.3</b>	0.02	0.03	43	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	175	0.2	1.3	<b>1.1</b>	0.07	0.09	107	0.2	0.8	<b>0.7</b>	0.04	0.06	C40-41
Melanoma of skin	2396	3.2	17.5	<b>10.7</b>	0.67	1.19	2494	3.7	17.7	<b>11.2</b>	0.81	1.18	C43
Other skin	5		0.0	<b>0.0</b>	0.00	0.00	6		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	748	1.0	5.5	<b>2.6</b>	0.08	0.31	152	0.2	1.1	<b>0.5</b>	0.02	0.06	C45
Kaposi sarcoma	33	0.0	0.2	<b>0.2</b>	0.02	0.02	8	0.0	0.1	<b>0.1</b>	0.00	0.00	C46
Connective and soft tissue	387	0.5	2.8	<b>2.0</b>	0.11	0.19	291	0.4	2.1	<b>1.4</b>	0.09	0.13	C47+C49
Breast	155	0.2	1.1	<b>0.6</b>	0.03	0.07	20865	30.7	147.8	<b>87.5</b>	6.42	9.83	C50
Vulva							570	0.8	4.0	<b>2.0</b>	0.12	0.20	C51
Vagina							103	0.2	0.7	<b>0.4</b>	0.02	0.04	C52
Cervix uteri							1460	2.1	10.3	<b>8.5</b>	0.64	0.74	C53
Corpus uteri							3773	5.5	26.7	<b>14.6</b>	0.98	1.89	C54
Uterus unspecified							123	0.2	0.9	<b>0.4</b>	0.03	0.05	C55
Ovary							2738	4.0	19.4	<b>10.5</b>	0.67	1.22	C56
Other female genital organs							168	0.2	1.2	<b>0.6</b>	0.04	0.07	C57
Placenta							4	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	231	0.3	1.7	<b>1.0</b>	0.06	0.11							C60
Prostate	19793	26.8	144.2	<b>72.8</b>	2.88	9.49							C61
Testis	965	1.3	7.0	<b>6.7</b>	0.51	0.53							C62
Other male genital organs	28	0.0	0.2	<b>0.1</b>	0.01	0.01							C63
Kidney	2142	2.9	15.6	<b>8.8</b>	0.50	1.02	1379	2.0	9.8	<b>5.1</b>	0.30	0.58	C64
Renal pelvis	164	0.2	1.2	<b>0.6</b>	0.03	0.07	113	0.2	0.8	<b>0.3</b>	0.01	0.04	C65
Ureter	110	0.1	0.8	<b>0.4</b>	0.02	0.05	73	0.1	0.5	<b>0.2</b>	0.01	0.03	C66
Bladder	3196	4.3	23.3	<b>10.8</b>	0.36	1.20	1221	1.8	8.6	<b>3.3</b>	0.13	0.36	C67
Other urinary organs	56	0.1	0.4	<b>0.2</b>	0.00	0.02	17	0.0	0.1	<b>0.0</b>	0.00	0.01	C68
Eye	122	0.2	0.9	<b>0.6</b>	0.04	0.06	81	0.1	0.6	<b>0.4</b>	0.02	0.04	C69
Brain and nervous system	1181	1.6	8.6	<b>6.0</b>	0.38	0.63	838	1.2	5.9	<b>4.0</b>	0.26	0.41	C70-72
Thyroid	303	0.4	2.2	<b>1.6</b>	0.11	0.16	812	1.2	5.8	<b>4.5</b>	0.34	0.42	C73
Adrenal gland	32	0.0	0.2	<b>0.2</b>	0.01	0.02	35	0.1	0.2	<b>0.2</b>	0.01	0.02	C74
Other endocrine	27	0.0	0.2	<b>0.2</b>	0.01	0.01	11	0.0	0.1	<b>0.1</b>	0.00	0.01	C75
Hodgkin lymphoma	443	0.6	3.2	<b>2.9</b>	0.20	0.24	340	0.5	2.4	<b>2.2</b>	0.15	0.18	C81
Non-Hodgkin lymphoma	2848	3.9	20.8	<b>12.0</b>	0.66	1.35	2269	3.3	16.1	<b>8.4</b>	0.50	0.97	C82-86,C96
Immunoproliferative diseases	82	0.1	0.6	<b>0.3</b>	0.01	0.03	47	0.1	0.3	<b>0.1</b>	0.01	0.01	C88
Multiple myeloma	1188	1.6	8.7	<b>4.4</b>	0.20	0.52	905	1.3	6.4	<b>2.8</b>	0.13	0.34	C90
Lymphoid leukaemia	1207	1.6	8.8	<b>5.5</b>	0.28	0.55	746	1.1	5.3	<b>3.2</b>	0.15	0.29	C91
Myeloid leukaemia	946	1.3	6.9	<b>4.0</b>	0.19	0.39	703	1.0	5.0	<b>2.6</b>	0.14	0.25	C92-94
Leukaemia unspecified	54	0.1	0.4	<b>0.2</b>	0.01	0.02	34	0.0	0.2	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2412	3.3	17.6	<b>8.5</b>	0.37	0.89	2799	4.1	19.8	<b>7.7</b>	0.34	0.82	O&U
All sites	73932		538.7	<b>286.7</b>	13.57	33.62	68012		481.7	<b>254.7</b>	15.89	28.62	C00-96
All sites except C44	73927	100.0	538.7	<b>286.7</b>	13.57	33.62	68006	100.0	481.7	<b>254.6</b>	15.88	28.62	C00-96 exc. C44

# UK, England, Yorkshire and The Humber

**CONTRIBUTORS**

Jem Rashbass  
 Vivian Mak  
 James Charnock  
 Nicola Cooper  
 Joanna Pethick  
 Sally Vernon



**20 major cancers, ASR (World) per 100 000**

<i>Male</i>		<i>Female</i>	
Prostate	68.6	Breast	84.7
Trachea, bronchus, and lung	43.5	Trachea, bronchus, and lung	32.5
Colon	22.3	Colon	15.6
Rectum	16.3	Corpus uteri	12.9
Bladder	12.4	Melanoma of skin	12.4
Non-Hodgkin lymphoma	12.3	Ovary	9.3
Melanoma of skin	10.6	Cervix uteri	9.1
Kidney	10.4	Non-Hodgkin lymphoma	8.8
Oesophagus	10.1	Other and unspecified	8.4
Stomach	8.4	Rectum	7.7
Other and unspecified	8.1	Kidney	6.0
Pancreas	7.4	Pancreas	5.8
Lymphoid leukaemia	7.3	Thyroid	5.0
Testis	6.9	Brain and nervous system	4.3
Brain and nervous system	6.7	Lymphoid leukaemia	3.9
Multiple myeloma	4.9	Bladder	3.7
Liver	4.8	Stomach	3.7
Myeloid leukaemia	4.6	Oesophagus	3.5
Larynx	3.8	Multiple myeloma	3.2
Mesothelioma	3.3	Myeloid leukaemia	2.9
All sites	300.0	All sites	265.9


## UK, England, Yorkshire and The Humber (2008–2012)

S I T E	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	81	0.1	0.6	<b>0.4</b>	0.02	0.04	56	0.1	0.4	<b>0.2</b>	0.01	0.02	C00
Tongue	598	0.8	4.6	<b>3.0</b>	0.24	0.35	294	0.4	2.2	<b>1.3</b>	0.09	0.15	C01-02
Mouth	435	0.6	3.4	<b>2.0</b>	0.14	0.25	313	0.5	2.3	<b>1.2</b>	0.08	0.14	C03-06
Salivary glands	155	0.2	1.2	<b>0.7</b>	0.04	0.07	139	0.2	1.0	<b>0.6</b>	0.05	0.06	C07-08
Tonsil	360	0.5	2.8	<b>1.9</b>	0.17	0.22	109	0.2	0.8	<b>0.5</b>	0.04	0.06	C09
Other oropharynx	86	0.1	0.7	<b>0.4</b>	0.03	0.05	29	0.0	0.2	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	63	0.1	0.5	<b>0.3</b>	0.03	0.04	46	0.1	0.3	<b>0.2</b>	0.02	0.02	C11
Hypopharynx	190	0.3	1.5	<b>0.9</b>	0.06	0.11	47	0.1	0.4	<b>0.2</b>	0.01	0.02	C12-13
Pharynx unspecified	75	0.1	0.6	<b>0.4</b>	0.02	0.04	36	0.1	0.3	<b>0.2</b>	0.01	0.02	C14
Oesophagus	2442	3.4	18.9	<b>10.1</b>	0.52	1.24	1166	1.7	8.7	<b>3.5</b>	0.16	0.39	C15
Stomach	2228	3.1	17.2	<b>8.4</b>	0.32	0.93	1255	1.8	9.4	<b>3.7</b>	0.15	0.38	C16
Small intestine	289	0.4	2.2	<b>1.3</b>	0.07	0.16	221	0.3	1.7	<b>0.8</b>	0.05	0.10	C17
Colon	5725	7.9	44.3	<b>22.3</b>	0.90	2.59	4999	7.3	37.4	<b>15.6</b>	0.71	1.77	C18
Rectum	3910	5.4	30.3	<b>16.3</b>	0.80	2.05	2169	3.2	16.2	<b>7.7</b>	0.44	0.91	C19-20
Anus	227	0.3	1.8	<b>1.0</b>	0.06	0.12	349	0.5	2.6	<b>1.4</b>	0.10	0.17	C21
Liver	1216	1.7	9.4	<b>4.8</b>	0.21	0.54	793	1.2	5.9	<b>2.5</b>	0.11	0.27	C22
Gallbladder etc.	326	0.5	2.5	<b>1.2</b>	0.05	0.14	471	0.7	3.5	<b>1.5</b>	0.07	0.18	C23-24
Pancreas	1865	2.6	14.4	<b>7.4</b>	0.33	0.89	1883	2.8	14.1	<b>5.8</b>	0.26	0.67	C25
Nose, sinuses etc.	127	0.2	1.0	<b>0.6</b>	0.04	0.08	103	0.2	0.8	<b>0.4</b>	0.02	0.05	C30-31
Larynx	861	1.2	6.7	<b>3.8</b>	0.23	0.49	220	0.3	1.6	<b>0.9</b>	0.06	0.12	C32
Trachea, bronchus, and lung	11392	15.8	88.2	<b>43.5</b>	1.63	5.22	9881	14.5	73.9	<b>32.5</b>	1.46	4.06	C33-34
Other thoracic organs	70	0.1	0.5	<b>0.3</b>	0.02	0.03	40	0.1	0.3	<b>0.2</b>	0.01	0.02	C37-38
Bone	154	0.2	1.2	<b>1.1</b>	0.07	0.09	84	0.1	0.6	<b>0.6</b>	0.03	0.04	C40-41
Melanoma of skin	2194	3.0	17.0	<b>10.6</b>	0.68	1.15	2458	3.6	18.4	<b>12.4</b>	0.90	1.23	C43
Other skin	4		0.0	<b>0.0</b>	0.00	0.00	7		0.1	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	902	1.3	7.0	<b>3.3</b>	0.11	0.41	175	0.3	1.3	<b>0.6</b>	0.02	0.07	C45
Kaposi sarcoma	25	0.0	0.2	<b>0.2</b>	0.01	0.01	11	0.0	0.1	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	446	0.6	3.5	<b>2.4</b>	0.14	0.22	337	0.5	2.5	<b>1.7</b>	0.11	0.16	C47+C49
Breast	130	0.2	1.0	<b>0.5</b>	0.03	0.07	19112	28.1	143.0	<b>84.7</b>	6.24	9.44	C50
Vulva							539	0.8	4.0	<b>2.0</b>	0.12	0.21	C51
Vagina							151	0.2	1.1	<b>0.6</b>	0.04	0.07	C52
Cervix uteri							1452	2.1	10.9	<b>9.1</b>	0.69	0.76	C53
Corpus uteri							3148	4.6	23.6	<b>12.9</b>	0.87	1.65	C54
Uterus unspecified							123	0.2	0.9	<b>0.4</b>	0.03	0.05	C55
Ovary							2248	3.3	16.8	<b>9.3</b>	0.59	1.08	C56
Other female genital organs							99	0.1	0.7	<b>0.4</b>	0.03	0.05	C57
Placenta							7	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	245	0.3	1.9	<b>1.1</b>	0.06	0.12							C60
Prostate	17253	23.9	133.6	<b>68.6</b>	2.86	8.84							C61
Testis	952	1.3	7.4	<b>6.9</b>	0.52	0.55							C62
Other male genital organs	33	0.0	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	2346	3.3	18.2	<b>10.4</b>	0.60	1.20	1582	2.3	11.8	<b>6.0</b>	0.35	0.67	C64
Renal pelvis	172	0.2	1.3	<b>0.6</b>	0.02	0.07	159	0.2	1.2	<b>0.5</b>	0.02	0.06	C65
Ureter	161	0.2	1.2	<b>0.6</b>	0.02	0.06	109	0.2	0.8	<b>0.3</b>	0.01	0.03	C66
Bladder	3414	4.7	26.4	<b>12.4</b>	0.39	1.37	1338	2.0	10.0	<b>3.7</b>	0.14	0.41	C67
Other urinary organs	28	0.0	0.2	<b>0.1</b>	0.00	0.01	20	0.0	0.1	<b>0.1</b>	0.00	0.01	C68
Eye	130	0.2	1.0	<b>0.8</b>	0.05	0.07	113	0.2	0.8	<b>0.7</b>	0.04	0.06	C69
Brain and nervous system	1259	1.7	9.7	<b>6.7</b>	0.43	0.69	885	1.3	6.6	<b>4.3</b>	0.27	0.43	C70-72
Thyroid	317	0.4	2.5	<b>1.8</b>	0.12	0.18	848	1.2	6.3	<b>5.0</b>	0.38	0.46	C73
Adrenal gland	42	0.1	0.3	<b>0.4</b>	0.02	0.03	49	0.1	0.4	<b>0.3</b>	0.02	0.03	C74
Other endocrine	26	0.0	0.2	<b>0.2</b>	0.01	0.01	20	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	450	0.6	3.5	<b>3.0</b>	0.21	0.26	298	0.4	2.2	<b>2.0</b>	0.13	0.17	C81
Non-Hodgkin lymphoma	2720	3.8	21.1	<b>12.3</b>	0.66	1.37	2330	3.4	17.4	<b>8.8</b>	0.49	1.02	C82-86,C96
Immunoproliferative diseases	11	0.0	0.1	<b>0.0</b>	0.00	0.00	6	0.0	0.0	<b>0.0</b>	0.00	0.00	C88
Multiple myeloma	1254	1.7	9.7	<b>4.9</b>	0.22	0.54	1009	1.5	7.6	<b>3.2</b>	0.13	0.38	C90
Lymphoid leukaemia	1483	2.1	11.5	<b>7.3</b>	0.36	0.76	927	1.4	6.9	<b>3.9</b>	0.20	0.40	C91
Myeloid leukaemia	1041	1.4	8.1	<b>4.6</b>	0.22	0.46	777	1.1	5.8	<b>2.9</b>	0.16	0.28	C92-94
Leukaemia unspecified	34	0.0	0.3	<b>0.2</b>	0.01	0.02	31	0.0	0.2	<b>0.1</b>	0.00	0.01	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	2160	3.0	16.7	<b>8.1</b>	0.31	0.82	2968	4.4	22.2	<b>8.4</b>	0.34	0.89	O&U
All sites	72107		558.2	<b>300.0</b>	14.08	35.06	68039		509.1	<b>265.9</b>	16.28	29.76	C00-96
All sites except C44	72103	100.0	558.1	<b>300.0</b>	14.08	35.06	68032	100.0	509.1	<b>265.9</b>	16.28	29.76	C00-96 exc. C44

# UK, Northern Ireland

**CONTRIBUTORS**

Anna Gavin  
Deirdre Fitzpatrick  
Colin Fox



**NOTES ON THE DATA**

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

**20 major cancers, ASR (World) per 100 000**

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	116.6	Breast	84.2
Prostate	71.2	Non-melanoma skin cancer	75.7
Trachea, bronchus, and lung	42.4	Trachea, bronchus, and lung	26.2
Colon	26.9	Colon	19.2
Bladder	19.3	Corpus uteri	15.6
Rectum	17.0	Melanoma of skin	13.0
Non-Hodgkin lymphoma	11.5	Ovary	10.0
Kidney	10.0	Cervix uteri	9.8
Melanoma of skin	9.8	Non-Hodgkin lymphoma	8.8
Stomach	8.8	Rectum	8.5
Oesophagus	8.8	Other and unspecified	7.0
Testis	7.1	Bladder	6.5
Other and unspecified	7.0	Kidney	6.0
Pancreas	7.0	Pancreas	5.6
Brain and nervous system	6.9	Thyroid	4.8
Lymphoid leukaemia	4.8	Stomach	4.2
Larynx	4.7	Brain and nervous system	3.9
Liver	4.6	Myeloproliferative disorders	3.8
Multiple myeloma	4.5	Oesophagus	3.2
Myeloproliferative disorders	4.4	Lymphoid leukaemia	3.0
All sites	430.8	All sites	346.7



## UK, Northern Ireland (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74	
Lip	70	0.3	1.6	<b>0.9</b>	0.04	0.09	20	0.1	0.4	<b>0.2</b>	0.01	0.02	C00
Tongue	163	0.7	3.7	<b>2.6</b>	0.18	0.31	87	0.4	1.9	<b>1.1</b>	0.07	0.13	C01-02
Mouth	141	0.6	3.2	<b>2.1</b>	0.14	0.25	111	0.5	2.4	<b>1.4</b>	0.10	0.16	C03-06
Salivary glands	42	0.2	1.0	<b>0.7</b>	0.04	0.06	35	0.2	0.8	<b>0.5</b>	0.04	0.05	C07-08
Tonsil	78	0.3	1.8	<b>1.3</b>	0.11	0.15	34	0.2	0.7	<b>0.5</b>	0.04	0.07	C09
Other oropharynx	51	0.2	1.2	<b>0.8</b>	0.07	0.10	13	0.1	0.3	<b>0.2</b>	0.02	0.02	C10
Nasopharynx	29	0.1	0.7	<b>0.5</b>	0.04	0.05	13	0.1	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	58	0.3	1.3	<b>0.8</b>	0.06	0.09	33	0.2	0.7	<b>0.4</b>	0.03	0.05	C12-13
Pharynx unspecified	11	0.0	0.2	<b>0.2</b>	0.01	0.02	3	0.0	0.1	<b>0.0</b>	0.00	0.00	C14
Oesophagus	623	2.8	14.1	<b>8.8</b>	0.48	1.08	321	1.5	7.0	<b>3.2</b>	0.14	0.37	C15
Stomach	685	3.0	15.5	<b>8.8</b>	0.35	1.03	429	2.0	9.3	<b>4.2</b>	0.18	0.41	C16
Small intestine	96	0.4	2.2	<b>1.4</b>	0.09	0.16	90	0.4	2.0	<b>1.1</b>	0.07	0.14	C17
Colon	2009	8.9	45.5	<b>26.9</b>	1.17	3.13	1796	8.4	39.1	<b>19.2</b>	0.91	2.22	C18
Rectum	1207	5.4	27.3	<b>17.0</b>	0.88	2.11	722	3.4	15.7	<b>8.5</b>	0.47	1.00	C19-20
Anus	45	0.2	1.0	<b>0.7</b>	0.05	0.07	92	0.4	2.0	<b>1.2</b>	0.09	0.14	C21
Liver	335	1.5	7.6	<b>4.6</b>	0.21	0.55	146	0.7	3.2	<b>1.6</b>	0.07	0.16	C22
Gallbladder etc.	150	0.7	3.4	<b>1.9</b>	0.08	0.19	221	1.0	4.8	<b>2.4</b>	0.11	0.28	C23-24
Pancreas	537	2.4	12.2	<b>7.0</b>	0.28	0.83	565	2.6	12.3	<b>5.6</b>	0.23	0.62	C25
Nose, sinuses etc.	38	0.2	0.9	<b>0.6</b>	0.03	0.07	20	0.1	0.4	<b>0.2</b>	0.01	0.02	C30-31
Larynx	315	1.4	7.1	<b>4.7</b>	0.30	0.61	75	0.4	1.6	<b>1.0</b>	0.07	0.13	C32
Trachea, bronchus, and lung	3229	14.3	73.1	<b>42.4</b>	1.66	5.21	2291	10.7	49.8	<b>26.2</b>	1.33	3.30	C33-34
Other thoracic organs	17	0.1	0.4	<b>0.3</b>	0.02	0.03	6	0.0	0.1	<b>0.1</b>	0.01	0.01	C37-38
Bone	42	0.2	1.0	<b>0.9</b>	0.06	0.07	40	0.2	0.9	<b>0.7</b>	0.05	0.06	C40-41
Melanoma of skin	658	2.9	14.9	<b>9.8</b>	0.56	1.04	858	4.0	18.7	<b>13.0</b>	0.93	1.31	C43
Other skin	8795		199.1	<b>116.6</b>	5.01	13.10	7070		153.8	<b>75.7</b>	3.70	8.36	C44
Mesothelioma	212	0.9	4.8	<b>2.6</b>	0.07	0.30	26	0.1	0.6	<b>0.3</b>	0.02	0.03	C45
Kaposi sarcoma	5	0.0	0.1	<b>0.1</b>	0.01	0.01	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	172	0.8	3.9	<b>2.9</b>	0.17	0.29	94	0.4	2.0	<b>1.3</b>	0.08	0.14	C47+C49
Breast	45	0.2	1.0	<b>0.6</b>	0.02	0.06	6025	28.2	131.1	<b>84.2</b>	6.16	9.58	C50
Vulva							134	0.6	2.9	<b>1.6</b>	0.09	0.17	C51
Vagina							41	0.2	0.9	<b>0.5</b>	0.02	0.04	C52
Cervix uteri							535	2.5	11.6	<b>9.8</b>	0.76	0.82	C53
Corpus uteri							1151	5.4	25.0	<b>15.6</b>	1.03	2.04	C54
Uterus unspecified							8	0.0	0.2	<b>0.0</b>	0.00	0.00	C55
Ovary							792	3.7	17.2	<b>10.0</b>	0.63	1.16	C56
Other female genital organs							43	0.2	0.9	<b>0.5</b>	0.03	0.06	C57
Placenta							2	0.0	0.0	<b>0.0</b>	0.00	0.00	C58
Penis	91	0.4	2.1	<b>1.3</b>	0.07	0.16							C60
Prostate	5238	23.3	118.6	<b>71.2</b>	3.23	9.09							C61
Testis	331	1.5	7.5	<b>7.1</b>	0.54	0.55							C62
Other male genital organs	10	0.0	0.2	<b>0.1</b>	0.00	0.02							C63
Kidney	702	3.1	15.9	<b>10.0</b>	0.55	1.17	496	2.3	10.8	<b>6.0</b>	0.34	0.72	C64
Renal pelvis	36	0.2	0.8	<b>0.5</b>	0.01	0.05	37	0.2	0.8	<b>0.4</b>	0.02	0.05	C65
Ureter	28	0.1	0.6	<b>0.4</b>	0.01	0.05	24	0.1	0.5	<b>0.2</b>	0.01	0.03	C66
†Bladder	1459	6.5	33.0	<b>19.3</b>	0.83	2.27	591	2.8	12.9	<b>6.5</b>	0.32	0.71	C67
Other urinary organs	31	0.1	0.7	<b>0.4</b>	0.01	0.04	9	0.0	0.2	<b>0.1</b>	0.01	0.02	C68
Eye	26	0.1	0.6	<b>0.5</b>	0.02	0.05	10	0.0	0.2	<b>0.1</b>	0.01	0.01	C69
Brain and nervous system	395	1.8	8.9	<b>6.9</b>	0.44	0.71	249	1.2	5.4	<b>3.9</b>	0.25	0.39	C70-72
Thyroid	102	0.5	2.3	<b>1.6</b>	0.12	0.18	286	1.3	6.2	<b>4.8</b>	0.37	0.46	C73
Adrenal gland	17	0.1	0.4	<b>0.4</b>	0.02	0.03	8	0.0	0.2	<b>0.1</b>	0.01	0.01	C74
Other endocrine	11	0.0	0.2	<b>0.2</b>	0.01	0.02	9	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	155	0.7	3.5	<b>3.0</b>	0.20	0.26	122	0.6	2.7	<b>2.1</b>	0.13	0.20	C81
Non-Hodgkin lymphoma	788	3.5	17.8	<b>11.5</b>	0.62	1.29	701	3.3	15.2	<b>8.8</b>	0.48	1.05	C82-86,C96
Immunoproliferative diseases	19	0.1	0.4	<b>0.2</b>	0.01	0.02	12	0.1	0.3	<b>0.1</b>	0.01	0.02	C88
Multiple myeloma	338	1.5	7.7	<b>4.5</b>	0.19	0.52	253	1.2	5.5	<b>2.5</b>	0.11	0.31	C90
Lymphoid leukaemia	301	1.3	6.8	<b>4.8</b>	0.21	0.50	191	0.9	4.2	<b>3.0</b>	0.14	0.26	C91
Myeloid leukaemia	253	1.1	5.7	<b>3.8</b>	0.19	0.39	203	1.0	4.4	<b>2.6</b>	0.15	0.26	C92-94
Leukaemia unspecified	9	0.0	0.2	<b>0.1</b>	0.00	0.01	11	0.1	0.2	<b>0.1</b>	0.00	0.00	C95
Myeloproliferative disorders	292	1.3	6.6	<b>4.4</b>	0.28	0.51	281	1.3	6.1	<b>3.8</b>	0.21	0.41	MPD
Myelodysplastic syndromes	267	1.2	6.0	<b>3.1</b>	0.09	0.26	245	1.1	5.3	<b>2.0</b>	0.06	0.16	MDS
Other and unspecified	548	2.4	12.4	<b>7.0</b>	0.26	0.68	752	3.5	16.4	<b>7.0</b>	0.27	0.71	O&U
All sites	31305		708.6	<b>430.8</b>	20.08	49.87	28433		618.5	<b>346.7</b>	20.41	38.90	C00-96
All sites except C44	22510	100.0	509.5	<b>314.3</b>	15.08	36.78	21363	100.0	464.7	<b>271.1</b>	16.71	30.54	C00-96 exc. C44

† See note following population pyramid

# UK, Scotland

## CONTRIBUTORS

David Brewster  
Alex Henriquez  
Lesley Bhatti  
Andrew Deas



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Non-melanoma skin cancer	108.9	Breast	87.9
Prostate	60.4	Non-melanoma skin cancer	72.5
Trachea, bronchus, and lung	50.0	Trachea, bronchus, and lung	38.7
Colon	26.6	Colon	19.7
Bladder	21.7	Melanoma of skin	14.3
Rectum	16.1	Corpus uteri	12.5
Melanoma of skin	12.4	Ovary	10.0
Oesophagus	11.4	Cervix uteri	9.1
Non-Hodgkin lymphoma	11.1	Non-Hodgkin lymphoma	8.5
Kidney	10.3	Rectum	8.4
Stomach	8.8	Other and unspecified	8.4
Other and unspecified	8.3	Bladder	7.6
Testis	7.4	Kidney	6.2
Pancreas	7.3	Pancreas	5.6
Liver	6.1	Thyroid	4.4
Brain and nervous system	6.1	Oesophagus	4.3
Lymphoid leukaemia	5.8	Brain and nervous system	4.1
Larynx	5.1	Stomach	4.1
Multiple myeloma	4.5	Lymphoid leukaemia	3.2
Myeloid leukaemia	3.7	Multiple myeloma	2.9
All sites	432.8	All sites	363.4

## UK, Scotland (2008–2012)


SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	0-74 (%)	
Lip	152	0.2	1.2	<b>0.6</b>	0.02	0.07	72	0.1	0.5	<b>0.2</b>	0.01	0.02	C00
Tongue	696	0.9	5.5	<b>3.3</b>	0.25	0.40	401	0.5	3.0	<b>1.6</b>	0.11	0.20	C01-02
Mouth	643	0.8	5.0	<b>3.0</b>	0.20	0.38	447	0.6	3.3	<b>1.6</b>	0.10	0.20	C03-06
Salivary glands	146	0.2	1.1	<b>0.7</b>	0.04	0.07	129	0.2	1.0	<b>0.6</b>	0.04	0.06	C07-08
Tonsil	357	0.5	2.8	<b>1.9</b>	0.16	0.21	131	0.2	1.0	<b>0.6</b>	0.05	0.07	C09
Other oropharynx	194	0.2	1.5	<b>0.9</b>	0.07	0.12	69	0.1	0.5	<b>0.3</b>	0.02	0.04	C10
Nasopharynx	85	0.1	0.7	<b>0.4</b>	0.03	0.05	27	0.0	0.2	<b>0.1</b>	0.01	0.01	C11
Hypopharynx	293	0.4	2.3	<b>1.3</b>	0.09	0.18	76	0.1	0.6	<b>0.3</b>	0.02	0.03	C12-13
Pharynx unspecified	166	0.2	1.3	<b>0.8</b>	0.05	0.10	65	0.1	0.5	<b>0.2</b>	0.01	0.03	C14
Oesophagus	2774	3.6	21.8	<b>11.4</b>	0.58	1.42	1518	1.9	11.2	<b>4.3</b>	0.18	0.50	C15
Stomach	2316	3.0	18.2	<b>8.8</b>	0.34	1.01	1385	1.8	10.2	<b>4.1</b>	0.17	0.44	C16
Small intestine	328	0.4	2.6	<b>1.4</b>	0.08	0.17	257	0.3	1.9	<b>1.0</b>	0.05	0.12	C17
Colon	6779	8.7	53.2	<b>26.6</b>	1.11	3.18	6315	8.0	46.5	<b>19.7</b>	0.92	2.30	C18
Rectum	3875	5.0	30.4	<b>16.1</b>	0.82	1.99	2456	3.1	18.1	<b>8.4</b>	0.47	1.00	C19-20
Anus	176	0.2	1.4	<b>0.8</b>	0.06	0.09	337	0.4	2.5	<b>1.4</b>	0.10	0.16	C21
Liver	1507	1.9	11.8	<b>6.1</b>	0.30	0.75	719	0.9	5.3	<b>2.2</b>	0.10	0.25	C22
Gallbladder etc.	382	0.5	3.0	<b>1.5</b>	0.05	0.18	464	0.6	3.4	<b>1.4</b>	0.07	0.17	C23-24
Pancreas	1846	2.4	14.5	<b>7.3</b>	0.32	0.86	1892	2.4	13.9	<b>5.6</b>	0.23	0.65	C25
Nose, sinuses etc.	133	0.2	1.0	<b>0.6</b>	0.03	0.07	74	0.1	0.5	<b>0.3</b>	0.02	0.03	C30-31
Larynx	1145	1.5	9.0	<b>5.1</b>	0.30	0.68	302	0.4	2.2	<b>1.2</b>	0.08	0.15	C32
Trachea, bronchus, and lung	12990	16.7	101.9	<b>50.0</b>	1.93	6.07	12304	15.6	90.7	<b>38.7</b>	1.70	4.86	C33-34
Other thoracic organs	66	0.1	0.5	<b>0.3</b>	0.02	0.04	62	0.1	0.5	<b>0.2</b>	0.01	0.02	C37-38
Bone	152	0.2	1.2	<b>1.0</b>	0.06	0.08	99	0.1	0.7	<b>0.6</b>	0.04	0.05	C40-41
Melanoma of skin	2654	3.4	20.8	<b>12.4</b>	0.75	1.32	3086	3.9	22.7	<b>14.3</b>	1.02	1.44	C43
Other skin	27734		217.6	<b>108.9</b>	4.71	11.96	22300		164.4	<b>72.5</b>	3.77	8.03	C44
Mesothelioma	875	1.1	6.9	<b>3.2</b>	0.10	0.40	157	0.2	1.2	<b>0.5</b>	0.02	0.07	C45
Kaposi sarcoma	24	0.0	0.2	<b>0.2</b>	0.01	0.01	6	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	447	0.6	3.5	<b>2.2</b>	0.12	0.22	293	0.4	2.2	<b>1.3</b>	0.08	0.12	C47+C49
Breast	131	0.2	1.0	<b>0.5</b>	0.03	0.06	21064	26.7	155.3	<b>87.9</b>	6.41	10.01	C50
Vulva							527	0.7	3.9	<b>2.0</b>	0.13	0.21	C51
Vagina							130	0.2	1.0	<b>0.5</b>	0.03	0.05	C52
Cervix uteri							1596	2.0	11.8	<b>9.1</b>	0.70	0.83	C53
Corpus uteri							3253	4.1	24.0	<b>12.5</b>	0.83	1.63	C54
Uterus unspecified							250	0.3	1.8	<b>0.9</b>	0.07	0.11	C55
Ovary							2630	3.3	19.4	<b>10.0</b>	0.61	1.14	C56
Other female genital organs							114	0.1	0.8	<b>0.4</b>	0.02	0.04	C57
Placenta							8	0.0	0.1	<b>0.1</b>	0.00	0.00	C58
Penis	302	0.4	2.4	<b>1.4</b>	0.09	0.15							C60
Prostate	15188	19.5	119.2	<b>60.4</b>	2.51	7.91							C61
Testis	1034	1.3	8.1	<b>7.4</b>	0.57	0.60							C62
Other male genital organs	40	0.1	0.3	<b>0.2</b>	0.01	0.02							C63
Kidney	2368	3.0	18.6	<b>10.3</b>	0.61	1.21	1704	2.2	12.6	<b>6.2</b>	0.36	0.73	C64
Renal pelvis	139	0.2	1.1	<b>0.5</b>	0.03	0.06	127	0.2	0.9	<b>0.4</b>	0.02	0.04	C65
Ureter	145	0.2	1.1	<b>0.5</b>	0.02	0.06	80	0.1	0.6	<b>0.2</b>	0.01	0.02	C66
†Bladder	5669	7.3	44.5	<b>21.7</b>	0.81	2.50	2504	3.2	18.5	<b>7.6</b>	0.33	0.88	C67
Other urinary organs	34	0.0	0.3	<b>0.1</b>	0.01	0.01	22	0.0	0.2	<b>0.1</b>	0.00	0.01	C68
Eye	178	0.2	1.4	<b>0.9</b>	0.06	0.10	163	0.2	1.2	<b>0.7</b>	0.04	0.07	C69
Brain and nervous system	1173	1.5	9.2	<b>6.1</b>	0.39	0.65	879	1.1	6.5	<b>4.1</b>	0.26	0.43	C70-72
Thyroid	290	0.4	2.3	<b>1.6</b>	0.11	0.16	806	1.0	5.9	<b>4.4</b>	0.34	0.41	C73
Adrenal gland	61	0.1	0.5	<b>0.6</b>	0.03	0.04	69	0.1	0.5	<b>0.5</b>	0.03	0.03	C74
Other endocrine	24	0.0	0.2	<b>0.2</b>	0.01	0.01	16	0.0	0.1	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	478	0.6	3.8	<b>3.1</b>	0.22	0.27	352	0.4	2.6	<b>2.2</b>	0.14	0.18	C81
Non-Hodgkin lymphoma	2449	3.1	19.2	<b>11.1</b>	0.63	1.23	2317	2.9	17.1	<b>8.5</b>	0.49	0.97	C82-86,C96
Immunoproliferative diseases	155	0.2	1.2	<b>0.6</b>	0.03	0.08	172	0.2	1.3	<b>0.6</b>	0.04	0.07	C88
Multiple myeloma	1126	1.4	8.8	<b>4.5</b>	0.21	0.51	929	1.2	6.8	<b>2.9</b>	0.13	0.35	C90
Lymphoid leukaemia	1119	1.4	8.8	<b>5.8</b>	0.29	0.56	664	0.8	4.9	<b>3.2</b>	0.16	0.29	C91
Myeloid leukaemia	822	1.1	6.5	<b>3.7</b>	0.18	0.38	691	0.9	5.1	<b>2.7</b>	0.14	0.25	C92-94
Leukaemia unspecified	25	0.0	0.2	<b>0.1</b>	0.00	0.01	12	0.0	0.1	<b>0.0</b>	0.00	0.00	C95
Myeloproliferative disorders	711	0.9	5.6	<b>3.1</b>	0.16	0.36	623	0.8	4.6	<b>2.2</b>	0.12	0.25	MPD
Myelodysplastic syndromes	906	1.2	7.1	<b>3.1</b>	0.07	0.27	746	0.9	5.5	<b>1.8</b>	0.05	0.17	MDS
Other and unspecified	2210	2.8	17.3	<b>8.3</b>	0.31	0.84	3160	4.0	23.3	<b>8.4</b>	0.34	0.84	O&U
All sites	105712		829.6	<b>432.8</b>	20.03	50.09	101051		744.8	<b>363.4</b>	21.21	41.08	C00-96
All sites except C44	77978	100.0	611.9	<b>323.9</b>	15.32	38.12	78751	100.0	580.4	<b>291.0</b>	17.45	33.05	C00-96 exc. C44

† See note following population pyramid

# UK, Wales

## CONTRIBUTORS

Dyfed Wyn Huws  
Ceri White  
Janet Warlow  
Joy McRae



## NOTES ON THE DATA

†C67 (bladder cancer) includes neoplasms of uncertain or unknown behaviour together with invasive cancers.

## 20 major cancers, ASR (World) per 100 000

<i>Male</i>		<i>Female</i>	
Prostate	74.5	Breast	87.0
Trachea, bronchus, and lung	39.3	Trachea, bronchus, and lung	27.8
Colon	24.3	Colon	17.1
Rectum	17.5	Corpus uteri	15.6
Melanoma of skin	13.2	Ovary	14.6
Bladder	12.8	Melanoma of skin	13.1
Non-Hodgkin lymphoma	11.2	Rectum	8.3
Kidney	10.7	Non-Hodgkin lymphoma	8.1
Oesophagus	9.5	Cervix uteri	8.0
Stomach	8.7	Other and unspecified	8.0
Other and unspecified	8.4	Pancreas	6.1
Testis	7.6	Kidney	6.0
Pancreas	7.4	Brain and nervous system	4.9
Brain and nervous system	7.1	Bladder	3.9
Lymphoid leukaemia	6.1	Oesophagus	3.8
Liver	5.0	Stomach	3.6
Myeloid leukaemia	4.7	Myeloid leukaemia	3.3
Multiple myeloma	4.0	Thyroid	3.3
Larynx	3.7	Lymphoid leukaemia	3.2
Tongue	2.9	Multiple myeloma	2.7
All sites	306.4	All sites	271.1

## UK, Wales (2008–2012)

SITE	Male						Female						ICD-10
	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	No. cases	Freq. (%)	Crude rate (per 100 000)	ASR world	Cum. rates 0-64 (%)	Cum. rates 0-74 (%)	
Lip	92	0.2	1.2	<b>0.6</b>	0.03	0.07	45	0.1	0.6	<b>0.2</b>	0.01	0.02	C00
Tongue	359	0.8	4.8	<b>2.9</b>	0.23	0.36	165	0.4	2.1	<b>1.2</b>	0.09	0.14	C01-02
Mouth	242	0.5	3.2	<b>1.9</b>	0.14	0.24	180	0.4	2.3	<b>1.2</b>	0.08	0.14	C03-06
Salivary glands	125	0.3	1.7	<b>0.8</b>	0.04	0.08	93	0.2	1.2	<b>0.7</b>	0.05	0.07	C07-08
Tonsil	267	0.6	3.6	<b>2.3</b>	0.21	0.28	93	0.2	1.2	<b>0.7</b>	0.07	0.09	C09
Other oropharynx	57	0.1	0.8	<b>0.5</b>	0.04	0.06	22	0.1	0.3	<b>0.1</b>	0.01	0.02	C10
Nasopharynx	40	0.1	0.5	<b>0.4</b>	0.03	0.04	21	0.0	0.3	<b>0.2</b>	0.01	0.02	C11
Hypopharynx	137	0.3	1.8	<b>1.0</b>	0.06	0.13	42	0.1	0.5	<b>0.2</b>	0.01	0.03	C12-13
Pharynx unspecified	39	0.1	0.5	<b>0.3</b>	0.02	0.03	11	0.0	0.1	<b>0.1</b>	0.00	0.01	C14
Oesophagus	1452	3.1	19.4	<b>9.5</b>	0.50	1.14	793	1.8	10.2	<b>3.8</b>	0.18	0.43	C15
Stomach	1485	3.2	19.9	<b>8.7</b>	0.32	0.97	788	1.8	10.1	<b>3.6</b>	0.14	0.37	C16
Small intestine	182	0.4	2.4	<b>1.2</b>	0.06	0.13	164	0.4	2.1	<b>0.9</b>	0.05	0.11	C17
Colon	4011	8.6	53.6	<b>24.3</b>	0.99	2.83	3413	7.9	43.9	<b>17.1</b>	0.79	1.97	C18
Rectum	2663	5.7	35.6	<b>17.5</b>	0.89	2.16	1520	3.5	19.5	<b>8.3</b>	0.46	0.97	C19-20
Anus	116	0.2	1.6	<b>0.9</b>	0.06	0.11	187	0.4	2.4	<b>1.3</b>	0.09	0.15	C21
Liver	774	1.7	10.4	<b>5.0</b>	0.24	0.59	451	1.0	5.8	<b>2.2</b>	0.10	0.23	C22
Gallbladder etc.	213	0.5	2.8	<b>1.3</b>	0.06	0.14	314	0.7	4.0	<b>1.5</b>	0.06	0.18	C23-24
Pancreas	1202	2.6	16.1	<b>7.4</b>	0.33	0.90	1244	2.9	16.0	<b>6.1</b>	0.26	0.72	C25
Nose, sinuses etc.	91	0.2	1.2	<b>0.6</b>	0.03	0.07	48	0.1	0.6	<b>0.3</b>	0.01	0.04	C30-31
Larynx	533	1.1	7.1	<b>3.7</b>	0.21	0.48	123	0.3	1.6	<b>0.8</b>	0.05	0.10	C32
Trachea, bronchus, and lung	6612	14.1	88.4	<b>39.3</b>	1.49	4.71	5295	12.3	68.1	<b>27.8</b>	1.34	3.43	C33-34
Other thoracic organs	46	0.1	0.6	<b>0.3</b>	0.02	0.04	30	0.1	0.4	<b>0.2</b>	0.01	0.03	C37-38
Bone	75	0.2	1.0	<b>0.9</b>	0.06	0.07	62	0.1	0.8	<b>0.7</b>	0.04	0.06	C40-41
Melanoma of skin	1719	3.7	23.0	<b>13.2</b>	0.82	1.48	1661	3.8	21.4	<b>13.1</b>	0.91	1.32	C43
Other skin	0		0.0	<b>0.0</b>	0.00	0.00	0		0.0	<b>0.0</b>	0.00	0.00	C44
Mesothelioma	419	0.9	5.6	<b>2.4</b>	0.08	0.30	94	0.2	1.2	<b>0.5</b>	0.02	0.06	C45
Kaposi sarcoma	20	0.0	0.3	<b>0.2</b>	0.02	0.02	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C46
Connective and soft tissue	343	0.7	4.6	<b>2.7</b>	0.16	0.25	236	0.5	3.0	<b>2.0</b>	0.14	0.19	C47+C49
Breast	76	0.2	1.0	<b>0.5</b>	0.03	0.06	12374	28.7	159.1	<b>87.0</b>	6.29	9.83	C50
Vulva							329	0.8	4.2	<b>1.9</b>	0.11	0.21	C51
Vagina							71	0.2	0.9	<b>0.5</b>	0.04	0.05	C52
Cervix uteri							789	1.8	10.1	<b>8.0</b>	0.60	0.71	C53
Corpus uteri							2382	5.5	30.6	<b>15.6</b>	1.05	1.97	C54
Uterus unspecified							66	0.2	0.8	<b>0.3</b>	0.02	0.03	C55
Ovary							2105	4.9	27.1	<b>14.6</b>	0.94	1.65	C56
Other female genital organs							65	0.2	0.8	<b>0.4</b>	0.03	0.05	C57
Placenta							5	0.0	0.1	<b>0.1</b>	0.01	0.01	C58
Penis	163	0.3	2.2	<b>1.2</b>	0.07	0.14							C60
Prostate	12272	26.2	164.1	<b>74.5</b>	2.94	9.33							C61
Testis	575	1.2	7.7	<b>7.6</b>	0.58	0.60							C62
Other male genital organs	19	0.0	0.3	<b>0.1</b>	0.01	0.02							C63
Kidney	1543	3.3	20.6	<b>10.7</b>	0.61	1.24	969	2.2	12.5	<b>6.0</b>	0.37	0.69	C64
Renal pelvis	96	0.2	1.3	<b>0.6</b>	0.02	0.07	52	0.1	0.7	<b>0.2</b>	0.01	0.02	C65
Ureter	73	0.2	1.0	<b>0.4</b>	0.02	0.05	56	0.1	0.7	<b>0.3</b>	0.01	0.03	C66
†Bladder	2253	4.8	30.1	<b>12.8</b>	0.42	1.42	835	1.9	10.7	<b>3.9</b>	0.15	0.43	C67
Other urinary organs	22	0.0	0.3	<b>0.2</b>	0.01	0.02	20	0.0	0.3	<b>0.1</b>	0.01	0.01	C68
Eye	125	0.3	1.7	<b>1.1</b>	0.06	0.11	119	0.3	1.5	<b>0.9</b>	0.06	0.10	C69
Brain and nervous system	803	1.7	10.7	<b>7.1</b>	0.42	0.72	568	1.3	7.3	<b>4.9</b>	0.31	0.48	C70-72
Thyroid	157	0.3	2.1	<b>1.5</b>	0.11	0.14	342	0.8	4.4	<b>3.3</b>	0.24	0.30	C73
Adrenal gland	26	0.1	0.3	<b>0.4</b>	0.02	0.03	29	0.1	0.4	<b>0.4</b>	0.02	0.03	C74
Other endocrine	18	0.0	0.2	<b>0.2</b>	0.01	0.02	15	0.0	0.2	<b>0.1</b>	0.01	0.01	C75
Hodgkin lymphoma	235	0.5	3.1	<b>2.6</b>	0.18	0.23	170	0.4	2.2	<b>1.9</b>	0.12	0.15	C81
Non-Hodgkin lymphoma	1538	3.3	20.6	<b>11.2</b>	0.62	1.25	1346	3.1	17.3	<b>8.1</b>	0.45	0.93	C82-86,C96
Immunoproliferative diseases	55	0.1	0.7	<b>0.3</b>	0.02	0.04	39	0.1	0.5	<b>0.2</b>	0.01	0.03	C88
Multiple myeloma	627	1.3	8.4	<b>4.0</b>	0.19	0.44	519	1.2	6.7	<b>2.7</b>	0.12	0.33	C90
Lymphoid leukaemia	773	1.6	10.3	<b>6.1</b>	0.29	0.62	464	1.1	6.0	<b>3.2</b>	0.15	0.30	C91
Myeloid leukaemia	649	1.4	8.7	<b>4.7</b>	0.23	0.49	506	1.2	6.5	<b>3.3</b>	0.17	0.33	C92-94
Leukaemia unspecified	19	0.0	0.3	<b>0.1</b>	0.00	0.01	26	0.1	0.3	<b>0.1</b>	0.01	0.01	C95
Myeloproliferative disorders	1	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MPD
Myelodysplastic syndromes	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	MDS
Other and unspecified	1442	3.1	19.3	<b>8.4</b>	0.33	0.84	1818	4.2	23.4	<b>8.0</b>	0.33	0.78	O&U
All sites	46874		626.9	<b>306.4</b>	14.33	35.56	43175		555.3	<b>271.1</b>	16.63	30.34	C00-96
All sites except C44	46874	100.0	626.9	<b>306.4</b>	14.33	35.56	43175	100.0	555.3	<b>271.1</b>	16.63	30.34	C00-96 exc. C44

† See note following population pyramid