

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

IICC-3, International Incidence of Childhood Cancer, volume 3. All registries contributing to IICC-3 are listed.

Coding systems used are reported only for the respective period of contribution to IICC-3. The most recent ICD-O standards are shown with preference over older and other standards if several coding systems were used concurrently.

ICD, International Classification of Diseases; ICD-O, International Classification of Diseases for Oncology; FTE, Field Trial Edition; (ICD-O-2), at least one morphology code was found and recorded centrally from ICD-O-2 to ICD-O-3.

Complete citations of the tabulated classification systems can be found in Chapter 3.

Registry (IICC-3 period)		Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)											
				ICD-O-3		ICD-O-2		ICD-O-1		Morphology		Topography			
				Morphology	Topography	Morphology	Topography	Morphology	Topography	ICD-O-FTE	Motnac	Other	ICD-10	Other	
AFRICA															
ALGERIA, Algiers (2008-2012)		1990	ICD-O-3	2008	2008										
ALGERIA, Annaba (2000-2010)		2000	ICD-O-3	2003	2003	2000	2000								
ALGERIA, Batna (2008-2012)		1995	ICD-O-3	2008	2008										
ALGERIA, Sétif (1996-2014)		1986	ICD-O-3 (ICD-O-2)	2007	2007								1996		
ALGERIA, Tiemcen (2006-2014)		2006	ICD-O-3	2006									2006		
BOTSWANA (1999-2007)		1999	ICD-O-3	1999	1999										
CAMEROON, Yaoundé (2004-2006)		2004	ICD-O-3	2004	2004										
EGYPT, Gharbiah (1999-2010)		1999	ICD-O-3	2002	2002	1999	1999								
FRANCE, Réunion (1990-2011)		1988	ICD-O-3	2001	2001	1990	1990								
KENYA, Eldoret (2000-2011)		1999	ICD-O-3	2000	2000										
KENYA, Nairobi (2006-2012)		2001	ICD-O-3	2006	2006										
LIBYA, Benghazi (2003-2008)		2003	ICD-O-3	2003	2003										
MALI, Bamako (2005-2014)		1986	ICD-O-3	2011	2011	2005	2005								
MAURITIUS (2001-2013)		2000	ICD-O-3	2005	2005										
MOROCCO, Casablanca (2005-2012)		2004	ICD-O-3	2005	2005										
MOROCCO, Rabat (2005-2012)		2005	ICD-O-3	2005	2005										
SOUTH AFRICA, paediatric (1998-2012)		1987	ICD-O-3	1998	1998										
TUNISIA, North (1994-2006)		1994	ICD-O-3	2004	2004			1994	1994						
TUNISIA, Sousse (1993-2007)		1987	ICD-O-3	2002	2002	1993	1993								
UGANDA, Kyadondo (1996-2013)		1954	ICD-O-3	1996	1996										
ZIMBABWE, Harare, African (1995-2013)		1990	ICD-O-3	1995	1995										
AMERICA, LATIN AND THE CARIBBEAN															
ARGENTINA, paediatric (2000-2013)		2000	ICD-O-3	2000	2000										
ARGENTINA, Bahía Blanca (1991-2007)		1989	ICD-O-3	1998	1998	1991	1993						1991		
ARGENTINA, Chaco (2002-2012)		2002	ICD-O-3	2002	2002										
ARGENTINA, Córdoba (2004-2012)		2003	ICD-O-3	2004	2004										
ARGENTINA, Entre Ríos (2001-2011)		2001	ICD-O-3	2003	2003	2001	2001								
ARGENTINA, Mendoza (2003-2012)		2003	ICD-O-3	2003	2003										
ARGENTINA, Neuquén (2003-2013)		2008	ICD-O-3	2003	2003										
BRAZIL, Aracaju (1996-2012)		1996	ICD-O-3	2005	2005	1996	1996								
BRAZIL, Belo Horizonte (2000-2006)		2000	ICD-O-3	2005	2005	2000	2000								
BRAZIL, Curitiba (1998-2010)		1998	ICD-O-3	2005	2005	1998	1998								

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)									
			ICD-O-3		ICD-O-2		ICD-O-1		Morphology		Topography	
			Morphology	Topography	Morphology	Topography	Morphology	Topography	Motnac	Other	ICD-10	ICD-9
BRAZIL, Goiânia (1995-2011)	1988	ICD-O-3	2002	2002	1995	1995						
BRAZIL, João Pessoa (1999-2010)	1999	ICD-O-3 (ICD-O-2)	2005	2005	1999	1999						
CHILE, paediatric (2007-2011)	2007	ICD-O-3	2007	2007								
CHILE, Antofagasta (2003-2010)	1998	ICD-O-3	2003	2003								
CHILE, Bío Bio (2003-2012)	2003	ICD-O-3	2003	2003								
CHILE, Concepción (2006-2010)	2006	ICD-O-3	2006	2006								
CHILE, Valdivia (1998-2012)	1993	ICD-O-3	2003	2003								
COLOMBIA, Bucaramanga (2000-2012)	2000	ICD-O-3	2000	2000								
COLOMBIA, Cali (1992-2013)	1962	ICD-O-3	1992	1992								
COLOMBIA, Manizales (2003-2012)	2003	ICD-O-3	2003	2003								
COLOMBIA, Pasto (1998-2012)	1998	ICD-O-3	1998	1998								
COSTA RICA (1993-2012)	1980	ICD-O-3 (ICD-O-2)	2003	2003	1993	1993						
CUBA (2000-2012)	1964	ICD-O-3	2007	2007			2000	2000				
ECUADOR, Cuenca (1996-2013)	1996	ICD-O-3	2004	2004	1996	1996						
ECUADOR, Guayaquil (2008-2012)	1990	ICD-O-3	2008	2008								
ECUADOR, Loja (1997-2013)	2004	ICD-O-3	2003	2003	1997	1997						
ECUADOR, Manabí (1995-2011)	1995	ICD-O-3	2003	2003	1995	1995						
ECUADOR, Quito (1993-2012)	1985	ICD-O-3	2003	2003	1994	1994	1993	1993				
FRANCE, French Guiana (2003-2012)	2005	ICD-O-3	2003	2003								
FRANCE, Guadeloupe (2008-2012)	2008	ICD-O-3	2008	2008								
FRANCE, Martinique (1990-2012)	1981	ICD-O-3	2003	2003	1990	1990						
HONDURAS, Francisco Morazán (2002-2012)	2002	ICD-O-3	2002	2002								
JAMAICA, Kingston and St Andrew (1982-2012)	1958	ICD-O-3	2003	2003	1993	1993			1982	Other	1982	
MEXICO, Mexico City, paediatric (1997-2013)	1996	ICD-O-3	2000	2000	1997	1997						
PERU, Lima (2010-2012)	1990	ICD-O-3	2010	2010								
PERU, Trujillo (1990-2002)	1984	ICD-O-3	1996	1996	1990	1990					1990	
USA, Puerto Rico (1992-2012)	1951	ICD-O-3	1992	1992								
URUGUAY (1993-2012)	1991	ICD-O-3	2006	2005			1993	1993				
AMERICA, NORTH												
CANADA, Alberta (1992-2013)	1951	ICD-O-3 (ICD-O-2)	2001	2001	1992	1992						
CANADA, British Columbia (1992-2013)	1969	ICD-O-3	2001	2001	1992	1992						
CANADA, Manitoba (1992-2013)	1956	ICD-O-3	2001	2001	1992	1992						
CANADA, Northwest Territories (1992-2012)	1992	ICD-O-3	2001	2001	1992	1992						
CANADA, Nova Scotia (1992-2013)	1964	ICD-O-3	2001	2001	1992	1992						
CANADA, Ontario (1992-2012)	1964	ICD-O-3	1999	1999	1993	1993	1992	1992			1992	
CANADA, Quebec (1992-2010)	1981	ICD-O-3	2008	2008	1992	1992					2000	1992
CANADA, Saskatchewan (1992-2013)	1944	ICD-O-3	2002	2002	1992	1992						

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)									
			ICD-O-3		ICD-O-2		ICD-O-1		Morphology		Topography	
			Morphology	Topography	Morphology	Topography	Morphology	Topography	Motnac	Other	ICD-10	ICD-9
CANADA, Yukon (1992-2013)	1987	ICD-O-3	2001	2001	1992	1992						
USA, NPCR (1998-2012)	1995	ICD-O-3	2001	2001	1998	1998						
USA, SEER 18 (1993-2012)	2000	ICD-O-3	2001	2001	1993	1993						
USA, Alabama (1998-2012)	1996	ICD-O-3	2001	2001	1998	1998						
USA, Alaska (1998-2012)	1996	ICD-O-3	2001	2001	1998	1998						
USA, Alaska Natives (1993-2012)	1969	ICD-O-3	2001	2001	1993	1993						
USA, Arizona (1998-2012)	1995	ICD-O-3	2001	2001	1998	1998						
USA, Arkansas (1998-2012)	1996	ICD-O-3	2001	2001	1998	1998						
USA, California (1998-2012)	1988	ICD-O-3	2001	2001	1998	1998						
USA, California, Greater California (2000-2012)	1988	ICD-O-3	2001	2001	2000	2000						
USA, California, Los Angeles (1993-2012)	1972	ICD-O-3	2001	2001	1993	1993						
USA, California, San Francisco (1993-2012)	1973	ICD-O-3	2001	2001	1993	1993						
USA, California, San José-Monterey (1993-2012)	1988	ICD-O-3	2001	2001	1993	1993						
USA, Colorado (1998-2012)	1988	ICD-O-3	2001	2001	1998	1998						
USA, Connecticut (1993-2012)	1935	ICD-O-3	2001	2001	1993	1993						
USA, Delaware (1998-2012)	1980	ICD-O-3	2001	2001	1998	1998						
USA, District of Columbia (1998-2012)	1996	ICD-O-3	2001	2001	1998	1998						
USA, Florida (1998-2012)	1981	ICD-O-3	2001	2001	1998	1998						
USA, Georgia (1998-2012)	1995	ICD-O-3	2001	2001	1998	1998						
USA, Georgia, Atlanta (1993-2012)	1975	ICD-O-3	2001	2001	1993	1993						
USA, Georgia, Greater Georgia (2000-2012)	2000	ICD-O-3	2001	2001	2000	2000						
USA, Georgia, Rural (1993-2012)	1992	ICD-O-3	2001	2001	1993	1993						
USA, Hawaii (1993-2012)	1973	ICD-O-3	2001	2001	1993	1993						
USA, Idaho (1998-2012)	1971	ICD-O-3	2001	2001	1998	1998						
USA, Illinois (1998-2012)	1986	ICD-O-3	2001	2001	1998	1998						
USA, Indiana (1998-2012)	1987	ICD-O-3	2001	2001	1998	1998						
USA, Iowa (1993-2012)	1973	ICD-O-3	2001	2001	1993	1993						
USA, Kentucky (1998-2012)	1995	ICD-O-3	2001	2001	1998	1998						
USA, Louisiana (1998-2012)	1988	ICD-O-3	2001	2001	1998	1998						
USA, Maine (1998-2012)	1983	ICD-O-3	2001	2001	1998	1998						
USA, Massachusetts (1998-2012)	1982	ICD-O-3	2001	2001	1998	1998						
USA, Michigan (1998-2012)	1985	ICD-O-3	2001	2001	1998	1998						
USA, Michigan, Detroit (1993-2012)	1973	ICD-O-3	2001	2001	1993	1993						
USA, Minnesota (1998-2012)	1988	ICD-O-3	2001	2001	1998	1998						
USA, Mississippi (2002-2012)	1996	ICD-O-3	2002	2002								
USA, Missouri (1998-2012)	1985	ICD-O-3	2001	2001	1998	1998						
USA, Montana (1998-2012)	1979	ICD-O-3	2001	2001	1998	1998						

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)														
			ICD-O-3			ICD-O-2			ICD-O-1			Morphology			Topography		
			Morphology	Topography	Other	Morphology	Topography	Other	Morphology	Topography	Other	Motnac	Other	ICD-10	ICD-9	Other	
USA, Nebraska (1998-2012)	1986	ICD-O-3	2001	2001	1998	1998											
USA, Nevada (1998-2012)	1995	ICD-O-3	2001	2001	1998	1998											
USA, New Hampshire (1998-2012)	1986	ICD-O-3	2001	2001	1998	1998											
USA, New Jersey (1998-2012)	1979	ICD-O-3	2001	2001	1998	1998											
USA, New Mexico (1993-2012)	1975	ICD-O-3	2001	2001	1993	1993											
USA, New York State (1998-2012)	1976	ICD-O-3	2001	2001	1998	1998											
USA, North Carolina (1998-2012)	1990	ICD-O-3	2001	2001	1998	1998											
USA, North Dakota (1998-2012)	1997	ICD-O-3	2001	2001	1998	1998											
USA, Ohio (1998-2012)	1996	ICD-O-3	2001	2001	1998	1998											
USA, Oklahoma (1998-2012)	1997	ICD-O-3	2001	2001	1998	1998											
USA, Oregon (1998-2012)	1996	ICD-O-3	2001	2001	1998	1998											
USA, Pennsylvania (1998-2012)	1985	ICD-O-3	2001	2001	1998	1998											
USA, Rhode Island (1998-2012)	1986	ICD-O-3	2001	2001	1998	1998											
USA, South Carolina (1998-2012)	1996	ICD-O-3	2001	2001	1998	1998											
USA, South Dakota (2001-2012)	2001	ICD-O-3	2001	2001													
USA, Tennessee (1999-2012)	1986	ICD-O-3	2001	2001	1999	1999											
USA, Texas (1998-2012)	1995	ICD-O-3	2001	2001	1998	1998											
USA, Utah (1993-2012)	1966	ICD-O-3	2001	2001	1993	1993											
USA, Vermont (1998-2012)	1994	ICD-O-3	2001	2001	1998	1998											
USA, Virginia (1998-2012)	1980	ICD-O-3	2001	2001	1998	1998											
USA, Washington State (1998-2012)	1992	ICD-O-3	2001	2001	1998	1998											
USA, Washington, Seattle (1993-2012)	1974	ICD-O-3	2001	2001	1993	1993											
USA, West Virginia (1998-2012)	1993	ICD-O-3	2001	2001	1998	1998											
USA, Wisconsin (1998-2012)	1976	ICD-O-3	2001	2001	1998	1998											
USA, Wyoming (1998-2012)	1962	ICD-O-3	2001	2001	1998	1998											
ASIA																	
BAHRAIN (1998-2012)	1998	ICD-O-3	1998	1998													
CHINA, Beijing (2000-2013)	1977	ICD-O-3	2000	2000													
CHINA, Dalian (2003-2012)	1985	ICD-O-3	2003	2003													
CHINA, Guangzhou (2010-2012)	1999	ICD-O-3	2010	2010													
CHINA, Hong Kong (1990-2013)	1963	ICD-O-3 + ICD-10	2001	2001					1990			2001	1990				
CHINA, Shanghai (2002-2012)	1972	ICD-O-3	2010	2010	2002	2002											
CHINA, Zhongshan (2003-2012)	1970	ICD-O-3	2004	2004	2003	2003											
INDIA, Bangalore (1993-2011)	1982	ICD-O-3	2002	1993													
INDIA, Chennai (1993-2013)	1982	ICD-O-3 (ICD-O-2)	2003	2003	1998	1998		1993	1993								
INDIA, Kollam (2006-2012)	2006	ICD-O-3	2006	2006													
INDIA, Mumbai (1993-2012)	1964	ICD-O-3	2002	2002	1998	2000		1993	1993								1993

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)									
			ICD-O-3		ICD-O-2		ICD-O-1		Morphology		Topography	
			Morphology	Topography	Morphology	Topography	Morphology	Topography	ICD-O-FTE	Motnac	Other	Other
INDIA, Nagpur (1990-2012)	1980	ICD-O-3	2002	2002								
INDIA, New Delhi (2003-2010)	1988	ICD-O-3	2003	2003								
INDIA, Trivandrum (2005-2012)	2005	ICD-O-3	2005	2005								
ISLAMIC REPUBLIC OF IRAN, Golestan (2004-2011)	2004	ICD-O-3	2004	2004								
ISRAEL (1990-2012)	1960	ICD-O-3	2001	2000							1990	Other
JAPAN, Aichi (2008-2012)	1962	ICD-O-3	2008	2008								
JAPAN, Hiroshima (1990-2012)	1957	ICD-O-3	2004	2004	1998	1998	1990	1990				
JAPAN, Miyagi (1990-2010)	1959	ICD-O-3 (ICD-O-2)	2003	2003	1990	1993						1990
JAPAN, Nagasaki (1993-2012)	1985	ICD-O-3	1993	1993								
JAPAN, Niigata (2003-2012)	1991	ICD-O-3	2003	2003								
JAPAN, Osaka (1990-2012)	1962	ICD-O-3	1990	1990								
JAPAN, Tochigi (2005-2012)	1993	ICD-O-3	2005	2005								
JAPAN, Yamagata (1990-2013)	1974	ICD-O-3	2006	2006								1990
JORDAN, Jordanians (2000-2012)	1996	ICD-O-3	2000	2000								
REPUBLIC OF KOREA (1999-2012)	1999	ICD-O-3	2003	2003	1999	1999						
REPUBLIC OF KOREA, Busan (1999-2012)	1999	ICD-O-3	2003	2003	1999	1999						
REPUBLIC OF KOREA, Daegu (1999-2012)	1999	ICD-O-3	2003	2003	1999	1999						
REPUBLIC OF KOREA, Daejeon (1999-2012)	1999	ICD-O-3	2003	2003	1999	1999						
REPUBLIC OF KOREA, Gwangju (1997-2012)	1997	ICD-O-3	2003	2003	1997	1997						
REPUBLIC OF KOREA, Incheon (1998-2012)	1997	ICD-O-3	2003	2003	1998	1998						
REPUBLIC OF KOREA, Jeju (2000-2012)	2000	ICD-O-3	2003	2003	2000	2000						
REPUBLIC OF KOREA, Seoul (1995-2012)	1992	ICD-O-3	2003	2003	1995	1995						
REPUBLIC OF KOREA, Ulsan (2001-2012)	2001	ICD-O-3	2003	2003	2001	2001						
KUWAIT (1994-2012)	1974	ICD-O-3	2000	2000	1994	1994						
LEBANON (2008-2010)	2003	ICD-O-3	2008	2008								
PAKISTAN, Karachi (1995-2002)	1995	ICD-O-3 (ICD-O-2)	1998	1998	1995	1995						
PAKISTAN, Lahore (2008-2012)	2005	ICD-O-3	2008	2008								
PHILIPPINES, Manila (1993-2012)	1980	ICD-O-3	1998	1998	1993	1993						
PHILIPPINES, Rizal (1993-2012)	1977	ICD-O-3	1998	1998	1993	1993						
QATAR (2002-2014)	2003	ICD-O-3	2003	2003								
SAUDI ARABIA, Riyadh (1994-2012)	1994	ICD-O-3	2001	2001	1994	1994						
THAILAND, Bangkok (2001-2012)	1990	ICD-O-3	2001	2001								
THAILAND, Chiang Mai (1993-2012)	1983	ICD-O-3	2003	2003	1993	1993						
THAILAND, Chonburi (1998-2012)	1998	ICD-O-3	1998	1998								
THAILAND, Khon Kaen (1993-2012)	1985	ICD-O-3	2004	2004	1999						1993	
THAILAND, Lampang (1993-2013)	1995	ICD-O-3	2007	2007	1995	1995						
THAILAND, Songkhla (1994-2013)	1989	ICD-O-3	2001	2001	1994	1994						

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)																
			ICD-O-3			ICD-O-2			ICD-O-1			Morphology			Topography				
			Morphology	Topography	Other	Morphology	Topography	Other	Morphology	Topography	Other	ICD-O-FTE	Motnac	Other	ICD-9	ICD-10	Other		
TURKEY, paediatric (2009-2011)	2002	ICD-O-3		2009		2009													
TURKEY, Ankara (2008-2012)	2006	ICD-O-3		2008		2008													
TURKEY, Antalya (1998-2012)	1995	ICD-O-3		2003		2003		1998											
TURKEY, Bursa (2004-2012)	2000	ICD-O-3		2004		2004													
TURKEY, Edirne (2004-2012)	2004	ICD-O-3		2004		2004													
TURKEY, Erzurum (2006-2012)	2006	ICD-O-3		2006		2006													
TURKEY, Izmir (1992-2012)	1992	ICD-O-3		2000		2000		1992											
TURKEY, Samsun (2003-2012)	2001	ICD-O-3		2003		2003													
TURKEY, Trabzon (2003-2012)	2003	ICD-O-3		2003		2003													
VIET NAM, Ho Chi Minh City (1995-2013)	1995	ICD-O-3		1997		1997		1995											
EUROPE																			
AUSTRIA (1990-2012)	1970	ICD-O-3		2006		2006		2002		1990		1990							
BELARUS, paediatric (1990-2014)	1999	ICD-O-3		1990		1990													
BELGIUM (2004-2013)	2004	ICD-O-3		2004		2004													
BULGARIA (1990-2013)	1952	ICD-O-3		1990		1990													1990
CROATIA (2001-2014)	1962	ICD-O-3					2001		2001										
CYPRUS, South-West (1998-2012)	1998	ICD-O-3		2000		2000		1998		1998									
CZECH REPUBLIC (1990-2012)	1976	ICD-O-3		2005		2005		1994		1994		1990		1990					
ESTONIA (1990-2012)	1968	ICD-O-3					1998		1998		1998		1990		1990				
FRANCE, paediatric (2000-2012)	2000	ICD-O-3		2000		2000													
FRANCE, paediatric, haematological malignancies (1990-1999)	1990	ICD-O-3		1990		1990													
FRANCE, Bas-Rhin (1993-2011)	1975	ICD-O-3		2001		2001		1999		1999		1993		1993					
FRANCE, Calvados (1990-2012)	1978	ICD-O-3		2001		2001		1990		1990									
FRANCE, Doubs (1993-2012)	1978	ICD-O-3		2002		2002		1993		1993									
FRANCE, Gironde (2008-2012)	2008	ICD-O-3		2008		2008													
FRANCE, Haut-Rhin (1993-2012)	1988	ICD-O-3					1994		1994		1993		1993						
FRANCE, Haute-Vienne (2009-2011)	2003	ICD-O-3		2009		2009													
FRANCE, Hérault (1993-2012)	1986	ICD-O-3		2001		2001		1995		1995		1993		1993					
FRANCE, Isère (1993-2012)	1979	ICD-O-3		2001		2001		1993		1993									
FRANCE, Lille (2008-2012)	2008	ICD-O-3		2008		2008													
FRANCE, Loire-Atlantique and Vendée (1998-2012)	1998	ICD-O-3		2002		2002		1998		1998									
FRANCE, Manche (1994-2012)	1994	ICD-O-3		2002		2002		1994		1994									
FRANCE, Somme (1993-2012)	1982	ICD-O-3		2001		2001		1993		1993									
FRANCE, Tarn (1993-2012)	1982	ICD-O-3		2002		2002		1993		1993									
GERMANY, paediatric (1996-2012)	1980	ICD-O-3		1996		1996													
GERMANY, 6 Eastern states (2001-2007)	1953	ICD-O-3		2001		2001													
GERMANY, Bavaria (2002-2012)	1998	ICD-O-3		2002		2002													

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)									
			ICD-O-3		ICD-O-2		ICD-O-1		Morphology		Topography	
			Morphology	Topography	Morphology	Topography	Morphology	Topography	ICD-O-FTE	Motnac	Other	Other
GERMANY, Lower Saxony (2003-2012)	2000	ICD-O-3	2004	2004	2003	2003						
GERMANY, Rhineland-Palatinate (1998-2012)	1998	ICD-O-3	2012	2012	1998	1998						
GERMANY, Saarland (1994-2012)	1968	ICD-O-3	2003	2003	1996	1994		1994				
GERMANY, Schleswig-Holstein (2000-2012)	1998	ICD-O-3	2004	2004	2000	2000						
GREECE, paediatric specialized (1996-2014)	1996	ICD-O-3	2007	2007					1996	Other		1996 Other
HUNGARY, paediatric (1991-2014)	1971	ICD-O-3 (ICD-O-2)	1991	1991								
IRELAND (1990-2014)	1955	ICD-O-3	1990	1990								1990
IRELAND (1994-2012)	1994	ICD-O-3	2005	2005	1994	1994						
ITALY, Marche, paediatric (1998-2007)	1990	ICD-O-3	1998	1998								
ITALY, Piedmont, paediatric (1990-2011)	1965	ICD-O-3	1990	1990								
ITALY, Biella (1995-2010)	1995	ICD-O-3	1995	1995								
ITALY, Brescia (1999-2012)	1999	ICD-O-3	2007	2007	1999	1999						
ITALY, Catania, Messina and Enna (2003-2013)	2003	ICD-O-3	2003	2003								
ITALY, Catanzaro (2003-2009)	2003	ICD-O-3	2003	2003								
ITALY, Como (2003-2011)	2008	ICD-O-3	2003	2003								
ITALY, Ferrara (1991-2011)	1991	ICD-O-3	1998	1998			1991	1991				
ITALY, Friuli Venezia Giulia (1995-2010)	1995	ICD-O-3	1995	1995								
ITALY, Lecco (2003-2010)	2003	ICD-O-3	2003	2003								
ITALY, Lodi and Pavia (2003-2009)	2003	ICD-O-3	2003	2003								
ITALY, Milan (1999-2007)	1999	ICD-O-3	1999	1999								
ITALY, Modena (1990-2012)	1988	ICD-O-3	1990	1990								
ITALY, Naples South (1996-2012)	1997	ICD-O-3	2000	2000	1997	1997						
ITALY, Nuoro (2003-2012)	2003	ICD-O-3	2003	2003								
ITALY, Parma (1992-2013)	1978	ICD-O-3	1998	1998			1992	1992				
ITALY, Ragusa and Caltanissetta (1992-2012)	1981	ICD-O-3	1992	1992								
ITALY, Reggio Emilia (1996-2012)	1996	ICD-O-3	1996	1996								
ITALY, Romagna (1990-2012)	1986	ICD-O-3	2004	2004			1990	1990				
ITALY, Salerno (1997-2009)	1996	ICD-O-3	2002	2002			1997	1997				1997
ITALY, Sassari (1992-2011)	1992	ICD-O-3	2003	2003	1992	1992						
ITALY, Syracuse (1999-2012)	1999	ICD-O-3	1999	1999								
ITALY, Trapani (2002-2009)	2002	ICD-O-3	2002	2002								
ITALY, Trento (2001-2010)	1999	ICD-O-3					2001	2001				
ITALY, Turin (1992-2012)	1985	ICD-O-3	1992	1992								
ITALY, Umbria (1994-2011)	1994	ICD-O-3	2002	2002	1994	1994						
ITALY, Varese (1992-2012)	1976	ICD-O-3	2003	2003	1996	1996	1992	1992				
ITALY, Veneto (1992-2009)	1987	ICD-O-3			1992	1992						
LITHUANIA (2000-2012)	1957	ICD-O-3	2003	2003	2000	2000						2000

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)															
			ICD-O-3			ICD-O-2			ICD-O-1			Morphology			Topography			
			Morphology	Topography	Year	Morphology	Topography	Year	Morphology	Topography	Year	ICD-O-FTE	Motnac	Other	ICD-10	ICD-9	Other	
MALTA (1994-2013)	1995	ICD-O-3	2004	2004	1994	1994	1994											
THE NETHERLANDS (1993-2013)	1989	ICD-O-3	2001	2001	1993	1993	1993											
NORWAY (1990-2013)	1952	ICD-O-3	2002	2002	1993	1993	1993											
POLAND (2001-2013)	1956	ICD-O-3	2013	2013	2001	2001	2001											
POLAND, Greater Poland (1999-2013)	1985	ICD-O-3 (ICD-O-2)	2013	2013	1999	1999	1999											
POLAND, Kielce (1990-2013)	1988	ICD-O-3																
POLAND, Lower Silesia (2000-2013)	1984	ICD-O-3 (ICD-O-2)	2000	2000														
POLAND, Lublin (1999-2013)	1974	ICD-O-3	2013	2013	1999	1999	1999											
PORTUGAL, Azores (1997-2011)	1997	ICD-O-3	1997	1997														
PORTUGAL, Centre (2000-2010)	1989	ICD-O-3 (ICD-O-2)	2002	2002	2000	2000	2000											
PORTUGAL, North (1991-2010)	1988	ICD-O-3	1997	1997														
PORTUGAL, South (1998-2012)	1988	ICD-O-3	1998	1998														
RUSSIAN FEDERATION, Moscow region, paediatric (2000-2009)	2000	ICD-O-3	2000	2000														
RUSSIAN FEDERATION, Chelyabinsk (2008-2012)	2007	ICD-O-3	2008	2008														
RUSSIAN FEDERATION, Samara (1998-2015)	2003	ICD-O-2 + ICD-10			2003	2003	2003											
SLOVAKIA (1990-2009)	1976	ICD-O-3	2007	2007	2000	2000	2000											
SLOVAKIA, paediatric (2000-2012)	2000	ICD-O-3	2000	2000														
SLOVENIA (1991-2012)	1950	ICD-O-3	2001	2001	1991	1991	1991											
SPAIN, selected regions, paediatric (2000-2013)	1990	ICD-O-3	2012	2012	2000	2000	2000											
SPAIN, Valencia, paediatric (1991-2010)	1985	ICD-O-3	1991	1991														
SPAIN, Albacete (1991-2010)	1991	ICD-O-3	1991	1991														
SPAIN, Asturias (1992-2010)	1982	ICD-O-3	2001	2001	1992	1992	1992											
SPAIN, Basque Country (1990-2012)	1986	ICD-O-3	2003	2003	1995	1995	1995											
SPAIN, Canary Islands (1993-2011)	1993	ICD-O-3	2003	2003	1993	1993	1993											
SPAIN, Cuenca (1993-2012)	1993	ICD-O-3	2003	2003	1993	1993	1993											
SPAIN, Girona (1990-2013)	1980	ICD-O-3	1998	2000	1993	1993	1990											
SPAIN, Granada (1992-2013)	1985	ICD-O-3	1998	1998	1992	1992	1992											
SPAIN, Mallorca (1990-2012)	1988	ICD-O-3	2000	2000			1990											
SPAIN, Murcia (1991-2009)	1982	ICD-O-3	2002	2002	1996	1996	1991											
SPAIN, Navarra (1990-2010)	1970	ICD-O-3	2003	2003	1993	1993	1990											1990
SPAIN, Tarragona (1990-2011)	1980	ICD-O-3	1998	1998	1993	1993	1990											
SWEDEN (1990-2011)	1958	ICD-O-3	2005	2005	1993	1993	1993								1990	Other		1990
SWITZERLAND, paediatric (1990-2013)	1976	ICD-O-3	1990	1990														
SWITZERLAND, Fribourg (2006-2013)	2006	ICD-O-3	2006	2006														
SWITZERLAND, Geneva (1993-2013)	1970	ICD-O-3	2003	2003	1993	1993	1993											
SWITZERLAND, Neuchâtel (1993-2013)	1974	ICD-O-3	2005	2005			1993									1993	1993	
SWITZERLAND, Ticino (1996-2012)	1996	ICD-O-3	2003	2003	1996	1996	1996											

Table A.10. Coding systems used by the contributing cancer registries during the period covered in IICC-3

Registry (IICC-3 period)	Registry starting year	Coding system submitted	Coding system used to code neoplasms at the time of registration as reported by the registry (first year of use)											
			ICD-O-3			ICD-O-2			ICD-O-1			Morphology		
			Morphology	Topography	Topography	Morphology	Topography	Topography	Morphology	Topography	Topography	Motnac	Other	Topography
SWITZERLAND, Valais (1990-2012)	1989	ICD-O-3	2003	2003	2003	1995	1995	1990	1990	1990				
SWITZERLAND, Vaud (1993-2012)	1974	ICD-O-3	2005	2005	2005			1993	1993	1993				
SWITZERLAND, Zurich (1993-2013)	1980	ICD-O-3	2003	2003	2003			1993	1993	1993				
UKRAINE (2002-2012)	2002	ICD-O-3										2002	Other	2002 Other
UNITED KINGDOM, England and Wales, paediatric (1991-2010)	1962	ICD-O-3	1991	1991	1991									
UNITED KINGDOM, England (1990-2013)	1945	ICD-O-3	2010	2010	1990	1990								1990
UNITED KINGDOM, Northern Ireland (1993-2013)	1993	ICD-O-3	2006	2006	1993	1993								
UNITED KINGDOM, Scotland (1991-2013)	1958	ICD-O-3	2006	2006	1997	1997		1991						1991
UNITED KINGDOM, Wales (2000-2011)	1974	ICD-O-3	2000	2000	2000									
OCEANIA														
AUSTRALIA, Australian Capital Territory (1992-2012)	1982	ICD-O-3	2003	2003	2003	1999	1999							1992
AUSTRALIA, New South Wales (1992-2012)	1972	ICD-O-3	2003	2003	2003	2002	2002	1999	1999					1992
AUSTRALIA, Northern Territory (1992-2012)	1981	ICD-O-3	1992	1992	1992									
AUSTRALIA, Queensland (1992-2013)	1982	ICD-O-3	1992	1992	1992									
AUSTRALIA, South Australia (1992-2012)	1977	ICD-O-3	2008	2008	2008							1992	SNOMED	1992
AUSTRALIA, Tasmania (1992-2013)	1977	ICD-O-3	2003	2003	2003							1992	SNOMED	1992
AUSTRALIA, Victoria (1992-2014)	1982	ICD-O-3	2003	2003	2003	1992	2000							1992
AUSTRALIA, Western Australia (1992-2014)	1982	ICD-O-3	1992	1992	1992									
FRANCE, French Polynesia (1990-2011)	1985	ICD-O-3	2002	2002	1999	1999	1999	1990	1990					
FRANCE, New Caledonia (1990-2013)	1977	ICD-O-3	1990	1990	1990									
NEW ZEALAND (1993-2012)	1948	ICD-O-3 (ICD-O-2)	2003	2003	1993	1993								
NEW ZEALAND, paediatric (2000-2012)	2000	ICD-O-3 (ICD-O-2)	2000	2000	2000									